
Title List of Documents Made Publicly Available

January 1-31, 1988

Date Published: March 1988

**Division of Publications Services
Office of Administration and Resources Management
U.S. Nuclear Regulatory Commission
Washington, DC 20555**



CONTENTS

Preface.....	v
Arrangement of Items by Docket Number	ix
Alphabetic Arrangement of Docket Items by Facility Name.....	xv
Docketed Items.....	1
Low Level Radwaste Disposal Sites — Docket 27	1
Domestic Licensing of Source Material — Docket 40	1
Domestic Licensing of Production and Utilization Facilities — Docket 50	5
Domestic Licensing of Special Nuclear Material — Docket 70	191
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	193
Licensing of Independent Spent Fuel Storage — Docket 72	196
Nondocketed Items	197
10 CFR — Commission Meeting Records	197
ACRS — Advisory Committee on Reactor Safeguards	197
ADVCM — NRC Advisory Committee.....	198
COMMISSION — NRC Commissioners	198
CONTRACT — NRC Contracts and Modifications	199
FOIA — Freedom of Information Act Requests and Releases	202
GEN TECH IS — Generic Technical Issues	216
I&E — Inspection and Enforcement	216
MISC — Public Document Room Miscellaneous	217
NUREG — NUREG Reports and Related Correspondence	217
ORG — Correspondence with Other Organizations	220
PR — Proposed Rule	221
PROJ — Projects - Predocket Licensing	222
PT21 — Noncompliance Reports and Related Correspondence	223
QA999 — Quality Assurance Inspections	223
REGGD — Regulatory Guides	223
RES — Research and Technical Assistance Reports	224
REVIEW GRP — NRC Research Review Groups	224
SECY — Position Papers Before the Commission	225
STATE PROG — State Programs	225
TOPREP — Vendor Reports and Related Correspondence	226
WASTE MGT — Nuclear Waste Management	227
WASTE RES — Waste Management Research Reports	230
XPORTLIC — Export and Import Licenses.....	230
Personal Author Index	233
Corporate Source Index.....	253
Report Number Index	271
Cross Reference of Enclosures to Principal Documents	273
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. In so far as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are:

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Report (PSAR), amendments
- C. Utility Environmental Report (ER), amendments and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), and correspondence
- E. NRC Safety Evaluation Report (SER), supplements and correspondence
- F. Security, medical, emergency and fire-protection plans
- G. Adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Report (FSAR) and amendments
- L. Limited work authorization and related correspondence
- M. Antitrust correspondence
- N. Antitrust hearing transcripts
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins and correspondence
- R. Periodic operating reports and related correspondence
- S. Reportable occurrences. LERs and related correspondence
- T. Hearing transcripts on non-antitrust matters
- U. Congressional/executive correspondence
- V. Licensing operators and related correspondence

- W. Decommissioning stage documents and correspondence
- X. Onsite low-level wastes storage

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the entries in the list are:

- ① P. Operating license stage documents & correspondence

②

③

8411270362 Submits renewed, amended & updated petition under 2.206, urging NRC to require that util provide Commission full disclosure of intended sources & environ consequences prior to issuing full power OL.

④ SUGARMAN, R.J.

⑤ Sugarman, Denworth & Hellegers

⑥

84/11/21

⑦

Denton, H. Office of Nuclear Reactor Regulation, Director

⑧

2pp.

27628:356:27628:357

⑨

⑩

⑪

⑫

⑬

1. NRC/PDR Document category (see Appendix A).
2. NRC Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Corporate, agency or nonindividual source.
6. Date of document described.
7. Recipient of document and NRC or corporate affiliation.
8. Pages in this document.
9. This five-digit number is the NRC 48X microfiche designation.
10. The three-digit portion of this entry is the number of the frame on which this document starts.
11. The five-digit portion of this entry is the number of the frame on which this document ends.
12. The three-digit portion of this entry is the number of the frame on which this document ends.
13. If this space is blank, the document is available to the public only in the NRC Public Document Room, 1717 H St., N.W., Washington, D.C. 20555. If this space is filled, it gives other sources for copies of the document. The entry may be "Available at NRC" for sale; "Available at NTIS"; or "Available at GPO."

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number or a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:


10CFR—Commission Meeting Records
 ACRS—Advisory Committee on Reactor Safeguards
 COMMISSION—NRC Commissioners
 CONTRACT—NRC Contracts and Modifications
 DISCLOSURE—Financial Disclosure Information
 FOIA—Freedom of Information Act Requests and Releases
 GEN TECH IS—Generic Technical Issues

MISC--Public Document Room Miscellaneous
 NUREG--NUREG Reports and Related Correspondence
 ORG--Correspondence with Other Organizations
 PR--Proposed Rule
 PRM--Petition for Rulemaking
 PROJ--Projects--Predocket Licensing
 PT21--Noncompliance Reports and Related Correspondence
 QA999--Quality Assurance Inspections
 REGGD--Regulatory Guides
 RES--Research and Technical Assistance Reports
 REVIEW GRP--NRC Research Review Groups
 RM--Rulemakings
 SECY--Position Papers Before the Commission
 STATE PROG--State Programs
 TOPREP--Vendor Reports and Related Correspondence
 WASH--Regulatory Publications--Pre-NUREG Series
 WASTE MGT--Nuclear Waste Management
 WASTE RES--Waste Management Research Reports
 XPORTLIC--Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are:

① NUREG--NUREG Reports and Related Correspondence



1. Nondocket category
2. NRC Accession Number (year, month, day, and sequence number of item)
3. NRC Report Number
4. Title and description of information contained in the document
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency or other nonindividual source.
7. Contract or financial (FIN) number (if any). If the document has a secondary report number, it will appear following this entry.
8. Secondary report number assigned by originator.
9. Date of document described.
10. NRC organizational recipient.
11. Pages in document.
12. All NUREG-series documents are available for purchase at NRC. Information on ordering documents is given below. All NUREG-series documents are also available at NTIS. Information on ordering from NTIS is also given below.
13. Price for which NRC sells the documents.

14. This five-digit number is the NRC 48X microfiche designation.
15. This three-digit portion of this entry is the number of the frame on which this document starts.
16. This five-digit number is the microfiche on which this document ends.
17. This three-digit number is the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for NRC is:
Director
Division of Publications Services
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

To place orders, send check or money order, payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling (301) 492-9530.

2. The address for NTIS is:
National Technical Information Service
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express credit cards; supply the charge card number when placing your order.

3. The address for the PDR is:
1717 H Street, N.W.
Washington, D.C. 20555

To place orders, either write to the NRC PDR or call (202) 634-3274. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Paper copy and microfiche of the documents listed in this title list may be purchased. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27			40-8820	AMAX ENVIRONMENTAL SERVICES, INC., GOLDEN, CO	
27-047	BARNWELL, SC, CHEM-NUCLEAR SYSTEMS, INC.	1	40-8829	FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE	
27-048	RICHLAND, WA, U.S. ECOLOGY, INC.	1	40-8902	ANACONDA MINERALS CO., GRANTS, NM	
Domestic Licensing of Source Material - Docket 40			40-8903	HOMESTAKE MINING CO., GRANTS, NM	
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1	40-8904	BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE	
40-1162	WESTERN NUCLEAR, INC., JEFFREY CITY, WY	1	40-8905	KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK	
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	1	40-8906	BOKUM RESOURCES CORP., ALBUQUERQUE, NM	
40-2061	KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL	1	40-8907	UNITED NUCLEAR CORP., SANTA FE, NM	
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	1	40-8911	MOBIL ALTERNATIVE ENERGY, INC., BOULDER, CO	
40-3453	ATLAS MINERALS, INC., DENVER, CO	2	40-8913	UNITED NUCLEAR CORP., GALLUP, NM	
40-4492	AMERICAN NUCLEAR CORP., CASPAR, WY	2	40-8914	ENERGY, DEPT. OF, SCOVILLE, ID	
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	2	40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	
40-6659	GETTY OIL/PETROTOMICS CO., SHIRLEY BASIN, WY	2	Domestic Licensing of Production and Utilization Facilities - Docket 50		
40-6940	Kawecki Berylco Industries, Inc., Boyertown, PA	2	50-2	FORD NUCLEAR REACTOR	
40-7455	Whittaker Metals, Los Angeles, CA	2	50-3	INDIAN POINT STATION, UNIT 1	
40-8027	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	2	50-6	BATTELLE MEMORIAL INSTITUTE RESEARCH REACTOR	
40-8064	EXXON MINERALS CO., USA, HOUSTON, TX	3	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	
40-8084	RIO ALGOM CORP., MOAB, UT	3	50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	3	50-29	YANKEE-ROWE NUCLEAR POWER STATION	
40-8502	MALAPAI RESOURCES CO., PHOENIX, AZ	3	50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	
40-8584	MINERALS EXPLORATION CO., LOS ANGELES, CA	3	50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	
40-8681	UMETCO MINERALS CORP., GRAND JUNCTION, CO	3	50-89	GENERAL ATOMIC CO.	
40-8684	MALAPAI RESOURCES CO., CASPER, WY	3	50-112	UNIV. OF OKLAHOMA RESEARCH REACTOR	
40-8698	PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO	3	50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	
40-8714	CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH	4	50-134	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	
40-8768	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	4	50-139	UNIV. OF WASHINGTON RESEARCH REACTOR	
40-8783	URANERZ USA, INC., CASPER, WY	4	50-148	UNIV. OF KANSAS RESEARCH REACTOR	
40-8786	URANIUM RESOURCES, INC., RICHARDSON, TX	4	50-150	OHIO STATE UNIV. RESEARCH REACTOR	
			50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	

Docket	Name	Page	Docket	Name	Page
50-155	BIG ROCK POINT NUCLEAR PLANT	9	50-269	OCONEE NUCLEAR STATION, UNIT 1	38
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	10	50-270	OCONEE NUCLEAR STATION, UNIT 2	39
50-163	GA TECHNOLOGIES	10	50-271	VERMONT YANKEE NUCLEAR POWER STATION	4
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	10	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	4
50-177	U.S. AIR FORCE	11	50-274	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	4
50-182	PURDUE UNIV. RESEARCH REACTOR	11	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	4
50-183	VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	11	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	4
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	11	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	4
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	11	50-280	SURRY POWER STATION, UNIT 1	5
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	11	50-281	SURRY POWER STATION, UNIT 2	5
50-213	HADDAM NECK PLANT	13	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	5
50-219	OYSTER CREEK NUCLEAR POWER PLANT	14	50-285	FORT CALHOUN STATION, UNIT 1	5
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	15	50-286	INDIAN POINT STATION, UNIT 3	5
50-224	UNIV. OF CALIFORNIA RESEARCH REACTOR	16	50-287	OCONEE NUCLEAR STATION, UNIT 3	5
50-228	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	17	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	5
50-230	PAVIA RESEARCH REACTOR	17	50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	5
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	17	50-294	MICHIGAN STATE UNIV. RESEARCH REACTOR	5
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	18	50-295	ZION NUCLEAR POWER STATION, UNIT 1	5
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	19	50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	5
50-247	INDIAN POINT STATION, UNIT 2	20	50-298	COOPER NUCLEAR STATION	5
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	21	50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	5
50-250	TURKEY POINT PLANT, UNIT 3	22	50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	5
50-251	TURKEY POINT PLANT, UNIT 4	24	50-304	ZION NUCLEAR POWER STATION, UNIT 2	5
50-253	ACCELERATOR PULSED FAST ASSEMBLY	25	50-305	KEWAUNEE NUCLEAR POWER PLANT	5
50-254	QUAD-CITIES STATION, UNIT 1	25	50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	5
50-255	PALISADES NUCLEAR PLANT	26	50-309	MAINE YANKEE ATOMIC POWER PLANT	5
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	28	50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	5
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	30	50-312	RANCHO SECO NUCLEAR GENERATING STATION	5
50-261	H.B. ROBINSON PLANT, UNIT 2	32	50-313	ARKANSAS NUCLEAR ONE, UNIT 1	5
50-263	MONTICELLO NUCLEAR GENERATING PLANT	33	50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	5
50-264	DOW CHEMICAL CO.	34	50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	5
50-265	QUAD-CITIES STATION, UNIT 2	34	50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	5
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	35			
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	36			

Docket	Name	Page	Docket	Name	Page
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	81	50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	12
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	82	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	12
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	83	50-373	LASALLE COUNTY STATION, UNIT 1	12
50-322	SHOREHAM NUCLEAR POWER STATION	84	50-374	LASALLE COUNTY STATION, UNIT 2	12
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	87	50-382	WATERFORD GENERATING STATION, UNIT 3	12
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	89	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	12
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	90	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	13
50-326	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	91	50-389	ST. LUCIE PLANT, UNIT 2	13
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	91	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	13
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	94	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	13
50-329	MIDLAND PLANT, UNIT 1	98	50-394	CALIFORNIA STATE POLYTECH COLLEGE RESEARCH REACTOR	13
50-330	MIDLAND PLANT, UNIT 2	98	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	13
50-331	DUANE ARNOLD ENERGY CENTER	98	50-396	UNIV. OF VIRGINIA CAVALIER REACTOR	13
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	99	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	13
50-334	BEAVER VALLEY POWER STATION, UNIT 1	100	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	13
50-335	ST. LUCIE PLANT, UNIT 1	101	50-409	LA CROSSE BOILING WATER REACTOR	13
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	102	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	13
50-338	NORTH ANNA POWER STATION, UNIT 1	104	50-412	BEAVER VALLEY POWER STATION, UNIT 2	14
50-339	NORTH ANNA POWER STATION, UNIT 2	105	50-413	CATAWBA NUCLEAR STATION, UNIT 1	14
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	106	50-414	CATAWBA NUCLEAR STATION, UNIT 2	14
50-344	TROJAN NUCLEAR PLANT	108	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	14
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	109	50-417	GRAND GULF NUCLEAR STATION, UNIT 2	14
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	111	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	14
50-352	LIMERICK GENERATING STATION, UNIT 1	112	50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	14
50-353	LIMERICK GENERATING STATION, UNIT 2	113	50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	14
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	114	STN-50-437	FLOATING NUCLEAR PLANT	15
50-358	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	115	50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	16
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	115	50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	16
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	117	50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	16
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	118	50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	16
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	119	50-443	SEABROOK NUCLEAR STATION, UNIT 1	16
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	120	50-444	SEABROOK NUCLEAR STATION, UNIT 2	16
			50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	16

Docket	Name	Page	Docket	Name	Page
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	165	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	192
STN-50-454	BYRON STATION, UNIT 1	171	70-0893	FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL	192
STN-50-455	BYRON STATION, UNIT 2	172	70-0925	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	192
STN-50-456	BRAIDWOOD STATION, UNIT 1	174	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	192
STN-50-457	BRAIDWOOD STATION, UNIT 2	176	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	192
50-458	RIVER BEND STATION, UNIT 1	177	70-1151	WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC	193
50-459	RIVER BEND STATION, UNIT 2	179	70-1257	ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA	193
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	179	70-1308	GENERAL ELECTRIC CO., SAN JOSE, CA	193
50-461	CLINTON POWER STATION, UNIT 1	179	70-1359	IRT CORP., SAN DIEGO, CA	193
STN-50-470	CESSAR SYSTEM 80	180	70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	193
STN-50-482	WOLF CREEK GENERATING STATION	181	70-1621	DUQUESNE LIGHT CO., PITTSBURGH, PA	193
STN-50-483	CALLAWAY PLANT, UNIT 1	182	70-3013	COMMONWEALTH EDISON CO., CHICAGO, IL	193
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	183			
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	186			
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	187			
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	187	71-0481	MONROE X-RAY CO., INC.	193
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	189	71-0485	WASHINGTON PUBLIC POWER SUPPLY SYSTEM	193
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	190	71-0486	INTEC INSPECTION, INC.	193
50-538	MEMPHIS STATE UNIV. RESEARCH REACTOR	190	71-0487	ARMY, DEPT. OF	193
50-601	RESAR SP/90	191	71-0489	SACRAMENTO MUNICIPAL UTILITY DISTRICT	193
50-603	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	191	71-0491	MID-CON INSPECTION SERVICES, INC.	193
50-604	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	191	71-0618	MEMPHIS STATE UNIV.	193
STN-50-605	GE ADVANCED BWR DESIGN	191	71-0642	RTS TECHNOLOGY, INC.	193
			71-0643	BOOTH-TWINING, INC.	193
			71-0644	PACIFIC COAST TESTING SERVICE, INC.	193
			71-0646	PLANT INSPECTION CO.	194
			71-0647	NORTHERN INSPECTION SERVICES, INC.	194
			71-4986	MODEL: RA-2, RA-3, RA-J, GENERAL ELECTRIC CO.	194
			71-5814	MODEL: NRBK-41, -42 & -43, ENERGY, DEPT. OF	194
			71-5939	MODEL: GE-1500, GENERAL ELECTRIC CO.	194
			71-5957	MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY	194
			71-6272	MODEL: 6272, U.S. ECOLOGY, INC.	194
			71-6406	MODEL: NONE, ENERGY, DEPT. OF	194
			71-6441	MODEL: D2G POWER UNIT, ENERGY, DEPT. OF	194
Domestic Licensing of Special Nuclear Material - Docket 70					
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	191			
70-0036	COMBUSTION ENGINEERING, INC., WINDSOR, CT	191			
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	191			
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	191			
70-0364	BABCOCK & WILCOX CO., APOLLO, PA	192			
70-0371	UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT	192			
70-0687	CINTICHEM, INC., TUXEDO, NY	192			

71-6717	MODEL: 6717-B, GAMMA INDUSTRIES, INC.	194	71-9167	MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.
71-9032	MODEL: 650, TECH/OPS, INC.	194	71-9168	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.
71-9033	MODEL: 660 & 660E, TECH/OPS, INC.	194	71-9176	MODEL: NUPAC 14/210L & 14/210H, NUCLEAR PACKAGING, INC.
71-9044	MODEL: GE-1600, GENERAL ELECTRIC CO.	194	71-9177	MODEL: NUPAC 10/140, NUCLEAR PACKAGING, INC.
71-9073	MODEL: OH-142 SERIES, NUCLEAR PACKAGING, INC.	194	71-9178	MODEL: NUPAC 7/100, NUCLEAR PACKAGING, INC.
71-9074	MODEL: AP-100, ANEFCO, INC.	194	71-9179	MODEL: NUPAC 6/100L & 6/100H, NUCLEAR PACKAGING, INC.
71-9081	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	194	71-9193	MODEL: NES-5, NUCLEAR ENERGY SERVICES, INC.
71-9086	MODEL: HN-100, SERIES 1, HITTMAN NUCLEAR & DEVELOPMENT	195	71-9200	MODEL: 125-B, ENERGY, DEPT. OF
71-9100	MODEL: KKP-20-4950, KERR-MCGEE NUCLEAR CORP.	195	71-9208	MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.
71-9107	MODEL: 771, TECH/OPS, INC.	195	71-9216	MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.
71-9119	MODEL: BAPL 5910 BRDCG, ENERGY, DEPT. OF	195	71-9220	MODEL: 884, AMERSHAM CORP.
71-9126	MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.	195	71-9221	MODEL: NRBK-41, ENERGY, DEPT. OF
71-9127	MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.	195	71-9783	MODEL: S5W ITR, ENERGY, DEPT. OF
71-9128	MODEL: C-8, GAMMA INDUSTRIES, INC.	195	71-9788	MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF
71-9133	MODEL: C-10, GAMMA INDUSTRIES, INC.	195	71-9791	MODEL: PWR-2, ENERGY, DEPT. OF
71-9135	MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC.	195		
71-9148	MODEL: 770, TECH/OPS, INC.	195		Licensing of Independent Spent Fuel Storage - Docket 72
71-9159	MODEL: NUPAC 14/190L, M & H, NUCLEAR PACKAGING, INC.	195	72-0001	MORRIS OPERATIONS, GENERAL ELECTRIC CO.
71-9160	MODEL: 20-VS & 40-VS, GULF NUCLEAR, INC.	195	72-0002	VIRGINIA ELECTRIC & POWER CO.

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27			TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	
BARNWELL, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1	UMETCO MINERALS CORP., GRAND JUNCTION, CO	40-8681	
RICHLAND, WA, U.S. ECOLOGY, INC.	27-048	1	UMETCO MINERALS CORP., RIVERTON, WY	40-0299	
Domestic Licensing of Source Material - Docket 40			UNITED NUCLEAR CORP., GALLUP, NM	40-8913	
AMAX ENVIRONMENTAL SERVICES, INC., GOLDEN, CO	40-8820	4	UNITED NUCLEAR CORP., SANTA FE, NM	40-8907	
AMERICAN NUCLEAR CORP., CASPAR, WY	40-4492	2	URANERZ USA, INC., CASPER, WY	40-8783	
ANACONDA MINERALS CO., GRANTS, NM	40-8902	4	URANIUM RESOURCES, INC., RICHARDSON, TX	40-8786	
ATLAS MINERALS, INC., DENVER, CO	40-3453	2	WESTERN NUCLEAR, INC., JEFFREY CITY, WY	40-1162	
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	3	WHITTAKER METALS, LOS ANGELES, CA	40-7455	
BOKUM RESOURCES CORP., ALBUQUERQUE, NM	40-8906	5	Domestic Licensing of Production and Utilization Facilities - Docket 50		
BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE	40-8904	4	ACCELERATOR PULSED FAST ASSEMBLY	50-253	2
CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH	40-8714	4	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	50-228	1
ENERGY, DEPT. OF, SCOVILLE, ID	40-8914	5	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	50-604	18
EXXON MINERALS CO., USA, HOUSTON, TX	40-8064	3	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	50-603	19
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	5	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	14
FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE	40-8829	4	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-426	14
GETTY OIL/PETROCHEMICALS CO., SHIRLEY BASIN, WY	40-6659	2	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	7
HOMESTAKE MINING CO., GRANTS, NM	40-8903	4	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	12
KAWECKI BERYLCO INDUSTRIES, INC., BOYERTOWN, PA	40-6940	2	BATTELLE MEMORIAL INSTITUTE RESEARCH REACTOR	50-6	
KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL	40-2061	1	BEAVER VALLEY POWER STATION, UNIT 1	50-334	10
KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK	40-8905	5	BEAVER VALLEY POWER STATION, UNIT 2	50-412	14
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	40-8027	2	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	15
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	40-8768	4	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	15
MALAPAI RESOURCES CO., CASPER, WY	40-8684	3	BIG ROCK POINT NUCLEAR PLANT	50-155	
MALAPAI RESOURCES CO., PHOENIX, AZ	40-8502	3	BRAIDWOOD STATION, UNIT 1	STN-50-456	17
MINERALS EXPLORATION CO., LOS ANGELES, CA	40-8584	3	BRAIDWOOD STATION, UNIT 2	STN-50-457	17
MOBIL ALTERNATIVE ENERGY, INC., BOULDER, CO	40-8911	6	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	2
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	1	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	3
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	2	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	6
PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO	40-8698	3	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	8
RIO ALGOM CORP., MOAB, UT	40-8084	3	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	8
			BYRON STATION, UNIT 1	STN-50-454	17
			BYRON STATION, UNIT 2	STN-50-455	17

Name	Docket	Page	Name	Docket	Page
CALIFORNIA STATE POLYTECH COLLEGE RESEARCH REACTOR	50-394	134	GRAND GULF NUCLEAR STATION, UNIT 2	50-417	146
CALLAWAY PLANT, UNIT 1	STN-50-483	182	H.B. ROBINSON PLANT, UNIT 2	50-261	32
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	80	HADDAM NECK PLANT	50-213	13
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	81	HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	114
CATAWBA NUCLEAR STATION, UNIT 1	50-413	141	HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	8
CATAWBA NUCLEAR STATION, UNIT 2	50-414	143	INDIAN POINT STATION, UNIT 1	50-3	6
CESSAR SYSTEM 80	STN-50-470	180	INDIAN POINT STATION, UNIT 2	50-247	20
CLINTON POWER STATION, UNIT 1	50-461	179	INDIAN POINT STATION, UNIT 3	50-286	55
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	160	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	99
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	165	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	111
COOPER NUCLEAR STATION	50-298	64	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	118
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	67	KEWAUNEE NUCLEAR POWER PLANT	50-305	70
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	109	LA CROSSE BOILING WATER REACTOR	50-409	138
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	44	LASALLE COUNTY STATION, UNIT 1	50-373	124
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	87	LASALLE COUNTY STATION, UNIT 2	50-374	126
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	77	LIMERICK GENERATING STATION, UNIT 1	50-352	112
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	78	LIMERICK GENERATING STATION, UNIT 2	50-353	113
DOW CHEMICAL CO.	50-264	34	MAINE YANKEE ATOMIC POWER PLANT	50-309	72
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	6	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	7
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	17	MEMPHIS STATE UNIV. RESEARCH REACTOR	50-538	190
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	21	MICHIGAN STATE UNIV. RESEARCH REACTOR	50-294	61
DUANE ARNOLD ENERGY CENTER	50-331	98	MIDLAND PLANT, UNIT 1	50-329	98
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	83	MIDLAND PLANT, UNIT 2	50-330	99
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	119	MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	15
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	108	MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	103
FLOATING NUCLEAR PLANT	STN-50-437	150	MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	14
FORD NUCLEAR REACTOR	50-2	5	MONTICELLO NUCLEAR GENERATING PLANT	50-263	3
FORT CALHOUN STATION, UNIT 1	50-285	54	NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	1
FORT ST. VRAIN NUCLEAR GENERATING	50-267	36	NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	13
	50-163	10	NORTH ANNA POWER STATION, UNIT 1	50-338	10
	STN-50-805	191	NORTH ANNA POWER STATION, UNIT 2	50-339	10
	50-89	8	OCONEE NUCLEAR STATION, UNIT 1	50-269	3
	50-73	8	OCONEE NUCLEAR STATION, UNIT 2	50-270	3
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	10	OCONEE NUCLEAR STATION, UNIT 3	50-287	5
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	144	OHIO STATE UNIV. RESEARCH REACTOR	50-150	
			OYSTER CREEK NUCLEAR POWER PLANT	50-219	1
			PALISADES NUCLEAR PLANT	50-255	2

Name	Docket	Page	Name	Docket	Page
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	187	SURRY POWER STATION, UNIT 1	50-280	51
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	189	SURRY POWER STATION, UNIT 2	50-281	52
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	190	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	128
PAVIA RESEARCH REACTOR	50-230	17	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	130
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	10	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	58
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	46	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	82
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	49	TROJAN NUCLEAR PLANT	50-344	108
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	152	TURKEY POINT PLANT, UNIT 3	50-250	22
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	163	TURKEY POINT PLANT, UNIT 4	50-251	24
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	59	U.S. AIR FORCE	50-177	11
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	35	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	50-274	43
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	66	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	50-326	91
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	53	UNIV. OF CALIFORNIA RESEARCH REACTOR	50-224	16
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	71	UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	9
PURDUE UNIV. RESEARCH REACTOR	50-182	11	UNIV. OF KANSAS RESEARCH REACTOR	50-148	9
QUAD-CITIES STATION, UNIT 1	50-254	25	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	11
QUAD-CITIES STATION, UNIT 2	50-265	34	UNIV. OF OKLAHOMA RESEARCH REACTOR	50-112	8
RANCHO SECO NUCLEAR GENERATING STATION	50-312	74	UNIV. OF VIRGINIA CAVALIER REACTOR	50-396	135
RESAR SP/90	50-601	191	UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	8
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	11	UNIV. OF WASHINGTON RESEARCH REACTOR	50-139	9
RIVER BEND STATION, UNIT 1	50-458	177	VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	50-183	11
RIVER BEND STATION, UNIT 2	50-459	179	VERMONT YANKEE NUCLEAR POWER STATION	50-271	41
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	18	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	134
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	42	WATERFORD GENERATING STATION, UNIT 3	50-382	127
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	72	WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	132
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	11	WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	133
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	116	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	121
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	117	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	123
SEABROOK NUCLEAR STATION, UNIT 1	50-443	153	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	50-358	115
SEABROOK NUCLEAR STATION, UNIT 2	50-444	157	WOLF CREEK GENERATING STATION	STN-50-482	181
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	91	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	50-134	9
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	94	WPPSS NUCLEAR PROJECT, UNIT 1	50-460	179
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	137	WPPSS NUCLEAR PROJECT, UNIT 2	50-397	135
SHOREHAM NUCLEAR POWER STATION	50-322	84	WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	187
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	183			
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	186			
ST. LUCIE PLANT, UNIT 1	50-335	101			
ST. LUCIE PLANT, UNIT 2	50-389	131			

Name	Docket	Page	Name	Docket	Page
YANKEE-ROWE NUCLEAR POWER STATION	50-29	7	MODEL: 6272, U.S. ECOLOGY, INC.	71-6272	194
ZION NUCLEAR POWER STATION, UNIT 1	60-295	61	MODEL: 650, TECH/OPS, INC.	71-9032	194
ZION NUCLEAR POWER STATION, UNIT 2	50-304	69	MODEL: 660 & 660E, TECH/OPS, INC.	71-9033	194
Domestic Licensing of Special Nuclear Material - Docket 70			MODEL: 6717-B, GAMMA INDUSTRIES, INC.	71-6717	194
ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA	70-1257	193	MODEL: 770, TECH/OPS, INC.	71-9148	195
BABCOCK & WILCOX CO., APOLLO, PA	70-0364	192	MODEL: 771, TECH/OPS, INC.	71-9107	195
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	191	MODEL: 864, TECH/OPS, INC.	71-9166	195
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	191	MODEL: 884, AMERSHAM CORP.	71-9220	196
CINTICHEM, INC., TUXEDO, NY	70-0687	192	MODEL: AP-100, ANEFCO, INC.	71-9074	194
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	192	MODEL: BAPL 5910 BRDCG, ENERGY, DEPT. OF	71-9119	195
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-0036	191	MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY	71-5957	194
COMMONWEALTH EDISON CO., CHICAGO, IL	70-3013	193	MODEL: C-10, GAMMA INDUSTRIES, INC.	71-9133	195
DUQUESNE LIGHT CO., PITTSBURGH, PA	70-1621	193	MODEL: C-8, GAMMA INDUSTRIES, INC.	71-9128	195
FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL	70-0893	192	MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC.	71-9135	195
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	192	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	71-9081	194
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1308	193	MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	71-9216	196
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	192	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	71-9168	195
IRT CORP., SAN DIEGO, CA	70-1359	193	MODEL: D2G POWER UNIT, ENERGY, DEPT. OF	71-6441	194
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	70-0925	192	MODEL: GE-1500, GENERAL ELECTRIC CO.	71-5939	194
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	191	MODEL: GE-1600, GENERAL ELECTRIC CO.	71-9044	194
TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	193	MODEL: HN-100, SERIES 1, HITTMAN NUCLEAR & DEVELOPMENT	71-9086	194
UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT	70-0371	192	MODEL: KKP-20-4950, KERR-MCGEE NUCLEAR CORP.	71-9100	194
WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC	70-1151	193	MODEL: LP-50, ENERGY, DEPT. OF	71-6678	194
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71			MODEL: NES-5, NUCLEAR ENERGY SERVICES, INC.	71-9193	194
ARMY, DEPT. OF	71-0487	193	MODEL: NONE, ENERGY, DEPT. OF	71-6406	194
BOOTH-TWINING, INC.	71-0643	193	MODEL: NRBK-41, -42 & -43, ENERGY, DEPT. OF	71-5814	194
INTEC INSPECTION, INC.	71-0486	193	MODEL: NRBK-41, ENERGY, DEPT. OF	71-9221	194
MEMPHIS STATE UNIV.	71-0618	193	MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.	71-9208	194
MID-CON INSPECTION SERVICES, INC.	71-0491	193	MODEL: NUPAC 10/140, NUCLEAR PACKAGING, INC.	71-9177	194
MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.	71-9127	195	MODEL: NUPAC 14/190L, M & H, NUCLEAR PACKAGING, INC.	71-9159	194
MODEL: 125-B, ENERGY, DEPT. OF	71-9200	196	MODEL: NUPAC 14/210L & 14/210H, NUCLEAR PACKAGING, INC.	71-9176	194
MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.	71-9126	195	MODEL: NUPAC 6/100L & 6/100H, NUCLEAR PACKAGING, INC.	71-9179	194
MODEL: 20-VS & 40-VS, GULF NUCLEAR, INC.	71-9160	195	MODEL: NUPAC 7/100, NUCLEAR PACKAGING, INC.	71-9178	194
MODEL: 3208B, 3227B & 3218, AMERSHAM CORP.	71-9167	195	MODEL: OH-142 SERIES, NUCLEAR PACKAGING, INC.	71-9073	194

	Docket	Page	Name	Docket	Page
ENERGY, DEPT. OF	71-9791	196	RTS TECHNOLOGY, INC.	71-0642	193
-3, RA-J, GENERAL	71-4986	194	SACRAMENTO MUNICIPAL UTILITY DISTRICT	71-0489	193
, ENERGY, DEPT. OF	71-9783	196	WASHINGTON PUBLIC POWER SUPPLY SYSTEM	71-0485	193
ACTOR COMPARTMENT, . OF	71-9788	196			
CO., INC.	71-0481	193	Licensing of Independent Spent Fuel Storage - Docket 72		
SECTION SERVICES, INC.	71-0647	194	MORRIS OPERATIONS, GENERAL ELECTRIC CO.	72-0001	196
TESTING SERVICE, INC.	71-0644	193			
.ON CO.	71-0646	194	VIRGINIA ELECTRIC & POWER CO.	72-0002	196

DOCKETED ITEMS

RADWASTE DISPOSAL SITES

BARNWELL, SC, CHEM-NUCLEAR SYSTEMS, INC.

Forwards current organizational chart & revised procedures to support response 12-13538-01 per NRC request during 871214 meeting. Chem-Nuclear Systems, Inc. 87/12/17 HUFFERT, A. NRC - No Detailed Affiliation. 2pp. 43953 133-43953 343.

Forwards Nuclear Sys. Inc. organizational chart. Chem-Nuclear Systems, Inc. 87/08/30. 1p. 43953 135-43953 135.

Forwards E to Procedure CN-AD-020, "Chem Nuclear Sys (CNSI) Health Phys. Program." Chem-Nuclear Systems, Inc. 87/02/02. 19pp. 43953 136-43953 154.

Forwards B to Procedure CN-AD-026, "Radiation Exposure Records & Procedures." Chem-Nuclear Systems, Inc. 87/06/12. 10p. 43953 155-43953 173.

Forwards D to Procedure CN-EM-001, "CNSI Emergency Response Procedures." Chem-Nuclear Systems, Inc. 87/12/11. 40pp. 43953 174-43953 213.

Forwards F to QA-AD-001, "QA Program." Chem-Nuclear Systems, Inc. 87/06/11. 34pp. 43953 214-43953 247.

Forwards E to Procedure S20-AD-010, "Barnwell Waste Mgt Facility Site Description." Chem-Nuclear Sys. Inc. 87/01/13. 35pp. 43953 248-43953 282.

Forwards E to Procedure S20-RP-015, "Calibration Procedure." Chem-Nuclear Systems, Inc. 86/12/31. 61pp. 43953 283-43953 343.

48 RICHLAND, WA, U.S. ECOLOGY, INC.

Forwards that on 871109-16 gross beta action level exceeded on 9 samples.

Forwards U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 87/12/02. Region 5, Office of the Director. INGERSOLL, C.E. Washington, State of. 2pp. 43976 002.

Forwards monthly SNM receipt & burial report for Nov 1987 per Condition 6 of 16-10204-01. Report of isotopic activity required by State of WA also encl. W/forwards.

Forwards R.B. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 87/12/09. 1. NRC - No Detailed Affiliation Given. 2pp. 43953 360-43953 361.

Submits soil sample results exceeding action levels per Section 6 of facility license.

Forwards U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 87/12/11. Region 5, Office of the Director. INGERSOLL, C.E. Washington, State of. 2pp. 43945 280.

Forwards results of gamma isotopic analysis of special soil samples collected at Richland facility. Samples reanalyzed compliance w/agreed upon criteria. Sketch table encl.

Forwards U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 87/12/21. Region 5, Office of the Director. SHAFFNER, J. NRC - No Detailed Affiliation. INGERSOLL, C.E. Washington, State of. 6pp. 43967 176-43967 179.

Discusses result of occupational air sample taken on 871230 during facility operation.

Forwards U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 88/01/16. Region 5, Office of the Director. SHAFFNER, J. NRC - No Detailed Affiliation. INGERSOLL, C.E. Washington, State of. 2pp. 44173 243-44173 244.

UIC LICENSING OF SOURCE MATERIAL

9-0299 UMETCO MINERALS CORP., RIVERTON, WY

Forwards intent to transfer all stored product to White Mesa Mill, UT to shift only security watch schedule at Gas Hills by 880131.

Forwards UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 87/11/11. Uranium Recovery Field Oic, R4. 1p. 44008 121-44008 121.

Forwards that monetary increase in Bond 881 822 (Permit 349C) is necessary for 870916 increase necessary to accommodate changes in reclamation plan for A-9 pit if Susquehanna tailings brought in.

Forwards N.J. Wyoming, State of. 87/11/13. LYONS, P. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 1p. 43977 038-43977 038.

Forwards 2 Responds to 871111 letter proposing day shift security watch schedule subsequent to completed transfer of Umetco product to White Mesa Mill, UT. Proposal acceptable. No amendment required.

Forwards S. Uranium Recovery Field Oic, R4. 87/11/23. LYONS, P. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 1p. 43952 204-43952 204.

Forwards 16 Discusses review of licensee's environmental monitoring report for First Half 1987, per submittal in accordance w/License Condition 38 of License SUA-648. Adequate evaluation & QC performed. No licensing action recommended.

Forwards R.S., PETTINGILL, H.J. Uranium Recovery Field Oic, R4. 87/11/24. Uranium Recovery Field Oic, R4. 3pp. 43928 345-43928 347.

DOCKET 40-1162 WESTERN NUCLEAR, INC., JEFFREY CITY, WY

8801080088 Responds to 870917 letter re licensee intent to proceed w/site reclamation activities. Review of 870530 request to amend license will proceed promptly. Comments on technical aspects of recipient plan will be provided on or about 871030.

Forwards SMITH, R.D. Uranium Recovery Field Oic, R4. 87/10/06. Western Nuclear, Inc. (subs. of Phelps Dodge Corp.). 1pp. 43967 193-43967 194.

8801070099 Ack receipt of 871015 letter in response to NRC 870802 confirmation of action item from RD Martin. No further action necessary.

Forwards SMITH, R.D. Uranium Recovery Field Oic, R4. 87/11/13. BAKER, S.J. Western Nuclear, Inc. (subs. of Phelps Dodge Corp.). 1p. 43943 064-43943 064.

8801070094 Forwards report of 870526 27 semiannual audit/ALARA proceedings, per License Condition 42.

Forwards BAKER, S.J. Western Nuclear, Inc. (subs. of Phelps Dodge Corp.). 87/11/24. PETTINGILL, H.J. Uranium Recovery Field Oic, R4. 7pp. 43943 065-43943 071.

8801210363 Application for amendment to License SUA-56, reflecting 871124 letter re contract w/Canome Environ Svcs Corp to conduct additional groundwater sampling & analyses for diethyl phthalate throughout groundwater monitoring network.

Forwards BAKER, S.J. Western Nuclear, Inc. (subs. of Phelps Dodge Corp.). 87/12/07. PETTINGILL, H.J. Uranium Recovery Field Oic, R4. 1p. 44004 331-44004 331.

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

8801070227 Responds to 870922 letter re groundwater monitoring per 40CFR102. Since initiation of sampling for groundwater monitoring until concerned w/low well yields of approved wells. Suggests meeting to resolve concerns.

Forwards GRIDLEY, R.L. Tennessee Valley Authority. 87/11/23. SMITH, R.D. Uranium Recovery Field Oic, R4. 1p. 43945 348-43945 348.

8801060462 Confirms 880126 meeting at Region IV U Recovery Field Oic re groundwater monitoring at Edgemont Mill site per telcon w/G Hartman.

Forwards HAWKINS, E.F. Uranium Recovery Field Oic, R4. 87/12/09. GRIDLEY, R.L. Tennessee Valley Authority. 1p. 43930 318-43930 318.

DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL

8801130136 Requests date NRC anticipates that final supply to EIS will be issued. Served on 880111.

Forwards FRYE, J.H. Atomic Safety and Licensing Board Panel. #188 5298. 88/01/07. LEWIS, S.H. Office of the General Counsel. 1p. 43989 360-43989 360.

8801190257 Forwards FR notice re amendments to NRC regulations governing disposal of mill tailings. Region IV office confirms existing regulations to EPA groundwater protection requirements. W/ Certificate of Sec.

Forwards ROUSE, L.C. Fuel Cycle Safety Branch. 88/01/11. FRYE, J.H. Atomic Safety and Licensing Board Panel. 10pp. 44055 084-44055 103.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

8801070228 Ack receipt of 870823 letter informing NRC of statistically significant change in selenium. Region IV office will expect compliance monitoring program within timeframe discussed in License Condition 60(E).

Forwards HAWKINS, E.F. Uranium Recovery Field Oic, R4. 87/10/06. Pathfinder Mines Corp. 1p. 43953 358-43953 358.

8801130244 Forwards map depicting alternate trench excavated across Pond 2. Mod necessitated by progressive slime buildup where solution returned to mill. W/o map.

Forwards HARDGROVE, T.W. Pathfinder Mines Corp. 87/10/08. PETTINGILL, H. Uranium Recovery Field Oic, R4. 1p. 44004 121-44004 121.

8801120353 Requests extension of 871101 deadline for submittal of annual update report on Lucky Mc pumpback sys to 871123. Date will be assumed agreeable if response not received.

Forwards HARDGROVE, T.W. Pathfinder Mines Corp. 87/10/29. KONWINSKI, G. Uranium Recovery Field Oic, R4. 1p. 43991 265-43991 265.

8801110079 Advises that monetary increase in Bond 881 822 (Permit 349C) acceptable, per 870916 letter. Increase necessary to accommodate changes in reclamation plan for A-9 pit if Susquehanna tailings brought in.

Forwards ERICKSON, J. Wyoming, State of. 87/11/13. LYONS, P. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 1p. 43977 039-43977 039.

8801110076 Forwards update report on tailings seepage collection sys for Lucky Mc Mill, per License Condition 57 of License SUA-672. Report being forwarded to State of WY Dept of Environ Quality. W/o encl.

Forwards HARDGROVE, T.W. Pathfinder Mines Corp. 87/11/20. KONWINSKI, G. Uranium Recovery Field Oic, R4. 1p. 43978 306-43978 306.

8801060530 Discusses review of licensee's 870828 & 0821 environ data for first half of 1987. Future data should be continued to be reviewed to determine whether deterioration in groundwater quality constitutes trend.

Forwards HEYER, R.S., PETTINGILL, H.J. Uranium Recovery Field Oic, R4. 87/11/24. Uranium Recovery Field Oic, R4. 4pp. 43928 333-43928 336.

8801060482 Advises that Letter of Credit 85954 for Pathfinder Mines Corp may be terminated due to NRC approving new letter of credit for company through Credit du Nord New York Branch.

Forwards PETTINGILL, H.J. Uranium Recovery Field Oic, R4. 87/12/11. IRVIN, K. Banque Nationale de Paris. 1p. 43949 174-43949 177.

-8801070246 Notifies that Ltr of Credit 85954 for Pathfinder Mines Corp amended to increase amount of credit effective as of 8/7/001.
HOMSI,R., CHANG,E. Banque Nationale de Paris. 8/7/09/30. Region 4, Ofc of the Director. 1p. 43949-175-43949-175.

-8801070283 Advises that Ltr of Credit 85954 for Pathfinder Mines Corp. NRC License SUA-672, established as of 8/5/215.
HOMSI,R., WONG,S. Banque Nationale de Paris. 8/5/12/15. Region 4, Ofc of the Director. 2pp. 43949-176-43949-177.

8801070151 Forwards Amend 18 to SUA-0672 modifying Condition 27 to specify approved surety estimate & replacement ltr of credit & to remove requirement for 15% contingency & adjust total estimate to account for inflation.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 8/7/12/11. NUGENT,L. Pathfinder Mines Corp. 3pp. 43945-298-43945-333.

-8801070158 Amend 18 to License SUA-0672 for Pathfinder Mines Corp. Lucky Mc U Mill, authorizing possession of U waste tailings generated by milling operations. Decontamination guidelines, sample reporting format & other supporting mail encl.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 8/7/12/11. 35pp. 43945-299-43945-333.

DOCKET 40-3453 ATLAS MINERALS, INC., DENVER, CO

8801070111 Discusses review of 871018 response to violations noted in Insp Rept 40-3453/87-01. Citation of item A warranted & corrective action must be implemented. Response requested within 30 days of ltr date.
PETTINGILL,H.J. Uranium Recovery Field Ofc, R4. 8/7/11/20. BLUBAUGH,R.E. Atlas Corp. 3pp. 43945-283-43945-295.

8801060522 Discusses review of licensee environ monitoring rept for First Half 1987, per 870911 submittal in compliance w/10CFR40.65 & License Condition 40. All required environ monitoring data provided. No licensing action necessary.
HEYER,R.S., PETTINGILL,H.J. Uranium Recovery Field Ofc, R4. 8/7/11/24. Uranium Recovery Field Ofc, R4. 3pp. 43930-331-43930-333.

8801070316 Confirms 871124 telcon re application for license to possess source mat. State of UT Bureau of Radiation Control have been notified of intent to file application.
BLUBAUGH,R.E. Atlas Corp. 8/7/11/24. PETTINGILL,H.J. Uranium Recovery Field Ofc, R4. 1p. 43945-151-43945-151.

8801190019 Forwards for filing joint "Status Rept of Parties," re ongoing negotiations in proceeding Parties request that 871123 order be extended for addl 30 days to afford all parties add'l time to reach settlement in proceeding.
BERRY,G.A. Assistant General Counsel for Hearings. #188 5342. 88/01/07. FRYE,J.H., CARPENTER,J.H. Atomic Safety and Licensing Board Panel. 1p. 44035-059-44035-065.

-8801190034 Status rept of parties. Principal issue in discussion is Atlas surety arrangement for decommissioning & reclamation of site at U milling facilities in Moab, UT. Certificate of Svc encl.
BERRY,G.A. Assistant General Counsel for Hearings. POTTS,R.D. Atlas Corp. 88/01/07. 5pp. 44035-060-44035-065.

8801260320 Forwards joint status rept of parties re ongoing negotiations in proceeding Parties request that 871123 order be extended for addl 30 days to afford licensee add'l time to reach settlement in proceeding Certificate of Svc encl.
BERRY,G.A. Office of the General Counsel. #188 5384. 88/01/07. FRYE,J.H., CARPENTER,J.H. Atomic Safety and Licensing Board Panel. 7pp. 44099-180-44099-186.

8801250333 Informs that on 880107 NRC & licensee filed copy of joint "Status Rept of Parties." Inclement weather prevented parties from filing encl executed original of status rept on 880107.
BERRY,G.A. Assistant General Counsel for Hearings. #188 5385. 88/01/14. FRYE,J.H. Atomic Safety and Licensing Board Panel. CARPENTER,J.H. Atomic Safety and Licensing Appeal Panel. 3pp. 44099-176-44099-179.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPAR, WY

8801070065 Reviews licensee 871023 response to NRC 871014 surety-related questions. Updated surety estimate does not include projected costs of groundwater restoration. Funds designated for decommissioning/reclamation should not be released.
ROSE,H.D., PETTINGILL,H.J. Uranium Recovery Field Ofc, R4. 8/7/11/17. Uranium Recovery Field Ofc, R4. 2pp. 43943-282-43943-283.

DOCKET 40-8622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

8801080079 Ack receipt of 870923 ltr submittal detection monitor data. Review indicates that threshold limits for arsenic, selenium & pH not exceeded. Entry into compliance monitoring phase of program not necessary. License mod requested.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 8/7/10/08. Pathfinder Mines Corp. 1p. 43967-145-43967-145.

8801070538 Forwards 1987 land use survey, per Condition 21 to License SUA-442.
MURDOCK,S. Pathfinder Mines Corp. 8/7/11/06. HEZER,R. Uranium Recovery Field Ofc, R4. 2pp. 43948-333-43948-336.

8801080011 Forwards technical examination of facility tailings embankment, per Condition 41 of License SUA-442.
HOPKINS,R.J. Pathfinder Mines Corp. 8/7/11/08. HEZER,R. Uranium Recovery Field Ofc, R4. 8pp. 43987-320-43987-327.

8801070078 Forwards Amend 14 to License SUA-442, modifying Condition 27, specifying approved surety estimate & replacement ltr of credit, per 871111 request.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 8/7/12/11. HOPKINS,R. Pathfinder Mines Corp. 3pp. 43943-072-43943-084.

-8801070104 Corrected Amend 14 to License SUA-442 for Pathfinder Mines Corp. amending license in entirety.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 8/7/12/11. 10pp. 43943-075-43943-084.

8801100010 Notifies that ltr of credit approved for Pathfinder Mines Corp issued by Credit Industriel et Commercial, to replace Ltr of Credit 85956 & related Amend 1. Authorizes termination of old ltr of credit effective 8/7/201.
PETTINGILL,H.J. Uranium Recovery Field Ofc, R4. 8/7/12/11. IRVIN,K. Banque Nationale de Paris. 1p. 43975-003-43975-006.

-8801100014 Notifies of amend to 851215 Ltr of Credit 85956, increasing credit to License SUA-442 Amend effective as of 8/7/001.
HOMSI,R., CHANG,E. Banque Nationale de Paris. 8/7/08/30. Uranium Recovery Field Ofc, R4. 1p. 43975-004-43975-004.

-8801100016 Issues Ltr of Credit 85956, effective on 851215, to License SUA-442.
HOMSI,R., WONG,S. Banque Nationale de Paris. 8/5/12/15. Uranium Recovery Field Ofc, R4. 2pp. 43975-005-43975-006.

DOCKET 40-6669 GETTY OIL/PETROATOMICS CO., SHIRLEY BASIN, WY

8801130306 Responds to findings of annual insp performed on 870924-25, per NRC 871013 ltr. Form NRC-3 & notec specifying location of documents returned to bulletin board & tagged do not remove.
PFAFF,S.J. Petroatomics Co. (formerly Getty/Petroatomics Co.). 8/7/11/10. PETTINGILL,H.J. Uranium Recovery Field Ofc, R4. 2pp. 44008-119-44008-120.

8801070425 Forwards outline of info needed & more specific NRC comments for licensee proposed reclamation plan & 870115 & 0831 submittals. Meeting to clarify info required for review of plan suggested.
HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 8/7/11/27. Petroatomics Co. (formerly Getty/Petroatomics Co.). 5pp. 43953-114-43953-118.

8801070062 Discusses licensee 871028 & 1117 requests for amend to reduction in environ monitoring & mods to license. Recommends that License Conditions 11, 31 & 41 be revised as stated. Revised environ monitoring program adequate to monitor site.
KONWINSKI,G.R., HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 8/7/12/14. Uranium Recovery Field Ofc, R4. 4pp. 43943-284-43943-287.

8801070076 Advises that License SUA-551 amended by revising License Conditions 11, 31 & 41 to read as stated re operational requirements & alternate seepage recovery well. Stage II reclamation plan data, per 871028 & 1107 requests Amend encl.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 8/7/12/14. Petroatomics Co. (formerly Getty/Petroatomics Co.). 2pp. 43943-103-43943-132.

-8801070081 Amend 21 to License SUA-551 for Petroatomics Co., deleting Condition 31 & revising Condition 41 re alternate seepage well & alternate submittal date for Stage II reclamation plan data.
SMITH,R.D. Uranium Recovery Field Ofc, R4. 8/7/12/14. 23pp. 43943-105-43943-132.

DOCKET 40-6940 KAWECKI BERYLCO INDUSTRIES, INC., BOYERTOWN, PA

8801200461 Forwards fluoride analysis for forage crops performed by Environ Strategies, Inc. Average fluoride for six samples is 45.6 ppm.
GANNON,W.C. Cabot Corp. 8/7/11/05. HORN,M. NRC - No Detailed Affiliation Given. 4pp. 44091-094-44091-098.

DOCKET 40-7455 WHITTAKER METALS, LOS ANGELES, CA

8801210033 Audit on 871214 of radioactive mail located next to Greenville Metals, Greenville, PA.
MILLER,F.L. Whittaker Corp. 8/7/12/14. 2pp. 44091-354-44091-355.

DOCKET 40-8027 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

8801200452 Requests rescission of NRC 870518 order prohibiting use of certain identified cylinders for normal in-plant UF8 operations & for transportation based on conditions in order being met, per encl description.
STAUTER,J.C. Kerr-McGee Nuclear Corp. 8/7/11/13. THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards, Director. 8pp. 44066-350-44066-357.

8801190176 FOIA request for documents re impact of nitrate in groundwater near plant as discussed in NUREG-1157, "Environ Assessment," for renewal of License SUB-1010 1010 Aug 1985.
DEERINWATER Native Americans for a Clean Environment. 8/7/11/25. ROBINSON,L. NRC - No Detailed Affiliation Given. 1p. 44055-321-44055-321.

8801280443 FOIA request for documents re impact of groundwater nitrate near Sequoyah Fuels Corp. Sequoyah Facility at Gore, OK.
DEERINWATER Native Americans for a Clean Environment. 8/7/11/25. ROBINSON,L. Freedom of Information & Privacy Acts Branch. 1p. 44173-065-44173-065.

8801200444 Forwards revised table of contents for License SUB-1010 for Insertion in Part I prior to Chapter 1.
COLLINS,J.T. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 8/7/12/07. ROUSE,L.C. Office of Nuclear Material Safety & Safeguards, Director. BANGART,R.L. Region 4, Ofc of the Director. 13pp. 44066-337-44066-349.

8712310057 Forwards Insp Rept 40-8027/87-12 on 871115-20. No violations or deviations noted.
FISHER,W.L. Region 4, Ofc of the Director. 8/7/12/24. STAUTER,J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 2pp. 43920-133-43920-138.

-8712310059 Insp Rept 40-8027/87-12 on 871118-20. No violations or deviations noted. Major areas inspected: operator training/retraining, maint/surveillance testing, operations review & allegation re unsafe or improper practice.
HOLLEY,W.L., EVERETT,R.J. Region 4, Ofc of the Director. 8/7/12/24. 4pp. 43920-135-43920-138.

8801070141 Confirms response to ER Golta 871222 request that Kerr-McGee discontinue accident-specific testing of facility workers exposed in 860104 accident. Workers exposed during incident should be monitored for pulmonary & renal injury.
SWIFT,J.J. Fuel Cycle Safety Branch. 8/7/12/29. STAUTER,J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 2pp. 43950-001-43950-003.

8801190333 Responds to 871201 ltr re constituent Norwood 871118 request that federal agencies put immediate stop to licensee turning radwaste into fertilizer in State of OK. No basis exists for rescinding NRC approval of licensee fertilizer program. STELLQ.V. *Off. of the Executive Director for Operations*. 88/01/05. GRAMM, P. Senate. 3pp. 44055:104-44055:111.

8801190343 Forwards constituent TD Norwood 871116 request for federal agencies to stop licensee from turning radwaste into fertilizer, for reply. GRAMM, P. Senate. 87/12/01. NRC - No Detailed Affiliation Given. 6pp. 44055:107-44055:111.

8801130293 Confirms 880112 meeting & tour to familiarize NMSS mgt w/ facility operation & discuss 870901 order to show cause, per 880104 telcon. Proposed agenda encl. BANGART, R.L. Region 4, *Off. of the Director*. 88/01/07. STAUTER, J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 2pp. 44039:347-44039:348.

8801190190 Partial response to FOIA request for documents re facility. Forwards App B documents. App A & B documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/13. DEER IN WATER Native Americans for a Clean Environment. 4pp. 44055:322-44055:352.

8801190213 Forwards assessment of NRC rept, "Groundwater Review for Sequoyah Fuels Facility," per Amend 15 to License SUB-1010. Current monitoring program proper. Amend to NRC program unnecessary. Figure 1 re raffinate fertilizer program encl. STAUTER, J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 87/11/23. ROUSE, L.C. *Off. of Nuclear Material Safety & Safeguards, Director*. 27pp. 44055:326-44055:352.

8801260505 Final response to FOIA request App C documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/26. DEER IN WATER, J. Native Americans for a Clean Environment. 2pp. 44173:068-44173:067.

8801290232 Requests comments on licensee 871123 review of NRC rept, "Groundwater Review for Sequoyah Fuels, Gaseous OK Facility." ROUSE, L.C. Fuel Cycle Safety Branch. 88/01/26. BANGART, R.L. Region 4, *Off. of the Director*. 1p. 44178:001-44178:001.

DOCKET 40-8064 EXXON MINERALS CO., USA, HOUSTON, TX

8801070373 Submits rept of groundwater restoration progress & radiological surveillance. Attachment I shows layout of well field & Attachments II-IV contain Aug. Sept 1987 excursion results. RANGE, D.M. Exxon Corp. 87/10/28. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 26pp. 43952:314-43952:340.

8801080503 Discusses review of licensee third quarterly rept for 1987 re groundwater restoration & environ sampling at expanded R&D in situ leach, per License Condition 16 of License SUA-1064. All conditions met. No licensing action necessary. OLSEN, T.T., HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/11/25. Uranium Recovery Field Ofc, R4. 1p. 43930:330-43930:330.

DOCKET 40-8084 RIO ALGOM CORP., MOAB, UT

8801070421 Advises that encl daily insp sheet amended to clarify frequency that pond level measurements are to be taken, per 870820 submittal & 871113 telcon. Water level measure daily when pond receiving tailing. PATTISON, R.S. Rio Algom Corp. 87/11/17. PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 2pp. 43952:311-43952:312.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

8801110146 Forwards Amend 15 to License SUA-1310. Amend issued to clarify confusion over listed correct attachments. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/10/08. Bear Creek Uranium Co. 1p. 43978:307-43978:309.

8801110157 Corrected Amend 15 to License SUA-1310 for Bear Creek U Co, clarifying attachments ref in License Conditions 18, 22, 27, 43 & 47. SMITH, R.D. Region 4, *Off. of the Director*. 87/10/06. 23pp. 43978:308-43978:339.

DOCKET 40-8502 MALAPAI RESOURCES CO., PHOENIX, AZ

8801070292 Page 2 of discharge monitoring rept for Jul-Sept 1987. W/871029 ltrs. WICHERS, D.L. Malapai Resources Co. 87/09/30. WAGNER, J. Wyoming, State of. 3pp. 43953:130-43953:132.

8801080081 Ack receipt of 870828 response to NRC 870809 confirmatory action ltr re radiological impact of pipeline break. Response acceptable. No environ impact caused as result of pipeline failure. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/10/06. WICHERS, D. Malapai Resources Co. 1p. 43967:148-43967:146.

8801110062 Advises that staff concerns identified in 871002 ltr found satisfactorily answered per licensee 871019 response. Licensee cleared to begin restoration test of 517 well patterns per 870901 proposal & as revised per 871019 ltr. MOONEY, G. Wyoming, State of. 87/11/05. WICHERS, D. Malapai Resources Co. 5pp. 43977:034-43977:038.

8801070136 Forwards Amend 6 to License SUA-1341, deleting Condition 27 & revising Conditions 14, 25 & 26. Aquifer test submittal adequately demonstrates hydraulic characteristics at site. SMITH, R.D. Uranium Recovery Field Ofc, R4. 87/11/18. WICHERS, D. Malapai Resources Co. 2pp. 43949:337-43949:360.

8801070142 Recommends that Condition 27 be deleted & that Conditions 14, 25 & 26 be revised per licensee 871001 request for amends re baseline water quality & aquifer test & air sampling requirements. KONWINSKI, G.R., HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/11/18. Uranium Recovery Field Ofc, R4. 4pp. 43949:339-43949:342.

8801070147 Amends 6 to License SUA-1341 for Malapai Resources Co, deleting Condition 27 & revising Conditions 14, 25 & 26 re results of effluent & environ monitoring & baseline water quality data. SMITH, R.D. Uranium Recovery Field Ofc, R4. 87/11/18. 6pp. 43949:343-43949:360.

8801060454 Determines that licensee request to withhold 870801 submittal from public disclosure is in keeping w/ 10CFR 2.790(a). KONWINSKI, G.R., HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/11/23. Uranium Recovery Field Ofc, R4. 1p. 43930:314-43930:314.

8801110028 Forwards "Rept of Confirmation of Upper Control Limits Exceedance Monitor Well DM-20, Production Unit 3, Irigaray Mine," documenting analytical results from well & corrective actions taken & proposed, per License Condition 28. WICHERS, D.L. Malapai Resources Co. 87/11/25. KONWINSKI, G.R. Uranium Recovery Field Ofc, R4. 1p. 43968:341-43968:345.

8801110035 "Rept of Confirmation of Upper Control Limits Exceedance Monitor Well DM-20, Production Unit 3, Irigaray Mine." WICHERS, D.L. Malapai Resources Co. 87/11/27. 4pp. 43968:342-43968:345.

8801070310 Discusses 871203 telcon re surface discharge of solutions from trucking cleaning licensee will use potable water from plant water well to flush trucks. WICHERS, D.L. Malapai Resources Co. 87/12/03. WAGNER, J. Wyoming, State of. 4pp. 43945:358-43945:362.

8801070339 Concurs w/ licensee conclusions re excursion status of Well DM-20, per 871125 ltr. Recommends pumping & monitoring test following recompletion of well to confirm corrective action. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/12/11. WICHERS, D. Malapai Resources Co. 1p. 43952:224-43952:224.

DOCKET 40-8584 MINERALS EXPLORATION CO., LOS ANGELES, CA

8801080086 Forwards annual revised bond estimate for License SUA-1350, per License Condition 42. Renewal of self bond application will be submitted to State of WY Dept of Environ Quality. HILL, E.Z. Minerals Exploration Co. (subs. of Union Oil Co. of California). 87/10/27. SMITH, R.D. Uranium Recovery Field Ofc, R4. 6pp. 43967:187-43967:192.

8801130359 Invites NRC participation in discussions w/ EPA re licensee efforts to comply w/ EPA regulation 40CFR 61.250-61.252 limiting radon gas emissions from U tailings facilities. Proposed Dec 1987 meeting goals discussed. Related info encl. HILL, E.Z. Minerals Exploration Co. (subs. of Union Oil Co. of California). 87/11/08. PETTINGILL, H. Uranium Recovery Field Ofc, R4. 28pp. 44008:121-44008:149.

DOCKET 40-8581 UMETCO MINERALS CORP., GRAND JUNCTION, CO

8801070401 Forwards annual evaluation of tailings mgt sys at White Mesa Mill. Tailings containment facility considered structurally stable & performing as designed per evaluations of geotechnical design parameters, design drawings & constr rept. HAMRICK, J.S. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 87/12/02. PETTINGILL, H. Uranium Recovery Field Ofc, R4. 4pp. 43952:276-43952:278.

DOCKET 40-8684 MALAPAI RESOURCES CO., CASPER, WY

8801130071 Notifies that reclamation surety mechanism for Willow Creek Ltr of Credit SB 8770 due to expire on 880218. No revs or decreases to surety anticipated when ltr renewed. WICHERS, D.L. Malapai Resources Co. 87/11/01. GRACE, S.R. Uranium Recovery Field Ofc, R4. 1p. 44008:295-44008:295.

8801060446 Discusses review of Licensee Third Quarter 1987 operations rept for Willow Creek R&D project, per 871030 submittal in accordance w/ License Condition 24. Applicable date with'n limits. GRACE, S.R., HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/11/30. Uranium Recovery Field Ofc, R4. 3pp. 43930:310-43930:312.

8801070428 Forwards supplemental info re Willow Creek R&D aquifer restoration results, consisting of Sept & Oct 1987 sample results from restoration wells & updated Table 3 to rept submitted on 871026. WICHERS, D.L. Malapai Resources Co. 87/12/04. GRACE, S.R. Uranium Recovery Field Ofc, R4. 6pp. 43953:119-43953:123.

8801070247 Forwards addl info re Malapai Resources Co Willow Creek R&D aquifer restoration results, consisting of Sept & Oct 1987 sample results from restoration wells & updated Table 3 from 871026 rept. WICHERS, D.L. Malapai Resources Co. 87/12/07. MOONEY, G. Wyoming, State of. 5pp. 43945:351-43945:355.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO

8801070407 Advises that amount of present surety more than sufficient to cover cost of decontamination, decommissioning & long-term surveillance, per 871109 meeting. Agrees to submit final reclamation plan for tailing area by 880208. FISHER, B.O. Plateau Resources, Ltd. 87/11/17. PETTINGILL, H. Uranium Recovery Field Ofc, R4. 1p. 43952:313-43952:313.

8801060428 Recommends issuance of Amend 4 to License SUA-1371, revising License Condition 33 re background levels for indicator parameters, per 860827 & 870120 requests. Sufficient monitoring data for background & compliance wells provided. KONWINSKI, G.R. Uranium Recovery Field Ofc, R4. 87/11/20. Uranium Recovery Field Ofc, R4. 5pp. 43928:358-43928:360.

8801070163 Notifies of Issuance of Amend 4 to License SUA-1371, revising License Condition 33 to incorporate background levels & appropriate threshold limits. SMITH, R.D. Uranium Recovery Field Ofc, R4. 87/11/20. Plateau Resources, Ltd. 3pp. 43954:041-43954:068.

8801070167 Amend 4 to License SUA-1371 for Plateau Resources Ltd, incorporating background levels & appropriate threshold limits. SMITH, R.D. Uranium Recovery Field Ofc, R4. 87/11/20. 9pp. 43954:049-43954:068.

- 8801060471 Advises that amend to License SUA-1371 inadvertently issued as second Amend 3 on 8/70916 Encl amend reassued as Amend 4 to correct NRC error W/o Amend 4
PETTING LL.H.J. Uranium Recovery Field Ofc. R4. 8/7/11/25. HOLLOWAY,C.J. License Fee Management Branch. 1p. 43930 285-43930 304.
- 8801060484 Forwards reissue of 870908 Amend 3 to License SUA-1371 in response to 871109 by Original issue did not include updated license document. Error resulted in incorrect issuance of subsequent amend on 870916 as second Amend 3
PETTING LL.H.J. Uranium Recovery Field Ofc. R4. 8/7/11/23. THAMM,J. Plateau Resources, Ltd. 1p. 43930 286-43930 286.
- 8801060498 Amend 3 to License SUA-1371 for Plateau Resources, Ltd. authorizing use of natural U & byproducts of U.
SMITH,R.D. Uranium Recovery Field Ofc. R4. 8/7/09/08. 9pp. 43930 287-43930 304.

DOCKET 40-8714 CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH

- 8801070471 Forwards corrected groundwater analysis rept for 870908 stability samples collected from Well Field B.
LOUDERBACK,T.E. Cleveland-Cliffs Iron Co. 8/7/11/18. HAWKINS,E.F. Uranium Recovery Field Ofc. R4. CLARKIN,K. Wyoming. State of. 4pp. 43952 301-43952 304.
- 8801070024 Advises that License SUA-1352 amended by revising License Conditions 26.29 & 30 to delete requirements for radiological monitoring & quarterly reporting of site activities per 871026 request.
SMITH,R.D. Uranium Recovery Field Ofc. R4. 8/7/11/27. LOUDERBACK,T.E. Cleveland-Cliffs Iron Co. 2pp. 43944 161-43944 164.
- 8801070032 Recommends that License SUA-1352 be revised by deleting License Conditions 26.29 & 30 re quarterly reporting requirement per license 871026 request.
KONWINSKI,G.R. HAWKINS,E.F. Uranium Recovery Field Ofc. R4. 8/7/11/27. Uranium Recovery Field Ofc. R4. 2pp. 43944 163-43944 164.
- 8801130452 Discusses plans to transfer Collins Draw Project process equipment & mails to BSG Mining Corp for NRC concurrence.
LOUDERBACK,T.E. Cleveland-Cliffs Iron Co. 8/7/12/04. SMITH,R.D. Uranium Recovery Field Ofc. R4. 2pp. 44009 168-44009 189.

DOCKET 40-8768 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

- 8801080056 Forwards ALARA audit for May-Oct 1987 conducted by SC Munson on 871104 per Condition 26 of License SUA-1387.
MUNSON,S.C. Sequoyah Fuels Corp (subs of Kerr-McGee Nuclear Corp.) 8/7/11/13. SMITH,R.D. Uranium Recovery Field Ofc. R4. 7pp. 43967 160-43967 186.
- 8801070061 Forwards draft finding of no significant impact re renewal of License SUA-1387 for publication in FR Comments requested within 30 days of publication.
HAWKINS,E.F. Uranium Recovery Field Ofc. R4. 8/7/11/18. MEYER,D. Rules & Procedures Branch. 1p. 43943 288-43943 290.
- 8801070071 Draft finding of no significant impact re renewal of License SUA-1387 for operation of O-Sand R&D in Salt Leach Project.
HAWKINS,E.F. Uranium Recovery Field Ofc. R4. 8/7/11/18. 2pp. 43943 289-43943 290.
- 8801070313 Forwards East-West & North-South cross-sections for Q-Sand wellfield, per request. W/o encl.
FREEMAN,M.D. Sequoyah Fuels Corp (subs of Kerr-McGee Nuclear Corp.) 8/7/11/19. JOHNSON,S. Wyoming. State of. 1p. 43952 341-43952 341.
- 8801080502 Discusses review of license Third Quarter 1987 environ monitoring rept for Q-Sand/O-Sand, per 871106 submittal in accordance w/ License Condition 52. All data within applicable limits.
GRACE,S.R. HAWKINS,E.F. Uranium Recovery Field Ofc. R4. 8/7/11/27. Uranium Recovery Field Ofc. R4. 3pp. 43930 323-43930 325.

DOCKET 40-8783 URANERZ USA, INC., CASPER, WY

- 8801110089 Forwards annual insp rept conducted by LDO District III on 870908 w/ assistance of K McFall.
GIURGEVICH,B. Wyoming. State of. 8/7/11/18. HARTMAN,G. Uranerz USA, Inc. 3pp. 43978 222-43978 224.

DOCKET 40-8786 URANIUM RESOURCES, INC., RICHARDSON, TX

- 8801080024 Submits plan for abandonment & decommissioning of North Platte Project, per 870923 request. Plan underlines decommissioning task & follows w/ planned action. Fee paid.
PELUZZA,M.S. Uranium Resources, Inc. 8/7/10/22. SMITH,R.D. Uranium Recovery Field Ofc. R4. 2pp. 43968 009-43968 011.
- 8801080026 Forwards application fee for pending amend to license for North Platte.
PELUZZA,M.S. Uranium Resources, Inc. 8/7/12/14. KONWINSKI,G. Uranium Recovery Field Ofc. R4. 1p. 43968 011-43968 011.

DOCKET 40-8820 AMAX ENVIRONMENTAL SERVICES, INC., GOLDEN, CO

- 8801200434 Requests that Secretary of DOE assume title & custody of company stabilization area in Wood County, WV. Area decontaminated, per NRC requirements. Proposal for financial arrangements will be submitted for NRC approval.
KEPPLER,P. AMAX, Inc. 8/7/11/25. HERRINGTON,J.S. Energy. Dept. of. 7pp. 44081 062-44081 068.
- 8801040440 Responds to 871125 by requesting DOE to assume title & custody of stabilization area of AMAX low level waste site near Parkersburg, WV. Acceptance of site by DOE contingent on certain outstanding NRC determinations.
BURCH,D.F. Energy. Dept. of. 8/7/12/23. KEPPLER,P. AMAX, Inc. 2pp. 43899 251-43899 252.

DOCKET 40-8829 FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE

- 8801070051 Forwards Third Quarter 1987 rept for Crow Butte Project. W/o encl.
COLLINGS,S.P. Ferret Exploration Company of Nebraska, Inc. 8/7/11/04. GONZALES,R. Uranium Recovery Field Ofc. R4. 1p. 43941 017-43941 017.
- 8801070112 Informs of issuance of Amend 18 to License SUA-1441, revising Conditions 10.36 & 41 to permit use of Terradex track etch cups for measuring radon at four air monitoring stations.
SMITH,R.D. Uranium Recovery Field Ofc. R4. 8/7/11/27. Ferret Exploration Company of Nebraska, Inc. 3pp. 43954 022-43954 040.
- 8801070125 Amend 18 to License SUA-1441 for Ferret Exploration Co of Nebraska, Inc. permitting use of Terradex track etch cups for measuring radon at four air monitoring stations.
SMITH,R.D. Uranium Recovery Field Ofc. R4. 8/7/11/27. 8pp. 43954 025-43954 037.
- 8801070137 Recommends rev of License Conditions 10.36 & 41 to authorize use of Terradex track etch cups in lieu of bag collection radon counting sys.
GONZALES,R.O. Uranium Recovery Field Ofc. R4. 8/7/11/27. Uranium Recovery Field Ofc. R4. 3pp. 43954 038-43954 040.

DOCKET 40-8902 ANACONDA MINERALS CO., GRANTS, NM

- 8801070229 Forwards responses to majority of remaining NRC geotechnical & hydrology comments on Bluewater Mill Reclamation Plan. Responses include technical reports including "Characterization of Borrow Soil at Bluewater U Mill Site."
BERGSTROM,P.D. Anaconda Co. (div. of Atlantic Richfield Co.) 8/7/11/10. PETTINGILL,H.J. Uranium Recovery Field Ofc. R4. 3pp. 43941 012-43941 201.
- 8801070245 "Characterization of Borrow Soil at Bluewater U Mill Site."
* Rogers & Associates Engineering Corp. RAE-8721-1. 8/7/09/02. 114pp. 43941 016-43941 129.
- 8801070250 "Evaluation of Erosion Potential in Swales of Proposed Tailings Pond Reclamation Surface for Anaconda Minerals Co."
* Dames & Moore. 8/7/10/23. 67pp. 43941 130-43941 196.
- 8801070258 "Riprap Source Identification & Evaluations, Bluewater Tailings Facility Reclamation, Grants, NM for Anaconda Minerals Co."
* Dames & Moore. 8/7/09/23. 21pp. 43941 187-43941 218.
- 8801070260 "Evaluation of Erosion Potential Between Tailings Impoundment & Evaporation Ponds Under PMF Conditions for Anaconda Minerals Co." W/one oversized plate encl.
* Dames & Moore. 8/7/10/23. 73pp. 43941 219-43941 291.
- 8801200053 Forwards Safety Insp Rept 40-8902/87-01 on 871117-18. No noncompliance noted. Corrective action taken re eight program element weaknesses in radiological safety observed during Insp on 860707-11 also reviewed.
PETTINGILL,H.J. Uranium Recovery Field Ofc. R4. 8/7/12/11. BERGSTROM,P. Atlantic Richfield Co. (ARCO). 2pp. 44052 244-44052 256.
- 8801200062 Insp Rept 40-8902/87-01 on 871117-18. No violations noted. Major areas inspected. U mill operations & radiation safety program including mgt organization controls/ operations review, operator training & restraining & maint.
HEYER,R.S., ROSE,H.D., PETTINGILL,H.J. Uranium Recovery Field Ofc. R4. 8/7/12/10. 11pp. 44052 246-44052 258.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

- 8801130273 Forwards gamma radiation contour maps generated from gamma survey performed during June 1987. Revised map or successive maps will be provided if NRC upon development. W/o encl.
KENNEDY,E.E. Homestake Mining Co. 8/7/11/02. PETTINGILL,H.J. Uranium Recovery Field Ofc. R4. 1p. 44008 122-44008 122.
- 8801070301 Forwards rept on progress of const of tailings impound at Homestake Mining Co. mlf for period 870926-1125, per request. Profiles for each of 8 cross-sections surveyed on 871114 also encl.
KENNEDY,E.E. Homestake Mining Co. 8/7/12/07. REYNOLDS,S.E. New Mexico. State of. 6pp. 43962 342-43962 347.

DOCKET 40-8904 BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE

- 8801130249 Submits proposed revs for Conditions 1 & 2 of EID 870917 ltr to Kennecott listing four conditions for 1-yr renewal of DP-150. Cebolleta hearing request will be withdrawn if agreement on revs reached.
CHESTNUT,P.C. Chestnut, P.C. 8/7/09/30. MORGAN,T. New Mexico. State of. 3pp. 44004 122-44004 124.
- 8801130123 Confirms that Cebolleta Land Grant Board & Southwest Research & Inst. agree to withdraw request for public hearing on renewal of Discharge Plan DP-15 for 1 yr period.
CHESTNUT,P.C. Chestnut, P.C. 8/7/10/02. PRUETT,J. New Mexico. State of. 1p. 44004 120-44004 120.
- 8801080077 Forwards correspondence re Kennecott L-Bar mill site, per agreement w/ Cebolleta Land Grant. W/o encl.
GRACE,S. Uranium Recovery Field Ofc. R4. 8/7/10/06. ROMERO,E. Cebolleta, NM. 1p. 43967 144-43967 144.
- 8801130175 Requests that new Conditions 27 & 28 be withdrawn from Amend 3 to License SUA-1472 re organizational structure & time deadlines or hearing per 10CFR 40.40.
ANDREWS,R.K. Kennecott Corp. 8/7/10/06. SMITH,R.D. Uranium Recovery Field Ofc. R4. 1p. 44008 076-44008 076.

8801070525 Confirms that licensee would be prepared to accept Condition 27 of License SUA-1472 in listed modified form, per 871006 ltr to D Smith & 871014 telcon re mgt oversight & control of site reclamation activities.
ANDREWS, R.K. Kennecott Corp. 87/10/15. PETTENGILL, H.J. Uranium Recovery Field Ofc, R4. 1p. 43949.332-43949.332.

8801110102 Forwards "L-Bar Radiological Survey Plan Windblown Tailings Delineation & Soil RA-226/Air Gamma Correlation" for further gamma survey. Plan applies to dislocation of extent of windblown mill only. Review requested.
GRISAK, G.E. INTERA Technologies, Inc. 87/11/04. GRACE, S. Region 4, Ofc of the Director. 1p. 43974.313-43974.324.

-8801110108 "L-Bar Radiological Survey Plan Windblown Tailings Delineation & Soil RA-226/Air Gamma Correlation." W/2 oversize drawings.
* INTERA Technologies, Inc. 87/11/04. 12pp. 43974.314-43974.324.

8801070378 Ack receipt of 871108 submittal detailing approach for continued groundwater investigations at L-Bar mill site. Flexibility should be maintained in locating new wells so newly acquired borehole info can be used for decisions.
HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/11/27. GRISAK, G.E. INTERA Technologies, Inc. 2pp. 43966.317-43966.318.

8801200127 Forwards Safety Insp Rept 40-8904/87-01 on 871109-10 & notice of violation. Corrective action taken re seven program element weaknesses in radiation safety identified during insp on 880707-11 also reviewed.
PETTENGILL, H.J. Uranium Recovery Field Ofc, R4. 87/12/15. LAGRAFF, M.B. BP America, Inc. 2pp. 44058.312-44058.332.

-8801200130 Notice of violation from Insp on 871109-10. Violations noted: licensee failed to produce written procedures for environ monitoring & instrument calibr & required rept not submitted to NRC within 80 days after 870701.
PETTENGILL, H.J. Uranium Recovery Field Ofc, R4. 87/12/15. 3pp. 44058.314-44058.316.

-8801200137 Insp Rept 40-8904/87-01 on 871109-10. Six violations noted in three areas. Major areas inspected: U milling operations & radiation safety program including mgt organization & controls; operations review & operator training & retraining.
ROSE, H.D., HEYER, R.S., PETTENGILL, H.J. Uranium Recovery Field Ofc, R4. 87/12/14. 16pp. 44058.317-44058.332.

DOCKET 40-8905 KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK

8801110001 Forwards corrected Pages 2.25 & 3.21 to "Operation, Health Physics, Environ & Emergency Response Programs," incorporating agreed changes, per 870820 meeting.
CLEVELAND, J.E. Quivira Mining Co. 87/08/28. GARCIA, P. Uranium Recovery Field Ofc, R4. 1p. 43974.326-43974.347.

-8801110003 Rev 0 to Pages 2.25 & 3.21 to "Operations, Health Physics, Environ & Emergency Response Programs."
* Quivira Mining Co. 87/08/01. 21pp. 43974.326-43974.347.

8801130368 Forwards, for approval, revised radon attenuation cover calculation for Ambrosia Lake facility. Revised calculations include adjustment for long-term moisture content & results in reduction of radon attenuation cover matl.
STAUTER, J.C. Quivira Mining Co. 87/10/07. GARCIA, P. Uranium Recovery Field Ofc, R4. 50pp. 44008.191-44008.240.

8801130192 Advises that A Gabeau authorized to sign & submit all info required by NPOES Permit Number NM 0020532 effective w/Oct 1987 reporting requirements.
STAUTER, J.C. Quivira Mining Co. 87/10/29. KNUDSON, M.D. Environmental Protection Agency. 2pp. 44008.072-44008.073.

DOCKET 40-8906 BOKUM RESOURCES CORP., ALBUQUERQUE, NM

8801130265 Forwards listed documents addressing extensions of State of NM radioactive matls license. Extensions believed to affect 880731 expiration date. Info re NRC license renewal criteria requested.
MCCORKLE, K.E. Bokum Resources Corp. 87/10/28. PETTENGILL, H.J. Uranium Recovery Field Ofc, R4. 8pp. 44005.289-44005.298.

DOCKET 40-8907 UNITED NUCLEAR CORP., SANTA FE, NM

8801110008 Forwards State of NM, environ improvement div. comments on review site reclamation plan as submitted by Canonis Environ. Groundwater Issues constitute major concerns.
METZGER-KEELE New Mexico, State of. 87/11/04. PETTENGILL, H. Uranium Recovery Field Ofc, R4. 10pp. 43974.352-43974.360.

8801060467 Requests response to encl detailed comments based on initial review of geotechnical portion of Church Rock Mill reclamation plan submitted on 870601. Responses requested by 880108.
HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/11/23. VELASQUEZ, J. United Nuclear Corp. (subs. of UNC Resources, Inc.). 3pp. 43930.315-43930.317.

8801140360 Forwards Radiation Safety Insp Rept 40-8907/87-01 on 871203-04 & notice of violation. Concern expressed that corrective actions for some violations noted in 880818-20 insp not implemented.
PETTENGILL, H.J. Uranium Recovery Field Ofc, R4. 88/01/05. VELASQUEZ, J.R. UNC Nuclear Industries. 2pp. 44042.304-44042.320.

-8801140381 Notice of violation from Insp on 871203-04. Violations noted: failure of licensee to develop written procedures for control of blowing tailings & failure to perform documented weekly insps of tailings area.
PETTENGILL, H.J. Uranium Recovery Field Ofc, R4. 88/01/05. 2pp. 44042.308-44042.307.

-8801140370 Insp Rept 40-8907/87-01 on 871203-04. Violations noted: Major areas inspected: operations & radiation safety program, including organization, mgt & training; internal exposure control & external exposure & contamination control.
SHOPP, N.M., GARCIA, P.J., PETTENGILL, H.J. Uranium Recovery Field Ofc, R4. 88/01/05. 13pp. 44042.308-44042.320.

DOCKET 40-8911 MOBIL ALTERNATIVE ENERGY, INC., BOULDER, CO

8801160236 Application for amend to License SUA-1479, reflecting change in name to "Mobil Oil Corp." Fee paid.
CULLEN, J.F. Mobil Coal Producing, Inc. 87/11/19. HAWKINS, E. Uranium Recovery Field Ofc, R4. 1p. 44038.028-44038.028.

8801060535 Issues Amend 2 to License SUA-1479, revising License Condition 1 to authorize corporate name change, per 871119 request.
SMITH, R.D. Uranium Recovery Field Ofc, R4. 87/12/04. Mobil Oil Corp. (subs. of Mobil Corp.). 1p. 43930.334-43930.338.

-8801060540 Amend 2 to License SUA-1479 for Mobil Oil Corp. authorizing use & possession of all natural rad isotopes encountered in in situ solution mining of natural U.
SMITH, R.D. Uranium Recovery Field Ofc, R4. 87/12/04. 4pp. 43930.335-43930.338.

-8801060544 Recommends issuance of Amend 1 to License SUA-1479, revising License Condition 1 to change corporate name, per 871119 request.
OLSEN, T.T., HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/12/03. Uranium Recovery Field Ofc, R4. 1p. 43930.339-43930.339.

DOCKET 40-8913 UNITED NUCLEAR CORP., GALLUP, NM

8801130132 Lists proposed mods to 870810 draft License SUA-1481 for Ambrosia Lake ion exchange & experimental heap leach facility.
VELASQUEZ, J.R. United Nuclear Corp. (subs. of UNC Resources, Inc.). 87/10/05. SMITH, D. Uranium Recovery Field Ofc, R4. 2pp. 44009.074-44009.075.

8801070428 Forwards upgraded License SUA-1481 for United Nuclear Corp. Ambrosia Lake ion exchange & experimental heap leach facilities. License SUA-1481 will be terminated upon DOE assumption of responsibility for byproduct matls.
SMITH, R.D. Uranium Recovery Field Ofc, R4. 87/12/02. ARTHUR, W.J. Energy, Dept. of. 1p. 43954.006-43954.021.

-8801070438 License SUA-1481 for United Nuclear Corp. authorizing possession of by-product matl at ion exchange & experimental heap leach U recovery facilities.
SMITH, R.D. Uranium Recovery Field Ofc, R4. 87/12/02. 4pp. 43954.007-43954.021.

8801070501 Forwards upgraded License SUA-1481 for Ambrosia Lake facility, replacing License SUA-1082. NRC will terminate license upon DOE assumption of full responsibility for byproduct matls. W/o encl.
SMITH, R.D. Uranium Recovery Field Ofc, R4. 87/12/02. VELASQUEZ, J. United Nuclear Corp. (subs. of UNC Resources, Inc.). 1p. 43945.284-43945.284.

DOCKET 40-8914 ENERGY, DEPT. OF, SCOVILLE, ID

8801130079 Submits plan to address alleged residual radioactive matl remaining at Johnny Man response to 870612 request. Schomatt work plan & decision tree encl.
KELLEY, C.D. Hadra Mining Co. 87/08/28. PETTENGILL, H.J. Uranium Recovery Field Ofc, R4. 3pp. 44008.292-44008.294.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

8801080470 Ack receipt of 871007 license application. Sufficient detail exists to begin NRC licensing process re application. Region will participate in preparation of environ & safety documents.
HAWKINS, E.F. Region 4, Ofc of the Director. 87/12/11. Ferret Exploration Company of Nebraska, Inc. 1p. 43930.318-43930.319.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

F. Security, medical, emergency & fire protection plans

8801210051 Revised pages to emergency plan w/880115 ltr.
KERR, W. Michigan, Univ. of, Ann Arbor, MI. 88/08/06. MICHAELS, T.S. Standardization & Non-Power Reactor Project Directorate. 12pp. 44087.001-44087.012.

8801120302 Forwards Safety Insp Rept 50-002/87-04 on 871215-16. No violation noted.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/05. KERR, W. Michigan, Univ. of, Ann Arbor, MI. 2pp. 43991.112-43991.120.

-8801120317 Insp Rept 50-002/87-04 on 871215-16. No violations, deficiencies or deviations noted. Major areas inspected: onsite emergency preparedness program, including training, communications & review of emergency plan & procedures.
PATTERSON, J.P., FOSTER, J.E., SNELL, W. Region 3, Ofc of the Director. 88/01/04. 7pp. 43991.114-43991.120.

8801290019 Requests assistance in reviewing encl mods to 880115 emergency plan. Requests completion of review by 880228.
MICHAELS, T.S. Standardization & Non-Power Reactor Project Directorate. 88/01/21. MATTHEWS, D.B. Emergency Preparedness Branch. 2pp. 44176.198-44176.199.

G. Inspection reports, IE Bulletins & correspondence

8801120302 Forwards Safety Insp Rept 50-002/87-04 on 871215-16. No violation noted.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/05. KERR, W. Michigan, Univ. of, Ann Arbor, MI. 2pp. 43991.112-43991.120.

-8801120317 Insp Rept 50-002/87-04 on 871215-16. No violations, deficiencies or deviations noted. Major areas inspected: onsite emergency preparedness program, including training, communications & review of emergency plan & procedures.
PATTERSON, J.P., FOSTER, J.E., SNELL, W. Region 3, Ofc of the Director. 88/01/04. 7pp. 43991.114-43991.120.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801290190 Advises that NRC finds no error in recipient testimony at plant hearing on radiological risk & emergency planning. Assumption that delayed emergency response would have little impact on reactors deemed valid. Related info encl.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/21. ROWSOME, F.H. Oak Ridge Associated Univs. 11pp. 44179 328-44179 352.

-8709040086 Informs of possible errors in author testimony at facility hearing on risk in 1983 & to highlight evidence that emergency planning may be increasing radiological risk posed by nuclear power plants. Assessment encl.
ROWSOME, F.H. Oak Ridge Associated Univs. 87/07/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 14pp. 44179 339-44179 352.

P. Operating license stage documents & correspondence

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re General Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945 344-43945 347.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153 001-44153 124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056 008-44056 127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995 138-43995 257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995 258-43995 018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038 164-44038 286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038 041-44038 163.

DOCKET 50-6 BATTELLE MEMORIAL INSTITUTE RESEARCH REACTOR

J. Insurance & Indemnity Information

8801150131 Forwards unexecuted Amend 16 to Indemnity Agreement B-6, order terminating License R-4 & safety evaluation supporting order terminating License R-4.
ADAMS, A. Standardization & Non-Power Reactor Project Directorate. 87/12/22. TOY, J.H. Battelle Memorial Institute, Columbus Laboratories. 5pp. 44049 075-44049 083.

P. Operating license stage documents & correspondence

8801150131 Forwards unexecuted Amend 16 to Indemnity Agreement B-6, order terminating License R-4 & safety evaluation supporting order terminating License R-4.
ADAMS, A. Standardization & Non-Power Reactor Project Directorate. 87/12/22. TOY, J.H. Battelle Memorial Institute, Columbus Laboratories. 5pp. 44049 075-44049 083.

-8801150140 Order terminating License R-4.
CRITCHFIELD, D. Division of Reactor Projects - In/V & Special Projects (Post 870411). 87/12/22. Battelle Memorial Institute. 2pp. 44049 080-44049 081.

-8801150141 Safety evaluation supporting order terminating License R-4.
Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/22. 2pp. 44049 082-44049 083.

W. Decommissioning Stage Documents & Correspondence

8801290017 Submits daily highlight. On 871222, NRR issued order terminating License R-4 for Battelle Research Reactor. Activated concrete biological shield remains onsite. Remaining radioactive material transferred to Licensee SNM-7.
ADAMS, A. Standardization & Non-Power Reactor Project Directorate. 88/01/15. MURLEY, T., SNEZK, J., MIRAQUA, F. NRC - No Detailed Affiliation Given. 2pp. 44130 074-44130 075.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801210331 Forwards Rev 23 to security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions, including manual logging when card key access not functional. Rev withheld (ref 10CFR73.21).
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44083 247-44083 247.

J. Insurance & Indemnity Information

8801220599 Forwards Endorsements 8.6.5 & 3 to NEUA Policies N-1, N-2, N-3, N-29, N-30, M-42, N-71, N-83, N-101 & N-108 & MAELU Policies M-2, M-3, M-29, M-30, M-42, M-43, M-71, M-83, M-93, M-101 & M-108.
OSTER, J. Commonwealth Edison Co. 88/01/19. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44247 198-44247 221.

8801220620 Forwards Endorsements 15, 17, 28, 29, 188, 193, 48, 48, 102 & 105 to NEUA Policies NF-294, NF-277, NF-43, NF-263, NF-187 & NF-201 & Endorsements 10, 12, 20, 21, 182, 167, 28, 30, 65, 88, 80 & 84 to MAELU Policies MF-128, MF-114, MF-22, MF-104, MF-54 & MF-64.
OSTER, J. Commonwealth Edison Co. 88/01/19. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 48pp. 44247 101-44247 147.

P. Operating license stage documents & correspondence

8801070494 Forwards "Decommissioning Program Plan for Dresden Nuclear Power Station Unit 1," for NRC review. Environ rept planned for submittal by end of Jan 1988.
MORGAN, W.E. Commonwealth Edison Co. 87/12/22. Document Control Branch (Document Control Desk). 1p. 44007 303-44008 022.

-8801070497 "Decommissioning Program Plan for Dresden Nuclear Power Station Unit 1."
Commonwealth Edison Co. 87/12/31. 88pp. 44007 304-44008 022.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDF. Add records also available in PDF under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118 001-44118 171.

-8801020828 Summarizes 851115 meeting w/INPO in Atlanta, GA re Dresden accreditation final rept & NRC training review criteria & procedures. INPO unclear on objective of training reviews.
PERSENSKY, J.J. Maintenance & Training Branch. 85/12/23. RUSSELL, W.T. Division of Human Factors Technology (85125-870411). 3pp. 44118 225-44118 227.

8801260458 Informs that Revs 42-48 of QA Topical Rept CE-1-A acceptable per 10CFR50, App 8.
WRIGHT, G.C. Region 3, Dir. of the Director. 88/01/20. REED, C. Commonwealth Edison Co. 2pp. 44126 108-44126 109.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153 001-44153 124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056 008-44056 127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995 138-43995 257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995 258-43995 018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038 164-44038 286.

8801060203 Forwards response & schedule of actions resulting from diagnostic evaluation at plant on 870817-28, par V Stallo 871125 & J Snieszek 871202 memos. Schedule dependent upon licensee & NRR response.
MORELIUS, C.E. Region 3, Dir. of the Director. 87/12/31. ROE, J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 5pp. 43962 020-43962 024.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038 041-44038 163.

S. Reportable occurrences, LERs & related correspondence

8712290329 Confirms 880119 enforcement conference. In Glen Ely, IL to discuss 881128 & 29 dewatering events, per 871204 & 10 discussions.
MORELIUS, C.E. Region 3, Dir. of the Director. 87/12/17. REED, C. Commonwealth Edison Co. 1p. 43893 109-43893 108.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDF. Add records also available in PDF under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44118.001-44118.171.

-8801310180 Forwards results of post-accreditation reviews at Susquehanna on 851021-23, Dresden on 851118-21 & Oconee on 851216-18. Significant progress observed in improving training.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/01/28. PATE, Z. Institute of Nuclear Power Operations. 38pp. 44118.267-44118.315.

-8804150629 Forwards final reports from staff post-accreditation audits & comparison of revised NRC review questions w/INPO accreditation objectives & criteria. Recommends INPO consider adding appropriate accreditation criteria.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/04/03. PATE, Z. Institute of Nuclear Power Operations. 32pp. 44118.316-44118.357.

-8812090057 Trip report of INPO Accreditation Board 850523 meeting re plant training programs.
PERSENSKY, J.J. Licensee Qualifications Branch. 85/06/10. BOOHER, H.R. Licensee Qualifications Branch. 3pp. 44118.136-44118.195.

-880120136 Advises of attendance at 870923 NRC Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encs include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Office of the Director, 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118.159-44118.166.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

Q. Inspection reports, IE Bulletin & correspondence

8801130187 Forwards Insp Rept 50-020/87-03 on 871202-04 & notice of violation.
MARTIN, T.T. Region 1, Office of the Director, 87/12/30. CLARK, L. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 44030.031-44030.038.

-8801130170 Notice of violation from Insp on 871202-04. Violation noted: airborne concentration of H-3 exceeded 25% of limits & equipment room not posted w/sign reading "Caution-Airborne Radioactivity Area."
* Region 1, Office of the Director, 87/12/30. 1p. 44030.033-44030.033.

-8801130173 Insp Rept 50-020/87-03 on 871202-04. Violation noted: Major areas inspected: radiological controls, including status of previously identified items, implementation of radiation protection program & transportation of radioactive material.
LOESCH, R. SHANBAKY, M.M. Region 1, Office of the Director, 87/12/28. 5pp. 44030.034-44030.038.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

8801130284 Application for amend to License DPR-3, consisting of Suppl 1 to Proposed Change 203, revising facility organization chart to reflect improved security organization & elevated concern for security by plant mgt. Fee paid.
HEIDER, L.H. Yankee Atomic Electric Co. 88/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 44002.261-44002.266.

-8801130454 Proposed Tech Spec Figure 6.2.2, "Facility Organization," reflecting elevated mgt concerns re security.
* Yankee Atomic Electric Co. 88/01/05. 1p. 44002.266-44002.266.

8801270117 Forwards "Procedures Generation Package for Yankee Emergency Operating Procedures (EOPs)" for review & approval by 880515, per NRC 870604 ltr. EOPs presently scheduled for implementation prior to startup of Cycle 20 operation.
PAPANIC, G. Yankee Atomic Electric Co. 88/01/18. FAIRFIRE, M.B. Project Directorate I-3. 1p. 44168.097-44168.206.

-8801270285 "Procedures Generation Package for Yankee Emergency Operating Procedures."
* General Physics Corp. 87/12/31. 110pp. 44168.098-44168.206.

8801270567 Forwards proposed Rev 18 to security plan, per 10CFR50.54(p). Proposed change result of const project on plant site affecting drawings in security plan. Rev withheld.
PAPANIC, G. Yankee Atomic Electric Co. 88/01/25. Document Control Branch (Document Control Desk). 1p. 44168.103-44168.103.

J. Insurance & Indemnity Information

8801270128 Forwards Endorsements 120 & 122 to NELIA Policy NF-76, Endorsements 99 & 101 to MAELU Policy MF-26 & Endorsement 8 to NELIA & MAELU Certificates N-4 & M-4, respectively.
VIETEN, M.J. Marsh & McLennan, Inc. 88/01/11. DINIZ, J. NRC - No Detailed Affiliation Given. 11pp. 44168.082-44168.072.

P. Operating license stage documents & correspondence

8801070189 Application for amend to License DPR-3, modifying Tech Spec re control rod position indication in accordance w/Rev 4 to NUREG-0452 & to provide needed operational flexibility.
HEIDER, L.H. Yankee Atomic Electric Co. 87/12/23. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 44040.249-44040.258.

-8801070174 Proposed Tech Specs, modifying control rod position indication in accordance w/Rev 4 to NUREG-0452.
* Yankee Atomic Electric Co. 87/12/23. 4pp. 44040.255-44040.258.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945.344-43945.347.

8801110314 Forwards revised "Summary Evaluation of Reactor Pressure Vessel/Neutron Shield Tank Seismic Response & Amplified Generation." Repl clarifies reactor support structure (RSS) modeling differences & RSS time-history generation.
PAPANIC, G. Yankee Atomic Electric Co. 88/01/04. FAIRFIRE, M. Project Directorate I-3. 2pp. 43970.227-43970.268.

-8801110321 Revised "Summary Evaluation of Reactor Pressure Vessel/Neutron Shield Tank Seismic Response & Amplified Response Spectra Generation."
* CYGNA Energy Services. 87/12/30. 40pp. 43970.228-43970.268.

8801130284 Application for amend to License DPR-3, consisting of Suppl 1 to Proposed Change 203, revising facility organization chart to reflect improved security organization & elevated concern for security by plant mgt. Fee paid.
HEIDER, L.H. Yankee Atomic Electric Co. 88/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 44002.261-44002.266.

-8801130454 Proposed Tech Spec Figure 6.2.2, "Facility Organization," reflecting elevated mgt concerns re security.
* Yankee Atomic Electric Co. 88/01/05. 1p. 44002.266-44002.266.

8801140036 Application for amend to License DPR-3, modifying Tech Spec Tables 3.3-2.3.3.3 & 4.3-2 to require 18-month functional test of first level undervoltage protection for each of three 480-volt emergency buses. Fee paid.
HEIDER, L.H. Yankee Atomic Electric Co. 88/01/05. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 44010.045-44010.051.

-8801140039 Proposed Tech Specs, modifying Tables 3.3-2.3.3.3 & 4.3-2 to require 18-month functional test of first level undervoltage protection for each of three 480-volt emergency buses.
* Yankee Atomic Electric Co. 88/01/05. 4pp. 44010.046-44010.051.

8801150196 Forwards summary of justification for revised reflood heat transfer model for plant LOCA analysis including Apr & Nov 1987 repls by Intermountain Technologies, Inc. Util plans to use new models to support Core 20 operation (Jan 1988).
PAPANIC, G. Yankee Atomic Electric Co. 88/01/05. FAIRFIRE, M. Project Directorate I-3. 14pp. 44037.329-44037.349.

-8801150200 "Rev to Yankee Atomic Electric Co Reflood Heat Transfer Correlation."
JENSEN, R.T. Intermountain Technologies, Inc. 87/11/30. 18pp. 44037.332-44037.349.

8801200133 Forwards response to 871123 request for addl info re util 871027 submittal on NUREG-0737, Item II.D.1 concerning safety & relief valves. Design differences that could explain differences in required closing torque discovered.
PAPANIC, G. Yankee Atomic Electric Co. 88/01/09. FAIRFIRE, M.B. Project Directorate I-3. 5pp. 44097.087-44097.101.

8801140184 Notification of contract execution: "Local Telephone svc for Yankee Rowe, Vermont Yankee, Maine Yankee & Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
DORSEY, M. Contract Administration Branch. FIN C-1012. 88/01/11. GODY, A.T. Region 1, Office of the Director. GIANOIS, C. NRC - No Detailed Affiliation Given. 15pp. 44031.234-44031.248.

-8801140174 Contract: "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee, Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
GAMMON, S. New England Bell Telephone Co. WIGGINS, E.J. Division of Contracts (Post 870413). FIN C-1012. 88/01/11. 15pp. 44031.236-44031.248.

8801280511 Forwards nonproprietary "Modes to Critical Flow Model in RELAP5YA" & proprietary "Modes to Interphase Drag Models in RELAP5YA." Proprietary repl withheld (ref 10CFR2.790).
PAPANIC, G. Yankee Atomic Electric Co. 88/01/16. FAIRFIRE, M. Project Directorate I-3. 3pp. 44127.040-44127.200.

-8801280538 Nonproprietary "Modes to Critical Flow Model in RELAP5YA."
* Yankee Atomic Electric Co. 88/01/15. 180pp. 44127.043-44127.200.

8801270025 Application for amend to License DPR-3, adding shipping cask liners, vol reduction equipment, shipping casks not for spent fuel & spent fuel assembly nondestructive test equipment to Tech Spec 3.9.7. Fee paid.
HEIDER, L.H. Yankee Atomic Electric Co. 88/01/15. FAIRFIRE, M.B. Project Directorate I-3. 7pp. 44141.298-44141.308.

-8801270563 Proposed Tech Specs, adding shipping cask liners, vol reduction equipment, shipping casks not for spent fuel & spent fuel assembly nondestructive test equipment to Tech Spec 3.9.7.
* Yankee Atomic Electric Co. 88/01/16. 2pp. 44141.305-44141.308.

8801280347 Forwards correction to 871223 application for amend to License DPR-3, Proposed Change 211, changing type in Paragraph 2 of safety evaluation section.
PAPANIC, G. Yankee Atomic Electric Co. 88/01/18. Document Control Branch (Document Control Desk). 1p. 44168.102-44168.103.

-8801270340 Correction to 871223 application for amend to License DPR-3, Proposed Change 211, changing type in Paragraph 2 of safety evaluation section.
* Yankee Atomic Electric Co. 88/01/18. 1p. 44168.103-44168.103.

8801210194 Partial response to FOIA request App G documents already available in PDF App H documents re INPO accreditation training encl & available in PDF.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/18. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095.001-44095.088.

-8801210326 Inform of util decision to substitute accredited training program for previously approved program for reactor & senior reactor operator certification & licensed operator recertification training courses.
PAPANIC, G. Yankee Atomic Electric Co. 88/07/23. Records Services Branch (Document Control Branch) (Pre 870120). 1p. 44095.076-44095.076.

8 DOCKETED ITEMS

Q. Inspection reports, IE Bulletins & correspondence

8712180389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22.
Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23.
Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28.
Consolidated Edison Co. of New York, Inc. 124pp. 43995.130-43995.257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11.
Consolidated Edison Co. of New York, Inc. 123pp. 44039.041-44038.163.

8801200058 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance With Applicable Mail Specs." Procedure revs for procurement, receipt Insp & testing being formulated & evaluated based on recent testing.
HEIDER,L.H. Yankee Atomic Electric Co. 88/01/11. Document Control Branch (Document Control Desk). 60pp. 44134.173-44134.222.

8801210121 Responds to 870916 request for addl info on Insp Rept 50-029/87-07 conducted during 870511-29 re steam generator surveillance program improvements. Intentions in area of each respective proposal encl.
HEIDER,L.H. Yankee Atomic Electric Co. 88/01/12. Document Control Branch (Document Control Desk). 4pp. 44092.292-44092.295.

R. Periodic operating reports & related correspondence

8801150167 Monthly operating rpt for Dec 1987/W/880111 tr.
WHIPPLES., HEIDER,L.H. Yankee Atomic Electric Co. 87/12/31. 6pp. 44041.180-44041.185.

S. Reportable occurrences, LERs & related correspondence

8801050481 LER 87-014-00 on 871121 plant shutdown initiated. Caused by nonreturn valve (NRV) low nitrogen pressure & instrumentation inaccuracy. Procedure to charge nitrogen to NRV accumulator will be changed. W/871231 tr.
MAY,E.L., ST LAURENT,N.N. Yankee Atomic Electric Co. 87/12/31. 4pp. 43961.070-43961.073.

8801050487 LER 87-015-00 on 871203 five main steam line pressure switches found inoperable. Caused by set-point drift & other failures still under investigation. Of five switches, three adjusted & two replaced W/871231 tr.
RICE,D.A., ST LAURENT,N.N. Yankee Atomic Electric Co. 88/01/04. 4pp. 43961.121-43961.124.

8801270086 Discusses leak discovered in fuel chutes dewatering sys blank flange during reactor containment bldg integrated leak rate test (Type A) made at Core XVIII-XIX refueling outage. Next Type A test scheduled for Cycle 20-21 outage, Summer 1990.
HEIDER,L.H. Yankee Atomic Electric Co. 88/01/20. Document Control Branch (Document Control Desk). 1p. 44141.280-44141.280.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INFO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bessong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-880120138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, O/c of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

P. Operating license stage documents & correspondence

8801130309 Revised application for amend to License R-88, clarifying conditions under which Co-80 rods may be used in reactor pool. Listed paragraph shall be added to Tech Spec 3.6 on "Limitations to Experiments," per NRC approval.
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44002.200-44002.201.

8801140028 Forwards revised "QA/QC Program for Univ of Virginia Research Facility," for consideration & approval.
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 88/01/05. Document Control Branch (Document Control Desk). 1p. 44011.186-44011.213.

-8801140031 Revised "QA/QC Program for Univ of Virginia Research Facility."
* Virginia, Univ. of, Charlottesville, VA. 87/12/31. 27pp. 44011.187-44011.213.

DOCKET 50-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

V. Operator Examinations

8801190136 Advises that GE revised requalification program meets requirements of 10CFR55.59, ANSI/ANS 15.4 & Generic Lr 83-12A & acceptable.
MICHAELS,T.S. Standardization & Non-Power Reactor Project Directorate. 88/01/12.
DARMITZEL,R.W. General Electric Co. 3pp. 44052.360-44052.362.

DOCKET 50-89 GENERAL ATOMIC CO.

Q. Inspection reports, IE Bulletins & correspondence

8801110403 Forwards Exam Repts 50-089/OL-87-03 & 50-163/OL-87-03 of exams administered on 871214.
PATE,R.J. Region 5, O/c of the Director. 87/12/24. ASMUSSEN,K.E. GA Technologies, Inc./General Atomic Co. 2pp. 43972.150-43972.168.

-8801110424 Exam Repts 50-089/OL-87-03 & 50-163/OL-87-03 on 871214. Exam results: one senior reactor operator candidate passed written exam. Oral portion of exam waived due to prior passing evaluation by candidate.
JOHNSTON,G.W., ELIN,J.O. Region 5, O/c of the Director. 87/12/23. 17pp. 43972.162-43972.168.

8801260217 Forwards Insp Rept 50-089/87-03 on 871217. No noncompliance noted.
WENSLAWSKI,F.A. Region 5, O/c of the Director. 88/01/08. RADEMACHER,R. GA Technologies, Inc./General Atomic Co. 2pp. 44170.168-44170.172.

-8801260223 Insp Rept 50-089/87-03 on 871217. No violations or deviations noted. Major areas inspected by bypassing of reactor safety interlock & Insp Procedures 40750, 80712 & 92700 addressed.
RUSSELL,J., YUHAS,G.P. Region 6, O/c of the Director. 88/01/07. 6pp. 44170.168-44170.172.

V. Operator Examinations

8801110403 Forwards Exam Repts 50-089/OL-87-03 & 50-163/OL-87-03 of exams administered on 871214.
PATE,R.J. Region 6, O/c of the Director. 87/12/24. ASMUSSEN,K.E. GA Technologies, Inc./General Atomic Co. 2pp. 43972.150-43972.168.

-8801110424 Exam Repts 50-089/OL-87-03 & 50-163/OL-87-03 on 871214. Exam results: one senior reactor operator candidate passed written exam. Oral portion of exam waived due to prior passing evaluation by candidate.
JOHNSTON,G.W., ELIN,J.O. Region 5, O/c of the Director. 87/12/23. 17pp. 43972.162-43972.168.

DOCKET 60-112 UNIV. OF OKLAHOMA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

8801270594 Forwards revised security plan in response to D Carlson request.
JENSEN,C. Oklahoma, Univ. of, Norman, OK. 88/01/21. MICHAELS,T. Document Control Branch (Document Control Desk). 1p. 44145.076-44145.076.

DOCKET 60-133 HUMBOLDT BAY POWER PLANT, UNIT 3

Q. Inspection reports, IE Bulletins & correspondence

8712180389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22.
Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23.
Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28.
Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11.
Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

R. Periodic operating reports & related correspondence

8801060278 "Annual Rept of Design Changes, 1986."
SHIFFER,J.D. Pacific Gas & Electric Co. 87/12/29. 6pp. 43917.026-43917.030.

S. Reportable occurrences, LERs & related correspondence

8712220128 LER 87-002-00 on 871122, while unit in process of being decommissioned, gas treatment sys activated when area radiation monitor in refueling bldg spiked transferring ventilation sys to above normal radiation mode W/871217 ltr. RIGNEY, P.E., SHIFFER, J.D. Pacific Gas & Electric Co. 87/12/17. 4pp. 43793-084-43793-087.

8801120130 LER 87-003-00 on 871207, gas treatment sys activated Caused by personnel error when Iso'ation monitor inadvertently grounded during repair work. Personnel instructed in proper use of soldering irons W/880108 ltr. RIGNEY, P.E., SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/08. 4pp. 44030-195-44030-198.

DOCKET 50-134 WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR**P. Operating license stage documents & correspondence**

8801290290 Requests addl info listed in encl re documentation submitted on 870917 to support use of low enriched U fuel in reactor & related submission to modify Tech Specs dtd 870910. Response requested within 30 days of ltr date. MICHAELS, T.S. Standardization & Non-Power Reactor Project Directorate. 88/01/21. NEWTON, T.H. Worcester Polytechnic Institute, Worcester, MA. 7pp. 44180-262-44180-268.

R. Periodic operating reports & related correspondence

8801120331 Annual rept for 1987. NEWTON, T.H. Worcester Polytechnic Institute, Worcester, MA. 88/01/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43988-342-43988-343.

DOCKET 50-139 UNIV. OF WASHINGTON RESEARCH REACTOR**P. Operating license stage documents & correspondence**

8801220212 Notifies of plan to amend Tech Specs, changing drop time limit for Shim Rod 3 to 2 seconds. Change will be requested due to gradual loss of excess reactivity caused by leakage of water from fuel box gasket & 880104 event. ROBNIK, M.A. Washington, Univ. of, Seattle, WA. 88/01/14. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 44158-080-44158-083.

DOCKET 50-148 UNIV. OF KANSAS RESEARCH REACTOR**R. Periodic operating reports & related correspondence**

8801270314 Annual report for 1987. Summary of environ surveys performed outside of facility encl. ROSSON, H.F. Kansas, Univ. of, Lawrence, KS. 88/01/15. Document Control Branch (Document Control Desk). 2pp. 44145-244-44145-245.

DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR**V. Operator Examinations**

8801260350 Informs that written & oral senior operator licensing exams scheduled for wk of 880502. Approved ref matts listed in encl requested 80 days prior to exam date. Lists of space requirements & rules & guidance also encl. WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/19. TZAGOURNIS, M. Ohio State Univ., Columbus, OH. 9pp. 44126-085-44126-093.

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR**P. Operating license stage documents & correspondence**

8801210194 Partial response to FOIA request. App G documents already available in PDR. App H documents, re INPO accreditation training, encl & available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095-001-44095-022.

8801210349 Forwards comments on licensee training performance during period of INPO accreditation effort. Certification of licensed operator training program encl. GRACE, J.N. Region 2, Ofc of the Director. 87/02/25. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 4pp. 44095-081-44095-084.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT**F. Security, medical, emergency & fire protection plans**

8712310190 Rev 100 to Vol 9A of site emergency plan implementing procedures, including EPIP-4N re chemistry & radiation protection technician, EPIP-4N re security officer & EPIP-4Q re plant public affairs director. W/871222 ltr. HOBE, M.A., THOMAS, C. Consumers Power Co. 87/12/22. 46pp. 43920-052-43920-091.

8712310018 Forwards Safety Insp Rept 50-155/87-28 on 871130-1204. No violations noted. SHAFER, W.D. Region 3, Ofc of the Director. 87/12/23. BUCKMAN, F.W. Consumers Power Co. 2pp. 43898-206-43898-218.

8712310025 Insp Rept 50-155/87-28 on 871130-1204. No violations or deviations noted. Major areas inspected: emergency preparedness program, including action on previously-identified items, emergency plan activations & LER review. PATTERSON, J., FOSTER, J., SNELL, W. Region 3, Ofc of the Director. 87/12/23. 11pp. 43898-208-43898-218.

8801060023 Advises that 871204 Rev 84 to Vol 9 of site emergency plan consistent w/ provisions of 10CFR50.54 & acceptable. Rev corrects ref to Chapter 3 of SEP in 871125 submittal & eliminates listed statement in Chapter 3. SHAFER, W.D. Region 3, Ofc of the Director. 87/12/30. BUCKMAN, F.W. Consumers Power Co. 2pp. 43978-251-43978-252.

8801120212 Advises that mitigation of violation & withdrawal of civil penalty warranted per 871202 notice of violation & imposition of civil penalty re opening of protected area into vital area. Payment of civil penalty encl. BERRY, K.W. Consumers Power Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 43987-358-43987-359.

8801120346 Forwards response to NRC 871202 ltr re security notice of violation & proposed imposition of civil penalty. Violation admitted. Response withheld. BERRY, K.W. Consumers Power Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 43988-358-43988-358.

8801130068 Forwards status of closed-circuit television upgrade project, per unit 870715 commitment. Info documents minor change to one of original commitments & responds to Items 4.9 & 4.16 Encl withheld (ref 10CFR73.21). FRISCH, R.R. Consumers Power Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44001-247-44001-247.

8801270605 Rev 3 to General Ofc Emergency Plan Implementing Procedure EOF-10, "Property Protection." Rev 18 to index & rev to App G encl. WHITE, S.K. Consumers Power Co. 88/01/11. 20pp. 44152-326-44152-345.

8801210088 Forwards Rev 6 to "Suitability, Training & Qualification Plans." Review & rev completed prior to 880105, per telcon commitment. Changes do not degrade safeguards effectiveness of plan. JOHNSON, B.D. Consumers Power Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44132-345-44133-018.

8801210092 Rev 6 to "Suitability, Training & Qualification Plans." Consumers Power Co. 88/01/14. 35pp. 44132-346-44133-018.

8801270047 Comments on SALP 7 rept NRC concerns re radiological controls noted & improvements implemented in ALARA & radiation work permit programs. New metal detector & X-ray machine purchased for security bldg. BUCKMAN, F.W. Consumers Power Co. 88/01/20. Document Control Branch (Document Control Desk). 6pp. 44141-083-44141-088.

8801280248 Confirms 880321-25 for App R Insp of facility, per 880120 telcon. HARRISON, J.J. Region 3, Ofc of the Director. 88/01/25. BUCKMAN, F.W. Consumers Power Co. 3pp. 44158-093-44158-095.

H. General correspondence

8801110288 Advises of 871202 corporate reorganization & requests that NRC & Region III revise mailing lists as listed. BERRY, K.W. Consumers Power Co. 88/01/04. Document Control Branch (Document Control Desk). 3pp. 43983-138-43983-140.

J. Insurance & Indemnity Information

8801270458 Forwards Endorsements 114 & 115 to NELIA Policy NF-117. FROUNFELKER, R. Consumers Power Co. 88/01/21. DINTZ, J. NRC - No Detailed Affiliation Given. 5pp. 44140-032-44140-036.

P. Operating license stage documents & correspondence

8801210100 Forwards proposed changes to QA Topical Rept CPC-2A, authorizing extension of enhanced performance incentive program & independent audits of QA organization, for review & approval. Fee paid. BERRY, K.W. Consumers Power Co. 88/01/15. Document Control Branch (Document Control Desk). 6pp. 44104-285-44104-289.

8801200074 Remits fee for 880115 proposed changes to QA program description. BERRY, K.W. Consumers Power Co. 88/01/18. Document Control Branch (Document Control Desk). 1p. 44134-241-44134-241.

8801270597 Informs of organizational change within Div of Reactor Projects. W Scott assigned to plant as new NRR project manager. T Wambach will serve as backup project manager. Changes effective on 880215. Interim project managers listed. VIRGILIO, M.J. Project Directorate III-1. 88/01/22. BERRY, K.W. Consumers Power Co. 1p. 44168-011-44168-011.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056-008-44056-127.

8712310018 Forwards Safety Insp Rept 50-155/87-28 on 871130-1204. No violations noted. SHAFER, W.D. Region 3, Ofc of the Director. 87/12/23. BUCKMAN, F.W. Consumers Power Co. 2pp. 43898-206-43898-218.

8712310025 Insp Rept 50-155/87-28 on 871130-1204. No violations or deviations noted. Major areas inspected: emergency preparedness program, including action on previously-identified items, emergency plan activations & LER review. PATTERSON, J., FOSTER, J., SNELL, W. Region 3, Ofc of the Director. 87/12/23. 11pp. 43898-208-43898-218.

871223003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28.
Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

880106028 Responds to NRC 871125 ltr re violations noted in Insp Rept 50-155/87-22. Corrective actions test procedures will be revised by 880228 to ensure that all valves verified for proper operation.
FRISCH, R.R. Consumers Power Co. 87/12/28. Document Control Branch (Document Control Desk). 2pp. 43917:230-43917:231.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

871230091 NRC Info Notice 87-087, "Lessons Learned From Regional Inps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801120212 Advises that mitigation of violation & withdrawal of civil penalty warranted per 871202 notice of violation & imposition of civil penalty re opening of protected area into vital area. Payment of civil penalty encl.
BERRY,K.W. Consumers Power Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 43987:358-43987:359.

8801120348 Forwards response to NRC 871202 ltr re security notice of violation & proposed imposition of civil penalty. Violation admitted. Response withheld.
BERRY,K.W. Consumers Power Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 43988:358-43988:358.

8801140019 Forwards Safety Insp Rept 50-155/87-29 on 871214-18 No violations noted.
SHAFFER,W.D. Region 3, Ofc of the Director. 88/01/07. BUCKMAN,F.W. Consumers Power Co. 2pp. 44043:246-44043:257.

8801140022 Insp Rept 50-155/87-29 on 871214-18 No violations or deviations noted. Major areas inspected: QA & conformity measurements for in-plant radiochemical analyses, verification of TLD calibration & action on previous items.
JANUSKA,A. SCHUMACHER,M.C. Region 3, Ofc of the Director. 88/01/04. 10pp. 44043:248-44043:251.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morris MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11.
Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801160163 Provides utl response to IE Bulletin 87-002, "Faster Testing to Determine Conformance w/ Applicable Mtl Specs." Mechanical & chemical testing data sheets encl.
BERRY,K.W. Consumers Power Co. 88/01/12. Document Control Branch (Document Control Desk). 5pp. 44036:050-44036:107.

8801220291 Ack receipt of 871202 ltr forwarding payment of civil penalty in amount of \$25,000 imposed by NRC 871202 ltr. Corrective actions described in 870826 ltr will be examined during future Inps.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/01/20. BUCKMAN,F.W. Consumers Power Co. 1p. 44170:301-44170:301.

8801270047 Comments on SALP 7 rept. NRC concerns re radiological controls noted & improvements implemented in ALARA & radiation work permit programs. New metal detector & X-ray machine purchased for security bldg.
BUCKMAN,F.W. Consumers Power Co. 88/01/20. Document Control Branch (Document Control Desk). 6pp. 44141:093-44141:098.

8801280248 Confirms 880321-25 for App R Insp of facility per 880120 telcon.
HARRISON,J.J. Region 3, Ofc of the Director. 88/01/25. BUCKMAN,F.W. Consumers Power Co. 3pp. 44158:093-44158:095.

R. Periodic operating reports & related correspondence

8801120391 Monthly operating rept for Dec 1987. W/880105 ltr.
JOHNSTON,J.R., ELWARD,T.W. Consumers Power Co. 87/12/31. 5pp. 44046:261-44046:265.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:168.

DOCKET 50-180 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

8801220308 EN-88-002 on 880120, order modifying license issued requiring licensee to suspend licensed activities until assessment of mgt controls & personnel exposures from Aug 1987 incident & review of listed procedures completed.
FLACK,E., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/01/20. 1p. 44168:076-44168:075.

P. Operating license stage documents & correspondence

8801210267 Forwards order modifying License R-97, effective immediately, requiring suspension of certain activities. Response required.
TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 88/01/20. Georgia Institute of Technology, Atlanta, GA. 1p. 44093:339-44093:348.

8801210280 Order modifying license, effective immediately. Licensee shall cease utilization of reactor facility for irradiation experiments until listed conditions met & NRC approves resumption of experiments.
TAYLOR,J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 88/01/20. Georgia Institute of Technology, Atlanta, GA. 8pp. 44093:340-44093:348.

Q. Inspection reports, IE Bulletins & correspondence

8801220308 EN-88-002 on 880120, order modifying license issued requiring licensee to suspend licensed activities until assessment of mgt controls & personnel exposures from Aug 1987 incident & review of listed procedures completed.
FLACK,E., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/01/20. 1p. 44168:076-44168:075.

DOCKET 50-163 GA TECHNOLOGIES

Q. Inspection reports, IE Bulletins & correspondence

8801110403 Forwards Exam Repts 50-089/OL-87-03 & 50-163/OL-87-03 of exams administered on 871214.
PATE,R.J. Region 5, Ofc of the Director. 87/12/24. ASMUSSEN,K.E. GA Technologies, Inc./General Atomic Co. 2pp. 43972:150-43972:168.

8801110424 Exam Repts 50-089/OL-87-03 & 50-163/OL-87-03 on 871214. Exam results: one senior reactor operator candidate passed written exam. Oral portion of exam waived due to prior passing evaluation by candidate.
JOHNSTON,G.W. Region 5, Ofc of the Director. 87/12/23. 17pp. 43972:162-43972:168.

V. Operator Examinations

8801110403 Forwards Exam Repts 50-089/OL-87-03 & 50-163/OL-87-03 of exams administered on 871214.
PATE,R.J. Region 5, Ofc of the Director. 87/12/24. ASMUSSEN,K.E. GA Technologies, Inc./General Atomic Co. 2pp. 43972:150-43972:168.

8801110424 Exam Repts 50-089/OL-87-03 & 50-163/OL-87-03 on 871214. Exam results: one senior reactor operator candidate passed written exam. Oral portion of exam waived due to prior passing evaluation by candidate.
JOHNSTON,G.W., ELIN,J.O. Region 5, Ofc of the Director. 87/12/23. 17pp. 43972:162-43972:168.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

J. Insurance & Indemnity Information

8801270214 Forwards Endorsement 121 to NELIA Policy NF-140. Endorsement 71 to MAELU Policy MF-87 & Endorsements 8 to NELIA Policy N-8, MAELU Policy M-8, NELIA Policy M-9 & MAELU Policy M-9.
BRADLEY,E.J. Philadelphia Electric Co. 88/01/11. DINITZ,I. NRC - No Detailed Affiliation Given. 7pp. 44168:027-44168:033.

P. Operating license stage documents & correspondence

8801200090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special Inps & of current resource svcs.
FELTHOUS,R.A. Resource Technical Services, Inc. FIN B-8788. 87/12/10. JOHNSON,E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801440303 FOIA request for documents re requests for compensation from Delmarva Power & Light Co or other public utls in connection w/shutdown of Peach Bottom power plant.
LEWIS,D.B. Lewis, D.B. 87/12/16. NRC - No Detailed Affiliation Given. 1p. 44033:006-44033:006.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801280547 Trip rept of 881029-30 visit to Natl Nuclear Accrediting Board meeting to review selected training for plants. Board reviewed four sites & 24 programs.
MCKEE,P.F. Operating Reactor Program Br, Div of Inspection Programs, IE (880121-870413). 88/12/02. PERSENSKY,J.J. Maintenance & Training Branch. 2pp. 44119:077-44119:078.

8801290030 Summary of INPO Accreditation Board 881015 & 16 meetings re encl list of facility programs.
GIBSON,A.F. Region 2, Ofc of the Director. 88/10/17. RUSSELL,W.T. Division of Human Factors Technology (851125-870411). 3pp. 44119:041-44119:043.

8801260320 Final response to FOIA request re alleged threats to employee at plant. Document identified in App A available in PDR.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 88/01/21. STAFFORD,T.A. Affiliation Not Assigned. 2pp. 44138:301-44138:302.

al/Executive Correspondence

sponds to 871113 ltr expressing concerns re adequacy of util commi-
hence act on plan & info on NRC actions in response to Governor
O15 ltr Revised plan requested from util.NRC response to Schaefer ltr

Commissioners 87/12/30. MIKULSKI, B.A. Senate. 2pp. 44031-203-

Responds to comments re util commitment to excellence action
d in response to NRC 870331 shutdown order. Comments forwarded to
revised plan. Staff level meeting planned near site.
T. Region 1, Oic of the Director. 87/11/17. SCHAEFER, W.D. Maryland.
44031-205-44031-205.

Requests that listed concerns be addressed re plant restart. Util promises
operation, mgt changes including guaranteed corporate mgt involvement in
development of emergency plan must be demonstrated
A. Senate. 87/11/13. ZECH, L.W. Commissioners. 2pp. 44031-206-

Examinations

erial response to FOIA request for documents re worker training pro-
PO training accreditation. Forwards App F documents App E & F docu-
available in PDR. Addl records also available in PDR under Bossong FOIA.

C.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K
r's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting
s in Atlanta, GA re training programs at two plants Encls include list of
per names & attendees & 871105 plant status accreditation table.
T. Region 2, Oic of the Director. 87/11/02. ROE, J. Division of Licensee
& Quality Evaluation (Post 870411). 8pp. 44119-159-44119-168.

177 U.S. AIR FORCE

Examinations

Trip rpt of INPO Accreditation Board 850523 meeting re plant training

Y.J.J. Licensee Qualifications Branch. 85/08/10. BOOTHER, H.R. Licensee
ns Branch. 3pp. 44118-138-44118-195.

182 PURDUE UNIV. RESEARCH REACTOR

license stage documents & correspondence

Forwards request for addl info re facility operator requalification
re application for renewal of R-87. Info requested within 30 days of ltr date.
Standardization & Non-Power Reactor Project Directorate. 88/01/14.
J.F.M. Purdue Univ., West Lafayette, IN. 4pp. 44139-155-44139-158.

Examinations

Forwards request for addl info re facility operator requalification
re application for renewal of R-87. Info requested within 30 days of ltr date.
Standardization & Non-Power Reactor Project Directorate. 88/01/14.
J.F.M. Purdue Univ., West Lafayette, IN. 4pp. 44139-155-44139-158.

1-183 VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR

g license stage documents & correspondence

I Forwards Amend 4 to License DR-10 & safety evaluation. Amend changes
cs to permit general radiation survey annually instead of twice annually, per
quest.
S.T.S. Standardization & Non-Power Reactor Project Directorate. 88/01/14.
EL, R.W. General Electric Co. 2pp. 44114-145-44114-152.

82 Amend 4 to License DR-10, changing Tech Specs to permit general radi-
re annually instead of twice annually.
TEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 88/01/
14114-147-44114-150.

84 Safety evaluation supporting Amend 4 to License DR-10.
of Nuclear Reactor Regulation, Director (Post 870411). 88/01/14. 3pp.
1-44114-152.

180-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

ng license stage documents & correspondence

*9 Requests addl info supporting 880912 application for permission to use ex-
rte aluminum fuel in reactor. Info requested includes justification of decrease
own margin & plate power density clarification.
A. Standardization & Non-Power Reactor Project Directorate. 88/01/11.
ER, R.M. Missouri, Univ. of, Columbia, MO. 5pp. 44009-150-44009-154.

DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

P. Operating license stage documents & correspondence

8801130429 Responds to 871208 request to extend submission date to 880705 for high
to low enriched U conversion application. Request acceptable.
RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 88/01/
04. DIMEGLIO, A.F. Rhode Island, State of. 3pp. 44008-249-44008-251.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801050533 Rev 2.01 to emergency plan for San Onofre Nuclear Generating Station
Units 1, 2 & 3.
BASKIN, K.P. Southern California Edison Co. 87/12/04. 3pp. 43914-022-43914-055.

8801110189 Rev 2 to "Manual of Emergency Events for San Onofre Nuclear Generat-
ing Station Units 1, 2 & 3."
* Southern California Edison Co. * San Diego Gas & Electric Co. 87/12/15. 138pp.
44006-224-44006-362

8801200431 Forwards Rev 4A to safeguards contingency plan, per 871201-04 telcons re
Rev 4 to plan. Changes do not decrease safeguards effectiveness of plan.
MORGAN, H.E. Southern California Edison Co. 87/12/29. Document Control Branch
(Document Control Desk). 6pp. 44057-229-44057-234.

8801200145 Advises that 870410 & 1229 Revs 4 & 4A to safeguards contingency plan
consistent w/ provisions of 10CFR50.54(p) & acceptable.
MONTGOMERY, J.L. Region 5, Oic of the Director. 88/01/07. MORGAN, H.E. South-
ern California Edison Co. 4pp. 44058-194-44058-197.

8801210192 Addendum to Rev 2.01 to emergency plan.
* Southern California Edison Co. 88/01/12. 6pp. 44083-228-44083-233.

8801250401 Advises that portions of 870529 & 0807 Revs 15 & 15A, respectively, to
physical security plan consistent w/ provisions of 10CFR50.54(p) &
acceptable. Planned Rev 16B discussed Encl withheld (ref 10CFR73.21).
SCARANO, R.A. Region 5, Oic of the Director. 88/01/15. MORGAN, H.E. Southern
California Edison Co. 5pp. 44109-356-44109-360.

8801260230 Advises that 871210 Rev 2.01 to emergency plan consistent w/ provisions
of 10CFR60.47(b) & acceptable.
FISH, R.F. Region 5, Oic of the Director. 88/01/15. BASKIN, K.P. Southern California
Edison Co. 2pp. 44170-164-44170-165.

H. General correspondence

8801250394 Responds to 871207 ltr forwarding correspondence from B Gelsmar urging
that reactor vessel level indicator be installed at facility. Matter not yet resolved be-
cause of difficulty of adapting instrument to older reactor design.
STELLO, V. Oic of the Executive Director for Operations. 88/01/15. CHANSTON, A.
Senate. 8pp. 44118-058-44118-080.

-8801250402 Requests comments on encl B Gelsmar 871129 ltr re reactor water level
indicator at plant.
CHANSTON, A. Senate. 87/12/07. NRC - No Detailed Affiliation Given. 3pp.
44118-064-44118-068.

-8304080305 Requests response to questions re plant safety resulting from recent docu-
mentary film, "60 Minutes to Meltdown," aired on television.
GEISMAR, B. Affiliation Not Assigned. 83/03/31. MATTSON, R. NRC - No Detailed Af-
filiation Given. 1p. 44118-067-44118-067.

-8306060139 Ack receipt of 830331 ltr re plants B&W reactor not in use at
facility. Mission Viejo, CA is well outside NRC determined emergency planning
zone. Responses to specific concerns listed.
MATTSON, R.J. Division of Systems Integration (811005-851124). 83/04/25.
GEISMAR, B. Affiliation Not Assigned. 2pp. 44118-069-44118-069.

-8801250427 Requests response to listed questions including what kind of ECCS in-
stalled at plant.
GEISMAR, B. Affiliation Not Assigned. 84/02/08. MATTSON, R.J. Division of Systems
Integration (811005-851124). 2pp. 44118-070-44118-071.

-8403050284 Provides answers to 840208 questions re facilities. Diagram illustrating tur-
bine generator orientation encl.
MATTSON, R.J. Division of Systems Integration (811005-851124). 84/02/27.
GEISMAR, B. Affiliation Not Assigned. 4pp. 44118-072-44118-074.

-8801250436 Requests info re whether facility has direct reading water level indicator
installed. Chernobyl has made us more aware of dangers inherent in nuclear power
generating stations.
GEISMAR, B. Affiliation Not Assigned. 88/05/15. ASSELSTINE, J.K. Commissioners.
1p. 44118-075-44118-075.

-8801250440 Requests confirmation re util action concerning submittal of deviation re-
quest from requirement of reactor vessel level measurement sys, based on NRC
860529 ltr.
GEISMAR, B. Affiliation Not Assigned. 88/11/22. ASSELSTINE, J.K. Commissioners.
1p. 44118-076-44118-076.

-8801250446 Responds to 881122 ltr concerning util deviation request from require-
ment to install reactor vessel level indicator. Util filed deviation request on 860620. Re-
quest still under review by NRC.
ASSELSTINE, J.K. Commissioners. 88/11/28. GEISMAR, B. Affiliation Not Assigned.
1p. 44118-077-44118-077.

12 DOCKETED ITEMS

-8801250441 Responds to 880515 lr concerning aging of facility Forwards NUREG-1144 "Nuclear Plant Aging Research (NPAR) Program Plan" and intends to submit request from requirement to install reactor vessel level measurement sys. W/o encl. ASSELSTINE, J.K. Commissioners. 88/05/29 GE SMAR, B. Affiliation Not Assigned. 1p 44116 078-44116 078

-8801250444 Requests info on whether decision has been made by NRC re util deviation request from requirement to install reactor vessel level indicator. GE SMAR, B. Affiliation Not Assigned. 87/05/18 ASSELSTINE, J.K. Commissioners. 1p 44116 078-44116 079

-8801250471 Responds to 870516 lr concerning status of util deviation request from requirement to install reactor vessel level indicator. Request still being reviewed & no final decision has been made. ASSELSTINE, J.K. Commissioners. 87/06/01 GE SMAR, B. Affiliation Not Assigned. 1p 44116 080-44116 080

J. Insurance & Indemnity Information

8801270250 Forwards Endorsements 120-123, 47-48, 9 & 7 to NELA Policies NF-116 N5-252 H-12 & H-87, respectively & Endorsements 105-108, 9, 8 & 7 to MAELU Policies MF 38 M-12 M-81 & M-7, respectively. ADAMS, J.B. Southern California Edison Co. 88/01/14 DINITZ, J. NRC - No Detailed Affiliation Given. 30pp 44185 013-44185 042

P. Operating license stage documents & correspondence

8801280091 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work NRC Form 26 for three existing contracts, audit info, work history & list of expense available for special insps & of current resource svcs. FELTS, S.R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18. JOHNSTON, E.M. Region 4, Ofc of the Director. 71pp 43998 230-43998 300

8712300106 Forwards "Transshipment of San Onofre Unit 1 Spent Fuel" for review & approval per NRC request at 870925 meeting. Proposed method for transshipment of spent fuel to Unit 2 & 3 will not include air pallet sys. Fee paid. MEDFORD, M.O. Southern California Edison Co. 87/12/24. Document Control Branch (Document Control Desk). 2pp 43921 089-43921 134

-8712300109 "Transshipment of San Onofre Unit 1 Spent Fuel."
* Southern California Edison Co. 87/12/31 44pp 43921 091-43921 134

8801070441 Forwards marked-up draft Rev 8 to Engineering Procedures S01-V-2.14, "Inservice Testing of Pumps Program"; & draft Rev 8 to S01-V-2.15, "Inservice Testing of valves Program," per 1993 edition of Section XI of ASME Code. MEDFORD, M.O. Southern California Edison Co. 87/12/28. Document Control Branch (Document Control Desk). 22pp 44027 051-44027 167

-8801120411 Marked-up draft Rev 8 to Engineering Procedure S01-V-2.14, "Inservice Testing of Pumps Program."
* Southern California Edison Co. 88/09/12 27pp 44007 023-44007 049

-8801120424 Marked-up draft Rev 8 to Engineering Procedure S01-V-2.15, "Inservice Testing of valves Program."
* Southern California Edison Co. 85/07/10 118pp 44007 050-44007 167

8801070205 Notification of 880108 meeting w/ Westinghouse Owners Group Operations & Analysis Subcommittee in Bethesda, MD to discuss subcommittee investigations in analysis area. General Ltr 87-12. TRAMER, L.L. M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp 43945 344-43945 347

8801120223 Forwards response to NRC 870708 request for addl info needed for completion of NRC review of performance testing of relief & safety valves, per NUREG-6727 item 10.1. MEDFORD, M.O. Southern California Edison Co. 88/01/07. Document Control Branch (Document Control Desk). 29pp 43990 308-43990 334

8801150007 Remits fee inadvertently omitted from 871224 submittal re spent fuel transshipment. MEDFORD, M.O. Southern California Edison Co. 88/01/08. PARKS, J. License Fee Management Branch. 1p 44062 164-44062 165

-8801210096 Requests that encl add 880138 lr be processed under applicable docket & distribution code. PARKS, J. License Fee Management Branch. 88/01/13. MCKNIGHT, J. Document Control Branch (Document Control Desk). 1p 44062 165-44062 165

8801100216 Forwards Station Procedure S023-3-3.12, "Integrated ESF Sys Refueling Test," Evaluation of Reliability Benefits of Proposed Diesel Generator Cross-Connect Mod. & procedures to support utl proposed Tech Spec change (PCN-215). MEDFORD, M.O. Southern California Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 3pp 44077 108-44077 129

-8801210046 Temporary Change Notice 0-3 to Rev 0 to Operations Div Procedure S0123-0-1, "Shift Superintendent Authority Responsibilities & Duties."
* Southern California Edison Co. 85/06/25 13pp 44077 116-44077 130

-8801210043 Temporary Change Notice 0-1 to Rev 0 to Operations Div Procedure S0123-0-3, "Control Operator Responsibilities & Duties."
* Southern California Edison Co. 85/09/04 12pp 44077 131-44077 142

-8801210044 Temporary Change Notice 0-3 to Rev 0 to Operations Div Procedure S0123-0-30, "Shift Warning."
* Southern California Edison Co. 85/06/26 18pp 44077 143-44077 160

8801270165 Inform of organization changes within Div of Reactor Projects. KNIGHTON, G.W. Project Directorate V. 88/01/20. BASKIN, K.P. Southern California Edison Co. HOLCOMBE, J.C. San Diego Gas & Electric Co. 3pp 44154 359-44154 361

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp 44163 001-44163 124

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp 44058 008-44058 127

8801110248 Forwards Insp Repts 50-206/87-27, 50-361/87-28 & 50-362/87-28 on 871004-1124. No violations noted. ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/24. BASKIN, K.P. Southern California Edison Co. 2pp 43970 148-43970 163

-8801110253 Insp Repts 50-206/87-27, 50-361/87-28 & 50-362/87-28 on 871004-1124. No violations or deviations identified. Major areas inspected: operations program of all units including safety verification, plant trip & event evaluations & maint. HUEY, F.R., TATUM, J.E., HON, A.L. Region 5, Ofc of the Director. 87/12/22. 14pp 43970 150-43970 163

8801120416 Forwards Exam Rept 50-208/OL-87-03 of exam administered on 871214. Reactor operator candidate meets min qualification requirements. PATE, R.J. Region 5, Ofc of the Director. 87/12/24. RAY, H. Southern California Edison Co. 2pp 43990 131-43990 155

-8801120418 Exam Rept 50-206/OL-87-03 on 871214. Exam results: reactor operator candidate passed written exam. Oral exam waived due to prior passing evaluation. Exam & answer key & grade summary sheet encl. W/o summary sheet. JOHNSTON, G.W., ELIN, J.O. Region 5, Ofc of the Director. 87/12/23. 23pp 43990 133-43990 155

871230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp 43995 138-43995 257

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp 43995 258-43995 016

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp 44038 164-44038 286

8801050384 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp 44038 041-44038 163

8801270123 Forwards response to NRC Compliance Bulletin 87-002 re fastener testing to determine conformance w/applicable matl specs. MEDFORD, M.O. Southern California Edison Co. 88/01/12. MARTIN, J.B. Region 5, Ofc of the Director. 86pp 44141 168-44141 251

R. Periodic operating reports & related correspondence

8801220050 Monthly operating rpt for Dec 1987. W/880115 lr. SIACOR, E.R., MORGAN, H.E. Southern California Edison Co. 87/12/31. 5pp 44159 123-44159 128

S. Reportable occurrences, LERs & related correspondence

8801050523 LER 87-003-01: on 870310, turbine & reactor trips occurred as result of trip signal in response to generator field loss. Caused by electrical short resulting from brush being dropped in main exciter commutator assembly. W/871224 lr. MORGAN, H.E. Southern California Edison Co. 87/12/24. 7pp 43916 025-43916 031

8801060381 LER 86-014-01: on 861230, ground alarm received in control room for dc bus 2. Opening feeder breaker constitutes brief entry into Tech Spec 3.0.3. Caused by moisture in control circuitry junction box. Ground cleared. W/871224 lr. MORGAN, H.E. Southern California Edison Co. 87/12/24. 6pp 43927 229-43927 233

8801060487 PNS-V-87-009: on 871209, Region V reported licensee investigating rpt of card playing in security alarm station. Disciplinary action: three supervisors terminated & nine security officers suspended. SCHAEFER, D., SCHUSTER, M. Region 5, Ofc of the Director. 87/12/28. 1p 43979 046-43979 046

8801110353 LER 86-011-01: on 860804, main feedwater pump failed. Caused by loss of thrust disk assembly preload. New assembly instructions developed to avoid loss of preload. Vibration amplitude will be monitored. W/871230 lr. MORGAN, H.E. Southern California Edison Co. 87/12/30. 4pp 43970 164-43970 167

8801050676 LER 87-017-00: on 870810 & 1201, containment isolation valves Loop B header would not fully close upon demand. Cause: undetermined. Administrative controls implemented to prevent inadvertent opening of valves. W/871231 lr. MORGAN, H.E., WHARTON, M.A. Southern California Edison Co. 87/12/31. 7pp 43918 003-43918 008

8801210071 LER 87-018-00: on 871216, Tech Spec 3.0.3 voluntarily entered during dc ground troubleshooting. Caused by presence of water inside housing of solenoid. Ground eliminated by drying electrical connections. W/880115 lr. MORGAN, H.E. Southern California Edison Co. 88/01/16. 6pp 44104 273-44104 278

nations

ards Exam Rept 50-206/OL-87-03 of exam administered on operator candidate meets min qualification requirements
n 5, Ofc of the Director. 87/12/24. RAY, H. Southern California 13980:131-43990:155.

n Rept 50-206/OL-87-03 on 871214 Exam results: reactor operator ed written exam. Oral exam waived due to prior passing & answer key & grade summary sheet encl w/o summary sheet.
... ELIN, J.O. Region 6, Ofc of the Director. 87/12/23. 23pp. 1:155.

I response to FOIA request for documents re worker training pro-
-training accreditation. Forwards App F documents App E & F docu-
-table in PDR. Add records also available in PDR under Bossong FOIA.

Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K.
Critical Mass Energy Project 8pp. 44118:001-44118:039.

mits observations of INPO 851218 accreditation board meeting & ac-
-cess. NRC activity in board reviews & participation in INPO team visit &
-n visits requested.
erator Licensing Branch. 88/01/14. RUSSELL, W.T. Division of Human
ogy (851125-870411). 4pp. 44118:244-44118:247.

wards final rept from Aug 1986 NRC post-accreditation audit. Plant has
-task analysis to identify knowledge, skills & abilities for all job
-at protection training warrants specific attention
Division of Human Factors Technology (851125-870411). 88/09/10.
-luta of Nuclear Power Operations. 16pp. 44118:025-44118:040.

ises of attendance at 870923 Natl Nuclear Accrediting Board meeting
-Atlanta, GA re training programs at two plants. Encls include list of
-names & attendees & 871105 plant status accreditation table.
-egion 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee
-Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

HADDAM NECK PLANT

cal, emergency & fire protection plans

wards Insp Rept 50-213/87-27 on 871009-1207. No violations
-response requested within 30 days of ltr receipt re incorrect greasing of
-motor-operated valve motors.
:N.L. Region 1, Ofc of the Director. 87/12/28. MROCZKA, E.J. Con-
-Atomic Power Co. 2pp. 44040:227-44040:245.

safety Insp Rept 50-213/87-27 on 871009-1207. No violations
-areas inspected: plant operations, radiation protection, fire
-lity maint, surveillance testing & open items from previous Insp.
Region 1, Ofc of the Director. 87/12/28. 17pp. 44040:229-44040:245.

sed emergency plan implementing procedure, consisting of Change 87-
-EPIP 1.5-18, "Emergency Operations Facility Activation." W/871231

... MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 87/12/31.
7-43997:219.

Issed corporate organization for nuclear incidents procedures, including
-9.01, "Notification of Communications W/Upper Mgt & On-Call Or-
-rev 18 to CON-10.01, "Emergency & Telephone..." W/871231 ltr.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utili-
-A.E.J. Northeast Utilities. 87/12/31. 39pp. 43991:020-43991:059.

rlsed emergency plan implementing procedures, including Rev 10 to
-adiological Dose Assessment" & Rev 18 to EPIP 1.5-33, "Shift Supervi-
-ant." W/880107 ltr.
r., MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 88/01/07.
31-43971:009.

rms of plans to conduct annual emergency preparedness exercise on
-persons to contact listed.
... Connecticut Yankee Atomic Power Co. 88/01/13. Document Control
-ment Control Desk). 2pp. 44158:114-44158:116.

ense stage documents & correspondence

ification of 880106 meeting w/Westinghouse Owners Group Operations
-committees in Bethesda, MD to discuss subcommittees investigations in a
-Generic Ltr 87-12.
... M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Director.
B45:344-43945:347.

omits comments on draft SRP Section 3.8.3, "Leak-Before-Break Eval-
-ues," per amend to GDC 4 of 10CFR60, App A. Utilis endorse com-
-eard Util Group on Equipment Qualification.
J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nu-
-Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/
-ment Control Branch (Document Control Desk). 4pp. 44002:151-

mmment opposing SRP Section 3.8.3 of NUREG-0800, Utilis endorse com-
-lear Util Group on Equipment Qualification.
J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities).
J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utili-
-6. Document Control Branch (Document Control Desk). 5pp. 44052:001-

summary of 871210 meeting w/util in Bethesda, MD re full 40-yr OL &
-er ALARA programs at plants. List of attendees & viewgraphs encl.
Project Directorate I-4. 88/01/06. Project Directorate I-4. 88pp.
055:291.

8801150179 Provides info re util plans to convert from stainless steel to Zircaloy fuel
-cladding. Meeting w/NRC to discuss conversion plans within 1 month of ltr date re-
-quested.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 88/01/08. Document Control
-Branch (Document Control Desk). 18pp. 44036:028-44036:045.

8801270151 Ack receipt of Invoices G0369, G0403, G0404 & G0405 for second quarterly
-installment of 1988 annual fee. Payment for Invoices will be transferred on 880129, per
-Instructions.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nu-
-clear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/
-01/18. Document Control Branch (Document Control Desk). 6pp. 44168:014-
-44168:019.

8801260247 Forwards Amend 98 to License DPR-61, safety evaluation & supplemental
-safety evaluation Amend changes expiration date from 040526 to 070829, which is 40
-yrs from 870630 issuance.
WANG, A.B. Project Directorate I-4. 88/01/19. MROCZKA, E.J. Connecticut Yankee
-Atomic Power Co. 2pp. 44139:271-44139:287.

-8801260257 Amend 98 to License DPR-61, changing expiration date from 040526 to
-070829.
STOLZ, J.F. Project Directorate I-4. 88/01/19. 2pp. 44139:273-44139:274.

-8801260263 Safety evaluation supporting Amend 98 to License DPR-61.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/19. 6pp.
44139:275-44139:280.

-8801260277 Supplemental safety evaluation supporting Amend 98 to License DPR-61.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/19. 7pp.
44139:281-44139:287.

8801280665 Revised application for amend to License DPR-61, amending Tech Spec
-Table 4.12-2 to include only 47 welds in auxiliary feedwater pump steam supply piping
-for inservice Insp. Related info encl.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 88/01/22. Document Control
-Branch (Document Control Desk). 12pp. 44160:089-44160:106.

-8801280672 Proposed changes to Tech Spec Table 4.12-2, identifying 47 instead of 59
-welds in auxiliary feedwater pump steam supply piping for inservice Insp.
* Connecticut Yankee Atomic Power Co. 88/01/22. 6pp. 44160:101-44160:106.

8801280504 Notification of 880127 meeting w/util to discuss use of dual role of senior
-reactor operator/shift technical adviser at facility.
JAFEE, D.H. Project Directorate I-4. 88/01/25. MURLEY, T., SNIEZEK, J., MIRAGLIA, F.
-NRC - No Detailed Affiliation Given. 2pp. 44173:205-44173:206.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training
-Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22.
Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions."
-Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23.
Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc
-list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28.
Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801120280 Forwards Insp Rept 50-213/87-27 on 871009-1207. No violations
-noted. Written response requested within 30 days of ltr receipt re incorrect greasing of
-safety-related motor-operated valve motors.
BETTENHAUSEN, L. Region 1, Ofc of the Director. 87/12/28. MROCZKA, E.J. Con-
-necticut Yankee Atomic Power Co. 2pp. 44040:227-44040:245.

-8801120288 Safety Insp Rept 50-213/87-27 on 871009-1207. No violations
-noted. Major areas inspected: plant operations, radiation protection, fire
-protection, security maint, surveillance testing & open items from previous Insp.
MCCABE, E.C. Region 1, Ofc of the Director. 87/12/28. 17pp. 44040:229-44040:245.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade
-Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Li-
-censed Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801060394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on
-Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11.
Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801280665 Revised application for amend to License DPR-61, amending Tech Spec
-Table 4.12-2 to include only 47 welds in auxiliary feedwater pump steam supply piping
-for inservice Insp. Related info encl.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 88/01/22. Document Control
-Branch (Document Control Desk). 12pp. 44160:089-44160:106.

-8801280672 Proposed changes to Tech Spec Table 4.12-2, identifying 47 instead of 59
-welds in auxiliary feedwater pump steam supply piping for inservice Insp.
* Connecticut Yankee Atomic Power Co. 88/01/22. 6pp. 44160:101-44160:106.

BOOKETED ITEMS

Operating reports & related correspondence

Monthly operating rept for Dec 1987. W/880115 Itr.
MILLER, D.B. Connecticut Yankee Atomic Power Co. 87/12/31. 10pp.
44106242.

Occurrences, LERs & related correspondence

LER 87-016-00 on 871123, motor-operated valves determined not to be in configuration declared inoperable due to grease installed in motor used by inadequate maint procedure & technical info. W/871217 Itr.
MILLER, D.B. Connecticut Yankee Atomic Power Co. 87/12/17. 8pp.
43782084.

RO on 871219, 1 quart of lubricating oil leaked from travelling water screen water intake structure & entered Connecticut River. Caused by equipment failure of spill corrected.

E.J. Northeast Utilities. MROCK, E.J. Connecticut Yankee Atomic Power Co. 87/12/17. 8pp.
HEGENER, W.D. Connecticut, State of. 2pp. 44047.083-44047.084.

Examinations

Partial response to FOIA request for documents re worker training program. Forwarded App F documents App E & F documents App E & F documents available in PDR. Add'l records also available in PDR under Bessong FOIA.

D.H. Division of Rules & Records (Post 870413) 88/01/12. BOLEY, K. 88/01/12. 8pp. 44118.001-44118.009.

219 OYSTER CREEK NUCLEAR POWER PLANT

Medical, emergency & fire protection plans

Forwards Rev 1 to Corporate Emergency Plan 1000-PLN-1300.01. Rev re-issuance of TMI emergency preparedness program organization & summary of major changes in plan also encl.
General Public Utilities Corp. - GPU Service Corp. 87/12/23. Document 1 (Document Control Desk). 6pp. 43902.049-43903.022.

Rev 1 to 1000-PLN-1300.01. "Corporate Emergency Plan for TMI & All Nuclear Stations."
General Public Utilities Corp. - GPU Service Corp. 87/12/22. 300pp. 43902.054-43903.022.

Revised emergency plan implementing procedures, including Rev 1 to 9473-06, "Add'l Assistance & Notification," Rev 2 to 9473-WP-1300.23, "Thyroid & Rev 1-05 to 5000-ADM-3054.01, "Operation of Parsippany." W/871227

J. General Public Utilities Corp. - GPU Service Corp. 87/12/29. 46pp.
43979.139.

Forwards Safeguards Insp Rept 50-219/87-37 on 871023 & notice of violation. Region 1, Ofc of the Director. 87/12/30. FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 44039.128-44039.137.

Partially withheld notice of violation from insp on 871023 (ref 10CFR 100.11. Region 1, Ofc of the Director. 87/12/30. 2pp. 44039.131-44039.132.

Partially withheld Physical Security Insp Rept 50-219/87-37 on 871023 (ref 10CFR 73.21). Violations noted. Major areas inspected: circumstances surrounding identified degraded vital area barrier & corrective actions.

R.W.K., SMITH, G.C., KEIMIG, R.R. Region 1, Ofc of the Director. 87/12/30. 133-44039.137.

Forwards Safety Insp Rept 50-219/87-27 on 870821-1004. No violations noted. Event impairing operability of CRD mechanism due to inability of actuator to hold gas pressure requested w/corrective actions.

USEN, L. Region 1, Ofc of the Director. 88/01/08. FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 44030.002-44030.021.

Inspection Rept 50-219/87-27 on 870821-1004. No violations noted. Major areas inspected: plant operations, physical security, LER & drywell shell thinning concern & maint. Problem re CRD mechanism accumulator pressures identified.

C.J. Region 1, Ofc of the Director. 88/01/05. 18pp. 44030.004-44030.021.

License stage documents & correspondence

sa, Inc, including summary of NRC findings, audit info, work history & lists of areas svcs.

B-8766 87/12/16.
8:300.

28, "Post-Maint
7/12/23. Document
135.

strate compliance
to alternate rod

0. Document

ds App B
ns withheld

JO. WEISS, E.R.

-8404110320 Rev 0 to 1000-ADM-7317.01 (EP-031), "Equipment Environ Qualification."
General Public Utilities Corp. - GPU Service Corp. 84/01/20. 52pp. 44087.254-44087.307.

8801260520 Requests add'l info re implementation of ATWS rule requirements, including provision of electrical functional diagrams for ARI & RPT sys from sensors to final actuated devices, by 880210.

DROMERICK, A.W. Project Directorate I-4. 88/01/19. FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 4pp. 44138.251-44138.264.

8801280384 Application for amend to License DPR-18, Tech Spec Change Request 154, proposing new pressure-temp limits which were developed recently in accordance w/ASME B&PV Code Section III Non-Mandatory App G & SRP Section 5.3.2 For

paid. FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 88/01/19. Document Control Branch (Document Control Desk). 4pp. 44160.088-44160.088.

-8801280388 Proposed Tech Specs re new pressure temp operating curves developed for operation beyond 10 EFYs.

General Public Utilities Corp. - GPU Service Corp. 88/01/19. 18pp. 44160.070-44160.088.

8801220171 Draft "Comparison Between Retran-02 MOD3 & Retran-02 MOD4 & Impact on Oyster Creek Retran Model," preliminary submittal Topical Rept 045.

General Public Utilities Corp. - GPU Service Corp. 88/01/22. 98pp. 44101.053-44101.150.

8801290119 Requests add'l info re util 831114 & 851023 submittals for Generic Ltr 83-28, Item 2.2 (Part 1) re equipment classification program (programs for all other safety-related components). Response requested by 880220.

DROMERICK, A.W. Project Directorate I-4. 88/01/22. FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 5pp. 44176.260-44176.264.

Q. Inspection reports, IE Bulletins & correspondence

8712300008 Forwards Safety Insp Rept 50-219/87-38 on 871102-08. No violations noted.

JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/15. FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 43921.050-43921.055.

-8712300012 Insp Rept 50-219/87-38 on 871102-08. No violations noted. Major areas inspected: licensee response to Generic Ltr 84-11 & status of activities re drywell wall thinning.

MCB, REARTY, R.A., STROSNIDER, J.R. Region 1, Ofc of the Director. 87/12/14. 4pp. 43921.052-43921.055.

8712160368 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170118 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058.008-44058.127.

8801130177 Forwards Safety Insp Rept 50-219/87-36 on 871019-22. No violations noted.

JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/23. FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 44039.119-44039.127.

-8801130182 Insp Rept 50-219/87-36 on 871019-22. No violations or unresolved items noted. Major areas inspected: licensee followup actions in response to IE Bulletins 79-02 & 78-14.

CHAUDHARY, S.K., STROSNIDER, J.R. Region 1, Ofc of the Director. 87/12/18. 7pp. 44039.121-44039.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8801120272 Forwards Insp Rept 50-219/87-34 on 871019-22. No violations noted. Most corrective actions re 870811 event complete. All commitments for restart complete, per 871109 review.

BETTENHAUSEN, J. Region 1, Ofc of the Director. 87/12/28. FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 44040.181-44040.174.

-8801120278 Insp Rept 50-219/87-34 on 871019-22. No violation noted. Major areas inspected: followup on corrective actions following 870811 event re requirement to have two recirculation loops in full open position.

COWGILL, C.J. Region 1, Ofc of the Director. 87/12/21. 12pp. 44040.183-44040.174.

8801130069 Forwards Safeguards Insp Rept 50-219/87-37 on 871023 & notice of violation.

MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 44039.128-44039.137.

-8801130073 Partially withheld notice of violation from insp on 871023 (ref 10CFR 73.21).

MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. 2pp. 44039.131-44039.132.

-8801130075 Partially withheld Physical Security Insp Rept 50-219/87-37 on 871023 (ref 10CFR 73.21). Violations noted. Major areas inspected: circumstances surrounding licensee identified degraded vital area barrier & corrective actions.

LANCASTER, W.K., SMITH, G.C., KEIMIG, R.R. Region 1, Ofc of the Director. 87/12/11. 5pp. 44039.133-44039.137.

8801130106 Forwards Reactive Insp Rept 50-219/87-38 on 871102-08 & notice of violation.

MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 2pp. 44030.022-44030.030.

from Insp on 871102-06. Violations noted: workers on dose rate instruments & access under single security ment of responsibilities.
87/12/30 2pp 44030.024-44030.025.

ipt 50-219/87-39 on 871102-06. Violations noted: Major entry into drywell & apparent breach of access door in area.
M. Region 1, Ofc of the Director. 87/12/23. 6pp.

7-066, "Inappropriate Application of Commercial-Grade

ational Events Assessment (Post 870411). 87/12/31.
New York, Inc. 120pp. 43095.258-43098.016.

37-067, "Lessons Learned From Regional Insp's of LI-
OE Bulletin 80-11." Svc list encl.
ational Events Assessment (Post 870411). 87/12/31.
New York, Inc. 123pp. 44036.164-44036.286.

Licensing Exam Rept 50-219/87-31OL given during the
ed re incomplete & out-of-date ref mail sent to NRC for
see response expected within 30 days.
if the Director. 87/12/31. FIEDLER, P.B. General Public
Corp. 2pp. 44044.111-44044.226.

19/87-31OL on 871019-22 Exam results: all three senior
len & operating exams. Training mail submitted for exam
imple. Related documentation encl.
n 1, Ofc of the Director. 87/12/23. 81pp. 44044.113-

ments on questions contained in recently administered
exam.
Utilities Corp. - GPU Service Corp. 87/10/29. LANGE, D.
33pp. 44044.194-44044.226.

210 ltr informing NRC of steps taken to correct violations
-28.
Ofc of the Director. 88/01/05. FIEDLER, P.B. General
ervice Corp. 1p. 44039.162-44039.165.

Insp Rept 50-219/87-27 on 870821-1004. No violations
ing operability of CRD mechanism due to inability of ac-
re requested w/ corrective actions.
1, Ofc of the Director. 88/01/08. FIEDLER, P.B. General
ervice Corp. 2pp. 44030.002-44030.021.

19/87-27 on 870821-1004. No violations noted. Major
lions, physical security, LER & drywell shell thinning con-
rm re CRD mechanism accumulator pressures identified.
of the Director. 88/01/05. 18pp. 44030.004-44030.021.

nfo Notice 88-081, "Broken External Closure Springs on
c list encl.
ational Events Assessment (Post 870411). 88/01/11.
New York, Inc. 123pp. 44038.041-44038.163.

s & related correspondence

uclear Generating Station Effluent Release Rept for Period
r.
lic Utilities Corp. - GPU Service Corp. 88/12/31. 78pp.

al Environ Monitoring Rept for Oyster Creek Nuclear Gen-
lir.
ilic Utilities Corp. - GPU Service Corp. 88/12/31.
of the Director. 270pp. 44133.242-44134.154.

dum 1 to "Oyster Creek Nuclear Generating Station Efflu-
or Jul-Dec 1988.
ilic Utilities Corp. - GPU Service Corp. 87/05/19.
fo of the Director. 1p. 44132.310-44132.323.

o "Oyster Creek Nuclear Generating Station Effluent Re-
Dec 1988.
Corp. - GPU Service Corp. 88/12/31. 13pp. 44132.311-

g rept for Nov 1987. W/871215 ltr.
EDLER, P.B. General Public Utilities Corp. - GPU Service
3.086-43923.074.

g rept for Dec 1987. W/870115 ltr.
FIEDLER, P.B. General Public Utilities Corp. - GPU Service
7.300-44157.306.

LERs & related correspondence

on 860729, containment isolations & standby gas treatment
sed by automatic bus transfer of power supplies due to
lion signals reset. W/871223 ltr.
P.B. General Public Utilities Corp. - GPU Service Corp.
43918.121.

on 871201, reactor bldg isolation & standby gas treatment
as water accumulation in augmented off-gas sys. Caused by
as line drained & maint scheduled. W/871228 ltr.
J. General Public Utilities Corp. - GPU Service Corp. 87/12/
028.

8801200024 LER 87-048-00 on 871111, reactor safety valve discovered leaking during
reactor vessel hydrostatic pressure test. Caused by mechanical fatigue failure of
manual lift nut cotter pin. Valve replaced & all nuts removed. W/880107 ltr.
MCGRANE, J.P., FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 89/
01/07. 6pp. 44052.306-44052.311.

8801270140 LER 87-014-01 on 870303, containment vent & purge valve isolation
occurred. Caused by configuration control process deficiency due to backlog of docu-
mentation awaiting final closeout. Drawing control sys revised. W/880120 ltr.
GALANTO, J., FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 88/01/
20. 5pp. 44141.048-44141.052.

V. Operator Examinations

8801120246 Forwards Operator Licensing Exam Rept 50-219/87-31OL given during the
wk of 871019. Concern identified re incomplete & out-of-date ref mail sent to NRC for
use in exam preparation. Licensee response expected within 30 days.
GALLO, R.M. Region 1, Ofc of the Director. 87/12/31. FIEDLER, P.B. General Public
Utilities Corp. - GPU Service Corp. 2pp. 44044.111-44044.226.

-8801120252 Exam Rept 50-219/87-31OL on 871019-22. Exam results all three senior
reactor operators passed written & operating exams. Training mail submitted for exam
preparation out-of-date or incomplete. Related documentation encl.
LUMB, T., LANGE, D.J. Region 1, Ofc of the Director. 87/12/23. 81pp. 44044.113-
44044.183.

-8801190196 Provides util comments on questions contained in recently administered
NRC senior reactor operator exam.
FIEDLER, P.B. General Public Utilities Corp. - GPU Service Corp. 87/10/29. LANGE, D.
Region 1, Ofc of the Director. 33pp. 44044.194-44044.226.

8801200231 Partial response to FOIA request for documents re worker training pro-
grams & INPO training accreditation. Forwards App F documents App E & F docu-
ments also available in PDR. Add records also available in PDR under Bossong FOIA-
87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K.
Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting
at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of
Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee
Performance & Quality Evaluation (Post 870411). 8pp. 44119.169-44119.168.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801190129 Rev 10 to Emergency Plan Implementing Procedure EPP-6, "In-Plant Emer-
gency Surveys." W/880111 ltr.
STUART, C.L., ABBOTT, R.B., MANGAN, C.V. Niagara Mohawk Power Corp. 88/01/11.
14pp. 44045.285-44045.298.

8801250195 Notices that WR Butler & MC Thedani will visit site on 880210 to review
emergency operating procedures that deal w/ containment venting during emergency
conditions. Escorted access satisfactory for one-time visit. Info encl.
CAPRA, R.A. Project Directorate I-1. 88/01/15. MANGAN, C.V. Niagara Mohawk Power
Corp. 3pp. 44116.216-44116.218.

8801280012 Forwards changes to plant security training & qualification plan, per 10CFR
50.54(p). Changes discussed w/ W. Martin. Encl withheld (ref 10CFR2.79d & 73.21).
BERATTA, J.P. Niagara Mohawk Power Corp. 88/01/22. MURLEY, T.E. NRC - No De-
tailed Affiliation Given. 1p. 44157.129-44157.129.

H. General correspondence

8801260357 Responds to 871207 ltr to J. Bradburne re 871029 ltr from constituents, B
Stanski & L. Munger, concerning handling of nuclear waste. No nuclear waste shipped
to facility. Papers dealing w/ handling of nuclear waste encl.
STELLO, V. Ofc of the Executive Director for Operations. 88/01/19. HORTON, F.
House of Rep. 8pp. 44139.012-44139.019.

J. Insurance & indemnity information

8801070437 Forwards Endorsements 8,3 & 87 to MAELU Policies M-12, M-105, & MF-
48, respectively & Endorsements 8,3 & 104 to NELIA Policies N-12, N-105 & NF-
161, respectively.
GOLDEN, M.P. Marsh & McLennan, Inc. 87/12/26. DINITZ, I. Office of Nuclear Reactor
Regulation, Director (Post 870411). 7pp. 43991.168-43991.174.

P. Operating license stage documents & correspondence

8801280173 FOIA request for documents re vendor lists for facility as compiled by util
or any contractors between 1975 & 1978, including documentation re use of "E-
BRITE."
PALAST, G.A. Union Associates. 87/12/14. GRIMSLEY, D.H. NRC - No Detailed Affil-
iation Given. 2pp. 44139.263-44139.264.

8801140135 Summary of 871117 meeting w/ util re licensing issues. List of meeting at-
tendees & meeting agenda encl. Besides encl agenda items, subj of maintaining nega-
tive pressure in secondary containment also discussed.
HAUGHE, M.F., BENEDICT, R.A. Project Directorate I-1. 88/01/04. Project Director-
ate I-1. 10pp. 44033.026-44033.036.

8801300078 Informs of intentions re surveillance of neutron poison mat used in facility
spent fuel storage racks. Util to remove & examine sample coupons
periodically. Periodic exam of samples consistent w/ 840201 SER.
MANGAN, C.V. Niagara Mohawk Power Corp. 88/01/08. Document Control Branch
(Document Control Desk). 1p. 44001.243-44001.243.

18 DOCKETED ITEMS

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-880120066 Forwards Denton 850814 memo re NRC approach to evaluate effectiveness of INPO accreditation program on improved training in nuclear power industry. W/ o encl.
PERSENSKY, J.J. Licensee Qualifications Branch. 85/08/23. COAKLEY, W. Institute of Nuclear Power Operations. 1p. 44118.186-44118.198.

8801190281 Forwards application for amend to License DPR-63, revising Tech Spec Section 3.1.1, "Control Rod Sys." to resolve concerns raised in Insp Rept 50-220/86-09. Fee paid.
LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44061.234-44061.240.

-8801190287 Application for amend to License DPR-63, revising Tech Spec Section 3.1.1, "Control Rod Sys." to resolve concerns raised in Insp Rept 50-220/86-09.
LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/14. 3pp. 44061.235-44061.237.

-8801190289 Proposed Tech Specs, revising Section 3.1.1, "Control Rod Sys." to resolve concerns raised in Insp Rept 50-220/86-09.
* Niagara Mohawk Power Corp. 88/01/14. 3pp. 44061.238-44061.240.

880120146 Forwards Rev 3 to NMPC-QATR-1, "QA Program Topical Rept for Nine Mile Point Nuclear Station Operations." Revis include corporate reporting, responsibility changes & general descriptions of responsibilities for organizations.
PERRY, J.A. Niagara Mohawk Power Corp. 88/01/15. Document Control Branch (Document Control Desk). 5pp. 44098.306-44098.318.

-880120188 Rev 3 to "QA Program Topical Rept for Nine Mile Point Nuclear Station Operations."
PERRY, J.A. Niagara Mohawk Power Corp. NMPC-QATR-1 R03. 88/01/12. 70pp. 44098.311-44098.318.

880120079 Advises that site visits being scheduled during 880210-12, per request. Plants constitute sample of Mark I & II plants. Proposed plan to review emergency operating procedures on containment venting discussed.
BUTLER, W.R. Project Directorate 12. 88/01/15. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 2pp. 44149.202-44149.203.

880120194 Partial response to FOIA request. App G documents already available in PDR. App H documents re INPO accreditation training encl. & available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095.001-44095.022.

-8801204031 Summary of attendance at INPO Accreditation Board 881119 & 20 meetings in Atlanta, GA re training programs. Agenda encl.
ZERBE, J.E. Regional Operations & Generic Requirements, EDO (Pra 870413). 88/11/24. SNIEZEK, J.H. Regional Operations & Generic Requirements, EDO (Pra 870413). 4pp. 44095.077-44095.080.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058.008-44058.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801130078 Informs of intentions re surveillance of neutron poison mail used in facility spent fuel storage racks. Util to remove & examine sample coupons periodically. Periodic exam of samples consistent w/ 840201 SER.
MANGAN, C.V. Niagara Mohawk Power Corp. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44001.243-44001.243.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801190281 Forwards application for amend to License DPR-63, revising Tech Spec Section 3.1.1, "Control Rod Sys." to resolve concerns raised in Insp Rept 50-220/86-09. Fee paid.
LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44061.234-44061.240.

-8801190287 Application for amend to License DPR-63, revising Tech Spec Section 3.1.1, "Control Rod Sys." to resolve concerns raised in Insp Rept 50-220/86-09.
LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/14. 3pp. 44061.235-44061.237.

-8801190289 Proposed Tech Specs, revising Section 3.1.1, "Control Rod Sys." to resolve concerns raised in Insp Rept 50-220/86-09.
* Niagara Mohawk Power Corp. 88/01/14. 3pp. 44061.238-44061.240.

8801210101 Forwards Insp Repts 50-220/87-24 & 50-410/87-42 on 871031-1210 Enforcement action on licensee limiting safety sys setpoint violation & compliance w/ June 1983 confirmatory order re scram discharge vol design & testing unresolved.
WENZINGER, E.C. Region 1, Ofc of the Director. 88/01/14. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 44086.326-44086.349.

-8801210107 Insp Repts 50-220/87-24 & 50-410/87-42 on 871031-1210. Two unresolved items noted. Major areas inspected power ascension testing plant tours surveillance testing review, safety sys walkdowns & LER, TMI action plan items & IE Bulletin review.
JOHNSON, J.R. Region 1, Ofc of the Director. 88/01/07. 22pp. 44086.328-44086.349.

S. Reportable occurrences, LERs & related correspondence

8801220545 Part 21 rept re deficiency identified in design of interface between Limiting actuators & butterfly valves. Initially reported on 871026. Potentially affected valves have been closed & tagged out-of-svc.
MANGAN, C.V. Niagara Mohawk Power Corp. 87/11/02. Region 1, Ofc of the Director. 3pp. 44159.077-44159.078.

8712290385 LER 87-023-00 on 870422, trip of normal reactor bldg ventilation & isolation of emergency ventilation occurred. Caused by personnel error. Fuse replaced. On 871123 util discovered LER not submitted for event. W/ 871222 ltr.
MAZZAFERRO, P.A., LEMPGES, T.E. Niagara Mohawk Power Corp. 87/12/22. 5pp. 43983.090-43983.094.

8801130203 LER 87-026-00 on 871202, Tech Spec 3.2.6.a (1) violated due to ASME restraints 93-R12-A/B & 93-R13-A/B identified as returned to svc w/o preservice exams or notification to Inspector. Caused by personnel error. W/ 880104 ltr.
MAZZAFERRO, P.A., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/04. 4pp. 44000.266-44000.269.

8801120343 LER 87-024-00 on 871206, reactor feedwater flow control sys developed instability. On 871207, reactor scrambled when water level fell to low level setpoint. Caused by debris in instrument air control line. W/ 880108 ltr.
MAZZAFERRO, P.A., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/06. 6pp. 43988.360-43988.365.

8801140113 LER 87-025-00 on 871210, full reactor scram occurred while in cold shutdown condition. Caused by spurious actuation of intermediate range monitor due to noise. Problem rept initiated. W/ 880108 ltr.
MAZZAFERRO, P.A., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/08. 5pp. 44003.353-44003.357.

8801140116 LER 87-027-00 on 871209, Tech Spec 3.2.6 violated due to inservice Insp (ISI) program deficiencies. Caused by mgt ineffectiveness in ISI program implementation. Five open deficiency/corrective actions corrected. W/ 880108 ltr.
MAZZAFERRO, P.A., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/09. 7pp. 44042.268-44042.274.

8801260269 LER 87-028-00 on 871219, reactor manually scrambled due to vibration in high pressure feedwater piping. Caused by failure of stem/valve plug assembly resulting in pressure & flow surges. Exam of pipe welds performed. W/ 880118 ltr.
MAZZAFERRO, P.A., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/18. 5pp. 44159.088-44159.075.

8801270245 PNO-1-88-007 on 880115, present unplanned outage to inspect & repair feedwater sys components & supports extended for approx 3 wks to perform Insp of bushings in reactor vessel flange which hold 8-inch diameter reactor vessel head studs.
COOK, W., JOHNSON, J. Region 1, Ofc of the Director. 88/01/19. 1p. 44145.308-44145.308.

8801260486 PNO-1-88-009 on 880120, unusual event declared as result of worker injured after stepping through hole in grating between reactor vessel flange & refueling cavity floor. No contamination involved.
COOK, W., JOHNSON, J. Region 1, Ofc of the Director. 88/01/21. 1p. 44125.325-44125.325.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118.159-44118.166.

DOCKET 50-224 UNIV. OF CALIFORNIA RESEARCH REACTOR

P. Operating license stage documents & correspondence

8801200286 Forwards "Environ Rept for TRIGA Mark III" & "Decommissioning Plan for TRIGA Mark III."
HEYMAN, I.M. California, Univ. of Berkeley, CA. 88/01/09. Document Control Branch (Document Control Desk). 2pp. 44108.001-44108.164.

-8801200291 "Environ Rept for TRIGA Mark III."
* Kaiser Engineers. * U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 87-040-R. 88/01/31. 19pp. 44108.003-44108.020.

-8801200293 "Decommissioning Plan for TRIGA Mark III."
* Kaiser Engineers. * U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 87-039-R. 88/01/31. 145pp. 44108.021-44108.164.

228 AEROTEST RADIOGRAPHY & RESEARCH REACTOR

Examinations

informs that operator licensing exams rescheduled to the wk of 880411 in 0322-23 Exam contracted to EG&G Idaho, Inc. Ref matl should be received o later than 880311.
Region 5, Ofc of the Director. 88/01/11. NEWACHECK, R. Aerotest Oper-
ip. 44045:299-44045:299.

230 PAVIA RESEARCH REACTOR

license stage documents & correspondence

Forwards response to SPDS audit findings & NRC 881211, 870205 & 0505
Proposed revalidation of SPDS in simulator will be completed by Second
19 & completion of other open items expected by Dec 1988.
J.T.E. Arizona Nuclear Power Project (formerly Arizona Public Service
/24. Document Control Branch (Document Control Desk). 7pp. 43921:043-

237 DRESDEN NUCLEAR POWER STATION, UNIT 2

medical, emergency & fire protection plans

Responds to 871218 ltr re scope & objectives for plant exercise scheduled
Proposed objectives acceptable.
D. Region 3, Ofc of the Director. 87/12/31. REED, C. Commonwealth
ip. 43962:068-43962:068.

Forwards Rev 21 to security plan. All amend items will be implemented
pt of NRC approval notification w/ listed exceptions, including manual log-
card key access not functional. Rept withheld (rel 10CFR73.21).
ELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch
Control Desk). 1p. 44163:220-44163:220.

Forwards Rev 23 to security plan. All amend items will be implemented
pt of NRC approval notification w/ listed exceptions, including manual log-
card key access not functional. Rev withheld (rel 10CFR73.21).
ELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch
Control Desk). 1p. 44093:247-44093:247.

license stage documents & correspondence

Repts status of program to resolve apparent discrepancies between as-
analyzed condition of Mark I piping. Future NRC status repts should contin-
ued monthly.
J.M. Commonwealth Edison Co. 87/12/22. DAVIS, A.B. Region 3, Ofc of
r. 2pp. 43962:288-43962:289.

Forwards info re possibility & effect of postulated dc power failure, per
cons. Solutions w/ schedule for implementation will be submitted within 60

A. Commonwealth Edison Co. 87/12/22. MURLEY, T.E. Office of Nuclear
regulation, Director (Post 870411). 2pp. 43961:111-43961:120.

6 Advises of error in SAFER/GESTR LOCA analysis in 870918 ltr transmit-
ted amend to Quad Cities, Unit 1, Cycle 10 reload. NEDC-31345 P will be
IC concurrence requested for startup of Unit 1.

A. Commonwealth Edison Co. 87/12/21. MURLEY, T.E. Office of Nuclear
regulation, Director (Post 870411). 8pp. 43961:113-43961:120.

Advises of intent to utilize Bechtel Topical Rept, BN-TOP-1 testing method.
I plants.

P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch
Control Desk). 1p. 43966:005-43966:005.

Forwards request for addl info re util 870811 ltr proposing different scheme
ent which would provide more effective monitoring than originally proposed
ltr. Response requested within 60 days of ltr date.
JUIS, M. Project Directorate III-2. 88/01/12. BUTTERFIELD, L. Common-
son Co. 4pp. 44031:230-44031:233.

Partial response to FOIA request for documents re worker training pro-
INPO training accreditation. Forwards App F documents App E & F docu-
available in PDR. Addl records also available in PDR under Bossong FOIA-

Y.D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K.
en's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8 Summarizes 881115 meeting w/ INPO in Atlanta, GA re Dresden accredita-
apt & NRC training review criteria & procedures. INPO unclear on objective
reviews.

KY, J.J. Maintenance & Training Branch. 85/12/23. RUSSELL, W.T. Division
Factors Technology (851125-870411). 3pp. 44118:225-44118:227.

Informs that Revs 42-48 of QA Topical Rept CE-1-A acceptable per
App B.

J.C. Region 3, Ofc of the Director. 88/01/20. REED, C. Commonwealth
2pp. 44125:108-44125:109.

on reports, IE Bulletins & correspondence

NRC ltr Notice 87-064, "Conviction for Falsification of Security Training
Svc list encl.

Division of Operational Events Assessment (Post 870411). 87/12/22.
ed Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond
Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Po-
Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-4-

8712310005 Forwards Safety Insp Repts 50-237/87-39 & 50-2
1211. No violations noted.

HARRISON, J.J. Region 3, Ofc of the Director. 87/12/23. RE
Edison Co. 1p. 43963:295-43963:300.

~8712310007 Insp Repts 50-237/87-39 & 50-249/87-38 on 871
or deviations noted. Major areas inspected: Implementation of
ATWS mitigating sys.

WESTBERG, R.A. GARDNER, R.N. Region 3, Ofc of the Dir
43963:296-43963:300.

8801150256 Documents conversations between author & R Klesi
of 871207 & 14 re status of implementation of IE Bulletin 85-0
completed for all facilities except Quad Cities Completion sched
MORGAN, W.E. Commonwealth Edison Co. 87/12/23. DAVIS,
the Director. 2pp. 44041:053-44041:055.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Probl
list encl.

ROSSI, C.E. Division of Operational Events Assessment (Po-
Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-4

8801040072 Forwards Safety Insp Repts 50-237/87-38 & 50-2
1204. No violations noted.

WRIGHT, G.C. Region 3, Ofc of the Director. 87/12/28. RE
Edison Co. 2pp. 43923:051-43923:061.

~8801040075 Insp Repts 50-237/87-38 & 50-249/87-37 on 871
or deviations noted. Major areas inspected: effectiveness of
censed operators (Module 41701) & nonlicensed staff (Module
LOVE, R.S., BURDICK, T.M. Region 3, Ofc of the Director. 87/1
43923:061.

8712290155 NRC Info Notice 87-066, "Inappropriate Application
Components." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Po-
Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-4

8712300091 NRC Info Notice 87-067, "Lessons Learned From
censed Actions in Response to IE Bulletin 80-11." Svc list encl

ROSSI, C.E. Division of Operational Events Assessment (Po-
Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-4

8801060203 Forwards response & schedule of actions resulting
tion at plant on 870817-28, per V Stello 871126 & J Snielok 8;
dependent upon licensee & NRR response.
NORELIUS, C.E. Region 3, Ofc of the Director. 87/12/31. R
censed Performance & Quality Evaluation (Post 870411). 6pp

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken Exter
Atwood & Morrill MSIVs." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Po-
Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-4

8801140367 Forwards response to NRC 871106 Bulletin 87-002
review receipt insp requirements & internal controls for faster
determine through testing if fasteners meet mechanical/chemk
MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS
the Director. 250pp. 44045:317-44045:322.

8801210030 Forwards verification of completion of program re
Bulletin 85-003. Validity of calculations not fully confirmed. Resp
in Insp Repts 50-237/87-33 & 50-249/87-32 contained in Encl
MORGAN, W.E. Commonwealth Edison Co. 88/01/15. DAVIS
the Director. 107pp. 44066:158-44066:265.

B. Reportable occurrences, LERs & related correspondence

8712300025 LER 82-058/03L-1 on 821226, small leak found on
tween 2-1201-135B & 2-1201-98B valves. Caused by IGSCC
near weld. Degraded pipe section replaced per Work Package
EENIGENBURGE. Commonwealth Edison Co. 87/12/15. 3pp.

8712290329 Confirms 880119 enforcement conference in Q
861128 & 29 delinquent events, per 871204 & 10 discussions.
NORELIUS, C.E. Region 3, Ofc of the Director. 87/12/17. F
Edison Co. 1p. 43983:108-43983:109.

8801200358 LER 87-035-00: on 871218, while responding to APR
noted number of operable APRM downscale trips in
insufficient. Caused by personnel error. Procedure changed &
880108 ltr.
WAGNER, M., EENIGENBURGE. Commonwealth Edison
44107:237-44107:241.

V. Operator Examinations

8801040072 Forwards Safety Insp Repts 50-237/87-38 & 50
1204. No violations noted.

WRIGHT, G.C. Region 3, Ofc of the Director. 87/12/28. F
Edison Co. 2pp. 43923:051-43923:061.

~8801040075 Insp Repts 50-237/87-38 & 50-249/87-37 on 87
or deviations noted. Major areas inspected: effectiveness of
censed operators (Module 41701) & nonlicensed staff (Module
LOVE, R.S., BURDICK, T.M. Region 3, Ofc of the Director. 87,
43923:061.

18 DOCKETED ITEMS

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

8801310180 Forwards results of post-accreditation reviews at Susquehanna on 851121-23, Dresden on 851118-21 & Oconee on 851216-18. Significant progress observed in improving training.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/01/28. PATE, Z. Institute of Nuclear Power Operations. 36pp. 44118.267-44118.316.

8804150629 Forwards final reports from staff post-accreditation audits & comparison of revised NRC review questions w/INPO accreditation objectives & criteria. Recommends INPO consider adding appropriate accreditation criteria.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/04/03. PATE, Z. Institute of Nuclear Power Operations. 32pp. 44118.316-44118.357.

8812090057 Trip report of INPO Accreditation Board 850523 meeting re plant training programs.
PERKINSKY, J.J. Licensee Qualifications Branch. 85/06/10. BOOHER, H.R. Licensee Qualifications Branch. 3pp. 44118.136-44118.195.

8801220138 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO sites in Atlanta, GA re training programs at two plants. Ends include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 60-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8801130219 Revised emergency plan implementing procedures, including Rev 6 to SC-302, "Manning Technical Support Ctr.", Rev 16 to SC-605, "Site Contingency Call List," & Rev 17 to ESP 11/1, "Nuclear Emergency Offsite Response..." w/880106 ltr.
SNOW, B.A. Rochester Gas & Electric Corp. 68/01/08. STAHL, C. Project Directorate 1-1. 30pp. 44000.070-44000.099.

P. Operating license stage documents & correspondence

8801070036 Forwards proprietary WCAP-11868 & nonproprietary WCAP-11878, "LOFTTR2 Analysis of Potential Radiological Consequences Following Steam Generator Tube Rupture at RE Ginna Nuclear Power Plant." WCAP-11868 withheld (ref 10CFR2.790).
KOBBER, R.W. Rochester Gas & Electric Corp. 87/12/24. STAHL, C. NRC - No Detailed Affiliation Given. 5pp. 43939.306-43940.021.

8801070048 Requests proprietary status for "LOFTTR2 Analysis of Potential Radiological Consequences Following Steam Generator Tube Rupture at RE Ginna Nuclear Power Plant." per 10CFR2.790 Affidavit encl.
WIESEMAN, R.A. Westinghouse Electric Corp. 87/12/03. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 43939.311-43939.321.

8801070058 Nonproprietary version of "LOFTTR2 Analysis of Potential Radiological Consequences Following Steam Generator Tube Rupture at RE Ginna Nuclear Power Plant."
WENDLER, O.J., RUBIN, K. Westinghouse Electric Corp. WCAP-11878. 87/11/30. 62pp. 43939.322-43940.021.

8801060117 Forwards application for amend to License DPR-18, changing Tech Specs to remove organization charts. Fee paid.
KOBBER, R.W. Rochester Gas & Electric Corp. 87/12/28. STAHL, C. NRC - No Detailed Affiliation Given. 1p. 43927.001-43927.012.

8801060134 Application for amend to License DPR-18, revising Tech Specs to remove organization charts & to change other administrative requirements.
KOBBER, R.W. Rochester Gas & Electric Corp. 87/12/28. 2pp. 43927.002-43927.003.

8801060153 Proposed Tech Specs, removing organization charts.
Rochester Gas & Electric Corp. 87/12/28. 8pp. 43927.004-43927.012.

8801200395 Forwards proprietary response to request for add'l info re 871027 request for Tech Spec change to increase steam generator tube plugging limit assumed in ref reload safety analysis. Response withheld (ref 10CFR2.790).
KOBBER, R.W. Rochester Gas & Electric Corp. 88/01/11. STAHL, C. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 44165.114-44165.114.

8801200398 Requests that encl util proprietary response to request for add'l info re 871027 request for Tech Spec change to increase steam generator tube plugging limit assumed in ref reload safety analysis be withheld (ref 10CFR2.790).
WIESEMAN, R.A. Westinghouse Electric Corp. 88/01/08. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 44159.184-44159.203.

8801260512 Forwards application to amend license to reflect that license will not expire until midnight of 090918. Fee paid.
SNOW, B.A. Rochester Gas & Electric Corp. 88/01/19. STAHL, C. NRC - No Detailed Affiliation Given. 1p. 44125.125-44125.142.

8801260631 Application for amend to License DPR-18, requesting license be amended to expire at midnight of 090918 instead of 060425.
SNOW, B.A. Rochester Gas & Electric Corp. 88/01/19. 17pp. 44125.126-44125.142.

8801260406 Forwards application for amend to License DPR-18 to incorporate test exception to containment spray pump operability requirements. Fee paid.
SNOW, B.A. Rochester Gas & Electric Corp. 88/01/20. STAHL, C. NRC - No Detailed Affiliation Given. 1p. 44128.335-44128.345.

8801260411 Application for amend to License DPR-18, incorporating test exception to containment spray pump operability requirements.
SNOW, B.A. Rochester Gas & Electric Corp. 88/01/20. 2pp. 44128.336-44128.337.

8801260416 Proposed Tech Specs incorporating test exception to containment spray pump operability requirements.
Rochester Gas & Electric Corp. 88/01/20. 8pp. 44128.338-44128.345.

Q. Inspection reports, IE Bulletins & correspondence

8712290337 Forwards Insp Rept 50-244/87-23 on 870928-1002 & notice of violation. Several discrepancies in power sys electrical fuses observed & program to resolve problems reviewed.
JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/17. KOBBER, R.W. Rochester Gas & Electric Corp. 2pp. 43893.169-43893.178.

8712290340 Notice of violation from Insp on 870928-1002. Violation noted: fuse anomalies in Engineering Work Request 3341 & 860314. Interloc memo not evaluated for safety impact.
Region 1, Ofc of the Director. 87/12/17. 1p. 43893.171-43893.171.

8712290346 Insp Rept 50-244/87-23 on 870928-1002. Violation noted: Major areas inspected: review of dc sys, including design bases, criteria for fuse cable sizing, life, workdown of battery & dc load cirs.
KOSHY, T., ANDERSON, C.J. Region 1, Ofc of the Director. 87/12/16. 7pp. 43893.172-43893.178.

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.267.

8801203116 Forwards Safety Insp Rept 50-244/87-25 on 871004-1130 & notice of violation.
BETTENHAUSEN, L. Region 1, Ofc of the Director. 87/12/28. KOBBER, R.W. Rochester Gas & Electric Corp. 2pp. 44046.266-44046.278.

8801120319 Notice of violation from Insp on 871004-1130. Violation noted: blocking devices removed & reinstated twice w/o administratively controlling blocks per Procedure A-1402.
Region 1, Ofc of the Director. 87/12/28. 1p. 44046.268-44046.268.

8801120332 Insp Rept 50-244/87-25 on 871004-1130. Violation noted: Major areas inspected: licensee action on previous findings, review of plant operations & operational safety verification, surveillance testing & plant maint.
COWGILL, C.J. Region 1, Ofc of the Director. 87/12/23. 10pp. 44046.269-44046.278.

8801200078 Responds to violations noted in Insp Repts 50-244/85-04, 50-244/86-03, 50-244/87-18 & SALP Rept 50-244/85-99. Corrective actions: reorganization, establishment & implementation of computerized main info sys.
KOBBER, R.W. Rochester Gas & Electric Corp. 87/12/29. RUSSELL, W.T. Region 1, Ofc of the Director. 5pp. 44058.208-44058.211.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 120pp. 43996.258-43996.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.288.

8801200368 Forwards Insp Rept 50-244/87-27 on 871026-30 & notice of violation. Numerous errors continued to be identified in controlled drawings. Review drawing control program requested.
JOHNSTON, W.V. Region 1, Ofc of the Director. 88/01/08. KOBBER, R.W. Rochester Gas & Electric Corp. 2pp. 44068.212-44068.223.

8801200377 Notice of violation from Insp on 871026-30. Violation noted: errors identified on P&IDs & errors similar to deficiencies previously identified.
Region 1, Ofc of the Director. 88/01/08. 2pp. 44068.214-44068.215.

8801200382 Insp Rept 50-244/87-27 on 871026-30. Violations noted: Major areas inspected: licensee actions on NRC concerns & drawing control program.
OLIVEIRA, W., DUDLEY, N., BLUMBERG, N. Region 1, Ofc of the Director. 87/12/28. 4pp. 44066.216-44066.223.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs Atwood & Morill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/19. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801210132 Provides 60 day response to NRC Bulletin 87-002 re fastener testing to determine conformance w/applicable mail specs. Procurement of safety-related materials performed by either receipt inspec method or catalog method.
SNOW, B.A. Rochester Gas & Electric Corp. 88/01/16. RUSSELL, W.T. Region 1, Ofc of the Director. 250pp. 44082.178-44083.139.

8801210137 Responds to violations noted in Insp Rept 50-244/87-23. Corrective actions: nonconformance reports being utilized to document & disposition DC anomalies not addressed in design analysis to assure future deficiencies promptly identified.
SNOW, B.A. Rochester Gas & Electric Corp. 88/01/16. RUSSELL, W.T. Region 1, Ofc of the Director. 3pp. 44083.205-44083.207.

R. Periodic operating reports & related correspondence

- 8801060199 1987 Rept of Facility Changes, Tests & Experiments Conducted W/o Prior Approval for Aug 1986 - Jul 1987. W/871224 ltr.
KOBBER, R.W. Rochester Gas & Electric Corp. 87/07/31. STAHL, C. NRC - No Detailed Affiliation Given. 51pp. 43927-075-43927.125
- 8801040478 Monthly operating report for Nov 1987 W/871211 ltr.
MCNAMARA, A.E., KOBBER, R.W. Rochester Gas & Electric Corp. 87/11/30. 6pp. 43923-305-43923.310.

S. Reportable occurrences, LERs & related correspondence

- 8801060249 LER 87-008-00 on 871130, standby auxiliary feedwater pump 1D deemed inoperable beyond Tech Spec limit. Caused by cooling unit 1B ac electrical breaker found in off position due to unaware operator. Breaker turned on on position W/871230 ltr.
BACKUS, W.H., KOBBER, R.W. Rochester Gas & Electric Corp. 87/12/30. 8pp. 43927-136-43927.143
- 8801104256 Summary of Operating Reactors Events Meeting 88-01 on 870105 re events that occurred since 871222. List of attendees & viewpoints encl.
LANNING, W. Events Assessment Branch. 88/01/07. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 24pp. 44031-033-44031.056.
- 8801260358 LER 87-007-00 on 871210, during review of Westinghouse ltr re operating plant feedback, potential for loss of cooling during high head recirculation phase discovered. Caused by design flaw. Affected valve repositioned W/880118 ltr.
WIDAY, J.A., SNOW, B.A. Rochester Gas & Electric Corp. 88/01/17. 7pp. 44158-293-44158.299.
- 8801280264 LER 87-008-00 on 871223, failure of safeguards circuit breakers occurred due to zero clearance between amperage actuator arm & breaker trip bar. Caused by inadequate design info from vendor. Clearance reset W/880122 ltr.
BACKUS, W.H., SNOW, B.A. Rochester Gas & Electric Corp. 88/01/22. 9pp. 44157-247-44157.255.

V. Operator Examinations

- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118.039.
- 8703260578 Trip report of attendance at 870225-26 Natl Nuclear Accrediting Board meeting in Atlanta, GA re util training programs. Meeting agenda encl.
BOGER, B.A. Division of Human Factors Technology (851125-870411). 87/03/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 8pp. 44119-120-44119.128.
- 8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118-159-44118.166.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 8801110443 Discusses Physical Security Insp Repts 50-245/87-22, 50-336/87-20 & 50-423/87-18 & Insp Rept 50-423/87-18 on 870831-0904 & 22-1102, respectively & forwards notice of violation & proposed imposition of civil penalty.
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 43969-169-43969.177.
- 8801110454 Partially deleted notice of violation from Insp on 870831-0904 & 28-1026 (rel 10CFR73.21).
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. 5pp. 43969-173-43969.177.
- 8801120384 Revised corporate organization for nuclear incidents procedures, including Rev 9 to CONI-9.01, "Notification of Communications W/Upper Mgt & On-Call Organization" & Rev 16 to CONI-10.01, "Emergency & Telephone..." W/871231 ltr.
RODGERS, R., MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 87/12/31. 39pp. 43991-020-43991.059.
- 8801210188 Forwards Insp Repts 50-245/87-30 & 50-336/87-25 on 871027-1130 & notice of violation. Several concerns re chilled water cooling sys HX inoperability, reactor scram & open sample sink valve discussed.
BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/01/11. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44083-235-44083.255.
- 8801210211 Insp Repts 50-245/87-30 & 50-336/87-25 on 871027-1130. Violations noted. Major areas inspected: physical security, operations, swg water sys operability, vital dc switchgear ventilation, surveillance & LERs.
MCCABE, E.C. Region 1, Ofc of the Director. 88/01/08. 18pp. 44083-238-44083.265.

P. Operating license stage documents & correspondence

- 8801200090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. FIN B-8786. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998-230-43998.300.
- 8801050189 Application for amend to License DPR-21, revising Tech Spec 3.7.A.3 to delete permission to perform open vessel criticality & lower power physics testing. Fee paid.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 87/12/18. Document Control Branch (Document Control Desk). 4pp. 43991-258-43991.264.

-8801050201 Proposed Tech Specs, revising Tech Spec 3.7.A.3, to delete permission to perform open vessel reactivity tests
Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 87/12/18. 3pp. 43991-262-43991.264.

8801130260 Submits comments on draft SRP Section 3.6.3, "Leak Before Break Evaluation Procedures," per amend to GDC 4 of 10CFR50. App A Util endorse comments by Nuclear Util Group on Equipment Qualification.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/06. Document Control Branch (Document Control Desk). 4pp. 44002-151-44002.154.

8801190180 Comment opposing SRP Section 3.6.3 of NUREG-0800 Util endorse comments by Nuclear Util Group on Equipment Qualification.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 88/01/06. Document Control Branch (Document Control Desk). 5pp. 44052-001-44052.005.

8801270151 Ack receipt of Invoices G0389, G0403, G0404 & G0405 for second quarterly installment of 1988 annual fee. Payment for invoices will be transferred on 880129, per instructions.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/18. Document Control Branch (Document Control Desk). 6pp. 44168-014-44168.019.

8801280504 Notification of 880127 meeting w/Util to discuss use of dual role of senior reactor operator/shift technical adviser at facility.
JAFFE, D.H. Project Directorate I-4. 88/01/25. MURLEY, T., SNIEZEK, J., MIRAGLIA, F. NRC - No Detailed Affiliation Given. 2pp. 44173-205-44173.206.

Q. Inspection reports, IE Bulletins & correspondence

8801110443 Discusses Physical Security Insp Repts 50-245/87-22, 50-336/87-20 & 50-423/87-18 & Insp Rept 50-423/87-18 on 870831-0904 & 22-1102, respectively & forwards notice of violation & proposed imposition of civil penalty.
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 43969-169-43969.177.

-8801110454 Partially deleted notice of violation from Insp on 870831-0904 & 28-1026 (rel 10CFR73.21).
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. 5pp. 43969-173-43969.177.

8712280230 Response to NRC 871119 ltr re violations noted in Insp Repts 50-245/87-17 & 50-336/87-15. Corrective actions installed. Applications of wire reviewed & wire in equipment subj to 10CFR50.49 Requirements replaced.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 87/12/18. JOHNSON, W.V. Region 1, Ofc of the Director. 10pp. 43993-352-43993.360.

8712180389 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163-001-44163.124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058-008-44058.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995.257.

8801130324 Forwards Safety Insp Repts 50-245/87-28 & 50-336/87-24 on 871102-08. No violations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. OPEKA, J.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44039-111-44039.118.

-8801130328 Insp Repts 50-245/87-28 & 50-336/87-24 on 871102-08. No violations noted. Major areas inspected: nonradiological chemistry program, including measurement control & analytical procedure evaluations.
ZIBULSKY, H., JANG, J., PASCIAK, W.J. Region 1, Ofc of the Director. 87/12/22. 6pp. 44039-113-44039.118.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038.286.

8801120362 Forwards Insp Repts 50-245/87-31, 50-336/87-26 & 50-423/87-27 on 871116-20. No violations noted. Unit 3 staff implementing effective radiation protection program. Weakness noted re qualification of respiratory protection support personnel.
MARTIN, T.T. Region 1, Ofc of the Director. 88/01/04. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 3pp. 44040-050-44040.061.

-8801120387 Insp Repts 50-245/87-31, 50-336/87-26 & 50-423/87-27 on 871116-20. No violations noted. Major areas inspected: radiation protection activities, including internal/external exposure control & personnel selection & training.
WEADOCK, A., THOMAS, W., SHANBAKY, M. Region 1, Ofc of the Director. 87/12/28. 9pp. 44040-053-44040.061.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038.163.

20 DOCKETED ITEMS

8801150178 Provides update on implementation status of corrective actions discussed in 880105 response to recommendations in SALP Board rept for 15-month period ending 880531 & add relevant info.
MROCKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCKA,E.J. Northeast Utilities. 88/01/11. Document Control Branch (Document Control Desk). 38pp. 44035-349-44036-027.

8801210188 Forwards Insp Repts 50-245/87-30 & 50-336/87-25 on 871027-1130 & notice of violation. Several concerns re chilled water cooling sys HX inoperability, reactor scram & open sample sink valve discussed.
BETTENHAUSEN,L. Region 1, Ofc of the Director. 88/01/11. MROCKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44083-235-44083-255.

8801210200 Notice of violation from Insp on 871027 Violations noted: both redundant vital ventilation subsys chilled water coolers inoperable for 4 years.
* Region 1, Ofc of the Director. 88/01/11. 1p. 44083-237-44083-237.

8801210211 Insp Repts 50-245/87-30 & 50-336/87-25 on 871027-1130. Violations noted: Major areas inspected: physical security, operations, svc water sys operability, reactor scram & open sample sink valve discussed.
MCCABE,E.C. Region 1, Ofc of the Director. 88/01/06. 18pp. 44083-238-44083-255.

8801270060 Forwards Safety Insp Rept 50-245/87-35 on 871214-18 No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 88/01/14. MROCKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44141-085-44141-089.

8801270082 Insp Rept 50-245/87-35 on 871214-18 No violations noted. Major areas inspected: license response to Generic Lir 84-11.
MCBREARY,R.A., STROSNIDER,J.R. Region 1, Ofc of the Director. 88/01/12. 3pp. 44141-087-44141-089.

R. Periodic operating reports & related correspondence

8801130110 Monthly operating rept for Dec 1987 w/880108 Jr.
NEWBURGH,G., SCACE,S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE,S.E. Northeast Utilities. 87/12/31. 5pp. 44029-350-44029-354.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in POR. Add records also available in POR under Bossong FOIA-87-204.
GRIMLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encs include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119-159-44119-166.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801130270 Forwards Safeguards Insp Rept 50-247/87-28 on 871005-08. No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/12/24. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 44039-168-44039-175.

8801130271 Physical Security Insp Rept 50-247/87-28 on 871005-08. No violations noted. Major areas inspected: plan & implementing procedures, organization, audits, records, repts, testing & maint, physical barriers & detection aids.
SMITH,G.C., LANCASTER,W.K., KEIMIG,R.R. Region 1, Ofc of the Director. 87/12/11. 6pp. 44039-170-44039-175.

8801200406 Forwards Insp Rept 50-247/87-32 on 871103-30 & notice of violation.
WENZINGER,E.C. Region 1, Ofc of the Director. 88/01/08. BRAM,S. Consolidated Edison Co. of New York, Inc. 2pp. 44057-050-44057-073.

8801200418 Notice of violation from Insp on 871103-30. Violation noted: on 870829 use of jumper cable as compensation measure to supply power to RHR Pump 22 to achieve cold shutdown conditions not incorporated into plant procedures.
* Region 1, Ofc of the Director. 88/01/08. 2pp. 44057-052-44057-053.

8801200429 Insp Rept 50-247/87-32 on 871103-30. Violation noted. Major areas inspected: license actions on previously identified findings, operations & outage activities, maint, surveillance & review of periodic & special repts.
SWETLAND,P. Region 1, Ofc of the Director. 87/01/05. 20pp. 44057-054-44057-073.

8801290190 Advises that NRC finds no error in recipient testimony at plant hearing on radiological risk & emergency planning. Assumption that delayed emergency response would have little impact on reactors deemed valid. Related info encl.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/21. ROWSOME,F.H. Oak Ridge Associated Univs. 11pp. 44179-328-44179-352.

8704040088 Informs of possible errors in author testimony at facility hearing on risk in 1983 & to highlight evidence that emergency planning may be increasing radiological risk posed by nuclear power plants. Assessment encl.
ROWSOME,F.H. Oak Ridge Associated Univs. 87/07/28. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 14pp. 44178-339-44178-352.

P. Operating license stage documents & correspondence

8801120090 Forwards Info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS,R.A. Resource Technical Services, Inc. FIN 8-8787. 87/12/16. JOHNSTON,E.H. Region 4, Ofc of the Director. 71pp. 43998-230-43998-300.

8801070235 Forwards temporary procedural enhancements re steam generator leakage surveillance to detect high cycle fatigue tube rupture, per 871218 discussion. Changes to procedures will be made before startup from refueling outage.
BRAM,S. Consolidated Edison Co. of New York, Inc. 87/12/23. Document Control Branch (Document Control Desk). 4pp. 44008-093-44008-096.

8801040245 Forwards safety evaluation accepting until 871104 request for relief from ASME Code requirement to perform volumetric exam of circumferential & longitudinal pressurizer shell-to-head welds & pressurizer integrally welded attachment weld.
CAPRA,R.A. Project Directorate I-1. 87/12/24. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 2pp. 43895-240-43895-244.

8801040253 Safety evaluation supporting until 871104 request for relief from ASME Code requirement for volumetric exam of pressurizer lower shell-to-head circumferential & longitudinal welds. Exam Category B-B, Items B2.11 & B2.12.
* NRC - No Detailed Affiliation Given. 87/12/24. 3pp. 43895-242-43895-244.

8801110126 Forwards safety evaluation re 871028 request for relief from certain requirements of Section XI of ASME Boiler & Pressure Vessel Code concerning volumetric & surface exams of RCS elbows. Relief granted.
CAPRA,R.A. Project Directorate I-1. 87/12/24. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 2pp. 43968-356-43968-350.

8801110132 Safety evaluation supporting requests for relief from exam requirements for RCS piping longitudinal welds.
* NRC - No Detailed Affiliation Given. 87/12/24. 3pp. 43968-358-43968-360.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Lir 87-12.
TRAMMELL,C.M. Project Directorate V. 87/12/30. KNIGHTON,G.W. Project Directorate V. 4pp. 43945-344-43945-347.

8801070405 Notification of 880112 meeting w/licensee & NUS in Bethesda, MD to discuss plant proposed power uprate.
SLOSSON,M.M. Project Directorate I-1. 87/12/31. CAPRA,R.A. Project Directorate I-1. 2pp. 43951-280-43951-281.

8801130082 Forwards Rev 5 to QA program for facility.
BRAM,S. Consolidated Edison Co. of New York, Inc. 87/12/31. Document Control Branch (Document Control Desk). 1p. 44000-274-44001-015.

8801130087 Rev 5 to QA program for facility.
* Consolidated Edison Co. of New York, Inc. 87/12/31. 100pp. 44000-275-44001-015.

8801140368 Notification of canceled 880112 meeting w/util & NUS in Bethesda, MD to discuss proposed power uprate.
SLOSSON,M.M. Project Directorate I-1. 87/12/31. CAPRA,R.A. Project Directorate I-1. 2pp. 44031-201-44031-202.

Q. Inspection reports, IE Bulletins & correspondence

8712180388 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058-008-44058-127.

8801040126 Forwards response to facility steam generator girth weld questions. Local grindouts permissible within flat portion of uniform zone & meets ASME Code requirements.
BRAM,S. Consolidated Edison Co. of New York, Inc. 87/12/23. Document Control Branch (Document Control Desk). 5pp. 43891-345-43891-349.

8801050459 Forwards Insp Rept 50-247/87-33 on 871116-20. No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/12/23. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 43981-151-43981-158.

8801050474 Insp Rept 50-247/87-33 on 871116-20. No violations or deviations noted. Major areas inspected: steam generator eddy current insp water chemistry control & steam generation maint radiological controls.
WINTERS,R.W., STROSNIDER,J. Region 1, Ofc of the Director. 87/12/17. 8pp. 43961-153-43961-158.

8801130270 Forwards Safeguards Insp Rept 50-247/87-28 on 871005-08. No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 87/12/24. SELMAN,M. Consolidated Edison Co. of New York, Inc. 2pp. 44039-168-44039-175.

8801130271 Physical Security Insp Rept 50-247/87-28 on 871005-08. No violations noted. Major areas inspected: plan & implementing procedures, organization, audits, records, repts, testing & maint, physical barriers & detection aids.
SMITH,G.C., LANCASTER,W.K., KEIMIG,R.R. Region 1, Ofc of the Director. 87/12/11. 6pp. 44039-170-44039-175.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43895-138-43895-257.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43895-258-43896-018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-288.

8801130063 Forwards Insp Rept 50-247/87-26 on 871116-20 & notice of violation. MARTIN, T.T. Region 1, Ofc of the Director. 88/01/08. SELMAN, M. Consolidated Edison Co. of New York, Inc. 2pp. 44028.282-44029.283.

-8801130064 Notice of violation from Insp on 871116-20. Violation noted: failure to control access to locked high radiation area.
* Region 1, Ofc of the Director. 88/01/08. 1p. 44029.284-44029.284.

-8801130065 Insp Rept 50-247/87-26 on 871116-20. Violation noted: Major areas inspected: radiological controls program, including training & qualification, external/internal exposure control, hot particle control program & ALARA. LOESCH, R., MARKLEY, M., SHANBAKY, M. Region 1, Ofc of the Director. 88/01/04. 8pp. 44029.285-44029.292.

8801200408 Forwards Insp Rept 50-247/87-32 on 871103-30 & notice of violation. WENZINGER, E.C. Region 1, Ofc of the Director. 88/01/08. BRAM, S. Consolidated Edison Co. of New York, Inc. 2pp. 44057.050-44057.073.

-8801200418 Notice of violation from Insp on 871103-30. Violation noted: on 870829, use of jumper cable as compensation measure to supply power to RHR Pump 22 to achieve cold shutdown conditions not incorporated into plant procedures.
* Region 1, Ofc of the Director. 88/01/08. 2pp. 44057.052-44057.053.

-8801200429 Insp Rept 50-247/87-32 on 871103-30. Violation noted: Major areas inspected: licensee actions on previously identified insp findings, operations & outage activities, maint, surveillance & review of periodic & special repts. SWETLAND, P., Region 1, Ofc of the Director. 87/01/05. 20pp. 44057.054-44057.073.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morri MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801200516 Discusses followup activity re steam generator inservice Insp. Followup rept re linear indications on steam generator shell to cone weldment determined by ultrasonic Insps will be submitted by mid-Feb 1988. Testing program encl. BRAM, S. Consolidated Edison Co. of New York, Inc. 88/01/15. Document Control Branch (Document Control Desk). 4pp. 44136.171-44136.174.

8801200467 Forwards response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/ Applicable Mail Spec." Fasteners stored in heated warehouse in Cortland, NY, inside individual b's or pallets. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 88/01/20. Document Control Branch (Document Control Desk). 70pp. 44137.167-44137.243.

R. Periodic operating reports & related correspondence

8801270215 Monthly operating rept for Dec 1987 W/ 871231 ltr. KRIEGER, K., BRAM, S. Consolidated Edison Co. of New York, Inc. 87/12/31. 6pp. 44146.021-44146.026.

S. Reportable occurrences, LERs & related correspondence

8712290021 LER 87-015-00: on 871118, backup nitrogen supply to PORVs found to be inoperable. Caused by normal equipment wear. Check valves 4107 & 4108 will be replaced. Sys leaks repaired. W/ 871218 ltr. DEL PERCIO, J., BRAM, S. Consolidated Edison Co. of New York, Inc. 87/12/18. 4pp. 43893.147-43893.150.

8712310046 LER 87-018-00: on 871211, found pressurizer safety valves actuation setpoint tolerance outside permitted Tech Spec range. Caused by erosion of valve disc, thermal cycling & setpoint drift. Valve adjusted. W/ 871221 ltr. DEL PERCIO, J., BRAM, S. Consolidated Edison Co. of New York, Inc. 87/12/21. 6pp. 43898.230-43898.234.

8801120251 LER 87-017-00: on 871201, electrical splices failed Insp & test criteria for equipment in harsh environ. Caused by poor workmanship & inadequate attention to details. Splices repaired or replaced. W/ 871230 ltr. DEL PERCIO, J., BRAM, S. Consolidated Edison Co. of New York, Inc. 87/12/31. 8pp. 43988.260-43988.266.

8801140070 LER 87-018-00: on 871204, mfg notified licensee of potential pump failure when dead-heading occurs in parallel RHR pumps w/ common recirculation line. Caused by inadequate emergency operating procedures (EOP). EOP revised. W/ 880104 ltr. FRANCESCHI, P., BRAM, S. Consolidated Edison Co. of New York, Inc. 88/01/04. 4pp. 44043.203-44043.208.

8801130003 PNO-1-88-003: on 880101, steam generator (SG) 23 boiled dry during plant heatup. Cause not stated. On 880104, station mgt started evaluating safety significance of event & best method to refill generator. SG 23 refilled on 880105. SWETLAND, P., SUMMERS, R. Region 1, Ofc of the Director. 88/01/07. 1p. 44029.301-44029.301.

8801160252 LER 87-019-00: on 871208, discovered calibr of old injection accumulator tank level transmitter in error. Caused by erroneous data correlating accumulator water vol to plant elevation. New transmitters calibr correctly. W/ 880107 ltr. DEL PERCIO, J.G., BRAM, S.B. Consolidated Edison Co. of New York, Inc. 88/01/07. 5pp. 44041.284-44041.286.

8801200096 Confirmatory Action Ltr 88-01 re 880103 Steam Generator 23 dry-out. Augmented Insp team will be sent to site to evaluate concerns per 880107 telcon. Listed actions have been or will be taken. KANE, W.F. Region 1, Ofc of the Director. 88/01/07. BRAM, S. Consolidated Edison Co. of New York, Inc. 2pp. 44058.152-44058.153.

8801190340 Advises that util agreed not to take plant critical until authorized by regional administrator, following steam generator dry out event & as documented in confirmatory action ltr issued on 880107.

SLOSSMAN, M. Project Directorate I-1. 88/01/13. MURLEY, T., SNIJEK, J., MIRAGLIA, F. NRC - No Detailed Affiliation Given. 1p. 44055.112-44055.112.

8801200154 PNO-1-88-003A: on 880112, Region 1 conducted augmented Insp team Insp to review circumstances surrounding licensee boiling of steam generator 23 dry on 880103. Corrective action plan developed. Critically achieved on 880119. SWETLAND, P., SUMMERS, R. Region 1, Ofc of the Director. 88/01/20. 1p. 44156.273-44156.273.

8801290319 Summary of Operating Reactors Events Meeting 88-03 on 880119. List of events & summaries of presented events & 1988 scrams encl. LANNING, W. Events Assessment Branch. 88/01/21. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 18pp. 44180.280-44180.286.

U. Congressional/Executive Correspondence

8801260049 Responds to 871214 ltr re discovery of cracks in steam generator girth welds at plant. Util committed to develop proposed program & schedule for submitting info re stress & fatigue life analysis by 880115. STELLO, V. Ofc of the Executive Director for Operations. 88/01/15. GILMAN, B.A. House of Rep. 6pp. 44130.099-44130.120.

-8801260055 Requests investigation into cracks discovered in steam generators at plant. GILMAN, B.A. House of Rep. 87/12/14. ZECH, L.W. Commissioners. 1p. 44130.120-44130.120.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-880120136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8801060017 Responds to 871218 ltr re scope & objectives for plant exercise scheduled for 880301. Proposed objectives acceptable. SHAFER, W.D. Region 3, Ofc of the Director. 87/12/31. REED, C. Commonwealth Edison Co. 1p. 43982.068-43982.068.

8801210331 Forwards Rev 23 to security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions, including manual logging when card key access not functional. Rev withheld (ref 10CFR73.21). BUTTERFIELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44093.247-44093.247.

P. Operating license stage documents & correspondence

8801040219 Repts status of program to resolve apparent discrepancies between as-built & as-analyzed condition of Mark I piping. Future NRC status repts should continue to be issued monthly. JOHNSON, I.M. Commonwealth Edison Co. 87/12/22. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 43982.288-43982.289.

8801050469 Forwards info re possibility & effect of postulated dc power failure, per 871221 telcons. Solutions w/ schedule for implementation will be submitted within 60 days. SILADY, J.A. Commonwealth Edison Co. 87/12/22. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43961.111-43961.120.

8801110421 Advises of intent to utilize Bechtel Topical Rept, BN-TOP-1 testing methodology at all plants. LEBLOND, P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43986.005-43986.005.

8801210276 Requests scheduler exemption from from 2 yr test interval for Type B & C leak rate tests required by 10CFR50, App J, Sections III D.2(a) & III D.3. Justification for exemption & tables of data on potential leakage pathways encl. Fee paid. SILADY, J.A. Commonwealth Edison Co. 88/01/10. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 18pp. 44086.136-44086.164.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801200288 Summarizes 851115 meeting w/ INPO in Atlanta, GA re Dresden accreditation final rept & NRC training review criteria & procedures. INPO unclear on objective of training reviews. PERSENSKY, J.J. Maintenance & Training Branch. 85/12/23. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 3pp. 44118.226-44118.227.

8801260458 Informs that Revs 42-48 of QA Topical Rept CE-1-A acceptable per 10CFR50, App B. WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/20. REED, C. Commonwealth Edison Co. 2pp. 44125.108-44125.109.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163.001-44163.124.

8712230005 Forwards Safety Insp Repts 50-237/87-39 & 50-249/87-38 on 871130-1211 No violations noted. HARRISON, J.J. Region 3, O/c of the Director 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056 008-44056.12.

8712230005 Forwards Safety Insp Repts 50-237/87-39 & 50-249/87-38 on 871130-1211 No violations noted. HARRISON, J.J. Region 3, O/c of the Director 87/12/23. REED, C. Commonwealth Edison Co. 1p. 43963 295-43963 300.

8712230007 Insp Repts 50-237/87-39 & 50-249/87-38 on 871130-1211 No violations or deviations noted. Major areas inspected: implementation of Generic Ltr 85-06 re A"WS mitigating sys. WESTBERRY, R.A. GARDNER, R.N. Region 3, O/c of the Director 87/12/23. 5pp. 43963 296-43963 300.

8801150254 Documents conversations between author & R Kessel & M Ring during wks of 871207 & 14 re status of implementation of IE Bulletin 85-003 Action Items C & D completed for all facilities except Quad Cores Completion schedule listed. MORGAN, W.E. Commonwealth Edison Co. 87/12/23. DAVIS, A.B. Region 3, O/c of the Director 2pp. 44041 053-44041 055.

8712230001 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995 138-43995 257.

8801040072 Forwards Safety Insp Repts 50-237/87-38 & 50-249/87-37 on 871130-1204 No violations noted. WRIGHT, G.C. Region 3, O/c of the Director 87/12/28. REED, C. Commonwealth Edison Co. 2pp. 43923 051-43923 061.

8801040075 Insp Repts 50-237/87-38 & 50-249/87-37 on 871130-1204 No violations or deviations noted. Major areas inspected: effectiveness of training program for licensed operators (Module 41731) & nonlicensed staff (Module 41400). LOVE, R.S. BURDICK, T.M. Region 3, O/c of the Director 87/12/28. 9pp. 43923 053-43923 061.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995 258-43995 018.

8712230001 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 86-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038 164-44038 288.

8801060203 Forwards response & schedule of actions resulting from diagnostic evaluation at plant on 870817-28 per V. Szelc 871125 & J. Szwed 871202 memos. Schedule dependent upon licensee & NRC response. MORELUS, C.E. Region 3, O/c of the Director 87/12/31. ROE, J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 5pp. 43962 020-43962 024.

8801060394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morris MSVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038 041-44038 163.

8801140307 Forwards response to NRC 871106 Bulletin 87-002 requesting licensees to review receipt insp requirements & internal controls for fasteners & to independently determine through testing if fasteners meet mechanical/chemical specs. MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS, A.B. Region 3, O/c of the Director 25pp. 44045 317-44045 232.

8801100030 Forwards verification of completion of program re switch settings per IE Bulletin 85-003 validity of calculations not fully confirmed. Response to concerns noted in Insp Repts 50-237/87-39 & 50-249/87-32 contained in Encl 1A. MORGAN, W.E. Commonwealth Edison Co. 88/01/15. DAVIS, A.B. Region 3, O/c of the Director 107pp. 44086 159-44086 265.

S. Reportable occurrences, LERs & related correspondence

8712290004 LER 85-018-01 on 850919 reactor tripped from APRM hi-hi level alarm. Caused by personnel error. Procedure DGP 2-3 changes & larger air regulators installation to upgrade scram discharge vol air header sys planned W/871211 tr. WHALEN, J.J. EENIGENBURG, E. Commonwealth Edison Co. 87/12/11. 6pp. 43983 000-43983 005.

8801060132 LER 86-020-01 on 861113 spurious Group V containment isolation occurred. Caused by differential pressure spikes &/or noise generated by annular flow instrument. Mod to isolation circuitry implemented W/871211 tr. ANANDAPPA, A. EENIGENBURG, E. Commonwealth Edison Co. 87/12/11. 4pp. 43980 182-43980 185.

8801060138 LER 86-018-01 on 861014 spurious Group V containment isolation occurred. Caused by differential pressure spikes &/or noise generated by annular flow instrument. Mod to isolation circuitry implemented W/871211 tr. ANANDAPPA, A. EENIGENBURG, E. Commonwealth Edison Co. 87/12/11. 4pp. 43980 186-43980 188.

8712290029 Confirms 880119 enforcement conference in Glen Ellyn, IL to discuss 881128 & 29 despatching events per 871204 & 10 discussions. MORELUS, C.E. Region 3, O/c of the Director 87/12/17. REED, C. Commonwealth Edison Co. 1p. 43987 108-43987 109.

8801070036 LER 83-002/011-0 on 830105 leakage from RWCU test lap valve 3-1299-13 occurred. Caused by seal damage of valve. Valve replaced during 1983 refueling outage W/871217 tr. WELCH, J.J. EENIGENBURG, E. Commonwealth Edison Co. 87/12/17. 3pp. 43940 036-43940 038.

8801040075 Forwards Safety Insp Repts 50-237/87-38 & 50-249/87-37 on 871130-1204 No violations noted. WRIGHT, G.C. Region 3, O/c of the Director 87/12/28. REED, C. Commonwealth Edison Co. 2pp. 43923 051-43923 061.

8801040075 Insp Repts 50-237/87-38 & 50-249/87-37 on 871130-1204 No violations or deviations noted. Major areas inspected: effectiveness of training program for licensed operators (Module 41701) & nonlicensed staff (Module 41400). LOVE, R.S. Region 3, O/c of the Director 87/12/28. 9pp. 43923 053-43923 061.

8801000231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bessong FOIA 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118 001-44118 039.

8801310180 Forwards results of post-accreditation reviews at Susquehanna on 851021-23, Dresden on 851118-21 & Oconee on 851216-18. Significant progress observed in improving training. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/01/28. PATE, Z. Institute of Nuclear Power Operations. 38pp. 44118 267-44118 335.

8804150629 Forwards final repts from staff post-accreditation audits & comparison of revised NRC review questions w/INPO accreditation objectives & criteria. Recommends INPO consider adding appropriate accreditation criteria. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/01/28. PATE, Z. Institute of Nuclear Power Operations. 32pp. 44118 316-44118 357.

8812090057 Trip rept of INPO Accreditation Board 850523 meeting re plant training programs. PERSENSKY, J.J. Licensee Qualifications Branch. 85/06/10. BOOHER, H.R. Licensee Qualifications Branch. 3pp. 44118 138-44118 185.

880120136 Advises of attendance at 870823 Natl Nuclear Accrediting Board meeting at INPO sites in Atlanta, GA re training programs at two plants. Encls include 951 of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, O/c of the Director 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118 159-44118 188.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

8801100275 Forwards summary of 871221 enforcement conference re officer leaving vital area post & failure to issue picture badge, noted in Insp Repts 50-250/87-53 & 50-251/87-53. Attendees list also encl. Encls withheld (ref 10CFR2.790 & 73.21). GRACE, J.N. Region 2, O/c of the Director 87/12/31. WOODY, C.O. Florida Power & Light Co. 2pp. 43986 001-43986 002.

8801190187 Forwards proprietary scenario for proposed 880223 exercise of radiological emergency plans. Encl withheld. WOODY, C.O. Florida Power & Light Co. 88/01/07. GRACE, J.N. Region 2, O/c of the Director 1p. 44045 174-44045 174.

G. Adjudicatory correspondence

8801040237 Forwards NRC proposed findings of fact & conclusion of law, list of proposed transcript corrections & proposed findings on floppy diskette in ASC-1 format. W/O diskette. YOUNG, M.A. Assistant General Counsel for Hearings. #188 5248. 87/12/24. LAZOR, R.M., LUEBKE, E.A., COLE, R.F. Atomic Safety and Licensing Board Panel. 1p. 43889 221-43889 273.

8801040255 NRC Staff proposed findings of fact & conclusions of law in form of initial decision. Licensee seismic analysis for new spent fuel pool racks shows that rack design satisfies structural aspects of GDC 2.4.6.1 & 62.W/Certificate of Svc. YOUNG, M.A. Assistant General Counsel for Hearings. 87/12/24. 62pp. 43889 222-43889 273.

8801060099 Submits that ASLBP should not adopt 871211 proposed findings of fact & conclusions of law filed by intervenors re spent fuel pool expansion but should issue decision similar to licensee 871019 proposed findings. Certificate of Svc encl. FRANTZ, S.P. Florida Power & Light Co. FRANTZ, S.P. Newman & Holtzinger. #188 5262. 87/12/31. LAZOR, R.J., LUEBKE, E.A., COLE, R.F. Atomic Safety and Licensing Board Panel. 5pp. 43908 207-43908 211.

H. General correspondence

8801140123 Informs that G Edison will be new project manager for plant, effective 880117. BERKOW, J.N. Project Directorate II-2. 88/01/11. WOODY, C.O. Florida Power & Light Co. 2pp. 44033 189-44033 190.

J. Insurance & indemnity information

8801140118 Forwards Endorsements 69 & 70 to NELIA Policy NF-227, Endorsements 86 & 87 to NELIA Policy NF-185, Endorsements 56 & 57 to MAELU Policy MF-88 & Endorsements 73 & 74 to MAELU Policy MF-55. PICKERL, H.D. Marsh & McLennan, Inc. 88/01/07. DINITZ, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44010 057-44010 061.

P. Operating license stage documents & correspondence

8801060221 Forwards response to NRC 871202 comments on util 871118 submittal of independent mgt appraisal program plan Revised program plan also encl.
WOODY,C.O. Florida Power & Light Co. 87/12/30. GRACE,J.N. Region 2, Ofc of the Director. 5pp. 43918:123-43918:212.

-8801060230 Rev 1 to "Independent Mgt Appraisal Program Plan for Florida Power & Light Co."
Enercon Services. 87/12/30. 85pp. 43918:128-43918:212.

8801070199 Notification of 880106 meeting w/Util in Bethesda,MD to establish milestones & schedule for Tech Spec upgrade
MCDONALD,D.G. Project Directorate II-2. 87/12/30. BERKOW,H.N. Project Directorate II-2. 3pp. 43953:001-43953:003.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda,MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAMMELL,C.M. Project Directorate V. 87/12/30. KNIGHTON,G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801100310 Advises that individual discussed in NRC 871006 confirmation of action ltr terminated employment w/Util effective on 871021.Ltr requesting termination of license submitted on 871120 Info should close all actions required by ltr.
WOODY,C.O. Florida Power & Light Co. 88/01/11. GRACE,J.N. Region 2, Ofc of the Director. 1p. 44051:030-44051:030.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation Forwards App F documents App E & F documents also available in PDR.Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8807000559 Discusses attendance at 860528 & 29 INPO Accreditation Board meetings Board attendees listed & major facility-specific issues & Util responses discussed Evaluation method appears effective overall NRC involvement should be maintained.
BOGER,B.A. Operator Licensing Branch. 86/08/20. RUSSELL,W.T. Division of Human Factors Technology (851125-870411). 7pp. 44118:358-44118:310.

8801250210 Requests meeting w/Util to discuss mgtor re status of Tech Specs rev project & options for resolving matter.Completion of project & issuance of license amend implementing upgraded Tech Specs will not occur before late 1988.
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 88/01/15. WOODY,C.O. Florida Power & Light Co. 2pp. 44112:359-44112:360.

8801210194 Partial response to FOIA request.App G documents already available in PDR.App H documents re INPO accreditation training encl & available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/15. BOLEY,K. Public Citizen's Critical Mass Energy Project. 4pp. 44095:001-44095:022.

-8801210349 Forwards comments on licensee training performance during period of INPO accreditation effort.Certification of licensed operator training program encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/02/25. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 4pp. 44095:081-44095:084.

8801250541 Notification of 880120 meeting w/licenses in Bethesda,MD to discuss status of Tech Spec rev project.
EDISON,G.E. Project Directorate II-2. 88/01/20. BERKOW,H.N. Project Directorate II-2. 2pp. 44118:131-44118:132.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:136-43995:257.

8712290165 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:268-43995:018.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insp of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

880110275 Forwards summary of 871221 enforcement conference re officer leaving vital area post & failure to issue picture badge, noted in Insp Repts 60-250/87-53 & 50-251/87-53.Attendees list also encl.Encls withheld (ref 10CFR2.790 & 73.21).
GRACE,J.N. Region 2, Ofc of the Director. 87/12/31. WOODY,C.O. Florida Power & Light Co. 2pp. 43986:001-43986:002.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801150220 Advises that response to NRC Bulletin 87-002, "Fastener Testing to Determine Conformance w/Applicable Matl Specs," will be submitted by 880212,per 880111 telcon.Delay due to incomplete verification & validation of test results.
WOODY,C.O. Florida Power & Light Co. 88/01/12. GRACE,J.N. Region 2, Ofc of the Director. 1p. 44062:180-44062:180.

8801200370 Forwards summary rept satisfying requirements of Item F of IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Rept includes verification of program completion.
WOODY,C.O. Florida Power & Light Co. 88/01/14. GRACE,J.N. Region 2, Ofc of the Director. 16pp. 44058:070-44058:085.

8801260110 Responds to violations noted in Insp Repts 50-250/87-46 & 50-251/87-46 Corrective actions valve removed,evaluation performed to determine valve function & Procedure AP 0103.34, "Component Labeling & Tagging" revised.
WOODY,C.O. Florida Power & Light Co. 88/01/19. Document Control Branch (Document Control Desk). 3pp. 44120:358-44120:360.

R. Periodic operating reports & related correspondence

8712280112 Forwards monthly operating repts for Nov 1987 & corrected monthly operating repts for Oct 1987 revising outage duration hours.
WOODY,C.O. Florida Power & Light Co. 87/12/15. Document Control Branch (Document Control Desk). 1p. 43893:187-43893:208.

-8712280093 Monthly operating repts for Nov 1987.
GRANT,N.W. Florida Power & Light Co. 87/11/30. 16pp. 43893:188-43893:203.

-8712280154 Corrected monthly operating repts for Oct 1987,consisting of revised outage duration hours.
GRANT,N.W. Florida Power & Light Co. 87/10/31. 3pp. 43893:204-43893:208.

8801040220 Forwards mgt-on-shift weekly summary rept for 871214-21,per 871019 order.
WOODY,C.O. Florida Power & Light Co. 87/12/23. GRACE,J.N. Region 2, Ofc of the Director. 47pp. 43862:186-43862:232.

8801110254 Forwards summary of mgt-on-shift repts,per NRC 871019 order.
WOODY,C.O. Florida Power & Light Co. 87/12/30. GRACE,J.N. Region 2, Ofc of the Director. 51pp. 43985:282-43985:312.

8801200070 Forwards summary of management-on-shift repts for wk of 871228-880104,per NRC 871019 order.
WOODY,C.O. Florida Power & Light Co. 88/01/06. GRACE,J.N. Region 2, Ofc of the Director. 34pp. 44052:195-44052:228.

8801260314 Forwards monthly operating repts for Dec 1987 & corrected monthly operating rept for Nov 1987.
WOODY,C.O. Florida Power & Light Co. 88/01/15. Document Control Branch (Document Control Desk). 1p. 44132:324-44132:343.

-8801210018 Monthly operating repts for Dec 1987.
GRANT,N.W. Florida Power & Light Co. 87/12/31. 16pp. 44132:326-44132:342.

-8801260321 Corrected monthly operating rept for Nov 1987.
GRANT,N.W. Florida Power & Light Co. 87/11/30. 1p. 44132:343-44132:343.

8801260051 Forwards Dec 1987 progress summary of select sys assessment.
WOODY,C.O. Florida Power & Light Co. 88/01/20. Document Control Branch (Document Control Desk). 3pp. 44130:284-44130:288.

S. Reportable occurrences, LERs & related correspondence

8801120147 Special rept-on 880106 fire protection sys impairments incurred due to plant mods.Caused by number of mods being performed & fire protection sys equipment malfunction. Impairment now reported monthly.
WOODY,C.O. Florida Power & Light Co. 88/01/08. Document Control Branch (Document Control Desk). 3pp. 44030:214-44030:216.

8801120358 LER 87-031-00:on 871209,control room ventilation isolation occurred due to loss of power to control room radioactive gas monitor.Caused by ground in blow-down effluent radiation monitor R19,R-19 & other drawers cleaned.W/880106 ltr.
SALAMON,G., WOODY,C.O. Florida Power & Light Co. 88/01/08. 4pp. 44046:263-44046:268.

8801270030 LER 87-032-00:on 871217,control room ventilation sys & components isolated following trip of breaker 3P08-19.Caused by ground in field wiring when one relay deenergized.Breaker reset & monitors returned to svc.W/881119 ltr.
SALAMON,G., WOODY,C.O. Florida Power & Light Co. 88/01/19. 4pp. 44142:140-44142:143.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation.Forwards App F documents App E & F documents also available in PDR.Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8806100175 Provides update of past & current status of NRC involvement in facility requalification program evaluations re Feb 1985 rev to NUREG-1021,Std ES-601 concerning NRO procedures for requalification programs.FY84 & FY85 results encl.
DENTON,H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/04/04. STELLO,V. Ofc of the Executive Director for Operations. 3pp. 44119:117-44119:118.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta,GA re training programs at two plants.Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:168.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

880110275 Forwards summary of 871221 enforcement conference re officer leaving vital area post & failure to issue picture badge, noted in Insp Repts 50-250/87-53 & 50-251/87-53. Attendees list also encl. Ends withheld (ref 10CFR 2.790 & 73.21). GRACE, J.N. Region 2, Oic of the Director. 87/12/31. WOODY, C.O. Florida Power & Light Co. 2pp. 43988.001-43988.002.

8801190187 Forwards proprietary scenario for proposed 880223 exercise of radiological emergency plans Encl withheld. WOODY, C.O. Florida Power & Light Co. 88/01/07. GRACE, J.N. Region 2, Oic of the Director. 1p 44045:174-44045:174

G. Adjudicatory correspondence

8801040237 Forwards NRC proposed findings of fact & conclusion of law, list of proposed transcript corrections & proposed findings on floppy diskette in ASCII format w/o diskette. YOUNG, M.A. Assistant General Counsel for Hearings. #188 5248 87/12/24. LAZO, R.J., LUEBKE, E.A., COLE, R.F. Atomic Safety and Licensing Board Panel. 1p 43889-221-43889-273.

-8801040255 NRC Staff proposed findings of fact & conclusions of law in form of initial decision. Licensee seismic analysis for new spent fuel pool racks shows that rack design satisfies structural aspects of GDC 2.4.61 & 62 w/ Certificate of Svc encl. YOUNG, M.A. Assistant General Counsel for Hearings. 87/12/24. 52pp. 43889-222-43889-273.

8801060099 Submits that ASLBP should not adopt 871211 proposed findings of fact & conclusions of law filed by intervenors re spent fuel pool expansion but should issue decision similar to licensee 871019 proposed findings Certificate of Svc encl. FRANTZ, S.P. Florida Power & Light Co. FRANTZ, S.P. Newman & Holtzinger. #188 5282, 87/12/31. LAZO, R.J., LUEBKE, E.A., COLE, R.F. Atomic Safety and Licensing Board Panel. 5pp. 43909-207-43909-211.

H. General correspondence

8801140123 Informs that G Edison will be new project manager for plant, effective 880117. BERKOW, H.N. Project Directorate II-2. 88/01/11. WOODY, C.O. Florida Power & Light Co. 2pp 44033:188-44033:190.

J. Insurance & indemnity information

8801140119 Forwards Endorsements 69 & 70 to NELIA Policy NF-227, Endorsements 88 & 87 to NELIA Policy NF-185, Endorsements 58 & 57 to MAELU Policy MF-88 & Endorsements 73 & 74 to MAELU Policy MF-55. PICKERL, H.D. Marsh & McLennan, Inc. 88/01/07. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44010:057-44010:081.

P. Operating license stage documents & correspondence

8801060221 Forwards response to NRC 871202 comments on util 871118 submittal of independent mgt appraisal program plan Revised program plan also encl. WOODY, C.O. Florida Power & Light Co. 87/12/30. GRACE, J.N. Region 2, Oic of the Director. 6pp 43918:123-43918:212.

-8801060230 Rev 1 to "Independent Mgt Appraisal Program Plan for Florida Power & Light Co." Enercon Services. 87/12/30. 85pp. 43918-128-43918-212.

8801070199 Notification of 880106 meeting w/util in Bethesda, MD to establish milestones & schedule for Tech Spec upgrade. McDONALD, D.O. Project Directorate II-2. 87/12/30. BERKOW, H.N. Project Directorate II-2. 3pp. 43953-001-43953-003.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittee in Bethesda, MD to discuss subcommittee investigations in analysis area re Genero Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801150112 Confirms verbal exercising of discretionary enforcement on 871218 to allow 24 hr extension of operation w/AB & 4C pumps inoperable Ack 871222 ltr requesting relief from Tech Spec requirement re operation of intake cooling water pumps. GRACE, J.N. Region 2, Oic of the Director. 87/12/31. WOODY, C.O. Florida Power & Light Co. 2pp. 44042-070-44042-071.

8801190310 Advises that individual discussed in NRC 871006 confirmation of action ltr terminated employment w/util effective on 871021. Ltr requesting termination of license submitted on 871120. Info should close all actions required by ltr. WOODY, C.O. Florida Power & Light Co. 88/01/11. GRACE, J.N. Region 2, Oic of the Director. 1p. 44051:030-44051:030.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Borsong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

-8807090559 Discusses attendance at 880528 & 28 INPO Accreditation Board meetings Board attendees listed & major facility-specific issues & util responses discussed. Evaluation method appears effective overall. NRC involvement should be maintained. BOGER, B.A. Operator Licensing Branch. 88/06/20. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44118:358-44118:010.

8801250210 Requests meeting w/util to discuss matter re status of Tech Specs rev project & options for resolving matter. Completion of project & issuance of license amend implementing upgraded Tech Specs will not occur before late 1988. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 88/01/16. WOODY, C.O. Florida Power & Light Co. 2pp. 44112:358-44112:360.

8801210194 Partial response to FOIA request. App G documents already available in PDR. App H documents, re INPO accreditation training, encl & available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY, K. Public Citizen's Critical Mass Energy Project. App. 44095:001-44095:022.

-8801210349 Forwards comments on licensee training performance during period of INPO accreditation effort Certification of licensed operator training program encl. GRACE, J.N. Region 2, Oic of the Director. 87/02/25. DENTON, R.H. Office of Nuclear Reactor Regulation, Director (851125-870411). App. 44095:081-44095:084.

8801250541 Notification of 880120 meeting w/licensees in Bethesda, MD to discuss status of Tech Spec rev project. EDISON, G.E. Project Directorate II-2. 88/01/20. BERKOW, H.H. Project Directorate II-2. 2pp. 44116:131-44116:132.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8801040586 Provides addl info re util request for discretionary enforcement action on 871218 cooling water pump failure. Upper coupling on Pump 4C replaced w/Improved coupling mall & pump satisfactorily tested & returned to svc on 871219. WOODY, C.O. Florida Power & Light Co. 87/12/22. GRACE, J.N. Region 2, Oic of the Director. 2pp. 43961:171-43961:172.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/26. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

880110275 Forwards summary of 871221 enforcement conference re officer leaving vital area post & failure to issue picture badge, noted in Insp Repts 50-250/87-53 & 50-251/87-53. Attendees list also encl. Ends withheld (ref 10CFR 2.790 & 73.21). GRACE, J.N. Region 2, Oic of the Director. 87/12/31. WOODY, C.O. Florida Power & Light Co. 2pp. 43988.001-43988.002.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:183.

8801150220 Advises that response to NRC Bulletin 87-002, "Fastener Testing to Determine Conformance w/Applicable Mall Specs." will be submitted by 880212, per 880111 telcon. Delay due to incomplete verification & validation of test results. WOODY, C.O. Florida Power & Light Co. 88/01/12. GRACE, J.N. Region 2, Oic of the Director. 1p. 44062:180-44062:180.

8801260110 Responds to violations noted in Insp Repts 50-250/87-46 & 50-251/87-48. Corrective actions: valve removed, evaluation performed to determine valve function & Procedure AP 0103.34, "Component Labeling & Tagging" revised. WOODY, C.O. Florida Power & Light Co. 88/01/18. Document Control Branch (Document Control Desk). 3pp. 44120:358-44120:360.

R. Periodic operating reports & related correspondence

8712280112 Forwards monthly operating reports for Nov 1987 & corrected monthly operating reports for Oct 1987, revising outage duration hours. WOODY, C.O. Florida Power & Light Co. 87/12/15. Document Control Branch (Document Control Desk). 1p. 43893:187-43893:206.

-8712280093 Monthly operating reports for Nov 1987. GRANT, N.W. Florida Power & Light Co. 87/11/30. 18pp. 43893:188-43893:203.

-8712280154 Corrected monthly operating reports for Oct 1987, consisting of revised outage duration hours. GRANT, N.W. Florida Power & Light Co. 87/10/31. 3pp. 43893:204-43893:206.

8801040229 Forwards mgt-on-shift weekly summary rept for 871214-21, per 871019 order. WOODY, C.O. Florida Power & Light Co. 87/12/23. GRACE, J.N. Region 2, Oic of the Director. 47pp. 43962:186-43962:232.

8801110254 Forwards summary of mgt-on-shift rept, per NRC 871019 order. WOODY, C.O. Florida Power & Light Co. 87/12/30. GRACE, J.N. Region 2, Oic of the Director. 51pp. 43965:262-43965:312.

8801200070 Forwards summary of management-on-shift rept for wk of 871228-880104, per NRC 871019 order. WOODY, C.O. Florida Power & Light Co. 88/01/08. GRACE, J.N. Region 2, Oic of the Director. 34pp. 44052:195-44052:228.

8801260314 Forwards monthly operating reports for Dec 1987 & corrected monthly operating report for Nov 1987.
WOODY,C.O. Florida Power & Light Co. 88/01/15. Document Control Branch (Document Control Desk). 1p. 44132:324-44132:343.

-8801210018 Monthly operating reports for Dec 1987.
GRANT,N.W. Florida Power & Light Co. 87/12/31. 18pp. 44132:325-44132:342.

8801260051 Forwards Dec 1987 progress summary of select sys assessment
WOODY,C.O. Florida Power & Light Co. 88/01/20. Document Control Branch (Document Control Desk). 3pp. 44130:294-44130:298.

S. Reportable occurrences, LERs & related correspondence

8712290088 LER 87-026-00: on 871121, component cooling water (CCW) pump 4B auto-started during CCW pump 4C return to svc. Caused by insufficient margin between operating & setpoint pressures increased margin installed W/871218 ltr.
SALAMON,G., WOODY,C.O. Florida Power & Light Co. 87/12/18. 4pp. 43893:036-43893:039.

8801120147 Special report on 880106, fire protection sys impairments incurred due to plant mods. Caused by number of mods being performed & fire protection sys equipment malfunction. Impairment now reported monthly.
WOODY,C.O. Florida Power & Light Co. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 44030:214-44030:216.

8801190094 LER 87-027-00: on 871214, steam generator 4B blowdown effluent flowrate not estimated. Caused by inadequate identification of Tech Spec Table 3.9.2 hardware. Blowdown secured & ltr re Tech Spec compliance methods issued W/880112 ltr.
SALAMON,G., WOODY,C.O. Florida Power & Light Co. 88/01/12. 4pp. 44135:073-44135:076.

8801260077 LER 87-028-00: on 871218, unit shutdown commenced when two intake cooling water pumps declared inoperable. Caused by broken shaft coupling & frozen bushing. Broken shaft coupling & 4B ICW pump replaced & satisfactorily tested W/880119 ltr.
HART,R.D., WOODY,C.O. Florida Power & Light Co. 88/01/19. 5pp. 44123:148-44123:152.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, O/c of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET 50-253 ACCELERATOR PULSED FAST ASSEMBLY

F. Security, medical, emergency & fire protection plans

8801040082 Revised cover sheet to Rev 0 to Emergency Plan Implementing Procedure E-12.3, "Search & Rescue Team Responsibilities."
GADDIE,K., FORD,W.L., BRIENT,J.R. Consumers Power Co. 87/12/14. 2pp. 43691:271-43691:272.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801200214 Forwards notice of environ assessment & finding of no significant impact re exemptions from 10CFR50, App R requirements.
ROSS,T.M. Project Directorate III-2. 88/01/12. BUTTERFIELD,L. Commonwealth Edison Co. 2pp. 44068:325-44068:336.

-8801200229 Notice of environ assessment & finding of no significant impact re exemptions from 10CFR50, App R requirements.
MULLER,D.R. Project Directorate III-2. 88/01/12. 4pp. 44068:327-44068:336.

8801210145 Forwards Rev 21 to security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions, including manual logging when card key access not functional. Report withheld (ref 10CFR73.21).
BUTTERFIELD,L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44163:220-44163:220.

J. Insurance & indemnity information

8801220599 Forwards Endorsements 8,6,5 & 3 to NELA Policies N-1,N-2, N-3,N-29,N-30,N-42,N-43,N-71,N-83,N-93,N-101 & N-108 & MAELU Policies M-2,M-3,M-29,M-30,M-42,M-43,M-71,M-83,M-93, M-101 & M-108.
OSTER,J. Commonwealth Edison Co. 88/01/19. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44247:198-44247:221.

8801220620 Forwards Endorsements 15,17,28,29,188,193,46,48,102 & 105 to NELA Policies NF-294,NF-277,NF-43,NF-263,NF-187 & NF-201 & Endorsements 10,12,20,21,182,187,28,30,85,88,80 & 84 to MAELU Policies MF-128,MF-114,MF-22,MF-104,MF-54 & MF-84.
OSTER,J. Commonwealth Edison Co. 88/01/19. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 49pp. 44247:101-44247:147.

P. Operating license stage documents & correspondence

8801080028 Informs that acoustic monitoring & containment hydrogen analyzers commitments for completion of equipment qualification program similar to commitments of other Reg Guide 1.07 mods.
JOHNSON,I.M. Commonwealth Edison Co. 87/05/29. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43965:284-43965:285.

8712300098 Application for amends to Licenses DPR-29 & DPR-30, changing Tech Specs to revise trip setpoint for refueling floor radiation monitors & authorization level for approving changes to plant operating procedures. Fee paid.
JOHNSON,I.M. Commonwealth Edison Co. 87/12/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43988:240-43988:251.

-8712300100 Proposed Tech Specs revising trip setpoint for refueling floor radiation monitors & authorization level for approving changes to plant operating procedures under Tech Spec Section 6.2.
* Commonwealth Edison Co. 87/12/22. 10pp. 43988:242-43988:251.

8801040218 Repts status of program to resolve apparent discrepancies between as-built & as-analyzed condition of Mark I piping. Future NRC status reports should continue to be issued monthly.
JOHNSON,I.M. Commonwealth Edison Co. 87/12/22. DAVIS,A.B. Region 3, O/c of the Director. 2pp. 43982:288-43982:289.

8801050489 Forwards info re possibility & effect of postulated dc power failure, per 871221 telcons. Solutions w/schedule for implementation will be submitted within 60 days.
SILADY,J.A. Commonwealth Edison Co. 87/12/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43961:111-43961:120.

-8801050476 Advises of error in SAFER/GESTR LOCA analysis in 870918 ltr transmitting proposed amend to Quad Cities Unit 1, Cycle 10 reload NEDC-31345 P will be revised. NRC concurrence requested for startup of Unit 1.
SILADY,J.A. Commonwealth Edison Co. 87/12/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 43981:113-43981:120.

8801110421 Advises of intent to utilize Bechtel Topical Rept, BN-TOP-1 testing methodology at all plants.
LEBLOND,P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43986:005-43986:005.

8801220061 Informs that no changes, tests or experiments completed during Dec 1987 for facility W/o stated encls.
ROBEY,R.A. Commonwealth Edison Co. 87/12/31. SNIEZEK,J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 44094:351-44094:351.

8801140305 Forwards notice of consideration of issuance of amend to License DPR-29 & opportunity for prior hearing re 871118 application for amend to Tech Specs. Amend allows continued operation w/flow indications for 18 of 20 jet pumps.
MULLER,D.R. Project Directorate III-2. 88/01/04. BUTTERFIELD,L. Commonwealth Edison Co. 2pp. 44031:130-44031:137.

-8801140315 Notice of consideration of issuance of amend to License DPR-30 & proposed NSHC determination & opportunity for hearing. Amend revises Tech Specs to compensate for operation w/failed jet pump flow instrument line.
MULLER,D.R. Project Directorate III-2. 87/12/23. 8pp. 44031:132-44031:137.

8801210049 Summarizes discussions between NRR, Region III & utility re safety-related classification of 24/48 ventilation duct chase power supply sys & associated sys classification.
ROSS,T. Project Directorate III-2. 88/01/14. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 44091:351-44091:353.

8801260458 Informs that Revs 42-43 of OA Topical Rept CE-1-A acceptable per 10CFR60, App B.
WRIGHT,G.C. Region 3, O/c of the Director. 88/01/20. REED,C. Commonwealth Edison Co. 2pp. 44125:108-44125:109.

8801270002 Forwards notice of issuance of Amend 103 to License DPR-29. Amend issued in response to unit 870913 request submitted on 871013 & 1125.
ROSS,M.T. Project Directorate III-2. 88/01/22. BUTTERFIELD,L. Commonwealth Edison Co. 2pp. 44148:131-44148:136.

-8801270003 Notice of issuance of Amend 103 to License DPR-29. Amend revises Tech Specs to incorporate new Cycle 10 reload fuel operating limits, to expand operating domains & to change jet pump surveillance core flow evaluation.
MULLER,D.R. Project Directorate III-2. 88/01/22. 4pp. 44149:133-44149:136.

Q. Inspection reports, IE Bulletins & correspondence

8801130407 Responds to NRC 870901 ltr re violations noted in Insp Repts 50-254/87-11 & 50-265/87-11. Corrective actions add documentation that established qualification of solenoid & Parker Super-O-Lube lubricant obtained.
TURBAK,M.S. Commonwealth Edison Co. 87/10/01. DAVIS,A.B. Region 3, O/c of the Director. 3pp. 44029:293-44029:295.

8801150288 Responds to NRC 871016 ltr re violations noted in Insp Repts 50-254/87-19 & 50-285/87-19. Corrective actions: Procedure QOP 201-8 written to remove water from reactor vessel during cold shutdown.
SMITH,N.P. Commonwealth Edison Co. 87/11/13. DAVIS,A.B. Region 3, O/c of the Director. 6pp. 44082:202-44082:209.

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." See list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8801130387 Responds to NRC 871123 ltr re violations noted in Insp Repts 50-254/87-25 & 50-265/87-25.
TURBAK,M.S. Commonwealth Edison Co. 87/12/22. DAVIS,A.B. Region 3, O/c of the Director. 3pp. 44040:011-44040:013.

8801100254 Documents conversations between author & R Kiesel & M Ring during wks 10/18/12/13 & 14 re status of implementation of IE Bulletin 85-003 Action Items C & D completed for all locations except Quad Cities Completion schedule listed.
See also AN 85-0 Commonwealth Edison Co. 87/12/23. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44041-053-44041-055.

87-2230003 Supply 1 to NRC info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
See also E. Division of Operational Events Assessment (Post 870411). 87/12/28. Unclassified Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.

8801000164 Forwards Safety Insp Repts 50-254/87-24 & 50-265/87-24 on 870913-1208 Not violations noted.
See also E. Division of Operational Events Assessment (Post 870411). 87/12/29. REED, C. Commonwealth Edison Co. 2pp. 43980-323-43980-325.

8801000173 Insp Repts 50-254/87-24 & 50-265/87-24 on 870913-1208 No violations or deviations noted. Areas inspected: containment integrated leak rate test (ILRT) procedures, ILRT performance witnessing & ILRT results.
See also E. Division of Operational Events Assessment (Post 870411). 87/12/29. 11pp. 43980-325-43980-335.

87-2290186 NRC info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
See also E. Division of Operational Events Assessment (Post 870411). 87/12/31. Unclassified Edison Co. of New York, Inc. 120pp. 43995-258-43995-016.

87-2200001 NRC info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
See also E. Division of Operational Events Assessment (Post 870411). 87/12/31. Unclassified Edison Co. of New York, Inc. 123pp. 44038-164-44038-266.

8801000188 Response to NRC 871204 re re violations noted in Insp Repts 50-254/87-24 & 50-265/87-24 Corrective actions all SCRE's, shift engineers & operating engineers received documented "immediate notification awareness" training.
See also E. Division of Operational Events Assessment (Post 870411). 87/12/31. 4pp. 44112-023-44112-026.

8801000194 Supply 1 to NRC info Notice 88-081, "Broken External Closure Springs on Reactor & Main Steam." Svc list encl.
See also E. Division of Operational Events Assessment (Post 870411). 88/01/11. Unclassified Edison Co. of New York, Inc. 123pp. 44038-041-44038-183.

8801000197 Forwards response to NRC 871106 Bulletin 87-002 requesting licensees to review recent insp requirements & internal controls for fasteners & to independently test through testing if fasteners meet mechanical/chemical specs.
See also E. Division of Operational Events Assessment (Post 870411). 88/01/12. DAVIS, A.B. Region 3, Ofc of the Director. 25pp. 44045-317-44045-232.

8801210030 Forwards verification of completion of program re switch settings, per IE Bulletin 85-003. Verdict of calculations not fully confirmed. Response to concerns noted in Insp Repts 50-237/87-33 & 50-248/87-32 contained in Encl 1A.
See also E. Division of Operational Events Assessment (Post 870411). 88/01/15. DAVIS, A.B. Region 3, Ofc of the Director. 10pp. 44086-159-44086-265.

A. Periodic operating reports & related correspondence

87-2200073 Monthly performance repts for Nov 1987 W/871202 lr.
See also E. Division of Operational Events Assessment (Post 870411). 87/11/30. 23pp. 43894-001-43894-003.

8801220034 Monthly performance repts for Dec 1987 W/871231 lr.
See also E. Division of Operational Events Assessment (Post 870411). 88/01/15. 23pp. 44158-001-44158-003.

1. Reportable occurrences, LERs & related correspondence

8801000181 LER 87-026-00 on 871130 piping support located on core spray discharge line 18 outside containment w/FSAR. Caused by contact error during 1980 mod. Excess clearance between piping legs & wide flange support shammed W/871218 lr.
See also E. Division of Operational Events Assessment (Post 870411). 87/12/19. 5pp. 43960-336-43960-340.

8801000181 LER 87-029-00 on 871125 control room habitability design basis assumption for future in question W/871222 lr.
See also E. Division of Operational Events Assessment (Post 870411). 87/12/22. 5pp. 43962-165-43962-168.

8801000184 LER 87-031-00 on 871223 while performing valve operability test on HPCI system. HPCI declared inoperable. Caused by mgt failure to ensure instrument sensing lines deaerated. Task added W/880112 lr.
See also E. Division of Operational Events Assessment (Post 870411). 88/01/12. 5pp. 44145-114-44145-118.

8801000184 LER 87-032-00 on 871221 control room ventilation isolations occurred due to loose gas analyzer sample port selector position change. Caused by lack of procedure & training. Signs installed & training upgraded W/871223 lr.
See also E. Division of Operational Events Assessment (Post 870411). 87/12/23. 7pp. 43961-063-43961-068.

8801000184 LER 87-035-01 on 871221 discovered that two piping supports located on steam generator were failed to comply w/FSAR criteria for allowable stress. Caused by design error. Excess clearance between piping shammed W/880113 lr.
See also E. Division of Operational Events Assessment (Post 870411). 88/01/13. 6pp. 44145-108-44145-113.

8801000184 LER 87-032-00 on 871221 discovered that ROIC pump would not inject water into reactor vessel. Caused by ROIC pump discharge check valve failing to open. Check valve disassembled, repaired, reassembled & tested W/880113 lr.
See also E. Division of Operational Events Assessment (Post 870411). 88/01/13. 4pp. 44158-099-44158-099.

8801000251 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-88-024.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

85-10250509 Trip rept of visit to INPO accreditation board 850924-26 meetings. Board process & plant visits well conceived & executed. NRC participation in all accreditation board meetings unnecessary.
BOOHER, H.R. Licensee Qualifications Branch. 85/10/17. RUSSELL, W.T. Division of Human Factors Safety (800428-851124). 3pp. 44118-107-44118-109.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119-159-44119-160.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

8801110201 Temporary Change Notice TCN-EI-87-007 to Rev 6 to Emergency Implementation Procedure EI-67, "Plant Site Meteorological Sys."
DAWSON, M., FUGERE, D.L. Consumers Power Co. 87/11/24. 3pp. 44000-044-44000-046.

8712230045 Forwards response to 871008 request for addl info re 081202 proposed amend to physical security plan. Response withheld (ref 10CFR73.21).
BERRY, K.W. Consumers Power Co. 87/12/14. Document Control Branch (Document Control Desk). 1p. 43923-025-43923-026.

8801040146 Rev 8 to site emergency plan, reflecting revised Figure 5-6 re general ofc response team organization.
Consumers Power Co. 87/12/16. 2pp. 43894-227-43894-228.

8801040155 Rev 13 to Attachment 1 to Emergency Plan Implementing Procedure EI-2.1, "Emergency Notification."
Consumers Power Co. 87/12/16. 2pp. 43894-225-43894-226.

8801120277 Rev 8 to Section 4 of Emergency Plan Implementing Procedure, "Site Emergency Plan."
BRUNET, J.R. Consumers Power Co. 87/12/29. 50pp. 43997-220-43997-269.

8801120403 Rev 14 to Emergency Implementation Procedure EI-1, "Activation of Site Emergency Plan/Emergency Classification."
KOZUP, C.S. Consumers Power Co. 87/12/30. 47pp. 43991-060-43991-106.

8801120204 Rev 2 to Emergency Plan Implementing Procedure EI-15.2, consisting of Attachment 2, "Quarterly Communication Drill Telephone Number Verification."
Consumers Power Co. 88/01/07. 3pp. 43987-341-43987-343.

8801120377 Attachments 1 & 2 to Rev 1 to Emergency Plan Implementing Procedure EI-15.3, "Post-Accident Sample Monitoring Sys Operator Training."
Consumers Power Co. 88/01/07. 3pp. 43990-358-43990-360.

8801130115 Advises that updated scenario for plant 1988 emergency plan exercise being transmitted to Region III for distribution. Update includes radiological & meteorological data as committed to in 871229 lr. Comments requested by 880122.
JOHNSON, B.D. Consumers Power Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44002-301-44002-301.

8801270605 Rev 3 to General Ofc Emergency Plan Implementing Procedure EOF-10, "Property Protection." Rev 16 to index & rev to App G encl.
WHITE, S.K. Consumers Power Co. 88/01/11. 20pp. 44152-326-44152-345.

8801210068 Forwards Rev 6 to "Suitability, Training & Qualification Plans." Review & rev completed prior to 880105, per telcon commitment. Changes do not degrade safeguards effectiveness of plan.
JOHNSON, B.D. Consumers Power Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44132-345-44132-018.

8801210092 Rev 6 to "Suitability, Training & Qualification Plans."
Consumers Power Co. 88/01/14. 35pp. 44132-346-44132-018.

H. General correspondence

8801110286 Advises of 871202 corporate reorganization & requests that NRC & Region III revise mailing lists as listed.
BERRY, K.W. Consumers Power Co. 88/01/04. Document Control Branch (Document Control Desk). 3pp. 43983-138-43983-140.

J. Insurance & Indemnity Information

8801260515 Forwards Endorsements 9 to NELIA Certificate N-20 & MAELU Certificate M-20.
FROUNFELKER, R. Consumers Power Co. 88/01/21. DINITZ, I. NRC - No Detailed Affiliation Given. 3pp. 44127-238-44127-240.

8801270034 Forwards Endorsements 98 & 99 to NELIA Policy NF-179 & Endorsements 84 & 85 to MAELU Policy MF-50. Endorsements 98 & 84 amend coverage endorsement. Endorsements 99 & 85 reflect 1988 advance premium.
FROUNFELKER, R. Consumers Power Co. 88/01/21. DINITZ, I. NRC - No Detailed Affiliation Given. 3pp. 44141-289-44141-297.

tags documents & correspondence

that will provide stated additional information re alleged complaint by utility electric job action had been taken against him after raising safety concerns with in 30 days. Encl withheld (ref 10CFR2.790)
1. Ofc of the Director. 8/7/12/29. BUCKMAN, F.W. Consumers
349-43926.350

application for 871223 Tech Specs change request re reactor
ers Power Co. 88/01/07. Document Control Branch (Document
303-026-44003.026.

proposed changes to QA Topical Rept CPC-2A, authorizing ex-
performance incentive program & independent audits of QA
v & approval. Fee paid.
ers Power Co. 88/01/15. Document Control Branch (Document
4104-285-44104.289

of 880113 meeting w/Bechtel & utility at headquarters re joint ven-
agreement by utility to sell two thirds interest in facility to Bechtel
Executive Director for Operations. 88/01/15. Ofc of the Execu-
tions 1p. 44112-358-44112.358

response to FOIA request. App G documents already available in
to re INPO accreditation training, encl & available in PDR
sion of Rules & Records (Post 870413). 88/01/19. BOLEY, K.
Mass Energy Project. 4pp. 44095-001-44095.022.

s comments on licensee training performance during period of
fort Certification of licensed operator training program encl.
2. Ofc of the Director. 87/02/25. DENTON, H.R. Ofc of Nuclear
Director (851125-870411). 4pp. 44095-081-44095.084.

application for amend to License DPR-20, revising Tech Specs to
for chemistry limits in Spec 3.18 along w/surveillance require-
ments. Proposed changes will result in conformance w/STS. Fee paid.
ers Power Co. 88/01/19. Document Control Branch (Document
4101-261-44101.324.

on for amend to License DPR-20, revising Tech Specs to delete
secondary water chemistry limits & replacing spec w/program require-
ment section.
sumers Power Co. 88/01/19. 6pp. 44101-264-44101.269.

J Tech Specs re secondary water chemistry.
Co. 88/01/19. 7pp. 44101-270-44101.276.

Change Notice TCN-C-87-005 to Rev 1 to Procedure CH 1.6,
ity Logs, Records, Graphs, Labels & Data Sheets."
M. Consumers Power Co. 88/02/12. 10pp. 44101-277-

Chemistry Operating Procedure COP 11, "Secondary Sys Chem-
istry." Consumers Power Co. 88/01/17. 38pp. 44101-287-44101.324.

not until approval of 871222 proposed Tech Spec change re low
rotation, plant will be operated as described in proposal except
for fusos will be used. Supporting documentation encl.
sumers Power Co. 88/01/20. Document Control Branch (Docu-
7pp. 44141-116-44141.122.

add info re dedicated operator used during heatup & cooldown
in sys (PCS) cold leg temp 430 F & PORV not capable of auto-
S high pressure, per 880121 telcon.
sumers Power Co. 88/01/22. Document Control Branch (Docu-
2pp. 44145-084-44145.085.

response to SER on utility response to Generic Ltr 82-33 re con-
fidence 1.97, justifying deviation from Reg Guide 1.97 guidance & pro-
grammatic schedule.
ners Power Co. 88/01/22. Document Control Branch (Document
14145-081-44145.086.

IE Bulletins & correspondence

Notice 87-084, "Conviction for Falsification of Security Training
of Operational Events Assessment (Post 870411). 87/12/22.
Co. of New York, Inc. 120pp. 44163-001-44163.124.

Notice 87-085, "Plant Operation Beyond Analyzed Conditions."
of Operational Events Assessment (Post 870411). 87/12/23.
Co. of New York, Inc. 120pp. 44056-008-44056.127.

NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc
of Operational Events Assessment (Post 870411). 87/12/28.
Co. of New York, Inc. 124pp. 43995-138-43995.257.

Insp Rept 50-255/87-27 on 871026-30 & 1217. Violation
of ns re failure to implement timely corrective action for loss of shut-
015 & configuration control project require mgmt involvement.
3. Ofc of the Director. 87/12/29. BUCKMAN, F.W. Consumers
12-028-43962-047.

of violation from Insp on 871026-30 & 1217. Violation
to implement timely corrective action for previously identified
ity requirements of charging pumps.
3. Ofc of the Director. 87/12/29. 2pp. 43962-030-43962-031.

pt 50-255/87-27 on 871026-30 & 1217. Violations noted. Major
critical & mechanical mods, electrical & mechanical maint
& sys using selected portions of modules.
2. STASEK, S. Region 3, Ofc of the Director. 87/12/23. 16pp.
7.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial Grade
Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995.016

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Li-
censed Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038.286

8801120385 Forwards Safety Insp Rept 50-255/87-30 on 871116-1214 & notice of
violation. Insp included review of findings from investigations of radwaste shipments
from plant conducted on 870308.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/05. BUCKMAN, F.W. Consumers
Power Co. 2pp. 43980-055-43980.080.

--8801120392 Notice of violation from Insp on 871116-1214. Violations noted: radwaste
shipped to burial site not free-standing monolith & contained liquid in excess of re-
quirements & radioactive mail transported w/o shipping papers.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/05. 2pp. 43980-057-43980.058.

--8801120398 Insp Rept 50-255/87-30 on 871116-1214. Violations noted: Major areas
inspected: radiation protection program, including organization & mgmt controls, internal &
external exposure controls, transportation, ALARA program & NRC info notices.
GILL, C.F., GREGER, L.R. Region 3, Ofc of the Director. 88/01/04. 22pp. 43990-059-
43990.080.

8801050384 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on
Atwood & Monril MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11.
Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038.163.

8801190081 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to Deter-
mine Conformance w/Applicable Mfg Specs." Utility should be informed of any suppli-
ers which evidence poor performance. Fastener testing data sheets encl.
BERRY, K.W. Consumers Power Co. 88/01/12. Document Control Branch (Document
Control Desk). 62pp. 44065-078-44065.139.

8801210208 Responds to NRC 871217 ltr re violations noted in Insp Rept 50-255/87-
29. Corrective actions: technical review of Procedure MO-20 completed & event re-
viewed w/all on shift operations personnel & checklists revised.
BERRY, K.W. Consumers Power Co. 88/01/15. Document Control Branch (Document
Control Desk). 3pp. 44083-222-44083.224.

8801210207 Responds to NRC 871108 ltr re violations noted in Insp Rept 50-255/87-
21. Areas of fitness for duty program clarified.
BERRY, K.W. Consumers Power Co. 88/01/15. Document Control Branch (Document
Control Desk). 15pp. 44082-153-44082.167.

8801260013 Forwards final response re IE Bulletin 85-003, "Motor-Operated Valve
Common Mode Failures During Plant Transients Due To Improper Switch Settings."
B&W reviewed, revised & rewrote all plant Limiting maintenance procedures.
BERRY, K.W. Consumers Power Co. 88/01/15. Document Control Branch (Document
Control Desk). 18pp. 44123-289-44124.020.

--8801260022 "Sys Evaluation Determining Max Differential Pressure for HPSI Sys
Motor-Operated Valves & Auxiliary Feedwater Sys Motor-Operated Valves."
* Consumers Power Co. 88/01/15. 12pp. 44123-317-44123.328.

--8801260025 "Differential Pressure Test Basis."
* Consumers Power Co. 88/01/15. 9pp. 44123-320-44123.337.

--8801260029 "MOVATS - Switch Adjustment Policies & Justifications."
* Consumers Power Co. 88/01/15. 6pp. 44123-338-44123.343.

--8801260032 "Palisades Methodology Document."
* Consumers Power Co. 88/01/15. 35pp. 44123-344-44124.018.

--8801260034 "Palisades Long-Term Operability Program."
* Consumers Power Co. 88/01/15. 2pp. 44124-019-44124.020.

8801260588 Discusses 871203 steam generator (SG) tube leak. Controlled plant shut-
down accomplished on 871204. SG inservice insp program scheduled for Apr 1988
completed during outage. Summary of SG B tube leak & eddy current exam encl.
BORDINE, T.C. Consumers Power Co. 88/01/22. Document Control Branch (Docu-
ment Control Desk). 17pp. 44160-248-44160.262.

R. Periodic operating reports & related correspondence

8801130009 Monthly operating report for Nov 1987. W/871204 ltr.
PACKARD, G.C., VANDENBERG, D. Consumers Power Co. 87/11/30. 5pp. 44043-353-
44043.357.

8801190066 Monthly operating report for Dec 1987. W/880108 ltr.
PACKARD, G.C., VANDENBERG, D. Consumers Power Co. 87/12/31. 5pp. 44063-086-
44063.090.

S. Reportable occurrences, LERs & related correspondence

8712290115 LER 87-040-00 on 871122. Level in diesel oil storage tank T-10 below Tech
Specs limit. Caused by erroneous readings on indicator LIA-1400. Diesel oil added to fill
tank & level verified manually. W/871222 ltr.
KOZUP, C.S., JOHNSON, B.D. Consumers Power Co. 87/12/22. 4pp. 43886-023-
43886.026.

8801280261 LER 87-037-01 on 871106. Licensee failed to take compensatory measures
during temporary loss of fire suppression sys. Caused by misleading plant
diagram. Change request initiated to correct misleading diagram. W/880122 ltr.
KOZUP, C.S., JOHNSON, B.D. Consumers Power Co. 88/01/22. 6pp. 44163-355-
44163.359.

V. Operator Examinations

- 8801200231** Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA. 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. Bpp. 44118 001-44118 039.
- 8802030451** Submits observations of INPO 851218 accreditation board meeting & accreditation process. NRC activity in board reviews & participation in INPO team visit & post accreditation visits requested. BOGER, B.A. Operator Licensing Branch. 88/01/14. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 4pp. 44118 244-44118 247.
- 8801220136** Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119 159-44119 168.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 8801120026** Forwards Insp Repts 50-259/87-44, 50-260/87-44 & 50-298/87-44 on 871115-20 No violations or deviations noted. BARR, K.P. Region 2, Ofc of the Director. 87/12/1. WHITE, S.A. Tennessee Valley Authority. 2pp. 43986 338-43986 338.
- 8801120046** Partially withheld Insp Repts 50-259/87-44, 50-260/87-44 & 50-298/87-44 on 871116-20 (ref 10CFR2.790 & 73.21) No violations noted. Major areas inspected: testing & maint & physical barriers-protected areas. THOMPSON, D.H. Region 2, Ofc of the Director. 87/12/11. 1p. 43986 338-43986 338.
- 8801120023** Forwards Insp Repts 50-259/87-43, 50-260/87-43 & 50-298/87-43 on 871106-20 re circumstances surrounding 871102 fire. Insp findings & concerns identified in App A. Ltr identifying resolutions requested within 30 days of ltr date. RICHARDSON, S.D. Ofc of Special Projects. 87/12/30. WHITE, S.A. Tennessee Valley Authority. 2pp. 44044 055-44044 091.
- 8801120024** Insp Repts 50-259/87-43, 50-260/87-43 & 50-298/87-43 on 871106 20 re Unit 2 drywell fire on 871102. Major areas inspected: sequence of events which portrayed chronological activities prior to & during fire. PAULK, G.L. Ofc of Special Projects. 87/12/21. 35pp. 44044 057-44044 091.
- 880110297** Forwards Insp Repts 50-259/87-39, 50-260/87-39 & 50-298/87-39 on 871103-05 No violations or deviations noted. Exercise weaknesses re notifications to activate onsite emergency facilities observed. BARR, K.P. Ofc of Special Projects. 87/12/31. WHITE, S.A. Tennessee Valley Authority. 2pp. 43971 285-43971 306.
- 8801110320** Insp Repts 50-259/87-39, 50-260/87-39 & 50-298/87-39 on 871103-05 No violations or deviations noted. Major areas inspected: emergency preparedness exercise involving NRC observation of key functions & locations during exercise. SARTOR, W.M. Region 2, Ofc of the Director. 87/12/10. 20pp. 43971 287-43971 306.
- 8801140132** Notification of 880126 meeting w/utl in Rockville, MD to discuss 10CFR50, App R re alternative safe shutdown & mgmt level presentation. GEARS, G.E. Ofc of Special Projects. 88/01/07. ZECH, G.G. Ofc of Special Projects. 3pp. 44033 195-44033 197.
- 8801190282** Ack receipt of utl 871125 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/87-34, 50-298/87-34 & 50-298/87-34 Plan for section supervisor due to lack of health physics experience appropriate. BARR, K.P. Ofc of Special Projects. 88/01/11. WHITE, S.A. Tennessee Valley Authority. 2pp. 44050 257-44050 258.
- 8801210136** Provides info re dates utl committed to complete listed & developed ref checks for individuals requesting unescorted access to nuclear sites per WJ Tobin request. Encl withheld (ref 10CFR73.21). GRIDLEY, R.L. Tennessee Valley Authority. 88/01/12. Document Control Branch (Document Control Desk). 2pp. 44086 155-44086 156.

J. Insurance & indemnity information

- 8801070357** Forwards endorsements, including Endorsement 7 to MAELU Certificate M-75, Endorsement 7 to NELIA Certificate N-75, Endorsement 8 to MAELU Certificate M-68 & Endorsement 8 to NELIA Certificate N-68. SANNAL, J. Marsh & McLennan, Inc. 87/12/30. DINITZ, I. Ofc of Nuclear Reactor Regulation, Director (Post 870411). 95pp. 43938 165-43938 260.

P. Operating license stage documents & correspondence

- 8801120090** Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-28-87-17. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998 230-43998 300.
- 8801040437** Provides requested info for S Brown 880105 site visit. BUTLER, W.R. Project Directorate I-2. 87/12/23. HARRISON, T.L. Region 1, Ofc of the Director. 2pp. 43896 007-43896 008.
- 8801040516** Requests authorization for use of ASME Boiler & Pressure Vessel Code Cases N-341 & N-356 for plants. Required justification for use encl. Concurrence on GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43961 203-43961 205.

- 8801130403** Forwards Amends 139, 135 & 110 to Licenses DPR-33, DPR-52 & DPR-68, respectively, revising Tech Spec Section 8, "Administrative Controls," to change upper limit of certain requirements of high radiation areas. ZECH, G.G. Ofc of Special Projects. 87/12/31. WHITE, S.A. Tennessee Valley Authority. 5pp. 44008 252-44008 275.
- 8801130418** Amends 139, 135 & 110 to Licenses DPR-33, DPR-52 & DPR-68, respectively, revising Tech Spec Section 8, "Administrative Controls," to change upper limit of certain requirements of high radiation areas. ZECH, G.G. Ofc of Special Projects. 87/12/31. 15pp. 44008 257-44008 271.
- 8801130428** Safety evaluation supporting Amends 139, 135 & 110 to Licenses DPR-33, DPR-52 & DPR-68, respectively. * Ofc of Special Projects. 87/12/31. 2pp. 44008 272-44008 273.
- 8801130439** Requests FR publication of notice of issuance of Amends 139, 135 & 110 to Licenses DPR-33, DPR-52 & DPR-68. Amends correct Tech Spec 8.8.3.1 by changing upper limit requirements of high radiation areas. ZECH, G.G. Ofc of Special Projects. 87/12/31. NRC - No Detailed Attribution Given. 2pp. 44008 274-44008 276.
- 880110378** Forwards table listing Sequoyah & TVA generic allegations investigated by utl & noted in GG Zech 870729 ltr to SA Wilho on restart issues. Table also contains submission dates for repts. GRIDLEY, R. Tennessee Valley Authority. 88/01/08. Document Control Branch (Document Control Desk). 3pp. 43889 082-43889 084.
- 8801250133** Summary of 871216 meeting w/TVA in Bethesda, MD re TVA program to address microbiologically induced corrosion. List of attendees & viewpoints encl. AULUCK, R. Ofc of Special Projects. 88/01/11. Ofc of Special Projects. 76pp. 44116 219-44116 284.
- 8801190124** Forwards revised weekly schedule of TVA activities for wks of 880111-18, changing & adding to schedule previously issued on 880111. KELLY, J.L. Ofc of Special Projects. 88/01/12. ZECH, G.G. Ofc of Special Projects. 5pp. 44052 355-44052 358.
- 8801200231** Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA. 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. Bpp. 44118 001-44118 039.
- 881209030** Summary of INPO Accreditation Board 881015 & 16 meetings re encls of facility programs. GIBSON, A.F. Region 2, Ofc of the Director. 88/10/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 3pp. 44119 041-44119 043.
- 8711020491** Discusses attendance at INPO Accreditation Board meeting on 871022-23 in Atlanta, GA re accreditation of licensee training programs on maint & technical support areas. Future NRC observers should be given info prior to meeting. LAMAS, G.C. Assistant Director for Region II Reactors. 87/10/28. ROE, J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 4pp. 44119 161-44119 171.
- 8801200151** Application for amends to Licenses DPR-33, DPR-52 & DPR-68, changing Tech Specs to correct footnote refs re instrumentation for cora & containment systems radioactive gaseous effluent instrumentation surveillance. Fee paid. GRIDLEY, R. Tennessee Valley Authority. 88/01/14. Document Control Branch (Document Control Desk). 8pp. 44108 178-44108 192.
- 8801200155** Proposed Tech Specs, revising two incorrect footnote refs in Table 3.1 & Table 4.2, K re instrumentation that initiates or controls cora & containment systems radioactive gaseous effluent instrumentation surveillance, respectively. * Tennessee Valley Authority. 88/01/14. 7pp. 44108 188-44108 192.
- 8801200092** Forwards revised ASME Section XI inservice sys pressure program. Program outlines requirements for performing first 10-yr interval sys pressure tests on ASME Code Class 1, 2 & 3 or equivalent components containing water steam. GRIDLEY, R.L. Tennessee Valley Authority. 88/01/16. Document Control Branch (Document Control Desk). 31pp. 44134 243-44134 273.
- 8801260002** Forwards Amends 140, 136 & 111 to Licenses DPR-33, DPR-52 & DPR-68, respectively & safety evaluation. Amends clarify trip level setting for standby gas treatment sys relative humidity heater. ZECH, G.G. Ofc of Special Projects. 88/01/19. WHITE, S.A. Tennessee Valley Authority. 3pp. 44164 080-44164 100.
- 8801260005** Amends 140, 136 & 111 to Licenses DPR-33, DPR-52 & DPR-68, respectively, clarifying Tech Spec Table 3.2.A re trip level setting for standby gas treatment sys relative humidity heater. ZECH, G.G. Ofc of Special Projects. 88/01/19. 15pp. 44164 083-44164 097.
- 8801260009** Safety evaluation supporting Amends 140, 136 & 111 to Licenses DPR-33, DPR-52 & DPR-68, respectively. * Ofc of Special Projects. 88/01/19. 2pp. 44164 088-44164 089.
- 8801260012** Requests FR publication of notice of issuance of Amends 140, 136 & 111 to Licenses DPR-33, DPR-52 & DPR-68, respectively. Amends clarify trip level setting for standby gas treatment relative humidity heater. ZECH, G.G. Ofc of Special Projects. 88/01/19. NRC - No Detailed Attribution Given. 1p. 44164 100-44164 100.
- 8801270141** Final response to FOIA request for documents. Forwards App A documents & portion of App B document. App A documents placed in PDR. Portion of App B document withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, Doc-Search Associates. 4pp. 44155 008-44155 029.
- 8801270400** Discusses interviews of Region II personnel by Subcommittee on Oversight & Investigations re TVA facilities. KAMMERER, C.C. Office of Congressional Affairs (pre 870413). 85/12/13. PAZDINO, Commissioners. 2pp. 44155 015-44155 023.

8801280457 Summary of 880120 meeting between Commissioner Bernthal & Admral White of TVA re utl request to retain Oic of Special Projects as overseer of plants after Sequoyah 1 restart & invitation to Bernthal to tour Sequoyah plant.
KAGAN,C. Commissioners 88/01/21. Commissioners 1p. 44172:360-44172:360.

8801280446 Application for amends to Licenses DPR-33,DPR-52 & DPR-88, revising Tech Spec 228 re interpretation of surveillance instruction operability criteria for testing of reactor bldg,reactor zone & refuel zone radiation monitors Fed paid.
GRIDLEY,R. Tennessee Valley Authority. 88/01/22. Document Control Branch (Document Control Desk). 3pp. 44160:137-44160:177.

-8801280454 Proposed Tech Specs re interpretation of surveillance instruction operability requirements concerning testing of reactor bldg,reactor zone & refuel zone radiation monitors listed in Table 3.2 A.
* Tennessee Valley Authority. 88/01/22. 38pp. 44160:140-44160:177.

8801280628 Forwards safety evaluation supporting utl 870526 justification for proposed use of artificial ground motion time history as alternate seismic input for seismic sys analysis.
ZECH,G.G. Oic of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 3pp. 44173:252-44173:256.

-8801280633 Safety evaluation supporting utl 870526 justification to use artificial ground motion time history as alternative seismic input for seismic sys analyses.
* Oic of Special Projects. 88/01/25. 2pp. 44173:255-44173:256.

8801290098 Forwards SAI review of utl 861230 summary rept on DCRDR for info Site visit scheduled for 880222-26 to discuss rept & audit control room.Audit agenda also encl.
ZECH,G.G. Oic of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 11pp. 44178:012-44178:022.

8801290158 Forwards BNWL technical evaluation rept based on review of utl 840622 procedures generation package,submitted per NUREG-0737,Item 1.C.1.NRC & contractor will visit site on 880222-26 to review concerns & open items.
ZECH,G.G. Oic of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 3pp. 44178:349-44178:361.

-8801290168 "Procedures Generation Package Review Operating Reactors," technical evaluation rept.
MYERS,L.B., CLIFF,W.C. Battelle Memorial Institute, Pacific Northwest Laboratories. 88/06/30. 10pp. 44178:352-44178:361.

8801290181 Forwards Rev O to "Cable Program Plan," addressing possibility of undersized electrical cables due to inadequate design sides.Planned corrective actions will verify adequacy of cables at various voltage levels.
GRIDLEY,R. Tennessee Valley Authority. 88/01/25. Document Control Branch (Document Control Desk). 2pp. 44183:249-44183:262.

-8801290184 Rev O to "Cable Ampacity Program Plan,Browns Ferry Nuclear Plant," Related documentation encl.
* Tennessee Valley Authority. 88/01/13. 12pp. 44183:261-44183:262.

8801290209 Forwards errata to Amends 139 & 135 to Licenses DPR-33 & DPR-52,respectively,correcting administrative error on amend pages listing affected Tech Spec pages.
ZECH,G.G. Oic of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 3pp. 44180:229-44180:237.

-8801290212 Errata to Amends 139 & 135 to Licenses DPR-33 & DPR-52, respectively,correcting administrative error.
* Oic of Special Projects. 88/01/25. 6pp. 44180:232-44180:237.

8801290265 Grants utl authorization to use ASME Code Cases N-341 & N-356 utl to extend certification period for Level III NDE examiners from 3 to 5 yrs,per 871229 ltr.
ZECH,G.G. Oic of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 4pp. 44177:357-44177:360.

Q. Inspection reports, IE Bulletins & correspondence

8801040136 Forwards Exam Rept 50-259/OL-87-03 of requalification exam administered on 870720-23 Rept for all units,Interim program rating satisfactory.Final determination will be made upon completion of evaluation process in Mar 1988.
BARR,K.P. Oic of Special Projects. 87/12/17. WHITE,S.A. Tennessee Valley Authority. 2pp. 43923:313-43923:343.

-8801040145 Exam Rept 50-259/OL-87-03 on 871117-18.Exam results:one reactor operator & senior reactor operator passed exam. Rept for all three units.
PAYNE,D.G. Oic of Special Projects. 87/12/03. 28pp. 43923:315-43923:343.

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records," Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions," Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8801120026 Forwards Insp Repts 50-259/87-44,50-260/87-44 & 50-296/87-44 on 871116-20.No violations or deviations noted.
BARR,K.P. Region 2, Oic of the Director. 87/12/23. WHITE,S.A. Tennessee Valley Authority. 2pp. 43986:336-43986:338.

-8801120046 Partially withheld Insp Repts 50-259/87-44,50-260/87-44 & 50-296/87-44 on 871116-20 (ref 10CFR2.790 & 73.21).No violations noted.Major areas inspected:testing & maint & physical barriers,protected areas.
THOMPSON,D.H., MCGUIRE,D.R. Region 2, Oic of the Director. 87/12/11. 1p. 43986:338-43986:338.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801120023 Forwards Insp Repts 50-259/87-43,50-260/87-43 & 50-296/87-43 on 871108-20 re circumstances surrounding 871102 ltr Insp findings & concerns identified in App A.Ltr identifying resolut ons requested within 30 days of ltr date.
RICHARDSON,S.D. Oic of Special Projects. 87/12/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 44044:055-44044:091.

-8801120024 Insp Repts 50-259/87-43,50-260/87-43 & 50-296/87-43 on 871108-20 re Unit 2 drywell fire on 871102.Major areas inspected:sequence of events which portrayed chronological activities prior to & during fire.
PAULK,G.L. Oic of Special Projects. 87/12/21. 35pp. 44044:057-44044:091.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial Grade Components," Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11," Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801110297 Forwards Insp Repts 50-259/87-39,50-260/87-39 & 50-296/87-39 on 871103-05.No violations or deviations noted.Exercise weaknesses re notifications to activate onsite emergency facilities observed.
BARR,K.P. Oic of Special Projects. 87/12/31. WHITE,S.A. Tennessee Valley Authority. 2pp. 43971:285-43971:306.

-8801110320 Insp Repts 50-259/87-39,50-260/87-39 & 50-296/87-39 on 871103-05.No violations or deviations noted.Major areas inspected:emergency preparedness exercise,involving NRC observation of key functions & locations during exercise.
SARTOR,W.M., DECKER,T.R. Region 2, Oic of the Director. 87/12/10. 20pp. 43971:287-43971:306.

8801150101 Forwards Insp Repts 50-259/87-42,50-260/87-42 & 50-296/87-42 during Nov 1987.No violations or deviations noted.Consent expressed re large number of facility change requests being written for ongoing work.
BARR,K.P. Oic of Special Projects. 88/01/06. WHITE,S.A. Tennessee Valley Authority. 2pp. 44062:222-44062:257.

-8801150106 Insp Repts 50-259/87-42,50-260/87-42 & 50-296/87-42 during Nov 1987.No violations or deviations noted.Major areas inspected:operational safety,maint observation,reportable occurrences & previous enforcement matters.
PAULK,G.L., PATTERSON,C.A., BROOKS,C.R. Reg on 2, Oic of the Director. 87/12/11. 34pp. 44062:224-44062:257.

8801050394 Suppl 1 to NRC Info Notice 88-061, "Broken External Closure Springs on Atwood & Morrill MSIVs," Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801160085 Responds to NRC 871119 ltr re violations noted in Insp Repts 50-259/87-33,50-260/87-33 & 50-296/87-33.Corrective actions: review of field installations in progress to fix conduit seal problems.Violation A denied.
GRIDLEY,R. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 8pp. 44041:318-44041:327.

8801190282 Ack receipt of utl 871125 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/87-34 & 50-296/87-34.Plans for section supervisor due to lack of health physics experience appropriate.
BARR,K.P. Oic of Special Projects. 88/01/11. WHITE,S.A. Tennessee Valley Authority. 2pp. 44050:257-44050:258.

8801200087 Responds to NRC 871203 ltr re violations noted in Insp Repts 50-259/87-37,50-260/87-37 & 50-296/87-37.Corrective actions: clearance issued on Valve 2-FCV-74-24 & procedure re lifting of hold order tag will be revised.Violation A denied.
GRIDLEY,R. Tennessee Valley Authority. 88/01/15. Document Control Branch (Document Control Desk). 8pp. 44106:345-44106:352.

8801250338 Advises that NRC will review encl Civil Engineering Branch Instruction CEB-CI 21.97, "Operability Criteria for Pipe & Pipe Supports on TVA Class I Seismic Piping - Browns Ferry," by 880226.Outline of utl IEB-78-02/79-14 program also encl.
ZECH,G.G. Oic of Special Projects. 88/01/19. WHITE,S.A. Tennessee Valley Authority. 3pp. 44117:001-44117:027.

-8801250364 Rev O to Civil Engineering Branch Instruction CEB-CI 21.97, "Operability Criteria for Pipe & Pipe Supports on TVA Class I Seismic Piping - Browns Ferry,"
* Tennessee Valley Authority. 87/12/10. 24pp. 44117:004-44117:027.

8801260504 Ack receipt of 871208 supplemental response to notice of violations noted in Insp Repts 50-259/86-09,50-260/86-09 & 50-296/86-09.Response meets requirements of 10CFR2.201.
BARR,K.P. Oic of Special Projects. 88/01/20. WHITE,S.A. Tennessee Valley Authority. 2pp. 44127:236-44127:237.

8801270161 Forwards Insp Repts 50-259/87-36,50-260/87-36 & 50-296/87-36 on 871026-30.Utl design baseline & verification program contained essential elements to achieve goals.Several weaknesses should be addressed before NRC can approve DBVP.
RICHARDSON,S.D. Oic of Special Projects. 88/01/21. WHITE,S.A. Tennessee Valley Authority. 3pp. 44155:083-44155:117.

-8801270170 Insp Repts 50-259/87-36,50-260/87-36 & 50-296/87-36 on 871026-30.Utl design baseline & verification program contains essential elements needed to achieve intended goals & objectives.Concerns re implementation of program listed.
GEORGIEV,G.B., HEARN,P., LIAW,B.D. Oic of Special Projects. 88/01/15. 15pp. 44155:086-44155:117.

8801280276 Partial response to FOIA requests.Forwards App A documents. Documents being placed in PDR.Only files in NRC Oic of Governmental & Public Affairs searched for documents responsive to request,per 871028 telcon.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR,L. Doc-Search Associates. 3pp. 44139:290-44139:009.

-8808070143 Requests response to listed items,in support of NRC 850710 response to Congressman Udall 850426 ltr re HPCI failures at plant.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/07/12. REHM,T. Oic of the Executive Director for Operations. 1p. 44139:338-44139:338.

R. Periodic operating reports & related correspondence

- 8712310028 Monthly discharge monitoring rept for Nov 1987. BROOKS,R.H. Tennessee Valley Authority. 87/11/30. 13pp. 43920:139-43920:154.
- 8801040474 Supplemental annual operating rept for 1986 re herbicide usage No herbicides used on any transmission line right-of-ways in CY86. GRIDLEY,R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 2pp. 43963:262-43963:283.
- 8801250572 Monthly operating rept for Dec 1987. CRAWFORD,J.D., WALKER,J.G. Tennessee Valley Authority. 87/12/31. 71pp. 44111:271-44111:347.
- 8801200079 Partial response to FOIA request for documents Forwards App D documents App D & E documents available in PDR App F document completely withheld (rel FOIA Exemption 7) App G document partially withheld (rel FOIA Exemption 5). GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN,L. Times Printing Co. 6pp. 44081:218-44081:272.
- 8802190673 Summarizes NRC activities involving TVA from 880203-07. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/02/12. STELLO,V. Ofc of the Executive Director for Operations. 3pp. 44081:278-44081:281.
- 8801250422 Forwards weekly schedule of TVA activities for wks of 880118 & 25. KELLY,J.L. Ofc of Special Projects. 88/01/15. ZECH,G.G. Ofc of Special Projects. 5pp. 44116:010-44116:014.
- 8801260418 Forwards weekly schedule of TVA activities for wks of 880125 & 0201. KELLY,J.L. Ofc of Special Projects. 88/01/22. ZECH,G.G. Ofc of Special Projects. 4pp. 44139:061-44139:064.

S. Reportable occurrences, LERs & related correspondence

- 8801070230 LER 87-030-00 on 871124 Train B of control room emergency ventilation sys actuated Caused by burned electrical coil in Unit 3 relay 18A-K72 due to end-of-life failure Faulted coil replaced W/871228 IIR. GORDON,A.W., WALKER,J.G. Tennessee Valley Authority. 87/12/29. 3pp. 43991:186-43991:188.
- 8801120269 LER 87-031-00 on 871204 autostart of control room emergency ventilation sys occurred Caused by restart test procedural inadequacy Restart test procedure revised to specify transfer switch position W/880104 IIR. GORDON,A.W., WALKER,J.G. Tennessee Valley Authority. 87/12/31. 3pp. 43990:284-43990:286.

V. Operator Examinations

- 8801040130 Requests that util furnish end listed ref matts in order to meet schedule for reactor/senior reactor operator requalification exams scheduled for 880314-18 by 880108. Requirements for admin/storing exams & guidelines encl. BARR,K.P. Ofc of Special Projects. 87/12/11. WHITE,S.A. Tennessee Valley Authority. 3pp. 43963:154-43963:162.
- 8801040153 Advises that in order for NRC to meet schedule for written, simulator/operating & oral exams for reactor operator & senior reactor operators during wk of 880314 & 880502-13, respectively, encl mail should be provided by 880108. BARR,K.P. Ofc of Special Projects. 87/12/11. WHITE,S.W. Tennessee Valley Authority. 10pp. 43962:346-43962:356.
- 8801040136 Forwards Exam Rept 50-259/OL-87-03 of requalification exam administered on 870723 Rept for all units Interim program rating satisfactory Final determination will be made upon completion of evaluation process in Mar 1988. BARR,K.P. Ofc of Special Projects. 87/12/17. WHITE,S.A. Tennessee Valley Authority. 2pp. 43923:313-43923:343.
- 8801040145 Exam Rept 50-259/OL-87-03 on 871117-18 Exam results one reactor operator & senior reactor operator passed exam. Rept for all three units. PAYNE,D.C., BROCKMAN,K.E. Ofc of Special Projects. 87/12/03. 28pp. 43923:315-43923:343.
- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation Forwards App F documents App E & F documents also available in PDR Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.
- 8801220136 Advises of attendance at 870923 Nall Nuclear Accrediting Board meeting at INPO otrs in Atlanta,GA re training programs at two plants Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

Security, medical, emergency & fire protection plans

- 20026 Forwards Insp Repts 50-259/87-44,50-260/87-44 & 50-296/87-44 on 871116-20 No violations or deviations noted. BARR,K.P. Region 2, Ofc of the Director. 87/12/23. WHITE,S.A. Tennessee Valley Authority. 2pp. 43986:336-43986:338.
- 8801120046 Partially withheld Insp Repts 50-259/87-44,50-260/87-44 & 50-296/87-44 on 871116-20 (rel 10CFR2.790 & 73.21) No violations noted Major areas inspected testing & maint & physical barriers-protected areas. THOMPSON,D.H. Region 2, Ofc of the Director. 87/12/11. 1p. 43986:338-43986:338.
- 8801120023 Forwards Insp Repts 50-259/87-43,50-260/87-43 & 50-296/87-43 on 871106-20 re circumstances surrounding 871102 fire Insp findings & concerns identified in App A Ltr identifying resolutions requested within 30 days of ltr date. RICHARDSON,S.D. Ofc of Special Projects. 87/12/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 44044:055-44044:081.

8801120024 Insp Repts 50-259/87-43,50-260/87-43 & 50-296/87-43 on 871106-20 re Unit 2 drywall fire on 871102 Major areas inspected sequence of events which portrayed chronological activities prior to & during fire. PAULK,G.L. Ofc of Special Projects. 87/12/21. 35pp. 44044:057-44044:091.

8801110297 Forwards Insp Repts 50-259/87-39,50-260/87-39 & 50-296/87-39 on 871103 05 No violations or deviations noted Exercise weaknesses re notifications to activate onsite emergency facilities observed. BARR,K.P. Ofc of Special Projects. 87/12/31. WHITE,S.A. Tennessee Valley Authority. 2pp. 43971:285-43971:306.

8801110320 Insp Repts 50-259/87-39,50-260/87-39 & 50-296/87-39 on 871103 05 No violations or deviations noted Major areas inspected emergency preparedness exercise involving NRC observation of key functions & locations during exercise. SARTOR,W.M. Region 2, Ofc of the Director. 87/12/10. 20pp. 43971:287-43971:306.

8801140132 Notification of 880126 meeting w/util in Rockville,MD to discuss 10CFR50,App F re alternative safe shutdown & mgt level presentation. GEARS,G.E. Ofc of Special Projects. 88/01/07. ZECH,G.G. Ofc of Special Projects. 3pp. 44033:195-44033:197.

8801100282 Ack receipt of util 871126 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/87-34 & 50-296/87-34 Plan for section supervisor due to lack of health physics experience appropriate. BARR,K.P. Ofc of Special Projects. 88/01/11. WHITE,S.A. Tennessee Valley Authority. 2pp. 44050:257-44050:258.

8801210136 Provides info re dates util committed to complete listed & developed ref checks for individuals requesting unescorted access to nuclear sites, per WJ Tobin request Encl withheld (rel 10CFR73.21). GRIDLEY,R.L. Tennessee Valley Authority. 88/01/12. Document Control Branch (Document Control Desk). 2pp. 44086:155-44086:156.

P. Operating license stage documents & correspondence

- 8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & list of expertise available for special insps & of current resource svcs. FELTHOUS,R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON,E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.
- 8801040516 Requests authorization for use of ASME Boiler & Pressure Vessel Code Cases N-341 & N-356 for plants Required justification for use encl Concurrence on use of cases requested by 880215. GRIDLEY,R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43961:203-43961:205.
- 8801130403 Forwards Amends 139,135 & 110 to Licenses DPR-33,DPR-52 & DPR-68, respectively, revising Tech Spec Section 6, "Administrative Controls," to change upper limit of certain requirements of high radiation areas. ZECH,G.G. Ofc of Special Projects. 87/12/31. WHITE,S.A. Tennessee Valley Authority. 5pp. 44008:252-44008:275.
- 8801130418 Amends 139,135 & 110 to Licenses DPR-33,DPR-52 & DPR-68, respectively, revising Tech Spec Section 6, "Administrative Controls," to change upper limit of certain requirements of high radiation areas. ZECH,G.G. Ofc of Special Projects. 87/12/31. 15pp. 44008:257-44008:271.
- 8801130426 Safety evaluation supporting Amends 139,135 & 110 to Licenses DPR-33,DPR-52 & DPR-68, respectively. * Ofc of Special Projects. 87/12/31. 2pp. 44008:272-44008:273.
- 8801130439 Requests FR publication of notice of issuance of Amends 139, 135 & 110 to Licenses DPR-33,DPR-52 & DPR-68 Amends correct Tech Spec 6.8.3.1 by changing upper limit requirements of high radiation areas. ZECH,G.G. Ofc of Special Projects. 87/12/31. NRC - No Detailed Affiliation Given 2pp. 44008:274-44008:275.
- 8801110376 Forwards table listing Sequoyah & TVA generic allegations investigated by util & noted in GG Zech 870729 ltr to SA White as restart issues Table also notes submission dates for repts. GRIDLEY,R. Tennessee Valley Authority. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 43969:082-43969:084.
- 8801250133 Summary of 871215 meeting w/TVA in Bethesda,MD re TVA program to address microbiologically induced corrosion List of attendees & viewpoints encl. AULUCK,R. Ofc of Special Projects. 88/01/11. Ofc of Special Projects. 76pp. 44116:219-44116:294.
- 8801190124 Forwards revised weekly schedule of TVA activities for wks of 880111 & 18, changing & adding to schedule previously issued on 880111. KELLY,J.L. Ofc of Special Projects. 88/01/12. ZECH,G.G. Ofc of Special Projects. 5pp. 44052:355-44052:359.
- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation Forwards App F documents App E & F documents also available in PDR Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.
- 8812090030 Summary of INPO Accreditation Board 881015 & 16 meetings re encl list of facility programs. GIBSON,A.F. Region 2, Ofc of the Director. 88/10/17. RUSSELL,W.T. Division of Human Factors Technology (851125-870411). 3pp. 44118:041-44118:043.
- 871020491 Discusses attendance at INPO Accreditation Board meeting on 871022 & 23 in Atlanta,GA re accreditation of licensee training programs on maint & technical support areas Future NRC observers should be given info prior to meeting. LAINAS,G.C. Assistant Director for Region II Reactors. 87/10/28. ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 4pp. 44119:167-44119:171.

8801200151 Application for amendments to Licenses DPR-33, DPR-52 & DPR-68, changing Tech Specs to correct footnote refs re instrumentation for core & containment sys & radioactive gaseous effluent instrumentation surveillance Fee paid.
GRIDLEY, R. Tennessee Valley Authority. 88/01/14. Document Control Branch (Document Control Desk). 8pp. 44108-178-44108-192.

-8801200155 Proposed Tech Specs, revising two incorrect footnote refs in Table 3.2.B & Table 4.2.K re instrumentation that initiates or controls core & containment sys & radioactive gaseous effluent instrumentation surveillance, respectively.
* Tennessee Valley Authority. 88/01/14. 7pp. 44108-186-44108-192.

8801200092 Forwards revised ASME Section XI inservice sys pressure test program. Program outlines requirements for performing first 10-yr interval sys pressure tests on ASME Code Class 1, 2 & 3 or equivalent components containing water or steam.
GRIDLEY, R. L. Tennessee Valley Authority. 88/01/15. Document Control Branch (Document Control Desk). 31pp. 44134-243-44134-273.

8801200002 Forwards Amends 140, 136 & 111 to Licenses DPR-33, DPR-52 & DPR-68, respectively, & safety evaluation. Amends clarify trip level setting for standby gas treatment sys relative humidity heater.
ZECH, G. G. Oic of Special Projects. 88/01/19. WHITE, S. A. Tennessee Valley Authority. 3pp. 44164-080-44164-100.

-8801200005 Amends 140, 136 & 111 to Licenses DPR-33, DPR-52 & DPR-68, respectively, clarifying Tech Spec Table 3.2.A re trip level setting for standby gas treatment sys relative humidity heater.
ZECH, G. G. Oic of Special Projects. 88/01/19. 15pp. 44164-083-44164-087.

-8801200009 Safety evaluation supporting Amends 140, 136 & 111 to Licenses DPR-33, DPR-52 & DPR-68, respectively.
* Oic of Special Projects. 88/01/19. 2pp. 44164-088-44164-089.

-8801200012 Requests FR publication of notice of issuance of Amends 140, 136 & 111 to Licenses DPR-33, DPR-52 & DPR-68, respectively. Amends clarify trip level setting for standby gas treatment relative humidity heater.
ZECH, G. G. Oic of Special Projects. 88/01/19. NRC - No Deteriorated Affiliation Given. 1p. 44164-100-44164-100.

880120141 Final response to FOIA request for documents. Forwards App A documents & portion of App B document. App A documents placed in PDR. Portion of App B document withheld (rel FOIA Exemption 5).
GRIMSLEY, D. H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, L. Doc-Search Associates. 4pp. 44155-008-44155-028.

-8801201400 Discusses interviews of Region II personnel by Subcommittee on Oversight & Investigations re TVA facilities.
KAMMERER, C. C. Office of Congressional Affairs (pro 870413). 85/12/13. PALLA, DINO. Commissioners. 2pp. 44155-015-44155-023.

8801200457 Summary of 880120 meeting between Commissioner Bernthal & Admiral White of TVA re utl request to retain Oic of Special Projects as overseer of plants after Sequoyah 1 restart & invitation to Bernthal to tour Sequoyah plant.
KAGAN, C. Commissioners. 88/01/21. Commissioners. 1p. 44172-360-44172-360.

8801203008 Withdraws 851120 request for temporary exemption from 10CFR50, App J leak test requirements for startup Mods to meet requirements w/ be completed before restart.
GRIDLEY, R. Tennessee Valley Authority. 88/01/22. Document Control Branch (Document Control Desk). 2pp. 44145-248-44145-247.

8801200446 Application for amendments to Licenses DPR-33, DPR-52 & DPR-68, revising Tech Spec 228 re interpretation of surveillance instruction operability criteria for testing of reactor bldg, reactor zone & refuel zone radiation monitors. Fee paid.
GRIDLEY, R. Tennessee Valley Authority. 88/01/22. Document Control Branch (Document Control Desk). 3pp. 44160-137-44160-177.

-8801200454 Proposed Tech Specs re interpretation of surveillance instruction operability requirements concerning testing of reactor bldg, reactor zone & refuel zone radiation monitors listed in Table 3.2.A.
* Tennessee Valley Authority. 88/01/22. 39pp. 44160-140-44160-177.

8801200028 Forwards safety evaluation supporting utl 870526 justification for proposed use of artificial ground motion time history as alternate seismic input for seismic sys analysis.
ZECH, G. G. Oic of Special Projects. 88/01/25. WHITE, S. A. Tennessee Valley Authority. 3pp. 44173-252-44173-256.

-8801200033 Safety evaluation supporting utl 870526 justification to use artificial ground motion time history as alternative seismic input for seismic sys analyses.
* Oic of Special Projects. 88/01/25. 2pp. 44173-255-44173-258.

8801200096 Forwards SAI review of utl 881230 summary rept on DCDRA, for Info Site visit scheduled for 880222-26 to discuss rept & audit control room. Audit agenda also encl.
ZECH, G. G. Oic of Special Projects. 88/01/25. WHITE, S. A. Tennessee Valley Authority. 11pp. 44178-012-44178-022.

8801201058 Forwards BNWL technical evaluation rept based on review of utl 840622 procedures generation package, submitted per NUREG 0737, Item 1.C.1. NRC & contractor will visit site on 880222-26 to review concerns & open items.
ZECH, G. G. Oic of Special Projects. 88/01/25. WHITE, S. A. Tennessee Valley Authority. 3pp. 44178-348-44178-361.

-8801201059 "Procedures Generation Package Review Operating Reactors," technical evaluation rept.
MYERS, L. B., CLIFF, W. C. Battelle Memorial Institute, Pacific Northwest Laboratories. 88/08/30. 10pp. 44178-352-44178-361.

8801201081 Forwards Rev O to "Cable Program Plan," addressing possibility of undersized electrical cables due to inadequate design stds. Planned corrective actions will verify adequacy of cables at various voltage levels.
GRIDLEY, R. Tennessee Valley Authority. 88/01/25. Document Control Branch (Document Control Desk). 2pp. 44183-248-44183-262.

-8801201084 Rev O to "Cable Ampacity Program Plan, Browns Ferry Nuclear Plant." Related documentation encl.
* Tennessee Valley Authority. 88/01/13. 12pp. 44183-261-44183-262.

8801200209 Forwards errata to Amends 139 & 135 to Licenses DPR-33 & DPR-52, respectively, correcting administrative error on amend pages listing affected Tech Spec pages.
ZECH, G. G. Oic of Special Projects. 88/01/25. WHITE, S. A. Tennessee Valley Authority. 3pp. 44180-229-44180-237.

-8801200212 Errata to Amends 139 & 135 to Licenses DPR-33 & DPR-52, respectively, correcting administrative error.
* Oic of Special Projects. 88/01/25. 6pp. 44180-232-44180-237.

8801200285 Grants utl authorization to use ASME Code Cases N-341 & N-356 to extend certification period for Level III NDE examiners from 3 to 5 yrs per 871229 ltr.
ZECH, G. G. Oic of Special Projects. 88/01/25. WHITE, S. A. Tennessee Valley Authority. 4pp. 44177-357-44177-360.

O. Inspection reports, IE Bulletins & correspondence

8801040136 Forwards Exam Rept 50-259/OL-87-03 of requalification exam administered on 870720-23 Rept for all units. Interim program rating satisfactory. Final determination will be made upon completion of evaluation process in Mar 1988.
BARR, K. P. Oic of Special Projects. 87/12/17. WHITE, S. A. Tennessee Valley Authority. 2pp. 43923-313-43923-343.

-8801040146 Exam Rept 50-259/OL-87-03 on 871117-18 Exam results, one reactor operator & senior reactor operator passed exam. Rept for all three units.
PAYNE, D. C. Oic of Special Projects. 87/12/03. 26pp. 43923-315-43923-343.

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-095, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056-008-44056-127.

8801200026 Forwards Insp Repts 50-259/87-44, 50-260/87-44 & 50-296/87-44 on 871118-20. No violations or deviations noted.
BARR, K. P. Region 2, Oic of the Director. 87/12/23. WHITE, S. A. Tennessee Valley Authority. 2pp. 43986-336-43986-338.

-8801200046 Partially withhold Insp Repts 50-259/87-44, 50-260/87-44 & 50-296/87-44 on 871118-20. (rel 10CFR2.790 & 73.21) No violations noted. Major areas inspected: testing & maint & physical barriers-protected areas.
THOMPSON, D. H., McGuire, D. R. Region 2, Oic of the Director. 87/12/11. 1p. 43986-338-43986-338.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43985-138-43985-257.

8801200023 Forwards Insp Repts 50-259/87-43, 50-260/87-43 & 50-296/87-43 on 871108-20 re circumstances surrounding 871102 fire. Insp findings & concerns identified in App A. Ltr identifying resolutions requested within 30 days of ltr date.
RICHARDSON, S. O. Oic of Special Projects. 87/12/30. WHITE, S. A. Tennessee Valley Authority. 2pp. 44044-055-44044-091.

-8801200024 Insp Repts 50-259/87-43, 50-260/87-43 & 50-296/87-43 on 871108-20 re Unit 2 drywell fire on 871102. Major areas inspected: sequence of events which portrayed chronological activities prior to & during fire.
PAULK, G. L. Oic of Special Projects. 87/12/21. 35pp. 44044-057-44044-091.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985-258-43985-018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of License Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C. E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-286.

8801050180 Forwards "Rept of Pipe Insps, Corrective Actions & Analyses, Browns Ferry Nuclear Plant, Unit 2, Cycle 5 Outage," in response to Genenc Ltr 84-11, "Insp of BWR Stainless Steel Piping."
RAY, M. J. Tennessee Valley Authority. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 43978-263-43980-129.

-8801050196 "Rept of Pipe Insps, Corrective Actions & Analyses, Browns Ferry Nuclear Plant, Unit 2, Cycle 5 Outage."
* Tennessee Valley Authority. 87/12/31. 57pp. 43978-255-43980-078.

-8801050221 "Safe End Replacement: Utli Perspective."
FOX, J. H. Tennessee Valley Authority. 87/12/31. 51pp. 43980-079-43980-129.

8801102097 Forwards Insp Repts 50-259/87-39, 50-260/87-39 & 50-296/87-39 on 871103-05. No violations or deviations noted. Major areas inspected: emergency preparedness exercise. Involving NRC observation of key functions & locations during exercise.
BARR, K. P. Oic of Special Projects. 87/12/31. WHITE, S. A. Tennessee Valley Authority. 2pp. 43971-285-43971-308.

-8801103020 Insp Repts 50-259/87-39, 50-260/87-39 & 50-296/87-39 on 871103-05. No violations or deviations noted. Major areas inspected: emergency preparedness exercise. Involving NRC observation of key functions & locations during exercise.
SARTOR, W. M., DECKER, T. R. Region 2, Oic of the Director. 87/12/10. 20pp. 43971-287-43971-308.

8801150101 Forwards Insp Repts 50-259/87-42, 50-260/87-42 & 50-296/87-42 during Nov 1987. No violations or deviations noted. Concern expressed re large number of facility change requests being written for ongoing work.
BARR, K. P. Oic of Special Projects. 88/01/08. WHITE, S. A. Tennessee Valley Authority. 2pp. 44062-222-44062-257.

- 8801150106 Insp Repts 50-259/87-42,50-260/87-42 & 50-296/87-42 during Nov 1987. No violations or deviations noted. Major areas inspected: operational safety, maint observation, reportable occurrences & previous enforcement matters. PAULK, G.L., PATTERSON, C.A., BROOKS, C.R. Region 2, Oic of the Director. 87/12/11. 34pp. 44062:224-44062:257.
- 8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc ltr encl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.
- 8801150085 Responds to NRC 871119 ltr re violations noted in Insp Repts 50-259/87-37,50-260/87-37 & 50-296/87-37. Corrective actions: review of field installations in progress to fix conduit seal problems. Violation A denied. GRIDLEY, R. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 9pp. 44041:318-44041:327.
- 8801190282 Ack receipt of utl 871125 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/87-34, 50-296/87-34 & 50-298/87-34. Plan for section supervisor due to lack of health physics experience appropriate. BARR, K.P. Oic of Special Projects. 88/01/11. WHITE, S.A. Tennessee Valley Authority. 2pp. 44050:257-44050:258.
- 8801200067 Responds to NRC 871203 ltr re violations noted in Insp Repts 50-259/87-37,50-260/87-37 & 50-296/87-37. Corrective actions: clearance issued on Valve 2. FCV-74-24 & procedure re lifting of hold order tag will be revised. Violation A denied. GRIDLEY, R. Tennessee Valley Authority. 88/01/15. Document Control Branch (Document Control Desk). 8pp. 44106:345-44106:352.
- 8801250338 Advises that NRC will review and Civil Engineering Branch Instruction CEB-CI 21.97, "Operability Criteria for Pipe & Pipe Supports on TVA Class I Seismic Piping - Browns Ferry," by 880226. Outline of utl IEB-79-02/79-14 program also encl. ZECH, G.G. Oic of Special Projects. 88/01/19. WHITE, S.A. Tennessee Valley Authority. 3pp. 44117:001-44117:027.
- 8801250364 Rev 0 to Civil Engineering Branch Instruction CEB-CI 21.97, "Operability Criteria for Pipe & Pipe Supports on TVA Class I Seismic Piping - Browns Ferry." * Tennessee Valley Authority. 87/12/10. 24pp. 44117:004-44117:027.
- 8801260604 Ack receipt of 871209 supplemental response to notice of violations noted in Insp Repts 50-259/86-09,50-260/86-09 & 50-296/86-09. Response meets requirements of 10CFR2.201. BARR, K.P. Oic of Special Projects. 88/01/20. WHITE, S.A. Tennessee Valley Authority. 2pp. 44127:236-44127:237.
- 8801270161 Forwards Insp Repts 50-259/87-36,50-260/87-36 & 50-296/87-36 on 871026-30. Utl design baseline & verification program contained essential elements to achieve goals. Several weaknesses should be addressed before NRC can approve DBVP. RICHARSON, S.D. Oic of Special Projects. 88/01/21. WHITE, S.A. Tennessee Valley Authority. 3pp. 44155:083-44155:117.
- 8801270170 Insp Repts 50-259/87-36,50-260/87-36 & 50-296/87-36 on 871026-30. Utl design baseline & verification program contains essential elements needed to achieve intended goals & objectives. Concerns re implementation of program listed. GEORGEV, G.B., HEARN, P., LAW, B.D. Oic of Special Projects. 88/01/15. 15pp. 44155:086-44155:117.
- 8801280276 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR. Only files in NRC Oic of Governmental & Public Affairs searched for documents responsive to request, per 871028 telcon. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139:290-44139:334.
- 8808070143 Requests response to listed items in support of NRC 850710 response to Congressman Udall 850426 ltr re HPCI failures at plant. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/07/12. REHM, T. Oic of the Executive Director for Operations. 44139:339-44139:339.

R. Periodic operating reports & related correspondence

- 8712310026 Monthly discharge monitoring report for Nov 1987. BROOKS, R.H. Tennessee Valley Authority. 87/11/30. 13pp. 43920:139-43920:154.
- 8801040474 Supplemental annual operating report for 1986 re herbicide usage. No herbicides used on any transmission line right-of-ways in CY86. GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 2pp. 43963:282-43963:283.
- 8801250572 Monthly operating reports for Dec 1987. CRAWFORD, J.D., WALKER, J.G. Tennessee Valley Authority. 87/12/31. 71pp. 44111:271-44111:347.
- 8801200079 Partial response to FOIA request for documents. Forwards App D documents. App D & E documents available in PDR. App F document completely withheld (rel FOIA Exemption 7). App G document partially withheld (rel FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 6pp. 44061:218-44061:272.
- 8802190673 Summarizes NRC activities involving TVA from 860203-07. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/02/12. STELLO, V. Oic of the Executive Director for Operations. 3pp. 44081:279-44081:281.
- 8801250422 Forwards weekly schedule of TVA activities for wks of 880118 & 25. KELLY, J.L. Oic of Special Projects. 88/01/15. ZECH, G.G. Oic of Special Projects. 6pp. 44116:010-44116:014.
- 8801260418 Forwards weekly schedule of TVA activities for wks of 880125 & 0201. KELLY, J.L. Oic of Special Projects. 88/01/22. ZECH, G.G. Oic of Special Projects. 4pp. 44139:061-44139:064.

V. Operator Examinations

- 8801040130 Requests that utl furnish and listed ref matts in order to meet schedule for reactor/senior reactor operator requalification exams scheduled for 880314-18 by 880108. Requirements for administering exams & guidelines encl. BARR, K.P. Oic of Special Projects. 87/12/11. WHITE, S.A. Tennessee Valley Authority. 8pp. 43963:154-43963:162.
- 8801040153 Advises that in order for NRC to meet schedule for written, simulator/operatoring & oral exams for reactor operator & senior reactor operators during wk of 880314 & 880502-13, respectively, encl matt should be provided by 880108. BARR, K.P. Oic of Special Projects. 87/12/11. WHITE, S.W. Tennessee Valley Authority. 10pp. 43962:346-43962:355.
- 8801040136 Forwards Exam Rept 50-259/OL-87-03 of requalification exam administered on 870720-23. Rept for all units interim program rating satisfactory. Final determination will be made upon completion of evaluation process in Mar 1988. BARR, K.P. Oic of Special Projects. 87/12/17. WHITE, S.A. Tennessee Valley Authority. 2pp. 43923:313-43923:343.
- 8801040145 Exam Rept 50-259/OL-87-03 on 871117-18. Exam results: one reactor operator & senior reactor operator passed exam. Rept for all three units. PAYNE, D.C., BROCKMAN, K.E. Oic of Special Projects. 87/12/03. 28pp. 43923:315-43923:343.
- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bessong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:038.
- 8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO otrs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Oic of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

- 8801110251 Revised emergency plan procedures, including Rev 15 to PEP-301, "In-Utl Dose Projections" & Rev 16 to PEP-402, "Radioactive Source Term Release Estimates Based on Direct Radiation Monitor Readings." W/880104 ltr. MORGAN, R.E. Carolina Power & Light Co. 88/01/04. 12pp. 43971:262-43971:273.
- 8801200185 Forwards final rept of FW Victor of BNWL participation in plant 871006 emergency preparedness exercise. Control room & technical support ctr discussed. JAMISON, J.D. Battelle Memorial Institute, Pacific Northwest Laboratories. 88/01/08. TESTA, E. Region 2, Oic of the Director. 8pp. 44052:156-44052:163.
- 8801250300 Conveys results & conclusions re NRR regulatory effectiveness review on 871207-11. Purpose of program to assure that safeguards implemented at licensed power reactors meet NRC performance objectives. Rept withheld. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 88/01/19. UTLEY, E.E. Carolina Power & Light Co. 4pp. 44115:256-44115:259.
- 8801270089 Advises that 871209 Rev 17 to emergency plan consistent w/ provisions of 10CFR50.47(b) & acceptable. COLLINS, D.M. Region 2, Oic of the Director. 88/01/20. UTLEY, E.E. Carolina Power & Light Co. 1p. 44168:327-44168:327.

P. Operating license stage documents & correspondence

- 8801070318 Informs of necessary changes to DCRDR & Reg Guide 1.97 programs discussed in 841231 & 860923 submittals, respectively. RICHIE, R.B. Carolina Power & Light Co. 87/12/29. Document Control Branch (Document Control Desk). 2pp. 43998:189-43998:190.
- 8801070205 Notification of 880106 meeting w/ Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Geneco Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.
- 8801120421 Forwards suppt to "DB-50 Breaker Interrupt Accident Sequence Analysis for Unit 2 Electrical Distribution Sys." per 870521 commitment. Rept supports estimates of low risk significance of accident sequences involving large fault currents. ZIMMERMAN, S.R. Carolina Power & Light Co. 88/01/06. Document Control Branch (Document Control Desk). 1p. 43990:155-43990:166.
- 8801120427 Suppl to "DB-50 Breaker Interrupt Accident Sequence Analysis for Unit 2 Electrical Distribution Sys." human reliability analysis of dedicated shutdown sys. MOXLEY, J.C., OLIVER, J.E., HAMMOND, J.G. Carolina Power & Light Co. 87/11/30. 10pp. 43990:157-43990:166.
- 8801140094 Forwards safety evaluation accepting utl 870417 proposal to implement surveillance procedures re automatic bus transfer feature of auxiliary feedwater sys. NUREG-0737, Open Item II.E.1.2. ECCLESTON, K.T. Project Directorate II-1. 88/01/06. UTLEY, E.E. Carolina Power & Light Co. 6pp. 44033:177-44033:182.
- 8801140044 Forwards safety evaluation accepting utl 870320 submittal of Rept. XN-NF-87-17, "Mechanical Design Rept for H.B. Robinson Extended Burnup Assemblies." ECCLESTON, K.T. Project Directorate II-1. 88/01/07. UTLEY, E.E. Carolina Power & Light Co. 2pp. 44033:114-44033:119.
- 8801140045 Safety evaluation supporting utl Topical Rept XN-NF-87-17, "Mechanical Design Rept for H.B. Robinson Extended Burnup Assemblies." * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/07. 4pp. 44033:116-44033:119.

190230 Requests into provide assessment of impact of changes to station electrical distribution sys voltages on utility PRA of short circuit interruption capability of DB-50 breakers.
COLESTON,K.T. Project Directorate II-1. 88/01/13. UTLEY,E.E. Carolina Power & Light Co. 3pp. 44055:359-44055:361.

1190131 Forwards request for add info re safety injection Pump B auto transfer scheme. Response requested within 30 days of ltr receipt. Concern expressed that existence of configuration may compromise independence of power sources.
COLESTON,K.T. Project Directorate II-1. 88/01/14. UTLEY,E.E. Carolina Power & Light Co. 4pp. 44053:001-44053:004.

1260007 Application for amend to License DPR-23, revising Tech Specs to increase plant nuclear safety committee quorum requirements to chairman & four members & incorporating page inadvertently omitted from 870309 request. Fee paid.
URY,L.W. Carolina Power & Light Co. 88/01/20. Document Control Branch (Document Control Desk). 2pp. 44128:351-44128:354.

301260010 Proposed Tech Spec 6.5.1.8.6, changing quorum of plant nuclear safety committee from chairman & three members to chairman & four members & Page 6.7 re safety limit violation.
General Public Utilities Corp. - GPU Service Corp. 88/01/20. 2pp. 44128:353-44128:354.

Inspection reports, IE Bulletins & correspondence

12180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

12170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:016.

712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:184-44038:286.

880110379 Forwards Insp Rept 50-261/87-35 on 871130-1204. No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/12/31. UTLEY,E.E. Carolina Power & Light Co. 2pp. 44000:020-44000:041.

880110394 Insp Rept 50-261/87-35 on 871130-1204. No violations or deviations noted. Major areas inspected: primary coolant sys pressure isolation valves, svc water piping degradation, IE bulletins & notices & inspector followup items.
KLEINSORGE,W.P., NEWSOME,R.W., BLAKE,J.J. Region 2, Ofc of the Director. 87/12/23. 20pp. 44000:022-44000:041.

880105034 Suppl 1 to NRC Info Notice 88-061, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:183.

8801130229 Ack receipt of 871018 ltr & payment for civil penalty proposed by NRC in 870918 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/01/11. UTLEY,E.E. Carolina Power & Light Co. 1p. 44000:107-44000:107.

8801270028 Forwards Requalification Exam Rept 50-261/OL-87-03 on 871214-17. Results of exam will be used in assigning overall program rating after administration of next requalification exam.
JULIAN,C.A. Region 2, Ofc of the Director. 88/01/12. UTLEY,E.E. Carolina Power & Light Co. 2pp. 44141:314-44142:119.

8801270037 Exam Rept 50-261/OL-87-03 on 871214-17. Exam results: all operators passed written exams. All four senior reactor operators & three of four reactor operators passed operating test. Both crews rated satisfactory during simulator exam.
CASTO,C.A., MUNRO,J.F. Region 2, Ofc of the Director. 88/01/12. 164pp. 44141:316-44142:119.

R. Periodic operating reports & related correspondence

8801150219 Monthly operating rept for Dec 1987. W/880107 ltr.
FRAZIER,V.E., MORGAN,R.E. Carolina Power & Light Co. 87/12/31. 3pp. 44062:186-44062:188.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44119:166.

880120028 Forwards Requalification Exam Rept 50-261/OL-87-03 on 871214-17. Results of exam will be used in assigning overall program rating after administration of next requalification exam.
JULIAN,C.A. Region 2, Ofc of the Director. 88/01/12. UTLEY,E.E. Carolina Power & Light Co. 2pp. 44141:314-44142:119.

8801270037 Exam Rept 50-261/OL-87-03 on 871214-17. Exam results: all operators passed written exams. All four senior reactor operators & three of four reactor operators passed operating test. Both crews rated satisfactory during simulator exam.
CASTO,C.A., MUNRO,J.F. Region 2, Ofc of the Director. 88/01/12. 164pp. 44141:316-44142:119.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

8801060187 Forwards Rev 23 to security plan Rev withheld (ref 10CFR73.21).
LARSON,C.E. Northern States Power Co. 87/12/29. Region 3, Ofc of the Director. 1p. 43918:117-43918:117.

880110430 Forwards Safety Insp Rept 50-263/87-15 on 871008-1207 & notice of violation.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/12/31. LARSON,C.E. Northern States Power Co. 2pp. 43971:138-43971:148.

8801110436 Notice of violation from Insp on 871008-1207. Violation noted. Fire Door 18 inoperable for greater than 1 h w/o continuous fire watch.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/12/31. 2pp. 43971:138-43971:139.

8801140033 Forwards Safeguards Insp Rept 50-263/87-17 on 871118-1221. Violations noted. Violations show lack of attention to detail re personnel access control program & other areas.
HIND,J.A. Region 3, Ofc of the Director. 88/01/06. LARSON,C.E. Northern States Power Co. 2pp. 44039:043-44039:046.

8801140066 Partially withheld Physical Security Insp Rept 50-263/87-17 on 871118-1221 (ref 10CFR73.21). Violations noted. Major areas inspected: review of licensee mgt effectiveness, security program audit & records & repts, testing & maint.
KNICELEY,J.R., PIRTLE,G.L., CREED,J.R. Region 3, Ofc of the Director. 88/01/06. 2pp. 44039:045-44039:046.

8801200039 Ack receipt of 871228 ltr forwarding Rev 23 to plant security plan, per 10CFR50.64(p). Proposed changes may have safety or policy implications requiring headquarters level action. Changes submitted to NRC.
MALLET,T.B.S. Region 3, Ofc of the Director. 88/01/12. LARSON,C.E. Northern States Power Co. 2pp. 44052:287-44052:288.

P. Operating license stage documents & correspondence

8801120090 Forwards Info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS,R.A. Resource Technical Services, Inc. NRC 26-87-417. 87/12/18. JOHNSON,E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801070389 Forwards corrected Tech Spec Page 230 to 871125 Amend 54 to License DPR-22, revising Tech Specs to reflect changes supported by analysis for reload justifying Cycle 13 operation. Words "or hafnium" inadvertently omitted.
DIANNI,D.C. Project Directorate III-3. 87/12/23. MUSOLF,D.M. Northern States Power Co. 2pp. 43945:271-43946:273.

8801070392 Errata to Amend 54 to License DPR-22, correcting Tech Spec Page 230 by including words "or hafnium" in Section 5.2B.
* NRC - No Detailed Affiliation Given. 87/12/23. 1p. 43945:273-43945:273.

8801120115 Forwards Rev 1 to 870814 application for amend to License DPR-22, consisting of alteration to proposed changes re senior reactor operator license requirements for mgt & support staff.
MUSOLF,D. Northern States Power Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 43990:195-43990:208.

8801120124 Rev 1 to 870814 application for amend to License DPR-22, requesting changes to Tech Specs re senior reactor operator license requirements for mgt & support staff.
MUSOLF,D. Northern States Power Co. 87/01/04. 5pp. 43990:196-43990:200.

8801120127 Revised proposed Tech Specs re senior reactor operator requirements for mgt & support staff.
* Northern States Power Co. 88/01/04. 6pp. 43990:201-43990:208.

8801190231 Forwards safety evaluation accepting installation of plant hydrogen water chemistry sys to mitigate IGSCC of piping sys, per util 870410, 0928 & 1030 submittals.
DIANNI,D.C. Project Directorate III-3. 88/01/07. MUSOLF,D.M. Northern States Power Co. 3pp. 44055:161-44055:169.

8801190237 Safety evaluation supporting installation of hydrogen water chemistry sys. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/07. 6pp. 44055:164-44055:169.

8801260056 Forwards errata to Amend 56 to License DPR-22, consisting of corrected Page 93 to Tech Specs re standby liquid control sys.
DIANNI,D.C. Project Directorate III-3. 88/01/12. MUSOLF,D.M. Northern States Power Co. 2pp. 44130:121-44130:123.

8801260061 Errata to Amend 56 to License DPR-22, consisting of corrected Page 93 to Tech Specs re standby liquid control sys.
* NRC - No Detailed Affiliation Given. 88/01/12. 1p. 44130:123-44130:123.

8801270568 Informs of recent organization change within Div of Reactor Projects J. Stefano assigned as new NRR project manager. D. Dillman will serve as backup project manager. Facility transferred to author directorate.
V. RIGLIO, M.J. Project Directorate III-1. 88/01/22. MUSOLF, D.M. Northern States Power Co. 1p. 44166.009-44156.009.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153.124.

8712170118 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712310027 Forwards Insp Rept 50-263/87-18 on 871116-20. No violations noted.
SHAFFER, W.D. Region 3, OIC of the Director. 87/12/23. LARSON, C.E. Northern States Power Co. 2pp. 43963.280-43963.294.

-8712310030 Insp Rept 50-263/87-18 on 871116-20. No violations or deviations noted. Major areas inspected: radiation protection, including organization & mgmt control, audits, training & qualification of personnel & exposure controls.
GRANT, W.B., GREGER, L.R. Region 3, OIC of the Director. 87/12/23. 13pp. 43963.282-43963.294.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8712290165 NRC Info Notice 87-086, "Inappropriate Application of Commercial Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801110430 Forwards Safety Insp Rept 50-263/87-15 on 871008-1207 & notice of violation.
GULDEMOND, W.G. Region 3, OIC of the Director. 87/12/31. LARSON, C.E. Northern States Power Co. 2pp. 43971.138-43971.148.

-8801110436 Notice of violation from Insp on 871008-1207. Violation noted. Fire Door 18 inoperable for greater than 1 hr w/o continuous fire watch.
GULDEMOND, W.G. Region 3, OIC of the Director. 87/12/31. 2pp. 43971.138-43971.139.

-8801110452 Insp Rept 50-263/87-15 on 871008-1207. Violations noted. Major areas inspected: previous Insp findings, operational safety verification, maint surveillance, mail conditions of instruments isolation valves & refueling activities.
JACKWIN, J.N. Region 3, OIC of the Director. 87/12/29. 10pp. 43971.140-43971.149.

8801140033 Forwards Safeguards Insp Rept 50-263/87-17 on 871116-1221. Violations noted. Violations show lack of attention to detail re personnel access control program & other areas.
HIND, J.A. Region 3, OIC of the Director. 88/01/06. LARSON, C.E. Northern States Power Co. 2pp. 44039.043-44039.046.

-8801140066 Partially withheld Physical Security Insp Rept 50-263/87-17 on 871116-1221 (ref 10CFR73.21). Violations noted. Major areas inspected: review of licensee mgmt effectiveness security program audit & records & rep, testing & maint.
KNICELEY, J.R., PIRTELL, G.L., CREED, J.R. Region 3, OIC of the Director. 88/01/06. 2pp. 44039.045-44039.046.

8801050334 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morris MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801200158 Forwards Safety Insp Rept 50-263/87-16 on 871102-05 & 16-19 & 1229-30. No violations noted.
HARRISON, J.J. Region 3, OIC of the Director. 88/01/11. LARSON, C.E. Northern States Power Co. 2pp. 44058.183-44058.190.

-8801200199 Insp Rept 50-263/87-16 on 871102-05 & 16-19 & 1229-30. No violations noted. Major areas inspected: service Insp work activities, training & qualification effectiveness & facility. Modes 73501, 73502, 73765, 73766, 41400, 37701 & 65705.
JONES, D.E., DANIELSON, D.H. Region 3, OIC of the Director. 88/01/11. 6pp. 44058.185-44058.190.

S. Reportable occurrences, LERs & related correspondence

8712280067 LER 87-022-00 on 871112. Latches on two fire doors made inoperable by tape. Caused by inadequacies in procedure & training. Tape removed, training program will be upgraded & radiation protection procedure will be revised.
IVERSON, O.N., MUSOLF, D. Northern States Power Co. 87/12/14. 4pp. 43893.179-43893.182.

8712290098 LER 87-024-00 on 871121. Svc water discharge pipe gross radioactivity monitor inoperative & sampling missed. Caused by personnel error. Personnel counseled re proper shift turnover & surveillance verification. W/871223 ltr.
PEPPER, E., MUSOLF, D. Northern States Power Co. 87/12/21. 4pp. 43893.065-43893.068.

8712290093 LER 87-021-00 on 871124. ESF actuations occurred due to improper jumper placement during preoperational testing. Caused by personnel error. Add training & posting of relay drawings planned & fuses changed. W/871223 ltr.
PORTER, S.R., MUSOLF, D. Northern States Power Co. 87/12/23. 4pp. 43893.048-43893.049.

8712310239 LER 87-023-00 on 871125. Crack discovered in 2-inch decontamination connection on reactor recirculation sys. A loop caused by high cycle fatigue. Decontamination connection modified. W/871228 ltr.
LAVALLE, T.A., MUSOLF, D. Northern States Power Co. 87/12/28. 5pp. 43898.224-43898.228.

V. Operator Examinations

8801140011 Confirms arrangements for written & oral exams scheduled for wk of 880228, per telcon. Requirements for conducting exams, rules & guidance to be in effect during exams & requirements for facility review of written exam encl.
WRIGHT, G.C. Region 3, OIC of the Director. 88/01/06. LARSON, C.E. Northern States Power Co. 6pp. 44043.265-44043.270.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.

GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801201336 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, OIC of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118.159-44118.160.

DOCKET 50-284 DOW CHEMICAL CO.

F. Security, medical, emergency & fire protection plans

8801270059 Advises that 880107 rev to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Encl to 880107 ltr contains proprietary info & being protected against unauthorized disclosure (ref 10CFR2.790(d)).
MALLET, B.S. Region 3, OIC of the Director. 88/01/14. RAMPY, L.W. Dow Chemical Co. 2pp. 44141.283-44141.284.

DOCKET 50-266 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801200214 Forwards notice of environ assessment & finding of no significant impact re exemptions from 10CFR50, App R requirements.
ROSS, T.M. Project Directorate III-2. 88/01/12. BUTTERFIELD, L. Commonwealth Edison Co. 2pp. 44066.325-44066.336.

-8801200229 Notice of environ assessment & finding of no significant impact re exemptions from 10CFR50, App R requirements.
MULLER, D.R. Project Directorate III-2. 88/01/12. 4pp. 44066.327-44066.330.

8801210146 Forwards Rev 21 to security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions, including manual logging when card key access not functional. Rept withheld (ref 10CFR73.21).
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44163.220-44163.220.

J. Insurance & Indemnity Information

8801200599 Forwards Endorsements 8.6.5 & 3 to NELIA Policies N-1, N-2, N-3, N-29, N-30, N-42, N-43, N-71, N-83, N-93, N-101 & N-108 & MAELU Policies M-2, M-3, M-20, M-30, M-42, M-43, M-71, M-83, M-93, M-101 & M-108.
OSTER, J. Commonwealth Edison Co. 88/01/19. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44247.198-44247.221.

P. Operating license stage documents & correspondence

8801080028 Informs that acoustic monitoring & containment hydrogen analyzers commitments for completion of equipment qualification program similar to commitments of other Reg Guide 1.97 mods.
JOHNSON, I.M. Commonwealth Edison Co. 87/05/29. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43895.284-43895.285.

8712300098 Application for amends to Licenses DPR-29 & DPR-30, changing Tech Specs to revise trip setpoint for refueling floor radiation monitors & authorization level for approving changes to plant operating procedures. Fee paid.
JOHNSON, I.M. Commonwealth Edison Co. 87/12/22. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43898.240-43898.261.

-8712300100 Proposed Tech Specs revising trip setpoint for refueling floor radiation monitors & authorization level for approving changes to plant operating procedures under Tech Spec Section 8.2.
Commonwealth Edison Co. 87/12/22. 10pp. 43898.242-43898.251.

8801040219 Repts status of program to resolve apparent discrepancies between as-built & as-analyzed condition of Mark I piping. Future NRC status repts should continue to be issued monthly.
JOHNSON, I.M. Commonwealth Edison Co. 87/12/22. DAVIS, A.B. Region 3, OIC of the Director. 2pp. 43962.288-43962.289.

8801050469 Forwards Info re possibility & effect of postulated dc power failure, per 871221 telcons. Solutions w/schedule for implementation will be submitted within 60 days.
SILADY, J.A. Commonwealth Edison Co. 87/12/22. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43961.111-43961.120.

Advises of intent to utilize Bochtel Topical Rept. BN-TOP-1 testing method. If plants.
1. P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Control Desk). 1p. 43986.005-43986.005.

1. Informs that no changes, tests or experiments completed during Dec 1987. Who stated encls.

1. A. Commonwealth Edison Co. 87/12/31. SNIEZEK, J.H. Office of Nuclear Regulation, Director (Post 870411). 1p. 44094.351-44094.351.

9. Summarizes discussions between NRC Region III & unit re safety-related item of 24/48 ventilation duct chase power supply sys & recommends sys item.
Project Directorate III 2. 88/01/14. BUITERFIELD, L. Commonwealth Edison 44091.351-44091.353.

18. Informs that Revs 42-48 of QA Topical Rept CE-1-A acceptable per 0, App B.
1. G.C. Region 3, Ofc of the Director. 88/01/20. REED, C. Commonwealth Edison Co. 2pp. 44125.108-44125.109.

11. Reports, IE Bulletins & correspondence

07. Responds to NRC 870801 ltr re violations noted in Insp Repts 50-254/87-0-265/87-11. Corrective actions: add documentation that established qualification of Parker Super-O Lube lubricant obtained.
K.M.S. Commonwealth Edison Co. 87/10/01. DAVIS, A.B. Region 3, Ofc of the Director. 3pp. 44029.293-44029.295.

288. Responds to NRC 871015 ltr re violations noted in Insp Repts 50-254/87-0-265/87-19. Corrective actions: Procedure COP 201-B written to remove water reactor vessel during cold shutdown.
N.P. Commonwealth Edison Co. 87/11/13. DAVIS, A.B. Region 3, Ofc of the Director. 4pp. 44092.202-44092.209.

369. NRC Info Notice 87-084, "Conviction for Falsification of Security Training Tests." Svc list encl.
1. C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

1397. Responds to NRC 871123 ltr re violations noted in Insp Repts 50-254/87-0-265/87-25.
K.M.S. Commonwealth Edison Co. 87/12/22. DAVIS, A.B. Region 3, Ofc of the Director. 3pp. 44040.011-44040.013.

0118. NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
1. C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

0256. Documents conversations between author & R Kiesel & M Ring during wks 1207 & 14 re status of implementation of IE Bulletin 85-003. Action items C & D listed for all facilities except Quad Cities. Completion schedule listed.
1. GAN, W.E. Commonwealth Edison Co. 87/12/23. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44041.053-44041.055.

30003. Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
1. S.I.C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

80184. Forwards Safety Insp Repts 50-254/87-24 & 50-265/87-24 on 870913-8. No violations noted.
1. GHT, G.C. Region 3, Ofc of the Director. 87/12/28. REED, C. Commonwealth Edison Co. 2pp. 43980.323-43980.335.

1080173. Insp Repts 50-254/87-24 & 50-265/87-24 on 870913-1208. No violations deviations noted. Major areas inspected: containment integrated leak rate test (RT) procedure, CILRT performance witnessing & CILRT results.
NDEZ, R., PHILLIPS, M.P. Region 3, Ofc of the Director. 87/12/29. 11pp. 430.326-43980.335.

290155. NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
1. S.I.C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

300091. NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
1. S.I.C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

1250586. Responds to NRC 871204 ltr re violations noted in Insp Repts 50-254/87-1 & 50-265/87-31. Corrective actions: all SCREs, shift engineers & operating engineers received documented "Immediate notification awareness" training.
1. UTTERFIELD, L. Commonwealth Edison Co. 88/01/04. DAVIS, A.B. Region 3, Ofc of the Director. 4pp. 44112.323-44112.328.

1050394. Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Wood & Morris MSIVs." Svc list encl.
1. OSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

11140367. Forwards response to NRC 871106 Bulletin 87-002 requesting licensees to review receipt Insp requirements & internal controls for fasteners & to independently determine through testing if fasteners meet mechanical/chemical specs.
1. MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS, A.B. Region 3, Ofc of the Director. 250pp. 44045.317-44045.232.

01210030. Forwards verification of completion of program re switch settings, per IE Bulletin 85-003. Validity of calculations not fully confirmed. Response to concerns noted in Insp Repts 50-237/87-33 & 50-249/87-32 contained in Encl A.
1. MORGAN, W.E. Commonwealth Edison Co. 88/01/15. DAVIS, A.B. Region 3, Ofc of the Director. 107pp. 44086.159-44086.265.

R. Periodic operating reports & related correspondence

8712280072. Monthly performance repts for Nov 1987. W/871202 ltr.
1. SCHMIDT, K., ROBEY, R.A. Commonwealth Edison Co. 87/11/30. 23pp. 43894.001-43894.023.

8801220234. Monthly performance repts for Dec 1987. W/871231 ltr.
1. DEELSNYDER, L., ROBEY, R.A. Commonwealth Edison Co. 87/12/31. 23pp. 44159.091-44159.113.

V. Operator Examinations

8801200231. Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PCR Addl records also available in PCR under Bossong FOIA-87-204.
1. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

--8510280509. Trip rpt of visit to INPO accreditation board 850924-28 meetings. Board process & plant visits well conceived & executed. NRC participation in all accreditation board meetings unnecessary.
1. BOCHNER, H.R. Licensee Qualifications Branch. 85/10/17. RUSSELL, W.T. Division of Human Factors Safety (800428-851124). 3pp. 44118.197-44118.199.

--8801220136. Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO site in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
1. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-286 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8801040057. Confirms 880105 & 08 site visit to tour emergency response facilities, per 871214 ltr. Licensees not expected to backfit to provide increased facility space. Outline of areas to be reviewed encl.
1. SNELL, W. Region 3, Ofc of the Director. 87/12/24. STEVENS, D. Wisconsin Electric Power Co. 2pp. 43983.043-43983.044.

8801140378. Requests identification of special circumstances to support 880611 request for exemption from 10CFR50, APP R, Section III.G.3.b re component cooling water HX & boric acid tank room & computer & instrument rack room.
1. WAGNER, D.H. Project Directorate III-3. 88/01/04. FAY, C.W. Wisconsin Electric Power Co. 3pp. 44031.127-44031.129.

8801130080. Forwards FEMA 871207 ltr discussing evaluation of alert & notification sys for plant alert & notification sys satisfies criteria of NUREG-0854/FEMA-REP-1, Rev 1 & FEMA-REP-10.
1. SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/05. FAY, C.W. Wisconsin Electric Power Co. 2pp. 44031.016-44031.242.

--8712310282. Forwards FEMA 871207 ltr re evaluation of alert & notification sys to be transmitted to licensees.
1. MATTHEWS, D.B. Emergency Preparedness Branch. 87/12/22. HIND, J.A. Region 3, Ofc of the Director. 1p. 44001.018-44001.242.

8801120295. Forwards rev to modified amended security plan, per NRC 871021 request. Rev withheld (rel 10CFR2, 50.70 & 73).
1. CASSIDY, T.J. Wisconsin Electric Power Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 43986.287-43986.287.

8801200046. Forwards Safety Insp Repts 50-266/87-22 & 50-301/87-23 on 871101-1215. No violations noted.
1. GULDEMOND, W.G. Region 3, Ofc of the Director. 88/01/12. FAY, C.W. Wisconsin Electric Power Co. 2pp. 44052.287-44052.296.

--8801200069. Insp Repts 50-266/87-22 & 50-301/87-23 on 871101-1215. No violations or deviations noted. Major areas inspected: operational safety, maint, surveillance, physical security, radiological protection, outages & containment integrity.
1. HAQUE, R.I., LEEMON, R.J., DEFAYETTE, R. Region 3, Ofc of the Director. 88/01/06. 8pp. 44052.288-44052.296.

8801190294. Responds to violations noted in Insp Repts 50-266/87-07 & 50-301/87-07. Corrective actions encl. "Technical Evaluation of Fire Dampers Tests at Point Beach Nuclear Plant," developed.
1. FAY, C.W. Wisconsin Electric Power Co. 88/01/13. Document Control Branch (Document Control Desk). 22pp. 44064.072-44064.092.

J. Insurance & indemnity information

8801260200. Forwards Endorsements 88 & 88 to NELA Policy NF-178, Endorsements 72 & 73 to MAELU Policy MF-53. Endorsement 8 to NELA Certificates N-18 & N-19 & Endorsement 8 to MAELU Certificates M-18 & M-19, respectively.
1. DUNDAS, W.J. Wisconsin Electric Power Co. 88/01/20. NRC - No Detailed Affiliation Given. 13pp. 44123.135-44123.147.

P. Operating license stage documents & correspondence

8801040426. Discusses util program of accident reanalysis to support amend to increase Tech Spec core power peaking factors. Proposed schedule for increased peaking factor reanalysis & approval encl.
1. FAY, C.W. Wisconsin Electric Power Co. 87/12/22. Document Control Branch (Document Control Desk). 6pp. 43982.170-43982.176.

- 8901200390 "Final Rept on Fort St Vrain 871002-03 Fire."
DENDER, W.M., GRAMLING, J.M. Pueblo Service Co. of Colorado. 88/01/14, 530
44057-268-44057-321.

DOCKETED ITEMS

8801200442 Forwards Insp Rept 50-267/87-25 on 871018-1121 & notice of violation. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/15. WILLIAMS, R.O. Public Service Co. of Colorado. 2pp. 44058:265-44058:278.

-8801200445 Notice of violation from Insp on 871018-1121. Violation noted: failure to make mgt notifications required by medical emergency plan.
* Region 4, Ofc of the Director. 88/01/15. 1p. 44058:267-44058:267.

-8801200450 Insp Rept 50-267/87-25 on 871018-1121. Violation noted: Major areas inspected: operational safety, verification, monthly surveillance observation, monthly maint observation, security, radiological protection & design control. FARRELL, R.E., MICHAUD, P.W., WESTERMAN, T.F. Region 4, Ofc of the Director. 88/01/06. 9pp. 44058:268-44058:278.

8801260424 Forwards updated schedule of App R mods. Installation of emergency lighting delayed due to problems associated w/ installation of batteries. Sys will be functional by 880301. WAREMBOURG, D.W. Public Service Co. of Colorado. 88/01/15. CALVO, J.A. Project Directorate IV. 5pp. 44128:302-44128:306.

1. Operating license stage documents & correspondence

-8801070284 Requests release of encl draft document re summary of 871202-03 meeting to NRC & LPDRs. HEITNER, K.L. NRC - No Detailed Affiliation Given. 87/12/31. NRC - No Detailed Affiliation Given. 14pp. 43952:190-43952:203.

880120205 Summarizes util commitments & revised target dates for providing back-EMF testing program data. Insufficient info currently available due to slippage from circulator & fire recovery outages. WAREMBOURG, D.W. Public Service Co. of Colorado. 88/01/04. CALVO, J.A. Project Directorate IV. 4pp. 43990:228-43990:231.

8801190119 Notification of 880127 meeting w/ util & Stato of CO in Platteville, CO to discuss potential decommissioning of facility. Meeting agenda also encl. HEITNER, K.L. Project Directorate IV. 88/01/11. CALVO, J.A. Project Directorate IV. 3pp. 44052:352-44052:364.

8801280532 Notification of cancelled 880127 meeting w/ util at plant site to discuss potential decommissioning of facility. Meeting will be rescheduled. HEITNER, K.L. Project Directorate IV. 88/01/11. CALVO, J.A. Project Directorate IV. 1p. 69177:257-69177:257.

8801200348 Summary of 881202-03 meeting w/ util, INEL & ORNL re status of Tech Spec upgrade program. Meeting attendees & listed ref encl. HEITNER, K.L. Project Directorate IV. 88/01/12. CALVO, J.A. Project Directorate IV. 14pp. 44001:103-44001:116.

8801201194 Partial response to FOIA request. App G documents already available in PDR. App H documents re INPO accreditation training, encl & available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095:001-44095:088.

8812040318 Summary of attendance at INPO Accreditation Board 881119 & 20 meetings in Atlanta, GA re training programs. Agenda encl. ZERBE, J.E. Regional Operations & Generic Requirements, EDO (Pre 870413). 88/11/24. SNIEZEK, J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 4pp. 44095:077-44095:080.

8801270029 Forwards "Rept of Helium Circulator S/N C-2101 & Inlet Piping S/N 2001 Repair & Mod Activities," per commitment in 870921 ltr. Insp findings & proposed Tech Spec amend to be submitted 6 months following removal of circulator for Insp. WILLIAMS, R.O. Public Service Co. of Colorado. 88/01/22. CALVO, J.A. Project Directorate IV. 4pp. 44142:333-44143:090.

8801270035 "Rept of Helium Circulator S/N C-2101 & Inlet Piping S/N 2001 Repair & Mod Activities." JOHNSON, D.S., MAYER, E.L., WAREMBOURG, D.W. Public Service Co. of Colorado. 88/01/22. 40pp. 44142:337-44143:080.

8801270045 "Metallurgical Analysis of Components from Helium Circulator C-2101." HELLMER, R.L., DUPONT, E.J. Public Service Co. of Colorado. 138. 87/12/14. 71pp. 44143:017-44143:083.

8801270050 "Helium Circulator Insp Schedule."
* Public Service Co. of Colorado. 88/01/22. 7pp. 44143:084-44143:090.

2. Inspection reports, IE Bulletins & correspondence

***12160369** NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

***12170119** NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

***12230003** Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:267.

***12290155** NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

***12300091** NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801120417 Responds to NRC 871204 ltr re violations noted in Insp Rept 50-267/87-25. Corrective actions backlog of temporary configuration repts eliminated & repts incorporated into overall design change improvements. WILLIAMS, R.O. Public Service Co. of Colorado. 88/01/04. Document Control E (Document Control Desk). 10pp. 43990:338-43990:347.

8801130119 Forwards Safeguards Insp Rept 50-267/87-29 on 871102-08. Violation noted: Notice of violation & details withheld (ref 10CFR2.790). CALLAN, L.J. Region 4, Ofc of the Director. 88/01/07. WILLIAMS, R.O. Public Service Co. of Colorado. 2pp. 44039:077-44039:079.

-8801130121 Partially withheld Insp Rept 50-267/87-29 on 871102-08. 10CFR2.721. Violations noted: Major areas inspected: mgt effectiveness, security organization, security audits, record & repts, testing & maint & physical barrier areas. EARNEST, A.B., YANDELL, L.A. Region 4, Ofc of the Director. 87/12/31. 44039:079-44039:079.

8801130208 Responds to NRC 871210 ltr re violations noted in Insp Rept 50-267/87-29. Corrective actions: stickers used on tone alert radios indicating min of two w/ phone numbers & applicable hours to report radio problems being ordered. WILLIAMS, R.O. Public Service Co. of Colorado. 88/01/08. Document Control B (Document Control Desk). 4pp. 44000:262-44000:265.

8801140008 Ack receipt of 871214 ltr informing NRC of steps taken to correct data noted in Insp Rept 50-267/87-28. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/08. WILLIAMS, R.O. Public Service Co. of Colorado. 2pp. 44043:278-44043:285.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Spring Atwood & Morris MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/08. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801200442 Forwards Insp Rept 50-267/87-25 on 871018-1121 & notice of violation. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/15. WILLIAMS, R.O. Public Service Co. of Colorado. 2pp. 44058:265-44058:278.

-8801200445 Notice of violation from Insp on 871018-1121. Violation noted: failure to make mgt notifications required by medical emergency plan.
* Region 4, Ofc of the Director. 88/01/15. 1p. 44058:267-44058:267.

-8801200450 Insp Rept 50-267/87-25 on 871018-1121. Violation noted: Major areas inspected: operational safety, verification, monthly surveillance observation, monthly maint observation, security, radiological protection & design control. FARRELL, R.E., MICHAUD, P.W., WESTERMAN, T.F. Region 4, Ofc of the Director. 88/01/06. 9pp. 44058:268-44058:278.

8801270080 Requests that performance enhancement program status report be changed to annually, per 870804 meeting w/ NRC, re SALP rept. Next rept will be mailed to NRC on or before 880831. BREY, H.L. Public Service Co. of Colorado. 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44141:039-44141:040.

3. Periodic operating reports & related correspondence

8801070114 "Technical Assistance to Region IV (Fort St. Vrain)," monthly business rept for Oct 1987. BOHL, R.J. Los Alamos National Laboratory. FIN A-7552. 87/12/14. JOHNSON, R. Region 4, Ofc of the Director. 4pp. 43999:278-43999:279.

8801060188 Forwards monthly status rept for 871101-1211. Rept addresses recall from turbine bldg fire on 871002-03. MARTIN, R.D. Region 4, Ofc of the Director. 87/12/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43962:048-43962:050.

8801200363 Monthly Operating Rept 167 for Dec 1987 w/ 880115 ltr. NOVACHEK, F.J., WILLIAMS, R.O. Public Service Co. of Colorado. 87/12/31. 44106:224-44106:232.

8801120320 Forwards "PCRV Tendon Interim Surveillance Rept." NRC concurrently implement revised tendon surveillance program described in 870720 ltr re WAREMBOURG, D.W. Public Service Co. of Colorado. 88/01/08. CALVO, J.A. Project Directorate IV. 2pp. 43990:271-43990:300.

-8801120322 "PCRV Tendon Interim Surveillance Rept." w/ four oversize drawings
* Public Service Co. of Colorado. 88/01/31. 28pp. 43990:273-43990:300.

4. Reportable occurrences, LERs & related correspondence

8801120084 Responds to 871012 ltr re interpretation of 10CFR50.72 & 50.73 regulatory requirements for partial spurious reactor scrams during shutdown. All but planned actuations should be reported. HEITNER, K.L. Project Directorate IV. 88/01/05. WILLIAMS, R.O. Public Service Co. of Colorado. 4pp. 44092:094-44092:097.

8801120043 LER 87-028-00 on 871207, reserve auxiliary transformer tripped causing loss of outside electrical power. Caused by deficient test procedure due to personnel error. Deficient test procedure corrected w/ 880108 ltr. JOSEPH, M.A., WILLIAMS, R.O. Public Service Co. of Colorado. 88/01/08. 144044:101-44044:110.

8801120083 LER 87-029-00 on 871207 & 08, reactor scram actuations received on wide range channel neutron flux rate of change high. Caused by electrical noise on incorrect landing of lead. Lead relocated properly w/ 880108 ltr. JOSEPH, M.A., WILLIAMS, R.O. Public Service Co. of Colorado. 88/01/08. 44030:207-44030:213.

8801130129 Forwards response to NRC 870903 request for addl info re LER 88-01-871109 telcon. Background design info on bearing water sys & clarification of corrective actions in LER 88-017 encl. WILLIAMS, R.O. Public Service Co. of Colorado. 88/01/08. CALVO, J.A. Project Directorate IV. 8pp. 44046:248-44046:255.

8801270355 Forwards addl info re LER 86-017, per 871109 telcon. Background design info on bearing water sys & clarification of corrective actions, including electrical grid analysis encl. W/fo encl. WILLIAMS, R.O. Public Service Co. of Colorado. 88/01/08. CALVO, J.A. Region 4, Ofc of the Director. 2pp. 44145:198-44145:199.

8801190241 LER 87-030-00 on 871213, Tech Spec surveillance ESR 8.1.1-A-M for radiation monitors not completed within required interval. Caused by personnel error. Scheduling technician instructed on proper procedures. W/880112 ltr. JOSEPH, M.A., WILLIAMS, R.O. Public Service Co. of Colorado. 88/01/12. 6pp. 44062:354-44062:359.

8801270029 Forwards "Rept of Helium Circulator S/N C-2101 & Inlet Piping S/N 2001 Repair & Mod Activities," per commitment in 870921 ltr. Insp findings & proposed Tech Spec amend to be submitted 8 months following removal of circulator for insp. WILLIAMS, R.O. Public Service Co. of Colorado. 88/01/22. CALVO, J.A. Project Directorate IV. App. 44142:333-44143:090.

8801270035 "Rept of Helium Circulator S/N C-2101 & Inlet Piping S/N 2001 Repair & Mod Activities." JOHNSON, D.S., MAYER, E.L., WAREMBOURG, D.W. Public Service Co. of Colorado. 88/01/22. App. 44142:337-44143:080.

8801270045 "Metallurgical Analysis of Components from Helium Circulator C-2101." HELLNER, R.L., DUPONT, E.J. Public Service Co. of Colorado. 138. 87/12/14. 71pp. 44143:017-44143:083.

8801270050 "Helium Circulator Insp Schedule." Public Service Co. of Colorado. 88/01/22. 7pp. 44143:084-44143:090.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:168.

8801260028 Forwards safety evaluating accepting until 880804 & 870209 & 1006 revs to plant special senior licensed operator fuel handler initial & requalification programs, per NUREG-1220. Meeting to resolve fuel handling training issue requested. HEITNER, K.L. Project Directorate IV. 88/01/13. WILLIAMS, R.O. Public Service Co. of Colorado. 2pp. 44130:076-44130:079.

8801260036 Safety evaluation accepting plant special senior licensed fuel handler initial & requalification operator training program, per NUREG-1220, "Training Review Criteria & Procedures." NRC - No Detailed Affiliation Given. 88/01/13. 2pp. 44130:078-44130:079.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801130318 Forwards public version of revised crisis mgt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan," & Rev 21 to CMP-4, "Administration..." W/ 880111 release memo. TUCKER, H.B. Duke Power Co. 87/12/14. Document Control Branch (Document Control Desk). 7pp. 44004:125-44005:288.

8801130380 Public version of revised crisis mgt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan," & Rev 21 to CMP-4, "Administration & Logistics Plan." HARRIS, R.E. Duke Power Co. 87/11/15. 400pp. 44004:133-44005:288.

8801110456 Forwards FN Victor 871111 final rpt on emergency preparedness exercise for control room. Excessive prompting by controller observed. Use of simulator provided high degree of realism & use in subsequent exercises recommended. JAMISON, J.D. Battelle Memorial Institute, Pacific Northwest Laboratories. 87/11/29. TESTA, E. Region 2, Ofc of the Director. 7pp. 43971:117-43971:123.

8801110636 Advises that 871023 Rev 21 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Encl to 871023 ltr being withheld per 10CFR73.21. CLINE, W.E. Region 2, Ofc of the Director. 87/12/30. TUCKER, H.B. Duke Power Co. 3pp. 43986:063-43986:065.

8801130300 Forwards Rev 87-4 to emergency plan manual (Vol A) & Rev 87-7 to implementing procedures manual (Vol C), per 10CFR50.54(q). TUCKER, H.B. Duke Power Co. 87/12/30. Document Control Branch (Document Control Desk). 4pp. 44003:202-44003:278.

Rev 87-4 to Vol A of emergency plan. C., HARLIN, C.L. Duke Power Co. 87/12/31. 45pp. 44003:204.

Rev 87-7 to Vol C of implementing procedures emergency plan. S. Duke Power Co. 87/12/31. 33pp. 44003:247-44003:278.

Confirms 871215 telcon between Anderson & M. Sinkule re 880115 conference at Region II ofc to discuss util control of safeguards matl. Region 2, Ofc of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 42-43986:342.

Forwards Insp Repts 50-269/87-48, 50-270/87-48 & 50-287/87-48 on 1. No violation or deviation noted. V.L. Region 2, Ofc of the Director. 88/01/05. TUCKER, H.B. Duke Power 362:166-44062:177.

8801150120 Insp Repts 50-269/87-48, 50-270/87-48 & 50-287/87-48 on 871121-1221. No violation or deviation noted. Major areas inspected: operations surveillance, maint, physical security & review of safety sys functional insp items. BRYANT, J.C., PEEBLES, T.A. Region 2, Ofc of the Director. 88/01/04. 10pp. 44062:166-44062:177.

8801140352 Forwards Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09. Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115. GRACE, J.N. Region 2, Ofc of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027:358-44027:360.

8801140383 Partially withheld Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 (ref 10CFR2.790(d) & 73.21). Major areas inspected: compromised safeguards info. TOBIN, W.J. Region 2, Ofc of the Director. 88/01/04. 1p. 44027:360-44027:360.

J. Insurance & Indemnity information

8801070357 Forwards endorsements, including Endorsement 7 to MAELU Certificate M-75, Endorsement 7 to NELIA Certificate N-75, Endorsement 8 to MAELU Certificate M-86 & Endorsement 8 to NELIA Certificate N-86. SANNA, L.J. Marsh & McLennan, Inc. 87/12/30. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 85pp. 43938:165-43938:260.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-03-87-119. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801150080 Clarifies util responses to Generic Ltr 83-28, Item 2.2.1 re identification of safety-related equipment & components on plant documents. TUCKER, H.B. Duke Power Co. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44062:259-44062:260.

8801210001 Application for amendments to Licenses DPR-38, DPR-47 & DPR-55, revising Tech Specs 3.15 re control room pressurization & filtering sys & 4.12 on testing of sys, per Generic Ltr 83-37 re NUREG-0737. Fee paid. TUCKER, H.B. Duke Power Co. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 44086:266-44086:284.

8801210003 Proposed Tech Specs, revising Section 3.15-1 re limiting conditions for operations for control room pressurization & filtering sys & Section 4.12-1, providing for addl testing of sys & clarification of Tech Specs. Duke Power Co. 88/01/06. 16pp. 44086:269-44086:284.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8802060010 Forwards DJ Shea 850108 ltr re adequacy of INPO job task analysis. INPO plans to compare, change or validate existing generic job task analysis against task analysis data generated for Suppl 1 to NUREG-0737 activities. THOMPSON, H.L. Division of Human Factors Safety (800428-851124). 85/01/24. STRAHM, K. Institute of Nuclear Power Operations. 1p. 44118:117-44118:133.

8704080019 Summary of INPO Accreditation Board 870325 & 26 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl. HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44119:129-44119:135.

8801210090 Forwards Rev 14 to "Inservice Insp Program." Approval of relief requests in Rev 14 requested. Fee paid. TUCKER, H.B. Duke Power Co. 88/01/14. Document Control Branch (Document Control Desk). 4pp. 44133:062-44133:241.

8801210093 Rev 14 to "Inservice Insp Program." ROHDE, K.G., CHEA, K. Duke Power Co. 87/12/14. 176pp. 44133:066-44133:241.

8801280210 Forwards response to Requests 5-12 re NUREG-0737, Item II.D.1, "Performance Testing of Relief & Safety Valves," per NRC 870422 request. Response will be provided by 880210 for Request 1. TUCKER, H.B. Duke Power Co. 88/01/15. Document Control Branch (Document Control Desk). 20pp. 44158:041-44158:060.

8801250540 Informs that steam generator plugging & repair for end of Cycle 10 refueling outage completed on 871023. Numbers of tubes removed from svc by plugging & repaired by sleeving stated for Generators A & B. TUCKER, H.B. Duke Power Co. 88/01/18. Document Control Branch (Document Control Desk). 1p. 44112:140-44112:140.

8801280541 Forwards addl info re Generic Ltr 83-37 & NUREG-0737 items, per NRC 871119 request. Tech Specs re instrumentation for detection of inadequate core cooling will be submitted by 880215. TUCKER, H.B. Duke Power Co. 88/01/18. Document Control Branch (Document Control Desk). 10pp. 44127:245-44127:254.

8801270187 Summary of ACRS Subcommittee on Generic Items 871216 meeting w/util in Washington, DC re effectiveness of NRC process that deals w/generic issues & USIs. Viewgraphs & presentation schedule encl. ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 42pp. 44148:249-44148:290.

C. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44066:008-44066:127.

8801040106 Ack receipt of 871018 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/87-31, 50-270/87-31 & 50-287/87-31.
HERDT,A.R. Region 2, Ofc of the Director. 87/12/23. TUCKER,H.B. Duke Power Co. 1p. 43923:050-43923:050.

8801060320 Forwards "Data Package for 1987 UT Results of Oconee Unit 1 Reactor Vessel Flange-to-Shell Weld." Data determined that 22 indications recorded during 1986 exam represented geometric collectors caused by flange conditions. W/o encl.
TUCKER,H.B. Duke Power Co. 87/12/23. Document Control Branch (Document Control Desk). 1p. 44186:176-44186:176.

8801070290 Forwards util 870902 ltr forwarding proprietary B&W 1169808A-O, "Project Plan for Ultrasonic Exam of Oconee Unit 1 Reactor Vessel Flange-to-Shell Weld," describing inservice insp plan for facility.Rept withheld.
TUCKER,H.B. Duke Power Co. 87/12/23. Document Control Branch (Document Control Desk). 1p. 43999:187-43999:188.

8801070295 Forwards proprietary "Project Plan for Ultrasonic Exam of Oconee Unit 1 Reactor Vessel Flange-to-Shell Weld." Rept withheld.
TUCKER,H.B. Duke Power Co. 87/09/02. Document Control Branch (Document Control Desk). 1p. 43999:188-43999:188.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801110373 Forwards Insp Repts 50-269/87-49,50-270/87-49 & 50-287/87-49 on 871130-1207 & notice of violation.
REYES,L.A. Region 2, Ofc of the Director. 87/12/29. TUCKER,H.B. Duke Power Co. 2pp. 44006:088-44006:088.

8801110408 Notice of violation from Insp on 871120-1207.Violation noted:containment integrity lost during refueling operations on 870924-26,1010-12 & 880223-0313 in Unit 1, on 880223-0819 in Unit 2 & on 881230-870309 in Unit 3.
REYES,L.A. Region 2, Ofc of the Director. 87/12/29. 2pp. 44006:090-44006:091.

8801110416 Insp Repts 50-269/87-49,50-270/87-49 & 50-287/87-49 on 871120-1207.Violations noted:Major areas inspected: containment integrity during refueling operations.
BRYANT,J.C., SKINNER,P.H., WERT,L.D. Region 2, Ofc of the Director. 87/12/23. 6pp. 44006:092-44006:096.

8712290165 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44008:184-44008:288.

8801110337 Forwards Insp Repts 50-269/87-47,50-270/87-47 & 50-287/87-47 on 871130-1204.No violations or deviations noted.
HERDT,A.R. Region 2, Ofc of the Director. 87/12/31. TUCKER,H.B. Duke Power Co. 2pp. 44000:011-44000:018.

8801110345 Insp Repts 50-269/87-47,50-270/87-47 & 50-287/87-47 on 871130-1204.No violations or deviations noted:Major areas inspected:licensee action on previous open items & Temporary Instruction (TI) 2500/26,IE Bulletin 87-002 & valve repair.
ECONOMOS,N.E., BLAKE,J.J. Region 2, Ofc of the Director. 87/12/28. 7pp. 44000:013-44000:019.

8801140101 Responds to violations noted in Insp Repts 50-269/87-44, 50-270/87-44 & 50-287/87-44.Corrective actions:technicians counseled.
TUCKER,H.B. Duke Power Co. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 44048:233-44048:234.

8801120034 Confirms 871215 telcon between Anderson & M Sinkule re 880115 enforcement conference at Region II otc to discuss util control of safeguards mail.
GRACE,J.N. Region 2, Ofc of the Director. 88/01/04. TUCKER,H.B. Duke Power Co. 1p. 43986:342-43986:342.

8801150119 Forwards Insp Repts 50-269/87-48,50-270/87-48 & 50-287/87-48 on 871121-1221.No violation or deviation noted.
BROWNLEE,V.L. Region 2, Ofc of the Director. 88/01/05. TUCKER,H.B. Duke Power Co. 2pp. 44062:166-44062:177.

8801150120 Insp Repts 50-269/87-48,50-270/87-48 & 50-287/87-48 on 871121-1221.No violation or deviation noted:Major areas inspected:operations surveillance,maint,physical security & review of safety sys functional insp items.
BRYANT,J.C., SKINNER,P.H., WERT,L.D. Region 2, Ofc of the Director. 88/01/04. 10pp. 44062:168-44062:177.

8801150114 Confirms 880222-26 equipment environ qualification Insp,per 880104 telcon with P Guil.Major areas to be inspected listed.List of documents needed 2 wks prior to insp encl.
BROWNLEE,V.L. Region 2, Ofc of the Director. 88/01/06. TUCKER,H.B. Duke Power Co. 3pp. 44042:073-44042:075.

8801060394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801140352 Forwards Insp Repts 50-269/87-50,50-270/87-50,50-287/87-50,50-369/87-45,50-370/87-45,50-413/87-43 & 50-414/87-43 on 871208-09.Violations noted:Violations may change based on further review.Enforcement conference scheduled for 880115.

GRACE,J.N. Region 2, Ofc of the Director. 88/01/11. TUCKER,H.B. Duke Power Co. 2pp. 44027:368-44027:369.

8801140363 Partially withheld Insp Repts 50-269/87-50,50-270/87-50, 50-287/87-50,50-369/87-45,50-370/87-45,50-413/87-43 & 50-414/87-43 on 871208-09 (ref 10CFR2.790(d) & 73.21).Major areas inspected:compromised safeguards info.
TOBIN,W.J., MCGUIRE,D.R. Region 2, Ofc of the Director. 88/01/04. 1p. 44027:360-44027:360.

8801140236 Forwards partial response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Mail Specs." including procurement & receipt insp program & methods for choosing fasteners to be tested.
TUCKER,H.B. Duke Power Co. 88/01/12. GRACE,J.N. Region 2, Ofc of the Director. 12pp. 44043:234-44043:245.

8801250529 Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Summary of schedule for responding to bulletin for McGuire & Calaway stated.
TUCKER,H.B. Duke Power Co. 88/01/14. Document Control Branch (Document Control Desk). 25pp. 44103:335-44103:359.

8801260168 Forwards Rev 0 to "Inservice Insp Rept,Unit 1 Oconee 1987 Refueling Outage 10," per Tech Spec 4.2 & ASME Code,Section XI,Article IWA-6230.
TUCKER,H.B. Duke Power Co. 88/01/20. Document Control Branch (Document Control Desk). 1p. 44121:001-44121:301.

8801260172 Rev 0 to "Inservice Insp Rept,Unit 1 Oconee 1987 Refueling Outage 10," HOGGE,A.J. Duke Power Co. 88/01/12. 250pp. 44121:002-44121:301.

R. Periodic operating reports & related correspondence

8801210032 Monthly operating repts for Dec 1987.W/880115 ltr.
REAVIS,J.A., TUCKER,H.B. Duke Power Co. 87/12/31. 17pp. 44105:046-44105:082.

S. Reportable occurrences, LERs & related correspondence

8801150260 LER 87-011-00:on 871202,cable room sprinkler sys could not provide design flow.Caused by design deficiency.Fire watches established until sys operable,restoring sys to operable condition by increasing supply line diameter.W/ 880104 ltr.
MCDOWELL,W.H., TUCKER,H.B. Duke Power Co. 88/01/04. 11pp. 44092:241-44092:261.

8801150186 Advises that LER 50-280/87-12 re reactor coolant pump flywheel insps due to be submitted by 880107.Rept in preparation & will be submitted by 880205.
TUCKER,H.B. Duke Power Co. 88/01/07. Document Control Branch (Document Control Desk). 1p. 44041:128-44041:128.

8801250495 LER 87-013-00:on 871118,containment isolation valve IN-106 opened in violation of Tech Spec 3.6.1.Caused by personnel error.Valve closed,procedures reviewed & senior reactor & nuclear equipment operator counseled.W/880118 ltr.
NORTH,P.J., TUCKER,H.B. Duke Power Co. 88/01/18. 13pp. 44111:348-44111:360.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation.Forwards App F documents.App E & F documents also available in PDR.Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801310180 Forwards results of post-accreditation reviews at Susquehanna on 851021-23,Dresden on 851118-21 & Oconee on 851218-18.Significant progress observed in improving training.
DENTON,H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/01/28. PATE,Z. Institute of Nuclear Power Operations. 38pp. 44118:318-44118:316.

8804150829 Forwards final repts from staff post-accreditation audits & comparison of revised NRC review questions w/INPO accreditation objectives & criteria.Recommends INPO consider adding appropriate accreditation criteria.
DENTON,H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/04/03. PATE,Z. Institute of Nuclear Power Operations. 32pp. 44118:318-44118:357.

8709010052 Requests certification prior to FSAR rev that reactor operator training program accredited & based upon sys approach to training per Generic Ltr 87-07.
HOOD,D. Project Directorate II-3. 87/09/28. TUCKER,H.B. Duke Power Co. 1p. 44118:154-44118:164.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO otc in Atlanta,GA re training programs at two plants.Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:169-44119:186.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801130319 Forwards public version of revised crisis mgmt implementing procedures,including Rev 22 to CMIP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMIP-2, "News Group Plan" & Rev 21 to CMIP-4, "Administration..." W/ 880111 release memo.
TUCKER,H.B. Duke Power Co. 87/12/14. Document Control Branch (Document Control Desk). 7pp. 44004:125-44005:288.

40 DOCKETED ITEMS

-8801130380 Public version of revised crisis mgmt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan," and Rev 21 to CMP-4, "Administration & Logistics Plan." HARRIS, R.E. Duke Power Co. 87/11/15. 400pp. 44004:133-44005:288.

8801110458 Forwards FN Victor 871111 final rpt on emergency preparedness exercise for control room. Excessive prompting by controller observed. Use of simulator provided high degree of realism & use in subsequent exercises recommended. JAMISON, E.D. Battelle Memorial Institute, Pacific Northwest Laboratories. 87/12/29. TESTA, J. Region 2, Ofc of the Director. 7pp. 43971:117-43971:123.

8801110538 Advises that 871023 Rev 21 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Encl to 871023 ltr being withheld per 10CFR73.21. CLINE, W.E. Region 2, Ofc of the Director. 87/12/30. TUCKER, H.B. Duke Power Co. 3pp. 43988:083-43988:065.

8801130300 Forwards Rev 87-4 to emergency plan manual (Vol A) & Rev 87-7 to implementing procedures manual (Vol C), per 10CFR50.54(q). TUCKER, H.B. Duke Power Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 44003:202-44003:278.

-8801130310 Rev 87-4 to Vol A of emergency plan. JENNINGS, C.C., HARLIN, C.L. Duke Power Co. 87/12/31. 45pp. 44003:204-44003:246.

-8801130325 Rev 87-7 to Vol C of implementing procedures emergency plan. TUCKMAN, M.S. Duke Power Co. 87/12/31. 33pp. 44003:247-44003:278.

8801120034 Confirms 871215 telcon between Anderson & M Sinkule re 880115 enforcement conference at Region II ofc to discuss util control of safeguards mail. GRACE, J.N. Region 2, Ofc of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 43986:342-43986:342.

8801150119 Forwards Insp Repts 50-269/87-46, 50-270/87-48 & 50-287/87-48 on 871121-1221. No violation or deviation noted. BROWNLEE, V.L. Region 2, Ofc of the Director. 88/01/05. TUCKER, H.B. Duke Power Co. 4pp. 44062:166-44062:177.

-8801150120 Insp Repts 50-269/87-46, 50-270/87-48 & 50-287/87-48 on 871121-1221. No violation or deviation noted. Major areas inspected operations surveillance, main physical security & review of safety sys functional insp items. BRYANT, J.C., PEEBLES, T.A. Region 2, Ofc of the Director. 88/01/04. 10pp. 44062:166-44062:177.

8801140352 Forwards Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-46, 50-413/87-43 & 50-414/87-43 on 871208-09. Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115. GRACE, J.N. Region 2, Ofc of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027:368-44027:360.

-8801140363 Partially withheld Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-46, 50-413/87-43 & 50-414/87-43 on 871208-09 (ref 10CFR2.790(d) & 73.21). Major areas inspected compromised safeguards info. TOBIN, W.J. Region 2, Ofc of the Director. 88/01/04. 1p. 44027:360-44027:360.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-03-87-119. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 7pp. 43998:230-43998:300.

8801150060 Clarifies util responses to Generic Ltr 83-28, Item 2.21 re identification of safety-related equipment & components on plant documents. TUCKER, H.B. Duke Power Co. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44062:259-44062:260.

8801210001 Application for amends to Licenses DPR-38, DPR-47 & DPR-55, revising Tech Specs 3.15 re control room pressurization & filtering sys & 4.12 on testing of sys, per Generic Ltr 83-37 re NUREG-0737 Fee paid. TUCKER, H.B. Duke Power Co. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 44088:266-44088:284.

-8801210003 Proposed Tech Specs, revising Section 3.15-1 re limiting conditions for operations for control room pressurization & filtering sys & Section 4.12-1, providing for addl testing of sys & clarification of Tech Specs. * Duke Power Co. 88/01/06. 16pp. 44086:269-44086:284.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8802060010 Forwards DJ Shea 850108 ltr re adequacy of INPO job task analysis. INPO plans to compare, change or validate existing generic job task analysis against task analysis data generated for Suppl 1 to NUREG-0737 activities. THOMPSON, H.L. Division of Human Factors Safety (800428-851124). 85/01/24. STRAHM, K. Institute of Nuclear Power Operations. 1p. 44118:117-44118:133.

-8704080019 Summary of INPO Accreditation Board 870325 & 26 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl. HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44119:129-44119:135.

8801210090 Forwards Rev 14 to "Inservice Insp Program." Approval of relief requests in Rev 14 requested. Fee paid. TUCKER, H.B. Duke Power Co. 88/01/14. Document Control Branch (Document Control Desk). 4pp. 44133:082-44133:241.

-8801210093 Rev 14 to "Inservice Insp Program." RODE, K.G., CHEA, K. Duke Power Co. 87/12/14. 175pp. 44133:066-44133:241.

8801280210 Forwards response to Requests 5-12 re NUREG-0737, Item II.D.1, "Performance Testing of Relief & Safety Valves," per NRC 870422 request. Response will be provided by 880210 for Request 1. TUCKER, H.B. Duke Power Co. 88/01/15. Document Control Branch (Document Control Desk). 20pp. 44158:041-44158:060.

8801280541 Forwards addl info re Generic Ltr 83-37 & NUREG-0737 Items, per NRC 871119 request. Tech Specs re instrumentation for detection of inadequate core cooling will be submitted by 880215. TUCKER, H.B. Duke Power Co. 88/01/18. Document Control Branch (Document Control Desk). 10pp. 44127:245-44127:254.

8801270187 Summary of ACRS Subcommittee on Generic Items 871216 meeting w/utl in Washington, DC re effectiveness of NRC process that deals w/generic issues & USIs. Viewgraphs & presentation schedule encl. * ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 42pp. 44149:249-44149:280.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8801040106 Ack receipt of 871018 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/87-31, 50-270/87-31 & 50-287/87-31. HERDT, A.R. Region 2, Ofc of the Director. 87/12/23. TUCKER, H.B. Duke Power Co. 1p. 43923:050-43923:050.

8801070290 Forwards util 870902 ltr forwarding proprietary B&W 1169808A-O, "Project Plan for Ultrasonic Exam of Oconee Unit 1 Reactor Vessel Flange-to-Shell Weld," describing inservice insp plan for facility Rept withheld. TUCKER, H.B. Duke Power Co. 87/12/23. Document Control Branch (Document Control Desk). 1p. 43999:187-43999:188.

-8801070295 Forwards proprietary "Project Plan for Ultrasonic Exam of Oconee Unit 1 Reactor Vessel Flange-to-Shell Weld." Rept withheld. TUCKER, H.B. Duke Power Co. 87/08/02. Document Control Branch (Document Control Desk). 1p. 43999:188-43999:188.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801110373 Forwards Insp Repts 50-269/87-49, 50-270/87-49 & 50-287/87-49 on 871120-1207 & notice of violation. REYES, L.A. Region 2, Ofc of the Director. 87/12/29. TUCKER, H.B. Duke Power Co. 2pp. 44006:088-44006:096.

-8801110408 Notice of violation from insp on 871120-1207. Violation noted: containment integrity lost during refueling operations on 870824-26, 10/10-12 & 880223-0313 in Unit 1, an 880223-0818 in Unit 2 & on 881230-870309 in Unit 3. REYES, L.A. Region 2, Ofc of the Director. 87/12/29. 2pp. 44006:090-44006:091.

-8801110415 Insp Repts 50-269/87-49, 50-270/87-49 & 50-287/87-49 on 871120-1207. Violations noted. Major areas inspected: containment integrity during refueling operations. BRYANT, J.C., SKINNER, P.H., WERT, L.D. Region 2, Ofc of the Director. 87/12/23. 5pp. 44006:092-44006:096.

8712290165 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801110337 Forwards Insp Repts 50-269/87-47, 50-270/87-47 & 50-287/87-47 on 871130-1204. No violations or deviations noted. HERDT, A.R. Region 2, Ofc of the Director. 87/12/31. TUCKER, H.B. Duke Power Co. 2pp. 44000:011-44000:019.

-8801110345 Insp Repts 50-269/87-47, 50-270/87-47 & 50-287/87-47 on 871130-1204. No violations or deviations noted. Major areas inspected: licensee action on previous open items & Temporary Instruction (TI) 2500/26, IE Bulletin 87-002 & valve repair. ECONOMOS, N.E., BLAKE, J.J. Region 2, Ofc of the Director. 87/12/28. 7pp. 44000:013-44000:019.

8801140101 Responds to violations noted in Insp Repts 50-269/87-44, 50-270/87-44 & 50-287/87-44. Corrective actions: technicians counseled. TUCKER, H.B. Duke Power Co. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 44046:233-44046:234.

880120034 Confirms 871215 telcon between Anderson & M Sinkule re 880115 enforcement conference at Region II ofc to discuss util control of safeguards mail. GRACE, J.N. Region 2, Ofc of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 43986:342-43986:342.

8801150119 Forwards Insp Repts 50-269/87-48, 50-270/87-48 & 50-287/87-48 on 871121-1221. No violation or deviation noted. BROWNLEE, V.L. Region 2, Ofc of the Director. 88/01/05. TUCKER, H.B. Duke Power Co. 2pp. 44062:166-44062:177.

-8801150120 Insp Repts 50-269/87-40,50-270/87-48 & 50-287/87-48 on 871121-1221. No violation or deviation noted. Major areas inspected operations surveillance, maintenance, physical security & review of safety sys functional insp items. BRYANT, J.C., SKINNER, P.H., WERT, L.D. Region 2, Ofc of the Director. 88/01/04. 10pp. 44062.168-44062.177.

8801150114 Confirms 880222-26 equipment environ qualification Insp, per 880104 telcon with P. Guil. Major areas to be inspected listed. List of documents needed 2 wks prior to Insp encl. BROWNLEE, V.L. Region 2, Ofc of the Director. 88/01/05. TUCKER, H.B. Duke Power Co. 3pp. 44042.073-44042.075.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44039.041-44039.163.

8801140352 Forwards Insp Repts 50-269/87-50,50-270/87-50,50-287/87-50, 50-369/87-45,50-370/87-45,50-413/87-43 & 50-414/87-43 on 871208-09. Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115. GRACE, J.N. Region 2, Ofc of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027.358-44027.360.

-8801140353 Partially withheld Insp Repts 50-269/87-50,50-270/87-50, 50-287/87-50,50-369/87-45,50-370/87-45,50-413/87-43 & 50-414/87-43 on 871208-09 (rel 10CFR2.790(d) & 73.21). Major areas inspected compromised safeguards info. TOBIN, W.J., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/01/04. 1p. 44027.360-44027.360.

8801140238 Forwards partial response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs," including procurement & receipt insp program & methods for choosing fasteners to be tested. TUCKER, H.B. Duke Power Co. 88/01/12. GRACE, J.N. Region 2, Ofc of the Director. 12pp. 44043.234-44043.245.

8801250529 Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Summary of actions for responding to bulletin for McGuire & Catawba stated. TUCKER, H.B. Duke Power Co. 88/01/14. Document Control Branch (Document Control Desk). 25pp. 44103.335-44103.359.

R. Periodic operating reports & related correspondence

8801210032 Monthly operating reports for Dec 1987. W/880115 ltr. REAVIS, J.A., TUCKER, H.B. Duke Power Co. 87/12/31. 17pp. 44105.046-44105.062.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801310180 Forwards results of post-accreditation reviews at Susquehanna on 851021-23, Dresden on 851118-21 & Oconee on 851216-18. Significant progress observed in improving training. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/01/28. PATE, Z. Institute of Nuclear Power Operations. 39pp. 44118.287-44118.315.

-8801450629 Forwards final repts from staff post-accreditation audits & comparison of revised NRC review questions w/INPO accreditation objectives & criteria. Recommends INPO consider adding appropriate accreditation criteria. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/04/03. PATE, Z. Institute of Nuclear Power Operations. 32pp. 44118.316-44118.357.

-8809010052 Requests certification prior to FSAR rev that reactor operator training program accredited & based upon sys approach to training, per Generic Ltr 87-07. HOOD, D. Project Directorate I-3. 87/08/28. TUCKER, H.B. Duke Power Co. 1p. 44119.154-44119.154.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.168.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

8801130290 Forwards Safety Insp Rept 50-271/87-22 on 871201-04. No violations noted. MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 2pp. 44039.091-44039.095.

-8801130292 Emergency Preparedness Insp Rept 50-271/87-22 on 871201-04. No violation noted. Major areas inspected emergency preparedness Insp & 871202 annual exercise. CONKLIN, C., LAZARUS, W.J. Region 1, Ofc of the Director. 87/12/11. 8pp. 44039.093-44039.098.

8801120390 Forwards proprietary revised pages of Rev 15 to physical security plan. Revised pages incorporate word changes discussed in telcons between J. Gibson & T. Linn. Revised pages withheld (rel 10CFR73.21). MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 88/01/05. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43990.051-43990.052.

8801190290 Forwards Safety Insp Rept 50-271/87-21 on 871031-1221. No violations noted. WIGGINS, J.T. Region 1, Ofc of the Director. 88/01/08. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 2pp. 44047.085-44047.108.

-8801190303 Insp Rept 50-271/87-21 on 871031-1221. No unacceptable conditions noted. Major areas inspected physical security, plant operations, maintenance activities, surveillance activities, fuel shipping operations & NRC bulletin responses. HAVERKAMP, D.R. Region 1, Ofc of the Director. 88/01/08. 22pp. 44047.087-44047.108.

G. Adjudicatory correspondence

8801130059 On appeal per 10CFR2.714a from Prehearing Conference Order LBP-87-17 issued 870526, brief of intervenor. * Commonwealth of MA urges ASLAP to affirm decision based on stated given reasons. Certificate of Svc encl. DEAN, G.B. Massachusetts, Commonwealth of. #188.5319. 87/06/25. Atomic Safety and Licensing Appeal Panel. 25pp. 43989.335-43989.359.

8801060285 Requests that NRC notify by telephone when meeting discussing status of Vermont Yankee proposed license amend request will be held. WEISS, E.R. New England Coalition on Nuclear Pollution. WEISS, E.R. Harmon & Weiss. #188.5288. 88/01/04. ROONEY, V.L. NRC - No Detailed Affiliation Given. 1p. 43989.262-43989.262.

8801150084 Order. * Extends time until 880203 for Commission to determine whether to review ALAB 869 & ALAB-878. Served on 880112. CILIK, S.J. Office of the Secretary of the Commission. #188.5333. 88/01/12. Commissioners. 1p. 44033.249-44033.249.

P. Operating license stage documents & correspondence

8801120090 Forwards Info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUSER, A. Resource Technical Services, Inc. FIN B-8788. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8801050340 Notices that will reevaluated position re Generic Ltr 83-02, "NUREG-0737 Tech Specs, Items II K 3.13 & II K 3.22," concerning RCIC restart & suction. Util position re items I A.1.3 & II K 3.3 unchanged. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 87/12/28. ROONEY, V.L. Project Directorate I-3. 2pp. 43960.353-43960.364.

8801050864 Forwards Amend 101 to License DPR-28 & safety evaluation. Amend revises Tech Spec Section 6 to reflect administrative changes as listed. ROONEY, V.L. Project Directorate I-3. 87/12/29. CAPSTICK, R.W. Vermont Yankee Nuclear Power Corp. 5pp. 43911.021-43911.038.

-8801050668 Amend 101 to License DPR-28, revising Tech Spec Section 6 to reflect administrative changes. ROONEY, V.L. Project Directorate I-3. 87/12/29. 2pp. 43911.026-43911.027.

-8801050671 Safety evaluation supporting Amend 101 to License DPR-28. * Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/29. 11pp. 43911.028-43911.038.

8801040359 Forwards Amend 102 to License DPR-28 & safety evaluation. Amend changes Tech Spec to clarify & enhance limiting conditions of operation & surveillance requirements for standby liquid control sys. ROONEY, V.L. Project Directorate I-3. 87/12/30. CAPSTICK, R.W. Vermont Yankee Nuclear Power Corp. 8pp. 43895.322-43895.338.

-8801040384 Amend 102 to License DPR-28, changing Tech Specs to clarify & enhance limiting conditions of operation & surveillance requirements for standby liquid control sys. ROONEY, V.L. Project Directorate I-3. 87/12/30. 8pp. 43895.328-43895.335.

-8801040366 Safety evaluation supporting Amend 102 to License DPR-28. * Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/30. 3pp. 43895.336-43895.338.

8801110211 Requests telcon notification of proposed meeting, if scheduled, re status of proposed license amend request based on Murphy 871218 ltr. WEISS, E.R. Harmon & Weiss. 88/01/04. ROONEY, V.L. NRC - No Detailed Affiliation Given. 2pp. 44000.050-44000.051.

8801110248 "Startup Test Rept, Vermont Yankee Cycle 13." W/880104 ltr. CAPSTICK, R.W. Vermont Yankee Nuclear Power Corp. 88/01/04. RUSSELL, W.T. Region 1, Ofc of the Director. 14pp. 43971.248-43971.261.

8801140184 Notification of contract execution: "Local Telephone svc for Yankee Rowe, Vermont Yankee, Maine Yankee & Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co. DORSEY, M. Contract Administration Branch. FIN C-1012. 88/01/11. GOODY, A.T. Region 1, Ofc of the Director. GIANOS, C. NRC - No Detailed Affiliation Given. 15pp. 44031.234-44031.249.

-8801140174 Contract: "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee, Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co. GAMMONS, S. New England Bell Telephone Co. WIGGINS, J.T. Division of Contracts (Post 870413). FIN C-1012. 88/01/11. 15pp. 44031.235-44031.249.

8801260551 Responds to request for clarification of util Proposed Change 142 to Tech Specs re logic sys functional test intervals. Each logic sys contact which performs safety function will be verified on individual basis. CAPSTICK, R.W. Vermont Yankee Nuclear Power Corp. 88/01/20. ROONEY, V.L. Project Directorate I-3. 2pp. 44127.274-44127.275.

8801270412 Forwards Amend 103 to License DPR-28 & safety evaluation. Amend changes Tech Specs re radiological effluent monitoring equipment operability, sample point locations & definitions. ROONEY, V.L. Project Directorate I-3. 88/01/20. CAPSTICK, R.W. Vermont Yankee Nuclear Power Corp. 7pp. 44155.192-44155.212.

-8801270431 Amend 103 to License DPR-28, changing Tech Specs re radiological effluent monitoring operability, sample point locations & definitions. WEISSMAN, R.H. Project Directorate I-3. 88/01/20. 11pp. 44155.199-44155.209.

-8801270453 Safety evaluation supporting Amend 103 to License DPR-28.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/20. 3pp.
44165 210-44165.212.

8801260223 REVIEW OF THE NATURAL CIRCULATION EFFECT IN THE VERMONT
YANKEE SPENT-FUEL POOL. Docket No. 50-271. (Vermont Yankee Nuclear Power
Corp.)
WHEELER, C.L. Battelle Memorial Institute, Pacific Northwest Laboratories, FIN I-2003.
NUREG/CR-5048. 88/01/31. Division of Engineering & Systems Technology (Post
870411). 148pp. 44113:158-44113:301.

G. Inspection reports, IE Bulletins & correspondence

8712210142 Responds to NRC 871008 request for info in Insp Rept 50-271/87-15 re
contamination outside radiation control area Source of contamination from radwaste
bldg across Steps taken to prevent recurrence listed.
MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 87/12/10. MARTIN, T.T. Region
1, Ofc of the Director. 4pp. 43923:027-43923:028.

8712290351 Forwards Insp Rept 50-271/87-14 on 871005-07 & 08-09. No violations
noted.
JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/18. MURPHY, W.P. Vermont
Yankee Nuclear Power Corp. 2pp. 43988:027-43988:058.

-8712290359 Insp Rept 50-271/87-14 on 871005-09. No violations noted. Major areas
inspected licensee response to USI A-7 re Mark I Containment Program, including
review of design analyses & work plans for mode to tonus suppression chamber.
VARELA, A.A., CHAUDHARY, S.K., STROSNIDER, J.R. Region 1, Ofc of the Director.
87/12/18. 30pp. 43988:029-43988:058.

8712180369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training
Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22.
Consolidated Edison Co. of New York, Inc. 12pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions."
Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23.
Consolidated Edison Co. of New York, Inc. 12pp. 44056:008-44056:127.

8801050276 Forwards summary of results of 1987 refueling outage insps & test for pipe
wall thinning in response to NRC Bulletin 87-001, per 870911 ltr. Pipes w/highest risk
of wall thinning examined by visual insp or ultrasonic testing.
MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 87/12/24. RUSSELL, W.T.
Region 1, Ofc of the Director. 37pp. 43980:136-43980:172.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc
list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28.
Consolidated Edison Co. of New York, Inc. 12pp. 43995:138-43995:257.

8801070354 Forwards "1987 Inservice Insp Summary Rept for 870807-1005."
MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 87/12/30. Office of Nuclear
Reactor Regulation, Director (Post 870411). 1p. 43979:001-43979:039.

-8801070358 "1987 Inservice Insp Summary Rept for 870807-1005."
GUILDF, D.C. Vermont Yankee Nuclear Power Corp. 87/12/17. 38pp. 43979:002-
43979:039.

8801130290 Forwards Safety Insp Rept 50-271/87-22 on 871201-04. No violations
noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. MURPHY, W.P. Vermont
Yankee Nuclear Power Corp. 2pp. 44039:091-44039:098.

-8801130292 Emergency Preparedness Insp Rept 50-271/87-22 on 871201-04. No viola-
tion noted. Major areas inspected: emergency preparedness insp & 871202 annual
exercise.
CONKLIN, C., LAZARUS, W.J. Region 1, Ofc of the Director. 87/12/11. 6pp.
44039:093-44039:098.

8712290165 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade
Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 12pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Li-
cense Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 12pp. 44038:164-44038:286.

8801190290 Forwards Safety Insp Rept 50-271/87-21 on 871031-1221. No violations
noted.
WIGGINS, J.T. Region 1, Ofc of the Director. 88/01/08. MURPHY, W.P. Vermont
Yankee Nuclear Power Corp. 2pp. 44047:085-44047:108.

-8801190303 Insp Rept 50-271/87-21 on 871031-1221. No unacceptable conditions
noted. Major areas inspected: physical security, plant operations, main
activities, surveillance activities, fuel shipping operations & NRC bulletin responses.
HAVERKAMP, D.R. Region 1, Ofc of the Director. 88/01/08. 22pp. 44047:087-
44047:108.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on
Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11.
Consolidated Edison Co. of New York, Inc. 12pp. 44038:041-44038:163.

8801200135 Forwards response to six specific actions requested, per IE Compliance
Bulletin 87-002, "Faster Testing to Determine Conformance W/ Application Mail
Specs."
MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 88/01/12. RUSSELL, W.T.
Region 1, Ofc of the Director. 10pp. 44057:324-44058:069.

R. Periodic operating reports & related correspondence

8801150221 Monthly operating rept for Dec 1987. W/880110 ltr.
WALLIN, G.A., MURPHY, W.P. Philadelphia Electric Co. 87/12/31. 6pp. 44041:249-
44041:254.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training pro-
grams & INPO training accreditation. Forwards App F documents App E & F docu-
ments also available in PDR. Addl records also available in PDR under Boosong FOIA-
87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K.
Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801200463 Trip rept of 850930-1004 observation of INPO accreditation team evalua-
tion of plant training programs, including licensed reactor operator, nonlicensed opera-
tor & shift technical adviser. INPO evaluation team member list encl.
GOODMAN, C. NRC - No Detailed Affiliation Given. 85/01/10. BOOHER, H.R. NRC -
No Detailed Affiliation Given. 4pp. 44118:113-44118:116.

-8801220136 Advises of attendance at 870823 Natl Nuclear Accrediting Board meeting
at INPO office in Atlanta, GA re training programs at two plants. Encls include list of
Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee
Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:168.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801110399 Revised emergency plan implementing procedures, including Rev 1 to EPIP
403, "Public Info Liaison/Technical Writer Response - Emergency Operations Facility
(EOF)" & Rev 2 to EPIP 404, "Protective..." Revised table of contents encl.
* Public Service Electric & Gas Co. of New Jersey. 87/12/08. 18pp. 43985:147-
43985:184.

8801110263 Rev 3 to Artificial Island Emergency Plan Security Implementing Procedure
EPIP 901, "Opening of Technical Support Ctr (TSC)." Revised table of contents also encl.
* Public Service Electric & Gas Co. of New Jersey. 87/12/22. 16pp. 43970:178-
43970:194.

8801050364 Forwards Inservice Interval (ISI) program boundary diagrams to Rev 0 to ISI
program for second 10-yr Insp Interval. Requests interim approval of program & attend-
ant requests for relief be granted within 30 days of 880101. W/40 oversize drawings.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 87/12/23. Document
Control Branch (Document Control Desk). 4pp. 43914:347-43914:350.

8801110502 Revised Artificial Island Emergency Plan Administrative
Procedures, including Rev 2 to EPIP 1006, "Emergency Equipment Inventory Radiation
Protection" & Rev 2 to EPIP 1007. Revised table of contents also encl.
* Public Service Electric & Gas Co. of New Jersey. 87/12/30. 78pp. 43988:074-
43988:151.

8801120242 Rev 16 to "Salem Generating Station Event Classification Guide."
* Public Service Electric & Gas Co. of New Jersey. 87/12/30. 200pp. 43988:005-
43988:228.

8801120312 Rev 2 to Artificial Island emergency plan Section 11, "Protective Re-
sponse." Change page & revised table of contents encl.
BURGIN, D., NICHOLS, J. Public Service Electric & Gas Co. of New Jersey. 87/12/30.
8pp. 43991:125-43991:133.

8801130103 Revised emergency plan implementing procedures, including Rev 4 to table
of contents, Rev 2 to EPIP 1025, "Alert," Rev 2 to EPIP 1035, "Site Area Emergen-
cy," Rev 2 to EPIP 1045, "General Emergency," & Rev 1 to EPIP 1055, "Protec-
tion..."
* Public Service Electric & Gas Co. of New Jersey. 87/12/30. 58pp. 44002:310-
44002:018.

8801270015 Revised emergency plan implementing procedures, consisting of Rev 2 to
EPIP 602, "Radiological Dose Assessment" & Rev 2 to EPIP 603, "Field Monitoring."
W/ revised table of contents.
BANNER, C.W., WHITE, P., NICHOLS, J. Public Service Electric & Gas Co. of New
Jersey. 88/01/12. 120pp. 44142:213-44142:332.

8801270396 Revised emergency plan implementing procedures, including Rev 5 to table
of contents, Rev 2 to EPIP 2025, "Operations Support Ctr Activation & Operations" &
Rev 2 to EPIP 3015, "Radiation Protection Technician(s) - Onshift Response..."
* Public Service Electric & Gas Co. of New Jersey. 88/01/22. 151pp. 44145:001-
44145:006.

P. Operating license stage documents & correspondence

8801120090 Forwards Info re Resource Technical Svcs, Inc., including summary of NRC
contract work, NRC Form 26 for three existing contracts, audit info, work history & list
of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18.
JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801040511 Forwards addl info re plant ATWS mitigation sys activation circuitry
(AMSAC), per 871109 conversation. Make & model number of AMSAC output side iso-
lation devices & statement of recommended test frequencies for AMSAC circuitry pro-
vided.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 87/12/24. Document
Control Branch (Document Control Desk). 6pp. 43962:358-43962:361.

8801070205 Notification of 880106 meeting w/ Westinghouse Owners Group Operations
& Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in
analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Director-
ate V. 4pp. 43945:344-43945:347.

8801130183 Advises that util implemented pilot program to replace, on trial basis, five
mechanical snubbers w/ Usage hydraulic snubbers. Util requests that trial snubber pro-
gram be controlled under 10CFR50.59.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 88/01/04. Document
Control Branch (Document Control Desk). 2pp. 44003:100-44003:101.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801140591 Submits observations of INPO accreditation board 851114 meeting w/ utility re plant training programs. Safety electrical & mechanical maint training programs not ready for review & should not have been accredited.
BOOHER, H.R. Maintenance & Training Branch. ZWOLINSKI, J.A. BWR Project Directorate 1. 85/12/30. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). THOMPSON, R.L. Division of Boiling Water Reactor (BWR) Licensing (851125-870411). 13pp. 44118.204-44118.216.

8801270154 Application for amends to Licenses DPR-70 & DPR-75, adding action statement & associated surveillance to Tech Spec 3/4.6.4.1. Changes applicable when both hydrogen analyzers inoperable. Fee paid.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 88/01/19. Document Control Branch (Document Control Desk). 6pp. 44141.058-44141.065.

-8801270158 Proposed Tech Specs, adding action statement & associated surveillance re situation when both hydrogen analyzers inoperable.
* Public Service Electric & Gas Co. of New Jersey. 88/01/19. 2pp. 44141.064-44141.065.

Q. Inspection reports, IE Bulletins & correspondence

8712290374 Ack receipt of 871028 ltr informing NRC of actions taken to correct violations noted in Insp Repts 50-272/87-21 & 50-311/87-28.
GALLO, R.M. Region 1, Ofc of the Director. 87/12/16. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 43893.084-43893.089.

8712160389 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712290347 Ack receipt of 870924 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-272/86-30 & 50-311/86-32.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/23. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 43893.087-43893.098.

8801040188 Forwards replacement check for 871023 util inservice insp program for second 10-yr insp interval.
PRESTON, B.A. Public Service Electric & Gas Co. of New Jersey. 87/12/23. DIGGS, R. License Fee Management Branch. 2pp. 43891.358-43891.359.

8801050354 Forwards Inservice insp (ISI) program boundary diagrams to Rev 0 to ISI program for second 10-yr insp interval. Requests interim approval of program & attendant requests for re/ot be granted within 30 days of 880101.W/40 override drawings.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 87/12/23. Document Control Branch (Document Control Desk). 4pp. 43914.347-43914.350.

8801130276 Forwards Safety Insp Repts 50-272/87-31 & 50-311/87-32 on 871028-30. No violations noted.
JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/23. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 44029.344-44029.345.

-8801130277 Insp Repts 50-272/87-31 & 50-311/87-32 on 871028-30. No violations or deviations noted. One unresolved item noted. Major areas inspected: licensee action on previous NRC findings, QA audit program & QA procedure review.
FINKEL, J., PRELL, J., SILK, D. Region 1, Ofc of the Director. 87/12/23. 15pp. 44028.346-44028.360.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8801140364 Forwards Safety Insp Repts 50-272/87-33 & 50-311/87-34 on 871116-20. No violations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 44042.337-44042.345.

-8801140362 Insp Repts 50-272/87-33 & 50-311/87-34 on 871116-20. No violations noted. Major areas inspected: nonradiological chemistry program, including measurement control & analytical procedure evaluations.
ZIBULSKY, H., JANG, J., PASCIAK, W.J. Region 1, Ofc of the Director. 87/12/24. 7pp. 44042.338-44042.345.

8712290165 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of U.S. on-site Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801130171 Forwards final response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings," re review of selected ECCS motor-operated valve switch settings.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 88/01/05. Document Control Branch (Document Control Desk). 12pp. 44003.085-44003.098.

8801190055 Responds to NRC 871209 ltr re violations noted in Insp Repts 50-272/87-30 & 50-311/87-31. Corrective actions: radiation worker training & review modules will be strengthened in area of locked high radiation area control.
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/01/08. Document Control Branch (Document Control Desk). 6pp. 44063.080-44063.085.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801200202 Forwards Insp Rept 50-272/87-34 on 871116-20. No violations noted.
JOHNSTON, W.V. Region 1, Ofc of the Director. 88/01/11. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 44058.162-44058.170.

-8801200212 Insp Rept 50-272/87-34 on 871116-20. No violations noted. Major areas inspected post-mod test program in progress during refueling outage, including review of test procedures & witnessing of selected post-mod test.
VANKESSSEL, H.F., MURPHY, K. Region 1, Ofc of the Director. 87/12/23. 7pp. 44058.164-44058.170.

8801280338 Forwards response to NRC Compliance Bulletin 87-002 re testing of fasteners to determine conformance w/applicable mail specs.
MITCHELL, S. Public Service Electric & Gas Co. of New Jersey. 88/01/22. RUSSELL, W.T. Region 1, Ofc of the Director. 168pp. 44159.219-44160.027.

R. Periodic operating reports & related correspondence

8801070450 Forwards operating ltr for IAEA surveillance interval of 870922-1130.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 87/12/24. Document Control Branch (Document Control Desk). 4pp. 43999.280-43999.283.

8801260284 Monthly operating rept for Dec 1987. W/880111 ltr.
WHITE, P., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 87/12/31. 18pp. 44170.137-44170.155.

S. Reportable occurrences, LERs & related correspondence

8801140256 Summary of Operating Reactors Events Meeting 88-01 on 870105 re events that occurred since 871222. List of attendees & viewpoints encl.
LANNING, W. Events Assessment Branch. 88/01/07. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 24pp. 44031.033-44031.056.

8801140076 LER 87-018-00 on 871209, lead/lag & derivative amplifiers in process & protection control sys incorrectly calibr. Caused by procedural inadequacy. Investigation continuing. Procedures involved modified W/871008 ltr.
POLLACK, M.J., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 88/01/08. 5pp. 44038.341-44038.345.

8801260395 Special Rept 87-9 on 871203, fire detection instrumentation declared inoperable for greater than 14 days. Caused by ionization smoke detector malfunction. Detector replaced & alarm sys restored to operable status.
ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 88/01/15. Document Control Branch (Document Control Desk). 3pp. 44170.134-44170.138.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8808190210 Forwards final rept on post-accreditation audit of training programs conducted on 880824-28. Strong mgt commitment to training improvement exists at facilities. Issuance of INPO guidance will help to improve job incumbent training.
RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/08/08. STRAHM, K. Institute of Nuclear Power Operations. 10pp. 44119.045-44119.054.

-8811040020 Corrects error in 880808 rept on post-accreditation audit of training programs at plant.
RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 88/11/24. STRAHM, K. Institute of Nuclear Power Operations. 1p. 44119.044-44119.044.

-880120136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation ltr.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROSSI, C.E. Division of Licensee Performance & Quality Evaluation (Post 870411). 6pp. 44119.169-44119.169.

DOCKET 50-274 U.S. GEOLOGICAL SURVEY RESEARCH REACTOR

P. Operating license stage documents & correspondence

8801130367 Forwards Amend 4 to License R-113 & safety evaluation. Amend authorizes postponement of certain Tech Spec surveillance requirements when reactor delisted.
ADAMS, A. Standardization & Non-Power Reactor Project Directorate. 88/01/04. MILLARD, H.T. Interior, Dept. of Geological Survey. 4pp. 44005.332-44005.346.

-8801130371 Amend 4 to License R-113, authorizing postponement of certain Tech Spec surveillance requirements when reactor delisted.
RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 88/01/04. 6pp. 44005.336-44005.343.

-8801130382 Safety evaluation supporting Amend 4 to License R-113.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/04. 3pp. 44005.344-44005.346.

44 DOCKETED ITEMS

G. Inspection reports, IE Bulletins & correspondence

8801140005 Revised response to NRC 871203 telcon re violation noted in Insp Rept 50-274/87-01. Corrective actions procedures for handling low level radwaste revised & received preliminary approval & training in DOT & NRC regulations provided. MILLARD, H.T. Interior, Dept. of Geological Survey, 87/12/16. WISE, R. Region 4, Ofc of the Director. 2pp. 44010.043-44010.044.

8801210063 Ack receipt of 871118 & 1216 ltr informing NRC of steps taken to correct violation & deviation noted in Insp Rept 50-274/87-01. YANDELL, L.A. Region 4, Ofc of the Director. 88/01/13. MILLARD, H.T. Interior, Dept. of Geological Survey. 2pp. 44086.358-44086.359.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

E. NRC Safety Evaluation Report (SER), suppl & correspondence

8801130089 Thirteenth partial response to FOIA request for documents re plant. Forwards App R documents App R & S documents available in PDR & LPDR located in San Luis Obispo, CA. App T documents may be purchased from ANSI. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/29. GARDE, B.P. Government Accountability Project. 20pp. 44012.001-44012.251.

8801130227 Forwards util response to SSER 21, item 23 re qualification of Pullman Power Products QC welding inspectors. SCHUYLER, J.O. Pacific Gas & Electric Co. 84/02/29. MARTIN, J.B. Region 5, Ofc of the Director. 4pp. 44012.336-44012.339.

8801130232 Forwards drafts of mail responding to SSER 21 allegations Required review process complete. HOCH, J.B. Pacific Gas & Electric Co. 84/01/12. Region 5, Ofc of the Director. 18pp. 44012.340-44012.357.

8801130241 Requesta errata to end SSER 21, Page 2-185, Allegation 82. Review of SSER 21 indicated some factual errors on markup of Page 2-185. SCHUYLER, J.O. Pacific Gas & Electric Co. 84/01/29. MARTIN, J.B. Region 5, Ofc of the Director. 2pp. 44012.358-44012.359.

8801130303 Requests that util evaluate & resolve issues re SSER 21, Allegations 02 & 93 & welding symbology. Written response documenting evaluations & findings, including reprints or corrective actions, required as soon as possible. KIRSCH, D.F. NRC - No Detailed Affiliation Given. 84/02/06. HOCH, J.B. Pacific Gas & Electric Co. 15pp. 44013.001-44013.015.

8801130342 Forwards partial response to questions on SSER 21, items 61 & 102 re design control process for plant Encls 2 & 3 describe method for closure of completed work & responds to questions raised at 840118 exit interview, respectively. SCHUYLER, J.O. Pacific Gas & Electric Co. 84/02/17. MARTIN, J.B. Region 5, Ofc of the Director. 6pp. 44013.016-44013.035.

F. Security, medical, emergency & fire protection plans

8801070193 Responds to 871125 ltr to NRC which enclosed request from D Reed for info on regulations that would require advance notification of tests to warning sys. STELLO, V. Ofc of the Executive Director for Operations. 87/12/28. PANETTA, L.E. House of Rep. 6pp. 43945.336-43945.343.

8801070195 Forwards D Reed request for info on any regulations that would require advance notification of tests to warning sys. NRC should review encl & respond to Reed questions. PANETTA, L.E. House of Rep. 87/11/25. Commissioners. 2pp. 43945.342-43945.343.

8801260523 Fourteenth partial response to FOIA request for documents on allegations re plant operation. Encl App U & V documents also available in PDR & LPDR located in San Luis Obispo, CA. App V documents partially withheld (rel FOIA Exemption 4). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. GARDE, B.P. Government Accountability Project. 4pp. 44138.001-44138.238.

8801260549 IE Insp Rept 50-275/78-07 on 780227-0303 No deviations or items of noncompliance noted. Major areas inspected emergency planning. Related encls include various allegations, QA mail & 1 Yin notes. Partially withheld interviews & notes also encl. NORTH, H.S., BOOK, H.E. Fuel Facility & Materials Safety Branch, R5. 78/05/26. 20pp. 44138.009-44138.238.

G. Adjudicatory correspondence

8801200438 Diablo Canyon intervention request by Mothers for Peace. Forwards Mothers for Peace 880207 petition for leave to intervene. Encl document has not been received by ASLB & Docketing & Svc Branch. Served on 880303. MCGURRIN, H.J. Office of the Executive Legal Director (Pre 860701). 86/02/28. CLEMENTS, W.T. Docketing & Services Branch. 1p. 44091.083-44091.085.

8801200448 Diablo Canyon license amend to rerack spent fuel pools. Request for hearing & petition for leave to intervene in consideration of issuance of amendments to Licenses DPR-80 & DPR-82 re spent fuel pool reracking. SILVER, S.A. San Luis Obispo Mothers for Peace. 86/02/07. Commissioners. 2pp. 44091.084-44091.085.

8801200415 Mothers for Peace amend to petition to intervene. Forwards sworn statement from N Culver authorizing Mothers for Peace to act on her behalf in NRC proceedings re util application re spent fuel storage, w/o statement. Served on 880325. SILVER, S.A. Friends Peace Exchange (formerly Mothers for Peace). 88/03/17. Atomic Safety and Licensing Board Panel. 1p. 44091.133-44091.133.

8801040266 Notices of new address. MCGONAGILL, B. San Luis Obispo, CA. #188 5232. 87/12/08. NRC - No Detailed Affiliation Given. 1p. 43887.134-43887.134.

H. General correspondence

8801200338 Forwards JA vonRuden ltr providing requisite authorization for Santa Lucia Chapter of Sierra Club to act in vonRuden behalf in proceedings before NRC re plant. per 860303 petition for leave to intervene. Served on 860318. FERGUSON, R.B. Sierra Club. 88/02/10. Docketing & Services Branch. 1p. 44091.100-44091.102.

8801200342 Advises that author requested Santa Lucia Chapter of Sierra Club to request hearing on reracking proposal & to petition for leave to intervene in hearing. VONRUDE, J.A. Sierra Club. 86/03/17. MCGURRIN, H.J. Office of the Executive Legal Director (Pre 860701). 2pp. 44091.101-44091.102.

8801200310 Urges Commission to deny any request for another hearing re spent fuel storage on site. Citizens for Adequate Energy supports PG&E request for permission to store spent fuel in spent fuel storage pools on site. Served on 860310. GIBSON, J.C. Citizens for Adequate Energy. 86/03/03. PALLADINO, N. Commissioners. 1p. 44081.352-44081.352.

8801070193 Responds to 871125 ltr to NRC which enclosed request from D Reed for info on regulations that would require advance notification of tests to warning sys. STELLO, V. Ofc of the Executive Director for Operations. 87/12/29. PANETTA, L.E. House of Rep. 6pp. 43945.336-43945.343.

8801070195 Forwards D Reed request for info on any regulations that would require advance notification of tests to warning sys. NRC should review encl & respond to Reed questions. PANETTA, L.E. House of Rep. 87/11/25. Commissioners. 2pp. 43945.342-43945.343.

O. Advisory Committee on Reactor Safeguards reports & correspondence

8801270259 Summary of ACRS DHR Sys Subcommittee 871117 meeting in Washington, DC re util decision not to install dedicated blowdown sys at Davis Besse & implications of Diablo Canyon loss of shutdown cooling event. Viewgraphs encl. * ACRS - Advisory Committee on Reactor Safeguards. 87/12/16. ACRS - Advisory Committee on Reactor Safeguards. 18pp. 44155.118-44155.135.

P. Operating license stage documents & correspondence

8801070208 FOIA request for documents re encls to 871015 ltr to util transmitting suppl to safety evaluation & environ assessment. GRABER, L. NUS Corp. 87/12/14. Division of Rules & Records (Post 870413). 1p. 43946.031-43946.031.

8801200090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-28-87-417. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8801040626 Notification of 871018 meeting w/ util & Sandia in San Francisco, CA to conduct audit of turbine bldg non-linear analysis & auxiliary probabilistic response analysis for fragility studies. Audit part of long-term seismic program. TRAMMELL, C.M. Project Directorate V. 87/12/17. KNIGHTON, G.W. Project Directorate V. 6pp. 43986.053-43986.058.

8801050675 Forwards long-term seismic program - probabilistic risk assessment front-line sys analyses & top events in response to requests from NRC during NRC/ util 871102-08 workshops on fragility evaluation & soil-structure interaction. SHIFFER, J.D. Pacific Gas & Electric Co. 87/12/22. Document Control Branch (Document Control Desk). 600pp. 43911.040-43912.285.

8801130089 Thirteenth partial response to FOIA request for documents re plant. Forwards App R documents App R & S documents available in PDR & LPDR located in San Luis Obispo, CA. App T documents may be purchased from ANSI. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/29. GARDE, B.P. Government Accountability Project. 20pp. 44012.001-44012.278.

8801130137 Rev 0 to W-506, "Procedure for Operating Nuclear Plant Mod." * Pacific Gas & Electric Co. 82/05/07. 13pp. 44012.095-44012.107.

8801130147 Procedure Change Notices 1-13 to Rev 1 to QCP-17, "Quality Procedure for Initiation of Work." * Howard P. Foley Co. 83/11/08. 48pp. 44012.108-44012.165.

8801130159 Procedure Change Notice 1 to Rev 1 to HPF-E2, "Procedure for Installation & Documentation of Fire Alarms, Cardox Sys, Deluge Sys & Smoke Detectors," revising conduit installation. Related info encl. * Howard P. Foley Co. 83/04/08. 35pp. 44012.156-44012.180.

8801130166 Rev 0 to Project Instruction PI-11, Plant Mod Followup. * Pacific Gas & Electric Co. 82/07/29. 9pp. 44012.191-44012.199.

8801130169 Rev 2 to Procedure III-B, "Procedure for Operating Nuclear Plant Mod (Quality)." * Pacific Gas & Electric Co. 83/11/02. 21pp. 44012.200-44012.220.

8801130191 Rev 3 to Design Criteria Memo C-15, "Design Criteria for Seismic Review of Class 1E Electrical Raceway Supports at Diablo Canyon Power Plant." YAN, M.K., MCCALL, J.K., BETTINGER, R.V. Pacific Gas & Electric Co. 83/03/23. 37pp. 44012.285-44012.321.

8801130210 Requests that Ofc of Investigation followup on allegation of falsification of welder certifications at plant. Arrangements for standin alleged to be made through R Berry. No details available from C Nieberger at present. MENDONCA, M.M. NRC - No Detailed Affiliation Given. 83/10/06. KIRSCH, D.F. NRC - No Detailed Affiliation Given. 4pp. 44012.322-44012.332.

8801130222 Rev 1 to Instruction I-29, "Temporary Instructions for Review of Welds Associated w/ Pipe Attachments on PG&E Code Class B, C, E, & G." * Pacific Gas & Electric Co. 83/09/14. 3pp. 44012.333-44012.335.

-8801130257 Submits design & const status of Design Change Notice DCO-EE-446 re control room ventilation & pressurization sys. Design & const complete. Repair, testing activities & resolution scheduled to be completed by 840215.
SCHUYLER, J.O. Pacific Gas & Electric Co. 84/02/07. MARTIN, J.B. Region 5, Ofc of the Director. 1p. 44012:360-44012:360.

-8801130364 Forwards suppl to 840215 response to SECY-84-81, Items 71, 73 & 183 re sale & use of drugs at plant.
SCHUYLER, J.O. Pacific Gas & Electric Co. 84/02/24. MARTIN, J.B. Region 5, Ofc of the Director. 7pp. 44013:036-44013:042.

-8801130380 Forwards program description for HP Foley Co quality records review & turnover. In response to questions raised by NRC at 840119 exit interview.
SCHUYLER, J.O. Pacific Gas & Electric Co. 84/02/29. MARTIN, J.B. Region 5, Ofc of the Director. 12pp. 44013:043-44013:054.

8801070205 Notification of 880108 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801120390 Notifies NRC of sampling plan for verifying operability of safety-related snubbers during second refueling outage, per Tech Spec 4.7.7, i.e. 1.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 43990:081-43990:081.

8801190153 Forwards exemption from requirements of 10CFR20, App A in response to 860715 suppl to 860418 application Exemption allows use of radiiodine protection factor of 50 for Mine Safety Appliances GMR-I canisters at both units.
TRAMMELL, C.M. Division of Reactor Projects - III, IV & Special Projects (Post 870411). 88/01/04. SHIFFER, J.D. Pacific Gas & Electric Co. 3pp. 44053:011-44053:022.

-8801190161 Exemption from requirements of 10CFR20, App A re use of radiiodine protection factor of 50 for Mine Safety Appliances GMR-I canisters at both units.
CRUTCHFIELD, D. Division of Reactor Projects - III, IV & Special Projects (Post 870411). 88/01/04. 9pp. 44053:014-44053:022.

8801070285 Partial response to FOIA request for documents re 871015 ltr to licensee transmitting suppl to safety evaluation & environ assessment.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/05. GRABER, L. NUS Corp. 2pp. 43946:032-43946:048.

8801250429 Forwards Amends 27 & 26 to Licenses DPR-80 & DPR-82, respectively & safety evaluation. Amends revise limiting conditions for operation of pressurizer PORVs & clarify requirements for startup repts.
TRAMMELL, C.M. Project Directorate V. 88/01/05. SHIFFER, J.D. Pacific Gas & Electric Co. 4pp. 44116:090-44116:106.

-8801250444 Amends 27 & 26 to Licenses DPR-80 & DPR-82, respectively, revising limiting conditions for operation of pressurizer PORVs & clarifying requirements for startup repts.
KNIGHTON, G.W. Project Directorate V. 88/01/05. 10pp. 44116:094-44116:103.

-8801250450 Safety evaluation supporting Amends 27 & 26 to Licenses DPR-80 & DPR-82, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/05. 3pp. 44116:104-44116:106.

8801210194 Partial response to FOIA request. App G documents already available in PDR. App H documents, re INPO accreditation training, encl & available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095:001-44095:022.

-8801210237 Repts on NRC 851118-22 observation of INPO Accreditation Team evaluation of util training programs for reactor operators, senior reactor team operators, nonlicensed operators & shift technical advisors.
MORISSEAU, D.S. Office of Nuclear Reactor Regulation, Director (pre-851125). CREWS, J.L. Region 5, Ofc of the Director. 85/01/06. BOOHER, H.R. Office of Nuclear Reactor Regulation, Director (pre-851125). FAULKENBERRY, B. Region 5, Ofc of the Director. 4pp. 44095:026-44095:029.

8801260492 Withdraws 871030 License Amend Request 87-09. Implementation of any addl actions together w/completion of NRC approvals could not be accomplished prior to next Unit 1 refueling outage, scheduled to begin early Mar 1988.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44136:178-44136:177.

8801270024 Forwards util response to NRC request for consideration of addl items re removal of RHR autoclosure interlock function, per 871208 meeting. Util will complete procedural commitments in encl prior to startup following removal of RHR function.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/19. Document Control Branch (Document Control Desk). 3pp. 44142:146-44142:148.

8801270135 Informs of recent organizational change within Div of Reactor Projects. H Rood assigned as NRR project manager. T Chan will serve as backup project manager. Listed telephone numbers will be effective 880201.
KNIGHTON, G.W. Division of Reactor Projects - III, IV & Special Projects (Post 870411). 88/01/20. SHIFFER, J.D. Pacific Gas & Electric Co. 3pp. 44154:343-44154:345.

8801260523 Fourteenth partial response to FOIA request for documents on allegations re plant operation. Encl App U & V documents also available in PDR & LPDR located in San Luis Obispo, CA. App V documents partially withheld (ref FOIA Exemption 6).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. GARDE, B.P. Government Accountability Project. 4pp. 44138:001-44138:238.

8801270013 Forwards License Amend Request 88-02 for Licenses DPR-80 & DPR-82, changing frequency of main turbine valves stroke testing from weekly to quarterly & of direct observation of valve movement from every 31 days to quarterly. Fee paid.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/22. Document Control Branch (Document Control Desk). 2pp. 44137:290-44137:303.

-8801270016 License Amend Request 88-02 for Licenses DPR-80 & DPR-82, changing frequency of main turbine valves stroke testing from weekly to quarterly & of direct observation of valve movement from every 31 days to quarterly.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/22. 9pp. 44137:292-44137:300.

-8801270018 Proposed Tech Specs changing frequency of main turbine valves stroke testing from weekly to quarterly & of direct observation of valve movement from every 31 days to quarterly.
* Pacific Gas & Electric Co. 88/01/22. 3pp. 44137:301-44137:303.

8801270021 Forwards application for amend to Licenses DPR-80 & DPR-82, consisting of Amend Request 88-01, revising Tech Specs 3/4.9.8.1 & 4.9.8.2 to reduce required RHR flowrate in Mode 6 & 3.4.1.4.2 re RHR pump deenergization in Mode 5. Fee paid.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/22. Document Control Branch (Document Control Desk). 2pp. 44137:342-44137:359.

-8801270027 Application for amends to Licenses DPR-80 & DPR-82, consisting of Amend Request 88-01, revising Tech Specs 3/4.9.8.1, 4.9.8.2 & Bases 3/4.9.8 to reduce required RHR flowrate in Mode 8 & 3.4.1.4.2 re RHR pump deenergization.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/22. 10pp. 44137:344-44137:353.

-8801270043 Proposed Tech Specs 3/4.9.8.1, 4.9.8.2 & Bases 3/4.9.8, reducing required RHR sys flowrate during Mode 6 operation & 3.4.1.4.2, ensuring RHR pump cannot be deenergized for 1 h in Mode 5 unless reactor vessel water level above flange.
* Pacific Gas & Electric Co. 88/01/22. 6pp. 44137:354-44137:359.

8801270176 Ninth partial response to FOIA request for documents re SSER 28, NUREG-0676. Forwards App R documents. App U & App R documents available in PDR. App S & T documents partially & totally withheld (ref FOIA Exemptions 6 & 7).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. DEVINE, DIXON Government Accountability Project. 7pp. 44154:001-44154:310.

-8801270287 Forwards description of contractor record turnover program & results. Partially withheld related documents encl.
SCHUYLER, J.O. Pacific Gas & Electric Co. 84/06/11. MARTIN, J.B. Region 5, Ofc of the Director. 250pp. 44154:040-44154:301.

-8801270338 Summarizes 840319 meeting re Allegation RV-84-A-0043 concerning circumvention of QC procedures & intimidation & threats. Ltr to alleged discuss panel actions recommended.
DODDS, B. Region 5, Ofc of the Director. 84/03/21. Region 5, Ofc of the Director. 1p. 44154:302-44154:302.

-8801270422 Partially withheld ltr re Allegation RV-84-A-0043 concerning circumvention of QC procedures. Inquiry initiated.
BISHOP, T.W. Region 5, Ofc of the Director. 83/03/21. Affiliation Not Assigned. 1p. 44154:304-44154:304.

-8801270436 Partially withheld ltr re 840308 meeting concerning Allegation RV-84-A-0043 on circumvention of QC procedures. Inquiry initiated. Intimidation concern referred to Ofc of Investigation.
BISHOP, T.W. Region 5, Ofc of the Director. 83/03/21. Affiliation Not Assigned. 1p. 44154:305-44154:305.

-8801270439 Partially withheld ltr re meeting concerning Allegation RV-84-A-0037 re discharge from Bechtel work force at plant. Partially withheld related documents encl.
SCARANO, R.A. Region 5, Ofc of the Director. 84/03/23. Affiliation Not Assigned. 5pp. 44154:306-44154:310.

Q. Inspection reports, IE Bulletins & correspondence

8712310193 Forwards Insp Repts 50-275/87-40 & 50-323/87-40 on 871112 & 18-20. No violations or deviations noted.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/15. SHIFFER, J.D. Pacific Gas & Electric Co. 2pp. 43919:345-43919:352.

-8712310197 Insp Repts 50-275/87-40 & 50-323/87-41 on 871112 & 18-20. No violations or deviations noted. Major areas inspected: vital plant areas & equipment & follow-up enforcement & open items.
BURDION, J.F., MENOONCA, M.M. Region 5, Ofc of the Director. 87/12/11. 6pp. 43919:347-43919:352.

8712310198 Forwards Chemistry Team Insp Repts 50-275/87-24 & 50-323/87-24 on 871014-21. No violations noted.
SCARANO, R.A. Region 5, Ofc of the Director. 87/12/16. SHIFFER, J.D. Pacific Gas & Electric Co. 2pp. 43920:159-43920:214.

-8712310191 Insp Repts 50-275/87-24 & 50-323/87-24 on 871014-21. No violations or deviations noted. Major areas inspected: plant chemistry, including organization, mgmt, QA, training & qualifications, water chemistry control & facilities.
NORTH, H.S. Region 5, Ofc of the Director. ZIBULSKY, H. Region 1, Ofc of the Director. ROSS, W.J. Region 2, Ofc of the Director. 87/12/15. 52pp. 43920:161-43920:214.

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801130025 Forwards Insp Repts 50-275/87-36 & 50-323/87-38 on 871004-1114 & notices of violation & deviation.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/28. SHIFFER, J.D. Pacific Gas & Electric Co. 2pp. 44044:013-44044:054.

-8801130034 Notice of violation from Insp on 871004-1114. Violation noted: RCS leakage detection surveillance program did not include acceptance criteria for operation of containment fan cooler collection monitoring sys.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/28. 1p. 44044:015-44044:015.

-8801130036 Notice of deviation from Insp on 871004-1114. Deviation noted spent fuel pool area monitor RE-58 & new fuel storage area monitor, RE-58, both installed in April 1985, not recorded in control room radiation monitoring racks.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/28. 1p. 44044:016-44044:016.

-8801130038 Insp Repts 50-275/87-38 & 50-323/87-38 on 871004-1114. Violation & deviation noted. Major areas inspected: plant operations, maint. & surveillance activities & followup of onsite events, open items & LERs.
PADOVAN, L.M., JOHNSTON, K.E., NARBUT, P.P. Region 5, Ofc of the Director. 87/12/24. 38pp. 44044:017-44044:054.

8801130089 Thirteenth partial response to FOIA request for documents re plant. Forwards App R documents App R & S documents available in PDR & LPDR located in San Luis Obispo, CA. App T documents may be purchased from ANSI.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/28. GARDE, B.P. Government Accountability Project. 20pp. 44012:001-44012:251.

-8801130102 Rev 2 to "Procedure for Establishing Acceptance Criteria for Anchor Installations, Diablo Canyon Power Plant."
NIEMI, T.E. Kellogg Co. 76/12/10. 15pp. 44012:023-44012:039.

-8801130122 Rev 1 to Procedure OAI-98, "Procedure for Insp of Existing Concrete Expansion Anchors in Hanger Installations."
Pacific Gas & Electric Co. 77/02/14. 16pp. 44012:077-44012:092.

-8801130411 Forwards info re circumstances surrounding documentation of Insp of 1977 Nuclear Svcs Corp audit of Pullman Power Products Co. including draft Insp Repts 50-275/83-37 & 50-323/83-25. Related info also encl.
DICKS, W.J. Ofc of the Executive Director for Operations. 84/03/01. Commissioners. 3,600pp. 44013:055-44027:278.

8712290165 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801050096 Forwards corrected App A notice of violations encl w/871221 memo. Word "draft" should have been deleted from top of page.
PATE, R.J. Region 5, Ofc of the Director. 87/12/31. SHIFFER, J.D. Pacific Gas & Electric Co. 1p. 43960:237-43960:239.

-8801101080 Corrected notice of violation from Insp on 861215-19. Violation noted: qualification documentation for limit torque motorized valve actuators did not establish similarity between installed actuator & actuator tested.
PATE, R.J. Region 5, Ofc of the Director. 87/12/21. 2pp. 43960:238-43960:239.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:183.

880120269 Requests add time to provide final rpt on completed test program re IE Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Mail Specs." Rpt will be submitted by end of Mar 1988.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/15. Document Control Branch (Document Control Desk). 1p. 44086:068-44086:068.

8801260558 Responds to NRC 871221 ltr re violations noted in Insp Repts 50-275/86-33 & 50-323/86-31. Corrective actions: grease reliefs on gear housings of three limit torque valve operators inside Unit 2 containment installed.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/20. Document Control Branch (Document Control Desk). 6pp. 44136:138-44136:143.

8801260523 Fourteenth partial response to FOIA request for documents on allegations re plant operation Encl App U & V documents also available in PDR & LPDR located in San Luis Obispo, CA. App V documents partially withheld (ref FOIA Exemption 6).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. GARDE, B.P. Government Accountability Project. 4pp. 44138:001-44138:238.

-8801260542 Forwards IE Insp Rept 50-275/78-07 on 780227-0303. No items of non-compliance noted.
BOOK, H.E. Fuel Facility & Materials Safety Branch, R5. 78/05/26. CRANE, P.A. Pacific Gas & Electric Co. 2pp. 44138:007-44138:008.

-8801260549 IE Insp Rept 50-275/78-07 on 780227-0303. No deviations or items of non-compliance noted. Major areas inspected: emergency planning. Related encls include various allegations, OAI mels & I Yin notes. Partially withheld interviews & notes also encl.
NORTH, H.S., BOOK, H.E. Fuel Facility & Materials Safety Branch, R5. 78/05/26. 206pp. 44138:009-44138:238.

R. Periodic operating reports & related correspondence

8801270081 "Report on Discharge Monitoring at Diablo Canyon Power Plant," for Dec 1987. W/880120 ltr.
TOWNSEND, J.D. Pacific Gas & Electric Co. 87/12/31. LEONARD, W. California, State of. 45pp. 44169:289-44169:334.

8801270131 Monthly operating reports for Dec 1987. W/870116 ltr.
HUG, M.T., BEDESEM, P., TOWNSEND, J.D. Pacific Gas & Electric Co. 87/12/31. 11pp. 44141:128-44141:138.

S. Reportable occurrences, LERs & related correspondence

8801200389 LER 87-023-00: on 871213, in-to steam generator level reactor trip occurred following main feedwater pump trip. Caused by failed "push to test" lamp socket. Socket replaced. Test procedure written & evaluation continuing. W/880112 ltr.
SISK, D.P., SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/12. 8pp. 44058:128-44058:133.

8801200439 LER 87-024-00: on 871213, reactor trip & subsequent turbine trip occurred due to failure of detector voltage supply for source range Channel N-32. Cause not determined. High-voltage power supply & detector signal unit replaced. W/880112 ltr.
SISK, D.P., SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/12. 5pp. 44057:035-44057:039.

8801270276 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl.
LANNING, W. Events Assessment Branch. 88/01/15. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 18pp. 44155:136-44155:151.

8801260445 LER 87-025-00: on 871217, main turbine trip & feedwater isolation valve closure occurred. Caused by lack of guidance to operators to execute operation. Memo will be issued to operators providing guidance on correct method. W/880118 ltr.
WILSON, S.D., SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/19. 7pp. 44128:318-44128:324.

8801260483 LER 87-026-00: on 871217, unit entered Mode 1 in violation of Tech Spec 3.0.4 w/o meeting limiting conditions for operation. Caused by lack of procedural guidance in reporting of significant digits for chemical results. W/880119 ltr.
MALONE, D.D., SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/19. 5pp. 44128:346-44128:350.

8801260126 LER 87-027-00: on 871220, fuel handling b'dg ventilation sys shifted into iodine removal mode due to removal of hot particle from spent pool. Caused by failure to perform survey. Radiation control procedure revised. W/880119 ltr.
HUG, M.T., SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/19. 8pp. 44156:287-44156:292.

8801260344 Special Rept SR 88-01: on 871230, radiation monitor RM-29 declared inoperable when alert indicated on post-accident monitoring panel 1 in control room. Caused by moisture intrusion in detector pig pig dried & resealed.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/20. Document Control Branch (Document Control Desk). 1p. 44136:313-44136:313.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents, App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220136 Advises of attendance at 870823 Natl Nuclear Accrediting Board meeting at INFO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801150044 Forwards public version of Rev 10 to Emergency Plan Implementing Procedure EP-280A, "Fire Fighting Group." W/880111 release memo.
GALLAGHER, J.W. Philadelphia Electric Co. 87/12/17. Document Control Branch (Document Control Desk). 4pp. 44049:023-44049:055.

-8801150048 Public version of Rev 10 to Emergency Plan Implementing Procedure EP-208A, "Fire Fighting Group."
* Philadelphia Electric Co. 87/12/17. 20pp. 44049:027-44049:055.

8801250122 Forwards 871204 Insp Repts 50-277/87-30 & 50-278/87-30 re compliance w/fire protection requirements of App R. Unit in compliance w/regulations on issues. Requests meeting w/NRC to close unresolved items.
ALDEN, W.M. Philadelphia Electric Co. 88/01/05. MARTIN, R.E. Project Directorate I-2. 1p. 44109:085-44109:102.

8801150135 Forwards Safety Insp Repts 50-277/87-36 & 50-278/87-36 on 871207-09. No violations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 88/01/08. GALLAGHER, J. Philadelphia Electric Co. 2pp. 44045:302-44045:311.

-8801150145 Emergency Preparedness Insp Repts 50-277/87-36 & 50-278/87-36 on 871207-09. No violations noted. Major areas inspected: observation of licensee annual partial participation emergency exercise performed on 871208.
GORDON, C., LAZARUS, W.J. Region 1, Ofc of the Director. 88/01/05. 8pp. 44045:304-44045:311.

8801280417 Forwards public version of revised emergency plan implementing procedures, including Rev 18 to EP-101, "Classification of Emergencies" & Rev 18 to EP-102, "Unusual Event Response." W/880128 release memo.
GALLAGHER, J.W. Philadelphia Electric Co. 88/01/07. Document Control Branch (Document Control Desk). 5pp. 44175:089-44175:074.

-8801280441 Public version of revs to emergency plan implementing procedures, including Rev 18 to EP-101, "Classification of Procedures" & Rev 18 to EP-102, "Unusual Event Response."
* Philadelphia Electric Co. 87/12/08. 238pp. 44175:084-44175:074.

8801190332 Forwards Safety Insp Repts 50-277/87-24 & 50-278/87-24 on 871017-1127 & notice of violation. One recurrent violation w/ multiple examples concerns failure to adequately survey & post radiological conditions.
KANE, W.F. Region 1, Ofc of the Director. 88/01/11. GALLAGHER, J.W. Philadelphia Electric Co. 2pp. 44052:008-44052:050.

-8801190336 Partially withheld Safety Insp Repts 50-277/87-24 & 50-278/87-24 on 871017-1127 (rel 10CFR2.790 & 73.21). Violations noted. Major area inspected: operational safety, radiation protection & refueling & outage activities.
WILLIAMS, J.H., LINVILLE, J.C. Region 1, Ofc of the Director. 88/01/08. 41pp. 44052:010-44052:050.

8801260510 Advises that licensee alternatives to goals in NUREG-0854/FEMA-REP. 1, Rev. 1, Table B-1 re staffing augmentation goals for emergencies found acceptable in providing adequate shift staff augmentation.
MARTIN, R.E. Project Directorate I-2. 88/01/15. BAUER, E.G. Philadelphia Electric Co. 3pp. 44116:124-44116:127.

8801260068 Forwards SER accepting until 840116.0927 & 850805 responses to Generic Ltr 82-33, Item 6 re compliance w/post-accident monitoring instrumentation guidelines of Reg Guide 1.97 concerning emergency response facilities.
MARTIN, R.E. Project Directorate I-2. 88/01/15. BAUER, E.G. Philadelphia Electric Co. 3pp. 44130:124-44130:151.

8801260074 SER accepting until 840116.0927 & 850805 responses to Generic Ltr 82-33, Item 6 re compliance w/post-accident monitoring instrumentation guidelines of Reg Guide 1.97 concerning emergency response facilities.
* Project Directorate II-1. 88/01/15. 3pp. 44130:127-44130:129.

8801030467 "Conformance to Reg Guide 1.97, Peach Bottom Atomic Power Station, Units 2 & 3," Informal rpt.
UDY, A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.). UDY, A.C. Idaho National Engineering Laboratory. FIN A-6483. EGG-EG-6878. 86/02/28. NRC - No Detailed Affiliation Given. 22pp. 44130:130-44130:151.

8801270059 Discusses condition of noncompliance w/10CFR50 App R re incorrect disposition of cable failures. Stated combination of grounds will result in loss of core cooling by RCIC sys. Caused by personnel error. Cable relocation underway.
GALLAGHER, J.W. Philadelphia Electric Co. 88/01/19. RUSSELL, W.T. Region 1, Ofc of the Director. 3pp. 44141:090-44141:092.

H. General correspondence

871290013 Ack receipt of 871201 ltr describing plans for mgt changes at facilities.
KANE, W.F. Region 1, Ofc of the Director. 87/12/21. GALLAGHER, J.W. Philadelphia Electric Co. 2pp. 43893:017-43893:018.

8801040013 Forwards NRC response to Hunt 871109 ltr expressing concerns about lack of adequate public notification of 871104 meeting in Quarryville, PA re util commitment to excellence action plan. Display ads of meeting were in local newspapers.
STELLO, V. Ofc of the Executive Director for Operations. 87/12/23. WALKER, R.S. House of Rep. 4pp. 43895:183-43895:204.

8801040020 Apologizes for oversight of lack of adequate publicity about 871104 meeting in Quarryville, PA for public to comment on util commitment to excellence action plan. Comments & advertisements of meetings encl.
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/09. HUNT, W.D. Affiliation Not Assigned. 13pp. 43895:187-43895:199.

8801040039 Forwards WD Hunt 871116 ltr re lack of adequate public notification of meeting to discuss util commitment to excellence action plan, for consideration.
WALKER, R.S. House of Rep. 87/11/17. ZECH, L.W. Commissioners. 1p. 43895:180-43895:204.

8801040041 Expresses concern re lack of adequate public notification for meeting in Peach Bottom, PA to discuss licensee commitment to excellence action plan.
HUNT, W.D. Affiliation Not Assigned. 87/11/16. Region 1, Ofc of the Director. 2pp. 43895:181-43895:204.

J. Insurance & Indemnity Information

8801270214 Forwards Endorsement 121 to NELIA Policy NF-140, Endorsement 71 to MAELU Policy MF-87, 2 Endorsements 8 to NELIA Policy N-8, MAELU Policy M-8, NELIA Policy N-9 & MAELU Policy M-9.
BRADLEY, E.J. Philadelphia Electric Co. 88/01/11. DINITZ, I. NRC - No Detailed Affiliation Given. 7pp. 44189:027-44189:033.

P. Operating license stage documents & correspondence

8801200090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801140303 FOIA request for documents re requests for compensation from Delmarva Power & Light Co or other public utility in connection w/shutdown of Peach Bottom power plant.
LEWIS, D.B. Lewis, D.B. 87/12/18. NRC - No Detailed Affiliation Given. 1p. 44033:006-44033:006.

8801050041 Responds to NRC 871203 ltr re QA program description changes for plants & 871003 Rev 5 to updated FSAR, incorporating info discussed w/NRC on 871130 & 1211. Requests for rev initiated & approved by nuclear QA addressing NRC concerns.
GALLAGHER, J.W. Philadelphia Electric Co. 87/12/23. JOHNSON, W.V. Region 1, Ofc of the Director. 8pp. 43900:123-43900:130.

8801130267 Ack receipt of "Plan for Restart of Peach Bottom Atomic Power Station, Section I, Corporate Action" & approves 871125 implementation of corporate action.
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/24. AUSTIN, J.H. Philadelphia Electric Co. 2pp. 44039:073-44039:074.

8801070499 Forwards summary rpt reflecting schedule info through 871211, per util Section 4.13.2 of commitment to excellence action plan.
AUSTIN, J.H. Philadelphia Electric Co. 87/12/29. RUSSELL, W.T. Region 1, Ofc of the Director. 18pp. 43999:300-43999:317.

8801070156 Requests addl info supporting until 871105 submittal re Genrie Ltr 83-28, Items 3.1.2 & 3.2.2. Info requested includes list of 20 outstanding vendor manuals & scheduled target date for receipt of updated vendor manuals.
MARTIN, R.E. Project Directorate I-2. 88/01/04. BAUER, E.G. Philadelphia Electric Co. 3pp. 43950:005-43950:007.

8801130428 Requests annual hourly meteorological data tape of plant onsite observations & most recent study containing evacuation time estimates for area around site. Response requested by end of Feb 1988.
MARTIN, R.E. Project Directorate I-2. 88/01/11. ALDEN, W.M. Philadelphia Electric Co. 3pp. 44009:112-44009:114.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 6pp. 44118:001-44118:039.

88012080547 Trip rpt of 861029-30 visit to Natl Nuclear Accrediting Board meeting to review selected training for plants Board reviewed four sites & 24 programs.
MCKEE, P.F. Operating Reactor Program Br. Div of Inspection Programs, IE (85012-870413). 86/12/02. PERSENSKY, J.J. Maintenance & Training Branch. 2pp. 44119:077-44119:078.

88012090030 Summary of INPO Accreditation Board 861015 & 16 meetings re encl list of facility programs.
GIBSON, A.F. Region 2, Ofc of the Director. 88/10/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 3pp. 44119:041-44119:043.

8801280093 Informs that 871120 petition for hearing on util untimely & does not address Commission criteria in 10CFR2.714(b), (d), 2.714(a)(1) & 2.772(c). Petition rejected.
CHILK, S.J. Office of the Secretary of the Commission. 88/01/13. MYERS, M.M. Pennsylvania. Commonwealth of. 1p. 44173:287-44173:287.

8801250280 Advises that licensee 870818 submittal of addl info re Generic Ltr 83-28, Item 1.2, "Data & Info Capability" meets guidelines in NRC 850710 evaluation. Issue considered resolved.
MARTIN, R.E. Project Directorate I-2. 88/01/15. BAUER, E.G. Philadelphia Electric Co. 3pp. 44116:322-44116:324.

8801260168 Discusses NRC comments re procedures generation package for plant emergency operating procedures. Util agrees w/all comments except Comment 1.2 re placement of caution symbols. Supporting info encl.
GALLAGHER, J.W. Philadelphia Electric Co. 88/01/16. BUTLER, W.R. Project Directorate I-2. 10pp. 44130:342-44130:351.

8801270005 Requests addl info to facilitate review of util FROSSTIEY fuel performance code described in Rept RECO FMS-003. Use of FROSSTIEY for input to LOCA analysis & determination of end-of-life internal rod pressure should be indicated.
MARTIN, R.E. Project Directorate I-2. 88/01/20. BAUER, E.G. Philadelphia Electric Co. 3pp. 44149:137-44149:139.

8801260320 Final response to FOIA request re alleged threats to employee at plant. Document identified in App A available in PDR.
GRIMSLEY, D. Division of Rules & Records (Post 870413). 88/01/21. STAFFORD, T.A. Affiliation Not Assigned. 2pp. 44138:301-44138:302.

8801280883 Requests confirmation that diesel generator fuel oil sys included on plant Q-list & designed to Salsmick Category I criteria & results of testing per 871118 submittal.
MARTIN, R.E. Project Directorate I-2. 88/01/22. BAUER, E.G. Philadelphia Electric Co. 3pp. 44173:088-44173:070.

O. Inspection reports, IE Bulletins & correspondence

8712300043 Forwards Safety Insp Repts 50-277/87-31 & 50-278/87-31 on 871102-06. No violations noted.
JOHNSON, W.V. Region 1, Ofc of the Director. 87/12/17. KEMPER, J.S. Philadelphia Electric Co. 2pp. 43921:018-43921:028.

8712300045 Insp Repts 50-277/87-31 & 50-278/87-31 on 871102-06. No violations or deviations noted. Major areas inspected. NRC Bulletin 84-03 & IE Info Notice 84-83 accessible portions of Units 2 & 3.
REBELOWSKI, T., BLUMBERG, N.J. Region 1, Ofc of the Director. 87/12/09. 7pp. 43921:020-43921:028.

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." See list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." See list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8712310008 Forwards Exam Repts 50-277/87-27OL & 50-278/87-27OL of exam administered during wk of 871005.
GALLO, R.M. Region 1, Ofc of the Director. 87/12/23. GALLAGHER, J.W. Philadelphia Electric Co. 2pp. 43923:124-43923:287.

8712310011 Exam Repts 50-277/87-27OL & 50-278/87-27OL on 871005-07. Exam results: four senior reactor operators passed, two reactor operators passed & one reactor operator failed.
HOWE, A.G., LANGE, D.J. Region 1, Ofc of the Director. 87/12/21. 170pp. 43923:126-43923:297.

8801050413 Forwards Safety Insp Repts 50-277/87-34 & 50-278/87-34 on 871109-13. No violations noted.
JOHNSON, W.V. Region 1, Ofc of the Director. 87/12/23. GALLAGHER, J.W. Philadelphia Electric Co. 2pp. 43961:141-43961:150.

8801050418 Insp Repts 50-277/87-34 & 50-278/87-34 on 871109-13. No violations noted. Major areas inspected: licensee followup & corrective actions re several NRC previously identified items.
WOODARD, C.H., ANDERSON, C.J. Region 1, Ofc of the Director. 87/12/16. 8pp. 43961:143-43961:150.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28.
Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801260122 Forwards 871204 Insp Repts 50-277/87-30 & 50-278/87-30 re compliance w/fire protection requirements of App R.Uiii in compliance w/regulations on Issues Requests meeting w/NRC to close unresolved items.
ALDEN,W.M. Philadelphia Electric Co. 88/01/05. MARTIN,R.E. Project Directorate I-2. 1p. 44109:085-44109:102.

8801150135 Forwards Safety Insp Repts 50-277/87-36 & 50-278/87-36 on 871207-09 No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 88/01/08. GALLAGHER,J. Philadelphia Electric Co. 2pp. 44045:302-44045:311.

-8801150145 Emergency Preparedness Insp Repts 50-277/87-36 & 50-278/87-36 on 871207-09 No violations noted.Major areas inspected observation of licensee annual partial participation emergency exercise performed on 871208.
GORDON,C., LAZARUS,W.J. Region 1, Ofc of the Director. 88/01/05. 8pp. 44046:304-44046:311.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11.
Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801190333 Forwards Safety Insp Repts 50-277/87-24 & 50-278/87-24 on 871017-1127 & notice of violation One recurrent violation w/ multiple examples concerns failure to adequately survey & post radiological conditions.
KANE,W.F. Region 1, Ofc of the Director. 88/01/11. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 44052:008-44052:050.

-8801190334 Notice of violation from Insp on 871017-1127.Violation noted:field initiated change to PORC approved repair procedure for emergency cooling water sys Pipe Support 48HB-H58 made w/o documented approval.
* Region 1, Ofc of the Director. 88/01/11. 2pp. 44052:008-44052:009.

-8801190336 Partially withheld Safety Insp Repts 50-277/87-24 & 50-278/87-24 on 871017-1127 (rel 10CFR2.790 & 73.21). Violations noted:Major areas inspected operational safety, radiation protection & refusing & outage activities.
WILLIAMS,J.H., LINVILLE,J.C. Region 1, Ofc of the Director. 88/01/08. 41pp. 44052:010-44052:050.

8801200163 Ack receipt of 871130 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-277/87-23 & 50-278/87-23.Request for extension until 880122 agreed.
JOHNSTON,W.V. Region 1, Ofc of the Director. 88/01/11. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 44052:173-44052:178.

8801200384 Responds to violations noted in Insp Repts 50-277/87-22, 50-278/87-22,50-277/87-25 & 50-278/87-25 Corrective actions: outside expert consultant employed to work w/util to expedite completion of analysis.
GALLAGHER,J.W. Philadelphia Electric Co. 88/01/11. KANE,W.F. Region 1, Ofc of the Director. 2pp. 44058:190-44058:191.

8801210154 Responds to NRC 871204 ltr re violations noted in Insp Repts 50-277/87-30 & 50-278/87-30.Corrective actions:fire brigade members fully trained.
GALLAGHER,J.W. Philadelphia Electric Co. 88/01/11. JOHNSTON,W.V. Region 1, Ofc of the Director. 5pp. 44088:318-44088:322.

8801250510 Advises that licensee alternatives to goals in NUREG-0654/FEMA-REP-1,Rev 1, Table B-1 re staffing augmentation goals for emergencies found acceptable in providing adequate shift staff augmentation.
MARTIN,R.E. Project Directorate I-2. 88/01/15. BAUER,E.G. Philadelphia Electric Co. 4pp. 44118:124-44118:127.

8801270129 Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failure During Plant Transients Due to Improper Switch Settings."
KEMPER,J.S. Philadelphia Electric Co. 88/01/21. RUSSELL,W.T. Region 1, Ofc of the Director. 3pp. 44141:139-44141:165.

-8801270134 Rev 0 to "Peach Bottom Atomic Power Station,Units 2 & 3, Response to IE Bulletin 85-003."
* Philadelphia Electric Co. 88/01/15. 24pp. 44141:142-44141:165.

R. Periodic operating reports & related correspondence

8801250232 Monthly operating repts for Dec 1987.W/880114 ltr.
MIDDLETON,L.L., ALDEN,W.M. Philadelphia Electric Co. 87/12/31. 14pp. 44158:264-44158:277.

8801200146 Forwards plant status rept for 871217-880107,providing overview of plant & NRC activities.
LINVILLE,J.C. Region 1, Ofc of the Director. 88/01/13. KANE,W.F. Region 1, Ofc of the Director. 5pp. 44051:357-44051:361.

S. Reportable occurrences, LERs & related correspondence

8712310055 Special rept on 871111,diesel-driven fire pump failed surveillance test & declared inoperable.Cause unknown.Four sets of cells for two batteries replaced & charged w/portable charger.Surveillance test procedure revised.
ALDEN,W.M. Philadelphia Electric Co. 87/12/21. RUSSELL,W.T. Region 1, Ofc of the Director. 3pp. 43963:301-43963:303.

8801060012 LER 87-022-01: on 870929,HPCI disabled due to blown power fuse in HPCI logic panel.Cause unknown.Fuse replaced within 35 minutes,static inverter placed on ac feed & battery terminal voltage monitored every 4 h.W/871231 ltr.
BIRELY,W.C., LOGUE,R.H. Philadelphia Electric Co. 87/12/31. 7pp. 43982:069-43982:075.

8801102220 PNO-1-88-001: on 880104,realignment of nuclear mgt updated. Action provides for corporate officer at each plant to elevate level of plant in corporate mgt structure.
LINVILLE,J., WENZINGER,E. Region 1, Ofc of the Director. 88/01/04. 1p. 43998:337-43998:337.

8801120033 LER 87-026-00: on 871202,Group III outboard isolation occurred.Caused by personnel error & design & location of relay 16A - K41.Fuse replaced,isolation reset & individual counseled.W/880104 ltr.
BIRELY,W.C., LOGUE,R.H. Philadelphia Electric Co. 88/01/04. 6pp. 44006:030-44006:035.

8801120053 LER 87-026-00: on 871208,Groups II & III isolation of RWCU & shutdown cooling mode of RHR sys occurred.Caused by leaking shutoff valve which pressurized rel leg to actuate reactor level transmitters.Valve replaced W/880105 ltr.
BIRELY,W.C., LOGUE,R.H. Philadelphia Electric Co. 88/01/05. 7pp. 44006:036-44006:042.

8801190117 Special rept: on 871216,planned release of liquid radwaste from laundry drain tank B made w/o being treated as described in Limiting Condition of Operation 3.8.B.4.Caused by procedural deficiency.Procedure revised.
* Philadelphia Electric Co. 88/01/11. RUSSELL,W.T. Region 1, Ofc of the Director. 4pp. 44045:281-44045:284.

8801190234 LER 87-027-00: on 870430,primary containment isolation occurred.Caused by personnel error by inducing ground & blowing fuse while applying blocking permit Fuse replaced & leads restored to original condition.W/880112 ltr.
BIRELY,W.C., LOGUE,R.H. Philadelphia Electric Co. 88/01/12. 6pp. 44061:187-44061:192.

8801270010 PNO-1-87-108A: on 871118,FBI arrested four licensee & two contractor employees accused of drug distribution at plant & surrounding area.One util & contractor employees found guilty & remaining two util defendants suspended.
WILLIAMS,H., WENZINGER,E. Region 1, Ofc of the Director. 88/01/20. 1p. 44137:360-44137:360.

U. Congressional/Executive Correspondence

8801140371 Responds to 871113 ltr expressing concerns re adequacy of util commitment to excellence action plan & info on NRC actions in response to Governor Schaefer 871015 ltr.Revised plan requested from util.NRC response to Schaefer ltr encl.
ZECH,L.W. Commissioners. 87/12/30. MIKULSKI,B.A. Senate. 2pp. 44031:203-44031:207.

-8801140373 Responds to comments re util commitment to excellence action plan,submitted in response to NRC 870331 shutdown order. Comments forwarded to util for use in revised plan.Staff level meeting planned near site.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/11/17. SCHAEFER,W.D. Maryland, State of. 1p. 44031:205-44031:205.

-8801140380 Requests that listed concerns be addressed re plant restart. Util promises to improve operation,mgt changes including guaranteed corporate mgt involvement in operation & development of emergency plan must be demonstrated.
MIKULSKI,B.A. Senate. 87/11/13. ZECH,L.W. Commissioners. 2pp. 44031:206-44031:207.

V. Operator Examinations

8712310008 Forwards Exam Repts 50-277/87-27OL & 50-278/87-27OL of exam administered during wk of 871005.
GALLOR,M. Region 1, Ofc of the Director. 87/12/23. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43923:124-43923:297.

-8712310011 Exam Repts 50-277/87-27OL & 50-278/87-27OL on 871005-07.Exam results:four senior reactor operators passed,two reactor operators passed & one reactor operator failed.
HOWE,A.G., LANGE,D.J. Region 1, Ofc of the Director. 87/12/21. 170pp. 43923:128-43923:297.

8801120368 Advises that reactor operator licensing exams scheduled for wk of 880215.Licensee should provide info re reference mail requirements by 870104.Related encls include written exam administration requirements & NRC exam rules & guidelines.
LANGE,D.J. Region 1, Ofc of the Director. 87/12/28. GALLAGHER,J.W. Philadelphia Electric Co. 9pp. 44040:114-44040:122.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation.Forwards App F documents App E & F documents also available in PDR.Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8812090057 Trip rept of INPO Accreditation Board 850523 meeting re plant training programs.
PERSENSKY,J.J. Licensee Qualifications Branch. 85/06/10. BOOHER,H.R. Licensee Qualifications Branch. 3pp. 44118:136-44118:195.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO oics in Atlanta,GA re training programs at two plants.Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8801150044 Forwards public version of Rev 10 to Emergency Plan Implementing Procedure EP-260A, "Fire Fighting Group." W/880111 release memo. GALLAGHER, J.W. Philadelphia Electric Co. 8/7/12/17. Document Control Branch (Document Control Desk). 4pp. 44049.023-44049.055.

8801150048 Public version of Rev 10 to Emergency Plan Implementing Procedure EP-260A, "Fire Fighting Group." * Philadelphia Electric Co. 8/7/12/17. 29pp. 44049.027-44049.055.

8801250122 Forwards 871204 Insp Repts 50-277/87-30 & 50-278/87-30 re compliance w/ fire protection requirements of App R.Utl in compliance w/regulations on issues Requests meeting w/NRC to close unresolved items. ALDEN, W.M. Philadelphia Electric Co. 88/01/05. MARTIN, R.E. Project Directorate I-2. 1p. 44109.085-44109.102.

8801150135 Forwards Safety Insp Repts 50-277/87-36 & 50-278/87-36 on 871207-09. No violations noted. MARTIN, T.T. Region 1, Ofc of the Director. 88/01/06. GALLAGHER, J. Philadelphia Electric Co. 2pp. 44045.302-44045.311.

8801150145 Emergency Preparedness Insp Repts 50-277/87-36 & 50-278/87-36 on 871207-09. No violations noted. Major areas inspected: observation of licensee annual partial participation emergency exercise performed on 871208. GORDON, C. Region 1, Ofc of the Director. 88/01/06. 8pp. 44045.304-44045.311.

8801280417 Forwards public version of revised emergency plan implementing procedures, including Rev 18 to EP-101, "Classification of Emergencies" & Rev 18 to EP-102, "Unusual Event Response." W/880126 release memo. GALLAGHER, J.W. Philadelphia Electric Co. 88/01/07. Document Control Branch (Document Control Desk). 5pp. 44175.089-44176.074.

8801280441 Public version of revs to emergency plan implementing procedures, including Rev 18 to EP-101, "Classification of Emergencies" & Rev 18 to EP-102, "Unusual Event Response." * Philadelphia Electric Co. 87/12/08. 238pp. 44175.094-44176.074.

8801190332 Forwards Safety Insp Repts 50-277/87-24 & 50-278/87-24 on 871017-1127 & notice of violation. One recurrent violation w/ multiple examples concerns failure to adequately survey & post radiological conditions. KANE, W.F. Region 1, Ofc of the Director. 88/01/11. GALLAGHER, J.W. Philadelphia Electric Co. 2pp. 44052.006-44052.050.

8801190336 Partially withheld Safety Insp Repts 50-277/87-24 & 50-278/87-24 on 871017-1127 (ref 10CFR2.790 & 73.21). Violations noted: Major areas inspected: operational safety, radiation protection & refueling & outage activities. WILLIAMS, J.H. Region 1, Ofc of the Director. 88/01/08. 41pp. 44052.010-44052.050.

8801250510 Advises that licensee alternatives to goals in NUREG-0654/FEMA-REP-1, Rev 1, Table B-1 re staffing augmentation goals for emergencies found acceptable in providing adequate shift staff augmentation. MARTIN, R.E. Project Directorate I-2. 88/01/15. BAUER, E.G. Philadelphia Electric Co. 4pp. 44116.124-44116.127.

8801260068 Forwards SER accepting util 840116.0927 & 850805 responses to Generic Ltr 82-33, Item 6 re compliance w/post-accident monitoring instrumentation guidelines of Reg Guide 1.97 concerning emergency response facilities. MARTIN, R.E. Project Directorate I-2. 88/01/15. BAUER, E.G. Philadelphia Electric Co. 3pp. 44130.124-44130.151.

8801260074 SER accepting util 840116.0927 & 850806 responses to Generic Ltr 82-33, Item 6 re compliance w/post-accident monitoring instrumentation guidelines of Reg Guide 1.97 concerning emergency response facilities. * Project Directorate II-1. 88/01/15. 3pp. 44130.127-44130.129.

8801030467 "Conformance to Reg Guide 1.97, Peach Bottom Atomic Power Station, Units 2 & 3," informal rept. UDY, A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.). UDY, A.C. Idaho National Engineering Laboratory. FIN A-6483. EGG-EG-6879. 86/02/28. NRC - No Detailed Affiliation Given. 22pp. 44130.130-44130.151.

8801270053 Discusses condition of noncompliance w/10CFR50 App R re incorrect disposition of cable failures. Stated combination of grounds will result in loss of core cooling by RCIC sys. Caused by personnel error. Cable relocation underway. GALLAGHER, J.W. Philadelphia Electric Co. 88/01/19. RUSSELL, W.T. Region 1, Ofc of the Director. 3pp. 44141.090-44141.092.

H. General correspondence

8712290013 Ack receipt of 871201 ltr describing plans for mgt changes at facilities. KANE, W.F. Region 1, Ofc of the Director. 87/12/21. GALLAGHER, J.W. Philadelphia Electric Co. 2pp. 43893.017-43893.018.

8801040013 Forwards NRC response to Hunt 871109 ltr expressing concerns about lack of adequate public notification of 871104 meeting in Quarryville, PA re util commitment to excellence action plan. Display ads of meeting were in local newspapers. STELLO, V. Ofc of the Executive Director for Operations. 87/12/23. WALKER, R.S. House of Rep. 4pp. 43895.183-43895.204.

8801040020 Apologizes for oversight of lack of adequate publicity about 871104 meeting in Quarryville, PA for public to comment on util commitment to excellence action plan. Comments & advertisements of meetings encl. RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/09. HUNT, W.D. Affiliation Not Assigned. 13pp. 43895.167-43895.179.

8801040039 Forwards WD Hunt 871116 ltr re lack of adequate public notification of meeting to discuss util commitment to excellence action plan for consideration. WALKER, R.S. House of Rep. 87/11/17. ZECH, L.W. Commissioners. 1p. 43895.189-43895.204.

8801040041 Expresses concern re lack of adequate public notification for meeting in Peach Bottom, PA to discuss licensee commitment to excellence action plan. HUNT, W.D. Affiliation Not Assigned. 87/11/16. Region 1, Ofc of the Director. 2pp. 43895.181-43895.204.

J. Insurance & indemnity information

8801270214 Forwards Endorsement 121 to NELIA Policy NF-140, Endorsement 71 to MAELU Policy MF-87 & Endorsements 8 to NELIA Policy N-8, MAELU Policy M-8, NELIA Policy N-9 & MAELU Policy M-9. BRADLEY, E.J. Philadelphia Electric Co. 88/01/11. DINITZ, I. NRC - No Detailed Affiliation Given. 7pp. 44169.027-44169.033.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-28-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8801140303 FOIA request for documents re requests for compensation from Delmarva Power & Light Co or other public utils in connection w/shutdown of Peach Bottom power plant. LEWIS, D.B. Lewis, D.B. 87/12/16. NRC - No Detailed Affiliation Given. 1p. 44033.006-44033.006.

8801050041 Responds to NRC 871203 ltr re QA program description changes for plants & 871003 Rev 5 to updated FSAR, incorporating info discussed w/NRC on 871130 & 1211. Requests for rev initiated & approved by nuclear QA addressing NRC concerns. GALLAGHER, J.W. Philadelphia Electric Co. 87/12/23. JOHNSTON, W.V. Region 1, Ofc of the Director. 8pp. 43900.123-43900.130.

8801130267 Ack receipt of "Plan for Restart of Peach Bottom Atomic Power Station, Section I, Corporate Action" & approves 871125 implementation of corporate plan. RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/24. AUSTIN, J.H. Philadelphia Electric Co. 2pp. 44039.073-44039.074.

8801070499 Forwards summary rept reflecting schedule info through 871211, per util Section 4.13.2 of commitment to excellence action plan. AUSTIN, J.H. Philadelphia Electric Co. 87/12/29. RUSSELL, W.T. Region 1, Ofc of the Director. 18pp. 43998.300-43998.317.

8801070156 Requests addl info supporting util 871105 submittal re Generic Ltr 83-28, Items 3.1.2 & 3.2.2. Info requested includes list of 20 outstanding vendor manuals & scheduled target date for receipt of updated vendor manuals. MARTIN, R.E. Project Directorate I-2. 88/01/04. BAUER, E.G. Philadelphia Electric Co. 3pp. 43950.005-43950.007.

8801130428 Requests annual hourly meteorological data tape of plant onsite observations & most recent study containing evacuation time estimates for area around site. Response requested by end of Feb 1988. MARTIN, R.E. Project Directorate I-2. 88/01/11. ALDEN, W.M. Philadelphia Electric Co. 3pp. 44009.112-44009.114.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

8801200547 Trip rept of 881029-30 visit to Natl Nuclear Accrediting Board meeting to review selected training for plants. Board reviewed four sites & 24 programs. MCKEE, P.F. Operating Reactor Program Br. Div of Inspection Programs, IE (850212-870413). 86/12/02. PERSENSKY, J.J. Maintenance & Training Branch. 2pp. 44119.077-44119.078.

8801200030 Summary of INPO Accreditation Board 881015 & 16 meetings re encl list of facility programs. GIBSON, A.F. Region 2, Ofc of the Director. 88/10/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 3pp. 44118.041-44118.043.

8801280093 Informs that 871120 petition for hearing on util untimely & does not address Commission criteria in 10CFR2.714(a), (d), 2.714(a)(1) & 2.772(c). Petition rejected. CHILK, S.J. Office of the Secretary of the Commission. 88/01/13. MYERS, M.M. Pennsylvania, Commonwealth of. 1p. 44173.287-44173.287.

8801260280 Advises that licensee 870819 submittal of addl info re Generic Ltr 83-28, Item 1.2, "Data & Info Capability" meets guidelines in NRC 850710 evaluation. Issue considered resolved. MARTIN, R.E. Project Directorate I-2. 88/01/15. BAUER, E.G. Philadelphia Electric Co. 3pp. 44116.322-44116.324.

8801260168 Discusses NRC comments re procedures generation package for plant emergency operating procedures. Util agrees w/all comments except Comment 1.2 re placement of caution symbols. Supporting info encl. GALLAGHER, J.W. Philadelphia Electric Co. 88/01/16. BUTLER, W.R. Project Directorate I-2. 10pp. 44130.342-44130.351.

8801270005 Requests addl info to facilitate review of util FROSSTY fuel performance code described in Rept RECO-FMS-003. Use of FROSSTY for input to LOCA analysis & determination of end-of-life internal rod pressure should be indicated. MARTIN, R.E. Project Directorate I-2. 88/01/20. BAUER, E.G. Philadelphia Electric Co. 3pp. 44149.137-44149.139.

8801260320 Final response to FOIA request re alleged threats to employee at plant. Document identified in App A available in PDR. GRIMSLEY, D. Division of Rules & Records (Post 870413). 88/01/21. STAFFORD, T.A. Affiliation Not Assigned. 2pp. 44138.301-44138.302.

8801260863 Requests confirmation that diesel generator fuel oil sys included on plant Q-list & designed to Seismic Category I criteria & results of testing per 871118 submittal. MARTIN, R.E. Project Directorate I-2. 88/01/22. BAUER, E.G. Philadelphia Electric Co. 3pp. 44173.068-44173.070.

06.No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/12/17. KEMPER,J.S. Philadelphia Electric Co. 2pp. 43921:018-43921:028.

-871230045 Insp Repts 50-277/87-31 & 50-278/87-31 on 871102-06.No violations or deviations noted.Major areas inspected:NRC Bulletin 84-03 & IE Info Notice 84-93 accessible portions of Units 2 & 3.
REBELOWSKI,T., BLUMBERG,N.J. Region 1, Ofc of the Director. 87/12/09. 7pp. 43921:020-43921:028.

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 12pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 12pp. 44056:008-44056:127.

8712310008 Forwards Exam Repts 50-277/87-27OL & 50-278/87-27OL of exam administered during wk of 871005.
GALLAGHER,J.W. Region 1, Ofc of the Director. 87/12/23. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43923:124-43923:297.

-8712310011 Exam Repts 50-277/87-27OL & 50-278/87-27OL on 871005-07.Exam results:four senior reactor operators passed,two reactor operators passed & one reactor operator failed.
HOWE,A.G. Region 1, Ofc of the Director. 87/12/21. 170pp. 43923:126-43923:297.

8801050413 Forwards Safety Insp Repts 50-277/87-34 & 50-278/87-34 on 871109-13.No violations noted.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/12/23. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43991:141-43991:150.

-8801050418 Insp Repts 50-277/87-34 & 50-278/87-34 on 871109-13.No violations noted.Major areas inspected:licensee followup & corrective actions re several NRC previously identified items.
WOODARD,C.H., ANDERSON,C.J. Region 1, Ofc of the Director. 87/12/16. 8pp. 43961:143-43961:150.

8712300093 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 12pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 12pp. 43995:258-43996:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 12pp. 44038:164-44038:286.

8801250122 Forwards Safety Insp Repts 50-277/87-30 & 50-278/87-30 re compliance w/fire protection requirements of App R.Uel in compliance w/regulations on issues.Requests meeting w/NRC to close unresolved items.
ALDEN,W.M. Philadelphia Electric Co. 88/01/05. MARTIN,R.E. Project Directorate I-2. 1p. 44109:085-44109:102.

8801150136 Forwards Safety Insp Repts 50-277/87-36 & 50-278/87-36 on 871207-09.No violations noted.
MARTIN,T.T. Region 1, Ofc of the Director. 88/01/08. GALLAGHER,J. Philadelphia Electric Co. 2pp. 44045:302-44045:311.

-8801150146 Emergency Preparedness Insp Repts 50-277/87-36 & 50-278/87-36 on 871207-09.No violations noted.Major areas inspected:observation of licensee annual partial participation emergency exercise performed on 871208.
GORDON,C., LAZARUS,W.J. Region 1, Ofc of the Director. 88/01/05. 8pp. 44045:304-44045:311.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 12pp. 44038:041-44038:163.

8801190332 Forwards Safety Insp Repts 50-277/87-24 & 50-278/87-24 on 871017-1127 & notice of violation.One recurrent violation w/ multiple examples concerns failure to adequately survey & post radiological conditions.
KANE,W.F. Region 1, Ofc of the Director. 88/01/11. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 44052:006-44052:050.

-8801190334 Notice of violation from Insp on 871017-1127.Violation noted:field initiated change to PORC approved repair procedure for emergency cooling water sys Pipe Support 48HB-H58 made w/o documented approval.
* Region 1, Ofc of the Director. 88/01/11. 2pp. 44052:008-44052:009.

-8801190336 Partially withheld Safety Insp Repts 50-277/87-24 & 50-278/87-24 on 871017-1127 (ref 10CFR2.790 & 73.21). Violations noted:Major areas inspected:operational safety, radiation protection & refueling & outage activities.
WILLIAMS,J.H., LINVILLE,J.C. Region 1, Ofc of the Director. 88/01/08. 41pp. 44052:010-44052:050.

8801200163 Ack receipt of 871130 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-277/87-23 & 50-278/87-23.Request for extension until 880122 agreed.
JOHNSTON,W.V. Region 1, Ofc of the Director. 88/01/11. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 44052:173-44052:178.

8801200384 Responds to violations noted in Insp Repts 50-277/87-22, 50-278/87-25 & 50-278/87-26.Corrective actions: outside expert consultant employed to work w/util to expedite completion of analysis.
GALLAGHER,J.W. Philadelphia Electric Co. 88/01/11. KANE,W.F. Region 1, Ofc of the Director. 2pp. 44056:190-44056:191.

Ofc of the Director. 8pp. 44086:318-44086:322.

8801250510 Advises that licensee alternatives to goals in NUREG-0654/FEMA-REP-1,Rev 1,Table B-1 re staffing augmentation goals for emergencies found acceptable in providing adequate shift staff augmentation.
MARTIN,R.E. Project Directorate I-2. 88/01/16. BAUER,E.G. Philadelphia Electric Co. 4pp. 44118:124-44118:127.

8801270129 Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failure During Plant Transients Due to Improper Switch Settings."
KEMPER,J.S. Philadelphia Electric Co. 88/01/21. RUSSELL,W.T. Region 1, Ofc of the Director. 3pp. 44141:139-44141:165.

-8801270134 Rev 0 to "Peach Bottom Atomic Power Station,Units 2 & 3, Response to IE Bulletin 85-003."
* Philadelphia Electric Co. 88/01/16. 24pp. 44141:142-44141:165.

R. Periodic operating reports & related correspondence

8801250232 Monthly operating repts for Dec 1987 w/880114 ltr.
MIDDLETON,L.L., ALDEN,W.M. Philadelphia Electric Co. 87/12/31. 14pp. 44158:284-44158:277.

8801200146 Forwards plant status rpt for 871217-880107,providing overview of plant & NRC activities.
LINVILLE,J.C. Region 1, Ofc of the Director. 88/01/13. KANE,W.F. Region 1, Ofc of the Director. 6pp. 44051:357-44051:361.

S. Reportable occurrences, LERs & related correspondence

8712310055 Special rept on 871111,closed-driven fire pump failed surveillance test & declared inoperable.Cause unknown.Four sets of cells for two batteries replaced & charged w/portable charger.Surveillance test procedure revised.
ALDEN,W.M. Philadelphia Electric Co. 87/12/21. RUSSELL,W.T. Region 1, Ofc of the Director. 3pp. 43963:301-43963:303.

8801050570 LER 87-010-01 on 871026,opening of reactor vessel level instrument resulted in Group I isolation.Caused by personnel error.Valve closed,variable leg refilled & normal level indication restored.Craftsman disciplined w/871228 ltr.
BIRELY,W.C., LOGUE,R.H. Philadelphia Electric Co. 87/12/28. 6pp. 43915:366-43915:361.

8801120065 LER 87-011-00 on 871129,RWCU sys isolation & pump trip signals generated during piping decontamination process. Caused by procedural deficiency.Decontamination procedure revised w/871228 ltr.
BIRELY,W.C., ALDEN,W.M. Philadelphia Electric Co. 87/12/29. 6pp. 44040:014-44040:018.

8801110220 PNO-I-88-001 on 880104,realignment of nuclear mgt updated. Action provides for corporate officer at each plant to elevate level of plant in corporate mgt structure.
LINVILLE,J., WENZINGER,E. Region 1, Ofc of the Director. 88/01/04. 1p. 43999:337-43999:337.

8801190117 Special rept on 871216,planned release of liquid radwaste from laundry drain tank B made w/o being treated as described in Limiting Condition of Operation 3.B.4.Caused by procedural deficiency.Procedure revised.
* Philadelphia Electric Co. 88/01/11. RUSSELL,W.T. Region 1, Ofc of the Director. 4pp. 44045:281-44045:284.

8801270010 PNO-I-87-108A on 871118,FBI arrested four licensee & two contractor employees accused of drug distribution at plant & surrounding area.One util & contractor employees found guilty & remaining two util defendants suspended.
WILLIAMS,H., WENZINGER,E. Region 1, Ofc of the Director. 88/01/20. 1p. 44137:360-44137:360.

U. Congressional/Executive Correspondence

8801140371 Responds to 871113 ltr expressing concerns re adequacy of util commitment to excellence action plan & info on NRC actions in response to Governor Schaefer 871015 ltr.Revised plan requested from util.NRC response to Schaefer ltr encl.
ZECH,L.W. Commissioners 87/12/30. MIKULSKI,B.A. Senate. 2pp. 44031:203-44031:207.

-8801140373 Responds to comments re util commitment to excellence action plan submitted in response to NRC 870331 shutdown order. Comments forwarded to util for use in revised plan.Staff level meeting planned near site.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/11/17. SCHAEFER,W.D. Maryland, State of. 1p. 44031:205-44031:205.

-8801140380 Requests that listed concerns be addressed re plant restart. Util promises to improve operation,mgt changes including guaranteed corporate mgt involvement in operation & development of emergency plan must be demonstrated.
MIKULSKI,B.A. Senate. 87/11/13. ZECH,L.W. Commissioners. 2pp. 44031:206-44031:207.

V. Operator Examinations

8712310008 Forwards Exam Repts 50-277/87-27OL & 50-278/87-27OL of exam administered during wk of 871005.
GALLAGHER,J.W. Region 1, Ofc of the Director. 87/12/23. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43923:124-43923:297.

8801120308 Advises that reactor operator licensing exams scheduled for wk of 880215. Licensees should provide info re reference materials by 870104. Related encls include written exam administration requirements & NRC exam rules & guidelines.
LANGE, D.J. Region 1, Ofc of the Director. 87/12/28. **GALLAGHER, J.W.** Philadelphia Electric Co. 9pp. 44040:114-44040:122.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. **BOLEY, K.** Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801209057 Trip rpt of INPO Accreditation Board 850523 meeting re plant training programs.
PERSENSKY, J.J. Licensee Qualifications Branch. 85/06/10. **BOOHER, H.R.** Licensee Qualifications Branch. 3pp. 44118:136-44118:195.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. **ROE, J.** Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801110511 Forwards Insp Repts 50-280/87-34 & 50-281/87-34 on 871130-1204. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/28. **STEWART, W.L.** Virginia Power (Virginia Electric & Power Co.). 2pp. 43986:066-43986:068.

-8801110517 Partially withheld Insp Repts 50-280/87-34 & 50-281/87-34 on 871130-1204 (rel 10CFR2.780(d) & 73.21). No violations noted. Major areas inspected: plant/procedures, mgt/organization, audit, records, lighting, power supply & alarm stations.
TOBIN, W.J., MCGUIRE, D.R. Region 2, Ofc of the Director. 87/12/22. 1p. 43986:068-43986:068.

8801110258 Confirms agreement to submit addl info re App R alternative shutdown analysis by 880122 in response to 871209 request. Schedule acceptable based on discussions during 871216 & 17 telcons.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 87/12/31. Document Control Branch (Document Control Desk). 1p. 43970:177-43970:177.

8801110413 Advises that 871116 Rev 19 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Encl withheld (rel 10CFR73.21).
CLINE, W.E. Region 2, Ofc of the Director. 87/12/31. **STEWART, W.L.** Virginia Power (Virginia Electric & Power Co.). 3pp. 43985:160-43985:162.

8801280402 Forwards addl info re App R shutdown analysis in response to 871209 ltr request. Supporting info, including Engineering Evaluation 8, "Evaluation of Operator Access to Charging Pump Cables" & three oversize drawings encl.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/22. Document Control Branch (Document Control Desk). 20pp. 44164:109-44164:256.

-8801280423 Rev 4 to Chapter 9, "Electrical Distribution Sys Coordination Study - App R Reanalysis."
 * Virginia Power (Virginia Electric & Power Co.). * Stone & Webster Engineering Corp. 87/04/30. 28pp. 44164:129-44164:158.

-8801280442 Rev 7 to Procedure FCA-1.00, "Safe Shutdown Area Fire."
 * Virginia Power (Virginia Electric & Power Co.). 87/12/18. 65pp. 44164:167-44164:241.

-8801280503 Rev 3 to Procedure FCA-1.02, "Limiting Emergency Switchgear Room, Cable Vault Tunnel or Containment Fire."
 * Virginia Power (Virginia Electric & Power Co.). 87/12/18. 15pp. 44164:242-44164:256.

H. General correspondence

8801270127 Requests removal of Region II from distribution list for sys drawings. Drawings no longer needed.
COLLINS, D.M. Region 2, Ofc of the Director. 88/01/20. **STEWART, W.L.** Virginia Power (Virginia Electric & Power Co.). 3pp. 44150:047-44150:049.

J. Insurance & indemnity information

8801190012 Forwards Endorsement 44 to NELA Policy NS-316, Endorsement 8 to MAELU Certificates M-28 & M-27 & NELA Certificates N-28 & N-27, Endorsement 88 to NELA Policy NF-186 & Endorsements 68 & 47 Policies MF-57 & MF-96, respectively.
INGLES, J.M. Marsh & McLennan, Inc. 88/01/07. **DINITZ, I.** NRC - No Detailed Affiliation Given. 14pp. 44045:175-44045:188.

P. Operating license stage documents & correspondence

8801050298 Requests withdrawal of Tech Spec change request for containment Type A testing due to unresolved technical issues identified in combined Insp Rept 50-280/86-36 & 50-281/86-36.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 87/12/23. Document Control Branch (Document Control Desk). 1p. 44040:261-44040:261.

8801140126 Forwards safety evaluation granting relief from certain ASME Code Section XI requirements re containment recirculation spray pump inservice testing requirements, effective until 880220. Relief may be extended if mod schedule established.
BERKOW, H.N. Project Directorate II-2. 88/01/06. **STEWART, W.L.** Virginia Power (Virginia Electric & Power Co.). 2pp. 44033:191-44033:194.

-8801140131 Safety evaluation granting relief from certain ASME Code Section XI requirements re containment recirculation spray pump inservice testing requirements, effective until 880220.
 * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/06. 2pp. 44033:193-44033:194.

8801260095 Forwards Amends 116 to Licenses DPR-32 & DPR-37 & safety evaluation Amends revises Tech Spec Section 3.12 re actions to be taken by licensee while operating w/inoperable, misaligned or dropped rod & redefines assembly banks.
PATEL, C.P. Project Directorate II-2. 88/01/06. **STEWART, W.L.** Virginia Power (Virginia Electric & Power Co.). 4pp. 44130:154-44130:187.

-8801260103 Amends 116 to Licenses DPR-32 & DPR-37, revising Tech Spec Section 3.12 re actions to be taken by licensee while operating w/inoperable, misaligned or dropped rods & redefining fully withdrawn position of rod assembly banks.
BERKOW, H.N. Project Directorate II-2. 88/01/06. 25pp. 44130:158-44130:182.

-8801280107 Safety evaluation supporting Amends 116 to Licenses DPR-32 & DPR-37.
 * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/06. 5pp. 44130:183-44130:187.

8801140162 Forwards request for addl info re until 870416 inservice testing programs for units. Meeting to resolve concerns requested. Draft responses to questions should be prepared prior to meeting.
PATEL, C.P. Project Directorate II-2. 88/01/07. **STEWART, W.L.** Virginia Power (Virginia Electric & Power Co.). 15pp. 44033:220-44033:234.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. **BOLEY, K.** Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8807090559 Discusses attendance at 860528 & 29 INPO Accreditation Board meetings. Board attendees listed & major facility-specific issues & unit responses discussed. Evaluation method appears effective overall. NRC involvement should be maintained.
BOGER, B.A. Operator Licensing Branch. 86/08/20. **RUSSELL, W.T.** Division of Human Factors Technology (851125-870411). 7pp. 44118:358-44118:410.

8801200280 Confirms transmittal of 1988 hourly meteorological data tape, per 871216 request. Excerpt from printout encl as example.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/15. Document Control Branch (Document Control Desk). 3pp. 44058:305-44058:307.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801040194 Forwards Insp Repts 50-280/87-33 & 50-281/87-33 on 871101-1204. No violation or deviation noted.
WILSON, B. Region 2, Ofc of the Director. 87/12/28. **STEWART, W.L.** Virginia Power (Virginia Electric & Power Co.). 2pp. 43963:237-43963:247.

-8801040198 Insp Rept 50-280/87-33 & 50-281/87-33 on 871101-1204. No violation or deviation noted. Major areas inspected: plant operations, cold weather preparations, plant maint & surveillance & LER review.
HOLLAND, W.E., NICHOLSON, L.E., CANTRELL, F.S. Region 2, Ofc of the Director. 87/12/23. 8pp. 43963:239-43963:247.

8801110511 Forwards Insp Repts 50-280/87-34 & 50-281/87-34 on 871130-1204. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/28. **STEWART, W.L.** Virginia Power (Virginia Electric & Power Co.). 2pp. 43986:066-43986:068.

-8801110517 Partially withheld Insp Repts 50-280/87-34 & 50-281/87-34 on 871130-1204 (rel 10CFR2.780(d) & 73.21). No violations noted. Major areas inspected: plant/procedures, mgt/organization, audit, records, lighting, power supply & alarm stations.
TOBIN, W.J., MCGUIRE, D.R. Region 2, Ofc of the Director. 87/12/22. 1p. 43986:068-43986:068.

8801120005 Discusses Insp Repts 50-280/87-21 & 50-281/87-21 on 870705-0829 & forwards notice of violation. Insp & enforcement conferences repts sent previously. Violation classified as Severity Level IV.
GRACE, J.N. Region 2, Ofc of the Director. 87/12/29. **STEWART, W.L.** Virginia Power (Virginia Electric & Power Co.). 3pp. 44044:247-44044:252.

8801120007 Notice of violation from Insp on 870705-0828. Violation noted: listed evaluations not conducted to determine existence of unreviewed safety question & rept of Special Tests 1-ST-186 & 2-ST-188 not submitted.
GRACE, J. N. Region 2, Ofc of the Director. 87/12/28. 3pp. 44044:250-44044:252.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 88-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801140002 Forwards revised table re max differential pressure summary, per commitment in 861017 response to IE Bulletin 85-003.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44043:263-44043:264.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801200139 Ack receipt of 871128 & 1222 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-280/87-30 & 50-281/87-30. Records will be adjusted to reflect that no regulatory requirements violation occurred re Violation A.
HERDT, A.R. Region 2, Ofc of the Director. 88/01/11. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 1p. 44052:187-44052:187.

8801210216 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/ Applicable Matl Specs." No fastener discrepancy identified during testing that adversely affects safety-related components. Addl info encl.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/12. Document Control Branch (Document Control Desk). 62pp. 44086:069-44086:130.

S. Reportable occurrences, LERs & related correspondence

8712290119 LER 87-033-00 on 871124, charging pump component cooling water sys (EIS-CC) became inoperable. Caused by inadequate hydrostatic test procedure. Procedure enhancement to include sys depressurizing instructions planned. W/ 871222 ltr.
BENSON, D.L. Virginia Power (Virginia Electric & Power Co.). 87/12/22. 4pp. 43983:110-43983:113.

8712310213 LER 87-034-00 on 871128, specific activity sample of reactor coolant showed dose equivalent 1-131 of 1.19 uCi/cc. Caused by fuel element defect in reactor core. Required Tech Spec 4.1.2B implemented. W/ 871222 ltr.
BENSON, D.L. Virginia Power (Virginia Electric & Power Co.). 87/12/22. 4pp. 43964:025-43964:028.

8712310232 LER 87-037-00 on 871203, emergency diesel generator 3 automatically started. Caused by blown fuse & failed relay. Undervoltage relay 59 ABC-1J1 & dc control fuse replaced. W/ 871222 ltr.
BENSON, D.L. Virginia Power (Virginia Electric & Power Co.). 87/12/22. 4pp. 43920:155-43920:158.

8801120190 LER 87-035-00 on 870717, emergency diesel generator degraded/ undervoltage protection surveillance not performed. Caused by failure to incorporate Tech Spec amend into test program. Special tests of interlocks performed. W/ 871231 ltr.
BENSON, D.L. Virginia Power (Virginia Electric & Power Co.). 87/12/31. 4pp. 43987:343-43987:340.

8801120430 LER 87-036-00 on 871202, during hot shutdown inner door of containment personnel air lock exceeded leakage criteria for Periodic Test 16.7. Caused by inadequate seal Shim welded to actuator mechanism to allow proper sealing. W/ 871231 ltr.
BENSON, D.L. Virginia Power (Virginia Electric & Power Co.). 88/01/07. 4pp. 43990:348-43990:351.

8801120257 LER 87-038-00 on 871208, calculated offsite thyroid dose from steam generator tube rupture increased due to potential post-trip steam generator tube bundle uncover. Caused by reanalysis using updated FSAR assumptions. W/ 880107 ltr.
BENSON, D.L. Virginia Power (Virginia Electric & Power Co.). 88/01/07. 5pp. 44044:229-44044:233.

8801190092 LER 87-039-00 on 871215, protection sys channel inoperable due to failed summator in signal conditioning circuit. Caused by loss of power to summator. Affected protection channels & summator replaced & returned to normal. W/ 880113 ltr.
BENSON, D.L. Virginia Power (Virginia Electric & Power Co.). 88/01/13. 4pp. 44108:223-44108:226.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801140591 Submits observations of INPO accreditation board 851114 meeting w/ utility re plant training programs. Salem electrical & mechanical maint training programs not ready for review & should not have been accredited.
BOOEHEF, H.R. Maintenance & Training Branch. ZWOLINSKI, J.A. BWR Project Directorate 1. 85/12/30. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). THOMPSON, H.L. Division of Boiling Water Reactor (BWR) Licensing (851125-870411). 13pp. 44118:204-44118:218.

8801220136 Advises of attendance at 870823 Natl Nuclear Accrediting Board meeting at INPO otrs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

Y. Dry Cask Independent Spent Fuel Storage Installations

8801110327 Confirms telcon during 871007 meeting re util intention to submit license amend & proposed Tech Spec change under 10CFR72 that would allow use of storage casks at plant ISFSI. Joint meeting w/ NRC & GNSI requested.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 87/12/31. Document Control Branch (Document Control Desk). 2pp. 43971:246-43971:247.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801110511 Forwards Insp Repts 50-280/87-34 & 50-281/87-34 on 871130-1204. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/28. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43986:066-43986:068.

8801110517 Partially withheld Insp Repts 50-280/87-34 & 50-281/87-34 on 871130-1204 (ref 10CFR2.790(d) & 73.21). No violations noted. Major areas inspected plant procedures, mgmt/organization, audit records, lighting, power supply & alarm stations.
TOBIN, W.J. Region 2, Ofc of the Director. 87/12/22. 1p. 43986:068-43986:068.

8801110258 Confirms agreement to submit addl info re App R alternative shutdown analysis by 880122, in response to 871209 request. Schedule acceptable based on discussions during 871216 & 17 telcons.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 87/12/31. Document Control Branch (Document Control Desk). 1p. 43970:177-43970:177.

8801110413 Advises that 871116 Rev 19 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable Encl withheld (ref 10CFR73.21).
CLINE, W.E. Region 2, Ofc of the Director. 87/12/31. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 43985:180-43985:182.

8801280402 Forwards addl info re App R shutdown analysis in response to 871209 ltr request. Supporting info, including Engineering Evaluation 8, "Evaluation of Operator Access to Charging Pump Cables" & three overseas drawings encl.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/22. Document Control Branch (Document Control Desk). 20pp. 44164:109-44164:256.

8801280423 Rev 4 to Chapter 9, "Electrical Distribution Sys Coordination Study - App R Reanalysis."
* Virginia Power (Virginia Electric & Power Co.). * Stone & Webster Engineering Corp. 87/04/30. 28pp. 44164:129-44164:156.

8801280442 Rev 7 to Procedure FCA-1.00, "Safe Shutdown Area Fire."
* Virginia Power (Virginia Electric & Power Co.). 87/12/18. 85pp. 44164:157-44164:241.

8801280503 Rev 3 to Procedure FCA-1.02, "Limiting Emergency Switchgear Room, Cable Vault Tunnel or Containment Fire."
* Virginia Power (Virginia Electric & Power Co.). 87/12/18. 15pp. 44164:242-44164:256.

H. General correspondence

8801270127 Requests removal of Region II from distribution list for sys drawings. Drawings no longer needed.
COLLINS, D.M. Region 2, Ofc of the Director. 88/01/20. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 44150:047-44150:049.

J. Insurance & indemnity information

8801190012 Forwards Endorsement 44 to NELIA Policy NS-316, Endorsement 8 to MAELU Certificates M-28 & M-27 & NELIA Certificates N-28 & N-27, Endorsement 88 to NELIA Policy NF-186 & Endorsements 68 & 47 Policies MF-57 & MF-98, respectively.
INGLES, J.M. Marsh & McLennan, Inc. 88/01/07. DINITZ, I. NRC - No Detailed Affiliation Given. 14pp. 44045:175-44045:188.

P. Operating license stage documents & correspondence

8801050298 Requests withdrawal of Tech Spec change request for containment Type A testing due to unresolved technical issues identified in combined Insp Rept 50-280/86-36 & 50-281/86-36.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 87/12/23. Document Control Branch (Document Control Desk). 1p. 44040:261-44040:261.

8801070205 Notification of 880106 meeting w/ Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801140126 Forwards safety evaluation granting relief from certain ASME Code Section XI requirements re containment recirculation spray pump inservice testing requirements, effective until 880229. Relief may be extended if mod schedule established.
BERKOW, H.N. Project Directorate II-2. 88/01/06. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 44033:191-44033:194.

8801140131 Safety evaluation granting relief from certain ASME Code Section XI requirements re containment recirculation spray pump inservice testing requirements, effective until 880229.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/06. 2pp. 44033:193-44033:194.

8801260095 Forwards Amends 116 to Licenses DPR-32 & DPR-37 & safety evaluation. Amends revise Tech Spec Section 3.12 re actions to be taken by licensee while operating w/inoperable, misaligned or dropped rod & redefines assembly banks. PATEL, C.P. Project Directorate II-2. 88/01/06. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 44130.154-44130.187.

8801260103 Amends 116 to Licenses DPR-32 & DPR-37, revising Tech Spec Section 3.12 re actions to be taken by licensee while operating w/inoperable, misaligned or dropped rods & redefining fully withdrawn position of rod assembly banks. BERKOW, H.N. Project Directorate II-2. 88/01/08. 25pp. 44130.158-44130.182.

8801260107 Safety evaluation supporting Amends 116 to Licenses DPR-32 & DPR-37. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/06. 5pp. 44130.183-44130.187.

8801140182 Forwards request for add'l info re util 870416 Inservice testing programs for units meeting to resolve concerns requested. Draft responses to questions should be prepared prior to meeting. PATEL, C.P. Project Directorate II-2. 88/01/07. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 15pp. 44033.220-44033.234.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

8807090558 Discusses attendance at 880528 & 29 INPO Accreditation Board meetings. Board attendees listed & major facility-specific issues & util responses discussed. Evaluation method appears effective overall. NRC involvement should be maintained. BOGER, B.A. Operator Licensing Branch. 88/06/20. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44118.358-44119.010.

8801200280 Confirms transmittal of 1986 hourly meteorological data tape, per 871216 request. Excerpt from printout encl as example. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/15. Document Control Branch (Document Control Desk). 3pp. 44058.305-44058.307.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8801040194 Forwards Insp Repts 50-280/87-33 & 50-281/87-33 on 871101-1204. No violation or deviation noted. WILSON, B. Region 2, Ofc of the Director. 87/12/28. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43963.237-43963.247.

8801040198 Insp Repl 50-280/87-33 & 50-281/87-33 on 871101-1204. No violation or deviation noted. Major areas inspected: plant operations, cold weather preparations, plant maint & surveillance & LER review. HOLLAND, W.E., NICHOLSON, L.E., CANTRELL, F.S. Region 2, Ofc of the Director. 87/12/23. 8pp. 43963.239-43963.247.

880110511 Forwards Insp Repts 50-280/87-34 & 50-281/87-34 on 871130-1204. No violations or deviations noted. CLINE, W.E. Region 2, Ofc of the Director. 87/12/28. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43986.066-43986.068.

880110517 Partially withheld Insp Repts 50-280/87-34 & 50-281/87-34 on 871130-1204 (ref 10CFR2.790(d) & 73.21). No violations noted. Major areas inspected: plant procedures, mgmt/organization, audit records, lighting, power supply & alarm stations. TOBIN, W.J., MCGUIRE, D.R. Region 2, Ofc of the Director. 87/12/22. 1p. 43986.068-43986.068.

8801120005 Discusses Insp Repts 50-280/87-21 & 50-281/87-21 on 870705-0829 & forwards notice of violation. Insp & enforcement conferences repts sent previously. Violation classified as Severity Level IV. GRACE, J.N. Region 2, Ofc of the Director. 87/12/29. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 44044.247-44044.252.

8801120007 Notice of violation from Insp on 870705-0829. Violation noted: listed evaluations not conducted to determine existence of unreviewed safety question & rept of Special Tests 1-ST-186 & 2-ST-186 not submitted. GRACE, J.N. Region 2, Ofc of the Director. 87/12/29. 3pp. 44044.250-44044.252.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of License Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44036.164-44036.286.

8801140002 Forwards revised table re max differential pressure summary, per commitment in 880107 response to IE Bulletin 85-003. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44043.263-44043.264.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Alwood & Morris MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801200139 Ack receipt of 871128 & 1222 ltrs informing NRC of steps taken to correct violations noted in Insp Repts 50-280/87-30 & 50-281/87-30. Records will be adjusted to reflect that no regulatory requirements violation occurred re Violation A. HERDT, A.R. Region 2, Ofc of the Director. 88/01/11. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 1p. 44052.187-44052.187.

8801210218 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Mail Specs." No fastener discrepancy identified during testing that adversely affects safety-related components. Add'l info encl. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/12. Document Control Branch (Document Control Desk). 62pp. 44086.069-44086.130.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

8801140591 Submits observations of INPO accreditation board 851114 meeting w/ util re plant training programs. Salem electrical & mechanical maint training programs not ready for review & should not have been accredited. BOOHER, H.R. Maintenance & Training Branch. 85/12/30. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 13pp. 44118.204-44118.218.

8801220136 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO ofcs in Atlanta. GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

Y. Dry Cask Independent Spent Fuel Storage Installations

8801110327 Confirms telcon during 871007 meeting re util intention to submit license amend & proposed Tech Spec change under 10CFR72 that would allow use of storage casks at plant ISFSI. Joint meeting w/NRC & GNSI requested. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 87/12/31. Document Control Branch (Document Control Desk). 2pp. 43971.246-43971.247.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801110186 Revised emergency plan implementing procedures, including Rev 6 to F3-2, "Classification of Emergencies," Rev 8 to F3-10, "Personnel Accountability," Rev 5 to F3-12, "Emergency Exposure Control" & Rev 4 to F3-26 W/871228 ltr. MENDELE, D.J., FEY, F.L. Northern States Power Co. 87/12/28. 122pp. 44006.097-44006.218.

P. Operating license stage documents & correspondence

8712310163 Forwards application for amends to Licenses DPR-42 & DPR-60, revising Tech Spec Page 5.1-2 re flood protection measures periodic drills. Fee paid. MUSOLF, D. Northern States Power Co. 87/12/18. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43923.097-43923.118.

8712310186 Application for amends to Licenses DPR-42 & DPR-60, revising Tech Spec Page 5.1-2 re flood protection measures periodic drills. MUSOLF, D. Northern States Power Co. 87/12/18. 7pp. 43923.099-43923.105.

8712310189 Proposed Tech Spec Page 5.1-2 re flood protection measures periodic drills. * Northern States Power Co. 87/12/18. 13pp. 43923.106-43923.118.

8801070420 Informs that regulatory effectiveness review resolutions committed to in 880821 ltr will be delayed until 891231. Mode required for resolution dependent upon new plant administration building completion in 1989. MUSOLF, D. Northern States Power Co. 87/12/29. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43998.284-43998.284.

8801070205 Notification of 860106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945.344-43945.347.

8801130195 Forwards Rev 2 to 870814 application for amends to Licenses DPR-42 & DPR-60. Rev alters changes proposed for Tech Spec Figure 6.1-2 re plant organization & requirements for senior reactor operator requirements for support staff. MUSOLF, D. Northern States Power Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 44003.103-44003.117.

8801130202 Rev 2 to 870814 application for amends to Licenses DPR-42 & DPR-60, revising Tech Specs re plant organization & requirements for senior reactor operator requirements for mgmt & support staff. MUSOLF, D. Northern States Power Co. 88/01/04. 7pp. 44003.104-44003.110.

8801130211 Rev 2 to proposed Tech Specs from 870814 application for amend to License DPR-22, changing plant organization & requirements for senior reactor operator requirements for mgmt & support staff. * Northern States Power Co. 88/01/04. 7pp. 44003.111-44003.117.

8801270110 Informs of recent organization change within Div of Reactor Projects. D Dianni remains as NRC project manager for plant & T Quay will serve as backup project manager. Facility transferred to author directorate.
VIRGILIO, M.J. Project Directorate III-1 88/01/22. MUSOLF, D.M. Northern States Power Co. 1p. 44149:204-44149:204.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712280155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:184-44038:286.

8801110267 Forwards Safety Insp Repts 50-282/87-16 & 50-308/87-15 on 871004-1114 & notice of violation.
GULDEMOND, W.G. Region 3, OIC of the Director. 87/12/31. LARSON, C.E. Northern States Power Co. 2pp. 43970:204-43970:213.

-8801110271 Notice of violation from Insp on 871004-1114. Violation noted on 871028, one of two paths from grid to Safeguards 4kV bus not fully operational for 13 minutes & action not initiated to place reactor in cold shutdown.
GULDEMOND, W.G. Region 3, OIC of the Director. 87/12/31. 2pp. 43970:204-43970:205.

-8801110272 Safety Insp Repts 50-282/87-16 & 50-308/87-15 on 871004-1114. Violations noted. Major areas inspected previous Insp findings, plant operational safety, maint. surveillance, spent fuel pool activities & meetings w/corporate mgt.
DEFAYETTE, R. Region 3, OIC of the Director. 87/12/29. 43970:206-43970:213.

8801110382 Ack receipt of 871005 ltr informing NRC of steps taken to correct violations. Requests addl info re violation II in order to reach conclusion concerning adequacy of corrective actions. NRC remained concerned w/impact of personnel errors.
NORELIUS, C.E. Region 3, OIC of the Director. 87/12/31. LARSON, C.E. Northern States Power Co. 2pp. 43972:169-43972:170.

8801503994 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

R. Periodic operating reports & related correspondence

8801150266 Monthly operating repts for Dec 1987 w/880107 ltr.
DUGSTAD, D., MUSOLF, D. Northern States Power Co. 87/12/31. 9pp. 44041:064-44041:072.

S. Reportable occurrences, LERs & related correspondence

8801120044 LER 85-013-01 on 850915, one feedwater containment isolation valve to steam generator 1B failed to open during startup. Caused by overheating of motor operator to valve. Motor valve program implemented w/880107 ltr.
HUNSTAD, A., MUSOLF, D. Northern States Power Co. 88/01/07. 4pp. 43986:353-43986:358.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA. 87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8807090559 Discusses attendance at 860528 & 29 INPO Accreditation Board meetings. Board attendees listed & major facility-specific issues & util responses discussed. Evaluation method appears effective overall. NRC involvement should be maintained.
BOGER, B.A. Operator Licensing Branch. 88/08/20. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44118:358-44118:010.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, OIC of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801050072 Revised emergency plan implementing procedures, including Rev 0 to EPIP-EOF-20, "Imminent/Projected Release Calculations" & Rev 6 to EPIP-RR-19, "Emergency Recovery Organization Operations Support Manager." W/871228 ltr.
ANDREWS, R.L. Omaha Public Power District. 87/12/28. 17pp. 43990:015-43990:031.

8801120275 Rev 5 to Emergency Plan Implementing Procedure EPIP-RR-22, "Recovery Organization Health Physics/Chemistry Supervisor." Revised Page VII to table of contents encl. W/880105 ltr.
ANDREWS, R.L. Omaha Public Power District. 88/01/05. 6pp. 43990:352-43990:357.

8801140010 Advises that 871120 & 1201 revs to emergency plan acceptable.
CALLAN, L.J. Region 4, OIC of the Director. 88/01/08. ANDREWS, R.L. Omaha Public Power District. 2pp. 44011:176-44011:177.

8801220486 Responds to NRC 871204 ltr re violations noted in Insp Rept 50-285/87-25. Corrective actions fire doors to be replaced to eliminate high maint door designs & new hardware installed on doors.
ANDREWS, R.L. Omaha Public Power District. 88/01/11. Document Control Branch (Document Control Desk). 5pp. 44170:292-44170:296.

8801210129 Revised Emergency Plan Implementing Procedure EPIP-OSC-1, "Emergency Classification." W/table of contents & 880112 ltr.
ANDREWS, R.L. Omaha Public Power District. 88/01/12. 10pp. 44082:001-44082:012.

8801220415 EN-88-001 on 880119, notice of violation & proposed imposition of civil penalties in amount of \$75,000 issued. Action based on listed violations including failure to lock doors to high radiation areas & to follow listed procedures.
FLACK, E. LIEBERMAN, J. OIC of Enforcement (Post 870413). 88/01/13. 1p. 44168:074-44168:074.

8801250470 Forwards Insp Rept 50-285/87-32 on 871116-20 & notice of violation. Concern noted re safety safeguards interface applicable to compensatory measures. Notice withheld (rel 10CFR73.21).
CALLAN, L.J. Region 4, OIC of the Director. 88/01/15. ANDREWS, R.L. Omaha Public Power District. 3pp. 44110:301-44110:304.

-8801250474 Partially withheld Insp Rept 50-285/87-32 on 871116-20 (rel 10CFR73.21). Violations noted. Major areas inspected previously identified items, security plan & implementing procedures, mgt effectiveness & security organization.
KELLY, J.A., YANDELL, L.A. Region 4, OIC of the Director. 87/12/28. 1p. 44110:304-44110:304.

P. Operating license stage documents & correspondence

8801040563 Forwards marked-up pages of Tech Specs re inconsistencies found in Amendments 100, 110 & 111 to License DPR-40.
ANDREWS, R.L. Omaha Public Power District. 87/12/29. Document Control Branch (Document Control Desk). 1p. 43894:085-43894:090.

-8801040576 Marked-up Tech Specs correcting inconsistencies found in Amendments 100, 110 & 111 to License DPR-40 issued by NRC.
* Omaha Public Power District. 87/12/29. 5pp. 43894:088-43894:090.

8801260100 Forwards "Update of Progress re Chairman Zech Nov 1986 Visit to Fort Calhoun Station," addressing concerns expressed during visit.
JONES, W.C. Omaha Public Power District. 88/01/08. MARTIN, R.D. Region 4, OIC of the Director. 1p. 44124:045-44124:094.

-8801260109 "Update of Progress re Chairman Zech Nov 1986 Visit to Fort Calhoun Station."
* Omaha Public Power District. 88/01/06. 40pp. 44124:046-44124:094.

8801270175 Discusses specific items util will act on per 871230 meeting to continue to improve operation of plant.
PETERSEN, F.M. Omaha Public Power District. 88/01/07. MARTIN, R.D. Region 4, OIC of the Director. 2pp. 44168:012-44168:013.

8801210194 Partial response to FOIA request App G documents already available in PDR. App H documents, re INPO accreditation training, encl & available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095:001-44095:022.

-8801210371 Discusses INPO Accreditation Board 870429 meeting & observation of INPO evaluation of util training programs during wk of 870601. Author favorably impressed w/both Board & Accreditation Team.
GAGLIARDI, J.E. Region 4, OIC of the Director. 87/07/28. PERSENSKY, J.J. Region 4, OIC of the Director. 2pp. 44095:085-44095:088.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290185 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insp of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Mobil MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801220466 Responds to NRC 871204 ltr re violations noted in Insp Rept 50-285/87-25. Corrective actions: fire doors to be replaced to eliminate high maint door designs & new hardware installed on doors.
ANDREWS, R.L. Omaha Public Power District. 88/01/11. Document Control Branch (Document Control Desk). 5pp. 44170:282-44170:286.

8801160180 Insp 50-285/87-28 canceled. No Insp rept will be issued for rept number.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/12. ANDREWS, R.L. Omaha Public Power District. 1p. 44038:046-44038:046.

8801220415 EN-88-001 on 880118, notice of violation & proposed imposition of civil penalties in amount of \$75,000 issued. Action based on listed violations including failure to lock doors to high radiation areas & to follow listed procedures.
FLACK, E. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/01/13. 1p. 44168:074-44168:074.

8801260470 Forwards Insp Rept 50-285/87-32 on 871116-20 & notice of violation. Concern noted re safety/safeguards interface applicable to compensatory measures. Notice withheld (ref 10CFR73.21).
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/15. ANDREWS, R.L. Omaha Public Power District. 3pp. 44110:301-44110:304.

-8801250474 Partially withheld Insp Rept 50-285/87-23 on 871116-20 (ref 10CFR73.21). Violations noted: Major areas inspected: previously identified items, security plan & implementing procedures, mgt effectiveness & security organization.
KELLY, J.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/12/28. 1p. 44110:304-44110:304.

8801260415 Responds to NRC Compliance Bulletin 87-002 re sample test of safety & nonsafety-related fasteners. Preliminary results from testing indicate conformance to specs w/chemical, hardness & proof loads being acceptable. Test results encl.
ANDREWS, R.L. Omaha Public Power District. 88/01/19. Document Control Branch (Document Control Desk). 32pp. 44128:238-44128:269.

R. Periodic operating reports & related correspondence

8801190112 Monthly operating rept for Dec 1987. W/880114 ltr.
BLESSIE, W.J., ANDREWS, R.L., GATES, W.G. Omaha Public Power District. 87/12/31. 9pp. 44063:171-44063:179.

S. Reportable occurrences, LERs & related correspondence

8801050164 LER 87-038-00 on 871130, leak rate in excess of 18,000 SCCM Tech Spec limit found. Caused by position of valve being slightly past fully closed position. Adjustment of mechanical stops for actuator corrected. W/871230 ltr.
LEHMAN, T.J., ANDREWS, R.L. Omaha Public Power District. 87/12/30. 4pp. 43903:023-43903:026.

8801060162 LER 87-028-01 on 871008, discovered that special rept on fire barrier operability re fire barrier rendered inoperable on 870319 not submitted. Caused by inadequate tracking process to ensure rept issued. Fire watch established. W/871231 ltr.
MCIVOR, T.J., ANDREWS, R.L. Omaha Public Power District. 87/12/31. 3pp. 43927:023-43927:025.

8801070424 Advises that LER 87-039 erroneously designated as 87-038 in cover ltr. Subj LER contained correct LER number.
ANDREWS, R.L. Omaha Public Power District. 88/01/05. Document Control Branch (Document Control Desk). 1p. 43991:167-43991:167.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bessong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8703280578 Trip rept of attendance at 870225-26 Natl Nuclear Accrediting Board meeting in Atlanta, GA re util training programs. Meeting agenda encl.
BOGER, B.A. Division of Human Factors Technology (851125-870411). 87/03/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 8pp. 44118:120-44118:128.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET 50-288 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8801050624 Revised emergency plan implementing procedures including Rev 7 to IP-1003, "Obtaining Meteorological Data." Rev 6 to IP-1053, "Evacuation of Site" & Rev 2 to IP-1057, "Tornado Emergency (Hurricane Emergency)." Revised index also encl.
CHAUBARD, M.A. New York Power Authority (formerly Power Authority of the State of New York). 87/12/22. 87pp. 43916:032-43916:118.

8801290190 Advises that NRC finds no error in recipient testimony at plant hearing on radiological risk & emergency planning. Assumption that delayed emergency response would have little impact on reactor deemed valid. Related info encl.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/21. ROWSOME, F.H. Oak Ridge Associated Univs. 11pp. 44179:328-44179:362.

-8708040086 Informs of possible errors in author testimony at facility hearing on risk in 1983 & to highlight evidence that emergency planning may be increasing radiological risk posed by nuclear power plants. Assessment encl.
ROWSOME, F.H. Oak Ridge Associated Univs. 87/07/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 14pp. 44179:339-44179:352.

H. General correspondence

8801150242 Forwards revised Pages 8,14,31 & 48 to w/1 870928 comments on draft NUREG-1150, correcting editorial errors.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/01/12. Document Control Branch (Document Control Desk). 7pp. 44036:163-44036:169.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract w/NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, F.A. Resource Technical Services, Inc. FIN B-8787. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8712300113 Forwards application for amend to License DPR-64, revising Tech Spec Section 3.13, Table 3.13-1 re safety-related snubbers affected by mods to pressurizer safety & relief valves discharge piping & steam generator blowdown sys upgrade. Fee paid.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/12/21. Document Control Branch (Document Control Desk). 2pp. 43920:269-43920:281.

-8712300117 Application for amend to License DPR-64, revising Tech Spec Section 3.13, Table 3.13-1 re safety-related snubbers affected by mods to pressurizer safety & relief valves discharge piping & steam generator blowdown sys.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/12/21. 1p. 43920:271-43920:271.

-8712300119 Proposed Tech Specs, revising Section 3.13, Table 3.13-1 re changes to safety-related snubbers affected by mods to pressurizer safety & relief valves discharge piping & steam generator blowdown sys.
New York Power Authority (formerly Power Authority of the State of New York). 87/12/21. 10pp. 43920:272-43920:281.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801130127 Forwards corrected pages to 870921 ltr re response to Generic Ltr 87-12 concerning loss of RHR while RCS partially filled & 871113 ltr re safety sys outage mod insp Design Rept 87-013 due to editorial errors.
BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/12/30. Document Control Branch (Document Control Desk). 8pp. 44003:018-44003:025.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bessong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8812080547 Trip rept of 881029-30 visit to Natl Nuclear Accrediting Board meeting to review selected training for plants. Board reviewed four sites & 24 programs.
MCKEE, P.F. Operating Reactor Program Br, Div of Inspection Programs, IE (850212-870413). 88/12/02. PERSENSKY, J.J. Maintenance & Training Branch. 2pp. 44118:077-44118:078.

8801210185 Forwards "Reactor Containment Bldg Integrated Leakage Rate Test," final rept. Leakage rate acceptable.
JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York). 88/01/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 44082:013-44082:098.

-8801210193 "Reactor Containment Bldg Integrated Leak Rate Test," final rept.
GLIDEWELL, R., DILLON, P. Ebasco Services, Inc. (subs. of Enserch Corp.). 87/07/27. 81pp. 44082:018-44082:098.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

56 DOCKETED ITEMS

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058-008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43985:138-43985.257.

8801060032 Informs of licensee efforts re recent assessment of performance presented in SALP Rept 50-286/85-88 Meeting held on 871113 productive & afforded opportunity for frank exchange of ideas between respective staffs.
JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York). 87/12/28. RUSSELL, W.T. Region 1, Ofc of the Director. 4pp. 43916:357-43916.360.

8801130127 Forwards corrected pages to 870921 ltr re response to Generic Ltr 87-12 concerning loss of RHR while RCS partially filled & 871113 ltr re safety sys outage mod insp Design Rept 87-013 due to editorial errors.
BROWN, J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/12/30. Document Control Branch (Document Control Desk). 8pp. 44003:018-44003.025.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985:258-43986.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038.288.

8801120288 Forwards Insp Rept 50-286/87-22 on 870921-25 & notice of violation.
JOHNSTON, W.V. Region 1, Ofc of the Director. 88/01/07. JOSIGER, W. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 44044:253-44044.277.

-8801120290 Notice of violation from Insp on 870921-25. Violation noted: weed resistance temp detector accuracy requirements not determined & qualification of Class H insulation for Limotorque motor-operated valves not established.
* Region 1, Ofc of the Director. 88/01/07. 1p. 44044:255-44044.255.

-8801120299 Insp Rept 50-286/87-22 on 870921-25. Violations noted. Major areas inspected: environ qualification program & implementation for safety-related electrical equipment & licensee response & resolutions to equipment concerns.
PAOLINO, R.J., ANDERSON, C.J. Region 1, Ofc of the Director. 88/01/06. 22pp. 44044:264-44044.277.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038.163.

8801200067 Forwards Insp Rept 50-286/87-26 on 871111-1221. No violations noted.
WENZINGER, E.C. Region 1, Ofc of the Director. 88/01/11. JOSIGER, W. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 44052:228-44052.238.

-8801200073 Insp Rept 50-286/87-26 on 871111-1221. No violations noted. Major areas inspected: licensee action on previously identified insp findings & measures to detect steam generator & reactor coolant pump seal injection leakage.
JOHNSON, J.R. Region 1, Ofc of the Director. 88/01/07. 8pp. 44052:231-44052.238.

8801200422 Advises that rept requested by Action Items 5 & 6 of NRC Compliance Bulletin 87-002 re fastener testing to determine conformance w/applicable mail specs delayed to 880212 due to unavailability of lab test results until end of Jan 1988.
JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York). 88/01/11. RUSSELL, W.T. Region 1, Ofc of the Director. 2pp. 44057:042-44057.043.

8801260067 Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due To Improper Switch Settings." Encls respond to Action Items (e) & (f) & supersede info submitted on 880513.
JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York). 88/01/15. RUSSELL, W.T. Document Control Branch (Document Control Desk). 3pp. 44123:222-44123.298.

-8801260075 "Description of IP-3 'HPCI/Core Spray' & Emergency Feedwater Sys."
* New York Power Authority (formerly Power Authority of the State of New York). 88/01/15. 6pp. 44123:225-44123.230.

-8801260078 "Basic Motor-Operated Valve Description & Design Base Info & Bases for Establishing Max Expected Differential Pressures."
* New York Power Authority (formerly Power Authority of the State of New York). 88/01/15. 13pp. 44123:231-44123.243.

-8801260086 "Switch Setting Policies."
* New York Power Authority (formerly Power Authority of the State of New York). 88/01/15. 15pp. 44123:244-44123.258.

-8801260091 "Test Results & Evaluations."
* New York Power Authority (formerly Power Authority of the State of New York). 88/01/15. 36pp. 44123:259-44123.294.

-8801260093 "Motor-Operated Valve Program Description."
* New York Power Authority (formerly Power Authority of the State of New York). 88/01/15. 4pp. 44123:295-44123.298.

R. Periodic operating reports & related correspondence

8801250383 Monthly operating rept for Dec 1987. W/880114 ltr.
KELLY, L. JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York). 87/12/31. 8pp. 44110:099-44110.105.

S. Reportable occurrences, LERs & related correspondence

880110292 LER 87-011-00 on 871130, discrepancies of environmentally qualified equipment identified. Caused by insufficient procedural instructions. Procedural changes & training of applicable personnel implemented. W/871230 ltr.
ANDERSON, J.J., JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York). 87/12/30. 10pp. 43972:235-43972.244.

8801270100 LER 87-012-00 on 871228, automatic trip occurred. Caused by malfunctioning relay for Loop 4, Channel III due to tarnish build up on contact. Relay replaced & sampling of protection logic relays developed. W/880121 ltr.
QUINN, M.F., JOSIGER, W.A. New York Power Authority (formerly Power Authority of the State of New York). 88/01/21. 3pp. 44141:258-44141.262.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Nuclear Mass Energy Project. 8pp. 44118:001-44118.039.

-8801220136 Advises of attendance at 870823 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119.166.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8801130319 Forwards public version of revised crisis mgt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan" & Rev 21 to CMP-4, "Administration..." W/880111 release memo.
TUCKER, H.B. Duke Power Co. 87/12/14. Document Control Branch (Document Control Desk). 7pp. 44004:125-44005.288.

-8801130360 Public version of revised crisis mgt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan" & Rev 21 to CMP-4, "Administration & Logistics Plan."
HARRIS, R.E. Duke Power Co. 87/11/15. 400pp. 44004:133-44005.288.

8801110468 Forwards FN Victor 871111 final rept on emergency preparedness exercise for control room excessive prompting by controller observed. Use of simulator provided high degree of realism & use in subsequent exercises recommended.
JAMISON, J.D. Battelle Memorial Institute, Pacific Northwest Laboratories. 87/12/20. TESTA, E. Region 2, Ofc of the Director. 7pp. 43971:117-43971.123.

8801110538 Advises that 871023 Rev 21 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Encl to 871023 ltr being withheld per 10CFR73.21.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/30. TUCKER, H.B. Duke Power Co. 3pp. 43986:063-43986.065.

8801130300 Forwards Rev 87-4 to emergency plan manual (Vol A) & Rev 87-7 to implementing procedures manual (Vol C), per 10CFR50.54(q).
TUCKER, H.B. Duke Power Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 44003:202-44003.278.

-8801130310 Rev 87-4 to Vol A of emergency plan.
JENNINGS, C.C., HARLIN, C.L. Duke Power Co. 87/12/31. 45pp. 44003:204-44003.246.

-8801130326 Rev 87-7 to Vol C of implementing procedures emergency plan.
TUCKMAN, M.S. Duke Power Co. 87/12/31. 33pp. 44003:247-44003.278.

8801210034 Confirms 871215 telcon between Anderson & M Sinkule re 880115 enforcement conference at Region II ofc to discuss util control of safeguards mail.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 43986:342-43986.342.

8801150119 Forwards Insp Repts 50-269/87-48, 50-270/87-48 & 50-287/87-48 on 87121-1221. No violation or deviation noted.
BROWNLEE, V.L. Region 2, Ofc of the Director. 88/01/05. TUCKER, H.B. Duke Power Co. 2pp. 44062:166-44062.177.

-8801150120 Insp Repts 50-269/87-48, 50-270/87-48 & 50-287/87-48 on 87121-1221. No violation or deviation noted. Major areas inspected: operations surveillance, maint, physical security & review of safety sys functional insp items.
BRYANT, J.C. Region 2, Ofc of the Director. 88/01/04. 10pp. 44062:168-44062.177.

8801140352 Forwards Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09. Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027:358-44027.360.

-8801140363 Partially withheld Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 (rel 10CFR2.790(d) & 73.21). Major areas inspected: compromised safeguards info.
TOBIN, W.J. Region 2, Ofc of the Director. 88/01/04. 1p. 44027:360-44027.360.

P. Operating license stage documents & correspondence

- 8801120090** Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-418. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.
- 8801150060** Clarifies uli responses to Generic Ltr 83-28, Item 2.2.1 re identification of safety-related equipment & components on plant documents. TUCKER, H.B. Duke Power Co. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44062.258-44062.260.
- 8801210001** Application for amends to Licenses DPR-38, DPR-47 & DPR-55, revising Tech Specs 3.15 re control room pressurization & filtering sys & 4.12 on testing of sys, per Generic Ltr 83-37 re NUREG-0737. Fee paid. TUCKER, H.B. Duke Power Co. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 44066.268-44066.284.
- 8801210003** Proposed Tech Specs, revising Section 3.15-1 re limiting conditions for operations for control room pressurization & filtering sys & Section 4.12-1, providing for addl testing of sys & clarification of Tech Specs. * Duke Power Co. 88/01/06. 16pp. 44066.268-44066.284.
- 8801200231** Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.
- 8802060010** Forwards DJ Shea 850108 ltr re adequacy of INPO job task analysis. INPO plans to compare, change or validate existing generic job task analysis against task analysis data generated for Suppl 1 to NUREG-0737 activities. THOMPSON, H.L. Division of Human Factors Safety (880428-851124). 85/01/24. STRAHM, K. Institute of Nuclear Power Operations. 1p. 44118.117-44118.133.
- 8704080019** Summary of INPO Accreditation Board 870325 & 26 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl. HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44119.129-44119.135.
- 8801210090** Forwards Rev 14 to "Inservice Insp Program." Approval of relief requests in Rev 14 requested. Fee paid. TUCKER, H.B. Duke Power Co. 88/01/14. Document Control Branch (Document Control Desk). 4pp. 44133.062-44133.241.
- 8801210093** Rev 14 to "Inservice Insp Program." ROHDE, K.G., CHEA, K. Duke Power Co. 87/12/14. 175pp. 44133.066-44133.241.
- 8801280210** Forwards response to Requests 5-12 re NUREG-0737, Item II.D.1, "Performance Testing of Relief & Safety Valves," per NRC 870422 request. Response will be provided by 880210 for Request 1. TUCKER, H.B. Duke Power Co. 88/01/16. Document Control Branch (Document Control Desk). 20pp. 44158.041-44158.060.
- 8801260541** Forwards addl info re Generic Ltr 83-37 & NUREG-0737 items, per NRC 871119 request. Tech Specs re instrumentation for detection of inadequate core cooling will be submitted by 880215. TUCKER, H.B. Duke Power Co. 88/01/18. Document Control Branch (Document Control Desk). 10pp. 44127.245-44127.254.
- 8801270187** Summary of ACRS Subcommittee on Generic Items 871216 meeting w/ul in Washington, DC re effectiveness of NRC process that deals w/generic issues & USIs. Viewgraphs & presentation schedule encl. * ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 42pp. 44149.249-44149.290.

Q. Inspection reports, IE Bulletins & correspondence

- 8712160369** NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.
- 8712170119** NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.
- 8801040106** Ack receipt of 871019 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-269/87-31, 50-270/87-31 & 50-287/87-31. HERDT, A.R. Region 2, Ofc of the Director. 87/12/23. TUCKER, H.B. Duke Power Co. 1p. 43923.050-43923.050.
- 8801070290** Forwards uli 870902 ltr forwarding proprietary B&W 1169808A-O, "Project Plan for Ultrasonic Exam of Oconee Unit 1 Reactor Vessel Flange-to-Shell Weld," describing inservice insp plan for facility. Rept withheld. TUCKER, H.B. Duke Power Co. 87/12/23. Document Control Branch (Document Control Desk). 1p. 43999.187-43999.188.
- 8801070295** Forwards proprietary "Project Plan for Ultrasonic Exam of Oconee Unit 1 Reactor Vessel Flange-to-Shell Weld." Rept withheld. TUCKER, H.B. Duke Power Co. 87/09/02. Document Control Branch (Document Control Desk). 1p. 43999.188-43999.188.
- 8712230003** Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.136-43995.257.
- 8801103373** Forwards Insp Repts 50-269/87-48, 50-270/87-48 & 50-287/87-48 on 87120-1207 & notice of violation. REYES, L.A. Region 2, Ofc of the Director. 87/12/29. TUCKER, H.B. Duke Power Co. 2pp. 44006.088-44006.098.

- 8801110408** Notice of violation from Insp on 87120-1207. Violation noted: containment integrity lost during refueling operations on 870924-28, 1010-12 & 860223-0313 in Unit 1, on 860223 0819 in Unit 2 & on 861230-870309 in Unit 3. REYES, L.A. Region 2, Ofc of the Director. 87/12/29. 2pp. 44006.090-44006.091.
- 8801110415** Insp Repts 50-269/87-48, 50-270/87-48 & 50-287/87-48 on 87120-1207. Violations noted: Major areas inspected: containment integrity during refueling operations. BRYANT, J.C., SKINNER, P.H., WERT, L.D. Region 2, Ofc of the Director. 87/12/23. 5pp. 44006.092-44006.098.
- 8712290155** NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.268-43998.018.
- 8712300091** NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.288.
- 8801110337** Forwards Insp Repts 50-269/87-47, 50-270/87-47 & 50-287/87-47 on 87120-1204. No violations or deviations noted. HERDT, A.R. Region 2, Ofc of the Director. 87/12/31. TUCKER, H.B. Duke Power Co. 2pp. 44000.011-44000.019.
- 8801110345** Insp Repts 50-269/87-47, 50-270/87-47 & 50-287/87-47 on 87130-1204. No violations or deviations noted. Major areas inspected: licensee action on previous open items & Temporary Instruction (TI) 2500/26, IE Bulletin 87-002 & valve repair. ECONOMOS, N.E., BLAKE, J.J. Region 2, Ofc of the Director. 87/12/28. 7pp. 44000.013-44000.019.
- 8801140101** Responds to violations noted in Insp Repts 50-269/87-44, 50-270/87-44 & 50-287/87-44. Corrective actions: technicians counseled. TUCKER, H.B. Duke Power Co. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 44046.233-44046.234.
- 8801120034** Confirms 871215 telcon between Anderson & M Sinkule re 880115 enforcement conference at Region II otc to discuss util control of safeguards mail. GRACE, J.N. Region 2, Ofc of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 43986.342-43986.342.
- 8801150119** Forwards Insp Repts 50-269/87-48, 50-270/87-48 & 50-287/87-48 on 87121-1221. No violation or deviation noted. BROWNLEE, V.L. Region 2, Ofc of the Director. 88/01/05. TUCKER, H.B. Duke Power Co. 2pp. 44062.166-44062.177.
- 8801150120** Insp Repts 50-269/87-48, 50-270/87-48 & 50-287/87-48 on 87121-1221. No violation or deviation noted. Major areas inspected: operations surveillance, multi-physical security & review of safety sys functional insp items. BRYANT, J.C., SKINNER, P.H., WERT, L.D. Region 2, Ofc of the Director. 88/01/04. 10pp. 44062.168-44062.177.
- 8801150114** Confirms 880222-26 equipment environ qualification Insp, per 880104 telcon with P. Guil. Major areas to be inspected listed. List of documents needed 2 wks prior to Insp encl. BROWNLEE, V.L. Region 2, Ofc of the Director. 88/01/08. TUCKER, H.B. Duke Power Co. 3pp. 44042.073-44042.078.
- 8801050394** Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.
- 8801140352** Forwards Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09. Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115. GRACE, J.N. Region 2, Ofc of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027.358-44027.360.
- 8801140363** Partially withheld Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 (ref 10CFR2.790(d) & 73.21). Major areas inspected: compromised safeguards info. TOBIN, W.J., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/01/04. 1p. 44027.360-44027.360.
- 8801140236** Forwards partial response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs," including procurement & receipt insp program & methods for choosing fasteners to be tested. TUCKER, H.B. Duke Power Co. 88/01/12. GRACE, J.N. Region 2, Ofc of the Director. 12pp. 44043.234-44043.245.
- 8801260529** Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Summary of schedule for responding to bulletin for McGuire & Calawba stated. TUCKER, H.B. Duke Power Co. 88/01/14. Document Control Branch (Document Control Desk). 25pp. 44103.335-44103.359.

R. Periodic operating reports & related correspondence

- 8801210032** Monthly operating repts for Dec 1987. W/880115 ltr. REAVIS, J.A., TUCKER, H.B. Duke Power Co. 87/12/31. 17pp. 44105.046-44105.062.

S. Reportable occurrences, LERs & related correspondence

- 8801190013** LER 87-009-00 on 871207. Analysis of engineered safeguards sys analog Channel B identified faulty rotary switch that rendered portion of sys inoperable since 871203. Caused by inadequate procedure. Switch replaced. W/880106 ltr. NORTH, P.J., TUCKER, H.B. Duke Power Co. 88/01/06. 9pp. 44045.188-44045.197.

V. Operator Examinations

- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR Add records also available in PDR under Bossong FOIA. 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 88/01/12. 44118 001-44118 039.
- 8801310180 Forwards results of post-accreditation reviews at Susquehanna on 851021-23 Dresden on 851118-21 & Oconee on 851216-18 Significant progress observed in improving training. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/01/28. PATE, Z. Institute of Nuclear Power Operations. 38pp. 44118 267-44118 315.
- 8804150629 Forwards final repts from stat post accreditation audits & comparison of revised NRC review questions with INPO accreditation objectives & criteria. Recommends INPO consider adding appropriate accreditation criteria. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/04/03. PATE, Z. Institute of Nuclear Power Operations. 32pp. 44118 316-44118 357.
- 8709010052 Requests certification prior to FSAR re: that reactor operator training program accredited & based upon sys approach to training per Genenc Ltr 87-07. HODD, D. Project Directorate I-3. 87/08/28. TUCKER, H.B. Duke Power Co. 1p. 44119 154-44119 154.
- 8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO cics in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119 159-44119 168.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 8801050150 Forwards Rev 1 to Corporate Emergency Plan 1000-PLN-1300.01. Rev reflects integration of TMI emergency preparedness program organization & facilities. Summary of major changes in plan also encl. ROCHER, M.B. General Public Utilities Corp. - GPU Service Corp. 87/12/23. Document Control Branch (Document Control Desk). 5pp. 43902 049-43903 022.
- 8801050160 Rev 1 to 1000-PLN-1300.01, "Corporate Emergency Plan for TMI & Oyster Creek Nuclear Stations". General Public Utilities Corp. - GPU Service Corp. 87/12/22. 300pp. 43902 054-43903 022.
- 8712310199 Rev 3 to Emergency Plan Implementing Procedure 6415-IMP-1300.06, "Add Assistance & Notification". General Public Utilities Corp. - GPU Service Corp. 87/12/29. 34pp. 43919 353-43920 028.
- 8801210058 Revised emergency plan implementing procedures including Rev 1 to 6410-ADM-1300.03, "TMI-1 Basis & Cross-Reference", Rev 4 to 6410-IMP-1300.04, "Contact/Callout of Emergency Personnel", & Rev 2 to 6415-IMP-1300.16. General Public Utilities Corp. - GPU Service Corp. 88/01/15. 85pp. 44104 285-44105 020.
- 8801280037 Revised emergency plan implementing procedures including Rev 4 to 6420-IMP-1300.02, "Emergency Direction", & Rev 2 to 6415-IMP-1300.16, "Contaminated Injuries". W/ revised table of contents. BROWN, N., MARSHALL, W.J., POTTS, W.E. General Public Utilities Corp. - GPU Service Corp. 88/01/15. 44pp. 44157 199-44157 242.
- 8801260485 Rev 4 to Emergency Plan Implementing Procedure 6410-IMP-1300.28, "Activation of Technical Support Ctr". BEAVER, J.R. General Public Utilities Corp. - GPU Service Corp. 88/01/20. 11pp. 44125 326-44125 336.

G. Adjudicatory correspondence

- 8801060071 Memorandum & order. Certifies to Commission question of whether to retroactively expand jurisdiction of proceeding to encompass issue introduced by trial judge re Husted job performance. Served on 880104. SHODMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5275. 87/12/31. Office of the General Counsel. 29pp. 43909 220-43909 248.

H. General correspondence

- 8801060015 Advises that JF O'Leary passed away on 871219. JF O'Leary was to replace retiring WG Kuhns as chairman & chief executive officer (CEO) of GPU. WG Kuhns returned from retirement & elected chairman & CEO of GPU & chairman of GPU Nuclear. CLARK, P.R. General Public Utilities Corp. - GPU Service Corp. 87/12/31. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43965 289-43965 289.

P. Operating license stage documents & correspondence

- 8801200182 Partial response to FOIA request for documents. Forwards App B documents. Documents also available in PDR Portions of App B documents withheld (ref FOIA Exemptions 6 & 7). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/06. WEISS, E.R. Union of Concerned Scientists. 5pp. 44087 013-44089 293.
- 8804110320 Rev 0 to 1000-ADM-7317.01 (EP-031), "Equipment Environ Qualification." General Public Utilities Corp. - GPU Service Corp. 84/01/20. 52pp. 44087 256-44087 307.
- 8801200190 Confirms 850124 telcon & approves investigation re UCS supplemental 2205 petition on TMI-1 emergency feedwater sys. DIRCKS, W.J. Ofc of the Executive Director for Operations. 85/01/24. HAYES, B.B. Office of Investigations. 1p. 44087 019-44087 019.

- 8801200206 Provides info identifying electrical equipment important to safety already qualified within scope of 10CFR50.48(g). Schedules for qualification of post-acc instrumentation encl. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 83/06. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (pro-851126). 3. 44087 020-44087 022.
- 8801210079 Repl of interview w/RG Lagrange to discuss GPU 830520 & 840210 re environ qualification equipment. Marked up 850409 statement from H Hukill encl. MATAKAS, R.A. Region 1, Ofc of the Director. 1-84-021. 88/01/06. 16pp. 44087 323-44087 323.
- 8801190242 Forwards application for amend to License DPR-50, consisting of Tech Spec Change Request 180, increasing allowable enrichment for new fuel assemblies from 3.5 to 4.3 weight percent U-235. Fee paid. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 88/01/12. Document Control Branch (Document Control Desk). 3pp. 44081 198-44081 207.
- 8801190250 Application for amend to License DPR-50, consisting of Tech Spec Change Request 180, increasing allowable enrichment for new fuel assemblies from 3.5 to 4.3 weight percent U-235. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 88/01/12. 4. 44081 199-44081 202.
- 8801190254 Proposed Tech Specs, increasing allowable enrichment for new fuel assemblies from 3.5 to 4.3 weight percent U-235. General Public Utilities Corp. - GPU Service Corp. 88/01/12. 6pp. 44081 207-44081 207.
- 8801290152 Forwards Amend 136 to License DPR-50 & safety evaluation. Amend provides limiting conditions of operation for chlorine detecting sys to comply, in part, w/NUREG-0737, item III.D.3.4, "Control Room Habitability Requirements." EDISON, G.E. Project Directorate I-4. 88/01/14. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 44178 337-44178 348.
- 8801290157 Amend 136 to License DPR-50, providing limiting conditions of operation for chlorine detecting sys to comply, in part, w/NUREG-0737, item III.D.3.4, "Control Room Habitability Requirements." STOLZ, J.F. Project Directorate I-4. 88/01/14. 6pp. 44178 339-44178 344.
- 8801290163 Safety evaluation supporting Amend 136 to License DPR-50. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/14. 4. 44178 345-44178 348.
- 8801210053 Partial response to FOIA request for documents re environ qualification facility. Forwards documents listed in App C. Documents also available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/15. WEISS, E.R. Union of Concerned Scientists. 2pp. 44081 147-44081 248.
- 8801210252 Sanitized proprietary "Review of Licensee Resolution of Outstanding Issues From NRC Equipment Environ Qualification SERs (F-11 & B-60)," technical evaluation repts. Vol 1. PANDEY, S. Franklin Institute. NRC-03-78-118. TER-C6267-492 V01. 82/11/1. SHEMANSKI, P. NRC - No Detailed Affiliation Given. 68pp. 44081 159-44081 248.
- 8801260276 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR. Only files in NRC Ofc of Governmental & Public Affairs searched for documents responsive to request, per 871028 telcon. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, Doc-Search Associates. 3pp. 44139 280-44139 334.
- 8801260346 Provides list of questions re NRC comments on Commission 840120 of integrity issues in TMI-1 restart proceeding. MYERS, J., SIMPSON, J. Affiliation Not Assigned. 84/03/21. KAMMERER, C. NRC - Detailed Affiliation Given. 2pp. 44139 316-44139 317.

Q. Inspection reports, IE Bulletins & correspondence

- 8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/2. Consolidated Edison Co. of New York, Inc. 120pp. 44183 001-44183 124.
- 8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/2. Consolidated Edison Co. of New York, Inc. 120pp. 44086 008-44086 127.
- 8801130272 Forwards Safety Insp Rept 50-289/87-22 on 871102-06. No violations noted. JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/23. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 44029 307-44029 308.
- 8801130275 Insp Rept 50-289/87-22 on 871102-06. No violations or deviations noted. Major areas inspected: cold weather preparation & measuring & test equipment calibr & control at facility. DEV, M., BLUMBERG, N. Region 1, Ofc of the Director. 87/12/23. 11pp. 44029 307-44029 319.
- 8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/2. Consolidated Edison Co. of New York, Inc. 124pp. 43985 138-43985 257.
- 880120265 Forwards Safety Insp Rept 50-289/87-19 on 871002-31 & notice violation Act, receipt of 870603 ltr re independent verification program (IVP). Weakness in IVP noted. BETTENHAUSEN, L. Region 1, Ofc of the Director. 87/12/28. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 44040 123-44040 160.
- 8801120271 Notice of violation from Insp on 871002-31. Violation noted: failure properly follow lifted lead controls procedures in AP-1010. Region 1, Ofc of the Director. 87/12/28. 1p. 44040 125-44040 125.

-8801120274 Insp Rept 50-283/87-19 on 871002-31. Violation noted. Major areas inspected: plant operations, maint. & surveillance, including inoperability of emergency diesel generators & reactor protection sys trip breaker replacement. COWGILL, C. Region 1, Ofc of the Director. 87/12/22. 35pp. 44040:128-44040:160.

8712290165 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801200182 Partial response to FOIA request for documents Forwards App B documents. Documents also available in PDR. Portions of App B documents withheld (ref FOIA Exemptions 8 & 7). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/06. WEISS, E.R. Union of Concerned Scientists. 5pp. 44087:013-44087:255.

-8801200233 Partially deleted investigation Rept 1-84-021. No mat. false statements wilfully made w/intent to deceive. Major areas investigated: 830520 & 840210 mat. false statements submitted re facility environ. qualification program. MATAKAS, R.A., CHRISTOPHER, R. Region 1, Ofc of the Director. HAYES, B.B. Office of Investigations. 85/09/28. 46pp. 44087:023-44087:068.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

R. Periodic operating reports & related correspondence

8801050657 Forwards revised pages to "Semiannual Effluent & Release Rept for First Half 1987," correcting errors in radioiodine samples. Values reported were conservative. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 87/12/29. Document Control Branch (Document Control Desk). 1p. 43916:011-43916:018.

-8801050680 Revised pages to "Semiannual Effluent & Release Rept for First Half 1987," correcting errors in radioiodine samples. * General Public Utilities Corp. - GPU Service Corp. 87/08/30. 7pp. 43918:012-43918:018.

8801260003 Monthly operating rept for Dec 1987. W/880115 ltr. SMYTH, C.W., HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 87/12/31. 6pp. 44120:352-44120:357.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA. 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:038.

-8801220136 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:158-44118:168.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801120142 Opposes any consideration of restart until all local emergency preparedness measures in place, fully tested & ready for implementation. Completion of emergency contingency operation expected in June 1988. MACMAHON, J.F. Marshfield, MA. 87/12/18. KANE, W.F. Region 1, Ofc of the Director. 1p. 44030:203-44030:203.

8712290309 Forwards Insp Rept 50-283/87-43 on 871102-05. No violations noted. Order modifying license issued on 841129 due to NRC identified deficiencies in radiological controls, terminated. RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/22. BIRD, R.G. Boston Edison Co. 3pp. 43886:075-43886:097.

8801110316 Forwards Safety Insp Rept 50-293/87-45 on 870915-1026 & notice of violation. Effectiveness of improvement programs hampered by listed problems. KANE, W. Region 1, Ofc of the Director. 87/12/23. BIRD, R.G. Boston Edison Co. 3pp. 44030:273-44030:308.

-8801110319 Notice of violation from Insp on 870915-1028. Violation noted: non job-related reading mat. & card playing machine found in central room reactor operator computer console & containment of spray sys nozzles not inspected. * Region 1, Ofc of the Director. 87/12/23. 2pp. 44030:276-44030:277.

-8801110323 Insp Rept 50-293/87-45 on 870915-1028. Violations noted. Major areas inspected: radiation protection, physical security, plant events, maint., surveillance, outage activities & repts to NRC. BLOUGH, R. Region 1, Ofc of the Director. 87/12/10. 28pp. 44030:278-44030:308.

8801140054 Forwards Safety Insp Rept 50-293/87-54 on 871208-10. No violations noted. MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. BIRD, R.G. Boston Edison Co. 2pp. 44029:262-44029:269.

-8801140061 Insp Rept 50-293/87-54 on 871208-10. No violations noted. Major areas inspected: licensee annual emergency exercise on 871209. CONKLIN, C., LAZARUS, W.J. Region 1, Ofc of the Director. 87/12/21. 6pp. 44029:264-44029:269.

8801060269 Final response to FOIA request for documents re fire protection & App R exemptions. Forwards App D documents. App C & D documents also in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/31. SORGI, D. Massachusetts, Commonwealth of. 4pp. 43929:240-43930:284.

-8412050217 Requests FR publication of notice of issuance of Amend 84 to License DPR-35, changing Tech Specs to reflect replacement of carbon dioxide fire suppression sys w/H₂O on sys. VASSALLO, D.B. Operating Reactors Branch 2. 84/11/27. MILLER, J.R. Operating Reactors Branch 3. 2pp. 43930:001-43930:034.

-8801060279 Forwards Amend 29 to License DPR-35. Amend revises Tech Specs to provide limiting conditions for operation & surveillance requirements for existing fire protection equipment & administrative controls for fire protection. LEAR, G. Operating Reactors Branch 3 (Pre 791030). 78/03/03. ANDOGNINI, G.C. Boston Edison Co. 3pp. 43929:246-43929:248.

-8801060286 Amend 29 to License DPR-35, revising Tech Specs to provide limiting conditions for operation & surveillance requirements for existing fire protection equipment & administrative controls for fire protection. LEAR, G. Operating Reactors Branch 3 (Pre 791030). 78/03/03. 23pp. 43929:250-43929:272.

-8801060294 Notice of issuance of Amend 29 to License DPR-35. Amend incorporates fire protection Tech Specs on existing fire protection equipment & adds administrative controls re fire protection. LEAR, G. Operating Reactors Branch 3 (Pre 790825). 78/03/03. 3pp. 43929:273-43929:282.

-8801060322 Discusses Halon sys installation status. Preliminary plans & schedules for installation currently being reviewed w/vendor selected to install sys. Compensatory fire watch will continue until installation completed. HOWARD, J.E. Boston Edison Co. 83/01/18. STAROSTECKI, R. Region 1, Ofc of the Director. 1p. 43929:283-43929:359.

-8801060494 Rev 2 to Vol 1 to "Pilgrim Nuclear Power Station Unit 1 Fire Protection Analysis, 10CFR50, App R." * Boston Edison Co. 87/04/30. 200pp. 43930:035-43930:284.

8801130394 Responds to 871217 ltr forwarding rept re plant emergency preparedness & expressing concern on number of emergency preparedness & plant-related issues that remain unresolved at plant. Plant will not restart until issues addressed. ZECH, L.W. Commissioners. 88/01/06. DUKAKIS, M.S. Massachusetts, Commonwealth of. 2pp. 44172:070-44172:114.

-8801130408 Forwards CV Barry rept on emergency preparedness at plant. Concern expressed that listed issues, including development of procedures for assisting special needs populations & PRA should be addressed. Adjud. cat. hearing suggested. DUKAKIS, M.S. Massachusetts, Commonwealth of. 87/12/17. ZECH, L. Commissioners. 39pp. 44172:076-44172:112.

-8801260269 Advises that Commonwealth of MA has determined that exposure plume pathway should be reconfigured. EPZ will include entirety of Carver & Marshfield. Portions of other towns, within 10-mile radius, will also be included. BOULAY, R.J. Massachusetts, Commonwealth of. 87/07/24. RUSSELL, W.T. Region 1, Ofc of the Director. 2pp. 44172:113-44172:114.

-8801130414 Advises that reconfiguration of plume exposure EPZ for plant to include towns of Carver & Marshfield deferred to enable priority attention be given to efforts w/current EPZ communities, per 870724 request. RUSSELL, W.T. Region 1, Ofc of the Director. 87/09/29. BOULAY, R.J. Massachusetts, Commonwealth of. 10pp. 89165:237-89165:248.

-8801130417 Advises that due to nature of investigations of nuclear power plants, accompaniment would not be permitted, per 820824 request to accompany NRC regional or resident inspectors on insps of plants in Commonwealth of PA. Related info encl. HAYNES, R.C. Region 1, Ofc of the Director. 82/11/05. GERUSKY, T.M. Pennsylvania, Commonwealth of. 14pp. 44172:126-44172:138.

-8801130432 Confirms general agreement reached as result of meetings w/ Berkowitz re surveillance of nuclear power plants operating in State of NJ. State officials may attend as observers, at NRC enforcement conferences & meetings w/licensees. RUSSELL, W.T. Region 1, Ofc of the Director. 87/07/13. DEWILING, R.T. New Jersey, State of. 17pp. 44172:139-44172:155.

8801270139 Provides add'l info to support until 831116 & 841227 submittals re 10CFR50, App R Exemption Requests 11, 12, 13 & 14, per 871124 meeting. BIRD, R.G. Boston Edison Co. 88/01/19. Document Control Branch (Document Control Desk). 120pp. 44168:207-44168:326.

8801260393 Forwards revs to plant security plan, per 10CFR50.64(p), to correct areas discussed in LER 87-017-00 re classification of standby gas treatment area as vital. Encls withheld (ref 10CFR73.21). BIRD, R.G. Boston Edison Co. 88/01/22. Document Control Branch (Document Control Desk). 1p. 44125:004-44125:004.

H. General correspondence

8801120294 Discusses add'l improvements to mgt structure developed during Refueling Outage 7, per Tech Spec 6.2.C. Reporting structure based on listed considerations. BIRD, R.G. Boston Edison Co. 88/01/07. Document Control Branch (Document Control Desk). 2pp. 43991:109-43991:111.

-8801130027 Boston Edison Co nuclear organization transition phase. * Boston Edison Co. 88/01/07. 1p. 43991:111-43991:111.

J. Insurance & indemnity information

8801270111 Forwards Endorsements 114 & 117 to NELIA Policy NF-188, Endorsements 95 & 98 to MAELU Policy MF-58 & Endorsements 8 to NELIA Policy N-31 & MAELU Policy M-31. VIETEN, M.J., Marsh & McLennan, Inc. 88/01/11. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 44168:328-44168:338.

P. Operating license stage documents & correspondence

- 8801210119 Application for amend to License DPR-35, revising Tech Specs to allow submittal of suppl to Jan 1988 semiannual release rept, correcting numbering error & eliminating page. BIRD, R.G. Boston Edison Co. 87/01/14. Document Control Branch (Document Control Desk). 4pp. 44088:351-44088:356.
- 8801210122 Proposed Tech Specs allowing submittal of suppl to Jan 1988 semiannual release rept. Boston Edison Co. 87/01/14. 2pp. 44088:355-44088:356.
- 8801130375 FOIA request for documents re design, installation & administrative controls for analog trip sys installed at plant. SORG, D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 2pp. 44008:276-44008:277.
- 880120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. FIN 8-8798. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.
- 8801210142 Opposes any consideration of restart until all local emergency preparedness measures in place, fully tested & ready for implementation. Completion of emergency contingency operation expected in June 1988. MACMAHON, J.F. Marshfield, MA. 87/12/18. KANE, W.F. Region 1, Ofc of the Director. 1p. 44030:203-44030:203.
- 8801050283 Partial response to FOIA request for documents re facility enhancement program. Forwards App E documents. App D & E documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/30. SORG, D. Massachusetts, Commonwealth of. 4pp. 43910:003-43910:073.
- 8801050292 Packages consisting of marked-up Rev 0 to Safety Evaluation 2144 & slides of facility safety enhancement mods. Boston Edison Co. 87/12/30. 64pp. 43910:009-43910:073.
- 8801050339 Forwards radiological action plan as described in facility restart plan, for info. App 7 re summary status of each action item in facility restart plan also encl. BIRD, R.G. Boston Edison Co. 87/12/30. Document Control Branch (Document Control Desk). 30pp. 43962:081-43962:110.
- 8801060547 Partial response to FOIA request for documents re issuance of amend to facility App C document available in PDR & at LPDR located in Plymouth, MA. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/30. SORG, D. Massachusetts, Commonwealth of. 2pp. 43928:337-43928:340.
- 8801070001 Final response to FOIA request App F documents re NRC 870722-23 visit to plant encl & being made available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/30. SORG, D. Massachusetts, Commonwealth of. 2pp. 43944:165-43944:169.
- 8807240158 Requests support in initial assessment of util 870708 safety enhancement program describing hardware changes voluntarily implemented at plant. NRC expects to expand add review effort & Region 1 plans add insps of mod activities. VARGA, S.A. Associate Director for Projects (Post 870411). 87/07/21. SHAO, L. Division of Engineering & Systems Technology (Post 870411). KANE, W.F. Region 1, Ofc of the Director. 14pp. 43944:169-43944:186.
- 8807240188 Forwards list of plant enhancements being considered by util for implementation, for upcoming visit. Purpose of visit to understand status & schedule for each enhancement & to identify any significant potential downside. THADANA, NRC - No Detailed Affiliation Given. 87/07/20. TINKLER, C., S.U.T.M., CHOPRA, O.P. NRC - No Detailed Affiliation Given. 2pp. 43944:183-43944:186.
- 8808200109 Trip rept of 870722-23 visit to Braintree, MA to discuss proposed safety enhancement program at plant. SU, T.M. Reactor Systems Branch. 87/08/17. HODGES, M.W. Reactor Systems Branch. 3pp. 43944:187-43944:189.
- 8801060269 Final response to FOIA request for documents re fire protection & App R exemptions. Forwards App D documents. App C & D documents also in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/31. SORG, D. Massachusetts, Commonwealth of. 4pp. 43929:240-43930:284.
- 8812050217 Requests FR publication of notice of issuance of Amend 84 to License DPR-35, changing Tech Specs to reflect replacement of carbon dioxide fire suppressors Branch 3. 2pp. 43930:001-43930:034.
- 8801060279 Forwards Amend 28 to License DPR-35. Amend revises Tech Specs to provide limiting conditions for operation & surveillance requirements for existing fire protection equipment & administrative controls for fire protection. LEAR, G. Operating Reactors Branch 3 (Pre 790625). 78/03/03. ANDOGNINI, G.C. Boston Edison Co. 3pp. 43929:246-43929:249.
- 8801060286 Amend 29 to License DPR-35, revising Tech Specs to provide limiting conditions for operation & surveillance requirements for existing fire protection equipment & administrative controls for fire protection. LEAR, G. Operating Reactors Branch 3 (Pre 791030). 78/03/03. 23pp. 43929:250.
- 8801060284 Notice of issuance of Amend 28 to License DPR-35. Amend incorporates fire protection Tech Specs on existing fire protection equipment & adds administrative controls re fire protection. LEAR, G. Operating Reactors Branch 3 (Pre 790625). 78/03/03. 3pp. 43929:273.
- 8801070190 Final response to FOIA request for records re degradation of svc water piping at facility. No add agency records located. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/31. SORG, D. Massachusetts, Commonwealth of. 1p. 43953:355-43953:357.
- 8801101090 Forwards App 7 to radiological action plan, inadvertently omitted from 871230 submittal. Boston Edison Co. 88/01/04. Document Control Branch (Document Control Desk). 4pp. 44008:051-44008:054.
- 8801120045 Partial response to FOIA request for documents. Forwards App D documents. App D documents being made available in PDR. App E documents with (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. SHOLLY, S. MHB Technical Associates. 4pp. 43991:327-43992:101.
- 8801120307 "Rept of Special Committee Established for Purpose of Making Investigation & Study re Pilgrim Nuclear Generating Facility as Plymouth Under Provisions Senate Order 2044 Adopted in 1968." Massachusetts, Commonwealth of. 87/07/31. 23pp. 43992:034-43992:064.
- 8801130385 Final response to FOIA request. App D documents, re proposed Tech Spec changes associated w/addition of analog trip sys, encl & being made available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. SORG, D. Massachusetts, Commonwealth of. 2pp. 44008:278-44008:283.
- 8805150161 Forwards SER on proposed Tech Spec changes associated w/addition of analog trip sys. Proposed changes to Tech Specs acceptable. SALP input also encl. SER completes action on TAC 60936. W/o encls. LAINAS, G.C. Assistant Director for Technical Support (BWR). 88/05/07. ZWOLINSKI, J. BWR Project Directorate 1. 4pp. 44008:280-44008:283.
- 8801140184 Notification of contract execution: "Local Telephone svc for Yankee Rowe, Vermont Yankee, Maine Yankee & Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co. DORSEY, M. Contract Administration Branch. FIN C-1012. 88/01/11. GOODY, A.T. Region 1, Ofc of the Director. 15pp. 44031:234-44031:249.
- 8801140174 Contract: "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee, Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co. GAMMON, S. New England Bell Telephone Co. FIN C-1012. 88/01/11. 15pp. 44031:235-44031:249.
- 8801140262 Final response to FOIA request for plant ATWS documents. Forwards Apps F & G documents. Documents also available in PDR & being placed in LPDR in Plymouth, MA. App G documents partially withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. SORG, D. Massachusetts, Commonwealth of. 5pp. 44032:139-44032:278.
- 8801140296 "Proposal ATWS-Recirculation Pump Trip (ATWS-RPT), Pilgrim." General Electric Co. 416-4208-HK1. 79/03/31. 14pp. 44032:146-44032:159.
- 8801210138 Forwards revised Page 158C of Tech Spec re control room high efficiency air filter sys (CRHEAF), per R Wessman 871223 request. Encl rennumbers CRHEAF Sub-Bird, R.G. Boston Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 3pp. 44063:208-44063:210.
- 8801280516 Forwards Amend 113 to License DPR-35 & safety evaluation. Amend to revise Tech Specs re primary containment isolation valves, including definition of fire-weissman, R.H. Project Directorate I-3. 88/01/21. BIRD, R.E. Boston Edison Co. 4pp. 44173:289-44173:331.
- 8801280531 Amend 113 to License DPR-35, revising Tech Specs re primary containment isolation valves, including definition of frequently used terms & modifying Table 3.2-B to add instrumentation for two new HPCI sys vacuum breakers. WEISSMAN, R.H. Project Directorate I-3. 88/01/21. 31pp. 44173:292-44173:322.
- 8801280536 Safety evaluation supporting Amend 113 to License DPR-35. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/21. 8pp. 44173:323-44173:331.
- 8801280618 Summary of 880114 meeting w/util re inservice testing program development for plant. Agenda encl. MCDONALD, D.G. Project Directorate I-3. 88/01/22. Project Directorate I-3. 6pp. 44173:245-44173:250.
- 8801270196 Requests remittance of application fee for 881015 power ascension program request. DIGGS, R.M. License Fee Management Branch. 88/01/25. BIRD, R.G. Boston Edison Co. 1p. 44149:340-44149:340.

Q. Inspection reports, IE Bulletins & correspondence

- 8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.
- 8712290309 Forwards Insp Rept 50-293/87-43 on 871102-05. No violations noted. Order modifying license issued on 841129 due to NRC identified deficiencies in radiological controls, terminated. RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/22. BIRD, R. Boston Edison Co. 3pp. 43886:075-43886:097.
- 8712290317 Insp Rept 50-293/87-43 on 871102-05. No violations noted. Major areas inspected: upgraded radiological control program, per NRC 841129 order modifying license & open items from Insp Rept 50-293/86-19. NIMITZ, R.L., DRAGOUN, T.F., SHANBAKY, M.M. Region 1, Ofc of the Director. 87/12/15. 20pp. 43886:078-43886:097.
- 8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:009-44056:127.
- 8801110316 Forwards Safety Insp Rept 50-293/87-45 on 870915-1026 & notice of violation. Effectiveness of improvement programs hampered by listed problems. KANE, W. Region 1, Ofc of the Director. 87/12/23. BIRD, R.G. Boston Edison Co. 3pp. 44030:273-44030:306.

-8801110319 Notice of violation from Insp on 870915-1026 Violation noted non job-related reading matl & card playing machine found in control room reactor operator computer console & containment of spray sys nozzles not inspected.
* Region 1, Ofc of the Director. 87/12/23. 2pp. 44030:276-44030:277.

-8801110323 Insp Rept 50-293/87-45 on 870915-1026 Violations noted Major areas inspected radiation protection, physical security, plant events, maint, surveillance, outage activities & repts to NRC.
BLOUGH, R. Region 1, Ofc of the Director. 87/12/10. 29pp. 44030:278-44030:306.

8801050520 Forwards Safety Insp Rept 50-293/87-51 on 871102-06 No violations noted Power ascension program in preliminary stages of development, contrary to NRC expectations of full implementation per 871015 submittal.
JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/24. BIRD, R.G. Boston Edison Co. 3pp. 43962:157-43962:164.

-8801050529 Insp Rept 50-293/87-51 on 871102-06 No violations noted. Major areas inspected: licensee action on previous Insp findings, power ascension test program, & post mod training.
EVANS, M., LANGE, D. Region 1, Ofc of the Director. 87/12/16. 5pp. 43962:160-43962:164.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801070463 Provides addl info re second 10-yr interval inservice insp program plan, per utl 871002 commitment & NRC 870714 request Attachment 2 is overal revised component listing, including 28 addl welds.
BIRD, R.G. Boston Edison Co. 87/12/28. Document Control Branch (Document Control Desk). 50pp. 43999:212-43999:260.

8801070330 Responds to violations noted in Insp Rept 50-293/87-35. Corrective actions: error in manifest corrected, documentation process for shipment of radwaste being automated & personnel undergoing training.
BIRD, R.G. Boston Edison Co. 87/12/30. Document Control Branch (Document Control Desk). 3pp. 43991:205-43991:207.

8801140054 Forwards Safety Insp Rept 50-293/87-54 on 871208-10 No violations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. BIRD, R.G. Boston Edison Co. 2pp. 44029:262-44029:269.

-8801140061 Insp Rept 50-293/87-54 on 871208-10 No violations noted. Major areas inspected: licensee annual emergency exercise on 871209.
CONKLIN, C., LAZARUS, W.J. Region 1, Ofc of the Director. 87/12/21. 6pp. 44029:264-44029:269.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:268-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insp of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801190338 Responds to NRC Bulletin 87-002, "Fastener Testing to Determine Conformance W/ Applicable Matl Specs." Encls include description of receipt of fasteners & internal controls during storage & issuance.
BIRD, R.G. Boston Edison Co. 88/01/11. Document Control Branch (Document Control Desk). 84pp. 44051:094-44051:167.

R. Periodic operating reports & related correspondence

8801200367 Monthly operating rept for Dec 1987. W/880114 lr.
HAMILTON, P.J., BIRD, R.G. Boston Edison Co. 87/12/31. 7pp. 44106:251-44106:257.

8801201137 Forwards bi-weekly status rept for 871217-31.
BLOUGH, A.R. Region 1, Ofc of the Director. 88/01/07. WIGGINS, J.T. Region 1, Ofc of the Director. 8pp. 44030:173-44030:180.

S. Reportable occurrences, LERs & related correspondence

8712290071 LER 87-014-01 on 871112, loss of preferred offsite power occurred. Caused by series of storm-related faults in power transmission sys remote to station. Plant mod in progress to install blackout diesel generator. W/871223 lr.
HAMILTON, P.J., BIRD, R.G. Boston Edison Co. 87/12/23. 13pp. 43893:114-43893:126.

8712290074 LER 87-016-00 on 871124, primary & secondary containment sys actuated due to coil replacement in primary containment isolation control sys logic relay. Caused by inadequate controls. Addl reviews & controls established. W/871223 lr.
ELLIS, D.W., BIRD, R.G. Boston Edison Co. 87/12/23. 6pp. 43986:063-43986:068.

8801110498 LER 87-015-00 on 871207 & 08, isolation signals terminated RHR shutdown cooling subsystem. Caused by inadequacy of Procedure 2.1.8.1, "Class 1 Sys Hydrostatic Test." Subsys restored & Procedure 2.1.8.1 revised. W/880104 lr.
HAMILTON, P.J., BIRD, R.G. Boston Edison Co. 88/01/04. 5pp. 43986:205-43986:209.

8801200319 LER 87-018-00 on 871123, 24 & 26, automatic actuations in RWCU sys portion of primary containment isolation control sys occurred. Caused by partially clogged pressure gauge snubbers & failed coil. W/880113 lr.
ELLIS, D.W., BIRD, R.G. Boston Edison Co. 88/01/13. 8pp. 44134:165-44134:172.

8801220101 LER 87-020-00 on 871217, fire damper CPR-2 failed to close. Caused by clover hook catching on edge of damper blade. Hooks changed to open side of hook faces away from damper blades. W/880114 lr.
HAMILTON, P.J., BIRD, R.G. Boston Edison Co. 88/01/14. 6pp. 44159:181-44159:185.

8801250288 LER 87-019-00 on 871217, RWCU sys operation interrupted due to actuation of RWCU sys portion of primary containment isolation control sys. Caused by personnel error. Fuse replaced & isolation reset. W/880114 lr.
ELLIS, D.W., BIRD, R.G. Boston Edison Co. 88/01/14. 5pp. 44158:300-44158:304.

T. Hearing transcripts on non-antitrust matters

8801120045 Partial response to FOIA request for documents re Forwards App D documents App D documents being made available in PDR App E documents withheld (rel FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. SHOLLY, S.C. MHB Technical Associates. 4pp. 43991:327-43992:101.

-8801120345 Testimony of LW Zech before House Subcommittee on Energy & Power on 871001 re H.R.2683 (NRC Legislative Proposal), H.R.1570 (Nuclear Power Emergency Response Data Sys Act of 1987) & H.R.3025 (Appalachian Low Level Rad waste...)
ZECH, L.W. Commis oners. 87/10/01. 18pp. 43992:065-43992:082.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET 50-294 MICHIGAN STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

8801130224 Application for amend to License R-114, temporarily suspending Tech Spec requirements for semiannual pulse & annual power calibr in order to minimize radiation exposure during decommissioning.
WILKINSON, R. Michigan State Univ., East Lansing, MI. 87/12/22. Document Control Branch (Document Control Desk). 2pp. 44003:131-44003:132.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801260560 Addresses technical issues associated w/potential violation identified during NRC audit on 871116:1220 & justifies that facility in compliance w/existing Tech Specs for required fire barriers.
LENTINE, F.G. Commonwealth Edison Co. 87/12/17. HOLMES, J. Region 3, Ofc of the Director. 4pp. 44127:270-44127:273.

8712310053 Requests utl to initiate investigation to fully analyze impact on security & validity of allegations re personnel, including fitness for duty. Allegations contained in Dept of Labor 871207 ltr to Pinkerton, Inc.
HIND, J.A. Region 3, Ofc of the Director. 87/12/28. REED, C. Commonwealth Edison Co. 2pp. 43924:001-43924:002.

8801210125 Forwards Rev 18 to security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions, including manual logging when key access not functional. Rev withheld (rel 10CFR73.21).
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44086:350-44086:350.

J. Insurance & indemnity information

8801220599 Forwards Endorsements 8, 6, 5 & 3 to NELA Policies N-1, N-2, N-3, N-29, N-30, N-42, N-43, N-71, N-83, N-93, N-101 & N-108 & MAELU Policies M-2, M-3, M-29, M-30, M-42, M-43, M-71, M-83, M-93, M-101 & M-108.
OSTER, J. Commonwealth Edison Co. 88/01/19. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44247:198-44247:221.

8801220620 Forwards Endorsements 15, 17, 28, 29, 188, 193, 46, 48, 102 & 105 to NELA Policies NF-284, NF-277, NF-43, NF-253, NF-187 & NF 201 & Endorsements 10, 12, 20, 21, 162, 167, 26, 30, 85, 88, 80 & 84 to MAELU Policies MF-128, MF-114, MF-22, MF-104, MF-54 & MF-64.
OSTER, J. Commonwealth Edison Co. 88/01/19. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 49pp. 44247:101-44247:147.

P. Operating license stage documents & correspondence

8801050448 Requests that 880923 proposed amend to Licenses DPR-39 & DPR-48 to extend duration of OLS to allow for 40 yrs of operation be portioned into separate requests for Units 1 & 2 due to problems w/reactor vessel satisfying 10CFR50.61.
LEBLOND, P.C. Commonwealth Edison Co. 87/12/14. Document Control Branch (Document Control Desk). 2pp. 43962:115-43962:116.

8712280218 Forwards Rev 4 to second interval inservice testing program, per 870728-29 meetings w/NRC. Addl info, summary of program changes & history of related correspondence also encl. Program revs will be fully implemented by 880631.
LEBLOND, P.C. Commonwealth Edison Co. 87/12/17. Document Control Branch (Document Control Desk). 145pp. 43893:207-43893:351.

for tube repair utilizing Westinghouse or C-E mechanical sleeving method. Proprietary WCAP-11669 & nonproprietary WCAP-11670 encl. Fee paid. LEBLOND, P.C. Commonwealth Edison Co. 87/12/24. Document Control Branch (Document Control Desk). 3pp. 44028:240-44029:063.

-8801140171 Requests proprietary WCAP-11669, "Steam Generator Sleeving Rept (Mechanical Sleeves)," be withheld (ref 10CFR2.760) from public disclosure. WIESEMAN, R.A. Westinghouse Electric Corp. 87/12/09. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 44028:243-44029:249.

-8801140177 Proposed Tech Specs allowing use of Westinghouse or C-E sleeving methodology to repair steam generator tubes. Commonwealth Edison Co. 87/12/24. 10pp. 44028:250-44029:259.

-8801140182 "Steam Generator Sleeving Rept (Mechanical Sleeves)." Westinghouse Electric Corp. WCAP-11670. 87/12/31. 165pp. 44028:260-44029:063.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

88011010421 Advises of intent to utilize Bechtel Topical Rept, BN-TOP-1 testing methodology at all plants. LEBLOND, P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43986:005-43986:005.

8801260458 Informs that Revs 42-48 of QA Topical Rept CE-1-A acceptable per 10CFR50, App B. WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/20. REED, C. Commonwealth Edison Co. 2pp. 44125:108-44125:109.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:006-44056:127.

8801150256 Documents conversations between author & R Kiesel & M Ring during wks of 871207 & 14 re status of implementation of IE Bulletin 85-003. Action items C & D completed for all facilities except Quad Cities. Completion schedule listed. MORGAN, W.E. Commonwealth Edison Co. 87/12/23. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44041:053-44041:055.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801110203 EN-87-108 on 880104, notice of proposed imposition of civil penalty in amount of \$100,000 will be issued to licensee. Action based on inadequacies in the licensee QA program. WONG, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 87/12/29. 1p. 44000:043-44000:043.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Ltr License Actions In Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:266.

8801110308 Forwards Insp Repts 50-295/87-32 & 50-304/87-33 on 870921-1026 & notice of violation & proposed imposition of civil penalty. NRC has issued several documents re measures to assure isolation of certain pressure isolation check valves. DAVIS, A.B. Region 3, Ofc of the Director. 88/01/04. O'CONNOR, J.J. Commonwealth Edison Co. 4pp. 43985:330-43985:360.

-8801110352 Notice of violation & proposed imposition of civil penalty in amount of \$100,000 from Insp on 870921-1026. Violations noted: activities affecting quality not prescribed by instructions or procedures appropriate to circumstances. DAVIS, A.B. Region 3, Ofc of the Director. 88/01/04. 4pp. 43985:334-43985:360.

8801140013 Forwards Safety Insp Repts 50-295/87-38 & 50-304/87-39 on 871207-17 & notice of violation. HARRISON, J.J. Region 3, Ofc of the Director. 88/01/07. REED, C. Commonwealth Edison Co. 2pp. 44038:309-44038:317.

-8801140015 Notice of violation from Insp on 871207-17. Violation noted: uncontrolled vendor equipment technical info used in three maint depts for performance of safety-related activities. HARRISON, J.J. Region 3, Ofc of the Director. 88/01/07. 1p. 44038:311-44038:311.

-8801140016 Insp Repts 50-295/87-38 & 50-304/87-39 on 871207-17. Violation noted: Major areas inspected: licensee actions re IE Bulletin 84-02 & licensee implementation of Generic Ltr 83-28 in areas including equipment classification. NEISLER, J.H., GARDNER, R.N. Region 3, Ofc of the Director. 88/01/07. 6pp. 44038:312-44038:317.

8801060384 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801140387 Forwards response to NRC 871108 Bulletin 87-002 requesting licensee review receipt Insp requirements & internal controls for fasteners & to independent determining through testing if fasteners meet mechanical/chemical specs. MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS, A.B. Region 3, Ofc of the Director. 250pp. 44045:317-44046:232.

8801210030 Forwards verification of completion of program re switch settings. per Bulletin 85-003. Validity of calculations not fully confirmed. Response to concerns in Insp Repts 50-237/87-33 & 50-249/87-32 contained in Encl 1A. MORGAN, W.E. Commonwealth Edison Co. 88/01/15. DAVIS, A.B. Region 3, Ofc of the Director. 107pp. 44086:159-44086:265.

R. Periodic operating reports & related correspondence

8801150308 Monthly operating rpt for Dec 1987. W/880111 ltr. AUSTING, G. PLIML, G.J. Commonwealth Edison Co. 87/12/31. 12pp. 44041:1.

8801260066 Forwards corrected monthly operating repts for Nov 1987. Rept corrects errors of gross thermal energy generated. PLIML, G.J. Commonwealth Edison Co. 88/01/18. LOVEACE, W. NRC - No Detail Affiliation Given. 1p. 44130:282-44130:283.

-8801260559 Corrected monthly operating repts for Nov 1987. AUSTIN, G. Commonwealth Edison Co. 87/11/30. 11pp. 44130:283-44130:293.

S. Reportable occurrences, LERs & related correspondence

8801050170 LER 87-016-00 on 871130, determined that reactor containment fan cool outlet isolation valve 1MOV-SW0009 failed partially open & inoperable. Caused by insufficient torque on valve block bolts. Valve block design changed. W/871230 ltr. HUTSEBAUT, J., PLIML, G.J. Commonwealth Edison Co. 87/12/30. 8pp. 43903:284.

8801140073 LER 87-017-00 on 871210, during Periodic Test PT-207 on penetrations fire barriers, unacceptable gap discovered. Caused by thermal contraction of wall degrading fire retardant mat in gap. Fire watch set up until barrier fixed. W/880108 ltr. BOYCE, T., PLIML, G.J. Commonwealth Edison Co. 88/01/08. 4pp. 44042:264.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Boscang FOIA. 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8510250509 Trip rpt of visit to INPO accreditation board 850924-26 meetings. Board process & plant visits well conceived & executed. NRC participation in all accreditation board meetings unnecessary. BOOHER, H.R. Licensee Qualifications Branch. 85/10/17. RUSSELL, W.T. Division of Human Factors Safety (800428-851124). 3pp. 44118:197-44118:199.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8801120026 Forwards Insp Repts 50-259/87-44, 50-260/87-44 & 50-296/87-44 on 871116-20. No violations or deviations noted. BARR, K.P. Region 2, Ofc of the Director. 87/12/23. WHITE, S.A. Tennessee Valley Authority. 2pp. 43986:338-43986:338.

-8801120046 Partially withheld Insp Repts 50-259/87-44, 50-260/87-44 & 50-296/87-44 on 871116-20 (ref 10CFR2.780 & 73.21). No violations noted. Major areas inspected: testing & maint & physical barriers-protected areas. THOMPSON, D.H. Region 2, Ofc of the Director. 87/12/11. 1p. 43986:338-43986:338.

8801120023 Forwards Insp Repts 50-529/87-43, 50-260/87-43 & 50-296/87-43 on 871106-20 re circumstances surrounding 871102 fire. Insp findings & concerns identified in App A ltr identifying resolutions requested within 30 days of ltr date. RICHARDSON, S.D. Ofc of Special Projects. 87/12/30. WHITE, S.A. Tennessee Valley Authority. 2pp. 44044:055-44044:091.

-8801120024 Insp Repts 50-259/87-43, 50-260/87-43 & 50-296/87-43 on 871106-20 re Unit 2 drywell fire on 871102. Major areas inspected: sequence of events which portrayed chronological activities prior to & during fire. PAULK, G.L. Ofc of Special Projects. 87/12/21. 35pp. 44044:057-44044:091.

8801110297 Forwards Insp Repts 50-259/87-39, 50-260/87-39 & 50-296/87-39 on 871103-05. No violations or deviations noted. Major areas inspected: emergency preparedness exercise, involving NRC observation of key functions & locations during exercise. SARTOR, W.M. Region 2, Ofc of the Director. 87/12/10. 20pp. 43971:287-43971:306.

-8801110320 Insp Repts 50-259/87-39, 50-260/87-39 & 50-296/87-39 on 871103-05. No violations or deviations noted. Major areas inspected: emergency preparedness exercise, involving NRC observation of key functions & locations during exercise. SARTOR, W.M. Region 2, Ofc of the Director. 87/12/10. 20pp. 43971:287-43971:306.

8801140132 Notification of 880126 meeting w/utl in Rockville,MD to discuss 10CFR50, App A re alternative safe shutdown & mgt level presentation. GEARS,G.E. Ofc of Special Projects. 88/01/07. ZECH,G.G. Ofc of Special Projects. 3pp. 44033:195-44033:197.

8801190282 Ack receipt of utl 871125 ltr informing NRC of steps taken to correct violations noted in Insp Repts 60-259/87-34, 50-296/87-34 & 50-296/87-34. Plan for section supervisor due to lack of health physics experience appropriate. BARR,K.P. Ofc of Special Projects. 88/01/11. WHITE,S.A. Tennessee Valley Authority. 2pp. 44050:257-44050:258.

8801210136 Provides info re dates utl committed to complete listed & developed ref checks for individuals requesting unescorted access to nuclear sites, per WJ Tobin request. Encl withheld (ref 10CFR73 21). GRIDLEY,R.L. Tennessee Valley Authority. 88/01/12. Document Control Branch (Document Control Desk). 2pp. 44086:155-44086:158.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special Insp & of current resource svcs. FELTHOUS,R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON,E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801040518 Requests authorization for use of ASME Boiler & Pressure Vessel Code Cases N-341 & N-356 for plants. Required justification for use encl. Concurrence on use of cases requested by 880215. GRIDLEY,R.L. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43981:203-43981:205.

8801130403 Forwards Amends 139,135 & 110 to Licenses DPR-33,DPR-52 & DPR-68, respectively, revising Tech Spec Section 6, "Administrative Controls," to change upper limit of certain requirements of high radiation areas. ZECH,G.G. Ofc of Special Projects. 87/12/31. WHITE,S.A. Tennessee Valley Authority. 5pp. 44008:252-44008:275.

--8801130418 Amends 139,135 & 110 to Licenses DPR-33,DPR-52 & DPR-68, respectively, revising Tech Spec Section 6, "Administrative Controls," to change upper limit of certain requirements of high radiation areas. ZECH,G.G. Ofc of Special Projects. 87/12/31. 15pp. 44008:257-44008:271.

--8801130426 Safety evaluation supporting Amends 139,135 & 110 to Licenses DPR-33,DPR-52 & DPR-68, respectively. * Ofc of Special Projects. 87/12/31. 2pp. 44008:272-44008:273.

--8801130439 Requests FR publication of notice of issuance of Amends 139, 135 & 110 to Licenses DPR-33,DPR-52 & DPR-68. Amends correct Tech Spec 6.8.3.1 by changing upper limit requirements of high radiation areas. ZECH,G.G. Ofc of Special Projects. 87/12/31. NRC - No Detailed Affiliation Given. 2pp. 44008:274-44008:275.

8801110376 Forwards table listing Sequoyah & TVA generic allegations investigated by utl & noted in GG Zech 870729 ltr to SA White as restart issues. Table also notes submission dates for repts. GRIDLEY,R.L. Tennessee Valley Authority. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 43969:082-43969:084.

8801250133 Summary of 871215 meeting w/TVA in Bethesda,MD re TVA program to address microbiologically induced corrosion. List of attendees & viewpoints encl. AULUCK,R. Ofc of Special Projects. 88/01/11. Ofc of Special Projects. 76pp. 44116:219-44116:294.

8801190124 Forwards revised weekly schedule of TVA activities for wks of 880111 & 18, changing & adding to schedule previously issued on 880111. KELLY,J.L. Ofc of Special Projects. 88/01/12. ZECH,G.G. Ofc of Special Projects. 5pp. 44052:355-44052:359.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44116:001-44116:039.

--8801200030 Summary of INPO Accreditation Board 881015 & 16 meetings re encl list of facility programs. GIBSON,A.F. Region 2, Ofc of the Director. 88/01/17. RUSSELL,W.T. Division of Human Factors Technology (851125-870411). 3pp. 44118:041-44118:043.

--8711020491 Discusses attendance at INPO Accreditation Board meeting on 871022 & 23 in Atlanta, GA re accreditation of licensee training programs on maint & technical support areas. Future NRC observers should be given info prior to meeting. LAINAS,G.C. Assistant Director for Region II Reactors. 87/10/28. ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 4pp. 44119:167-44119:171.

8801200151 Application for amends to Licenses DPR-33,DPR-52 & DPR-68, changing Tech Specs to correct footnote refs re instrumentation for core & containment sys & radioactive gaseous effluent instrumentation surveillance. Fee paid. GRIDLEY,R.L. Tennessee Valley Authority. 88/01/14. Document Control Branch (Document Control Desk). 8pp. 44108:178-44108:192.

--8801200155 Proposed Tech Specs, revising two incorrect footnote refs in Table 3.2.B & Table 4.2.K re instrumentation that initiates or controls core & containment sys & radioactive gaseous effluent instrumentation surveillance, respectively. * Tennessee Valley Authority. 88/01/14. 7pp. 44108:186-44108:192.

8801200092 Forwards revised ASME Section XI Inservice sys pressure test program. Program outlines requirements for performing first 10-yr interval sys pressure tests on ASME Code Class 1, 2 & 3 or equivalent components containing water or steam. GRIDLEY,R.L. Tennessee Valley Authority. 88/01/15. Document Control Branch (Document Control Desk). 31pp. 44134:243-44134:273.

8801260002 Forwards Amends 140,136 & 111 to Licenses DPR-33,DPR-52 & DPR-68, respectively & safety evaluation Amends clarify trip level setting for standby gas treatment sys relative humidity heater. ZECH,G.G. Ofc of Special Projects. 88/01/19. WHITE,S.A. Tennessee Valley Authority. 3pp. 44164:080-44164:100.

--8801260005 Amends 140,136 & 111 to Licenses DPR-33,DPR-52 & DPR-68, respectively, clarifying Tech Spec Table 3.2.A re trip level setting for standby gas treatment sys relative humidity heater. ZECH,G.G. Ofc of Special Projects. 88/01/19. 15pp. 44164:083-44164:097.

--8801260009 Safety evaluation supporting Amends 140,136 & 111 to Licenses DPR-33,DPR-52 & DPR-68, respectively. * Ofc of Special Projects. 88/01/19. 2pp. 44164:088-44164:099.

--8801260012 Requests FR publication of notice of issuance of Amends 140, 136 & 111 to Licenses DPR-33,DPR-52 & DPR-68, respectively. Amends clarify trip level setting for standby gas treatment relative humidity heater. ZECH,G.G. Ofc of Special Projects. 88/01/19. NRC - No Detailed Affiliation Given. 1p. 44164:100-44164:100.

8801270141 Final response to FOIA request for documents. Forwards App A documents & portion of App B document App A documents placed in PDR. Portion of App B document withheld (ref FOIA Exemption 6). GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR,L. Doc-Search Associates. 4pp. 44155:008-44155:028.

--8801270400 Discusses interviews of Region II personnel by Subcommittee on Oversight & Investigations re TVA facilities. KAMMERER,C.C. Office of Congressional Affairs (pre 870413). 85/12/13. PALLADINO Commissioners. 2pp. 44165:015-44165:023.

8801280457 Summary of 880120 meeting between Commissioner Bernthal & Admiral White of TVA re utl request to retain Ofc of Special Projects as overseer of plants after Sequoyah restart & invitation to Bernthal to tour Sequoyah plant. KAGAN,C. Commissioners. 88/01/21. Commissioners. 1p. 44172:360-44172:360.

8801280446 Application for amends to Licenses DPR-33,DPR-52 & DPR-68, revising Tech Spec 228 re interpretation of surveillance instruction operability criteria for testing of reactor bldg, reactor zone & refuel zone radiation monitors. Fee paid. GRIDLEY,R.L. Tennessee Valley Authority. 88/01/22. Document Control Branch (Document Control Desk). 3pp. 44160:137-44160:177.

--8801280454 Proposed Tech Specs re interpretation of surveillance instruction operability requirements concerning testing of reactor bldg, reactor zone & refuel zone radiation monitors listed in Table 3.2.A. * Tennessee Valley Authority. 88/01/22. 38pp. 44160:140-44160:177.

8801280628 Forwards safety evaluation supporting utl 870520 justification for proposed use of artificial ground motion time history as alternate seismic input for seismic sys analysis. ZECH,G.G. Ofc of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 3pp. 44173:252-44173:256.

--8801280633 Safety evaluation supporting utl 870626 justification to use artificial ground motion time history as alternative seismic input for seismic sys analyses. * Ofc of Special Projects. 88/01/25. 2pp. 44173:255-44173:258.

8801290096 Forwards SAI review of utl 861230 summary report on DCRDR for info. Site visit scheduled for 880222-26 to discuss report & audit control room Audit agenda also encl. * ZECH,G.G. Ofc of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 11pp. 44178:012-44178:022.

8801290158 Forwards BNWL technical evaluation report based on review of utl 840822 procedures generation package submitted per NUREG-0737, item 1.C.1.NRC & contractor will visit site on 880222-26 to review concerns & open items. ZECH,G.G. Ofc of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 3pp. 44178:348-44178:361.

--8801290169 "Procedures Generation Package Review Operating Reactors," technical evaluation report. MYERS,L.B., CLIFF,W.C. Battelle Memorial Institute, Pacific Northwest Laboratories. 88/08/30. 10pp. 44178:352-44178:361.

8801290161 Forwards Rev O to "Cable Program Plan," addressing possibility of undersized electrical cables due to inadequate design standards. Planned corrective actions will verify adequacy of cables at various voltage levels. GRIDLEY,R.L. Tennessee Valley Authority. 88/01/25. Document Control Branch (Document Control Desk). 2pp. 44163:249-44163:262.

--8801290184 Rev O to "Cable Ampacity Program Plan, Browns Ferry Nuclear Plant." Related documentation encl. * Tennessee Valley Authority. 88/01/13. 12pp. 44183:261-44183:262.

8801290285 Grants utl authorization to use ASME Code Cases N-341 & N-356 to extend certification period for Level III NDE examiners from 3 to 5 yrs, per 871229 ltr. ZECH,G.G. Ofc of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 4pp. 44177:357-44177:360.

Q. Inspection reports, IE Bulletins & correspondence

8801040136 Forwards Exam Rept 50-259/OL-87-03 of requalification exam administered on 870720-23. Rept for all units. Interim program rating satisfactory. Final determination will be made upon completion of evaluation process in Mar 1988. BARR,K.P. Ofc of Special Projects. 87/12/17. WHITE,S.A. Tennessee Valley Authority. 2pp. 43923:313-43923:343.

--8801040145 Exam Rept 50-259/OL-87-03 on 871117-18 Exam results: one reactor operator & senior reactor operator passed exam. Rept for all three units. PAYNE,D.C. Ofc of Special Projects. 87/12/03. 28pp. 43923:315-43923:343.

64 DOCKETED ITEMS

- 8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.
- 8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058.008-44058.127.
- 8801120028 Forwards Insp Repts 50-259/87-44,50-260/87-44 & 50-296/87-44 on 871116-20 No violations or deviations noted.
BARR,K.P. Region 2, Oic of the Director. 87/12/23. WHITE,S.A. Tennessee Valley Authority. 2pp. 43986.336-43986.338.
- 8801120048 Partially withheld Insp Repts 50-259/87-44,50-260/87-44 & 50-296/87-44 on 871116-20 (ref 10CFR2.790 & 73.21).No violations noted.Major areas inspected testing & maint & physical barriers-protected areas
THOMPSON,D.H., MCGUIRE,D.R. Region 2, Oic of the Director. 87/12/11. 1p. 43986.338-43986.338.
- 8712230003 Suppl 1 to NRC Info Notice 87-026, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.136-43995.257.
- 8801120023 Forwards Insp Repts 50-529/87-43,50-260/87-43 & 50-296/87-43 on 871106-20 re circumstances surrounding 871102 fire.Insp findings & concerns identified in App A.Ltr identifying resolutions requested within 30 days of ltr date.
RICHARDSON,S.D. Oic of Special Projects. 87/12/30. WHITE,S.A. Tennessee Valley Authority. 2pp. 44044.055-44044.091.
- 8801120024 Insp Repts 50-259/87-43,50-260/87-43 & 50-296/87-43 on 871106-20 re Unit 2 drywell fire on 871102.Major areas inspected sequence of events which portrayed chronological activities prior to & during fire.
PAULK,G.L. Oic of Special Projects. 87/12/21. 35pp. 44044.057-44044.091.
- 8712260155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.
- 8712300081 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.
- 8801110297 Forwards Insp Repts 50-259/87-39,50-260/87-39 & 50-296/87-39 on 871103-05 No violations or deviations noted.Exercise weaknesses re notifications to activate onsite emergency facilities observed.
BARR,K.P. Oic of Special Projects. 87/12/31. WHITE,S.A. Tennessee Valley Authority. 2pp. 43971.285-43971.306.
- 8801110320 Insp Repts 50-259/87-39,50-260/87-39 & 50-296/87-39 on 871103-05 No violations or deviations noted.Major areas inspected emergency preparedness exercises.Involving NRC observation of key functions & locations during exercise.
SARTOR,W.M., DECKER,T.R. Region 2, Oic of the Director. 87/12/10. 20pp. 43971.267-43971.306.
- 8801150101 Forwards Insp Repts 50-259/87-42,50-260/87-42 & 50-296/87-42 during Nov 1987.No violations or deviations noted.Concern expressed re large number of ltr change requests being written for ongoing work.
BARR,K.P. Oic of Special Projects. 88/01/06. WHITE,S.A. Tennessee Valley Authority. 2pp. 44062.222-44062.257.
- 8801150106 Insp Repts 50-259/87-42,50-260/87-42 & 50-296/87-42 during Nov 1987.No violations or deviations noted.Major areas inspected operational safety,maint observation,reportable occurrences & previous enforcement matters.
PAULK,G.L., PATTERSON,C.A., BROOKS,C.R. Region 2, Oic of the Director. 87/12/11. 34pp. 44062.224-44062.257.
- 8801050364 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Alwood & Morris MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.
- 8801150095 Responds to NRC 871119 ltr re violations noted in Insp Repts 50-259/87-33,50-260/87-33 & 50-296/87-33.Corrective actions: review of field installations in progress to fix conduit seal problems.Violation A denied.
GRIDLEY,R. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 8pp. 44041.319-44041.327.
- 8801190282 Ack receipt of ltr 871125 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/87-34, 50-260/87-34 & 50-296/87-34.Plan for section supervisor due to lack of health physics experience appropriate.
BARR,K.P. Oic of Special Projects. 88/01/11. WHITE,S.A. Tennessee Valley Authority. 2pp. 44050.257-44050.258.
- 8801200087 Responds to NRC 871203 ltr re violations noted in Insp Repts 50-259/87-37,50-260/87-37 & 50-296/87-37.Corrective actions: clearance issued on Valve 2-FCV-74-24 & procedure re lifting of hold order tag will be revised.Violation A denied.
GRIDLEY,R. Tennessee Valley Authority. 88/01/15. Document Control Branch (Document Control Desk). 8pp. 44106.345-44106.352.
- 8801250338 Advises that NRC will review and Civil Engineering Branch Instruction CEB-CI 21.97, "Operability Criteria for Pipe & Pipe Supports on TVA Class I Seismic Piping - Browns Ferry," by 880226.Outline of ltr IEB-78-02/78-14 program also encl.
ZECH,G.G. Oic of Special Projects. 88/01/19. WHITE,S.A. Tennessee Valley Authority. 3pp. 44117.001-44117.027.
- 8801250364 Rev D to Civil Engineering Branch Instruction CEB-CI 21.97, "Operability Criteria for Pipe & Pipe Supports on TVA Class I Seismic Piping - Browns Ferry." Tennessee Valley Authority. 87/12/10. 24pp. 44117.004-44117.027.
- 8801260504 Ack receipt of 871209 supplemental response to notice of violations noted in Insp Repts 50-259/86-09,50-260/86-09 & 50-296/86-09.Response meets requirements of 10CFR2.201.
BARR,K.P. Oic of Special Projects. 88/01/20. WHITE,S.A. Tennessee Valley Authority. 2pp. 44127.236-44127.237.
- 8801270161 Forwards Insp Repts 50-259/87-36,50-260/87-36 & 50-296/87-36 on 871028-30.Utl design baseline & verification program contained essential elements to achieve goals.Several weaknesses should be addressed before NRC can approve DBVP.
RICHARDSON,S.D. Oic of Special Projects. 88/01/21. WHITE,S.A. Tennessee Valley Authority. 3pp. 44155.083-44155.117.
- 8801270170 Insp Repts 50-259/87-36,50-260/87-36 & 50-296/87-36 on 871028-30.Utl design baseline & verification program contains essential elements needed to achieve intended goals & objectives.Concerns re implementation of program listed.
GEORGIEV,G.B., HEARN,P., LIAW,B.D. Oic of Special Projects. 88/01/15. 16pp. 44155.086-44155.117.
- 8801260276 Partial response to FOIA requests.Forwards App A documents. Documents being placed in PDR.Only files in NRC Oic of Governmental & Public Affairs searched for documents responsive to request,per 871028 telcon.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNORL. Doc-Search Associates. 3pp. 44138.290-44138.334.
- 8808070143 Requests response to listed items.In support of NRC 850710 response to Congressman Udall 850426 ltr re HPC failures at plant.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/07/12. REHM,T. Oic of the Executive Director for Operations. 1p. 44139.339-44139.339.

R. Periodic operating reports & related correspondence

- 8712310028 Monthly discharge monitoring rept for Nov 1987.
BROOKS,R.H. Tennessee Valley Authority. 87/11/30. 13pp. 43920.139-43920.154.
- 8801040474 Supplemental annual operating rept for 1986 re herbicide usage.No herbicides used on any transmission line right-of-ways in CY86.
GRIDLEY,R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 2pp. 43963.282-43963.283.
- 8801250572 Monthly operating reports for Dec 1987.
CRAWFORD,J.D., WALKER,J.G. Tennessee Valley Authority. 87/12/31. 73pp. 44111.271-44111.347.
- 8801200079 Partial response to FOIA request for documents.Forwards App D documents.App D & E documents available in PDR.App F document completely withheld (ref FOIA Exemption 7).App G document partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN,L. Times Printing Co. 6pp. 44081.218-44081.272.
- 8802190673 Summarizes NRC activities involving TVA from 880203-07.
DENTON,H.R. Office of Nuclear Reactor Regulation, Director (85125-870411). 88/02/12. STELLQ,V. Oic of the Executive Director for Operations. 3pp. 44081.279-44081.281.
- 8801250422 Forwards weekly schedule of TVA activities for wks of 880118 & 25.
KELLY,J.L. Oic of Special Projects. 88/01/15. ZECH,G.G. Oic of Special Projects. 5pp. 44116.010-44116.014.
- 8801260416 Forwards weekly schedule of TVA activities for wks of 880125 & 02D1.
KELLY,J.L. Oic of Special Projects. 88/01/22. ZECH,G.G. Oic of Special Projects. 4pp. 44139.061-44139.064.

V. Operator Examinations

- 8801040130 Requests that utl furnish encl listed ref matts in order to meet schedule for reactor/senior reactor operator requalification exams scheduled for 880314-18 by 880108. Requirements for administering exams & guidelines encl.
BARR,K.P. Oic of Special Projects. 87/12/11. WHITE,S.A. Tennessee Valley Authority. 8pp. 43963.154-43963.162.
- 8801040153 Advises that in order for NRC to meet schedule for written, simulator/operating & oral exams for reactor operator & senior reactor operators during wk of 880314 & 880502-13, respectively,encl mail should be provided by 880108.
BARR,K.P. Oic of Special Projects. 87/12/11. WHITE,S.W. Tennessee Valley Authority. 10pp. 43962.346-43962.355.
- 8801040136 Forwards Exam Rept 50-259/OL-87-03 of requalification exam administered on 870720-23.Rept for all units.Interim program rating satisfactory.Final determination will be made upon completion of evaluation process in Mar 1988.
BARR,K.P. Oic of Special Projects. 87/12/17. WHITE,S.A. Tennessee Valley Authority. 2pp. 43923.313-43923.343.
- 8801040145 Exam Rept 50-259/OL-87-03 on 871117-18.Exam results:one reactor operator & senior reactor operator passed exam. Rept for all three units.
PAYNE,D.C., BROCKMAN,K.E. Oic of Special Projects. 87/12/03. 29pp. 43923.315-43923.343.
- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation.Forwards App F documents.App E & F documents also available in PDR.Addl records also available in PDR under Bossong FOIA.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.
- 880120136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO oces in Atlanta,GA re training programs at two plants.Encls include list of Board member names & attendees & 871108 plant status accreditation table.
GIBSON,A.F. Region 2, Oic of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118.158-44118.168.

F. Security, medical, emergency & fire protection plans

8712310195 Revised emergency plan implementing procedures, including Rev 10 to 5.7.7, "Activation of Technical Support Ctr" & Rev 10 to 5.7.16, "Release Rate Determination." W/871223 ltr.
MERRILL, C. MEACHAM, J., TREVORS, G.A. Nebraska Public Power District. 87/12/23. 34pp. 43998:172-43998:205.

8801070102 Forwards Insp Rept 50-298/87-27 on 871026-29. Violations noted. Agrees to schedule enforcement conference in near future to discuss utl understanding of violations, per 871223 telcon. Insp details withheld (ref 10CFR73.21).
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/30. TREVORS, G.A. Nebraska Public Power District. 2pp. 43978:358-43978:358.

-8801070106 Partially withheld Insp Rept 50-298/87-27 on 871026-29 (ref 10CFR73.21). Violations noted. Major areas inspected: previous insp findings, access control - personnel, locks, keys & combinations, communications & detection aids - vital area.
CALDWELL, R.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/12/07. 1p. 43978:358-43978:358.

880120375 Forwards response to 871120 ltr re transmitting results & conclusions of regulatory effectiveness review on 870309.13. Response withheld (ref 10CFR73.21).
TREVORS, G.A. Nebraska Public Power District. 88/01/05. Document Control Branch (Document Control Desk). 1p. 43990:050-43990:050.

8801130146 Confirms 880120 enforcement conference in Region IV ofc to discuss violations re security matters as documented in Insp Repts 50-298/87-27, 50-298/87-31 & 50-298/87-32. Proposed meeting agenda encl Insp repts being forwarded separately.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/08. TREVORS, G.A. Nebraska Public Power District. 3pp. 44028:302-44028:304.

8801140081 Notification of significant inspection meeting on 880120 for enforcement conference re Insp Repts 50-298/87-27 & 50-298/87-32 to discuss security matters & violation concerning design review in Insp Rept 50-298/87-31.
HOLLER, E. Region 4, Ofc of the Director. 88/01/08. Region 4, Ofc of the Director. 1p. 44010:056-44010:056.

8801130343 Provides add info for consideration in effort to allow staff to satisfactorily resolve remaining open items identified in Insp Rept 50-298/86-14. Encl withheld (ref 10CFR73.21).
TREVORS, G.A. Nebraska Public Power District. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44000:120-44000:120.

8801140017 Forwards Insp Rept 50-298/87-31 on 871201-21. Violation noted. Enforcement conference scheduled on 870120 to coincide w/enforcement conference re security matters discussed in 871229-30 telcons.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/08. TREVORS, G.A. Nebraska Public Power District. 2pp. 44038:288-44038:298.

-8801140020 Insp Rept 50-298/87-31 on 871201-21. Violation noted. Major areas inspected: operational safety verification, monthly surveillance & maint observations, radiological protection, cold weather preparation & security.
PLETTNER, E.A., BENNETT, W.R., HOLLER, E.J. Region 4, Ofc of the Director. 88/01/05. 7pp. 44038:290-44038:296.

8801130444 Forwards Insp Rept 50-298/87-32 on 871101-30. Violation noted. Agrees to schedule enforcement conference in near future to discuss utl understanding of violations, per 871223 telcon.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/11. TREVORS, G.A. Nebraska Public Power District. 2pp. 44000:142-44000:145.

-8801130446 Partially withheld Insp Rept 50-298/87-32 on 871101-30 (ref 10CFR73.21). Violation noted. Major areas inspected: security.
PLETTNER, E.A., BENNETT, W.R., MADSEN, G.L. Region 4, Ofc of the Director. 87/12/18. 2pp. 44000:144-44000:145.

8801270028 Forwards utl response to concerns re rev to security plan & revised page reflecting concern noted in 871209 telcon. Encl withheld (ref 10CFR73.22).
TREVORS, G.A. Nebraska Public Power District. 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44142:144-44142:145.

8801270061 Amended notification of 880120 meeting w/utl in Arlington, TX to discuss security matters as described in Insp Repts 50-298/87-27 & 50-298/87-32 & apparent violation re design review as described in Insp Rept 50-298/87-31.
HOLLER, E. Region 4, Ofc of the Director. 88/01/21. Region 4, Ofc of the Director. 2pp. 44141:281-44141:282.

8801270518 Ack receipt of NRC 871210 ltr re six deficiencies noted in Insp Rept 50-298/87-25. One area needs clarification. Three events observed during emergency exercise. Requests schedule for correcting deficiency 298/8725-02 within 30 days.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/22. TREVORS, G.A. Nebraska Public Power District. 2pp. 44148:356-44148:361.

J. Insurance & Indemnity Information

8801260536 Forwards Endorsement 8 to NELIA Certificate N-41 & Endorsement 8 to MAELU Certificate M-41 for coverage for secondary layer of financial protection required under Price-Anderson.
TREVORS, G.A. Nebraska Public Power District. 88/01/18. Document Control Branch (Document Control Desk). 3pp. 44138:168-44138:170.

8801260562 Forwards Endorsements 59 & 60 to MAELU Policy MF-70 & Endorsements 73 & 78 to NELIA Policy NF-200.
TREVORS, G.A. Nebraska Public Power District. 88/01/18. Document Control Branch (Document Control Desk). 8pp. 44138:128-44138:137.

P. Operating license stage documents & correspondence

8801070346 "Offsite Dose Assessment Manual & Process Control Program." W/870630 ltr.
* Nebraska Public Power District. 87/06/31. 250pp. 44007:168-44007:299.

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHICUS, R.A. Resource Technical Services, Inc. NRC-26 87-416. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801050073 Forwards Amend 114 to License DPR-46 & safety evaluation. Amend changes Tech Specs to extend certain containment isolation logic functional test interval from 6 to 18 months.
LONG, W.O. Project Directorate IV. 87/12/22. TREVORS, G.A. Nebraska Public Power District. 2pp. 43910:341-43910:350.

-8801050077 Amend 114 to License DPR-46, revising Tech Specs to extend certain containment isolation logic functional test intervals from 6 to 18 months.
RUBENSTEIN, L.S. Project Directorate IV. 87/12/22. 5pp. 43910:343-43910:347.

-8801050083 Safety evaluation on supporting Amend 114 to License DPR-46.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/22. 3pp. 43910:348-43910:350.

8801120241 Requests withdrawal of Proposed Change 38 to Tech Specs revising surveillance requirements for gaseous & liquid effluent monitoring instruments. Proposed change redundant to current Tech Specs. Add guidance not required.
TREVORS, G.A. Nebraska Public Power District. 88/01/08. Document Control Branch (Document Control Desk). 1p. 43996:357-43996:357.

8801200242 Forwards response to NRC Compliance Bulletin 87-002, "Fastinor Testing to Determine Conformance w/Applicable Mail Specs." Encl results of testing performed & excerpt from QA instruction QAI-8 withheld.
KUNCL, L.G. Nebraska Public Power District. 88/01/11. MARTIN, R.D. Region 4, Ofc of the Director. 6pp. 44058:154-44058:159.

8801250294 Forwards safety evaluation of utl second 10-yr inservice testing program submitted w/880730 ltr. Certain relief requests denied where proposed alternative testing unacceptable. Technical evaluation report also encl.
LONG, W.O. Project Directorate IV. 88/01/13. TREVORS, G.A. Nebraska Public Power District. 3pp. 44113:302-44113:305.

-8801250297 Safety evaluation concluding that inservice testing program submitted w/880730 ltr as modified in subj safety evaluation will provide reasonable assurance of operational readiness of safety-related pumps & valves.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/13. 8pp. 44113:305-44113:313.

-8712040169 Rev 1 to "Pump & Valve Inservice Testing Program, Cooper Nuclear Station," technical evaluation rpt.
COOK, T.L., RANSOM, C.B. EG&G Idaho, Inc. (subs. of EG&G, Inc.). COOK, T.L. Idaho National Engineering Laboratory. FIN A-6812. EG&G NTA-7419 R01. 87/10/31. NRC - No Detailed Affiliation Given. 82pp. 44113:314-44113:045.

8801210194 Partial response to FOIA request. App G documents already available in PDR. App H documents, re INPO accreditation training, encl & available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44085:001-44085:022.

-8801210371 Discusses INPO Accreditation Board 870428 meeting & observation of INPO evaluation of utl training programs during wk of 870601. Author favorably impressed w/both Board & Accreditation Team.
GAGLIARDI, J.E. Region 4, Ofc of the Director. 87/07/26. PERSENSKY, J.J. Region 4, Ofc of the Director. 2pp. 44085:085-44085:088.

8801270467 Forwards proprietary Attachment 2, "Lead Test Assembly (LTA) Description." & Attachment 4.F&PMT 87-178.040, "GE Mail Test Control Rod LTA." Attachments 2 & 4 withheld (ref 10CFR73.20).
TREVORS, G.A. Nebraska Public Power District. 88/01/21. Document Control Branch (Document Control Desk). 7pp. 44140:013-44140:018.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801070102 Forwards Insp Rept 50-298/87-27 on 871026-29. Violations noted. Agrees to schedule enforcement conference in near future to discuss utl understanding of violations, per 871223 telcon. Insp details withheld (ref 10CFR73.21).
CALLAN, L.J. Region 4, Ofc of the Director. 87/12/30. TREVORS, G.A. Nebraska Public Power District. 2pp. 43978:356-43978:358.

-8801070106 Partially withheld Insp Rept 50-298/87-27 on 871026-29 (ref 10CFR73.21). Violations noted. Major areas inspected: previous insp findings, access control - personnel, locks, keys & combinations, communications & detection aids - vital area.
CALDWELL, R.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/12/07. 1p. 43978:358-43978:358.

8712290155 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

Actions in Response to IE Bulletin 80-11. "Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
Consolidated Edison Co. of New York, Inc. 123pp 44038.164-44038.286.

8801130017 Forwards Insp Rept 50-298/87-29 on 871207-10 No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/06. TREVORS,G.A. Nebraska Public Power District. 2pp. 44039.158-44039.167.

8801130020 Insp Rept 50-298/87-29 on 871207-10 No violations or deviations noted Major areas inspected: radiation protection program including external occupational exposure control & personal dosimetry & internal exposure control & assessment.
BAER,R.E., MURRAY,B. Region 4, Ofc of the Director. 87/12/29. 8pp. 44039.160-44039.167.

8801130146 Confirms 880120 enforcement conference in Region IV ofc to discuss violations re security matters as documented in Insp Repts 50-298/87-27, 50-298/87-31 & 50-298/87-32 Proposed meeting agenda encl Insp repts being forwarded separately.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/06. TREVORS,G.A. Nebraska Public Power District. 3pp. 44029.302-44029.304.

8801130155 Forwards Insp Rept 50-298/87-23 on 871118-20 No violations or deviations noted One unresolved item noted Major areas inspected licensee solid radwaste & radioactive materials transportation programs.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/06. TREVORS,G.A. Nebraska Public Power District. 2pp. 44029.335-44029.336.

8801130161 Insp Rept 50-298/87-23 on 871118-20 No violations or deviations noted One unresolved item noted Major areas inspected licensee solid radwaste & radioactive materials transportation programs.
BAER,R.E., MURRAY,B. Region 4, Ofc of the Director. 87/12/22. 7pp. 44029.337-44029.343.

8801140081 Notification of significant licensee meeting on 880120 for enforcement conference re Insp Repts 50-298/87-27 & 50-298/87-32 to discuss security matters & violation concerning design review in Insp Rept 50-298/87-31.
HOLLER,E. Region 4, Ofc of the Director. 88/01/06. Region 4, Ofc of the Director. 1p. 44010.056-44010.056.

8801130343 Provides addl info for consideration in effort to allow staff to satisfactorily resolve remaining open items identified in Insp Rept 50-298/86-14 Encl withheld (ref 10CFR73.21).
TREVORS,G.A. Nebraska Public Power District. 88/01/06. Document Control Branch (Document Control Desk). 1p. 44000.120-44000.120.

8801140017 Forwards Insp Rept 50-298/87-31 on 871201-21 Violation noted Enforcement conference scheduled on 870120 to coincide w/enforcement conference re security matters discussed in 871229-30 telcons.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/06. TREVORS,G.A. Nebraska Public Power District. 2pp. 44038.288-44038.296.

8801140020 Insp Rept 50-298/87-31 on 871201-21 Violation noted Major areas inspected operational safety verification, monthly surveillance & maint observations, radiological protection, cold weather preparation & security.
PLETTNER,E.A., BENNETT,W.R., HOLLER,E.J. Region 4, Ofc of the Director. 88/01/05. 7pp. 44038.290-44038.296.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp 44038.041-44038.163.

8801130444 Forwards Insp Rept 50-298/87-32 on 871101-30 Violation noted Agrees to schedule enforcement conference in near future to discuss util understanding of violations per 871223 telcon.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/11. TREVORS,G.A. Nebraska Public Power District. 2pp. 44000.142-44000.145.

8801130448 Partially withheld Insp Rept 50-298/87-32 on 871101-30 (ref 10CFR73.21) Violation noted Major areas inspected: security.
PLETTNER,E.A., BENNETT,W.R., MADSEN,G.L. Region 4, Ofc of the Director. 87/12/18. 2pp. 44000.144-44000.145.

8801280040 Confirms 880119 telcon arrangements to reschedule 880120 enforcement conference re Insp Repts 50-298/87-27, 50-298/87-31 & 50-298/87-32 due to inclement weather. Conference rescheduled for 880128 in Region IV ofc.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/21. TREVORS,G.A. Nebraska Public Power District. 2pp. 44157.187-44157.188.

8801270518 Ack receipt of NRC 871210 ltr re six deficiencies noted in Insp Rept 50-298/87-25 One area needs clarification Three events observed during emergency exercise Requests schedule for correcting deficiency 298/8725-02 within 30 days.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/22. TREVORS,G.A. Nebraska Public Power District. 2pp. 44148.356-44148.361.

A. Periodic operating reports & related correspondence

8801120342 Monthly operating rept for Dec 1987.W/880108 ltr.
SCHEUERMAN,J.T., HORN,G.R. Nebraska Public Power District. 87/12/31. 5pp. 44040.038-44040.042.

S. Reportable occurrences, LERs & related correspondence

8801140040 PNO-IV-88-003 on 880109 derailment of railroad car carrying empty spent fuel shipping cask occurred Caused by track switch in wrong position Railroad car remained in upright position No personnel injuries reported.
HOLLER,E.J. Region 4, Ofc of the Director. 88/01/11. 1p. 44039.047-44039.047.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation Forwards App F documents App E & F documents also available in PDR Addl records also available in PDR under Bessong FOIA-87-204.

GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta GA re training programs at two plants Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118.159-44118.166.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8801040057 Confirms 880105 & 06 site visit to tour emergency response facilities per 871214 telcon Licensees not expected to backfit to provide increased facility space Outline of areas to be reviewed encl.
SNELL,W. Region 3, Ofc of the Director. 87/12/24. STEVENS,D. Wisconsin Electric Power Co. 2pp. 43963.043-43963.044.

8801140376 Requests identification of special circumstances to support 880611 request for exemption from 10CFR50, APP A, Section III.G.3.b re component cooling water HW & boric acid tank room & computer & instrument rack room.
WAGNER,D.H. Project Directorate III-3. 88/01/04. FAY,C.W. Wisconsin Electric Power Co. 3pp. 44031.127-44031.129.

8801130080 Forwards FEMA 871207 ltr discussing evaluation of alert & notification sys for plant Alert & notification sys satisfies criteria of NUREG-0654/FEMA-REP-1, Rev 1 & FEMA-REP-10.
SNELL,W.D. Region 3, Ofc of the Director. 88/01/05. FAY,C.W. Wisconsin Electric Power Co. 2pp. 44001.016-44001.242.

8712310282 Forwards FEMA 871207 ltr re evaluation of alert & notification sys to be transmitted to licensee.
MATTHEWS,D.B. Emergency Preparedness Branch. 87/12/22. HIND,J.A. Region 3, Ofc of the Director. 1p. 44001.018-44001.242.

8801120295 Forwards rev to modified amended security plan per NRC 871021 request Rev withheld (ref 10CFR2.60.70 & 73).
CASSIDY,T.J. Wisconsin Electric Power Co. 88/01/06. Document Control Branch (Document Control Desk). 1p. 43966.287-43966.287.

8801200046 Forwards Safety Insp Repts 50-268/87-22 & 50-301/87-23 on 871101-1215 No violations noted.
GULDEMOND,W.G. Region 3, Ofc of the Director. 88/01/12. FAY,C.W. Wisconsin Electric Power Co. 2pp. 44052.287-44052.288.

8801200069 Insp Repts 50-268/87-22 & 50-301/87-23 on 871101-1215 No violations or deviations noted Major areas inspected: operational safety, maint, surveillance, physical security, radiological protection, outages & containment integrity.
HAGUE,R.L. Region 3, Ofc of the Director. 88/01/06. 8pp. 44052.289-44052.288.

8801190294 Responds to violations noted in Insp Repts 50-268/87-07 & 50-301/87-07 Corrective actions encl "Technical Evaluation of Fire Damper Tests at Point Beach Nuclear Plant," developed.
FAY,C.W. Wisconsin Electric Power Co. 88/01/13. Document Control Branch (Document Control Desk). 22pp. 44064.072-44064.092.

J. Insurance & indemnity information

8801260200 Forwards Endorsements 88 & 89 to NELIA Policy NF-178, Endorsements 72 & 73 to MAELU Policy MF-53, Endorsement 8 to NELIA Certificates N-18 & N-19, Endorsement 8 to MAELU Certificates M-18 & M-19, respectively.
DUNDAS,W.J. Wisconsin Electric Power Co. 88/01/20. NRC - No Detailed Affiliation Given. 13pp. 44123.135-44123.147.

P. Operating license stage documents & correspondence

8801040426 Discusses util program of accident reanalysis to support amend to increase Tech Spec core power peaking factors. Proposed schedule for increased peaking factor reanalysis & approval encl.
FAY,C.W. Wisconsin Electric Power Co. 87/12/22. Document Control Branch (Document Control Desk). 6pp. 43962.170-43962.175.

8801102080 Discusses inservice testing program for installation of flow measuring instrumentation for svc water pumps per NRC 870118 SER denying util Pump Relief Request 7 After installation, util will have capability of measuring flow from each pump.
FAY,C.W. Wisconsin Electric Power Co. 87/12/29. WAGNER,D. NRC - No Detailed Affiliation Given. 2pp. 43972.246-43972.246.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda MD to discuss subcommittee investigations & analysis area re Generic Ltr 87-12.
TRAMMELL,C.M. Project Directorate V. 87/12/30. KNIGHTON,G.W. Project Directorate V. 4pp. 43945.344-43945.347.

8801070469 Forwards addl info re ATWS mitigating sys actuation circuits per NRC request during 871118 telcon.
FAY,C.W. Wisconsin Electric Power Co. 87/12/30. WAGNER,D. Project Directorate III-3. 7pp. 43969.261-43969.267.

8601120337 Application for amends to Licenses DPR-24 & DPR-27, consisting of Tech Spec Change Request 120, modifying Tech Spec Section 15.6, "Administrative Controls," to document changes to organizational structure. Fee paid.
FAY, C.W. Wisconsin Electric Power Co. 87/12/30. Document Control Branch (Document Control Desk). 6pp. 43986:321-43986:335.

-8601120347 Proposed Tech Spec Section 15.6, "Administrative Controls" modifying organizational structure.
* Wisconsin Electric Power Co. 87/12/30. 9pp. 43986:327-43986:335.

8601120381 Corrects 871130 ltr discussing commitment changes re meteorological & dose assessment software for use at plant. Subroutine will account for trapping not recirculation associated w/lake breeze phenomenon.
FAY, C.W. Wisconsin Electric Power Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43990:053-43990:054.

8601130415 Forwards Amends 110 & 113 to Licenses DPR-24 & DPR-27, respectively & safety evaluation. Amends modify Tech Spec 15.6.10 & others to correct minor administrative errors.
WAGNER, D.H. Project Directorate III-3. 88/01/05. FAY, C.W. Wisconsin Electric Power Co. 3pp. 44009:155-44009:187.

-8601130422 Amends 110 & 113 to Licenses DPR-24 & DPR-27, respectively, modifying Tech Spec 15.6.10 & other Tech Specs to correct minor administrative errors.
PERKINS, K.E. Project Directorate III-3. 88/01/05. 21pp. 44009:158-44009:184.

-8601130423 Safety evaluation supporting Amends 110 & 113 to Licenses DPR-24 & DPR-27, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/05. 3pp. 44009:185-44009:187.

8601140164 Notification of contract execution: "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee & Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
DORSEY, M. Contract Administration Branch. FIN C-1012. 88/01/11. GODY, A.T. Region 1, Ofc of the Director. 16pp. 44031:234-44031:249.

-8601140174 Contract: "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee, Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
GAMMON, S. New England Bell Telephone Co. FIN C-1012. 88/01/11. 16pp. 44031:235-44031:249.

8601190297 Forwards WCAP-11667 & proprietary WCAP-11668, "Point Beach Unit 2 Evaluation for Tube Vibration Induced Fatigue" & Westinghouse authorization ltr. Proprietary repl withheld (ref 10CFR2.790).
FAY, C.W. Wisconsin Electric Power Co. 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44047:109-44047:254.

-8601190309 Requests that "Point Beach Unit 2 Evaluation for Vibration Induced Fatigue" be withheld from public disclosure (ref 10CFR2.790).
WIESEMANN, R.A. Westinghouse Electric Corp. 87/12/18. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 44047:111-44047:120.

-8601190326 Nonproprietary WCAP-11667, "Point Beach Unit 2 Evaluation for Tube Vibration Induced Fatigue." Withheld.
* Westinghouse Electric Corp. WCAP-11667. 87/12/31. 134pp. 44047:121-44047:254.

8601250417 Advises that procedures w/commitments in 871008 ltr re procedures for disposal of contaminated sewage sludge acceptable provided that ltr permanently incorporated into offsite dose calculation manual.
CRUTCHFIELD, D. Division of Reactor Projects - III, IV, & Special Projects (Post 870411). 88/01/13. FAY, C.W. Wisconsin Electric Power Co. 3pp. 44115:359-44115:361.

8601260489 Application for amends to Licenses DPR-24 & DPR-27, consisting of Tech Spec Change Request 122, correcting or clarifying listed Tech Specs for administrative reasons. Fee paid.
FAY, C.W. Wisconsin Electric Power Co. 88/01/18. Document Control Branch (Document Control Desk). 4pp. 44136:178-44136:197.

-8601260497 Proposed Tech Specs, correcting or clarifying items, including more complete & accurate description of methods available to assess subcooling margin.
* Wisconsin Electric Power Co. 88/01/19. 16pp. 44136:182-44136:197.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712310066 Forwards SALP Repts 50-266/87-01 & 50-301/87-01 for Apr 1986 - Sept 1987. Mgt attention required in listed areas to assure performance improvement. Overall performance acceptable.
DAVIS, A.B. Region 3, Ofc of the Director. 87/12/23. FAY, C.W. Wisconsin Electric Power Co. 2pp. 43920:232-43920:267.

-8712310071 SALP Repts 50-266/87-01 & 50-301/87-01 for Apr 1986 - Sept 1987.
* Region 3, Ofc of the Director. 87/12/23. 34pp. 43920:234-43920:267.

8601040057 Confirms 860105 & 06 site visit to tour emergency response facilities, per 871214 telcon. Licensees not expected to backfill to provide increased facility space. Outline of areas to be reviewed encl.
SNELL, W. Region 3, Ofc of the Director. 87/12/24. STEVENS, D. Wisconsin Electric Power Co. 2pp. 43963:043-43963:044.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300031 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8601050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morris MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8601200046 Forwards Safety Insp Repts 60-266/87-22 & 50-301/87-23 on 871101-1215. No violations noted.
GULDEMOND, W.G. Region 3, Ofc of the Director. 88/01/12. FAY, C.W. Wisconsin Electric Power Co. 2pp. 44052:287-44052:288.

-8601200069 Insp Repts 50-266/87-22 & 50-301/87-23 on 871101-1215. No violations or deviations noted. Major areas inspected: operational safety, maintenance, surveillance, physical security, radiological protection, outages & containment integrity.
HAQUE, R.L., LEEMON, R.J., DEFAYETTE, R. Region 3, Ofc of the Director. 88/01/08. 8pp. 44052:289-44052:290.

8601190294 Responds to violations noted in Insp Repts 50-266/87-07 & 50-301/87-07. Corrective actions encl. "Technical Evaluation of Fire Damper Tests at Point Beach Nuclear Plant," developed.
FAY, C.W. Wisconsin Electric Power Co. 88/01/13. Document Control Branch (Document Control Desk). 22pp. 44064:072-44064:092.

8601200043 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance w/Applicable Matl Specs." Results of testing performed on selected sample of in-stock, safety-related & non-safety-related fasteners at plant encl.
FAY, C.W. Wisconsin Electric Power Co. 88/01/13. Document Control Branch (Document Control Desk). 54pp. 44107:114-44107:167.

8601220277 Ack receipt of 871116 & 871119 ltrs & payment of civil penalty in amount of \$25,000. Corrective actions described in 871119 ltr will be examined during future insp.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/01/19. BRITT, R.W. Wisconsin Electric Power Co. 1p. 44170:302-44170:302.

R. Periodic operating reports & related correspondence

8601140340 Monthly operating repts for Dec 1987. W/860108 ltr.
KRAUSE, C.W., FAY, C.W. Wisconsin Electric Power Co. 87/12/31. 9pp. 44062:270-44062:278.

S. Reportable occurrences, LERs & related correspondence

8712290043 LER 87-005.00 on 871120, control rod C7 discovered to be out of alignment. Caused by blown fuse. Quadrant flux tilt verified & found acceptable. Fuse replaced. W/871217 ltr.
FAY, C.W. Wisconsin Electric Power Co. 87/12/17. 7pp. 43993:157-43993:163.

8601280128 Part 21 repl re design deficiency in interlocking arrangement for emergency power supplies to 4180 volt safeguards switchgear. Application of coil switches examined in response to IE Info Notice 87-061.
FAY, C.W. Wisconsin Electric Power Co. 88/01/13. DAVIS, A.B. Region 3, Ofc of the Director. 4pp. 44156:123-44156:126.

V. Operator Examinations

8601200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bessong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8601220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

8712300118 Revised emergency plan implementing procedures, including Rev 9 to EM-204(B), "Release of Offsite Dose Assessment During Radiological Emergencies... (Computer Method)" & Rev 1 to AR-952, "WDB Annunciator Response."
STEPHENSON, J.B. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/08. 42pp. 43920:329-43921:010.

8712300118 Rev 4 to Procedure AR-703, "SSFR Annunciator Response."
MARSHALL, W. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/16. 9pp. 43964:065-43964:073.

8712300131 Revised procedures, consisting of Rev 8 to AR-403, "PSA H Annunciator Response," Rev 3 to AR-801, "DGA Annunciator Response" & Rev 3 to AR-902, "DGB Annunciator Response."
MARSHALL, W. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/16. 26pp. 43963:342-43964:007.

68 DOCKETED ITEMS

8712300134 Rev 5 to Procedure AR-701, "SSFP Annunciator Response." MARSHALL, W. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/17. 21pp. 43964:074-43964:094.

8712300137 Rev 6 to Procedure AR-702, "SSFO Annunciator Response." MARSHALL, W. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/17. 21pp. 43964:095-43964:115.

8712300139 Rev 3 to Procedure AR-504, "ICS L Annunciator Response." MARSHALL, W. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/17. 8pp. 43964:116-43964:124.

8712300133 Revised procedures, consisting of Rev 7 to AR-503, "ICS K Annunciator Response," Rev 4 to AR-601, "TGF M Annunciator Response," & Rev 6 to AR-501, "ICS J Annunciator Response." MARSHALL, W. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/21. 26pp. 43964:161-43964:186.

8712300142 Revised procedures, consisting of Rev 3 to AR-502, "ICS J Annunciator Response," & Rev 2 to AR-603, "TGF O Annunciator Response." WITTMAN, R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/21. 28pp. 43964:133-43964:160.

8801150061 Revised procedures, including Rev 4 to AP-513, "Toxic Gas," Rev 0 to AP-525, "Continuous Control Rod Motion," Rev 6 to AP-530, "Natural Circulation," Rev 8 to AP-580, "Reactor Trip," & Rev 4 to AP-660, "Turbine Trip." WITTMAN, R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/21. 300pp. 44061:259-44062:163.

8801150067 Revised procedures, including Rev 1 to VP-540, "Runback Verification Procedure," & Rev 7 to VP-580, "Plant Safety Verification Procedure." WITTMAN, R. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/21. 16pp. 44042:092-44042:097.

8801150202 Rev 7 to Procedure AR-602, "TGF N Annunciator Response." MARSHALL, W. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/23. 14pp. 44064:131-44064:144.

8801210133 Revised emergency plan implementing procedures, including Rev 6 to EM-219 re duties of dose assessment team, Rev 8 to AP-770 re emergency diesel generator actuation & Rev 10 to AP-450 re emergency feedwater actuation. STEPHENSON, J.D. WITTMAN, R. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/05. 60pp. 44063:145-44063:204.

8801130138 Responds to violations noted in Insp Rept 50-302/87-34. Corrective actions fire watch involved instructed on proper placement & responsibilities of fire watch, floor & wall openings protected & add'l fire watch assigned. SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/07. Document Control Branch (Document Control Desk). 4pp. 44044:001-44044:004.

8801250587 Advises that 871203 Rev 4-18(S) to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable. CLINE, W.E. Region 2, Ofc of the Director. 88/01/14. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 3pp. 44112:327-44112:329.

8801250273 Responds to violations noted in SALP Insp Rept 50-302/87-27. Corrective actions: util will initiate six-shift rotation if enough operator licenses obtained to reduce operator overtime. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/18. GRACE, J.N. Region 2, Ofc of the Director. 8pp. 44159:033-44159:040.

H. General correspondence

8801040275 Comment on proposed rules 10CFR41.125, 30.31, 32.34, 35, 40, 60, 61, 70, 71, 73, 74, 76, 85 & 110 re retention period for records. Formal Tech Spec amendments should not be required to implement changes & no 10CFR170 fees should be incurred. SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/22. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 43994:092-43994:093.

P. Operating license stage documents & correspondence

8801040096 Informs that util actions re diesel generator loading concern adequate, per 871218 response to Item 1 of NRC 871117 corrective action ltr. Understanding of actions confirmed. GRACE, J.N. Region 2, Ofc of the Director. 87/12/23. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 2pp. 43963:012-43963:013.

8801110527 Forwards Rev 1 to "Inservice Insp Pump & Valve Program Crystal River Unit 3," reflecting testing performed through Refuel VI & listed changes, per Item 5 to Insp Rept 50-302/87-17. SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/29. Document Control Branch (Document Control Desk). 2pp. 43969:184-43970:122.

8801110530 Rev 1 to "Inservice Insp Pump & Valve Program Crystal River Unit 3." Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/29. 286pp. 43969:186-43970:122.

8801060162 Application for amend to License DPR-72, consisting of Tech Spec Change Request 6, Rev 2, correcting actuation channel setpoints & reflecting total 20 s delay time for initiation of load shedding for degraded voltage channels. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/31. Document Control Branch (Document Control Desk). 6pp. 43960:310-43960:322.

8801060174 Proposed Tech Specs, correcting actuation channel setpoints & reflecting total 20 s delay time for initiation of load shedding for degraded voltage channels. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/31. 7pp. 43960:316-43960:322.

8801070095 Application for amend to License DPR-72, consisting of Tech Spec Change Request 158, revising surveillance & operability requirements for post-accident monitoring instrumentation, per util commitments to Reg Guide 1.97. Fee paid. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/31. Document Control Branch (Document Control Desk). 21pp. 43938:301-43938:330.

8801070105 Proposed Tech Spec Change Request 159, revising surveillance & operability requirements for post-accident monitoring instrumentation, per util commitments to Reg Guide 1.97. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/31. 9pp. 43938:322-43938:330.

8801110539 Requests discretionary enforcement re Surveillance 4.8.1.1.2.d.5 concerning diesel generator loading since amend to License DPR-72 in response to Tech Spec Change Request 157. Rev 1 will not be issued to support restart. SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/04. Document Control Branch (Document Control Desk). 2pp. 43966:061-43966:062.

8801110252 Responds to 870616 ltr re conformance to Reg Guide 1.97, Rev 3. All items scheduled to be completed on or before Refuel VI complete. Remaining open items listed. Util plans to submit revised set of variable sheets on 880229. SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/06. Document Control Branch (Document Control Desk). 2pp. 43985:260-43985:261.

8801110270 Notifies that ME Smith reassigned on 880104 from position for which need of License OP-20072 certified, per 10CFR50.74(a). WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/07. Document Control Branch (Document Control Desk). 1p. 43985:327-43985:327.

880120022 Forwards modified test program re diesel generator loading issues, per util 871216 response to NRC 871117 confirmation of action ltr. Pump load testing completed w/ satisfactory results. Final adjusted values will be provided. SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/07. Document Control Branch (Document Control Desk). 18pp. 43987:283-43987:310.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents, also available in PDR. Add'l records also available in PDR under Bessong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8812230330 Submits observations on INPO Accreditation Team 860908-12 evaluation of six listed plant training programs against Rev 1 of INPO Criteria BS-002. Team evaluators appropriately qualified. List of team members encl. ROE, M.L. Maintenance & Training Branch. 88/12/18. PERSENSKY, J.J. Maintenance & Training Branch. 5pp. 44119:112-44119:116.

8811020491 Discusses attendance at INPO Accreditation Board meeting on 871022 & 23 in Atlanta, GA re accreditation of licensee training programs on maint & technical support areas. Future NRC observers should be given info prior to meeting. LAINAS, G.C. Assistant Director for Region II Reactors. 87/10/28. ROE, J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 4pp. 44119:167-44119:171.

8801190272 Submits application fee for 871203 Request 240 re core flood nozzle exam, per NRC 871229 request. SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/13. Document Control Branch (Document Control Desk). 1p. 44063:170-44063:170.

8801260046 Application for amend to License DPR-72, consisting of Change Request 160, revising Tech Specs to provide specific actions when one battery supplying dc control power to 120 kV switchyard breakers inoperable. Fee paid. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/20. Document Control Branch (Document Control Desk). 8pp. 44124:338-44124:354.

8801260054 Proposed Tech Specs, providing specific actions to be taken when one battery supplying dc control power to 230 kV switchyard breakers inoperable. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/20. 8pp. 44124:347-44124:354.

8801260539 Forwards response to NRC comments consisting of Rev 1 to Amend Request 150 re miscellaneous amendments/search requirements. Response withheld. Certificate of svc encl. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/20. Document Control Branch (Document Control Desk). 4pp. 44127:241-44127:244.

8801260548 Submits revised response to Generic Ltr 83-28, Item 2.2.1 re equipment classification & vendor interface (programs for all safety-related components). Rev 1 to Subitem 2.2.1.3 not included in Dec 1987 ltr. SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/22. Document Control Branch (Document Control Desk). 6pp. 44136:162-44136:167.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:136-43995:257.

8801110527 Forwards Rev 1 to "Inservice Insp Pump & Valve Program Crystal River Unit 3," reflecting testing performed through Refuel VI & listed changes, per Item 5 to Insp Rept 50-302/87-17. SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/29. Document Control Branch (Document Control Desk). 2pp. 43969:184-43970:122.

8801110530 Rev 1 to "Inservice Insp Pump & Valve Program Crystal River Unit 3." Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/29. 286pp. 43969:186-43970:122.

8801060236 Requests extension of date for response to violations listed in Insp Rept 50-302/87-34 until 880108 in order to discuss response w/NRC resident inspector, TF Steika
SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 8/7/12/30. Document Control Branch (Document Control Desk). 1p. 43917:146-43917:146.

8801110225 Forwards Special Insp Rept 50-302/87-22 on 870824-0904. Weaknesses identified in engineering/design control area & in plant support areas such as committee activities & corrective actions
VARGAS, A. Division of Reactor Projects - I/II (Post 870411). 8/7/12/30. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 4pp. 44030:217-44030:271.

8801110230 Insp Rept 50-302/87-22 on 870824-0904. Major areas inspected: licensee operational safety performance, including plant operations, maint, surveillance testing & related activities.
ARCHITZEL, R.E. Division of Reactor Inspection & Safeguards (Post 870411). HAUGHNEY, C.J. Special Inspection Branch. 8/7/12/04. 51pp. 44030:221-44030:271.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 8/7/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 8/7/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:266.

8801050407 Forwards updated "ASME Section XI Pump & Valve Program Inservice Insp." Vols I & II. Revised relief requests & recommended schedule for issuance of NRC approval also encl.
SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 8/7/12/31. Document Control Branch (Document Control Desk). 34pp. 43932:083-43933:051.

8801050451 Vols I & II to "ASME Section XI Pump & Valve Program Inservice Insp." W/52 oversize drawings.
Florida Power Corp. (subs. of Florida Progress Corp.). 8/7/12/31. 250pp. 43932:117-43933:051.

8801110330 Forwards Insp Rept 50-302/87-38 on 871102-10. No violations or deviations noted.
HERDT, A.R. Region 2, OIC of the Director. 8/7/12/31. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 2pp. 44000:059-44000:068.

8801110332 Insp Rept 50-302/87-38 on 871102-10. No violations or deviations noted. Major areas inspected: containment integrated leak rate testing, including observation of test preparations & test performance & review of test procedure.
WHITENEFF, H.L., JAF, F. Region 2, OIC of the Director. 8/7/12/30. 9pp. 44000:061-44000:069.

8801130138 Responds to violations noted in Insp Rept 50-302/87-34. Corrective actions fire watch involved instructed on proper placement & responsibilities of fire watch, floor & wall openings protected & add fire watch assigned.
SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/07. Document Control Branch (Document Control Desk). 4pp. 44044:001-44044:004.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801200201 Forwards Insp Rept 50-302/87-41 on 871130-1204. Violations described in encl under consideration for escalated enforcement action. Enforcement conference to discuss violation will be scheduled at future date.
GRACE, J.N. Region 2, OIC of the Director. 88/01/12. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 2pp. 44058:171-44058:176.

8801200205 Insp Rept 50-302/87-41 on 871130-1204. Violation noted. Major areas inspected: diesel generator loading.
FILLION, P.J., CONLON, T.E. Region 2, OIC of the Director. 8/7/12/30. 6pp. 44058:173-44058:178.

8801200284 Responds to violations noted in Insp Rept 50-302/87-39. Corrective actions: future solidified waste shipments will not be made until cause of violation determined & corrected.
SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/14. Document Control Branch (Document Control Desk). 3pp. 44058:281-44058:293.

8801250273 Responds to violations noted in SALP Insp Rept 50-302/87-27. Corrective actions: will initiate six-shift rotation if enough operator licenses obtained to reduce operator overtime.
WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/18. GRACE, J.N. Region 2, OIC of the Director. 8pp. 44159:033-44159:040.

8801220575 Responds to violations noted in Insp Rept 50-302/87-32. Corrective actions: radiographs for production welds reared.
WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/20. Document Control Branch (Document Control Desk). 2pp. 44159:134-44159:135.

R. Periodic operating reports & related correspondence

8801190075 Monthly operating report for Dec 1987. W/880108 ltr.
STEWART, S., SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 8/7/12/31. 5pp. 44108:250-44108:254.

S. Reportable occurrences, LERs & related correspondence

8801060355 LER 87-009-02 on 870702. CRD B mechanism circuit breaker opened normally when shunt trip device tested, but would not reclose after testing. Caused by failure of inverter due to opening of breaker. Inverter repaired. W/871230 ltr.
MOFFATT, L.W., SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 8/7/12/30. 4pp. 43927:220-43927:223.

8801060434 Informs that supplement to LER 87-019 scheduled for submission on 871230 will be submitted on 880229. Calculations on diesel loading & test results to verify load calculations being revised.
SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 8/7/12/30. Document Control Branch (Document Control Desk). 1p. 43928:136-43928:138.

8801110541 LER 87-028-00 on 871205, during operations to power down B inverter for maint, improper vital bus switching sequence led to engineered safeguards sys activation. Caused by inadequate operator training. Add'l training program set. W/880104 ltr.
MOFFATT, L.W., SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/04. 8pp. 43986:054-43986:060.

8801270325 LER 87-031-00 on 871218, discovered seismic monitor w/ measurement ranges not in compliance w/Tech Specs. Caused by personnel error in performance of safety evaluation for 1970 procedure change. Detectors replaced. W/880118 ltr.
MOFFATT, L.W., SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/18. 4pp. 44145:240-44145:243.

8801220576 Special Rept 87-05 during Refuel IV outage, steam generator addy current testing revealed defective tubes. Pre-outage planning developed 6% random sampling Insp plan that would be completed on "A" steam generator.
WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 88/01/20. Document Control Branch (Document Control Desk). 2pp. 44159:132-44159:133.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App E & F documents. App E & F documents also available in PDR. Add'l records also available in PDR under Bessong FOIA: 87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801170042 Summary of INPO training accreditation board 860723 & 24 meetings re programs for non-licensed operator, reactor operator & senior reactor operator positions for facilities. Agenda, notes on issues & other related documentation encl.
ROWSOME, F.H. Human Factors Issues Branch. 88/11/07. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). PERSENSKY, J.J. Maintenance & Training Branch. 22pp. 44119:055-44119:076.

8801220136 Advises of attendance at 870823 Nat'l Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, OIC of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:150-44119:166.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801280560 Addresses technical issues associated w/potential violation identified during NRC audit on 871116-1220 & justifies that facility in compliance w/existing Tech Specs for required fire barriers.
LENTINE, F.G. Commonwealth Edison Co. 87/12/17. HOLMES, J. Region 3, OIC of the Director. 4pp. 44127:270-44127:273.

8712310053 Requests unit to initiate investigation to fully analyze impact on security & validity of allegations re personnel, including fitness for duty. Allegations contained in Dept of Labor 871207 ltr to Pinkerton, Inc.
HIND, J.A. Region 3, OIC of the Director. 87/12/28. REED, C. Commonwealth Edison Co. 2pp. 43924:001-43924:002.

8801210125 Forwards Rev 10 to security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions. Including manual logging when key access not functional. Rev withheld (ref 10CFR73.21).
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44086:350-44086:350.

J. Insurance & Indemnity Information

8801220599 Forwards Endorsements 8, 6, 5 & 3 to NELA Policies N-1, N-2, N-3, N-28, N-30, N-42, N-43, N-71, N-83, N-93, N-101 & N-108 & MAELU Policies M-2, M-3, M-29, M-30, M-42, M-43, M-71, M-83, M-93, M-101 & M-108.
OSTER, J. Commonwealth Edison Co. 88/01/19. DINITZ, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44247:196-44247:221.

P. Operating license stage documents & correspondence

8801050448 Requests that 860923 proposed amend to Licenses DPR-39 & DPR-48 to extend duration of OIs to allow for 40 yrs of operation be partitioned into separate requests for Units 1 & 2 due to problems w/reactor vessel satisfying 10CFR50.61.
LEBLOND, P.C. Commonwealth Edison Co. 87/12/14. Document Control Branch (Document Control Desk). 2pp. 43982:115-43982:116.

8712260218 Forwards Rev 4 to second interval Inservice testing program, per 870728-20 meetings w/NRC. Add'l info, summary of program changes & history of related correspondence also encl. Program revs will be fully implemented by 880631.
LEBLOND, P.C. Commonwealth Edison Co. 87/12/17. Document Control Branch (Document Control Desk). 145pp. 43883:207-43883:351.

8801140167 Application for amends to Licenses DPR-39 & DPR-48, allowing steam generator tube repair utilizing Westinghouse or C-E mechanical slewing methodology. Proprietary WCAP-11669 & nonproprietary WCAP-11670 encl. Fee paid.
LEBLOND, P.C. Commonwealth Edison Co. 87/12/24. Document Control Branch (Document Control Desk). 3pp. 44028:240-44028:063.

-8801140171 Requests proprietary WCAP-11669, "Steam Generator Slewing Rept (Mechanical Slews)," be withheld (ref 10CFR2790) from public disclosure. WISEMANN, R.A. Westinghouse Electric Corp. 87/12/09. MURLEY, T. Ofc of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 44028-243-44028-249.

-8801140177 Proposed Tech Specs allowing use of Westinghouse or C-E slewing methodology to repair steam generator tubes. * Commonwealth Edison Co. 87/12/24. 10pp. 44028-260-44028-269.

-8801140182 "Steam Generator Slewing Rept (Mechanical Slews)." * Westinghouse Electric Corp. WCAP-11670 87/12/31. 165pp. 44028-260-44028-063.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

880110421 Advises of intent to utilize Bechtel Topical Rept. BN-TOP-1 testing methodology at all plants. LEBLOND, P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43986-005-43986-005.

8801260456 Informs that Revs 42-48 of QA Topical Rept GE-1-A acceptable per 10CFR50, App B. WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/20. REED, C. Commonwealth Edison Co. 2pp. 44125-108-44125-109.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 HRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056-008-44056-127.

8801160256 Documents conversations between author & R Kiesel & M Ring during wks of 871207 & 14 re status of implementation of IE Bulletin 85-003 Action Items C & D completed for all facilities except Quad Cities. Completion schedule listed. MORGAN, W.E. Commonwealth Edison Co. 87/12/23. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44041-053-44041-055.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.

8801110203 EN 87-108 on 880104, notice of proposed imposition of civil penalty in amount of \$100,000 will be issued to licensee. Action based on inadequacies in the licensee QA program. WONG, H., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 87/12/29. 1p. 44000-043-44000-043.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995-016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-184-44038-286.

8801103008 Forwards Insp Repts 50-295/87-32 & 50-304/87-33 on 870921-1026 & notice of violation & proposed imposition of civil penalty NRC has issued several documents re measures to assure isolation of certain pressure isolation check valves. DAVIS, A.B. Region 3, Ofc of the Director. 88/01/04. O'CONNOR, J.J. Commonwealth Edison Co. 4pp. 43965-330-43965-360.

-8801103352 Notice of violation & proposed imposition of civil penalty in amount of \$100,000 from Insp on 870921-1028. Violations noted activities affecting quality not prescribed by instructions or procedures appropriate to circumstances. DAVIS, A.B. Region 3, Ofc of the Director. 88/01/04. 4pp. 43965-334-43965-360.

8801140013 Forwards Safety Insp Repts 50-295/87-38 & 50-304/87-39 on 871207-17 & notice of violation. HARRISON, J.J. Region 3, Ofc of the Director. 88/01/07. REED, C. Commonwealth Edison Co. 2pp. 44038-309-44038-317.

-8801140015 Notice of violation from Insp on 871207-17. Violation noted: uncontrolled vendor equipment technical info used in three maint depts for performance of safety-related activities. HARRISON, J.J. Region 3, Ofc of the Director. 88/01/07. 1p. 44038-311-44038-311.

-8801140018 Insp Repts 50-295/87-38 & 50-304/87-39 on 871207-17. Violation noted. Major areas inspected: licensee actions re IE Bulletin 84-02 & licensee Implementation of Generic Ltr 83-28 in areas including equipment classification. NEISLER, J.H., GARDNER, R.N. Region 3, Ofc of the Director. 88/01/07. 6pp. 44038-312-44038-317.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

8801140367 Forwards response to NRC 871106 Bulletin 87-002 requesting licensees to review receipt Insp requirements & internal controls for fasteners & to independently determine through testing if fasteners meet mechanical/chemical specs. MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS, A.B. Region 3, Ofc of the Director. 250pp. 44045-317-44045-232.

8801210030 Forwards verification of completion of program re switch settings. Bulletin 85-003. Validity of calculations not fully confirmed. Response to concern in Insp Repts 50-237/87-33 & 50-249/87-32 contained in Encl 1A. MORGAN, W.E. Commonwealth Edison Co. 88/01/15. DAVIS, A.B. Region 3, Ofc of the Director. 107pp. 44086-159-44086-265.

R. Periodic operating reports & related correspondence

8801150306 Monthly operating rpt for Dec 1987. W/880111 ltr. AUSTIN, G. PLML, G.J. Commonwealth Edison Co. 87/12/31. 12pp. 44041-111.

8801260005 Forwards corrected monthly operating repts for Nov 1987. Rept covers of gross thermal energy generated. PLML, C.J. Commonwealth Edison Co. 88/01/18. LOVEACE, W. NRC - No Affiliation Given. 1p. 44130-282-44130-293.

-8801250559 Corrected monthly operating repts for Nov 1987. AUSTIN, G. Commonwealth Edison Co. 87/11/30. 11pp. 44130-283-44130-293.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & documents also available in PDR. Add records also available in PDR under Bossor 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. B. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

-8801260509 Trip rpt of visit to INPO accreditation board 850924-26 meeting process & plant visits well conceived & executed. NRC participation in all accreditation meetings unnecessary. BOOHER, R.H. Licensee Qualifications Branch. 85/10/17. RUSSELL, W.T. D. Human Factors Safety (800428 851124). 3pp. 44118-197-44118-199.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Performance & Quality Evaluation (Post 870411). 8pp. 44118-159-44118-166.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

8801120191 Forwards FEMA 871207 ltr discussing evaluation of alert & notification for plant. Evaluation determined that alert & notification sys satisfies criteria of NUREG-0654/FEMA-REP-1, Rev 1 & FEMA-REP-10. SHAFER, W.D. Region 3, Ofc of the Director. 88/01/05. HINTZ, D.C. Wisconsin Service Corp. 2pp. 43997-304-43998-167.

8801130080 Forwards FEMA 871207 ltr discussing evaluation of alert & notification for plant. Alert & notification sys satisfies criteria of NUREG-0654/FEMA-REP-1 & FEMA-REP-10. SHAFER, W.D. Region 3, Ofc of the Director. 88/01/05. FAY, C.W. Wisconsin Power Co. 2pp. 44001-016-44001-242.

-8712310282 Forwards FEMA 871207 ltr re evaluation of alert & notification system to licensee. MATTHEWS, D.B. Emergency Preparedness Branch. 87/12/22. HIND, J.A. Region 3, Ofc of the Director. 1p. 44001-018-44001-242.

P. Operating license stage documents & correspondence

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

8801070504 Forwards description of overall validation & verification program & schedule for completion of SPDS program, in response to NRC 861007-08 SER (NUREG-0737, Suppl 1). HINTZ, D.C. Wisconsin Public Service Corp. 87/12/30. Document Control (Document Control Desk). 8pp. 43998-285-43998-293.

8801103355 Forwards Revs LMK & LML to P&ID M-209, respectively, per request. Two oversize drawings encl. HINTZ, D.C. Wisconsin Public Service Corp. 88/01/04. Document Control (Document Control Desk). 2pp. 43986-003-43986-004.

8801140223 Expresses appreciation for expeditious handling of review on leak break technology. Input will be used along w/that supplied by Mechanical Eng Branch to resolve snubber issue on time. PERKINS, K.E. Project Directorate III-3. 88/01/06. CHENG, C.Y. Materials Eng Branch. 1p. 44033-106-44033-106.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & documents also available in PDR. Add records also available in PDR under Bossor 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. B. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

-8801280547 Trip rpt of 861029-30 visit to Natl Nuclear Accrediting Board meeting selected training for plants Board reviewed four sites & 24 programs. MCKEE, P.F. Operating Reactor Program Br, Div of Inspection Programs (IE 870413). 86/12/02. PERSENSKY, J.J. Maintenance & Training Branch. 44118-077-44118-078.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712310080 Informs that Insp Rept 50-305/87-18 transmitted w/871120 ltr incorrectly assigned number. Rept number should be changed to 50-305/87-17.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/12/24. HINTZ,D.C. Wisconsin Public Service Corp. 1p. 43920:268-43920:268.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801110306 Provides info required by Action Item f of IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Setting." Three valves operators did not meet specified thrust.
HINTZ,D.C. Wisconsin Public Service Corp. 88/01/04. Document Control Branch (Document Control Desk). 13pp. 43971:207-43971:219.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

R. Periodic operating reports & related correspondence

8801130095 Monthly operating rept for Dec 1987.W/880108 ltr.
RUITER,G.I.L. HINTZ,D.C. Wisconsin Public Service Corp. 87/12/31. 5pp. 44029:325-44029:329.

S. Reportable occurrences, LERs & related correspondence

8801280147 LER 87-011-00 on 871208, licensee was advised by another util of concern re premature failure of certain relay due to overvoltage. Cause uncertain. Util working w/Foxboro to develop permanent hardware solution.W/880122 ltr.
BERGMANN,J.W., HINTZ,D.C. Wisconsin Public Service Corp. 88/01/28. 5pp. 44158:259-44158:263.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

--8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:169-44118:168.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2**F. Security, medical, emergency & fire protection plans**

8801110186 Revised emergency plan implementing procedures, including Rev 6 to F3-2, "Classification of Emergencies," Rev 8 to F3-10, "Personal Accountability," Rev 5 to F3-12, "Emergency Exposure Control" & Rev 4 to F3-25.W/871228 ltr.
MENDELE,D.J., FEY,F.L. Northern States Power Co. 87/12/28. 122pp. 44006:097-44006:218.

P. Operating license stage documents & correspondence

8712310163 Forwards application for amends to Licenses DPR-42 & DPR-60, revising Tech Spec Page 5.1-2 re flood protection measures periodic drills. Fee paid.
MUSOLF,D. Northern States Power Co. 87/12/18. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43923:097-43923:118.

--8712310168 Application for amends to Licenses DPR-42 & DPR-60, revising Tech Spec Page 5.1-2 re flood protection measures periodic drills.
MUSOLF,D. Northern States Power Co. 87/12/18. 7pp. 43923:099-43923:105.

--8712310169 Proposed Tech Spec Page 5.1-2 re flood protection measures periodic drills.
* Northern States Power Co. 87/12/18. 13pp. 43923:106-43923:118.

8801070420 Informs that regulatory effectiveness review resolutions committed to in 860821 ltr will be delayed until 881231. Mods required for resolution dependent upon new plant administration building completion in 1989.
MUSOLF,D. Northern States Power Co. 87/12/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 43999:284-43999:284.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL,C.M. Project Directorate V. 87/12/30. KNIGHTON,G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801100195 Forwards Rev 2 to 870814 application for amends to Licenses DPR-42 & DPR-60, revising Tech Specs re plant organization & requirements for senior reactor operator requirements for mgt & support staff.
MUSOLF,D. Northern States Power Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 44003:103-44003:117.

--8801130202 Rev 2 to 870814 application for amends to Licenses DPR-42 & DPR-60, revising Tech Specs re plant organization & requirements for senior reactor operator requirements for mgt & support staff.
MUSOLF,D. Northern States Power Co. 88/01/04. 7pp. 44003:104-44003:110.

8801270110 Informs of recent organization change within Div of Reactor Projects. D Dilanni remains as NRR project manager for plant & T Quay will serve as backup project manager. Facility transferred to author's directorate.
VIRGILIO,M.J. Project Directorate III-1. 88/01/22. MUSOLF,D.M. Northern States Power Co. 1p. 44149:204-44149:204.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801110267 Forwards Safety Insp Repts 50-282/87-16 & 50-306/87-15 on 871004-1114 & notice of violation.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/12/31. LARSON,C.E. Northern States Power Co. 2pp. 43970:202-43970:213.

--8801110271 Notice of violation from Insp on 871004-1114. Violation noted on 871028, one of two paths from grid to Safeguards 4kV bus not fully operational for 13 minutes & action not initiated to place reactor in cold shutdown.
GULDEMOND,W.G. Region 3, Ofc of the Director. 87/12/31. 2pp. 43970:204-43970:205.

--8801110272 Safety Insp Repts 50-282/87-16 & 50-306/87-15 on 871004-1114. Violations noted. Major areas inspected: previous insp findings, plant operational safety, maint. surveillances, spent fuel pool activities & meetings w/corporate mgt.
DEFAYETTE,R. Region 3, Ofc of the Director. 87/12/29. 8pp. 43970:208-43970:213.

8801110382 Ack receipt of 871005 ltr informing NRC of steps taken to correct violations. Requests add'l info re Violation II in order to reach conclusion concerning adequacy of corrective actions. NRC remained concerned w/impact of personnel errors.

NORELIUS,C.E. Region 3, Ofc of the Director. 87/12/31. LARSON,C.E. Northern States Power Co. 2pp. 43972:169-43972:170.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

R. Periodic operating reports & related correspondence

8801150256 Monthly operating rept for Dec 1987.W/880107 ltr.
DUGSTAD,D., MUSOLF,D. Northern States Power Co. 87/12/31. 9pp. 44041:084-44041:072.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.

GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

--8807090559 Discusses attendance at 860528 & 28 INPO Accreditation Board meetings. Board attendees listed & major facility-specific issues & util responses discussed. Evaluation method appears effective overall. NRC involvement should be maintained.
BOGER,B.A. Operator Licensing Branch. 88/06/20. RUSSELL,W.T. Division of Human Factors Technology (851125-870411). 7pp. 44118:358-44118:010.

72 DOCKETED ITEMS

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, O/c of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

8712210019 Forwards Insp Rept 50-309/87-25 on 871006-1116. No violations noted. WIGGINS, J.T. Region 1, O/c of the Director. 87/12/10. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 43899:239-43899:250.

-8712210038 Insp Rept 50-309/87-25 on 871006-1116. No violations or significant concerns noted. Major areas inspected: control room, accessible parts of plant structures, operations, radiation protection, physical security & fire protection. TRIPP, L.E. Region 1, O/c of the Director. 87/12/09. 10pp. 43899:241-43899:250.

8801130269 Ack receipt of 870921 response to NRC 870812 ltr re violations noted in Insp Rept 50-309/86-17. Corrective actions will be examined during future insp of security program. MARTIN, T.T. Region 1, O/c of the Director. 87/12/24. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 44043:358-44043:361.

8801130152 Revised emergency plan implementing procedures, including Rev 9 to 2.50.0, "Declaration & Categorization of Emergency Conditions," Rev 12 to 2.50.2, "Alert," Rev 13 to 2.50.3, "Site Area Emergency," & Rev 14 to 2.50.4, "General..." Maine Yankee Atomic Power Co. 88/01/05. 54pp. 44003:027-44003:060.

8801280001 Forwards Insp Rept 50-309/87-27 on 871117-1231 & notice of violation. One violation re review of documents prior to use in repair orders identified & WIGGINS, J.T. Region 1, O/c of the Director. 88/01/14. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 44157:094-44157:104.

-8801280008 Insp Rept 50-309/87-27 on 871117-1231. Violations noted. Major areas inspected: control room, accessible parts of plant structure, plant operation, radiation protection, physical security, fire protection, plant operation records & maint. TRIPP, L.E. Region 1, O/c of the Director. 88/01/14. 8pp. 44157:097-44157:104.

8801270632 Revised emergency plan implementing procedures, including Rev 7 to 2.50.11, "Plant Re-Entry & Recovery Planning," Rev 8 to 2.50.13, "Emergency Operations Facility Procedure," & Rev 8 to 2.50.14, "Emergency Radiation Exposure Control." Maine Yankee Atomic Power Co. 88/01/18. 47pp. 44158:021-44158:066.

J. Insurance & Indemnity Information

8801130443 Forwards Endorsements 86 & 98 to NELIA Policy NF-194, Endorsements 82 & 84 to MAELU Policy MF-60 & Endorsement 8 to NELIA Policy N-34 & MAELU Policy M-34. VIETEN, M.J. Marsh & McLennan, Inc. 88/01/05. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 44000:131-44000:141.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, O/c of the Director. 71pp. 43998:230-43998:300.

8801250380 Notification of canceled 880120 meeting w/utit to discuss C-E small break LOCA code to plant. SEARS, P. Project Directorate I-3. 88/01/04. WESSMAN, R. Project Directorate I-3. 6pp. 44116:343-44116:348.

8801120389 Application for amend to License DPR-36, consisting of Proposed Change 135, revising offsite & facility organizational charts. Fee paid. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 88/01/06. Document Control Branch (Document Control Desk). 5pp. 43996:048-43996:054.

-8801130076 Proposed Tech Specs, revising offsite & facility organizational charts. Maine Yankee Atomic Power Co. 88/01/08. 2pp. 43996:053-43996:054.

8801260511 Forwards nonproprietary "Mods to Critical Flow Model in RELAP5A" & proprietary "Mods to Interphase Drag Models in RELAP5A." Proprietary rept with PAPANIC, G. Yankee Atomic Electric Co. 88/01/15. FAIRTILE, M. Project Directorate I-1. 3pp. 44127:040-44127:200.

-8801260536 Nonproprietary "Mods to Critical Flow Model in RELAP5A." Yankee Atomic Electric Co. 88/01/15. 180pp. 44127:043-44127:200.

Q. Inspection reports, IE Bulletins & correspondence

8712210019 Forwards Insp Rept 50-309/87-25 on 871006-1116. No violations noted. WIGGINS, J.T. Region 1, O/c of the Director. 87/12/10. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 43899:239-43899:250.

-8712210036 Insp Rept 50-309/87-25 on 871006-1116. No violations or significant concerns noted. Major areas inspected: control room, accessible parts of plant structures, operations, radiation protection, physical security & fire protection. TRIPP, L.E. Region 1, O/c of the Director. 87/12/09. 10pp. 43899:241-43899:250.

8712160399 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8801130269 Ack receipt of 870921 response to NRC 870812 ltr re violations noted in Insp Rept 50-309/86-17. Corrective actions will be examined during future insp of security program. MARTIN, T.T. Region 1, O/c of the Director. 87/12/24. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 44043:358-44043:361.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801080424 Forwards request for relief from Section XI of ASME Code & bases for relief for containment isolation check valve in chemical & vol control sys & containment isolation for primary component cooling sys. Alternate tests proposed. WHITTIER, G.D. Maine Yankee Atomic Power Co. 87/12/28. Document Control Branch (Document Control Desk). 5pp. 43928:133-43928:137.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:267.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:183.

8801280001 Forwards Insp Rept 50-309/87-27 on 871117-1231 & notice of violation. One violation re review of documents prior to use in repair orders identified & WIGGINS, J.T. Region 1, O/c of the Director. 88/01/14. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 44157:094-44157:104.

-8801280004 Notice of violation from Insp on 871117-1231. Violation noted: electrical maint technicians did not adequately assure accuracy of diagram included in Repair Order 7277 prior to use at job location. * Region 1, O/c of the Director. 88/01/14. 1p. 44157:096-44157:096.

-8801280008 Insp Rept 50-309/87-27 on 871117-1231. Violations noted. Major areas inspected: control room, accessible parts of plant structure, plant operation, radiation protection, physical security, fire protection, plant operation records & maint. TRIPP, L.E. Region 1, O/c of the Director. 88/01/14. 8pp. 44157:097-44157:104.

R. Periodic operating reports & related correspondence

8801040483 Monthly operating rept for Nov 1987. W/871208 ltr. RIVARD, D.A., WHITTIER, G.D. Maine Yankee Atomic Power Co. 87/11/30. HARTFIELD, R.A. NRC - No Detailed Affiliation Given. 6pp. 43962:176-43962:181.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents, App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8808200452 Discusses INPO Accreditation Team 860728-0801 visit to plant to evaluate four listed training programs. Programs evaluated against Rev 1 to INPO Criterion 85-002. Info sheet encl. MORISSEAU, D.S. Maintenance & Training Branch. 86/08/08. CWALINA, G.C. Maintenance & Training Branch. 5pp. 44119:011-44119:016.

-8704080019 Summary of INPO Accreditation Board 870325 & 26 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl. HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44119:129-44119:135.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, O/c of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801110399 Revised emergency plan implementing procedures, including Rev 1 to EPIP 403, "Public Info Liaison/Technical Writer Response - Emergency Operations Facility (EOP)" & Rev 2 to EPIP 404, "Protective..." Revised table of contents encl. Public Service Electric & Gas Co. of New Jersey. 87/12/08. 18pp. 43965:147-43965:164.

8801110263 Rev 3 to Artificial Island Emergency Plan Security Implementing Procedure EPIP 901, "Opening of Technical Support Ctr (TSC)." Revised table of contents also encl. Public Service Electric & Gas Co. of New Jersey. 87/12/22. 18pp. 43970:178-43970:194.

8801110502 Revised Artificial Island Emergency Plan Administrative Procedures, including Rev 2 to EIP 1008, "Emergency Equipment Inventory Radiation Protection" & Rev 2 to EIP 1007. Revised table of contents also encl.
* Public Service Electric & Gas Co. of New Jersey. 87/12/30. 78pp. 43986 074-43986-151.

8801120242 Rev 16 to "Salem Generating Station Event Classification Guide."
* Public Service Electric & Gas Co. of New Jersey. 87/12/30. 203pp. 43988 065-43988-228.

8801120312 Rev 2 to Artificial Island emergency plan Section 11, "Protective Response." Change page & revised table of contents encl.
BURGIN, D., NICHOLS, J. Public Service Electric & Gas Co. of New Jersey. 87/12/30 9pp. 43991:125-43991:133.

8801130103 Revised emergency plan implementing procedures, including Rev 4 to table of contents, Rev 2 to EIP 1025, "Alert," Rev 2 to EIP 1035, "Site Area Emergency," Rev 2 to EIP 1045, "General Emergency," & Rev 1 to EIP 1055, "Protection..."
* Public Service Electric & Gas Co. of New Jersey. 87/12/30. 58pp. 44002:319-44002:016.

8801270015 Revised emergency plan implementing procedures, consisting of Rev 2 to EIP 602, "Radiological Dose Assessment" & Rev 2 to EIP 603, "Field Monitoring." W/ revised table of contents.
BANNER, C.W., WHITE, P., NICHOLS, J. Public Service Electric & Gas Co. of New Jersey. 88/01/12. 120pp. 44142:213-44142:332.

8801270396 Revised emergency plan implementing procedures, including Rev 5 to table of contents, Rev 2 to EIP 2025, "Operations Support Ctr Activation & Operations" & Rev 2 to EIP 3015, "Radiation Protection Technician(s) - Onshift Response..."
* Public Service Electric & Gas Co. of New Jersey. 88/01/22. 161pp. 44145:001-44145:008.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43988:230-43988:300.

8801070205 Notification of 880106 meeting w/ Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents, App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801140591 Submits observations of INPO accreditation board 851114 meeting w/ utility re plant training programs Salem electrical & mechanical maint training programs not ready for review & should not have been accredited.
BOOHER, H.R. Maintenance & Training Branch. 85/12/30. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 13pp. 44118:204-44118:218.

8801270154 Application for amendments to Licenses DPR-70 & DPR-76, adding action statement & associated surveillance to Tech Spec 3/4.6.4.1. Changes applicable when both hydrogen analyzers inoperable. Fee paid.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 88/01/19. Document Control Branch (Document Control Desk). 6pp. 44141:058-44141:065.

8801270158 Proposed Tech Specs, adding action statement & associated surveillance re situation when both hydrogen analyzers inoperable.
* Public Service Electric & Gas Co. of New Jersey. 88/01/19. 2pp. 44141:064-44141:065.

Q. Inspection reports, IE Bulletins & correspondence

8712290374 Ack receipt of 871028 ltr informing NRC of actions taken to correct violations noted in Insp Repts 50-272/87-31 & 50-311/87-26.
GALLO, R.M. Region 1, Ofc of the Director. 87/12/16. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 43983:084-43983:089.

8712160389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712290347 Ack receipt of 870924 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-272/86-30 & 50-311/86-32.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/23. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 43983:097-43983:098.

8801050354 Forwards Inservice Insps (ISI) program boundary diagrams to Rev 0 to ISI program for second 10-yr insps interval. Requests interim approval of program & attendant requests for relief be granted within 30 days of 880101.W/40 oversize drawings.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 87/12/23. Document Control Branch (Document Control Desk). 4pp. 43914:347-43914:350.

8801130276 Forwards Safety Insp Repts 50-272/87-31 & 50-311/87-32 on 871026-30. No violations noted.
JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/23. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 44028:344-44028:345.

8801130277 Insp Repts 50-272/87-31 & 50-311/87-32 on 871026-30. No violations or deviations noted. One unresolved item noted. Major areas inspected: licensee action on previous NRC findings, QA audit program & QA procedure review.
FINKEL, A., PRELL, J., SILK, D. Region 1, Ofc of the Director. 87/12/23. 15pp. 44028:346-44028:360.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801140354 Forwards Safety Insp Repts 50-272/87-33 & 50-311/87-34 on 871116-20. No violations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 44042:337-44042:345.

8801140362 Insp Repts 50-272/87-33 & 50-311/87-34 on 871116-20. No violations noted. Major areas inspected: nonradiological chemistry program, including measurement control & analytical procedure evaluations.
ZIBULSKY, H., JANG, J., PASCIAK, W.J. Region 1, Ofc of the Director. 87/12/24. 7pp. 44042:339-44042:345.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801130171 Forwards final response to IE Bulletin 85-003, "Motor Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings," re review of selected ECCS motor operated valve switch settings.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 88/01/05. Document Control Branch (Document Control Desk). 12pp. 44003:085-44003:098.

8801190055 Response to NRC 871209 ltr re violations noted in Insp Repts 50-272/87-30 & 50-311/87-31. Corrective actions: radiation worker training & review modules will be strengthened in area of locked high radiation area control.
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/01/08. Document Control Branch (Document Control Desk). 6pp. 44063:080-44063:085.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801280338 Forwards response to NRC Compliance Bulletin 87-002 re testing of fasteners to determine conformance w/ applicable mail specs.
MITTINBRIDGE, S. Public Service Electric & Gas Co. of New Jersey. 88/01/22. RUSSELL, W.T. Region 1, Ofc of the Director. 166pp. 44169:219-44169:027.

S. Reportable occurrences, LERs & related correspondence

8801040578 LER 87-009-06 on 871125, util task force examining compliance w/ 10CFR50, App R found inadequacies re RHR room coolers & control cabling. Caused by inadequate design review. Design change made w/ 871224 ltr.
POLLACK, M.J., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 87/12/24. 13pp. 43961:183-43961:185.

8801040591 LER 87-016-00 on 871127, engineering review of plant electrical sys re revealed potential for inadequate voltage in motor control circuits to pickup starter coil. Caused by inadequate design review. Circuits corrected w/ 871224 ltr.
POLLACK, M.J., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 87/12/24. 6pp. 43961:173-43961:178.

8801070035 Special Rept 87-7 on 871207, valid test failure of diesel generator 2A occurred. Caused by personnel error. Fuse leads disconnected & installed correctly & contractor supervision counseled all contractor electricians.
ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43978:359-43978:361.

8801120028 LER 87-016-00 on 871207, diesel generator 2A surveillance missed. Caused by personnel error. Personnel disciplined, surveillance completed & event review planned for incorporation into training programs w/ 880108 ltr.
POLLACK, M.J., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 88/01/06. 4pp. 44030:071-44030:074.

8801120068 LER 87-017-00 on 871208, vital 28 & 125 volt batteries declared inoperable since measured gravities did not meet Tech Spec surveillance. Caused by procedural inadequacy. Procedure revised & batteries charged w/ 870108 ltr.
POLLACK, M.J., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 88/01/06. 5pp. 44030:103-44030:107.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents, App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8808190210 Forwards final rept on post-accreditation audit of training programs conducted on 860824-26. Strong mgt commitment to training improvement exists at facilities. Issuance of INPO guidance will help to improve job incumbent training.
RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/08/08. STRAHM, K. Institute of Nuclear Power Operations. 10pp. 44118:045-44118:054.

74 DOCKETED ITEMS

-8611040020 Corrects error in 860808 rept on post-accréditation audit of training programs at plant.
RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 86/10/24.
STRAHM, K. Institute of Nuclear Power Operations 1p. 44119.044-44119.044

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO otrs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GESSON, A.F. Region 2, Otc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

8712310233 Forwards Insp Rept 50-312/87-33 on 871019-23 No violation noted.
WENSLAWSKI, F. Region 5, Otc of the Director. 87/12/17. ANDOGNINI, G.C. Sacramento Municipal Utility District. 2pp. 43964.023-43964.037.

-8712310238 Insp Rept 50-312/87-33 on 871019-23 No deficiencies or violations noted. Major areas inspected emergency preparedness program including meteorology & followup of open items.
PRENDERGAST, K., FISH, R. Region 5, Otc of the Director. 87/12/16. 7pp. 43964.031-43964.037.

8801060085 Forwards Insp Rept 50-312/87-27 on 871102-08 No deficiencies or violations noted.
WENSLAWSKI, F.A. Region 5, Otc of the Director. 87/12/21. ANDOGNINI, G.C. Sacramento Municipal Utility District. 2pp. 43960.266-43960.275.

-8801060091 Insp Rept 50-312/87-27 on 871102-06 No violations noted. Major areas inspected emergency preparedness exercise, associated critique & followup items.
PRENDERGAST, K., GOOD, G.M., PEROTTI, D. Region 5, Otc of the Director. 87/12/21. 8pp. 43960.266-43960.276.

8801110347 Forwards Insp Rept 50-312/87-39 on 871116-19 No violations noted. Understanding of corrective actions on pre- & post-restart concerns summarized in Apps A & B.
PATE, R.J. Region 5, Otc of the Director. 87/12/24. ANDOGNINI, G.C. Sacramento Municipal Utility District. 2pp. 43971.170-43971.188.

-8801110361 Insp Rept 50-312/87-39 on 871116-19 No violations or deviations noted. Major areas inspected followup on previously identified open items & fire protection program.
RAMSEY, C., RICHARDS, S. Region 5, Otc of the Director. 87/12/24. 17pp. 43971.172-43971.188.

8801200138 Forwards "Proposed Alarm Sys Mods NFPA 72D Compliance," ensuring that plant fire protection & detection sys meet NFPA requirements, per LER 87-29 commitments. Corrective actions re Tech Spec violation also encl.
ANDOGNINI, G.C. Sacramento Municipal Utility District. 88/01/02. MARTIN, J.B. Region 5, Otc of the Director. 22pp. 44051.295-44051.342.

-8801200141 "Proposed Alarm Sys Mods NFPA 72D Compliance."
* Sacramento Municipal Utility District. 87/12/31. 26pp. 44051.317-44051.342.

8801270051 Forwards minutes of 871124 & 1207 meetings which discussed procurement, fire protection, control room essential air conditioning testing & other topical concerns & proprietary 871202 memo re summary of liquid spills. Memo withheld.
KIRSCH, D.F. NRC - No Detailed Affiliation Given. 88/01/11. ANDOGNINI, G.C. Sacramento Municipal Utility District. 2pp. 44140.247-44140.302.

-8801270095 Summary of 871124 meeting w/u/t at Region IV re procurement program, readiness of fire protection sys for restart & current concerns. Notice of significant licensee meeting & viewgraphs encl.
MILLER, L. Region 5, Otc of the Director. 87/12/03. Region 5, Otc of the Director. 42pp. 44140.249-44140.280.

-8801270115 Summary of 871207 meeting w/u/t at plant site re recent events at facility, control room HVAC & facility readiness for restart. Meeting agenda & viewgraphs encl.
MILLER, L. Region 5, Otc of the Director. 87/12/14. Region 5, Otc of the Director. 12pp. 44140.281-44140.302.

8801200050 Notices of completion of review of 871104 emergency plan rev, including clarifications & responses during 871216 meeting & 880106 telcon. Emergency plan, as changed, meets 10CFR50.47(b) sids & 10CFR50. App E requirements.
FISH, R.F. Region 5, Otc of the Director. 88/01/12. ANDOGNINI, G.C. Sacramento Municipal Utility District. 2pp. 44106.196-44106.197.

P. Operating license stage documents & correspondence

8801250206 Forwards "Sys Review & Test Program Mgt Overview Manual."
ANDOGNINI, G.C. Sacramento Municipal Utility District. 87/08/25. MARTIN, J.B. Region 5, Otc of the Director. 1p. 44158.309-44158.344.

8801110419 Submits monthly update of restart scope list & long-range scope list, including total statistics as of 871221, restart items voided or downgraded to long-range since 871120, new restart items & new justified long-range & invalid items.
COWARD, G.A. Sacramento Municipal Utility District. 87/12/23. MARTIN, J.B. Region 5, Otc of the Director. 20pp. 43983.341-43984.166.

8801130236 Application for amend to License DPR-54, consisting of proposed Amend 159 incorporating accident monitoring instrumentation recently installed or upgraded per Rev 3 to Reg Guide 1.87. Supersedes Amends 131 & 132. Fee paid.
FIRLIT, J.F. Sacramento Municipal Utility District. 87/12/23. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 2pp. 44002.278-44002.294.

-8801130238 Proposed Tech Specs incorporating accident monitoring instrumentation recently installed or upgraded.
* Sacramento Municipal Utility District. 87/12/23. 15pp. 44002.280-44002.294.

8801140032 Supplemental application for amend to License DPR-54, consisting of Rev 2 to Proposed Amend 155, establishing new set of lower limits of detection for prebatch release & composite post-release analyses.
FIRLIT, J.F. Sacramento Municipal Utility District. 87/12/23. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 2pp. 44010.105-44010.108.

-8801140034 Proposed Tech Specs, establishing new set of lower limits of detection for prebatch release & composite post-release analyses.
* Sacramento Municipal Utility District. 87/12/22. 400pp. 44010.107-44010.108.

8801110474 Forwards Rev 5 to AP.310, "Offsite Dose Calculation Manual," for review to support evaluation of proposed Amend 155. Rev 2 Rev incorporates results of verification & validation as well as NRC & internal reviews.
ANDOGNINI, G.C. Sacramento Municipal Utility District. 87/12/27. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 1p. 43986.160-43986.204.

-8801110489 Rev 5 to AP.310, "Offsite Dose Calculation Manual."
* Sacramento Municipal Utility District. 87/12/21. 44pp. 43986.161-43986.204.

8801130099 Forwards results of 870809-25 eddy current insp of facility generators, per commitment in 871215 ltr to investigate statistical discrepancies re results of steam generator eddy current exam.
MEYER, K.A. Sacramento Municipal Utility District. 87/12/29. MARTIN, J.B. Region 5, Otc of the Director. 3pp. 44039.108-44039.110.

8801190030 Forwards update of post-accident sampling sys status rept summary re mods, testing, procedures, training, maint & spare parts for sys.
CRDLEY, B.G. Sacramento Municipal Utility District. 88/01/04. MARTIN, J.B. Region 5, Otc of the Director. 4pp. 44045.198-44045.202.

8801120213 Advises that addl mods to control room/technical support ctr HVAC sys needed to improve reliability & operability. Util will notify NRC of date when tested sys will be available for NRC observation.
ANDOGNINI, G.C. Sacramento Municipal Utility District. 88/01/05. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 1p. 43990.234-43990.234.

8801190248 Forwards FR notice of consideration of issuance of amend to License DPR-54 & proposed NSHC & opportunity for hearing on 870630 request re revs to radiological effluent Tech Specs.
KALMAN, G. Project Directorate V. 88/01/05. ANDOGNINI, G.C. Sacramento Municipal Utility District. 2pp. 44055.191-44055.199.

-8712280296 Notice of consideration of issuance of amend to License DPR-54 & proposed NSHC determination & opportunity for hearing on 870630 request re liquid, gaseous & solid radwaste sys.
KALMAN, G. Project Directorate V. 87/12/18. 7pp. 44055.193-44055.198.

8801250228 Forwards Amend 93 to License DPR-54 & safety evaluation. Amend revises criteria re auxiliary feedwater sys & adds specific requirements associated w/ emergency feedwater instrumentation & control sys.
KALMAN, G. Project Directorate V. 88/01/05. ANDOGNINI, G.C. Sacramento Municipal Utility District. 3pp. 44116.139-44116.215.

-8801250241 Amend 93 to License DPR-54, revising criteria re auxiliary feedwater sys & adding specific requirements associated w/ emergency feedwater instrumentation & control sys.
KNIGHTON, G.W. Project Directorate V. 88/01/05. 42pp. 44116.142-44116.182.

-8801250246 Safety evaluation supporting Amend 93 to License DPR-54.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/05. 33pp. 44116.183-44116.215.

8801130396 Supplemental application for amend to License DPR-54, consolidating applicability requirement for containment integrity in Tech Spec 3.6 applicability statement.
FIRLIT, J.F. Sacramento Municipal Utility District. 88/01/06. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 3pp. 44002.251-44002.255.

-8801130399 Proposed Tech Spec 3.6, consolidating applicability requirement for containment integrity in applicability statement.
* Sacramento Municipal Utility District. 88/01/06. 2pp. 44002.254-44002.255.

8801130276 Forwards supplemental info to radioactive liquid effluent sys description provided via Ltr GCA 87-763 dtd 871112, to support evaluation of Rev 2 to proposed Amend 155. Concerns raised re radioactive liquid effluent sys listed.
ANDOGNINI, G.C. Sacramento Municipal Utility District. 88/01/07. MIRAGLIA, F.J. NRC - No Detailed Affiliation Given. 12pp. 44000.234-44000.245.

8801130377 Forwards response to NRC questions re reactor coolant pump undercurrent relay.
FIRLIT, J.F. Sacramento Municipal Utility District. 88/01/08. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 5pp. 44002.266-44002.260.

8801190298 Forwards printout reflecting current status & schedule of plant restart review. Approx 74% of 135 reviews, insps & restart Tech Specs completed. Restart SSER will be issued by 880115. Addl SSER will be issued before startup.
HOLAHAN, G.M. Assistant Director for Region III & Region V Reactors. 88/01/12. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 7pp. 44054.003-44054.009.

8801210091 Notifies that 125 volt dc nuclear svc batteries replaced during current outage. Preparational testing of batteries completed, demonstrating operability of batteries. Discussion of testing encl.
FIRLIT, J.F. Sacramento Municipal Utility District. 88/01/13. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 2pp. 44105.080-44105.081.

8801210279 Forwards addl info re control room habitability sys, per NRC 871215 request.
FIRLIT, J.F. Sacramento Municipal Utility District. 88/01/13. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 21pp. 44095.337-44095.051.

-8801220361 Rev 3 to "Refueling Interval, Special Frequency Control Room/ Technical Support Ctr Essential HVAC Sys Actuation By RAD Monitors & Chlorine Detectors Train A."
* Sacramento Municipal Utility District. 88/01/13. 26pp. 44095.358-44098.023.

--8801220370 Rev 2 to "Monthly Surveillance Test of Control Room/ Technical Support Cir. Essential Ventilation Sys Loop A." W/one oversize drawing
* Sacramento Municipal Utility District. 88/01/13. 28pp. 44096.024-44096.051.

8801260455 Forwards radioactive liquid effluent sys evaluation demonstrating plant capabilities for limiting radioactive liquid releases.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 88/01/13. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 1p. 44125.337-44126.008.

--8801260461 "Radioactive Liquid Effluent Sys Evaluation Using Program Liquid Effluent Based Operating Guides Rev. II."
MURPHY,P., STORY,H., MARTIN,D.W. Sacramento Municipal Utility District. 88/01/31. 32pp. 44125.338-44126.009.

8801270411 Application to amend License DPR-54,consisting of Proposed Amend 165,changing Tech Specs to add ventilation radiation monitor to interim onsite storage bldg Fee paid.
FIRLIT,J.F. Sacramento Municipal Utility District. 88/01/13. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 2pp. 44140.073-44140.082.

--8801270413 Proposed Tech Specs,consisting of Proposed Amend 165,adding ventilation radiation monitor to interim onsite storage bldg Related info encl.
* Sacramento Municipal Utility District. 88/01/13. 8pp. 44140.075-44140.082.

8801270550 Forwards status schedule for testing at plant.Update provides latest info on procedures identified by NRC.
CROLEY,B.G. Sacramento Municipal Utility District. 88/01/14. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 44145.105-44145.106.

8801220540 Forwards response to NUREG-1275, "Operating Experience Feedback Rept - New Plants." NUREG-1275 recommendations have been reviewed for relevance to plant restart & post-restart activities.
FIRLIT,J.F. Sacramento Municipal Utility District. 88/01/19. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 21pp. 44159.136-44159.166.

8801280081 Discusses encl info re investigation into falsification of cable installation records at facility including role of licensee internal investigation & final results of cable insp program W/o stated encls.
KNIGHTON,G. Project Directorate V. 88/01/19. MARSH,R. Region 5, Ofc of the Director. 2pp. 44130.162-44130.163.

Q. Inspection reports, IE Bulletins & correspondence

8712310212 Forwards Insp Rept 50-312/87-36 on 871026-30 & 1116-20.No violations noted
ZIMMERMAN,R. Region 5, Ofc of the Director. 87/12/15. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 43963.313-43963.323.

--8712310214 Insp Rept 50-312/87-36 on 871026-30 & 1116-20.No violations noted.Major areas inspected:licensee actions on previously identified inspector items & LERs.
ANG,W.P., MILLER,L. Region 5, Ofc of the Director. 87/12/14. 9pp. 43963.315-43963.323.

8801070201 Forwards Rev 0 to Engineering Rept ERPT M-0067, "Resolution of Audit Findings Pertaining to Fire Pumps." per open item in Insp Rept 50-312/87-15.Schedule for completion will be provided by 871231.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/12/15. MARTIN,J.B. Region 5, Ofc of the Director. 1p. 43991.220-43991.243.

--8801070218 Rev 0 to "Resolution of Audit Findings Pertaining to Fire Pumps."
* Sacramento Municipal Utility District. ERPT M-0067. 87/12/04. 23pp. 43991.221-43991.243.

8712310233 Forwards Insp Rept 50-312/87-33 on 871010-23.No violation noted.
WENSLAWSKI,F. Region 5, Ofc of the Director. 87/12/17. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 43964.028-43964.037.

--8712310236 Insp Rept 50-312/87-33 on 871010-23.No deficiencies or violations noted.Major areas inspected:emergency preparedness program including meteorology & followup of open items.
PRENDERGAST,K., FISH,R. Region 5, Ofc of the Director. 87/12/16. 7pp. 43964.031-43964.037.

8801080085 Forwards Insp Rept 50-312/87-27 on 871102-08.No deficiencies or violations noted.
WENSLAWSKI,F.A. Region 5, Ofc of the Director. 87/12/21. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 43960.266-43960.275.

--8801080091 Insp Rept 50-312/87-27 on 871102-08.No violations noted. Major areas inspected:emergency preparedness exercise, associated critique & followup items.
PRENDERGAST,K., GOOD,G.M., PEROTTI,D. Region 5, Ofc of the Director. 87/12/21. 8pp. 43960.268-43960.275.

8712150369 NRC Info Notice 87-064. "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065. "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8801110347 Forwards Insp Rept 50-312/87-39 on 871116-19.No violations noted.Understanding of corrective actions on pre- & post- restart concerns summarized in Apps A & B.
PATE,R.J. Region 5, Ofc of the Director. 87/12/24. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 43971.170-43971.188.

--8801110361 Insp Rept 50-312/87-39 on 871116-19.No violations or deviations noted.Major areas inspected:followup on previously identified open items & fire protection program.
RAMSEY,C., RICHARDS,S. Region 5, Ofc of the Director. 87/12/24. 17pp. 43971.172-43971.188.

8801110529 Forwards formal responses to NRC questions from 871215 ext meeting at conclusion of Insp of unit response to IE Bulletin 79-27.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/12/24. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 7pp. 43970.123-43970.128.

8712230003 Suppl 1 to NRC Info Notice 87-026. "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.136-43995.257.

8801130106 Forwards rev to 870518 response to Open Item 87-03-01 noted in Insp Rept 50-312/87-03 re inservice Insp program Rev repeats ref to procedure QAP-21 w/rel to QAP-1804 "QA Surveillance Program."
ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/12/29. MARTIN,J.B. Region 5, Ofc of the Director. 3pp. 44038.351-44038.353.

8712290155 NRC Info Notice 87-068. "Inappropriate Application of Commercial Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.018.

8712300091 NRC Info Notice 87-067. "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.288.

8801120197 Forwards response to D Crutchfield 870826 ltr re results of chemical analysis & mail testing of fasteners obtained during maint. insp conducted on 870209-13.Description of steps taken to determine extent of problem provided.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/12/31. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 6pp. 43997.238-43997.303.

8801260281 Forwards Insp Rept 50-312/87-45 on 871207-11.No violations noted.
ZIMMERMAN,R. Region 5, Ofc of the Director. 88/01/08. ANDOGNINI,G.C. Sacramento Municipal Utility District. 2pp. 44170.156-44170.163.

--8801280275 Insp Rept 50-312/87-45 on 871207-11.No violations or deviations noted.Major areas inspected:action on previously identified items,LERs & NRC bulletin followup.
ANG,W.P., MILLER,L. Region 5, Ofc of the Director. 88/01/05. 6pp. 44170.158-44170.163.

8801060394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Merrill MSVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801220496 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Mail Specs." Single failure of Quality Class 1 fastener evaluated & determined to be acceptable.
ANDOGNINI,G.C. Sacramento Municipal Utility District. 88/01/20. MARTIN,J.B. Region 5, Ofc of the Director. 114pp. 44170.178-44170.291.

8801280677 Forwards Augmented Sys Review Test Program Followup Insp Rept 50-312/87-29 on 870928-1009.Encl executive summary includes findings that may result in enforcement action. Procurement program being reviewed in separate insp.
CRUTCHFIELD,D. Division of Reactor Projects - III,IV & Special Projects (Post 870411). 88/01/25. ANDOGNINI,G.C. Sacramento Municipal Utility District. 6pp. 44173.152-44173.198.

--8801280688 Augmented Sys Review & Test Program Insp Rept 50-312/87-29 on 870928-1009.Open & unresolved items noted.Major areas inspected:open & unresolved items from Augmented Sys Review & Test Program Insp Rept 50-312/86-41.
DYER,J.E., HARPER,J.C. Office of Nuclear Reactor Regulation, Director (Post 870411). HOWELL,A.T. Office for Analysis & Evaluation of Operational Data, Director. 88/01/04. 41pp. 44173.158-44173.198.

R. Periodic operating reports & related correspondence

8801040519 Monthly operating rept for Nov 1987.W/871216 ltr.
BOSAKOWSKI,P., MEYER,K.A. Sacramento Municipal Utility District. 87/11/30. MARTIN,J.B. Region 5, Ofc of the Director. 15pp. 43919.330-43919.344.

8801110216 Monthly operating rept for Nov 1987.W/871216 ltr.
BOSAKOWSKI,P., MEYER,K.A. Sacramento Municipal Utility District. 87/11/30. MARTIN,J.B. Region 5, Ofc of the Director. 15pp. 43999.340-43999.354.

8801270031 Monthly operating rept for Dec 1987.W/880115 ltr.
BOSAKOWSKI,P., CROLEY,B.G. Sacramento Municipal Utility District. 87/12/31. MARTIN,J.B. Region 5, Ofc of the Director. 20pp. 44142.120-44142.139.

S. Reportable occurrences, LERs & related correspondence

8801070045 Special Rept 87-26:updated list of nonfunctional fire barriers breached more than 7 days provided.Listed penetrations erroneously reported as breached & deleted from rept.
FIRLIT,J.F. Sacramento Municipal Utility District. 87/12/16. MARTIN,J.B. Region 5, Ofc of the Director. 8pp. 43978.348-43978.355.

8712290128 LER 87-047-00.on 871124,failure to conduct continuous purge sample during reactor bldg purge noted.Caused by personnel error.HVAC procedures revised to incorporate precautions & purge sample initiated.W/871122 ltr.
LAVELY,A., ANDOGNINI,G.C. Sacramento Municipal Utility District. 87/12/22. 4pp. 43886.010-43886.013.

8801070064 Forwards listed S&W & Failure Analysis Assoc rept re vibration on TDI emergency diesel engines.In response to M Hartzman 871215 request for addl info COWARD,G. Sacramento Municipal Utility District. 87/12/29. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 2pp. 43940.039-43940.293.

--8801070072 "Baseline Vibration Survey Emergency Diesel Generator 'A' Rancho Seco Nuclear Power Plant."
BERCEL,E. Stone & Webster Engineering Corp. 14850.35-AV1. 86/12/31. 80pp. 43940.041-43940.130.

76 DOCKETED ITEMS

-8801070109 "Pipe Vibration Survey Emergency Diesel Generator 'A' Rancho Seco Nuclear Power Plant." BERCELE, Stone & Webster Engineering Corp. 14850.35-AV2. 86/12/31. 34pp. 43940:131-43940:164.

-8801070121 "Crankshaft Torsional Vibration Measurements Emergency Diesel Generator 'A' Rancho Seco Nuclear Power Plant." BERCELE, Stone & Webster Engineering Corp. 14850.35-AV3. 87/01/31. 29pp. 43940:165-43940:193.

-8801070135 "Evaluation of DSR-48 Emergency Diesel Generator Crankshaft at Rancho Seco Nuclear Generating Station." Failure Analysis Associates. FAAA-PA-R-87-02-11. 87/02/28. 100pp. 43940:184-43940:293.

8801130066 Forwards engineering summary repts for 16 TDI Phase I diesel generator components, containing detailed info on design review/quality revalidation program. Vibration problems w/turbocharger support bracket resolved. COWARD, G. Sacramento Municipal Utility District. 88/01/04. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 87pp. 44001:248-44001:344.

8801280017 Special Rept 88-01: nonfunctional fire barriers not restored to functional status within 7 days. Since Special Rept 87-28, 29 reportable breaches repaired & 46 breaches added to support mod activities. FIAT, J.F. Sacramento Municipal Utility District. 88/01/13. MARTIN, J.B. Region 5, Ofc of the Director. 5pp. 44157:191-44157:195.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:038.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:168.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

8801200380 Rev 13 to Emergency Plan Implementing Procedure 1903.61, "Communications Equipment Tests." Arkansas Power & Light Co. 87/11/03. 21pp. 44057:248-44057:266.

8801050229 Confirms agreement between NRC & util re extension until 880301 for implementation of improved emergency action level identification & classification, per 871218 telcon. LEVINE, J.M. Arkansas Power & Light Co. 87/12/21. CALLAN, L.J. Region 4, Ofc of the Director. 2pp. 43962:117-43962:118.

8801270307 Discusses quarterly status update of NRC inspectors security badges/training requirements. LEVINE, J.M. Arkansas Power & Light Co. 87/12/23. CALLAN, L.J. Region 4, Ofc of the Director. 4pp. 44186:043-44186:046.

8801110341 Rev 5 to emergency plan. W/one oversize map & 880105 ltr. ENOS, J.T. Arkansas Power & Light Co. 88/01/01. 100pp. 43993:153-43993:340.

8801270221 Forwards objectives for 1988 Radiological Emergency Exercise REX-88 cuss objectives & scope of exercise. DICUS, G.J. Arkansas, State of. 88/01/05. MARTIN, R.D. Region 4, Ofc of the Director. 7pp. 44168:001-44168:007.

8801130126 Forwards Insp Repts 50-313/87-40 & 50-368/87-40 on 871207-11. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/08. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 44043:302-44043:304.

-8801130131 Partially withheld Insp Repts 50-313/87-40 & 50-368/87-40 on 871207-11 (ref 10CFR73.21). No violations noted. Major areas inspected: licensee compensatory measures, access control - personnel, assessment aids, detection aids & protected areas. EARNST, A.B., KELLY, J.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/12/31. 1p. 44043:304-44043:304.

8801280039 Rev 5 to Emergency Plan Implementing Procedure 1904.01, "Germs Computer Graphics Method," Rev 10 to Procedure 1904.02, "Offsite Dose Projections - Pocket Computer Method" & Rev 4 to 1904.04, "Estimating Airborne Release Rates." Arkansas Power & Light Co. 88/01/11. 72pp. 44167:329-44168:040.

8801200330 Requests fee for 871029 application re exemption to Section III.G.2 of App R for level transmitters for QOST. DIGGS, R.M. License Fee Management Branch. 88/01/15. CAMPBELL, G. Arkansas Power & Light Co. 1p. 44081:354-44081:354.

8801220458 Forwards safeguards info re regulatory effectiveness review followup. Encl withheld (ref 10CFR2.790 & 73.21). ENOS, J.T. Arkansas Power & Light Co. 88/01/15. CALVO, J.A. Project Directorate IV. 1pp. 44159:182-44159:182.

8801280135 Ack receipt of 871221 ltr Informing NRC of steps taken to correct violations noted in Insp Repts 50-313/87-31 & 50-368/87-31. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/19. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 44127:302-44127:304.

-8801280144 Responds to violations noted in Insp Repts 50-313/87-31 & 50-368/87-31. Details withheld (ref 10CFR73.21). LEVINE, J.M. Arkansas Power & Light Co. 87/12/21. CALLAN, L.J. Region 4, Ofc of the Director. 1p. 44127:304-44127:304.

J. Insurance & indemnity information

8801280065 Forwards Endorsement 73 to NELIA Policy NF-210, Endorsement 6 MAELU Policy MF-74 & Endorsement 10 to NELIA Certificates N-68 & N-48 & MA Certificates M-68 & M-48. SAMUELS, J.L. Marsh & McLennan, Inc. 88/01/13. DINITZ, I. Office of Nuclear Regulation, Director (Post 870411). 7pp. 44157:313-44157:319.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of contract work, NRC Form 26 for three existing contracts, audit info, work history & I of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-07-417. 87/12/1. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801200184 Forwards notice of consideration of issuance of amends to Licenses DP 51 & NPF-6 & opportunity for prior hearing on 871204 request re responsibilities of plant safety committee concerning procedure reviews. DICK, G.F. Project Directorate IV. 88/01/06. CAMPBELL, T.G. Arkansas Power & Light Co. 3pp. 44068:296-44068:302.

-8801200208 Notice of consideration of issuance of amends to Licenses DP-51 & NPF-6 & opportunity for prior hearing on 871204 request re responsibilities of plant safety committee concerning procedure reviews. DICK, G.F. Project Directorate IV. 88/01/06. 4pp. 44068:299-44068:302.

8801220471 Forwards current tendon surveillance schedule between 880215-0311. ENOS, J.T. Arkansas Power & Light Co. 88/01/15. CALVO, J.A. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 2pp. 44168:072-44168:073.

8801270179 Notification of 880204 mgt meeting w/util in Arlington, TX to discuss licensee corrective action program. MILHOAN, J. Region 4, Ofc of the Director. 88/01/15. Region 4, Ofc of the Director. 2pp. 44168:010-44168:011.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801060055 Forwards Insp Repts 50-313/87-26 & 50-368/87-26 on 871019-23. No violations or deviations noted. Rept indicates that util has not yet resolved self-identified deficiencies in corrective action program. Mgt meeting will be arranged. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/25. CAMPBELL, G. Arkansas Power & Light Co. 3pp. 43960:248-43960:258.

-8801060084 Insp Repts 50-313/87-26 & 50-368/87-26 on 871019-23. No violations or deviations noted. Major areas inspected: licensee corrective action program. BOARDMAN, J.R., SEIDLE, W.C. Region 4, Ofc of the Director. 87/12/22. 8pp. 43960:251-43960:258.

8801060090 Forwards Insp Repts 50-313/87-33 & 50-368/87-33 on 871116-20. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/30. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 43960:276-43960:304.

-8801060094 Insp Repts 50-313/87-33 & 50-368/87-33 on 871116-20. No violations or deviations noted. Major areas inspected: licensee chemistry/radiological program & water chemistry & radiochemistry confirmatory measurements. NICHOLAS, J.B., WISE, R., CHANEY, H.D. Region 4, Ofc of the Director. 87/12/22. 27pp. 43960:278-43960:304.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensees Actions In Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801270182 Responds to violations noted in Insp Repts 50-313/87-32 & 50-368/87-32. Corrective actions: adjustment criteria applied to correct measured value for surveillance which indicated some amount of leakage. LEVINE, J.M. Arkansas Power & Light Co. 87/12/31. CALLAN, L.J. Region 4, Ofc of the Director. 4pp. 44168:357-44168:360.

8801280051 Requests extension of time until 880212 to respond to IE Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Mail Specs," due to B&W delay in assisting util due to closing of B&W o/c for holidays. ENOS, J.T. Arkansas Power & Light Co. 88/01/06. MARTIN, R.D. Region 4, Ofc of the Director. 1p. 44157:196-44157:196.

8801130126 Forwards Insp Repts 50-313/87-40 & 50-368/87-40 on 871207-11. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/08. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 44043:302-44043:304.

-8801130131 Partially withheld Insp Repts 50-313/87-40 & 50-368/87-40 on 871207-11 (ref 10CFR73.21) No violations noted Major areas inspected: licensee compensatory measures, access control - personnel, assessment aids, detection aids & protected areas
EARNEST, A.B., KELLY, J.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/12/31. 1p. 44043 304-44043-304.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Mornli MSIVs." Svc list encl.
ROSSI, G.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038 041-44038-163.

8801200124 Insp Repts 50-313/87-35 & 50-368/87-35 cancelled.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/13. CAMPBELL, G. Arkansas Power & Light Co. 1p. 44108 205-44108-205.

8801200075 Forwards Insp Repts 50-313/87-37 & 50-368/87-37 on 871021-23 & 27-30 No violations or deviations noted.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/14. CAMPBELL, G. Arkansas Power & Light Co. 4pp. 44134 227-44134-240.

-8801200077 Insp Repts 50-313/87-37 & 50-368/87-37 on 881021-23 & 27-30. No violations or deviations noted Major areas inspected: justification for continued operation commitment items & leakage of lower insp handhole cover.
STEWART, R.C., HAAG, R.C., BARNES, I. Region 4, Ofc of the Director. 87/12/18. 10pp. 44134 231-44134-240.

8801280135 Ack receipt of 871221 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/87-31 & 50-368/87-31.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/19. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 44127 302-44127-304.

-8801260144 Responds to violations noted in Insp Repts 50-313/87-31 & 50-368/87-31. Details withheld (ref 10CFR73.21).
LEVINE, J.M. Arkansas Power & Light Co. 87/12/21. CALLAN, L.J. Region 4, Ofc of the Director. 1p. 44127 304-44127-304.

8801280193 EN 87-044C on 880126, order imposing civil penalty in amount of \$25,000 issued Under term of order, licensee may within 30 days of date of order, pay penalty or request hearing action based on violation involving inoperable pressurizer valve.
LUEIMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/01/26. 1p. 44157 243-44157-243.

8801290139 Forwards order imposing civil monetary penalty in amount of \$25,000 re safety insp on 870201-28. NRC concludes that licensee did not provide basis for mitigation of proposed civil penalty beyond that applied in notice of violation.
TAYLOR, J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 88/01/26. CAMPBELL, T.G. Arkansas Power & Light Co. 2pp. 44178 002-44178-011.

-8801290148 Order imposing civil monetary penalty on licensee in amount of \$25,000 for violations noted in Insp on 870201-28. Payment of civil penalty requested within 30 days of order date. Evaluations & conclusions encl.
TAYLOR, J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 88/01/26. 8pp. 44178 004-44178-011.

R. Periodic operating reports & related correspondence

8801120040 Monthly operating rept for Nov 1987. W/871215 ltr.
GOSELL, J.N., WHIT, M., ENOS, J.T. Arkansas Power & Light Co. 87/11/30. BASSETT, H.S. NRC - No Detailed Affiliation Given. 44030 075-44030-079.

8801270307 Discusses quarterly status update of NRC inspectors security badges/training requirements.
LEVINE, J.M. Arkansas Power & Light Co. 87/12/23. CALLAN, L.J. Region 4, Ofc of the Director. 4pp. 44186 043-44186-046.

U. Congressional/Executive Correspondence

8801280839 Responds to concerns raised in 871202 ltr re stainless steel matl designated as E-Brine 26-1. Actions taken to address allegation that E-Brine 26-1 unsuitable for use in nuclear power plants listed.
ZECH, L.W. Commissioners. 88/01/20. GLENN, J. Senate, Governmental Affairs. 5pp. 44173 227-44173-233.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118 001-44118-039.

-8812100113 Forwards final repts from NRC post-accreditation audits using Training & Review Criteria & Procedures published as NUREG-1220 in Jul 1988. Both job & task analyses necessary for full implementation of performance-based training.
RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 88/12/03. STRAHM, K. Institute of Nuclear Power Operations. 3pp. 44118 079-44118-111.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118 079-44118-166.

8801280126 Requests licensee to furnish encl ref matl by 880218 in order to meet schedule for reactor/senior reactor operating licensing exams scheduled for wk of 880418. Requirements for administering & reviewing written exams also encl.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/15. CAMPBELL, G. Arkansas Power & Light Co. 8pp. 44127 204-44127-301.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8801080044 Forwards Safeguards Insp Repts 50-315/87-42 & 50-316/87-42 on 871207-10. Violation of security plan criteria noted. Separate notice of violation will not be cited. Insp data is withheld (ref 10CFR73.21).
MALLET, B.S. Region 3, Ofc of the Director. 87/12/31. DOLAN, J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp. 43960 245-43960-247.

-8801080053 Partially withheld Insp Repts 50-315/87-42 & 50-316/87-42 on 871207-10 (ref 10CFR73.21). Violation noted Major areas inspected: personnel training & qualifications, safeguards contingency plan & compensatory measures.
MADEJA, T.J., FUNK, D.E., CREED, J.R. Region 3, Ofc of the Director. 87/12/30. 1p. 43960 247-43960-247.

8801200048 Forwards Safety Insp Repts 50-315/87-31 & 50-316/87-31 on 871111-1214 No violations noted.
GULDEMOND, W.G. Region 3, Ofc of the Director. 88/01/11. DOLAN, J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp. 44057 092-44057-109.

-8801200063 Insp Repts 50-315/87-31 & 50-316/87-31 on 871111-1214 No violations or deviations noted Major areas inspected: actions on previously identified items, operational safety verification, radiological controls, maint & surveillance.
BURGESS, B.L. Region 3, Ofc of the Director. 88/01/08. 16pp. 44057 094-44057-109.

8801270092 Revised emergency plan implementing procedures, including Rev 0 to PMP 2080 EPP.111, "Natural Emergency Guidelines," Rev 0 to PMP 2080 EPP.108, "Initial Offsite Notification" & Rev 0 to PMP 2080 EPP.105, "General Emergency."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/01/20. 87pp. 44140 328-44140-337.

H. General correspondence

8801270534 Notifies NRC that JE Dolan, vice chairman, will retire from American Electric Power Svc Corp on 880131. All written correspondence should be addressed to MP Alexich, vice president.
ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/22. MURLEY, T.E. Document Control Branch (Document Control Desk). 2pp. 44151 001-44151-002.

P. Operating license stage documents & correspondence

8801040001 Forwards Amends 113 & 96 to Licenses DPR-58 & DPR-74, respectively & safety evaluation. Amends revise Tech Specs to delete footnote requiring load block be unloaded & main hoist deenergized when crane travels over spent fuel pool.
WIGGINTON, D.L. Project Directorate III-3. 87/12/17. DOLAN, J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) DOLAN, J. American Electric Power Service Corp. 2pp. 43895 089-43895-100.

-8801040002 Amends 113 & 96 to Licenses DPR-58 & DPR-74, respectively, deleting footnote requiring load block be unloaded & main hoist deenergized when crane travels over spent fuel pool.
PERKINS, K.E. Project Directorate III-3. 87/12/17. 8pp. 43895 091-43895-098.

-8801040004 Safety evaluation supporting Amends 113 & 96 to Licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/17. 2pp. 43895 089-43895-100.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945 344-43945-347.

8801160245 Forwards final seismic analysis rept, "Crane Seismic Rept, Cask Handling Crane, 150/20 Ton Capacity, S/N 12115," Vols I & II. Analysis for new auxiliary bldg crane to meet single failure-proof requirements of NUREG-0354.
ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/12. MURLEY, T.E. Document Control Branch (Document Control Desk). 2pp. 44036 189-44037-224.

-8801160263 Vols I & II to "Crane Seismic Rept Cask Handling Crane 150/20 Ton Capacity S/N 12115."
MCMAHON, M., ZACHARJAS, A.S., GUMINSKI, R.G. Whiting Corp. 87/09/09. 300pp. 44036 181-44037-224.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118 001-44118-039.

-8812090030 Summary of INPO Accreditation Board 861015 & 16 meetings re encl list of facility programs.
GIBSON, A.F. Region 2, Ofc of the Director. 86/10/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 3pp. 44118 041-44118-043.

-8812020491 Discusses attendance at INPO Accreditation Board meeting on 871022 & 23 in Atlanta, GA re accreditation of licensee training programs on maint & technical support areas. Future NRC observers should be given info prior to meeting.
LAINAS, G.C. Assistant Director for Region II Reactors. 87/10/28. ROE, J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 4pp. 44118 167-44118-171.

78 DOCKETED ITEMS

8801260371 Forwards Amends 114 & 98 to Licenses DPR-58 & DPR-74, respectively Amends revise in all places in licenses name of ut.I Indiana & Michigan Electric Co changed to Indiana Michigan Power Co. WIGGINTON,D.L. Project Directorate III-3. 88/01/13. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 2pp. 44139:020-44139:028.

-8801260390 Amends 114 & 98 to Licenses DPR-58 & DPR-74, respectively, revising name of ut.I in all places in licenses to Indiana Michigan Power Co. PERKINS,K.E. Project Directorate III-3. 88/01/13. 7pp. 44139:022-44139:028.

8801260689 Forwards results of analysis of effect that closing RHR cross-tie valves has on containment long-term pressure if accident occurs, in support of request to perform inservice testing of RHR valves. Concurrence requested. Fee paid. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/18. MURLEY,T.E. Document Control Branch (Document Control Desk). 6pp. 44123:216-44123:221.

8801270447 Informs of organization changes within Div of Reactor Projects affecting plant J Stang assigned as new NRR project manager for plant. VIRGILIO,M.J. Project Directorate III-1. 88/01/22. DOLAN,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN,J. American Electric Power Service Corp. 1p. 44155:213-44155:213.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801070070 Forwards Insp Repts 50-315/87-26 & 50-316/87-26 on 871019-30.QA should take more active role during reviews of control room activities. Operability problems w/pressurizer spray valves considered significant. CRUTCHFIELD,D. Division of Reactor Projects - III,IV & Special Projects (Post 870411). 87/12/28. DOLAN,J.E. American Electric Power Service Corp. DOLAN,J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 43943:133-43943:153.

-8801070077 Insp Repts 50-315/87-26 & 50-316/87-26 on 871019-30.Issues requiring further action noted.Major areas inspected maint, plant operations,mods to plant sys & components & radiation protection. CORREIA,R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). BAER,R.E. Region 4, Ofc of the Director. CHOULES,N.C. Region 3, Ofc of the Director. 87/12/17. 19pp. 43943:135-43943:153.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Inps of License Actions In Response to IE Bulletin 80-11." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:268.

8801060044 Forwards Safeguards Insp Repts 50-315/87-42 & 50-316/87-42 on 871207-10.Violation of security plan criteria noted. Separate notice of violation will not be cited.Insp details withheld (ref 10CFR73.21). MALLET,B.S. Region 3, Ofc of the Director. 87/12/31. DOLAN,J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 43960:245-43960:247.

-8801060053 Partially withheld Insp Repts 50-315/87-42 & 50-316/87-42 on 871207-10 (ref 10CFR73.21).Violation noted.Major areas inspected: personnel training & qualifications, safeguards contingency plan & compensatory measures. MADEIRA,T.J. FUNK,D.E., CREED,J.R. Region 3, Ofc of the Director. 87/12/30. 1p. 43960:247-43960:247.

8801140026 Informs that Insp Repts 50-315/87-42 & 50-316/87-42 should be changed to 50-315/87-32 & 50-316/87-32, respectively. HIND,J.A. Region 3, Ofc of the Director. 88/01/07. DOLAN,J.E. Indiana Michigan Power Co. 1p. 44038:061-44038:061.

8801050394 Suppl 1 to NRC Info Notice 88-061, "Broken External Closure Springs on Atwood & Morfill MSIVs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801200048 Forwards Safety Insp Repts 50-315/87-31 & 50-316/87-31 on 871111-1214.No violations noted. GULDEMOND,W.G. Region 3, Ofc of the Director. 88/01/11. DOLAN,J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 44057:092-44057:109.

-8801200063 Insp Repts 50-315/87-31 & 50-316/87-31 on 871111-1214.No violations or deviations noted.Major areas inspected:actions on previously identified items,operational safety verification,radiological controls,maint & surveillance. BURGESS,B.L. Region 3, Ofc of the Director. 88/01/06. 10pp. 44057:094-44057:109.

8801190035 Responds to six items in NRC Compliance Bulletin 87-002. Plant procedures for nonsafety-related mods will be enhanced.Faster testing data sheet & mechanical/chemical test results encl.

8801260146 Forwards Safety Insp Repts 50-315/87-28 & 50-316/87-28 on 870921-1223 & notice of violation. WRIGHT,G.C. Region 3, Ofc of the Director. 88/01/15. DOLAN,J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 44131:010-44131:023.

-8801260163 Notice of violation from Insp on 870921-1223.Violation noted.Procedure **1 THP 6040 PER.352 not properly implemented for Unit 1 on 871006 in that boron samples not recorded on Form 352-3. WRIGHT,G.C. Region 3, Ofc of the Director. 88/01/15. 1p. 44131:012-44131:012.

-8801260166 Safety Insp Repts 50-315/87-28 & 50-316/87-28 on 870921-1223.Violations noted.Major areas inspected:action on previous Insp findings,control rod testing & shutdown margin/estimated critical condition calculation. AZAB,B.A., PHILLIPS,M.P. Region 3, Ofc of the Director. 88/01/15. 11pp. 44131:013-44131:023.

R. Periodic operating reports & related correspondence

8801040557 Monthly operating rpt for Nov 1987.W/871202 ltr. MICHAELSON, PULPIS,A.S., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/30. 6pp. 43923:041-43923:048.

S. Reportable occurrences, LERs & related correspondence

8801070280 LER 87-022-00: on 871007, 16 transmitters found to have experienced calibr shift.Cause under evaluation.Transmitters repaired & recalibrated.Complete followup rpt to be submitted.W/871231 ltr. BEILMAN,T.P., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/12/31. 4pp. 43991:163-43991:166.

8801270277 LER 87-023-00: on 871109, discovered that fuses required for isolation between various local shutdown & indication panels not incorporated into plant design.Cause by personnel error.Design changes implemented.W/880121 ltr. BEILMAN,T.P., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/21. 6pp. 44145:255-44145:259.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INFO training accreditation.Forwards App F documents App E & F documents also available in PDR.Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta,GA re training programs at two plants.Ends include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8801130266 Rev 9,Change 1 to Emergency Response Plan Implementing Procedure ERIP-4.4.6, "Dose Assessment Computer Offsite Rad Consequences Assessment." Baltimore Gas & Electric Co. 87/12/23. 5pp. 44002:155-44002:159.

8801060044 Forwards Safeguards Insp Repts 50-315/87-42 & 50-316/87-42 on 871207-10.Violation of security plan criteria noted. Separate notice of violation will not be cited.Insp details withheld (ref 10CFR73.21). MALLET,B.S. Region 3, Ofc of the Director. 87/12/31. DOLAN,J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 43960:245-43960:247.

-8801060053 Partially withheld Insp Repts 50-315/87-42 & 50-316/87-42 on 871207-10 (ref 10CFR73.21).Violation noted.Major areas inspected: personnel training & qualifications, safeguards contingency plan & compensatory measures. MADEIRA,T.J. Region 3, Ofc of the Director. 87/12/30. 1p. 43960:247-43960:247.

8801200048 Forwards Safety Insp Repts 50-315/87-31 & 50-316/87-31 on 871111-1214.No violations noted. GULDEMOND,W.G. Region 3, Ofc of the Director. 88/01/11. DOLAN,J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 44057:092-44057:109.

-8801200063 Insp Repts 50-315/87-31 & 50-316/87-31 on 871111-1214.No violations or deviations noted.Major areas inspected:actions on previously identified items,operational safety verification,radiological controls,maint & surveillance. BURGESS,B.L. Region 3, Ofc of the Director. 88/01/06. 10pp. 44057:094-44057:109.

8801270092 Revised emergency plan implementing procedures,including Rev 0 to PMP 2080 EPP.111, "Natural Emergency Guidelines," Rev 0 to PMP 2080 EPP.108, "Initial Offsite Notification" & Rev 0 to PMP 2080 EPP.105, "General Emergency." Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/20. 6pp. 44140:329-44140:337.

H. General correspondence

8801270634 Notifies NRC that JE Dolan,vice chairman,will retire from American Electric Power Svc Corp on 880131.All written correspondence should be addressed to MP Alexch,vice president.

P. Operating license stage documents & correspondence

8801040001 Forwards Amends 113 & 96 to Licenses DPR-58 & DPR-74, respectively & safety evaluation Amends revise Tech Specs to delete footnote requiring load block be unloaded & main hoist deenergized when crane travels over spent fuel pool.
WIGGINTON, D.L. Project Directorate III-3. 8/7/12/17. DOLAN, J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN, J. American Electric Power Service Corp. 2pp. 43895-089-43895-100.

-8801040002 Amends 113 & 96 to Licenses DPR-58 & DPR-74, respectively, deleting footnote requiring load block be unloaded & main hoist deenergized when crane travels over spent fuel pool.
PERKINS, K.E. Project Directorate III-3. 8/7/12/17. 8pp. 43895-091-43895-098.

-8801040004 Safety evaluation supporting Amends 113 & 96 to Licenses DPR-58 & DPR-74, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 8/7/12/17. 2pp. 43895-099-43895-100.

8801040034 Forwards environ assessment & finding of no significant impact re 871028 application for amend to License DPR-74. Assessment has been forwarded to Oic of FR for publication.
WIGGINTON, D.L. Project Directorate III-3. 8/7/12/17. DOLAN, J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 43895-144-43895-148.

-8801040038 Environ assessment & finding of no significant impact re 871028 application for amend to License DPR-74.
WIGGINTON, D.L. Project Directorate III-3. 8/7/12/17. 3pp. 43895-146-43895-148.

8801070177 Forwards Amend 97 to License DPR-74 & safety evaluation. Amend revises Tech Specs to extend interval of certain 18-month surveillances until next refueling outage currently planned to begin in early 1988.
WIGGINTON, D.L. Project Directorate III-3. 8/7/12/28. DOLAN, J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN, J. American Electric Power Service Corp. 2pp. 43952-127-43952-158.

-8801070182 Amend 97 to License DPR-74, revising Tech Specs to extend interval of certain 18-month surveillances until next refueling outage currently planned to begin in early 1988.
PERKINS, K.E. Project Directorate III-3. 8/7/12/28. 26pp. 43952-129-43952-154.

-8801070184 Safety evaluation supporting Amend 97 to License DPR-74.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 8/7/12/28. 4pp. 43952-155-43952-158.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 8/7/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

8801130230 Application for amend to License DPR-74, extending surveillances that Tech Specs require to be performed beginning 880302 until Unit 2 refueling outage in June 1988. NRC response by 880226 requested.
ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/11. MURLEY, T.E. NRC - No Detailed Affiliation Given. 22pp. 44003-135-44003-172.

-8801130231 Proposed Tech Specs extending surveillances required to be performed by 880302 until Unit 2 refueling outage in June 1988.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/11. 16pp. 44003-157-44003-172.

8801150245 Forwards final seismic analysis rept, "Crane Seismic Rept. Cask Handling Crane, 150/20 Ton Capacity S/N 12115," Vols I & II. Analysis for new auxiliary bldg crane to meet single-failure-proof requirements of NUREG-0554.
ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/12. MURLEY, T.E. Document Control Branch (Document Control Desk). 2pp. 44036-189-44036-224.

-8801150283 Vols I & II to "Crane Seismic Rept Cask Handling Crane 150/20 Ton Capacity S/N 12115."
MCMAHON, M., ZACHARJASZ, A.S., GUMINSKI, R.G. Whiting Corp. 87/09/09. 300pp. 44036-191-44037-224.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

-8801200300 Summary of INPO Accreditation Board 880105 & 16 meetings re encl list of facility programs.
GIBSON, A.F. Region 2, Oic of the Director. 88/10/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 3pp. 44119-041-44119-043.

-8711020491 Discusses attendance at INPO Accreditation Board meeting on 871022 & 23 in Atlanta, GA re accreditation of licensee training programs on maint & technical support areas. Future NRC observers should be given info prior to meeting.
LAINAS, G.C. Assistant Director for Region II Reactors. 87/10/28. ROE, J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 4pp. 44119-167-44119-171.

8801260371 Forwards Amends 114 & 98 to Licenses DPR-58 & DPR-74, respectively. Amends revise in all places in licenses name of Indiana & Michigan Electric Co changed to Indiana Michigan Power Co.
WIGGINTON, D.L. Project Directorate III-3. 88/01/13. DOLAN, J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN, J. American Electric Power Service Corp. 2pp. 44139-020-44139-026.

-8801260390 Amends 114 & 98 to Licenses DPR-58 & DPR-74, respectively, revising name of util in all places in licenses to Indiana Michigan Power Co.
PERKINS, K.E. Project Directorate III-3. 88/01/13. 7pp. 44139-022-44139-028.

8801260069 Forwards results of analysis of effect that closing RHR cross tie valves has on containment long-term pressure if accident occurs, in support of request to perform inserv.co testing of RHR valves. Concurrence requested. Fee paid.
ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/18. MURLEY, T.E. Document Control Branch (Document Control Desk). 8pp. 44123-216-44123-221.

8801260565 Informs of completion of 10CFR50.59 review on erection & installation of new & modified single-failure-proof auxiliary bldg cranes by 880201. Erection & installation of cranes scheduled to begin on 880215.
ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44125-110-44125-111.

8801270447 Informs of organization changes within Div of Reactor Projects affecting plant J. Slang assigned as new NRR project manager for plant.
VIRGILIO, M.J. Project Directorate III-1. 88/01/22. DOLAN, J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). DOLAN, J. American Electric Power Service Corp. 1p. 44155-213-44155-213.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056-008-44056-127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.

8801070070 Forwards Insp Repts 50-315/87-26 & 50-316/87-26 on 871018-30. OA should take more active role during reviews of control room activities. Operability problems w/pressurizer spray valves considered significant.
CRUTCHFIELD, D.D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 87/12/28. DOLAN, J.E. American Electric Power Service Corp. DOLAN, J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 43943-133-43943-163.

-8801070077 Insp Repts 50-315/87-26 & 50-316/87-26 on 871018-30. Issues requiring further action noted. Major areas inspected maint, plant operations, mods to plant sys & components & radiation protection.
CORREIA, R.P. Office of Nuclear Reactor Regulation, Director (Post 870411). BAEH, H.E. Region 4, Oic of the Director. CHOULES, N.C. Region 3, Oic of the Director. 87/12/17. 18pp. 43943-135-43943-163.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995-018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-288.

8801060044 Forwards Safeguards Insp Repts 50-315/87-42 & 50-316/87-42 on 871207-10. Violation of security plan criteria noted. Separate notice of violation will not be cited. Insp details withheld (ref 10CFR73.21).
MALLET, B.S. Region 3, Oic of the Director. 87/12/31. DOLAN, J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 43960-245-43960-247.

-8801060053 Partially withheld Insp Repts 50-315/87-42 & 50-316/87-42 on 871207-10 (ref 10CFR73.21). Violation noted. Major areas inspected: personnel training & qualifications, safeguards contingency plan & compensatory measures.
MADEIRA, T.J., FUNK, D.E., CREED, J.R. Region 3, Oic of the Director. 87/12/30. 1p. 43960-247-43960-247.

8801140026 Informs that Insp Repts 50-315/87-42 & 50-316/87-42 should be changed to 50-315/87-32 & 50-316/87-32, respectively.
HIND, J.A. Region 3, Oic of the Director. 88/01/07. DOLAN, J.E. Indiana Michigan Power Co. 1p. 44039-061-44039-061.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Mornil MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

8801200048 Forwards Safety Insp Repts 50-315/87-31 & 50-316/87-31 on 871111-1214. No violations noted.
GUIDEMOND, W.G. Region 3, Oic of the Director. 88/01/11. DOLAN, J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 44057-092-44057-109.

-8801200063 Insp Repts 50-315/87-31 & 50-316/87-31 on 871111-1214. No violations or deviations noted. Major areas inspected: actions on previously identified items, operational safety verification, radiological controls, maint & surveillance.
BURGESS, B.L. Region 3, Oic of the Director. 88/01/08. 16pp. 44057-094-44057-109.

8801190035 Responds to six items in NRC Compliance Bulletin 87-002. Plant procedures for nonsafety-related mats will be enhanced. Faster testing data sheet & mechanical/chemical test results encl.
ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/12. DAVIS, A.B. NRC - No Detailed Affiliation Given. 53pp. 44045-212-44045-264.

1223 & notice of violation.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/15. DOLAN, J.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 44131.010-44131.023.

-8801260153 Notice of violation from Insp on 870921-1223. Violation noted: Procedure **1 THP 6040 PER 352 not properly implemented for Unit 1 on 871008 in that boron samples not recorded on Form 352-3.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/15. 1p. 44131.012-44131.012.

-8801260166 Safety Insp Repts 50-315/87-28 & 50-318/87-28 on 870921-1223. Violations noted: Major areas inspected action on previous insp findings, control rod testing & shutdown margin/estimated critical condition calculation.
AZAB, B.A., PHILLIPS, M.P. Region 3, Ofc of the Director. 88/01/15. 11pp. 44131.013-44131.023.

R. Periodic operating reports & related correspondence

6801040569 Monthly operating rept for Nov 1987. W/871202 ltr.
MICHAELSON, PUPUS, A.S., SMITH, W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 87/11/30. 6pp. 43923.091-43923.096.

S. Reportable occurrences, LERs & related correspondence

8801210055 LER 87-014-00 on 871215, programming error causing alarm to be inoperable, discovered. Caused by personnel error. Computer operators counseled in proper method of computer software troubleshooting & program installation. W/880114 ltr.
ROSS, C.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). SMITH, W.G. Indiana Michigan Power Co. 88/01/14. 4pp. 44106.172-44106.175.

8801210081 LER 87-015-00 on 871120, facility entered Tech Spec 3.03 due to corrective maint. Caused by time needed to repair separated voltage cable connector broken due to frequent use. Connector replaced. W/880114 ltr.
BEILMAN, T.P., SMITH, W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/01/14. 5pp. 44105.075-44105.078.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR Add'l records also available in PDR under Bossong FOIA-87-204.

GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801220136 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.168.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8712310144 Responds to 870622 request for cost estimate of contingency telecommunications & permission to use BGE property. Communication circuits installation cost estimated. Permanent installation of antennas suggested for emergencies.
TIERNAN, J.A. Baltimore Gas & Electric Co. 87/12/23. Document Control Branch (Document Control Desk). 2pp. 43964.044-43964.045.

8801130233 Rev 12, Change 14 to Emergency Response Plan Implementing Procedure ERPIP-3.0, "Radioactivity Release - Dose Estimate."
Baltimore Gas & Electric Co. 87/12/23. 8pp. 44003.173-44003.180.

8801130258 Rev 9, Change 1 to Emergency Response Plan Implementing Procedure ERPIP-4.4.8, "Dose Assessment Computer Offsite Rad Consequences Assessment."
Baltimore Gas & Electric Co. 87/12/23. 5pp. 44002.155-44002.159.

8801120314 Forwards Safety Insp Repts 50-317/87-21 & 50-318/87-23 on 871116-18. No violations noted. Util performance during exercise demonstrated ability to implement emergency plan & procedures to provide adequate protective measures.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp. 44040.102-44040.109.

-8801120349 Emergency Preparedness Insp Repts 50-317/87-21 & 50-318/87-23 on 871116-18. No violations noted. Major areas inspected: licensee full participation annual emergency preparedness exercise conducted on 871116-18.
GORDON, C.Z., LAZARUS, W.J. Region 1, Ofc of the Director. 87/12/22. 6pp. 44040.104-44040.109.

8801200258 Forwards response to SALP Repts 50-317/86-99 & 50-318/86-99, NRC 871203 ltr & SALP conference held on 871214. Plant operations & safety review committee meeting format changed & facilitator concept introduced.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/13. Document Control Branch (Document Control Desk). 5pp. 44058.286-44058.290.

8801260352 Rev 9 to "Calvert Cliffs Nuclear Power Plant Emergency Response Plan."
LEMONS, J.R. Baltimore Gas & Electric Co. 88/01/15. 350pp. 44127.320-44128.168.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUSE, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

TM Action Item U.I. "Performance Testing of Relief & Safety Valves"
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/06. Document Control Branch (Document Control Desk). 15pp. 44002.302-44002.316.

8801130245 Forwards application fee for Unit 1 main steam piping flaw, per RM 871118 request.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44000.112-44000.112.

8801130349 Provides clarification on 870120 request for amendments to Licenses DP-1, DPR-59 re change to Tech Specs re containment purge valves & forwards proposed Tech Specs.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/12. Document Control Branch (Document Control Desk). 3pp. 44002.024-44002.054.

-8801130352 Proposed Tech Specs re containment purge isolation valves.
Baltimore Gas & Electric Co. 88/01/12. 20pp. 44002.027-44002.054.

8801270188 Forwards response to IAEA operational safety review recommendations, per NRC 871130 request. Establishment of nuclear program objective for detection of deficiencies during repetitive maint appropriate & will be incorporated.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/13. Document Control Branch (Document Control Desk). 11pp. 44168.339-44168.349.

Q. Inspection reports, IE Bulletins & correspondence

8801130250 Responds to violations noted in Insp Repts 50-317/87-23 & 50-318/87-23. 25 corrective actions: new solenoid valve installed.
TIERNAN, J.A. Baltimore Gas & Electric Co. 87/01/11. Document Control Branch (Document Control Desk). 4pp. 44002.267-44002.270.

871210018 Forwards Mgt Meeting Rept 50-317/87-24 on 871110.
WIGGINS, J.T. Region 1, Ofc of the Director. 87/12/10. TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp. 43787.295-43787.321.

-8712210023 Mgt Meeting Rept 50-317/87-24 on 871110. Major areas discussed: surrounding equipment degradations resulting in inoperability of Auxiliary Feed Pumps 11 & 12.
LAWRYTH, D.F., TRIPP, L.E. Region 1, Ofc of the Director. 87/12/09. 25pp. 43787.321-43787.321.

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Test Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058.008-44058.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWR Reactors." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8801120314 Forwards Safety Insp Repts 50-317/87-21 & 50-318/87-23 on 871116-18. No violations noted. Util performance during exercise demonstrated ability to implement emergency plan & procedures to provide adequate protective measures.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp. 44040.102-44040.109.

-8801120349 Emergency Preparedness Insp Repts 50-317/87-21 & 50-318/87-23 on 871116-18. No violations noted. Major areas inspected: licensee full participation annual emergency preparedness exercise conducted on 871116-18.
GORDON, C.Z., LAZARUS, W.J. Region 1, Ofc of the Director. 87/12/22. 6pp. 44040.104-44040.109.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Inspection Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801130085 Forwards Safety Insp Repts 50-317/87-25 & 50-318/87-26 on 871116-18. No violations or deviations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 88/01/06. TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp. 44039.138-44039.150.

-8801130091 Safety Insp Repts 50-317/87-25 & 50-318/87-26 on 871116-18. Violations noted. Major areas inspected: water chemistry control program re corrosion & out-of-core radiation field buildup.
BICEHOUSE, H., PASCIAK, W.J. Region 1, Ofc of the Director. 87/12/28. 44039.140-44039.150.

8801200068 Ack receipt of 871109 ltr informing NRC of steps taken to correct solved item noted in Insp Repts 50-317/87-12 & 50-318/87-13.
JOHNSTON, W.V. Region 1, Ofc of the Director. 88/01/08. TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp. 44052.239-44052.243.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs at Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/08. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801200258 Forwards response to SALP Repts 50-317/86-99 & 50-318/86-99. NRC 871203 ltr & SALP conference held on 871214. Plant operations & safety review committee meeting format changed & facilitator concept introduced.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/13. Document Control Branch (Document Control Desk). 5pp. 44058:286-44058:290.

8801280182 Requests relief from certain ASME Code Section XI requirements for plant second inservice insp plan, per encl detailed requests. Southwest Research Inst "Program Plan for Second Insp Interval for..." also encl. Fee paid.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/14. Document Control Branch (Document Control Desk). 31pp. 44158:104-44158:249.

-8801280202 "Program Plan for Second Insp Interval for Calvert Cliffs Nuclear Power Plant, Units 1 & 2."
THORNTON, A.R. Southwest Research Institute. 87/11/30. 83pp. 44158:180-44158:249.

R. Periodic operating reports & related correspondence

8801250267 Monthly operating repts for Dec 1987. W/880115 ltr.
BEHNKE, C., LEMONS, J.R. Baltimore Gas & Electric Co. 87/12/31. 12pp. 44159:001-44159:012.

8801120316 Forwards quarterly progress rept covering progress of SPDS project for Fourth Quarter 1987, per 860930 ltr granting of request for extension of SPDS deadlines.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/06. Document Control Branch (Document Control Desk). 2pp. 43991:134-43991:135.

S. Reportable occurrences, LERs & related correspondence

8801120338 LER 87-012-01: on 870723, fault developed on one transmission line connecting facility to company bulk power distribution grid at Waugh Chapel Station. Caused by tree coming in contact w/transmission line. Trees cut. W/880104 ltr.
GREENE, K.L., LEMONS, J.R. Baltimore Gas & Electric Co. 87/12/03. 4pp. 43988:346-43988:349.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8712310144 Responds to 870622 request for cost estimate of contingency telecommunications & permission to use BG&E property. Communication circuits installation cost estimated. Permanent installation of antennas suggested for emergencies.
TIERNAN, J.A. Baltimore Gas & Electric Co. 87/12/23. Document Control Branch (Document Control Desk). 2pp. 43984:044-43984:045.

8801130233 Rev 12, Change 14 to Emergency Response Plan Implementing Procedure ERPIP-3.0, "Radioactivity Release - Dose Estimate."
Baltimore Gas & Electric Co. 87/12/23. 8pp. 44003:173-44003:180.

8801120314 Forwards Safety Insp Repts 50-317/87-21 & 50-318/87-23 on 871118-18. No violations noted. Util performance during exercise demonstrated ability to implement emergency plan & procedures to provide adequate protective measures.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp. 44040:102-44040:109.

-8801120349 Emergency Preparedness Insp Repts 50-317/87-21 & 50-318/87-23 on 871118-18. No violations noted. Major areas inspected. Licensee full participation annual emergency preparedness exercise conducted on 871118-18.
GORDON, G.Z. Region 1, Ofc of the Director. 87/12/22. 6pp. 44040:104-44040:109.

8801200258 Forwards response to SALP Repts 50-317/86-99 & 50-318/86-99. NRC 871203 ltr & SALP conference held on 871214. Plant operations & safety review committee meeting format changed & facilitator concept introduced.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/13. Document Control Branch (Document Control Desk). 5pp. 44058:286-44058:290.

8801260352 Rev 9 to "Calvert Cliffs Nuclear Power Plant Emergency Response Plan."
LEMONS, J.R. Baltimore Gas & Electric Co. 88/01/15. 350pp. 44127:320-44128:186.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-28-87-417. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801130118 Forwards response to 870430 request for addl info re implementation of TMI Action Item I.D.1, "Performance Testing of Relief & Safety Valves."
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/06. Document Control Branch (Document Control Desk). 15pp. 44002:302-44002:316.

8801130349 Provides clarification on 870120 request for amendments to Licenses DPR-53 & DPR-69 re change to Tech Specs re containment purge valves & forwards proposed Tech Specs.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/12. Document Control Branch (Document Control Desk). 3pp. 44002:024-44002:054.

-8801130352 Proposed Tech Specs re containment purge (isolation valves).
Baltimore Gas & Electric Co. 88/01/12. 28pp. 44002:027-44002:054.

8801270189 Forwards response to IAEA operational safety review team recommendations, per NRC 871130 request. Establishment of nuclear program plan objective for detection of deficiencies during repetitive maint appropriate & will be incorporated.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/13. Document Control Branch (Document Control Desk). 11pp. 44168:339-44168:348.

Q. Inspection reports, IE Bulletins & correspondence

8801130250 Responds to violations noted in Insp Repts 50-317/87-23 & 50-318/87-25. Corrective actions: new solenoid valve installed.
TIERNAN, J.A. Baltimore Gas & Electric Co. 87/01/11. Document Control Branch (Document Control Desk). 4pp. 44002:267-44002:270.

8712160389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801120314 Forwards Safety Insp Repts 50-317/87-21 & 50-318/87-23 on 871118-18. No violations noted. Util performance during exercise demonstrated ability to implement emergency plan & procedures to provide adequate protective measures.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp. 44040:102-44040:109.

-8801120349 Emergency Preparedness Insp Repts 50-317/87-21 & 50-318/87-23 on 871118-18. No violations noted. Major areas inspected. Licensee full participation annual emergency preparedness exercise conducted on 871118-18.
GORDON, G.Z., LAZARUS, W.J. Region 1, Ofc of the Director. 87/12/22. 6pp. 44040:104-44040:109.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43998:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801130085 Forwards Safety Insp Repts 50-317/87-25 & 50-318/87-28 on 871130-1204. No violations or deviations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 88/01/08. TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp. 44039:138-44039:150.

-8801130091 Safety Insp Repts 50-317/87-25 & 50-318/87-28 on 871130-1204. No violations noted. Major areas inspected. Water chemistry control program re controlling corrosion & out-of-core radiation field buildup.
BICEHOUSE, H., PASCIAK, W.J. Region 1, Ofc of the Director. 87/12/28. 11pp. 44039:140-44039:150.

8801200366 Ack receipt of 871109 ltr informing NRC of steps taken to correct unresolved item noted in Insp Repts 50-317/87-12 & 50-318/87-13.
JOHNSTON, W.V. Region 1, Ofc of the Director. 88/01/09. TIERNAN, J.A. Baltimore Gas & Electric Co. 2pp. 44052:239-44052:243.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801200258 Forwards response to SALP Repts 50-317/86-99 & 50-318/86-99. NRC 871203 ltr & SALP conference held on 871214. Plant operations & safety review committee meeting format changed & facilitator concept introduced.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/13. Document Control Branch (Document Control Desk). 5pp. 44058:286-44058:290.

8801280182 Requests relief from certain ASME Code Section XI requirements for plant second inservice insp plan, per encl detailed requests. Southwest Research Inst "Program Plan for Second Insp Interval for..." also encl. Fee paid.
TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/14. Document Control Branch (Document Control Desk). 31pp. 44158:104-44158:249.

-8801280202 "Program Plan for Second Insp Interval for Calvert Cliffs Nuclear Power Plant, Units 1 & 2."
THORNTON, A.R. Southwest Research Institute. 87/11/30. 83pp. 44158:180-44158:249.

R. Periodic operating reports & related correspondence

8801250267 Monthly operating repts for Dec 1987. W/880115 ltr.
BEHNKE, C., LEMONS, J.R. Baltimore Gas & Electric Co. 87/12/31. 12pp. 44159:001-44159:012.

82 DOCKETED ITEMS

8801120316 Forwards quarterly progress report covering progress of SPDS project for Fourth Quarter 1987, per 86030 for granting of request for extension of SPDS deadlines. TIERNAN, J.A. Baltimore Gas & Electric Co. 88/01/06. Document Control Branch (Document Control Desk). 2pp. 43991-134-43991:135.

S. Reportable occurrences, LERs & related correspondence

8712300064 PNO-I-87-118 on 871221, reactor tripped due to loss of load. Caused by opening of generator output breaker due to ground fault on permanent magnet generator (PMG) stator winding. Replacement PMG will be procured. TRIPP, L. Region 1, Office of the Director. 87/12/22. 1p. 43893-268-43893-268.

8801270054 LER 87-009-00 on 871221, Unit 2 tripped from 100% power due to loss of load signal. Caused by failure of main generator permanent magnet generator atmospheric dump valve repaired & returned to svc. W/880120 ltr. FURIO, P., LEMONS, J.R. Baltimore Gas & Electric Co. 88/01/20. 4pp. 44141-265-44141-268.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bessong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

8801220136 Advises of attendance at 870323 Nat'l Nuclear Accrediting Board meeting at INPO dics in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Office of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119-159-44119-166.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801050150 Forwards Rev 1 to Corporate Emergency Plan 1000-PLN-1300.01. Rev reflects integration of TMI emergency preparedness program organization & facilities. Summary of major changes in plan also encl. ROCHE, M.B. General Public Utilities Corp. - GPU Service Corp. 87/12/23. Document Control Branch (Document Control Desk). 5pp. 43902-049-43903-022.

8801050180 Rev 1 to 1000-PLN-1300.01, "Corporate Emergency Plan for TMI & Oyster Creek Nuclear Stations." General Public Utilities Corp. - GPU Service Corp. 87/12/22. 300pp. 43902-054-43903-022.

8712310189 Rev 3 to Emergency Plan Implementing Procedure 8415-IMP-1300.06, "Add'l Assistance & Notification." General Public Utilities Corp. - GPU Service Corp. 87/12/29. 34pp. 43918-353-43920-026.

8801060476 Rev 0 to Emergency Preparedness Administrative Procedure 8420-ADM-1300.03, "Emergency Action Level Basis & Cross-Ref." & Rev 3 to Emergency Plan Implementing Procedure 8415-IMP-1300.06, "Add'l Assistance & Notification." BROWN, N.H. General Public Utilities Corp. - GPU Service Corp. 87/12/29. 67pp. 43928-057-43928-123.

8801280037 Revised emergency plan implementing procedures, including Rev 4 to 8420-IMP-1300.02, "Emergency Direction" & Rev 2 to 8415-IMP-1300.16, "Contaminated Injuries." W/ revised table of contents. BROWN, N., MARSHALL, W.J., POTTS, W.E. General Public Utilities Corp. - GPU Service Corp. 88/01/15. 44pp. 44157-188-44157-242.

G. Adjudicatory correspondence

8801150033 Expresses opposition to disposal of 2.3 million gallons of radioactive water in environment. Authors unable to make statement at next pre-hearing conference in Lancaster or Harrisburg, PA due to travel plans. Served on 880112. KINTNER, F.J., KINTNER, R. Affiliation Not Assigned. #188 5327. 87/12/21. WOLFE, BRIGHT, PARIS Atomic Safety and Licensing Board Panel. 1p. 44033-264-44033-265.

8801060068 Opposes release of any radioactive contaminants. Release of radioactive vapor will continue to contaminate area & further seepage not warranted. Served on 880104. ARROW, A. Affiliation Not Assigned. #188 5273. 87/12/22. WOLFE, BRIGHT, PARIS Atomic Safety and Licensing Board Panel. 1p. 43909-206-43909-206.

8801150102 Advises that residents who live near plant strongly believe & actually frightened about unit releasing any radioactive contaminants into air. Served on 880112. Affiliation Not Assigned. #188 5328. 87/12/26. WOLFE, BRIGHT, PARIS Atomic Safety and Licensing Board Panel. 1p. 44033-250-44033-250.

8801190115 Discusses 871208 prehearing conference re admissibility of proposed contention. NRC remains opposed to admission of proposed contention for reasons set forth in NRC 871116 & 1203 responses, w/ exception of aspect re evaluation. LEWIS, S.H. Assistant General Counsel for Hearings. #188 5339. 87/12/29. WOLFE, S.J., BRIGHT, G.O., PARIS, O.H. Atomic Safety and Licensing Board Panel. 3pp. 44035-005-44035-007.

8801270298 Opposes plan to steam vent radioactive water from TMI. Local residents should not have to suffer any further health risks as result of unit negligence. Served on 880125. BROWN, J. Affiliation Not Assigned. #188 5411. 88/01/04. PARIS, BRIGHT Atomic Safety and Licensing Board Panel. 1p. 44126-260-44126-260.

8801130187 Memorandum & order (memorializing special prehearing conference ruling on contentions, scheduling). Susquehanna Valley Alliance & TMI Affiliated at party & Commonwealth of PA admitted as interested state. Served on 880108. WOLFE, S.J., PARIS, O.H., BRIGHT, G.O. Atomic Safety and Licensing Board Panel. #188 5311. 88/01/05. Susquehanna Valley Alliance, Lancaster, PA. 21pp. 43989-001-43989-028.

8801130193 Amends to supply to petition for leave to intervene for Susquehanna Valley Alliance (SVA) & TMI Affiliated (TMA). Contentions listed. SKOLNICK, F. Susquehanna Valley Alliance, Lancaster, PA. SKOLNICK, F. Three Mile Island Alert. 87/11/20. Atomic Safety and Licensing Board Panel. 7pp. 43989-028.

8801210153 Requests permission to make comments at hearing on disposal of water at TMI. Served on 880120. CANADI, J. Affiliation Not Assigned. #188 5374. 88/01/06. WOLFE, S.J. Atomic Safety and Licensing Board Panel. 1p. 44066-084-44066-084.

8801210170 Requests that author name be placed on list of individuals speaking at pre-hearing conference re deposition of accident-generated water at plant. Served on 880120. WICKSTROM, B.J. Affiliation Not Assigned. #188 5375. 88/01/12. Office of the Secretary of the Commission. 1p. 44066-129-44066-129.

8801200236 Advises that recipient direct discovery requests to Floss, Blake or author, per request for info re sys proposed to evaporate processed, accident-generated water at unit. Svc list encl. Related correspondence. BAXTER, T.A. General Public Utilities Corp. - GPU Service Corp. BAXTER, T.A. Sra. Pittman, Potts & Trowbridge. #188 5356. 88/01/15. SKOLNICK, F. Affiliation Not Assigned. 2pp. 44050-149-44050-150.

8801250398 Licensed objection to special prehearing conference order. Board requested to clarify 880105 order consistent w/ discussed description of Board jurisdiction & scope of proceeding w/ Certificate of Svc. BAXTER, T.A. General Public Utilities Corp. - GPU Service Corp. BAXTER, T.A. Sra. Pittman, Potts & Trowbridge. #188 5356. 88/01/19. Atomic Safety and Licensing Board Panel. 12pp. 44099-138-44099-147.

P. Operating license stage documents & correspondence

8712020006 Final response to FOIA request for records. App A documents encl. App A & B documents available in PDR. GRIMSLEY, D. Division of Rules & Records (Post 870413). 87/11/25. AUD, N.J. Affiliation Not Assigned. 6pp. 43992-102-43992-116.

8806280142 Discusses Vendor Program Branch issues re adequacy of shipping casks designed & built for shipping damaged TMI-2 core. Followup insp at cask fabricator will begin on 880621. Insp will focus on issues re NDE of cask. TRAVERS, W.D. TMI-2 Cleanup Project Directorate. 88/08/20. MIRAGLIA, F.J. Division of Pressurized Water Reactor Licensing - B (851125-870411). 3pp. 43932-109-43992-111.

8807180020 Summary of 880612 meeting w/ Nuclear Packaging, Inc., DOE, EQ & Idaho & TMI Cleanup Project Directorate in Bethesda, MD re clarification of concerns identified in Insp Rept 89901047/86-01 on 880505-08 re NOT of Model 125-B. ABBATE, C.M. Vendor Program Br. Div of QA, Vendor & Technical Training Center Programs. IE. 88/07/15. CRAIG, J.W. Vendor Program Br. Div of QA, Vendor & Technical Training Center Programs, IE. 4pp. 43992-113-43992-116.

8801040210 Requests approval for use of core bore machine for dismantling lower core support assembly during first phase of defueling concept. Ltr supercedes 871203 submittal. STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 87/12/28. Document Control Branch (Document Control Desk). 11pp. 43982-290-43982-300.

8801120188 Requests approval to modify lift height limit for installation of core bore machine on defueling work platform, due to incorporation of underwater tool changer w/ 18-inch spacer platform. Fee paid. STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 87/12/31. Document Control Branch (Document Control Desk). 3pp. 43987-334-43987-338.

8801200328 Approves proposed addition of spacer platform & mod of load height limit for handling core bore equipment above defueling work platform, per 871231 request. TRAVERS, W.D. TMI-2 Cleanup Project Directorate (870413-880201). 88/01/04. STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 1p. 44081-353-44081-353.

8801200014 Approves use of core bore machine to dismantle lower core support assembly contingent upon incorporating listed operating procedures. Safety evaluation encl. TRAVERS, W.D. TMI-2 Cleanup Project Directorate (870413-880201). 88/01/03. STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 1p. 44091-142-44091-146.

8801210052 Safety evaluation supporting w/ 871203 & 28 requests to use core bore machine to dismantle lower core support assembly. NRC - No Detailed Affiliation Given. 88/01/08. 4pp. 44091-143-44091-146.

8801140084 Partial response to FOIA request re MOU between NRC & Dept of Labor. Forwards App B documents. Apps A & B documents available in PDR App C documents totally withheld (re FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. BAUMAN, L. Government Accountability Project. 5pp. 44032-285-44032-358.

8801140115 Advises that meeting called to discuss Office of Inspector & Auditor review of agency handling of Parks allegations of discrimination at plant. FR notice, w/ all licensees, permittees, applicants & vendors encl. Comments due 840810. AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 84/07/31. LIEBERMAN, J. Office of the Executive Legal Director (Pre 880701). LEVIR, R. Office of the General Counsel. HAYES, B. Office of Investigations. 17pp. 44032-322-44032-338.

8801280113 Responds to 871210 ltr re NRC staffing levels & extension of cleanup schedule at TMI-2. NRC 871204 press release detailed permanent staffing & support plans. Advisory Panel on Decontamination of TMI-2 will be briefed at 880113 meeting. ZECH, L.W. Commissioners. 88/01/12. HEINZ, J. Senate. 1p. 44174-205-44174-207.

--8801280132 Expresses concern over recent NRC decision to reduce onsite staff during ongoing removal activities NRC failed to notify author of significant changes in cleanup activities Full explanation requested.
HEINZ, J. Senate. 8/7/12/10 ZECH, L. Commissioners. 2pp. 44174:206-44174:207.

8801270834 Forwards Rev 2 to "SER for Lower Core Support Assembly Defueling," for review Rev supersedes 871130 Rev 1 & 870206 Rev 0 Fee paid.
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44145:153-44145:180.

--8801270836 "SER for Lower Core Support Assembly Defueling."
TURNER, D.W., WELLS, KORDIN, P. General Public Utilities Corp. - GPU Service Corp. 88/01/15. 26pp. 44145:155-44145:180.

8801260276 Partial response to FOIA requests Forwards App A documents. Documents being placed in PDR Only files in NRC OIC of Governmental & Public Affairs searched for documents responsive to request, per 871028 telcon.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139:290-44139:334.

--8801260308 Submits listed questions re findings on TMI-2 cleanup allegations Chronology of crane statements, contentions & allegations encl.
MYERS, H. Affiliation Not Assigned. 84/02/16. KAMMERER, C. NRC - No Detailed Affiliation Given. 3pp. 44139:296-44139:298.

--8801260340 Comments on list of TMI integrity issues (II) re Item III-E of Koaten rept, per NRC request
MYERS, H. Affiliation Not Assigned. 84/02/21. KAMMERER, C. NRC - No Detailed Affiliation Given. 6pp. 44139:310-44139:315.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:184-44038:288.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

R. Periodic operating reports & related correspondence

8801130373 Submits TMI-2 Cleanup Project Directorate status rept for 871130-880103.
TRAVERS, W.D. TMI-2 Cleanup Project Directorate (870413-880201). 88/01/04. CRUTCHFIELD, D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 3pp. 44008:241-44008:243.

8801220236 Submits status rept re auxiliary & fuel handling bldg decontamination for Fourth Quarter 1987 in response to 840307 ltr request Update addresses areas where Tech Spec surveillances not performed due to ALARA considerations.
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 88/01/15. Document Control Branch (Document Control Desk). 2pp. 44159:174-44159:175.

S. Reportable occurrences, LERs & related correspondence

8801040569 LER 87-011-00, on 871123, Helon sys remained out of svc following completion of surveillance per Tech Spec 3.7.10.3 w/o continuance of fire watch. Caused by personnel error. Sys returned to svc & personnel counseled. W/871228 ltr.
DELL, C.J., STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 87/12/28. 6pp. 43963:230-43963:234.

U. Congressional/Executive Correspondence

8801260276 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR Only files in NRC OIC of Governmental & Public Affairs searched for documents responsive to request, per 871028 telcon.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139:290-44139:334.

--8801260466 Requests document obtained from OIC of Investigations which appears to be "punch list" ref to by W Marshall during 830512 discussion. Pages 33-35 of transcript of 830512 interview encl.
MYERS, H. House of Rep., Interior & Insular Affairs. 84/08/26. KAMMERER, C. NRC - No Detailed Affiliation Given. 5pp. 44139:320-44139:324.

--8801260518 Interprets Snyder statement during 850307 meeting that cause of change in NRC position re adherence to procedures due to new info provided by OIC of Investigations. Author requests to be informed if interpretation erroneous.
MYERS, H. Affiliation Not Assigned. 85/03/15. KAMMERER, C. NRC - No Detailed Affiliation Given. 1p. 44139:333-44139:333.

V. Operator Examinations

8801040223 Requests exemption from 10CFR55 re plant simulation facility & hourly requirements for maintaining active operator license. List of specific exemption requests from simulator training & conditions of licensees encl. Fee paid.
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 87/12/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 43962:340-43962:345.

8801040491 Forwards Rev 3 to 7821-PGD-2613, "TMI-2 Licensed Operator Requalification Training Program," & discusses intent to delete Rev 1 to 7821-PGD-2613. Initial training completed. Exemption request from 10CFR55 will be submitted Fee paid.
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 87/12/28. Document Control Branch (Document Control Desk). 3pp. 43962:301-43962:339.

--8801040496 Rev 3 to 7821-PGD-2613, "TMI-2 Licensed Operator Requalification Training Program."
COLEMAN, M.S., MILLA, A. General Public Utilities Corp. - GPU Service Corp. 87/12/14. 36pp. 43962:304-43962:339.

8801260276 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR Only files in NRC OIC of Governmental & Public Affairs searched for documents responsive to request, per 871028 telcon.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139:290-44139:334.

--8801260327 Comments on mail false statement associated w/stated person requalification exam, per NRC request List of TMI integrity issues (I) provided Author 830801 memo & comments re OIC of Investigations on mail false statements at plant encl.
MYERS, H. Affiliation Not Assigned. 84/02/20. KAMMERER, C. NRC - No Detailed Affiliation Given. 11pp. 44139:299-44139:308.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8712310165 Revised emergency plan implementing procedures including Rev 0 to 63EP-EIP-058-OS, "Emergency Call List," Rev 1 to 63EP-EIP-062-OS, "Operational Support Cir Activation" & Rev 1 to 63EP-EIP-063-OS. W/871221 ltr.
GUCWA, L.T. Georgia Power Co. 87/12/21. 170pp. 43998:001-43998:171.

8801270219 Responds to NRC 871218 ltr re violations noted in Insp Repts 50-321/87-30 & 50-368/87-30. Corrective actions: ltr drill & critique repts completed per Procedure 41FP-FPX01-0. Procedure revised to require completion of repts on time.
GUCWA, L.T. Georgia Power Co. 88/01/18. Document Control Branch (Document Control Desk). 12pp. 44169:003-44169:104.

8801260550 Revised emergency plan implementing procedures including Rev 0 to 63EP-EIP-07-OS, "Duties of Nuclear Security" & Rev 0 to 73EP-EIP-009-OS, "Nuclear Security Duties." W/880119 ltr.
GUCWA, L.T. Georgia Power Co. 88/01/10. 10pp. 44136:162-44136:161.

J. Insurance & Indemnity Information

8801070357 Forwards endorsements, including Endorsement 7 to MAELU Certificate M-75, Endorsement 7 to NELIA Certificate N-75, Endorsement 8 to MAELU Certificate M-66 & Endorsement 8 to NELIA Certificate N-66.
SANN, L.J. Marsh & McLennan, Inc. 87/12/30. DINI, Z.I. Office of Nuclear Reactor Regulation, Director (Post 870411). 95pp. 43938:165-43938:260.

8801270120 Forwards Endorsements 105 & 16 to NELIA Policies NF-215 & NF-302 & Endorsements 87 & 10 to MAELU Policies MF-78 & MF-129.
SANN, L.J. Marsh & McLennan, Inc. 88/01/12. DINI, Z.I. NRC - No Detailed Affiliation Given. 17pp. 44186:047-44186:063.

P. Operating license stage documents & correspondence

8712300126 Application for amend to License DPR-57 revising Tech Specs re surveillance requirements on MSIV full-stroke testing per ASME Code, Section XI Fee paid.
O'REILLY, J.P. Georgia Power Co. 87/12/21. Document Control Branch (Document Control Desk). 6pp. 43921:030-43921:038.

--8712300127 Proposed Tech Specs, modifying surveillance requirements for MSIV full-stroke testing per ASME Code XI.
* Georgia Power Co. 87/12/21. 2pp. 43921:035-43921:038.

8801040011 Forwards Amends 150 & 87 to Licenses DPR-7 & NPF-5, respectively & safety evaluation Amends modify Tech Specs to define linear heat average planar linear heat generation rate limits & ECCS surveillance requirements.
CROCKER, L.P. Project Directorate II-3. 87/12/21. O'REILLY, J.P. Georgia Power Co. 3pp. 43995:205-43995:239.

--8801040015 Amends 150 & 87 to Licenses DPR-57 & NPF-5, respectively, modifying Tech Specs to define linear average planar linear heat generation limits & ECCS surveillance requirements.
JABBOUR, K.N. Project Directorate II-3. 87/12/21. 28pp. 43995:207-43995:234.

--8801040019 Safety evaluation supporting Amends 150 & 87 to Licenses DPR-57 & NPF-5, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/21. 4pp. 43995:235-43995:239.

8801050006 Provides info re summary repts on plant startup & power escalation testing, per NRC request Results will be submitted if load test bundled effect test results or related consists of fire bundles w/different design.
GUCWA, L.T. Georgia Power Co. 87/12/29. Document Control Branch (Document Control Desk). 2pp. 43903:180-43903:191.

880105001 Forwards NPDES Permit GA 0004120, issued to Georgia Power Co, per ETS.

GUCWA, L.T. Georgia Power Co. 8/7/12/29. Document Control Branch (Document Control Desk). 4pp. 43898:349-43900:014.

-8801050091 NPDES Permit GA 0004120, issued to Georgia Power Co. LEDBETTER, J.L. Georgia. State of. 8/7/12/04. 21pp. 43899:353-43900:011.

-8801050108 "ETS Comparison of 1983 & 1987 NPDES Permits." Georgia Power Co. 8/7/12/29. 3pp. 43900:012-43900:014.

8801050578 Forwards "DCRDR Final Rept" dtd Nov 1987, consisting of engineering rept on 130 human engineering discrepancies not previously corrected at submittal of 881223 summary of DCRDR program Mods may change during program implementation. GUCWA, L.T. Georgia Power Co. 8/7/12/30. Document Control Branch (Document Control Desk). 2pp. 43915:003-43915:325.

-8801050584 "DCRDR Final Rept." Georgia Power Co. 8/7/11/30. 46pp. 43915:005-43915:325.

8801110479 Informs of petitioning of State of GA to revise NPDES Permit GA 0004120 reissued on 8/7/12/04. Deletion of stated discharge limitation from Part I & deletion of Part III, Section II requested. GUCWA, L.T. Georgia Power Co. 8/8/01/04. Document Control Branch (Document Control Desk). 2pp. 43986:210-43988:211.

8801200383 Responds to request for addl info re 871021 application to revise Tech Specs concerning fuel thermal limits & refueling operations. Revised pages of Unit 2 Tech Specs incorporating changes approved by Amend 87 encl. GUCWA, L.T. Georgia Power Co. 8/8/01/14. Document Control Branch (Document Control Desk). 4pp. 44107:011-44107:014.

8801260548 Forwards updated listings of outstanding licensing submittals that require NRC written response. Unit prepared to discuss mods to status repts. GUCWA, L.T. Georgia Power Co. 8/8/01/15. Document Control Branch (Document Control Desk). 6pp. 44125:114-44125:119.

8801290274 Forwards document re review of facilities, for info. FR biweekly notice dtd 880113, including notice of consideration of issuance of amendments to Licenses DPR-57 & NPF-5, on Pages 827 & 831 encl. Office of Nuclear Reactor Regulation, Director (Post 870411). 8/8/01/25. O'REILLY, J.P. Georgia Power Co. 18pp. 44180:243-44180:261.

G. Inspection reports, IE Bulletins & correspondence

8712180389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 8/7/12/22. Consolidated Edison Co. of New York, Inc. 12pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 8/7/12/23. Consolidated Edison Co. of New York, Inc. 12pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 8/7/12/28. Consolidated Edison Co. of New York, Inc. 12pp. 43995:138-43995:257.

8712290165 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 8/7/12/31. Consolidated Edison Co. of New York, Inc. 12pp. 43995:258-43996:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 8/7/12/31. Consolidated Edison Co. of New York, Inc. 12pp. 44038:164-44038:288.

8801120071 Ack receipt of 871215 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/87-27 & 50-368/87-27. COLLINS, D.M. Region 2, Oic of the Director. 8/7/12/31. O'REILLY, J.P. Georgia Power Co. 1p. 43986:357-43986:357.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Main MSIVs." Svc list encl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 8/8/01/11. Consolidated Edison Co. of New York, Inc. 12pp. 44038:041-44038:163.

8801200335 Confirms 871215 conversation re 880113 enforcement conference in Atlanta, GA to discuss findings in Insp Repts 50-321/86-35 & 50-366/86-35 Proposed agenda encl. GRACE, J.N. Region 2, Oic of the Director. 8/8/01/11. O'REILLY, J.P. Georgia Power Co. 3pp. 44058:099-44058:101.

8801270219 Responds to NRC 871218 ltr re violations noted in Insp Repts 50-321/87-30 & 50-368/87-30. Corrective actions fire drill & critique repts completed per Procedure 41FR-FPX01-0. Procedure revised to require completion of repts on time. GUCWA, L.T. Georgia Power Co. 8/8/01/18. Document Control Branch (Document Control Desk). 12pp. 44169:093-44169:104.

8801270365 Forwards response to 871106 NRC Bulletin 87-002, "Fasteners Testing to Determine Conformance w/Applicable Matl Specs." O'REILLY, J.P. Georgia Power Co. 8/8/01/18. Document Control Branch (Document Control Desk). 161pp. 44140:083-44140:243.

R. Periodic operating reports & related correspondence

8801210026 Monthly operating repts for Dec 1987. W/860113 ltr. BEARD, R.M. GUCWA, L.T. Georgia Power Co. 8/7/12/31. 13pp. 44133:045-44133:057.

S. Reportable occurrences, LERs & related correspondence

8801210065 LER 87-018 00: on 871214, main control room environ control sys is occurred due to false chlorine signal. Caused by surveillance procedure inadequacy. Procedure revised & chlorine detector replaced & recalibrated. W/8801 BAKER, R.D., GUCWA, L.T. Georgia Power Co. 8/8/01/13. 12pp. 44105:063-44105:075.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 8/8/01/12. BOSSONG, D.H. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Oic of the Director. 8/7/11/02. ROE, J. Division of LTR Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:168.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

8801210356 Expresses disappointment w/NRC decision to adopt rule change regarding of nuclear power plant w/o participation of state & local govts in emergency planning. Served on 871201. LACK, J.J., JOHNSON, O.H., LAVALLE, K.P. New York, State of. #188 4929. 871201. ZEGL, L.W. Commissioners. 2pp. 44092:167-44092:168.

8712280341 Forwards request for addl info in order for NRR to prepare for state regulatory effectiveness review. Info requested by 880331. MARTIN, T.T. Region 1, Oic of the Director. 8/7/12/17. LEONARD, J.D. Long Island Lighting Co. 6pp. 43893:040-43893:045.

8801270044 Forwards Safety Insp Rept 50-322/87-20 on 871024-1228. No violations noted. WIGGINS, J. Region 1, Oic of the Director. 8/8/01/19. LEONARD, J.D. Long Island Lighting Co. 4pp. 44141:098-44141:116.

-8801270063 Insp Rept 50-322/87-20 on 871024-1228. No violations noted. Areas inspected: plant operations, radiation protection, security, events, maintenance, surveillance, outage activities & repts to NRC. Unresolved item identified. BLOUGH, A.R. Region 1, Oic of the Director. 8/8/01/15. 13pp. 44141:103-44141:116.

8801280365 Forwards Rev 9 to unit local offsite radiological emergency plan, reflecting 10CFR50.47(c) "best efforts" regulations. W/o encl. LEONARD, J.D. Long Island Lighting Co. 8/8/01/22. Document Control Branch (Document Control Desk). 3pp. 44160:063-44160:065.

8801290051 Responds to NRC 871217 ltr objecting to one change in Rev 15 to 1.2.7 of security plan re possibility of neither shift security agent nor unit security supervisor being on site. Rev 16 to Section 1.2.7, Page 4 encl. Encl withheld. LEONARD, J.D. Long Island Lighting Co. 8/8/01/29. Division of Information Services (Post 870413). 2pp. 44171:359-44171:360.

G. Adjudicatory correspondence

8801040122 Govts motion for postponement of briefing & consideration of LILCO "realism" summary disposition motions pending issuance of board guidance requests that board rule quickly on motion. Certificate of Svc encl. LETSCHE, K.J. Suffolk County, NY. LETSCHE, K.J. Kirkpatrick & L. PALOMINO, F.G. New York, State of. #188 5227. 8/7/12/21. Atomic Safety and Licensing Board Panel. 10pp. 43888:164-43888:163.

8801040071 Responds to unit 871219 motion for immediate certification of completion of issues. Substantive nature of case does not warrant certification or expedited Certificate of Svc encl. ZAHNLEUTER, R.J. New York, State of. #188 5229. 8/7/12/22. ROSENTHAL, Atomic Safety and Licensing Appeal Panel. 5pp. 43887:074-43887:078.

8801040090 Forwards unit 871218 ltr requesting that offsite emergency preparedness exercise meeting Commission licensing requirements be scheduled as soon as possible. Unit request should be transmitted to FEMA w/Certificate of Svc. IRWIN, D.P. Long Island Lighting Co. IRWIN, D.P. Hutton & Williams. #188 5227. 12/22. Atomic Safety and Licensing Appeal Panel. 6pp. 43888:134-43888:139.

8801040102 NRC Staff expedited response to whether certain issues decided by 87-32 should be certified to Commission or heard by ASLAP on expedited schedule. Unit 871222 motion should be denied. Certificate of Svc encl. JOHNSON, K.E. Assistant General Counsel for Hearings. #188 5250. 8/7/12/22. Atomic Safety and Licensing Appeal Panel. 11pp. 43888:140-43888:150.

8801040068 Suffolk County, State of NY & town of Southampton motion for addl response to LILCO seven "realism" summary disposition motions. Extension days fully justified for stated reasons & should be granted. W/Certificate of Svc. LETSCHE, K.J. Suffolk County, NY. PALOMINO, F.G. New York, State of. LATHAM & Southamptn, NY. #188 5228. 8/7/12/23. Atomic Safety and Licensing Board Panel. 14pp. 43888:327-43888:340.

8801040090 Forwards Suffolk County & State of NY 871125 ltr & requests re BROWN, H.H. New York, State of. BROWN, H.H. Suffolk County, NY. BROWN, Kirkpatrick & Lockhart. #188 5233. 8/7/12/23. COTTER, P.B. Atomic Safety and Licensing Board Panel. 1p. 43887:079-43887:081.

- 8801060128 LILCO response to intervenor request for quarter of yr to answer LILCO 871218 filings. * Doubling of normal response period more than adequate to account for various factors cited by intervenors. Certificate of Svc encl. IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hunton & Williams. #188 5265. 87/12/24. Atomic Safety and Licensing Board Panel. 13pp. 43909:263-43909:275.
- 8801040074 Memorandum & order (ruling on govt motion for addl time to respond to LILCO "realism" summary disposition motions). * ASLB not inclined to grant request for response if NRC "rolling" schedule proposal adopted Served on 871230. GLEASON,J.P. Atomic Safety and Licensing Board Panel. #188 5243. 87/12/28. Suffolk County, NY. App. 43889:339-43889:342.
- 8801040084 Opposes motion for extension of time to respond to LILCO seven realism summary disposition motions Requests opportunity to provide views prior to ASLB final ruling on govt extension motion. LANPHER,L.C. Kirkpatrick & Lockhart. #188 5244. 87/12/28. GLEASON,J.P., KLINE,J.P., SHON,F.J. Atomic Safety and Licensing Board Panel. 1p. 43888:247-43888:248.
- 8801040095 NRC Staff response to intervenors motion for addl time to respond to LILCO seven "realism" summary disposition motions. * Motion should be granted. Certificate of Svc encl. JOHNSON,G.E. Assistant General Counsel for Hearings. #188 5256. 87/12/28. Atomic Safety and Licensing Board Panel. 5pp. 43888:294-43888:298.
- 8801040107 FEMA petition for leave to file memorandum in support of LILCO motion for immediate certification to Commission of issues presented by LBP-87-32 or for expedited briefing, argument & decision by Appeal. * Certificate of Svc encl. CUMMING,W.R. Federal Emergency Management Agency. #188 5239. 87/12/22. Atomic Safety and Licensing Appeal Panel. 8pp. 43888:123-43888:130.
- 8801040113 Motion to strike unauthorized pleading or, in alternative, answer to intervenors 871216 motion for summary rejection. * Motion should be denied on merits for listed reasons. Certificate of Svc encl. LEUGERS,M.J. Long Island Lighting Co. LEUGERS,M.J. Hunton & Williams. #188 5231. 87/12/28. Atomic Safety and Licensing Board Panel. 8pp. 43887:082-43887:089.
- 8801040094 Requests verbatim transcript be kept of all conference calls re hearing argument & reaching expedited decision on govt motion. LANPHER,L.C. Kirkpatrick & Lockhart. #188 5245. 87/12/29. GLEASON,J.P., KLINE,J.P., SHON,F.J. Atomic Safety and Licensing Board Panel. 2pp. 43888:292-43888:293.
- 8801080080 Requests substitution of AL Nardelli in place of M Gundrum at listed address on svc list. NARDELLI,L. New York, State of. #188 5266. 87/12/29. GLEASON,J.P. Atomic Safety and Licensing Board Panel. 1p. 43909:178-43909:178.
- 8801080111 Advises that if author has cognizable legal claim that appointment of Judge Gleason to replace Judge Margulies for plant proceeding prejudices clients, arguments may be presented to ASLB, per 871125 ltr. Served on 871231. COTTER,B.P. Atomic Safety and Licensing Board Panel. #188 5276. 87/12/29. BROWN,H.H. Kirkpatrick & Lockhart. 1p. 43900:179-43900:179.
- 8801080062 Requests that until 871218 request for full participation exercise be denied. Request grossly premature since many inadequacies in Rev 9 to plan remain & upcoming Rev 9 to plan requires thorough RAC review. LANPHER,L.C. Kirkpatrick & Lockhart. #188 5270. 87/12/30. Document Control Branch (Document Control Desk). 6pp. 43909:214-43909:219.
- 8801080113 Memorandum & order (ruling on applicant motion of 871022 for summary disposition of Contention 25.C, role conflict of school bus drivers). * Utl motion for summary disposition of Contention 25.C denied. Served on 871231. GLEASON,J.P. Atomic Safety and Licensing Board Panel. #188 5284. 87/12/30. Long Island Lighting Co. 7pp. 43909:097-43909:103.
- 8801060287 Suffolk County first set of interrogatories & request for production of documents to LILCO. * Definitions & instructions for answering interrogatories & document production & Certificate of Svc encl. MILLER,M.S. Suffolk County, NY. MILLER,M.S. Kirkpatrick & Lockhart. #188 5280. 88/01/04. Long Island Lighting Co. 23pp. 43900:138-43900:159.
- 8801060290 Suffolk County first set of interrogatories & request for production of documents to NRC Staff & FEMA. * Definitions & instructions for answering interrogatories & document production & Certificate of Svc encl. MILLER,M.S. Suffolk County, NY. MILLER,M.S. Kirkpatrick & Lockhart. #188 5281. 88/01/04. Office of the General Counsel. 16pp. 43909:160-43909:175.
- 8801060295 Notice of ASLB reconstitution. * CN Kohl, Chairman & AS Rosenthal & WR Johnson, members. Served on 880105. SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #188 5283. 88/01/04. 1p. 43909:261-43909:261.
- 8801060311 Informs that ASLB reconstituted for OL proceeding to consist of listed members of ASLB. ROSENTHAL,A.S. Atomic Safety and Licensing Appeal Panel. #188 5284. 88/01/04. Atomic Safety and Licensing Appeal Panel. 1p. 43909:177-43909:177.
- 8801130031 LILCO first set of interrogatories & requests for production of documents re role conflict of school bus drivers to Suffolk County & State of NY. * W/Certificate of Svc. Related Correspondence encl. LEUGERS,M. Long Island Lighting Co. LEUGERS,M. Hunton & Williams. #188 5301. 88/01/05. Atomic Safety and Licensing Board Panel. 13pp. 43989:253-43989:268.
- 8801130037 Advises that utl disagrees w/view expressed in Lanpher 871229 ltr that verbatim transcript of all telephone conferences among ASLB & parties essential. Operational considerations should dictate use of court reporter. IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hunton & Williams. #188 5300. 88/01/05. GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. 2pp. 43989:269-43989:270.
- 8801190036 NRC Staff motion for extension of time to file response to LILCO motion for summary disposition of hosp evacuation issue. * Extension of filing date to 880115 requested. Certificate of Svc encl. BACHMANN,R.G. Assistant General Counsel for Hearings. #188 5341. 88/01/05. Atomic Safety and Licensing Board Panel. 4pp. 44035:066-44035:069.
- 8801130044 Forwards fully executed CA Daverio 871223 affidavit per commitment in cover ltr to utl 871218 motion for immediate certification or expedited review of issues presented by LBP-87-32. IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hunton & Williams. #188 5206. 88/01/06. ROSENTHAL,A.S., WILBER,H.A. Atomic Safety and Licensing Appeal Panel. 1p. 43989:311-43989:318.
- ~8801130060 Affidavit of CA Daverio. * Advises that determination re need for addl full participation exercise far enough in advance of 880213 imperative to permit utl to make timely request for extension if needed & justified Certificate of Svc encl. DAVERIO,C.A. Long Island Lighting Co. 87/12/23. 7pp. 43989:312-43989:318.
- 8801130030 Memorandum & order re LILCO request for authorization to operate at 25% of full power. * Utl entitled to proceed w/ request. Intervenor entitled to have contentions heard. NRC directed to proceed w/review of request Served on 880111. GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. #188 5306. 88/01/07. 16pp. 43989:237-43989:252.
- 8801130050 Board order (Staff motion for extension of time on summary disposition of hosp evacuation issue). * ASLB grants Staff motion for 4-day extension to respond to utl motion for summary disposition of issue. Served on 880111. GLEASON,J.P. Atomic Safety and Licensing Board Panel. #188 5299. 88/01/07. 1p. 43989:325-43989:325.
- 8801190040 Forwards emergency planning contention re LILCO's new emergency broadcast sys proposal. Three comments on contention listed. MILLER,M.S. Kirkpatrick & Lockhart. #188 5340. 88/01/12. GLEASON,J.P., SHON,F.J., KLINE,J.R. Atomic Safety and Licensing Board Panel. 2pp. 44035:070-44035:084.
- ~8801190042 Emergency planning contention re LILCO new emergency broadcast sys proposal. * Certificate of Svc encl. MILLER,M.S. Kirkpatrick & Lockhart. 88/01/12. Atomic Safety and Licensing Board Panel. 13pp. 44035:072-44035:084.
- 8801190026 Notice of ASLB reconstitution. CN Kohl, chairman & AS Rosenthal & WR Johnson, members. Served on 880114. SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #188 5348. 88/01/13. 1p. 44035:093-44035:093.
- 8801200228 LILCO second set of interrogatories & requests for production of documents re role conflict of school bus drivers to Suffolk County & State of NY. * Certificate of Svc encl. Related correspondence. CHRISTMAN,J.N. Long Island Lighting Co. CHRISTMAN,J.N. Hunton & Williams. #188 5364. 88/01/13. Suffolk County, NY. 6pp. 44050:088-44050:093.
- 8801190027 Advises of 880104 reconstitution of ASLB for emergency planning phase of proceeding. CN Kohl, chairman & AS Rosenthal & WR Johnson, members. Related correspondence. ROSENTHAL,A.S. Atomic Safety and Licensing Appeal Panel. #188 5347. 88/01/13. Atomic Safety and Licensing Appeal Panel. 1p. 44035:094-44035:094.
- 8801200223 LILCO first set of interrogatories & requests for production of documents re role conflict of school bus drivers to town of Southampton. * Certificate of Svc encl. Related correspondence. CHRISTMAN,J.N. Long Island Lighting Co. CHRISTMAN,J.N. Hunton & Williams. #188 5365. 88/01/15. Southampton, NH. App. 44050:121-44050:124.
- 8801200273 Suffolk County, State of NY & town of Southampton response to LILCO motion for summary disposition of hosp evacuation issue. * Utl motion for summary disposition should be denied for listed reasons. MILLER,M.S. Suffolk County, NY. MILLER,M.S. Kirkpatrick & Lockhart. PALOMINO,F. New York, State of. #188 5368. 88/01/15. Atomic Safety and Licensing Board Panel. 4pp. 44050:167-44050:219.
- ~8801200281 Affidavit of MS Miller re proposed offsite emergency plan. Certificate of Svc encl. MILLER,M.S. Suffolk County, NY. MILLER,M.S. Kirkpatrick & Lockhart. 88/01/15. 8pp. 44050:211-44050:219.
- 8801210161 Response of govt to Board 871223 confirmatory memorandum & order. * Raf portions of govt's previous filings make clear that NRC use of word "may" in providing "guidance" to Boards appears to be quite deliberate. Certificate of Svc encl. LETSCHE,K.J. Suffolk County, NY. LETSCHE,K.J. Kirkpatrick & Lockhart. PALOMINO,F.G. New York, State of. #188 5372. 88/01/15. 9pp. 44068:087-44068:105.
- 8801210162 LILCO brief on meaning of word "may" in new emergency planning rule & applicability of new rule to App E. * Planning requirements of App E already been satisfied or will be satisfied by Rev 9 to plan. W/Certificate of Svc. CHRISTMAN,J.N. Long Island Lighting Co. CHRISTMAN,J.N. Hunton & Williams. #188 5373. 88/01/15. Atomic Safety and Licensing Board Panel. 12pp. 44068:085-44068:099.
- 8801250331 NRC Staff positions on matters raised in 871223 confirmatory order. * App E should be read in light of recent rule change & Commission intent in regulation to provide aids for utl plan when state or local govt fail to cooperate. JOHNSON,G.E. Assistant General Counsel for Hearings. #188 5403. 88/01/15. Atomic Safety and Licensing Board Panel. 10pp. 44100:135-44100:168.
- ~8801250344 NRC Staff response to LILCO motion for summary disposition re compliance w/10CFR50.47(c)(1)(i) & (ii). * LILCO demonstrated that no genuine issue as to fact exists mat to findings required by sections. Motion should be granted. JOHNSON,G.E. Assistant General Counsel for Hearings. 88/01/15. Atomic Safety and Licensing Board Panel. 5pp. 44100:145-44100:149.
- ~8801250356 NRC Staff response to LILCO motion for summary disposition of hosp evacuation issue. * Deficiencies in utl plan re hosp insignificant per 10CFR50.47(c)(1). Motion should be granted. BACHMANN,R.G. Assistant General Counsel for Hearings. 88/01/15. Atomic Safety and Licensing Board Panel. 15pp. 44100:150-44100:168.
- ~8801250365 Affidavit of T Urbanik. * Assumptions, speeds & methodology used in hosp evaluation time estimates in Rev 9 to utl plan correct. Estimates suitable for inclusion for use in making protective action recommendations W/Certificate of Svc. URBANIK,T. Office of the General Counsel. URBANIK,T. Texas A&M Univ., College Station, TX. 88/01/11. 4pp. 44100:165-44100:168.

86 DOCKETED ITEMS

- 8801210166 Appeal brief of LILCO on contentions EX 15 & 18. * Requests reconsideration of 871207 Partial Initial Decision LBP-87-32 holding that FEMA 860213 offsite emergency preparedness exercise not sufficient for full power OL.
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams. #188 5381. 88/01/19. Atomic Safety and Licensing Appeal Panel. 25pp. 44065.178.44066.083.
- 8801250311 Forwards Suffolk County, State of NY & town of Southampton response in opposition to LILCO motion for summary disposition of Contentions 1-10, per 10CFR50.47(c)(1)(i) & (ii).
LANPHER,L.C. Suffolk County, NY. LANPHER,L.C. New York, State of LANPHER,L.C. Southampton, NY. #188 5406. 88/01/19. GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. 1p. 44099.028.44099.125.
- 8801250322 Suffolk County, State of NY & town of Southampton response in opposition to LILCO motion for summary disposition of Contentions 1-10 per 10CFR50.47(c)(1)(i) & (ii). * Factual issues remain in dispute.
LANPHER,L.C. Suffolk County, NY. LANPHER,L.C. Kirkpatrick & Lockhart. PALOMINO,F.G. New York, State of. 88/01/18. Atomic Safety and Licensing Board Panel. 26pp. 44099.029.44099.054.
- 8801250335 Affidavit of LC Lanpher. * Submits related info to support contention that LILCO has not made isolated good faith effort to secure & retain participation of Suffolk County.
LANPHER,L.C. Suffolk County, NY. LANPHER,L.C. Kirkpatrick & Lockhart. 88/01/19. 13pp. 44099.055.44099.067.
- 8801250376 Affidavit of FR Jones. * Lists conduct supporting fact that will not make good faith to secure & retain participation of Suffolk County.
JONES,F.R. Suffolk County, NY. JONES,F.R. Islip, NY. 88/01/19. 35pp. 44099.088.44099.102.
- 8801250351 Affidavit of GJ Bliss. * Util refusal to pay property taxes during 1984 & first half of 1985 constituted severe injury to county. Related info encl.
BLASS,J. Suffolk County, NY. 88/01/19. 13pp. 44099.103.44099.115.
- 8801250385 Affidavit of FG Palomino. * Util had mail role in activities before federal govt by endeavoring to persuade govt to intercede in proceeding during 1984 & 1985. Certificate of Svc encl.
PALOMINO,F.G. New York, State of. 88/01/19. 10pp. 44099.116.44099.125.
- 8801250381 Suffolk County answers to LILCO first set of interrogatories & document requests re role conflict of school bus drivers. * Supporting documentation and W/ Certificate of Svc. Related correspondence.
TAYLOR,J.L. Suffolk County, NY. TAYLOR,J.L. Kirkpatrick & Lockhart. #188 5402. 88/01/19. Long Island Lighting Co. 27pp. 44099.148.44099.174.
- 8801270304 Response of State of NY to LILCO first set of interrogatories & requests for production of documents re role conflict of school bus drivers. * Certificate of Svc encl. Related correspondence.
ZAHNLEUTER,R.J. New York, State of. #188 5408. 88/01/19. Long Island Lighting Co. 20pp. 44126.200.44126.219.
- 8801250299 LILCO responses & objections to Suffolk County first set of interrogatories & request for production of documents. * Certificate of Svc encl. Related correspondence.
MATCHETT,S.D. Long Island Lighting Co. MATCHETT,S.D. Hutton & Williams. #188 5405. 88/01/20. Suffolk County, NY. 32pp. 44099.212.44099.243.
- 8801250308 Notice to participants in utl proceeding that all papers directed to WR JOHNSON should be mailed to listed address. Served on 880121.
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #188 5389. 88/01/20. 1p. 44099.267.44099.267.
- 8801250318 LILCO first set of requests for admissions re remand issue of role conflict of school bus drivers. * Changes to Westchester, Wayne & Oswego Counties emergency preparedness plans requested. W/Certificate of Svc. Related correspondence.
HARLOW,D.S. Long Island Lighting Co. #188 5404. 88/01/20. Suffolk County, NY. 7pp. 44100.125.44100.131.
- 8801270365 Advises that affidavits of FR Jones, GJ Bliss, FP Petrone & FG Palomino filed on 880119 w/ Suffolk County, State of NY & town of Southampton response in opposition to LILCO motion. Encl original signature pages being filed today.
LANPHER,L.C. Kirkpatrick & Lockhart. #188 5407. 88/01/20. GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. 5pp. 44126.010.44126.014.
- 8801270434 Govts motion for leave to file interlocutory appeal. * Util entitled to proceed w/request for 25% power operation under 10CFR50.57(c) & intervenors entitled to be heard on relevance of contentions to request W/Certificate of Svc.
LETSCHEK,K.J. Suffolk County, NY. KLINE,J.R. Kirkpatrick & Lockhart. PALOMINO,F.G. New York, State of. #188 5418. 88/01/21. Atomic Safety and Licensing Appeal Panel. 28pp. 44126.094.44126.137.
- 8801270315 State of NY first set of interrogatories & request for production of documents to NRC Staff & FEMA. * Certificate of Svc encl. Related correspondence.
ZAHNLEUTER,R.J. New York, State of. #188 5410. 88/01/22. Atomic Safety and Licensing Board Panel. 6pp. 44126.177.44126.182.
- 8801270316 LILCO response to ASLB 880107 order & request for expedition. * PSC of NY may begin pressuring utl through ratemaking process to drop facility w/o expedited action on motion Certificate of Svc encl.
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams. #188 5417. 88/01/22. Atomic Safety and Licensing Board Panel. 51pp. 44126.349.44127.039.
- 8801270320 State of NY first set of interrogatories & request for production of documents to LILCO. * Certificate of Svc encl. Related correspondence.
ZAHNLEUTER,R.J. New York, State of. #188 5416. 88/01/22. Atomic Safety and Licensing Board Panel. 13pp. 44126.336.44126.348.
- 8801270334 Govts comments in response to 880107 memorandum & order. * No advantages to any alternative "new forum" proposals contained in order. Certificate of Svc encl.
LETSCHEK,K.J. Suffolk County, NY. LETSCHEK,K.J. Kirkpatrick & Lockhart. PALOMINO,F.G. New York, State of. #188 5416. 88/01/22. Atomic Safety and Licensing Board Panel. 16pp. 44126.138.44126.153.
- 8801270342 Forwards text of actual rule of Commission emergency planning rules of plant rule changes do not allow plants to be licensed w/o adequacy of emergency planning measures.
CARRA,K.M. Commissioners. #188 5422. 88/01/25. GIRARDO,M.T. Attention: Not Signed. 44pp. 44126.271.44126.314.
- P. Operating license stage documents & correspondence**
- 8801210090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & list of expertise available for special insps & of current resource svcs.
FELTHOUS,R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/14. JOHNSON,E.H. Region 4, Ofc of the Director. 71pp. 43998.230.43998.330.
- 8801270114 Notification of 880204 meeting w/utl in Rockville, MD to brief staff on NRC emergency operating procedures rev effort.
BROWN,S. Project Directorate 1-2. 88/01/21. BUTLER,W.R. Project Directorate 12. 4pp. 44154.351.44154.354.
- 8801290052 Partial response to FOIA request for records re NRC rule amending 10CFR50.47(c)(1) & 10CFR50. App E re offsite emergency planning w/o state & local govt participation. Forwards App G documents. App F documents available in PGR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/28. BELMONT,R.R. Kirkpatrick & Lockhart. 5pp. 44177.014.44177.272.
- 8801270512 Responds to 870430 request for opinion on two aspects of LILCO request for NRC authorization to operate plant at 25% capacity. Util claims re increased power needs & continuing need to reduce dependence on foreign oil assessed.
ROSSI,C.E. Energy, Dept of. 87/05/23. VARGA,S.A. Division of Reactor Projects. 1/1 (Post 870411). 3pp. 44177.248.44177.250.
- Q. Inspection reports, IE Bulletins & correspondence**
- 8712160389 NRC Info Notice 87-064. "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001.44153.124.
- 8712170119 NRC Info Notice 87-065. "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008.44056.127.
- 8712230003 Suppl 1 to NRC Info Notice 87-028. "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 124pp. 43985.138.43985.257.
- 8712290155 NRC Info Notice 87-066. "Inappropriate Application of Commercial Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985.258.43986.018.
- 8712300091 NRC Info Notice 87-067. "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164.44038.286.
- 8801050394 Suppl 1 to NRC Info Notice 88-081. "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041.44038.163.
- 8801210083 Requests fee for 871123 application for exemption from 10CFR50.54(a) min property insurance requirements.
DIGGS,R.M. License Fee Management Branch. 88/01/15. LEONARD,J.D. Long Island Lighting Co. 1p. 44082.083.44082.093.
- 8801270044 Forwards Safety Insp Rept 50-322/87-20 on 871024-1228. No violations noted.
WIGGINS,J. Region 1, Ofc of the Director. 88/01/19. LEONARD,J.D. Long Island Lighting Co. 4pp. 44141.099.44141.115.
- 8801270063 Insp Rept 50-322/87-20 on 871024-1228. No violations noted. Major areas inspected: plant operations, radiation protection, security, plant events, maintenance, outage activities & repts to NRC. Unresolved item identified.
BLOUGH,A.R. Region 1, Ofc of the Director. 88/01/15. 13pp. 44141.103.44141.115.
- S. Reportable occurrences, LERs & related correspondence**
- 8712310094 Forwards LERs 87-033 & 87-034, per 10CFR50.73.
STEIGER,W.E. Long Island Lighting Co. 87/12/23. Document Control Branch (Document Control Desk). 1p. 43920.027.43920.035.
- 8712310047 LER 87-033-00 on 871130, discovered weekly liquid effluent samples required by Tech Specs discarded prior to monthly & quarterly analysis. Caused by personnel error. Technician received written reprimand.
GRUNSEICH,R.W. Long Island Lighting Co. 87/12/23. 4pp. 43920.028.43920.031.
- 8712310097 LER 87-034-00 on 871201, determined that calibr of main control room ventilation radiation monitors contrary to Tech Specs. Caused by misinterpretation of Tech Specs. Monitors declared inoperable until setpoints changed.
GRUNSEICH,R.W. Long Island Lighting Co. 87/12/23. 4pp. 43920.032.43920.036.
- 8801270631 LER 87-035-00 on 871221 & 880106, high energy line break logic of RWCU & main steam line drain valves 1G33*MOV-034 & 1B21*MOV-032 Initiated. Caused by improper grounding of 24 volt dc power supply. Grounding scheme changed. W/880120 ltr.
GRUNSEICH,R.W., STEIGER,W.E. Long Island Lighting Co. 88/01/20. 5pp. 44145.181.44145.185.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA. 87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensure Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

E. NRC Safety Evaluation Report (SER), suppl & correspondence

8801130089 Thirteenth partial response to FOIA request for documents re plant. Forwards App R documents. App R & S documents available in PDR & LPDR located in San Luis Obispo, CA. App T documents may be purchased from ANSI.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/29. GARDE, B.P. Government Accountability Project. 20pp. 44012:001-44012:251.

-8801130232 Forwards drafts of mail responding to SSER 21 allegations. Required review process complete.
HOCH, J.B. Pacific Gas & Electric Co. 84/01/12. Region 5, Ofc of the Director. 18pp. 44012:340-44012:357.

-8801130303 Requests that util evaluate & resolve issues re SSER 21, Allegations 92 & 93 & welding symbology. Written response documenting evaluations & findings, including reprints or corrective actions, required as soon as possible.
KIRSCH, D.F. NRC - No Detailed Affiliation Given. 84/02/08. HOCH, J.B. Pacific Gas & Electric Co. 15pp. 44013:001-44013:015.

F. Security, medical, emergency & fire protection plans

8801070193 Responds to 871125 ltr to NRC which enclosed request from D Reed for info on regulations that would require advance notification of tests to warning sys.
STELLO, V. Ofc of the Executive Director for Operations. 87/12/29. PANETTA, L.E. House of Rep. 6pp. 43945:336-43945:343.

-8801070195 Forwards D Reed request for info on any regulations that would require advance notification of tests to warning sys. NRC should review encl & respond to Reed questions.
PANETTA, L.E. House of Rep. 87/11/25. Commissioners. 2pp. 43945:342-43945:343.

G. Adjudicatory correspondence

8801200438 Diablo Canyon intervention request by Mothers for Peace. * Forwards Mothers for Peace 880207 petition for leave to intervene. Encl document has not been received by ASLB & Docketing & Svc Branch. Served on 880303.
MCQUINN, H.J. Office of the Executive Legal Director (Pre 860701). 86/02/28. CLEMENTS, W.T. Docketing & Services Branch. 1p. 44091:083-44091:085.

-8801200446 Diablo Canyon license amend to rerack spent fuel pools. * Request for hearing & petition for leave to intervene in consideration of issuance of amendments to Licenses DPR-80 & DPR-82 re spent fuel pool reracking.
SILVER, S.A. San Luis Obispo Mothers for Peace. 86/02/07. Commissioners. 2pp. 44091:084-44091:085.

8801200415 Mothers for Peace amend to petition for leave to intervene. * Forwards sworn statement re N Culver authorizing Mothers for Peace to act on her behalf in NRC proceedings re util application re spent fuel storage. W/o statement served on 880325.
SILVER, S.A. Friends Peace Exchange (formerly Mothers for Peace). 86/03/17. Atomic Safety and Licensing Board Panel. 1p. 44091:133-44091:133.

8801040266 Notifies of new address.
MCGONAGILL, B. San Luis Obispo, CA. #188 5232. 87/12/08. NRC - No Detailed Affiliation Given. 1p. 43887:134-43887:134.

H. General correspondence

8801200338 Forwards JA vonRuden ltr providing requisite authorization for Santa Lucia Chapter of Sierra Club to act in vonRuden behalf in proceedings before NRC re petition per 860303 petition for leave to intervene. Served on 880318.
FERGUSON, R.B. Sierra Club. 88/02/10. Docketing & Services Branch. 1p. 44091:100-44091:102.

-8801200342 Advises that author requested Santa Lucia Chapter of Sierra Club to request hearing on reracking proposal & to petition for leave to intervene in hearing.
VONRUDEN, J.A. Sierra Club. 86/03/17. MCQUINN, H.J. Office of the Executive Legal Director (Pre 860701). 2pp. 44091:101-44091:102.

8801200310 Urges Commission to deny any request for another hearing re spent fuel storage on site. Citizens for Adequate Energy supports PG&E request for permission to store spent fuel in spent fuel storage pools on site. Served on 880310.
GIBSON, J.C. Citizens for Adequate Energy. 86/03/03. PALLADINO, N. Commissioners. 1p. 44081:352-44081:352.

8801070193 Responds to 871125 ltr to NRC which enclosed request from D Reed for info on regulations that would require advance notification of tests to warning sys.
STELLO, V. Ofc of the Executive Director for Operations. 87/12/29. PANETTA, L.E. House of Rep. 6pp. 43945:336-43945:343.

-8801070195 Forwards D Reed request for info on any regulations that would require advance notification of tests to warning sys. NRC should review encl & respond to Reed questions.
PANETTA, L.E. House of Rep. 87/11/26. Commissioners. 2pp. 43945:342-43945:343.

O. Advisory Committee on Reactor Safeguards reports & correspondence

8801270259 Summary of ACRS DHR Sys Subcommittee 871117 meeting in Washington, DC re util decision not to install dedicated blowdown sys at Davis Besse & implications of Diablo Canyon loss of shutdown cooling event. Viewgraphs encl.
* ACRS - Advisory Committee on Reactor Safeguards. 87/12/15. ACRS - Advisory Committee on Reactor Safeguards. 18pp. 44155:118-44155:135.

P. Operating license stage documents & correspondence

8801070208 FOIA request for documents re encls to 871015 ltr to util transmitting suppl to safety evaluation & environ assessment.
GRABER, L. NUS Corp. 87/12/14. Division of Rules & Records (Post 870413). 1p. 43946:031-43946:031.

880120090 Forwards info re Resource Technol Svcs, Inc. including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUSE, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801050675 Forwards long-term seismic program - probabilistic risk assessment front-line sys analyses & top events in response to requests from NRC during NRC/util 871102-06 workshops on fragility evaluation & soil structure interaction.
SHIFFER, J.D. Pacific Gas & Electric Co. 87/12/22. Document Control Branch (Document Control Desk). 600pp. 43911:040-43912:295.

8801130089 Thirteenth partial response to FOIA request for documents re plant. Forwards App R documents. App R & S documents available in PDR & LPDR located in San Luis Obispo, CA. App T documents may be purchased from ANSI.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/29. GARDE, B.P. Government Accountability Project. 20pp. 44012:001-44012:278.

-8801130137 Rev 0 to W-606, "Procedure for Operating Nuclear Plant Mod"
* Pacific Gas & Electric Co. 82/05/07. 13pp. 44012:085-44012:107.

-8801130147 Procedure Change Notices 1-13 to Rev 1 to QCP-17, "Quality Procedure for Initiation of Work."
* Howard P. Foley Co. 83/11/08. 48pp. 44012:108-44012:155.

-8801130159 Procedure Change Notice 1 to Rev 1 to HPF-E2, "Procedure for Installation & Documentation of Fire Alarms, Cardox Sys, Deluge Sys & Smoke Detectors," revising conduit installation Related Info encl.
* Howard P. Foley Co. 83/04/08. 35pp. 44012:156-44012:190.

-8801130165 Rev 0 to Project Instruction PI-11, Plant Mod Follower."
* Pacific Gas & Electric Co. 82/07/20. 8pp. 44012:191-44012:199.

-8801130169 Rev 2 to Procedure III-B, "Procedure for Operating Nuclear Plant Mod (Quality)."
* Pacific Gas & Electric Co. 83/11/02. 21pp. 44012:200-44012:220.

-8801130191 Rev 3 to Design Criteria Memo C-15, "Design Criteria for Seismic Review of Class 1E Electrical Raceway Supports at Diablo Canyon Power Plant."
YAN, M.K., MCCALL, J.K., BETTINGER, R.V. Pacific Gas & Electric Co. 83/03/23. 37pp. 44012:285-44012:321.

-8801130210 Requests that Ofc of Investigation follow up on allegation of falsification of welder certifications at plant Arrangements for standin alleged to be made through R Barry. No details available from C. Nibberger at present.
MENDONCA, A.M. NRC - No Detailed Affiliation Given. 83/10/08. KIRSCH, D.F. NRC - No Detailed Affiliation Given. 4pp. 44012:322-44012:332.

-8801130222 Rev 1 to Instruction I-28, "Temporary Instructions for Review of Welds Associated w/Pipe Attachments on PG&E Code Class B, C, E & G."
* Pacific Gas & Electric Co. 83/09/14. 3pp. 44012:333-44012:335.

-8801130257 Submits design & const status of Design Change Notice DCO-EE-448 re control room ventilation & pressurization sys. Design & const complete. Repair, testing activities & resolution scheduled to be completed by 840215.
SCHUYLER, J.O. Pacific Gas & Electric Co. 84/02/07. MARTIN, J.B. Region 5, Ofc of the Director. 1p. 44012:360-44012:360.

8801070205 Notification of 880108 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analyt area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801190153 Forwards exemption from requirements of 10CFR20, App A in response to 860715 suppl to 860418 application. Exemption allows use of radiolodine protection factor of 50 for Mine Safety Appliances GMR-I canisters at both units.
TRAMMELL, C.M. Division of Reactor Projects - III, IV & Special Projects (Post 870411). 88/01/04. SHIFFER, J.D. Pacific Gas & Electric Co. 3pp. 44053:011-44053:022.

-8801190161 Exemption from requirements of 10CFR20, App A re use of radiolodine protection factor of 50 for Mine Safety Appliances GMR-I canisters at both units.
CRUTCHFIELD, D. Division of Reactor Projects - III, IV & Special Projects (Post 870411). 88/01/04. 9pp. 44053:014-44053:022.

8801070286 Partial response to FOIA request for documents re 871015 ltr to licensee transmitting suppl to safety evaluation & environ assessment.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/05. GRABER, L. NUS Corp. 2pp. 43946:032-43946:048.

8801250429 Forwards Amends 27 & 28 to Licenses DPR-80 & DPR-82, respectively & safety evaluation Amends revise limiting conditions for operation of pressurizer PORVs & clarify requirements for startup tests.
TRAMMELL, C.M. Project Directorate V. 88/01/05. SHIFFER, J.D. Pacific Gas & Electric Co. 4pp. 44116:090-44116:108.

ing conditions for operation of pressurized PORVs & clarifying requirements for start-up reports.
KNIGHTON, G.W. Project Directorate V, 88/01/05, 10pp. 44116:094-44116:103.

-8801250450 Safety evaluation supporting Amends 27 & 28 to Licenses DPR-80 & DPR-82, respectively.
Office of Nuclear Reactor Regulation, Director (Post 870411), 88/01/05, 3pp. 44116:104-44116:108.

8801210194 Partial response to FOIA request. App G documents already available in PDR. App H documents, re INPO accreditation training, encl & available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413), 88/01/19, BOLEY, K. Public Citizen's Critical Mass Energy Project. App. 44095:001-44095:022.

-8801210237 Repts on NRC 851118-22 observation of INPO Accreditation Team evaluation of utility training programs for reactor operators, senior reactor operators, nonlicensed operators & shift technical advisors.
MORISSEAU, D.S. Office of Nuclear Reactor Regulation, Director (pre-851125). CREWS, J.L. Region 5, Ofc of the Director. 88/01/08. BOOHER, H.R. Office of Nuclear Reactor Regulation, Director (pre-851125). FAULKENBERRY, B. Region 5, Ofc of the Director. App. 44095:028-44095:029.

8801260492 Withdraws 871030 License Amend Request 87-09. Implementation of any add actions together w/ completion of NRC approvals could not be accomplished prior to next Unit 1 refueling outage, scheduled to begin early Mar 1988.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/19, Document Control Branch (Document Control Desk), 2pp. 44136:176-44136:177.

8801270024 Forwards util response to NRC request for consideration of add items re removal of RHR autoclosure interlock function, per 871208 meeting. Util will complete procedural commitments in encl prior to startup following removal of RHR function.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/19, Document Control Branch (Document Control Desk), 3pp. 44142:146-44142:148.

8801270135 Informs of recent organizational change within Div of Reactor Projects. H Flood assigned as NRR project manager. T Chan will serve as backup project manager. Listed telephone numbers will be effective 880201.
KNIGHTON, G.W. Division of Reactor Projects - III, IV & Special Projects (Post 870411), 88/01/20, SHIFFER, J.D. Pacific Gas & Electric Co. 3pp. 44154:343-44154:345.

8801280523 Fourteenth partial response to FOIA request for documents on allegations re plant operation. Encl App U & V documents also available in PDR & LPDR located in San Luis Obispo, CA. App V documents partially withheld (ref FOIA Exemption 6).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413), 88/01/22, GARDE, B.P. Government Accountability Project. App. 44136:001-44136:238.

8801270013 Forwards License Amend Request 88-02 for Licenses DPR-80 & DPR-82, changing frequency of main turbine valves stroke testing from weekly to quarterly & of direct observation of valve movement from every 31 days to quarterly. Fee paid.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/22, Document Control Branch (Document Control Desk), 2pp. 44137:290-44137:303.

-8801270016 License Amend Request 88-02 for Licenses DPR-80 & DPR-82, changing frequency of main turbine valves stroke testing from weekly to quarterly & of direct observation of valve movement from every 31 days to quarterly.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/22, 9pp. 44137:282-44137:300.

-8801270018 Proposed Tech Specs changing frequency of main turbine valves stroke testing from weekly to quarterly & of direct observation of valve movement from every 31 days to quarterly.
Pacific Gas & Electric Co. 88/01/22, 3pp. 44137:301-44137:303.

8801270021 Forwards application for amend to Licenses DPR-80 & DPR-82, consisting of Amend Request 88-01, revising Tech Specs 3/4.9.8.1 & 4.9.8.2 to reduce required RHR flowrate in Mode 6 & 3.4.1.4.2 re RHR pump deenergization in Mode 5. Fee paid.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/22, Document Control Branch (Document Control Desk), 2pp. 44137:342-44137:358.

-8801270027 Application for amends to Licenses DPR-80 & DPR-82, consisting of Amend Request 88-01, revising Tech Specs 3/4.9.8.1, 4.9.8.2 & Bases 3/4.9.8 to reduce required RHR flowrate in Mode 6 & 3.4.1.4.2 re RHR pump deenergization.
SHIFFER, J.D. Pacific Gas & Electric Co. 88/01/22, 7pp. 44137:344-44137:353.

-8801270043 Proposed Tech Specs 3/4.9.8.1, 4.9.8.2 & Bases 3/4.9.8, reducing required RHR sys flowrate during Mode 6 operation & 3.4.1.4.2, ensuring RHR pump cannot be deenergized for 1 h in Mode 5 unless reactor vessel water level above flange.
Pacific Gas & Electric Co. 88/01/22, 6pp. 44137:354-44137:359.

8801270176 Ninth partial response to FOIA request for documents re SSER 26, NUREG-0675. Forwards App R documents. App U & App R documents available in PDR. App S & T documents partially & totally withheld (ref FOIA Exemptions 6 & 7).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413), 88/01/22, DEVINE, G. Government Accountability Project. 7pp. 44154:001-44154:310.

-8801270287 Forwards description of contractor record turnover program & results. Partially withheld related documents encl.
SCHUYLER, J.O. Pacific Gas & Electric Co. 84/06/11, MARTIN, J.B. Region 5, Ofc of the Director, 250pp. 44154:040-44154:301.

-8801270338 Summarizes 840319 meeting re Allegation RV-84-A-0043 concerning circumvention of QC procedures & intimidation & threats. Ltr to allegers discussing panel recommendations.
DODDS, B. Region 6, Ofc of the Director. 84/03/21, Region 5, Ofc of the Director, 1p. 44154:302-44154:302.

-8801270422 Partially withheld ltr re Allegation RV-84-A-0043 concerning circumvention of QC procedures. Inquiry initiated.
BISHOP, T.W. Region 1, Ofc of the Director. 83/03/21, Affiliation Not Assigned, 1p. 44154:304-44154:304.

-8801270436 Partially withheld ltr re 840308 meeting concerning Allegation RV-84-A-0043 on circumvention of QC procedures. Inquiry initiated. Intimidation concern referred to Ofc of Investigation.
BISHOP, T.W. Region 6, Ofc of the Director. 83/03/21, Affiliation Not Assigned, 1p. 44154:305-44154:305.

-8801270439 Partially withheld ltr re meeting concerning Allegation RV-84-A-0037 re discharge from Bechtel work force at plant. Partially withheld related documents encl.
SCARANO, R.A. Region 5, Ofc of the Director. 84/03/23, Affiliation Not Assigned, 6pp. 44154:306-44154:310.

Q. Inspection reports, IE Bulletins & correspondence

8712310193 Forwards Insp Repts 50-275/87-40 & 50-323/87-40 on 871112 & 16-20. No violations or deviations noted.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/15, SHIFFER, J.D. Pacific Gas & Electric Co. 2pp. 43918:345-43918:352.

-8712310197 Insp Repts 50-275/87-40 & 50-323/87-41 on 871112 & 16-20. No violations or deviations noted. Major areas inspected: vital plant areas & equipment & followup of enforcement & open items.
BURDION, J.F., MENDONCA, M.M. Region 5, Ofc of the Director. 87/12/11, 6pp. 43918:347-43918:352.

8712310186 Forwards Chemistry Team Insp Repts 50-275/87-24 & 50-323/87-24 on 871014-21. No violations noted.
SCARANO, R.A. Region 5, Ofc of the Director. 87/12/18, SHIFFER, J.D. Pacific Gas & Electric Co. 2pp. 43920:159-43920:214.

-8712310191 Insp Repts 50-275/87-24 & 50-323/87-24 on 871014-21. No violations or deviations noted. Major areas inspected: plant chemistry, including organization, mgmt, QA, training & qualifications, water chemistry control & facilities.
NORTH, H.S. Region 5, Ofc of the Director. ZIBULSKY, H. Region 1, Ofc of the Director. ROSS, W.J. Region 2, Ofc of the Director. 87/12/15, 52pp. 43920:161-43920:214.

8712180369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 87/12/22, Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 87/12/23, Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 87/12/26, Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801130025 Forwards Insp Repts 50-275/87-38 & 50-323/87-38 on 871004-1114 & notices of violation & deviation.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/28, SHIFFER, J.D. Pacific Gas & Electric Co. 2pp. 44044:013-44044:054.

-8801130034 Notice of violation from Insp on 871004-1114. Violation noted: RCS leakage detection surveillance program did not include acceptance criteria for operation of containment fan cooler collection monitoring sys.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/28, 1p. 44044:015-44044:015.

-8801130036 Notice of deviation from Insp on 871004-1114. Deviation noted: spent fuel pool area monitor RE-58 & new fuel storage area monitor, RE-59, both installed in April 1985, not recorded in control room radiation monitoring racks.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/28, 1p. 44044:016-44044:016.

-8801130038 Insp Repts 50-275/87-38 & 50-323/87-38 on 871004-1114. Violation & deviation noted. Major areas inspected: plant operations, maint & surveillance activities & followup of onsite events, open items & LERs.
PADOVAN, L.M., JOHNSTON, K.E., NARBUT, P.P. Region 5, Ofc of the Director. 87/12/24, 38pp. 44044:017-44044:054.

8801130089 Thirteenth partial response to FOIA request for documents re plant. Forwards App R documents. App R & S documents available in PDR & LPDR located in San Luis Obispo, CA. App T documents may be purchased from ANSI.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413), 87/12/29, GARDE, B.P. Government Accountability Project. 20pp. 44012:001-44012:251.

-8801130102 Rev 2 to "Procedure for Establishing Acceptance Criteria for Anchor Installations, Diablo Canyon Power Plant."
NIEMI, T.E. Kellogg Co. 78/12/10, 15pp. 44012:023-44012:038.

-8801130122 Rev 1 to Procedure QAI-98, "Procedure for Insp of Existing Concrete Expansion Anchors in Hanger Installations."
Pacific Gas & Electric Co. 77/02/14, 16pp. 44012:077-44012:092.

-8801130411 Forwards info re circumstances surrounding documentation of insp of 1977 Nuclear Svcs Corp audit of Pullman Power Products Co., including draft Insp Repts 50-275/83-37 & 50-323/83-25. Related info also encl.
DICKS, W.J. Ofc of the Executive Director for Operations. 84/03/01, Commissioners. 3,800pp. 44013:055-44027:278.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 87/12/31, Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of License Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411), 87/12/31, Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801060096 Forwards corrected App A notice of violations encl w/871221 memo. Word "draft" should have been deleted from top of page.
PATE, R.J. Region 5, Ofc of the Director. 87/12/31, SHIFFER, J.D. Pacific Gas & Electric Co. 1p. 43960:237-43960:239.

--880110180 Corrected notice of violation from insp on 881215-19. Violation noted: qualification documentation for Limitorque motorized valve actuators did not establish similarity between installed actuator & actuator tested.
PATE,R.J. Region 5, O/c of the Director. 87/12/21. 2pp. 43960:238-43960:239.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801210259 Requests addl time to provide final rpt on completed test program re IE Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Mail Specs." Rpt will be submitted by end of Mar 1988.
SHIFFER,J.D. Pacific Gas & Electric Co. 88/01/15. Document Control Branch (Document Control Desk). 1p. 44088:068-44088:068.

8801260558 Responds to NRC 871221 ltr re violations noted in Insp Repts 50-275/80-33 & 50-323/88-31. Corrective actions:grease reliefs on gear housings of three Limitorque valve operators inside Unit 2 containment installed.
SHIFFER,J.D. Pacific Gas & Electric Co. 88/01/20. Document Control Branch (Document Control Desk). 6pp. 44136:138-44136:143.

R. Periodic operating reports & related correspondence

8801270081 "Report on Discharge Monitoring at Diablo Canyon Power Plant," for Dec 1987. W/880120 ltr.
TOWNSEND,J.D. Pacific Gas & Electric Co. 87/12/31. LEONARD,W. California, State of. 46pp. 44189:289-44189:334.

8801270131 Monthly operating reports for Dec 1987. W/870115 ltr.
HUG,M.T., BEDESEMP., TOWNSEND,J.D. Pacific Gas & Electric Co. 87/12/31. 11pp. 44141:128-44141:138.

S. Reportable occurrences, LERs & related correspondence

8801270275 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl. LANNING,W. Events Assessment Branch. 88/01/15. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 16pp. 44155:136-44155:151.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

--8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, O/c of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:169-44119:168.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8801110195 Rev 4 to Plant Emergency Procedure PEP-03.8.2, "Personnel Accountability." W/871223 ltr.
SMITH,J., DIETZ,C.R. Carolina Power & Light Co. 87/12/23. GRACE,J.N. Region 2, O/c of the Director. 8pp. 44008:079-44008:087.

8801140155 Forwards proprietary "Brunswick Steam Electric Plant Probabilistic Fire Analysis" & "Fire Risk Analysis," for review & approval. Affidavit encl. Repts withheld (re 10CFR2.790).
ZIMMERMAN,S.R. Carolina Power & Light Co. 88/01/04. Document Control Branch (Document Control Desk). 6pp. 44011:085-44011:090.

880150299 Rev 24 to Vol XIII, Book 1 to radiological emergency response plan, including revised effective page listing. Figure 1.1-6, "1980 Population Totals," Page 4-16 & Figure 4.4-2, "Evacuation Versus Shelter Decision Tree." W/880104 ltr.
SMITH,J., DIETZ,C.R. Carolina Power & Light Co. 88/01/04. GRACE,J.N. Region 2, O/c of the Director. 11pp. 44041:112-44041:122.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS,R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18. JOHNSON,E.H. Region 4, O/c of the Director. 71pp. 43989:230-43989:300.

8801070324 Informs of necessary change to CRDR corrective action implementation schedule. Installation of guard rail not completed due to unavailability of guard rail brackets. Installation to be completed during Jan & Nov 1988 outages.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 1p. 43991:195-43991:185.

8801070498 Requests NRC review & investigation of mail presented in 871210 meeting re util plans for evaluation & mitigation of flawed reactor recirculation outlet nozzle-to-safe end weldments. Presentation mail used for meeting encl. Fee paid.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 38pp. 44008:029-44008:092.

--8801070511 Presentation to NRC on mechanical stress improvement process for reactor nozzles.
* Carolina Power & Light Co. * O'Donnell & Associates, Inc. 87/12/31. 34pp. 44008:033-44008:092.

8801140293 Forwards Amends 116 & 142 to Licenses DPR-71 & DPR 62 & safety evaluation Amends revise Tech Specs to ensure that required surveillance testing of mechanical pumps identified W/o encls.
SYLVESTER,E.D. Project Directorate II-1. 87/12/30. UTLEY,E.E. Carolina Power & Light Co. 4pp. 44033:002-44033:005.

8801130247 Forwards addl info addressing NRC 871203 concerns re util 870313 application for amends to Licenses DPR-71 & DPR-62, revising Tech Spec 3/4.4.1.2, "Jet Pumps."
ZIMMERMAN,S.R. Carolina Power & Light Co. 88/01/06. Document Control Branch (Document Control Desk). 5pp. 44000:248-44000:260.

8801200268 Forwards environ assessment & finding of no significant impact re 870805 request for exemption from 10CFR50 App J, Paragraph II.A.3, for info.
SYLVESTER,E.D. Project Directorate II-1. 88/01/14. UTLEY,E.E. Carolina Power & Light Co. 2pp. 44068:317-44068:323.

--8801200275 Environ assessment & finding of no significant impact supporting issuance of exemption from 10CFR50 App J re containment integrated leak rate tests & to allow calculations to be performed using mass-point method.
BUCKLEY,B.C. Project Directorate I-4. 88/01/14. 5pp. 44068:319-44068:323.

8801260440 Informs of change in SPDS operability implementation schedule. Unit 1 sys will be operable 6 months earlier than currently scheduled & Unit 2 sys will be operable on 881216.
ZIMMERMAN,S.R. Carolina Power & Light Co. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44130:190-44130:191.

8801260681 Forwards environ assessment & finding of no significant impact re 870817 application for exemption from 10CFR50.62(c)(4) requirements re min low capacity & boron concentration for liquid standby control sys.
SYLVESTER,E.D. Project Directorate II-1. 88/01/22. UTLEY,E.E. Carolina Power & Light Co. 1p. 44173:199-44173:204.

--8801280684 Environ assessment & finding of no significant impact re util 870817 request for exemption from 10CFR50.62(c)(4) on injection rate for sodium pentaborate solution in standby liquid control sys. EIS unwarranted.
ADENSAME,E.G. Project Directorate II-1. 88/01/25. 5pp. 44173:200-44173:204.

Q. Inspection reports, IE Bulletins & correspondence

8712180389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8801040123 Ack receipt of 871125 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-324/87-35 & 50-325/87-31.
VERRELLI,D.M. Region 2, O/c of the Director. 87/12/23. UTLEY,E.E. Carolina Power & Light Co. 1p. 43963:060-43963:060.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43985:138-43985:267.

8801050136 Forwards responses to requests for addl info re inservice insp program for welds on 870804 & 0819. Info presented in form of component lists & isometric drawings. Response to 870403 requests for addl info considered complete.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/12/28. Document Control Branch (Document Control Desk). 400pp. 43900:316-43900:203.

8801120001 Forwards Insp Repts 50-324/87-40 & 50-325/87-39 on 871101-30 & notice of violation Attention invited to unresolved items identified in rept.
VERRELLI,D.M. Region 2, O/c of the Director. 87/12/28. UTLEY,E.E. Carolina Power & Light Co. 2pp. 44046:287-44046:302.

--8801120002 Notice of violation from Insp on 871101-30. Violation noted: written procedures to adjust instruments to maintain accuracy not implemented.
VERRELLI,D.M. Region 2, O/c of the Director. 87/12/29. 1p. 44046:289-44046:289.

--8801120003 Safety Insp Repts 50-324/87-40 & 50-325/87-39 on 871101-30. Violation noted. Major areas inspected: maint observation, surveillance observation, operational safety verification & Compliance Bulletin 87-02.
RULAND,W.H., GARNER,L.W., FREDRICKSON,P. Region 2, O/c of the Director. 87/12/24. 13pp. 44046:290-44046:302.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985:258-43985:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801200285 Responds to violations noted in Insp Repts 50-324/87-38 & 50-325/87-39. Corrective actions: Periodic Test Procedure 08.2.2b revised & approved & appropriate plant administrative procedure will be implemented.
DIETZ,C.R. Carolina Power & Light Co. 88/01/08. Document Control Branch (Document Control Desk). 3pp. 44059:308-44059:310.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

plans for IGSCC insp/repair prior to restart of plant.
SYLVESTER,E.D. Project Directorate II-1. 88/01/22. MURLEY,T., SNEIZEK,J.,
MIRAGLIA,F. NRC - No Detailed Affiliation Given. 2pp. 44149:354-44149:355.

R. Periodic operating reports & related correspondence

8801040545 Monthly operating reports for Nov 1987. W/871203 ltr.
HARRISON,F., DIETZ,C.R. Carolina Power & Light Co. 87/11/30. 13pp. 43923:077-43923:089.

S. Reportable occurrences, LERs & related correspondence

880110400 PNO-If 88-001 on 880102, primary containment isolation valves drywell equipment & floor drains failed to close automatically after receipt of valid Group 2 isolation signal. Cause under investigation. Insp team dispatched.
FREDRICKSON,P. Region 2, Oic of the Director. 88/01/04. 1p. 43971:150-43971:150.

8801130105 LER 87-012-00 on 871207, unplanned Div I primary containment Group 5 isolation of RCIC sys occurred. Caused by personnel error. Jumper reinstalled & RCIC sys returned to standby readiness W/880106 ltr.
PASTVA,M.J., DIETZ,C.R. Carolina Power & Light Co. 88/01/06. 6pp. 44030:159-44030:164.

8801140256 Summary of Operating Reactors Events Meeting 88-01 on 870105 re events that occurred since 871222 list of attendees & viewgraphs encl.
LANNING,W. Events Assessment Branch. 88/01/07. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 24pp. 44031:033-44031:058.

8801270275 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl.
LANNING,W. Events Assessment Branch. 88/01/15. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 16pp. 44155:136-44155:151.

8801260322 Special Rept 2-SR-88-001 on 880110, 7-day time frame of fire barrier limiting condition for operation for Fire Door 203 exceeded. Fire watches established & will be maintained during remainder of refueling/maint outage.
DIETZ,C.R. Carolina Power & Light Co. 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44136:298-44136:299.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.

GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Oic of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

880110195 Rev 4 to Plant Emergency Procedure PEP-03.8.2, "Personnel Accountability." W/871223 ltr.
SMITH,J., DIETZ,C.R. Carolina Power & Light Co. 87/12/23. GRACE,J.N. Region 2, Oic of the Director. 9pp. 44006:079-44006:087.

8801140165 Forwards proprietary "Brunswick Steam Electric Plant Probabilistic Fire Analysis" & "Fire Risk Analysis" for review & approval. Affidavit encl. Repts withheld (rel 10CFR2.790).
ZIMMERMAN,S.R. Carolina Power & Light Co. 88/01/04. Document Control Branch (Document Control Desk). 6pp. 44011:065-44011:090.

8801150299 Rev 24 to Vol XIII, Book 1 to radiological emergency response plan, including revised effective page listing, Figure 1.1-6, "1990 Population Totals." Page 4-18 & Figure 4.4-2, "Evacuation Versus Shelter Decision Tree." W/880104 ltr.
SMITH,J., DIETZ,C.R. Carolina Power & Light Co. 88/01/04. GRACE,J.N. Region 2, Oic of the Director. 11pp. 44041:112-44041:122.

P. Operating license stage documents & correspondence

8801120080 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS,R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON,E.H. Region 4, Oic of the Director. 71pp. 43988:230-43988:300.

8801070324 Informs of necessary change to CRDR corrective action implementation schedule. Installation of guard rail not completed due to unavailability of guard rail brackets. Installation to be completed during Jan & Nov 1988 outages.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 1p. 43991:195-43991:195.

8801140293 Forwards Amends 115 & 142 to Licenses DPR-71 & DPR 62 & safety evaluation Amends revise Tech Specs to ensure that required surveillance testing of mechanical pumps identified. W/o encls.
SYLVESTER,E.D. Project Directorate II-1. 87/12/30. UTLEY,E.E. Carolina Power & Light Co. 4pp. 44033:002-44033:005.

plans for IGSCC insp/repair prior to restart of plant.
SYLVESTER,E.D. Project Directorate II-1. 88/01/22. MURLEY,T., SNEIZEK,J.,
MIRAGLIA,F. NRC - No Detailed Affiliation Given. 2pp. 44149:354-44149:355.

8801200268 Forwards environ assessment & finding of no significant impact re 870825 request for exemption from 10CFR50 App J, Paragraph II.A.3, for info.
SYLVESTER,E.D. Project Directorate II-1. 88/01/14. UTLEY,E.E. Carolina Power & Light Co. 2pp. 44066:317-44066:323.

8801200275 Environ assessment & finding of no significant impact supporting issuance of exemption from 10CFR50 App J re containment integrated leak rate tests & to allow calculations to be performed using mass-point method.
BUCKLEY,B.C. Project Directorate I-4. 88/01/14. 5pp. 44066:319-44066:323.

8801260440 Informs of change in SPDS operability implementation schedule. Unit 1 sys will be operable 6 months earlier than currently scheduled & Unit 2 sys will be operable on 881215.

ZIMMERMAN,S.R. Carolina Power & Light Co. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44130:190-44130:191.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8801040123 Ack receipt of 871125 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-324/87-35 & 50-325/87-31.
VERRELLI,D.M. Region 2, Oic of the Director. 87/12/23. UTLEY,E.E. Carolina Power & Light Co. 1p. 43983:060-43983:060.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43985:138-43985:257.

8801050136 Forwards responses to requests for addl info re inservice insp program for welds on 870604 & 0819. Info presented in form of component lists & isometric drawings. Response to 870403 requests for addl info considered complete.
ZIMMERMAN,S.R. Carolina Power & Light Co. 87/12/28. Document Control Branch (Document Control Desk). 400pp. 43900:318-43902:023.

8801120001 Forwards Insp Repts 50-324/87-40 & 50-325/87-39 on 871101-30 & notice of violation. Attention invited to unresolved items identified in rept.
VERRELLI,D.M. Region 2, Oic of the Director. 87/12/28. UTLEY,E.E. Carolina Power & Light Co. 2pp. 44046:287-44046:302.

8801120003 Safety Insp Repts 50-324/87-40 & 50-325/87-39 on 871101-30. Violation noted. Major areas inspected: maint observation, surveillance observation, operational safety verification & Compliance Bulletin 87-02.
RULAND,W.H., GARNER,L.W., FREDRICKSON,P. Region 2, Oic of the Director. 87/12/24. 13pp. 44046:290-44046:302.

8712290165 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985:258-43986:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801200285 Responds to violations noted in Insp Repts 50-324/87-38 & 50-325/87-39. Corrective actions. Periodic Test Procedure 08.2.2b revised & approved & appropriate plant administrative procedure will be implemented.
DIETZ,C.R. Carolina Power & Light Co. 88/01/08. Document Control Branch (Document Control Desk). 3pp. 44058:308-44058:310.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Marlin MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801270009 Requests scheduler relief from ASME Section XI requirement that hydrostatic pressure testing of piping & components be completed by end of each 10-yr insp interval for Unit 1 by 880901, in order to support Nov 1988 BSEP-1 outage fee paid.
RICHEY,R.B. Carolina Power & Light Co. 88/01/21. Document Control Branch (Document Control Desk). 7pp. 44141:307-44141:313.

8801270276 Notification of 880127 meeting w/ util & GE in Bethesda, MD to discuss util plans for IGSCC insp/repair prior to restart of plant.
SYLVESTER,E.D. Project Directorate II-1. 88/01/22. MURLEY,T., SNEIZEK,J.,
MIRAGLIA,F. NRC - No Detailed Affiliation Given. 2pp. 44149:354-44149:355.

R. Periodic operating reports & related correspondence

8801040545 Monthly operating reports for Nov 1987. W/871203 ltr.
HARRISON,F., DIETZ,C.R. Carolina Power & Light Co. 87/11/30. 13pp. 43923:077-43923:089.

S. Reportable occurrences, LERs & related correspondence

8801190084 LER 87-022-00: on 871212, automatic isolation of control bldg HVAC & emergency air filtration sys occurred. Caused by chlorine leaks. Valve flex seals replaced. Similar events on 871226 & 31 will be addressed in 880226 rept. W/880111 Lr.
PASTVA, M.J., DIETZ, C.R. Carolina Power & Light Co. 88/01/11. 4pp. 44108.219-44108.222.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-328 UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR**G. Inspection reports, IE Bulletins & correspondence**

8801140236 Forwards partial response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Mail Specs," including procurement & receipt insp program & methods for choosing fasteners to be tested.
TUCKER, H.B. Duke Power Co. 88/01/12. GRACE, J.N. Region 2, Ofc of the Director. 12pp. 44043.234-44043.245.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1**F. Security, medical, emergency & fire protection plans**

8801210136 Provides info re dates until committed to complete listed & developed ref checks for individuals requesting unescorted access to nuclear sites, per WJ Tobin request. Encl withheld (ref 10CFR73.21).
GRIDLEY, R.L. Tennessee Valley Authority. 88/01/12. Document Control Branch (Document Control Desk). 2pp. 44086.155-44086.156.

8801210246 Undated Ltr forwarding revised "Procedures Generation Package" per NRC request. Rev addresses deficiencies noted in Insp Repts 50-327/87-61 & 50-328/87-61.
GRIDLEY, R. Tennessee Valley Authority. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44083.301-44084.244.

-8801210249 Revised, "Procedures Generation Package."
* Tennessee Valley Authority. 88/01/21. 274pp. 44083.303-44084.244.

H. General correspondence

8801220109 Partial response to FOIA request for documents, including Myers 870721 objection to Ofc of Inspector & Auditor use of word "litra" in briefing on TVA. Forwards App L documents. Documents also available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/20. WANN, L. Times Printing Co. 2pp. 44114.046-44114.122.

-8801220182 Submits list of questions which should be addressed prior to & after restart of plant.
KING, R., MYERS, H. Affiliation Not Assigned. 87/04/08. KEPLER, J. NRC - No Detailed Affiliation Given. 2pp. 44114.090-44114.091.

J. Insurance & indemnity information

8801070357 Forwards endorsements, including Endorsement 7 to MAELU Certificate M-76, Endorsement 7 to NELIA Certificate N-76, Endorsement 8 to MAELU Certificate M-68 & Endorsement 8 to NELIA Certificate N-68.
SANTA, L.J. Marsh & McLennan, Inc. 87/12/30. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 95pp. 43938.165-43938.260.

P. Operating license stage documents & correspondence

8801280801 Summary of ACRS Subcommittee TVA Organizational Issues 871104 meeting w/NRC & util in Washington, DC re actions being taken on plant restart issues.
* ACRS - Advisory Committee on Reactor Safeguards. 87/12/03. ACRS - Advisory Committee on Reactor Safeguards. 6pp. 44173.234-44173.239.

8801120090 Forwards Info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8801040101 Application to amend Licenses DPR-77 & DPR-79, consisting of proposed Change 85-36, revising Tech Specs to establish new testing requirements for containment spray pump to demonstrate pump operability. Fee paid.
GRIDLEY, R.L. Tennessee Valley Authority. 87/12/28. Document Control Branch (Document Control Desk). 2pp. 43881.287-43881.323.

-8801040110 Proposed Tech Specs, revising Surveillance Requirement 4.6.2.1 to identify testing requirements for containment spray pump.
* Tennessee Valley Authority. 87/12/28. 35pp. 43891.289-43891.323.

8801080445 Submits rationale & supporting data for concluding that silicone rubber insulated cable issue at plant resolved. Issue involves dielectric strength re environ requirements. Supporting info encl.
WHITE, S.A. Tennessee Valley Authority. 87/12/28. EBNETER, S.D. Ofc of Special Projects. 17pp. 43927.258-43927.274.

8801040444 Clarifies Info re FLAS-5 fuse replacement discussed at NRC util 871216 meeting at plant. Info needed by NRC to complete SER.
GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43861.200-43861.202.

8801040495 Discusses use of ASME Code Case N-411 re alternative damping values for seismic analysis of piping. Case has been used to recalculate pipe movements at support points on ERCW piping in annulus area.
GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43861.164-43861.166.

8801040516 Requests authorization for use of ASME Boiler & Pressure Vessel Code Cases N-341 & N-356 for plants. Required justification for use encl. Concurrence on use of cases requested by 880215.
GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43861.203-43861.205.

8801040435 Advises that scheduled completion date for technical review of miscellaneous steel calculations is 880115. Review delayed due to problems in identifying affected equipment & lack of retrievability of vendor info for equipment.
GRIDLEY, R. Tennessee Valley Authority. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43923.311-43923.312.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
FRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43953.344-43953.347.

8801070187 Forwards list of submittals needed from util to support NRC decisions re proposed startup & plant restart. Any slippage in target dates listed could adversely impact review schedule.
EBNETER, S.D. Ofc of Special Projects. 87/12/31. WHITE, S.A. Tennessee Valley Authority. 5pp. 43952.159-43952.163.

8801140410 Forwards Amends 63 & 55 to Licenses DPR-77 & DPR-79, respectively, revising functions for reactor trip sys & ESFAS instrumentation. Safety evaluation also encl.
ZECH, G.G. Ofc of Special Projects. 87/12/31. WHITE, S.A. Tennessee Valley Authority. 2pp. 44031.070-44031.120.

-8801140411 Amends 63 & 55 to Licenses DPR-77 & DPR-79, respectively, revising reactor trip sys instrumentation surveillance requirements & ESFAS instrumentation.
ZECH, G.G. Ofc of Special Projects. 87/12/31. 48pp. 44031.072-44031.118.

-8801140413 Safety evaluation supporting Amends 63 & 55 to Licenses DPR-77 & DPR-79, respectively.
* Ofc of Special Projects. 87/12/31. 4pp. 44031.117-44031.120.

8801070254 Requests listed addl info re meteorological data tape & evacuation time estimates within 60 days of Ltr receipt. Rev 2 to Section 2.3.3 of SRP encl.
ZECH, G.G. Ofc of Special Projects. 88/01/04. WHITE, S.A. Tennessee Valley Authority. 12pp. 43946.019-43946.030.

8801110377 Forwards "Rept of Sequoyah Readiness Review," concluding that 880223 startup objective provides adequate time for plant personnel to effect necessary corrective actions recommended by operational readiness review team.
GRIDLEY, R. Tennessee Valley Authority. 88/01/05. EBNETER, S.D. Ofc of Special Projects. 2pp. 43981.349-43981.352.

-8801110383 "Rept of Sequoyah Readiness Review."
* Tennessee Valley Authority. 88/01/05. 120pp. 43981.351-43981.352.

8801110376 Forwards table listing Sequoyah & TVA generic allegations investigated by util & noted in GG Zech 870729 Ltr to SA White as restart issues. Table also notes submission dates for repts.
GRIDLEY, R. Tennessee Valley Authority. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 43969.082-43969.084.

8801110455 Forwards restart program matrix identifying relationship & status for plant nuclear performance plan programs.
GRIDLEY, R. Tennessee Valley Authority. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 43968.225-43968.227.

8801130049 Forwards revised criteria Section 3.0 of Civil Engineering Branch (CEB) 72-22 rept for update. Criteria will be incorporated in Rev 4 of CEB 72-22 by Unit 1 restart.
GRIDLEY, R. Tennessee Valley Authority. 88/01/06. Document Control Branch (Document Control Desk). 11pp. 44002.055-44002.065.

8801190342 Provides questions derived from review of facility & existing conditions which do not comply w/NRC requirements.
MEYERS, H. NRC - No Detailed Affiliation Given. 88/01/08. DENTON, H. NRC - No Detailed Affiliation Given. 18pp. 44055.113-44055.131.

8801210023 Forwards Amends 84 & 56 to Licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends increase diesel generator continuous & 2-h ratings in surveillance requirements.
ZECH, G.G. Ofc of Special Projects. 88/01/07. WHITE, S.A. Tennessee Valley Authority. 4pp. 44092.169-44092.190.

-8801210029 Amends 84 & 56 to Licenses DPR-77 & DPR-79, respectively, changing Tech Specs to increase diesel generator continuous & 2 h ratings in surveillance requirements.
ZECH, G.G. Ofc of Special Projects. 88/01/07. 14pp. 44092.173-44092.187.

-8801210031 Safety evaluation supporting Amends 84 & 56 to Licenses DPR-77 & DPR-79, respectively.
* Ofc of Special Projects. 88/01/07. 3pp. 44092.188-44092.190.

stresses for representative structure. Adequate to withstand internally induced loads & stresses.
GRIDLEY, R. Tennessee Valley Authority. 88/01/08. Document Control Branch (Document Control Desk). 6pp. 44004:124-44004:129

8801130223 Forwards 12th update of plant activities list per 880717 submittal of performance plan update includes info through 871207.
RAY, M. J. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 46pp. 44004:018-44004:063.

8801130339 Clarifies util position re use of restart criteria for both heatup & restart. Util will continue to review issues against restart criteria to determine issues requiring resolution before restart.
GRIDLEY, R. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 3pp. 44003:279-44003:281.

8801140218 Application for amends to Licenses DPR-77 & DPR-79, re Tech Spec Change 87-47, revising Surveillance Requirement 4.7.7.e.3 to increase intake of fresh air during operation of control room emergency ventilation sys Fee paid.
RAY, M. J. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 3pp. 44043:213-44043:233.

8801140226 Proposed Tech Specs, revising Surveillance Requirement 4.7.7.e.3 to allow up to 1000 cubic feet/minute intake of fresh air during operation of control room emergency ventilation sys.
Tennessee Valley Authority. 88/01/11. 18pp. 44043:216-44043:233.

8801150004 Forwards add rev to inservice pressure test program for first 10-yr interval Rev deletes implementation methods for program due to duplication in QA manuals.
GRIDLEY, R. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 12pp. 44062:191-44062:202.

8801250133 Summary of 871215 meeting w/TVA in Bethesda, MD re TVA program to address microbiologically induced corrosion. List of attendees & viewgraphs encl.
AULUCK, R. Ofc of Special Projects. 88/01/11. Ofc of Special Projects. 78pp. 44116:219-44116:294.

8801190124 Forwards revised weekly schedule of TVA activities for wks of 880111 & 19, changing & adding to schedule previously issued on 880111.
KELLY, J. L. Ofc of Special Projects. 88/01/12. ZECH, G. G. Ofc of Special Projects. 5pp. 44052:355-44052:359.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D. H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801140069 Submits objectives for INPO accreditation team 881107-11 site visit.
BENDER, L. S. Licensee Qualifications Branch. 83/10/28. PERSENSKY, J. J. Licensee Qualifications Branch. 2pp. 44118:041-44118:042.

8802280130 Submits results of accreditation team visit followup. Four util peer team members are strong believers in accreditation program.
BENDER, L. S. Licensee Qualifications Branch. 84/02/21. PERSENSKY, J. J. Licensee Qualifications Branch. 1p. 44118:040-44118:040.

8801250270 Forwards notice of consideration of issuance of amends to Licenses DPR-77 & DPR-79 & proposed NSHC determination & opportunity for hearing on 880111 request re allowing up to 1,000 cubic ft/minute of fresh air in control room.
ZECH, G. G. Ofc of Special Projects. 88/01/13. WHITE, S. A. Tennessee Valley Authority. 3pp. 44116:310-44116:321.

8801250277 Notice of consideration of issuance of amends to Licenses DPR-77 & DPR-79 proposed NSHC determination & opportunity for hearing on 880111 request re allowing up to 1,000 cubic ft/minute of fresh air in control room.
DONOHEW, J. N. Ofc of Special Projects. 88/01/13. 9pp. 44116:313-44116:321.

8801200064 Partial response to FOIA request for documents. Forwards App I & J documents. App H & I documents available in PDR. App J documents partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D. H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 5pp. 44081:130-44081:217.

8801200106 Forwards TVA employee concerns special program repl. "Heat Code as Re Mat Control." info provided by House Interior Committee staff.
KAMMERER, C. C. Office of Congressional Affairs (pre 870413). 88/09/26. ZECH, ROBERTS, ASSELSTINE Commissioners. 27pp. 44081:141-44081:167.

8801200183 Summarizes 871029 meeting w/H Myers & House Energy & Commerce Committee Subcommittee on Oversight & Investigation status to brief participants on status of restart plans for facility.
BRAOBUENE, J. C. Congressional Affairs. 87/11/02. ZECH, ROBERTS, BERNTHAL Commissioners. 2pp. 44081:213-44081:214.

8801200079 Partial response to FOIA request for documents. Forwards App D documents. App D & E documents available in PDR. App F document completely withheld (ref FOIA Exemption 7). App G document partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D. H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 6pp. 44081:218-44081:289.

8801200143 Responds to 870127 note to H Denton re Criterion 3 of Sequoyah Restart Criteria. Answers to questions encl.
KEPPLER, J. G. Ofc of Special Projects. 87/05/26. MYERS, H. House of Rep., Interior & Insular Affairs. 5pp. 44081:261-44081:265.

8801210010 Responds to inquiries contained in 870127 note to H Denton re Criterion 3 of Sequoyah restart criteria. Answers to questions identified in review of info encl. w/ related documentation.
KEPPLER, J. G. Ofc of Special Projects. 87/04/22. MYERS, H. House of Rep., Interior & Insular Affairs. 5pp. 44081:266-44081:272.

volving management & information at Sequoyah noted in Region II 880106 ir to OLC response to Ir filed in mid-Feb.
OLSHINSKI, J. A. Region 2, Ofc of the Director. 88/02/13. REHM, T. Ofc of the Executive Director for Operations. 1p. 44081:288-44081:289.

8801280258 Forwards Rev 1 to Special Maint Instruction SMI-0-317-52, "Instrument Line Clamp Insp." add'l info & responses re various element rpts per request.
RUSSELL, J. R. Tennessee Valley Authority. 88/01/14. Document Control Branch (Document Control Desk). 16pp. 44168:061-44168:092.

8801280284 Rev 1 to Special Maint Instruction SMI-0-317-52, "Instrument Line Clamp Insp."
SHARMA, N. Tennessee Valley Authority. 87/02/18. 16pp. 44168:077-44168:092.

8801200176 Requests util remit fee for 871012 request for discretionary enforcement for Limiting Condition for Operation 3.4.1.4 re RHR for 24 h period to complete work for plant.
DIGGS, R. M. License Fee Management Branch. 88/01/16. WHITE, S. A. Tennessee Valley Authority. 1p. 44081:339-44081:339.

8801250416 Forwards exemption from certain requirements of 10CFR50, App J, for sys, upper head injection sys & pressure relief valves in safety injection sys, chemical control sys & contain spray sys in response to 881231 lr.
ZECH, G. G. Ofc of Special Projects. 88/01/16. WHITE, S. A. Tennessee Valley Authority. 2pp. 44116:081-44116:089.

8801250419 Exemption from requirements of 10CFR50, App J re Type G leak rate testing.
EBNETER, S. D. Ofc of Special Projects. 88/01/16. Tennessee Valley Authority. 44116:083-44116:089.

8801250517 Notification of 880119 meeting w/util in Bethesda, MD to discuss operation from calculations program re feedwater line water hammer.
MCKENNA, E. Ofc of Special Projects. 88/01/16. ZECH, G. G. Ofc of Special Projects. 3pp. 44116:128-44116:130.

8801250154 Forwards safety evaluation supporting 880816, 880606 & 871117 related requests from testing pumps & valves, ASME Boiler & Pressure Vessel Code, Section II, Div 1, 820303 inservice testing program. Supportive technical evaluation rpt encl.
ZECH, G. G. Ofc of Special Projects. 88/01/19. WHITE, S. A. Tennessee Valley Authority. 5pp. 44114:123-44114:144.

8801250120 Forwards summary of microbiologically induced corrosion (MIC) program. Technical basis for structural integrity evaluations, per NRC request made at 87 meeting. Plant acceptable for restart.
GRIDLEY, R. Tennessee Valley Authority. 88/01/20. Document Control Branch (Document Control Desk). 37pp. 44109:046-44109:084.

8801290328 Summary of 871123 meeting w/util & Westinghouse in Bethesda, MD to discuss "Revised LOTIC-3 Drain-Flow Heat Transfer Models" for main steam line analysis inside containment. List of attendees & meeting handouts encl.
AULUCK, R. Ofc of Special Projects. 88/01/20. Ofc of Special Projects. 2pp. 44180:287-44180:313.

8801250145 Requests relief to perform alternate pressure test to verify proper operation. Solenoid-actuated hydrogen analyzer sampling valves will be added to service testing program. Revised App C to valve program encl.
GRIDLEY, R. Tennessee Valley Authority. 88/01/21. Document Control Branch (Document Control Desk). 7pp. 44109:176-44109:181.

8801270141 Final response to FOIA request for documents. Forwards App A documents & portion of App B document. App A documents placed in PDR. Portion of App B document withheld (ref FOIA Exemption 5).
GRIMSLEY, D. H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, Doc-Search Associates. 4pp. 44155:008-44155:028.

8801270400 Discusses interviews of Region II personnel by Subcommittee on Oversight & Investigations re TVA facilities.
KAMMERER, C. C. Office of Congressional Affairs (pre 870413). 85/12/13. PARDINO, DINO Commissioners. 2pp. 44155:015-44155:023.

8801280457 Summary of 880120 meeting between Commissioner Bernthal & Adm. While of TVA re util request to retain Ofc of Special Projects as overseer of plant after Sequoyah 1 restart & invitation to Bernthal to tour Sequoyah plant.
KAGAN, C. Commissioners. 88/01/21. Commissioners. 1p. 44172:360-44172:360.

8801290094 Forwards preliminary safety evaluation on TVA response to 10CFR50.54(f) 850917 lr re site-specific issues. Summary listing of incomplete items of safety evaluation also encl. NRC concludes that TVA resolved concerns 850917 lr.
EBNETER, S. D. Ofc of Special Projects. 88/01/21. WHITE, S. A. Tennessee Valley Authority. 300pp. 44178:023-44178:336.

8801260276 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR. Only files in NRC Ofc of Governmental & Public Affairs search for documents responsive to request per 871028 telcon.
GRIMSLEY, D. H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, Doc-Search Associates. 3pp. 44139:290-44139:334.

8507240195 Forwards comments on NRC 850510 lr to Congressman Udall on sure transmitters used at facilities.
COMBES, F. NRC - No Detailed Affiliation Given. 85/05/15. REHM, T. NRC - No Detailed Affiliation Given. 1p. 44139:336-44139:336.

8801260540 Comments on Palladino 850510 lr to Udall re plant pressure transmitter.
MYERS, H. Affiliation Not Assigned. 85/05/14. KAMMERER, C. NRC - No Detailed Affiliation Given. 3pp. 44139:336-44139:338.

8801280237 Forwards revised employee concerns task group scope closure report. 880120 telcon between NRC H Garg & TVA R Gagne & J Staub. Rev 7 to Instrument Instruction IMI-118, "Filling of Sealed Instrument Sys Backfilling." encl.
RUSSELL, J. R. Tennessee Valley Authority. 88/01/22. Document Control Branch (Document Control Desk). 12pp. 44168:305-44168:161.

-8801280251 Rev 7 to "Instrument Maint Instruction IMI-118 Filing of Sealed Instrument Sys: Backfilling, Venting &/or Flushing of Instrument Sensing Lines." Related info encl.
MCCUISTION, M.G., WHITKER, C., CLARK, G.R. Tennessee Valley Authority. 87/06/08. 120pp. 44160.317-44161.076.

-8801280280 Instruction Change 2172, Rev 8 to "Essential Instrumentation Operability Verification."
Tennessee Valley Authority. 87/11/04. 24pp. 44161.077-44161.100.

-8801280272 Rev 8 to SI 604, "Essential Instrumentation Operability Verification."
LAFEVER, C.W., SCHNUR, R.F., LEWIS, R.L. Tennessee Valley Authority. 87/09/11. 61pp. 44161.101-44161.161.

8801290285 Grants until authorization to use ASME Code Cases N-341 & N-356 to extend certification period for Level III NDE examiners from 3 to 5 yrs. per 871229 ltr. ZECH, G.G. Ofc of Special Projects. 88/01/25. WHITE, S.A. Tennessee Valley Authority. 4pp. 44177.357-44177.360.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712300019 Response to NRC 871125 ltr re violations noted in Insp Repts 50-327/87-50 & 50-328/87-60. Corrective actions: walkdown of sample line water traps conducted & sample lines rerouted inside containment to remove large traps.
GRIDLEY, R. Tennessee Valley Authority. 87/12/24. Document Control Branch (Document Control Desk). 12pp. 43921.077-43921.086.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8801110366 Closes out issues raised in listed insp repts. Insp identified several failures to correct identified conditions adverse to quality (CAQ). Recent insp indicates mgt intent on to CAQ program adequate. Summary of insp findings encl.
EBNETER, S.D. Region 2, Ofc of the Director. 87/12/20. WHITE, S.A. Tennessee Valley Authority. 5pp. 44000.054-44000.058.

8801040533 Revised response to Notice of Violation 50-328/87-37-01 dtd 871000 noted in Insp Repts 50-327/87-37 & 50-328/87-37. Corrective actions: meetings held w/craft & mgt personnel to ascertain reason for noncompliance.
GRIDLEY, R. Tennessee Valley Authority. 87/12/30. Document Control Branch (Document Control Desk). 4pp. 43923.062-43923.066.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insp of License Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801070053 Requests analyses to demonstrate that electrical faults in one raceway will not cause internally generated fires that affect functional integrity of redundant safety-related circuits in adjacent raceways. per Unresolved Item 87-18-01.
RICHARDSON, S.D. Ofc of Special Projects. 87/12/31. WHITE, S.A. Tennessee Valley Authority. 2pp. 43943.295-43943.296.

8801190248 Forwards Insp Repts 50-327/87-67 & 50-328/87-67 on 871005-09. One significant observation noted. Comments re results of review requested within 60 days of ltr receipt.
EBNETER, S.D. Ofc of Special Projects. 88/01/07. WHITE, S.A. Tennessee Valley Authority. 4pp. 44055.200-44055.222.

-8801190255 Insp Repts 50-327/87-67 & 50-328/87-67 on 871205-09. Significant observations include: written policies differ from some of features contained in Commission policy statement or recommended by EEI Guide.
BUSH, L.L., MCPHEE, E.W., TOBIN, W.J. Division of Reactor Inspection & Safeguards (Post 870411). 87/11/23. 17pp. 44055.206-44055.222.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801140241 Forwards H Meyers comments on encl Insp Repts 50-327/87-31 & 50-328/87-31, for review. Recommendations on appropriate response should be provided by 880119.
BRADBURN, J.C. Office of Governmental & Public Affairs (Post 870413). 88/01/11. EBNETER, S. Ofc of Special Projects. 3pp. 44030.333-44031.032.

8801150010 Forwards response to request for addl info on Insp Repts 50-327/87-44 & 50-328/87-44 re mail suppliers. Ray Miller, Inc listed on Rev 3 to operations OA branch qualified suppliers list as acceptable supplier for cited mail.
GRIDLEY, R. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 7pp. 44062.211-44062.217.

8801140288 Advises that time to respond to Insp Repts 50-327/87-18 & 50-328/87-18 extended to 880122, per conversation w/F McCoy.
GRIDLEY, R. Tennessee Valley Authority. 88/01/12. Document Control Branch (Document Control Desk). 1p. 44046.235-44046.235.

8801200079 Partial response to FOIA request for documents. Forwards App D documents App D & E documents available in PDR App F document completely withheld (rel FOIA Exemption 7). App G document partially withheld (rel FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 6pp. 44081.218-44081.272.

-8801210021 Responds to NRC 870305 ltr re Sequoyah design calculation review. Actions required to respond to insp findings identified & being implemented.
WHITE, S.A. Tennessee Valley Authority. 87/03/13. KEPPLER, J.G. Ofc of Special Projects. 5pp. 44081.282-44081.286.

8801280258 Forwards Rev 1 to Special Maint Instruction SMI-0-317-52, "Instrument Line Clamp Insp." addl info & responses re various element mats, per request.
RUSSELL, J.R. Tennessee Valley Authority. 88/01/14. Document Control Branch (Document Control Desk). 18pp. 44158.081-44158.092.

-8801280264 Rev 1 to Special Maint Instruction SMI-0-317-52, "Instrument Line Clamp Insp."
SHARMA, N. Tennessee Valley Authority. 87/02/18. 16pp. 44158.077-44158.092.

8801210111 Forwards disposition of div of nuclear engineering (DNE) calculation effort open items & list of commitments from 1-wk closeout insp on DNE calculation effort & plant design baseline & verification program.
GRIDLEY, R. Tennessee Valley Authority. 88/01/19. Document Control Branch (Document Control Desk). 20pp. 44105.021-44105.040.

8801250154 Forwards safety evaluation supporting 850816, 860606 & 871117 relief requests from testing pumps & valves. ASME Boiler & Pressure Vessel Code, Section XI & 820303 Inservice testing program. Supportive technical evaluation report encl.
ZECH, G.G. Ofc of Special Projects. 88/01/19. WHITE, S.A. Tennessee Valley Authority. 5pp. 44114.123-44114.144.

-8801250194 Safety evaluation supporting 850816, 860606 & 871117 relief requests from ASME Boiler & Pressure Vessel Code, Section XI, implemented in plant on 820303 for first 10-yr inservice testing program on pumps & valves.
Ofc of Special Projects. 88/01/19. 3pp. 44114.128-44114.130.

-8801190186 "Requests for Rel of Pump & Valve Inservice Testing Program, Sequoyah Nuclear Plant, Units 1 & 2." technical eval on repl.
MURPHY, G.A. Oak Ridge National Laboratory. FIN F-0001. ORNL/NRC/LTR-87-12. 87/12/30. NRC - No Detailed Affiliation Given. 14pp. 44114.131-44114.144.

8801260291 Requests that util identify specific actions taken, will take to remedy listed observations from Integrated Design Insp Repts 50-327/87-48 & 50-328/87-48. Response requested by 880129.
EBNETER, S.D. Ofc of Special Projects. 88/01/20. WHITE, S.A. Tennessee Valley Authority. 2pp. 44118.339-44118.340.

8801260496 Forwards Exam Rept 50-327/OL-87-01 of exam administered on 871117-19.
BARR, K.P. Region 2, Ofc of the Director. 88/01/20. WHITE, S.A. Tennessee Valley Authority. 2pp. 44125.150-44125.324.

-8801260519 Exam Rept 50-327/OL-87-01 on 871117-19. Exam results four reactor operators & one senior reactor operator passed.
MOORMAN, J.H., MUNRO, J.F. Region 2, Ofc of the Director. 88/01/18. 173pp. 44125.152-44125.324.

8801270165 Forwards itemized responses to open items & list of commitments in response to NRC 871030 Insp of corrective actions re design baseline & verification program.
GRIDLEY, R. Tennessee Valley Authority. 88/01/20. Document Control Branch (Document Control Desk). 7pp. 44159.073-44159.079.

8801210246 Undated ltr forwarding revised "Procedures Generation Package" per NRC request. Rev addresses deficiencies noted in Insp Repts 50-327/87-61 & 50-328/87-61.
GRIDLEY, R. Tennessee Valley Authority. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44083.301-44084.244.

8801220548 Informs that revised Std Practice SQM-2 to proceduralize requirements for working essential raw cooling water pumping station heat trace issued on 871222, per 871110 commitment re Insp Repts 50-327/87-52 & 50-328/87-52.
GRIDLEY, R. Tennessee Valley Authority. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44057.359-44057.360.

8801250030 Responds to NRC 871221 ltr re violations noted in Insp Repts 50-327/87-66 & 50-328/87-66. Corrective actions: mgt personnel assigned to directly supervise sys alignment program & personnel trained re importance of following procedures.
GRIDLEY, R. Tennessee Valley Authority. 88/01/21. Document Control Branch (Document Control Desk). 8pp. 44101.253-44101.260.

8801260276 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR. Only files in NRC Ofc of Governmental & Public Affairs searched for documents responsive to request, per 871028 ltr encl.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139.280-44139.334.

-8801260551 Advises that Committee on Interior & Insular Affairs has provided encl info on TVA wet issues.
KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/17. DIRKS, W. Ofc of the Executive Director for Operations. 23pp. 44139.346-44140.008.

8801270348 Advises of delay in completing corrective actions for violations in Insp Repts 50-327/87-53 & 50-328/87-53 due to need to return inadequate lock sets to supplier for mods. Expected completion date rescheduled from 871219 to 880218.
GRIDLEY, R. Tennessee Valley Authority. 88/01/22. Document Control Branch (Document Control Desk). 2pp. 44145.238-44145.239.

8801280682 Forwards summary of actions required by NRC to support Unit 2 nonnuclear heatup. per Insp Repts 50-327/87-48 & 50-328/87-48. Actions complete & ready for closeout insp.
RAY, M.J. Tennessee Valley Authority. 88/01/26. Document Control Branch (Document Control Desk). 5pp. 44160.107-44160.111.

94 DOCKETED ITEMS

R. Periodic operating reports & related correspondence

8801260059 Monthly operating reports for Dec 1987. W/880113 ltr. DUPREE, D.C., SMITH, S.J. Tennessee Valley Authority. 87/12/31. 63pp. 44123:153-44123:215.

8801130288 Forwards reys to discharge monitoring reports for NPDES TNO026450, Discharge Serial 112 for Nov 1986 & Jul 1987 & NPDES TNO020168, Discharge Serial 101 for Aug & Sept 1987. BROOKS, R.H. Tennessee Valley Authority. 88/01/04. LUNN, D.E. Tennessee, State of. 1p. 44000:228-44000:233.

-8801130296 Rev to NPDES discharge monitoring report for Jul 1987. BROOKS, R.H. Tennessee Valley Authority. 87/07/31. 2pp. 44000:227-44000:228.

-8801130308 Rev to NPDES discharge monitoring report for Nov 1986. BROOKS, R.H. Tennessee Valley Authority. 87/11/30. 1p. 44000:228-44000:229.

-8801130315 Rev to NPDES discharge monitoring report for Aug 1987. BROOKS, R.H. Tennessee Valley Authority. 87/08/31. 2pp. 44000:230-44000:231.

-8801130327 Rev to NPDES discharge monitoring report for Sept 1987. BROOKS, R.H. Tennessee Valley Authority. 87/09/30. 2pp. 44000:232-44000:233.

8801200079 Partial response to FOIA request for documents. Forwards App D documents App D & E documents available in PDR. App F document completely withheld (ref FOIA Exemption 7) App G document partially withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 8pp. 44081:218-44081:272.

-8802190673 Summaries NRC activities involving TVA from 880203-07. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/02/12. STELLO, V. Ofc of the Executive Director for Operations. 3pp. 44081:279-44081:281.

8801250422 Forwards weekly schedule of TVA activities for wks of 880118 & 25. KELLY, J.L. Ofc of Special Projects. 88/01/16. ZECH, G.G. Ofc of Special Projects. 6pp. 44116:010-44116:014.

8801260418 Forwards weekly schedule of TVA activities for wks of 880125 & 0201. KELLY, J.L. Ofc of Special Projects. 88/01/22. ZECH, G.G. Ofc of Special Projects. 4pp. 44139:061-44139:064.

S. Reportable occurrences, LERs & related correspondence

8712280030 Special Rept 87-22 on 871128, fire breach occurred for greater than 7 days for removal of existing pyrocrete, drilling, installing, welding & insp of mod & reinstallation of pyrocrete. Fire watch established. SMITH, S.J. Tennessee Valley Authority. 87/12/14. Document Control Branch (Document Control Desk). 2pp. 43893:185-43893:186.

8712300028 LER 87-042-01 on 870414, condition adverse to quality report initiated re start of fire pumps during LOCA. Caused by design error. Fire pumps to be placed under administrative controls to allow manual start only. W/871222 ltr. LONG, J.L., SMITH, S.J. Tennessee Valley Authority. 87/12/22. 4pp. 43898:272-43898:275.

8801060216 LER 87-075-00 on 871203, determined that Rev 14 of Surveillance Instruction SI-118 did not completely test auxiliary feedwater bypass level control valves. Caused by inadequate procedure. Procedure change ongoing. W/871230 ltr. FENN, K.W., SMITH, S.J. Tennessee Valley Authority. 87/12/30. 5pp. 43927:127-43927:131.

8801060398 LER 87-077-00 on 871207, pathway by which radionuclides could escape to environment identified during hydrogen analyzer system-related engineering change notice review. Caused by inadequate design change control process. W/871230 ltr. MEADE, K.E., SMITH, S.J. Tennessee Valley Authority. 87/12/30. 6pp. 43917:020-43917:025.

-8801190677 LER 87-078-00 on 871206, containment ventilation Train A isolation occurred. Caused by incorrect terminals being connected per incorrectly written work request B244973. Procedures revised & personnel counseled. W/880104 ltr. KILGORE, B.E., SMITH, S.J. Tennessee Valley Authority. 88/01/04. 5pp. 44092:215-44092:219.

8801190071 LER 87-050-01 on 870723, containment spray pumps did not deliver design basis flow rate. Caused by design deficiency. Flow orifice bored out & Tech Spec change requested. W/880108 ltr. MEADE, K.E., SMITH, S.J. Tennessee Valley Authority. 88/01/07. 4pp. 44092:211-44092:214.

8801200295 LER 87-073-01 on 871110, determined that centrifugal charging pump (CCP) may not start using manual handswitch in main control room. Caused by inadequate design review of info received by NSSS vendor. CCP being modified. W/880115 ltr. MEADE, K.E., SMITH, S.J. Tennessee Valley Authority. 88/01/15. 5pp. 44106:340-44106:344.

8801200297 LER 87-064-01 on 871013, discovered that 13 emergency raw cooling water flood mode spool pieces did not fit properly. Caused by minor piping orientation changes. Affected spool pieces modified to ensure proper fit. W/880115 ltr. NAIK, J.A., SMITH, S.J. Tennessee Valley Authority. 88/01/15. 4pp. 44107:178-44107:181.

8801200302 LER 87-078-00 on 871221, inadequate procedure for RCS chemical addition caused noncompliance w/ Tech Spec. Caused by misinterpretation of applicable Tech Spec re positive reactivity changes. Procedure revised. W/880115 ltr. NAIK, J.A., SMITH, S.J. Tennessee Valley Authority. 88/01/15. 4pp. 44134:223-44134:226.

8801200323 LER 87-072-01 on 871110, ESF coolers had insufficient air flow to ensure environment qualification temp profile not exceeded. Caused by inadequate design control demonstrated by improper design input. No corrective action. W/880115 ltr. MEADE, K.E., SMITH, S.J. Tennessee Valley Authority. 88/01/15. 6pp. 44135:041-44135:045.

8801200326 LER 87-065-02 on 871023, ERCW screen wash pumps discovered & omitted from ASME Section XI test program. Caused by personnel developing program assuming ERCW traveling screen wash pump not safety-related. Program revised. W/880115 ltr. MEADE, K.E., SMITH, S.J. Tennessee Valley Authority. 88/01/15. 4pp. 44135:059-44135:059.

8801280190 LER 87-074-00 on 871222, identified that emergency procedures did not adequately address opening certain high head safety injection valves after acid hot shutdown. Caused by inadequate procedure. Investigation continuing. W/880115 ltr. MEADE, K.E., SMITH, S.J. Tennessee Valley Authority. 88/01/21. 4pp. 44158:263-44158:263.

8801280192 LER 87-063-01 on 870924, control room ventilation system occurred. Caused by simultaneous contact of two terminals w/ open alligator clip testing block function during radiation monitor testing. Procedure revised. W/880115 ltr. FENN, K.W., SMITH, S.J. Tennessee Valley Authority. 88/01/21. 4pp. 44157:328-44157:328.

8801290004 Final Part 21 deficiency report to potential problem w/ silicone rubber-insulated cables. Based on encl three test reports, TVA concludes that mfg. shipping & installation practices did not reduce cable insulation thickness. GRIDLEY, R. Tennessee Valley Authority. 88/01/26. Document Control Branch (Document Control Desk). 7pp. 44171:227-44171:300.

-8801290007 "Tests on Silicone Rubber Insulated Control Cables." ELSTADE, Connecticut, Univ. of, Storrs, CT. 87/07/20. 43pp. 44171:276-44171:276.

-8801290010 "Sequoyah Nuclear Plant Impact Testing of AIW Cable." RINER, G.L., CHILDORES, W.H. Tennessee Valley Authority. SME-MET-87-043. 8/22. 11pp. 44171:277-44171:287.

-8801290018 "Sequoyah Nuclear Plant Impact Testing of Rockbestos & Ana Cables." RINER, G.L., CHILDORES, W.H. Tennessee Valley Authority. SME-MET-87-064. 8/31. 8pp. 44171:288-44171:295.

-8801290023 "Insulation Wall Thickness Measurement of Silicone-Rubber Cable Identified Failure Points." JONES, W.G., RAGSDALE, J.B., MORLEY, R.L. Tennessee Valley Authority. 87/11/26. 5pp. 44171:296-44171:300.

T. Hearing transcripts on non-antitrust matters

8801280661 Transcript of 880120 briefing on status of plant restoration. Washington, DC. Pp 1-59. Viewgraphs encl. Commissioners. 88/01/20. 72pp. 44172:288-44172:358.

U. Congressional/Executive Correspondence

8801220109 Partial response to FOIA request for documents, including Myers & objection to Ofc of Inspector & Auditor use of word "illegals" in briefing on TVA FOIA App L documents. Documents also available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/20. WANN, L. Times Printing Co. 2pp. 44114:046-44114:051.

-8706040254 Request that Commission state position re validity of encl D 870328 concerns on TVA nuclear project items presented by Hicks have potential significant implications w/ respect to whether facility complies w/ NRC regulation. UDALL, M.K. House of Rep., Interior & Insular Affairs. DINGELL, J.D. House of Energy & Commerce. 87/04/09. ZECH, L. Commissioners. 27pp. 44114:122-44114:122.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOSSONG, J. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of License Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

8801260496 Forwards Exam Rept 50-327/OL-87-01 of exam administered on 8/19. BARR, K.P. Region 2, Ofc of the Director. 88/01/20. WHITE, S.A. Tennessee Valley Authority. 2pp. 44125:150-44125:154.

-8801260519 Exam Rept 50-327/OL-87-01 on 871117-19. Exam results for reactor operators & one senior reactor operator passed. MOORMAN, J.H., MUNRO, J.F. Region 2, Ofc of the Director. 88/01/19. 44125:152-44125:154.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8801210136 Provides info re dates until committed to complete listed & develop checks for individuals requesting unescorted access to nuclear sites, per WJ request. Encl withheld (ref 10CFR73.21). GRIDLEY, R.L. Tennessee Valley Authority. 88/01/12. Document Control (Document Control Desk). 2pp. 44086:155-44086:156.

8801210246 Undated ltr forwarding revised "Procedures Generation Package" per NRC request. Rev addresses deficiencies noted in Insp Repts 60-327/87-61 & 60-328/87-61.

GRIDLEY, R. Tennessee Valley Authority. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44083:301-44084:244.

-8801210249 Revised, "Procedures Generation Package."

* Tennessee Valley Authority. 88/01/21. 274pp. 44083:303-44084:244.

H. General correspondence

8801220109 Partial response to FOIA request for documents, including Myers 870721 objection to Olo of Inspector & Auditor use of word "litrs" in briefing on TVA Forwards App L documents. Documents also available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/20. WANN, L. Times Printing Co. 2pp. 44114:048-44114:122.

-8801220182 Submits list of questions which should be addressed prior to & after restart of plant.

KING, R. MYERS, H. Affiliation Not Assigned. 87/04/08. KEPPLER, J. NRC - No Detailed Affiliation Given. 2pp. 44114:080-44114:091.

P. Operating license stage documents & correspondence

8801280601 Summary of ACRS Subcommittee TVA Organizational Issues 871104 meeting w/NRC & util in Washington, DC re actions being taken on plant restart issues. * ACRS - Advisory Committee on Reactor Safeguards. 87/12/03. ACRS - Advisory Committee on Reactor Safeguards. 6pp. 44173:234-44173:239.

8801210090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-28-87-417. 87/12/16. JOHNSON, E.H. Region 4, Olo of the Director. 71pp. 43998:230-43998:300.

8801040101 Application to amend Licenses DPR-77 & DPR-78, consisting of proposed Change 85-36, revising Tech Specs to establish new testing requirements for containment spray pump to demonstrate pump operability. Fee paid. GRIDLEY, R.L. Tennessee Valley Authority. 87/12/28. Document Control Branch (Document Control Desk). 2pp. 43891:287-43891:323.

-8801040110 Proposed Tech Specs, revising Surveillance Requirement 4.6.2.1 to identify testing requirements for containment spray pump.

* Tennessee Valley Authority. 87/12/28. 35pp. 43891:289-43891:323.

8801060445 Submits rationale & supporting data for concluding that silicone rubber insulated cable issue at plant resolved. Issue involves dielectric strength re environ requirements. Supporting info encl. WHITE, S.A. Tennessee Valley Authority. 87/12/28. EBNETER, S.D. Olo of Special Projects. 17pp. 43927:258-43927:274.

8801040444 Clarifies info re FLAS-5 fuse replacement discussed at NRC/util 871216 meeting at plant. Info needed by NRC to complete SER. GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43961:200-43961:202.

8801040495 Discusses use of ASME Code Case N-411 re alternative damping values for seismic analysis of piping. Case has been used to recalculate pipe movements at support points on ERCW piping in annulus area. GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43961:184-43961:186.

8801040518 Requests authorization for use of ASME Boiler & Pressure Vessel Code Cases N-341 & N-358 for plants. Required justification for use encl. Concurrence on use of cases requested by 880216. GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43961:203-43961:205.

8801040435 Advises that scheduled completion date for technical review of miscellaneous steel calculations is 880115. Review delayed due to problems in identifying affected equipment & lack of retrievability of vendor info for equipment. GRIDLEY, R. Tennessee Valley Authority. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43923:311-43923:312.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801070187 Forwards list of submittals needed from util to support NRC decisions re proposed heatup & plant restart. Any slippage in target dates listed could adversely impact review schedule. EBNETER, S.D. Olo of Special Projects. 87/12/31. WHITE, S.A. Tennessee Valley Authority. 6pp. 43952:159-43952:183.

8801140410 Forwards Amends 83 & 55 to Licenses DPR-77 & DPR-78, respectively, revising functions for reactor trip sys & ESFAS instrumentation. Safety evaluation also encl. ZECH, G.G. Olo of Special Projects. 87/12/31. WHITE, S.A. Tennessee Valley Authority. 2pp. 44031:070-44031:120.

-8801140411 Amends 83 & 55 to Licenses DPR-77 & DPR-78, respectively, revising reactor trip sys instrumentation surveillance requirements & ESFAS instrumentation. ZECH, G.G. Olo of Special Projects. 87/12/31. 48pp. 44031:072-44031:116.

-8801140413 Safety evaluation supporting Amends 83 & 55 to Licenses DPR-77 & DPR-78, respectively.

* Olo of Special Projects. 87/12/31. 4pp. 44031:117-44031:120.

8801070254 Requests listed addl info re meteorological data tape & evacuation time estimates, within 60 days of ltr receipt. Rev 2 to Section 2.3.3 of SRP encl. ZECH, G.G. Olo of Special Projects. 88/01/04. WHITE, S.A. Tennessee Valley Authority. 12pp. 43946:018-43946:030.

8801110377 Forwards "Rept of Sequoyah Readiness Review," concluding that 880223 startup objective provides adequate time for plant personnel to effect necessary corrective actions recommended by operational readiness review team.

GRIDLEY, R. Tennessee Valley Authority. 88/01/05. EBNETER, S.D. Olo of Special Projects. 2pp. 43981:349-43982:102.

-8801110383 "Rept of Sequoyah Readiness Review."

* Tennessee Valley Authority. 88/01/05. 120pp. 43981:351-43982:102.

8801110376 Forwards table listing Sequoyah & TVA generic allegations investigated by util & noted in GG Zech 870729 ltr to SA White as restart issues. Table also notes submission dates for repts. GRIDLEY, R. Tennessee Valley Authority. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 43969:082-43969:084.

8801110455 Forwards restart program matrix identifying relationship & status for plant nuclear performance plan programs. GRIDLEY, R. Tennessee Valley Authority. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 43966:225-43966:227.

8801130049 Forwards revised criteria Section 3.0 of Civil Engineering Branch (CEB) 72-22 rept for update. Criteria will be incorporated in Rev 4 of CEB 72-22 by Unit 1 restart. GRIDLEY, R. Tennessee Valley Authority. 88/01/06. Document Control Branch (Document Control Desk). 11pp. 44002:055-44002:065.

8801180342 Provides questions derived from review of facility & existing conditions which do not comply w/NRC requirements. MEYERS, H. NRC - No Detailed Affiliation Given. 88/01/08. DENTON, H. NRC - No Detailed Affiliation Given. 18pp. 44055:113-44055:131.

8801210023 Forwards Amends 64 & 56 to Licenses DPR-77 & DPR-78, respectively & safety evaluation Amends increase diesel generator continuous & 2-h ratings in surveillance requirements. ZECH, G.G. Olo of Special Projects. 88/01/07. WHITE, S.A. Tennessee Valley Authority. 4pp. 44092:189-44092:190.

-8801210029 Amends 64 & 56 to Licenses DPR-77 & DPR-78, respectively, changing Tech Specs to increase diesel generator continuous & 2 h ratings in surveillance requirements. ZECH, G.G. Olo of Special Projects. 88/01/07. 14pp. 44092:173-44092:187.

-8801210031 Safety evaluation supporting Amends 64 & 56 to Licenses DPR-77 & DPR-78, respectively.

* Olo of Special Projects. 88/01/07. 3pp. 44092:188-44092:190.

8801130369 Responds to request for addl info re magnitude & nature of thermal stresses for representative structure. Structure adequate to withstand thermally induced loads & stresses. GRIDLEY, R. Tennessee Valley Authority. 88/01/08. Document Control Branch (Document Control Desk). 6pp. 44000:124-44000:128.

8801130223 Forwards 12th update of plant activities list per 880717 submittal of performance plan. Update includes info through 871207. RAY, M.J. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 48pp. 44004:018-44004:063.

8801130339 Clarifies util position re use of restart criteria for both heatup & restart. Util will continue to review issues against restart criteria to determine issues requiring resolution before restart. GRIDLEY, R. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 3pp. 44003:278-44003:281.

8801140218 Application for amends to Licenses DPR-77 & DPR-78, re Tech Spec Change 87-47, revising Surveillance Requirement 4.7.7.e.3 to increase intake of fresh air during operation of control room emergency ventilation sys. Fee paid. RAY, M.J. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 3pp. 44043:213-44043:233.

-8801140226 Proposed Tech Specs, revising Surveillance Requirement 4.7.7.e.3 to allow up to 1000 cubic feet/minute intake of fresh air during operation of control room emergency ventilation sys.

* Tennessee Valley Authority. 88/01/11. 18pp. 44043:216-44043:233.

8801150004 Forwards addl rev to inservice pressure test program for first 10-yr interval. Rev deletes implementation methods for program due to duplication in QA manuals. GRIDLEY, R. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 12pp. 44082:181-44082:202.

8801250133 Summary of 871215 meeting w/TVA in Bethesda, MD re TVA program to address microbiologically induced corrosion. List of attendees & viewpoints encl. AULUCK, R. Olo of Special Projects. 88/01/11. Olo of Special Projects. 78pp. 44116:219-44116:294.

8801190124 Forwards revised weekly schedule of TVA activities for wks of 880111 & 18, changing & adding to schedule previously issued on 880111. KELLY, J.L. Olo of Special Projects. 88/01/12. ZECH, G.G. Olo of Special Projects. 5pp. 44052:355-44052:358.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8311140089 Submits objectives for INPO accreditation team 831107-11 site visit. BENDER, L.S. Licensee Qualifications Branch. 83/10/29. PERSENSKY, J.J. Licensee Qualifications Branch. 2pp. 44118:041-44118:042.

-8402280130 Submits results of accreditation team visit followup. Four util peer team members are strong believers in accreditation program. BENDER, L.S. Licensee Qualifications Branch. 84/02/21. PERSENSKY, J.J. Licensee Qualifications Branch. 1p. 44118:040-44118:040.

8801270400 Discusses interviews of Region II personnel and investigations re TVA facilities. KAMMERER, C.C. Office of Congressional Affairs (Post 870413). 88/01/13. WHITE, S.A. Tennessee Valley Authority. 44116:313-44116:321.

8801270401 Summary of 880120 meeting between Com. White of TVA re util request to return C/O of Special Projects after Sequoyah 1 restart & invitation to Hamilton to tour KAGAN, C. Commissioners. 88/01/24. Commissioners. 1p.

8801290094 Forwards preliminary safety evaluation 10CFR50.54(f) 850917 ltr re site-specific issues. Summations of safety evaluation also encl. NRC concludes the 850917 ltr. EBNETER, S.D. Ofc of Special Projects. 88/01/21. WHITE, S.A. Tennessee Valley Authority. 44170:023-44170:336.

8801260278 Partial response to FOIA request. Forwards A being placed in PDR. Only files in NRC (Ofc of Governmental Affairs) responsive to request per 871020 telcon. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). Doc-Search Associates. 3pp. 44139:200-44139:334.

8801240195 Forwards comments on NRC 850510 ltr to ensure transmitters used at facilities. COMBS, F. NRC - No Detailed Affiliation Given. 85/05/14. Affiliation Given. 1p. 44139:336-44139:335.

8801260540 Comments on Palladino 850510 ltr to 43d ltr re matter. MYERS, H. Affiliation Not Assigned. 85/05/14. KAMMERER, C.C. Tennessee Valley Authority. 44139:336-44139:335.

8801280237 Forwards revised employee concerns ltr per 880120 telcon between NRC II Garg & TVA II Garg & J. Main Instruction IM-110, "Filling of Sealed Instrument Sys." RUSSELL, J.R. Tennessee Valley Authority. 88/01/22. Document Control Desk. 12pp. 44160:305-44160:401.

8801280251 Rev 7 to "Instrument Maint Instruction IM-110 ment Sys: Backfilling, Venting & for Flushing of Instrument Sys." encl. MCCUISTON, M.G., WHITKER, C., CLARK, G.H. Tennessee Valley Authority. 44160:317-44160:070.

8801280280 Instruction Change 2172, flow 8 to "Essential Instrumentation Verification." Tennessee Valley Authority. 87/11/04. 24pp. 44161:077-44161:161.

8801280272 Rev 8 to SI-604, "Essential Instrumentation Operation." LAFAVER, C.W., SCHNUR, R.F., LEWIS, R.L. Tennessee Valley Authority. 44161:101-44161:161.

8801290295 Grants util authorization to use ASME Code Case extend certification period for Level III NDE examiners from 3 to 4 yrs. ZECH, G.G. Ofc of Special Projects. 88/01/25. WHITE, S.A. Tennessee Valley Authority. 44177:357-44177:360.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870413). Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:001.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Approved Limits." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870413). Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:008.

8712300019 Responds to NRC 871125 ltr re violations noted in Ins 60 & 50-328/87-60. Corrective actions: walkdown of sample line w/ sample lines rerouted inside containment to remove large traps. GRIDLEY, R.L. Tennessee Valley Authority. 87/12/24. Document Control Desk. 12pp. 43921:077-43921:080.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870413). Consolidated Edison Co. of New York, Inc. 124pp. 43905:130-43905:130.

880110366 Closes out issues raised in listed Insp rpt. Insp identification to correct identified conditions adverse to quality (CAQ). Recent Insp attention to CAQ program adequate. Summary of Insp findings encl. EBNETER, S.D. Region 2, Ofc of the Director. 87/12/29. WHITE, S.A. Tennessee Valley Authority. 5pp. 44000:054-44000:058.

8801040533 Revised response to Notice of Violation 50-328/87-37. Corrective actions noted in Insp Repts 50-327/87-37 & 50-328/87-37. Corrective actions w/ craft & mgt personnel to ascertain reason for noncompliance. GRIDLEY, R.L. Tennessee Valley Authority. 87/12/30. Document Control Desk. 4pp. 43923:062-43923:065.

8712290155 NRC Info Notice 87-086, "Inappropriate Application of Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870413). Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:258.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Region II Licensee Actions In Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870413). Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:164.

8801270400 Discusses interviews of Region II personnel and investigations re TVA facilities. KAMMERER, C.C. Office of Congressional Affairs (Post 870413). 88/01/13. WHITE, S.A. Tennessee Valley Authority. 44116:313-44116:321.

8801270401 Summary of 880120 meeting between Com. White of TVA re util request to return C/O of Special Projects after Sequoyah 1 restart & invitation to Hamilton to tour KAGAN, C. Commissioners. 88/01/24. Commissioners. 1p.

8801290094 Forwards preliminary safety evaluation 10CFR50.54(f) 850917 ltr re site-specific issues. Summations of safety evaluation also encl. NRC concludes the 850917 ltr. EBNETER, S.D. Ofc of Special Projects. 88/01/21. WHITE, S.A. Tennessee Valley Authority. 44170:023-44170:336.

8801260278 Partial response to FOIA request. Forwards A being placed in PDR. Only files in NRC (Ofc of Governmental Affairs) responsive to request per 871020 telcon. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). Doc-Search Associates. 3pp. 44139:200-44139:334.

8801240195 Forwards comments on NRC 850510 ltr to ensure transmitters used at facilities. COMBS, F. NRC - No Detailed Affiliation Given. 85/05/14. Affiliation Given. 1p. 44139:336-44139:335.

8801260540 Comments on Palladino 850510 ltr to 43d ltr re matter. MYERS, H. Affiliation Not Assigned. 85/05/14. KAMMERER, C.C. Tennessee Valley Authority. 44139:336-44139:335.

8801280237 Forwards revised employee concerns ltr per 880120 telcon between NRC II Garg & TVA II Garg & J. Main Instruction IM-110, "Filling of Sealed Instrument Sys." RUSSELL, J.R. Tennessee Valley Authority. 88/01/22. Document Control Desk. 12pp. 44160:305-44160:401.

8801280251 Rev 7 to "Instrument Maint Instruction IM-110 ment Sys: Backfilling, Venting & for Flushing of Instrument Sys." encl. MCCUISTON, M.G., WHITKER, C., CLARK, G.H. Tennessee Valley Authority. 44160:317-44160:070.

8801280280 Instruction Change 2172, flow 8 to "Essential Instrumentation Verification." Tennessee Valley Authority. 87/11/04. 24pp. 44161:077-44161:161.

8801280272 Rev 8 to SI-604, "Essential Instrumentation Operation." LAFAVER, C.W., SCHNUR, R.F., LEWIS, R.L. Tennessee Valley Authority. 44161:101-44161:161.

8801290295 Grants util authorization to use ASME Code Case extend certification period for Level III NDE examiners from 3 to 4 yrs. ZECH, G.G. Ofc of Special Projects. 88/01/25. WHITE, S.A. Tennessee Valley Authority. 44177:357-44177:360.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870413). Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:001.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Approved Limits." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870413). Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:008.

8712300019 Responds to NRC 871125 ltr re violations noted in Ins 60 & 50-328/87-60. Corrective actions: walkdown of sample line w/ sample lines rerouted inside containment to remove large traps. GRIDLEY, R.L. Tennessee Valley Authority. 87/12/24. Document Control Desk. 12pp. 43921:077-43921:080.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870413). Consolidated Edison Co. of New York, Inc. 124pp. 43905:130-43905:130.

880110366 Closes out issues raised in listed Insp rpt. Insp identification to correct identified conditions adverse to quality (CAQ). Recent Insp attention to CAQ program adequate. Summary of Insp findings encl. EBNETER, S.D. Region 2, Ofc of the Director. 87/12/29. WHITE, S.A. Tennessee Valley Authority. 5pp. 44000:054-44000:058.

8801040533 Revised response to Notice of Violation 50-328/87-37. Corrective actions noted in Insp Repts 50-327/87-37 & 50-328/87-37. Corrective actions w/ craft & mgt personnel to ascertain reason for noncompliance. GRIDLEY, R.L. Tennessee Valley Authority. 87/12/30. Document Control Desk. 4pp. 43923:062-43923:065.

8712290155 NRC Info Notice 87-086, "Inappropriate Application of Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870413). Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:258.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Region II Licensee Actions In Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870413). Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:164.

8801070053 Requests analyses to demonstrate that electrical faults in one raceway will not cause internally generated fires that affect functional integrity of redundant safety-related circuits in adjacent raceways, per Unresolved Item 87-18-01.
RICHARDSON, S.D. Ofc of Special Projects. 87/12/31. WHITE, S.A. Tennessee Valley Authority. 2pp. 43943.295-43943.296

8801190248 Forwards Insp Repts 50-327/87-67 & 50-328/87-67 on 871005-09 One significant observation noted Comments re results of review requested within 60 days of its receipt.
EBNETER, S.D. Ofc of Special Projects. 88/01/07. WHITE, S.A. Tennessee Valley Authority. 6pp. 44055.200-44055.222.

8801190255 Insp Repts 50-327/87-67 & 50-328/87-67 on 871205-09. Significant observations include written policies differ from some of features contained in Commission policy statement or recommended by EEI Guido.
BUSH, L.L., MCPHEE, E.W., TOBIN, W.J. Division of Reactor Inspection & Safeguards (Post 870411). 87/11/23. 17pp. 44055.206-44055.222

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morris MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801140241 Forwards H Meyers comments on encl Insp Repts 50-327/87-31 & 50-328/87-31, for review Recommendations on appropriate response should be provided by 880119.
BRADBURN, J.C. Office of Governmental & Public Affairs (Post 870413). 88/01/11. EBNETER, S.D. Ofc of Special Projects. 3pp. 44030.333-44030.332.

8801160010 Forwards response to request for addl info on Insp Repts 50-327/87-44 & 50-328/87-44 re mail suppliers Ray Mlor, Inc. listed on Rev 3 to operations OA branch qualified suppliers list as acceptable supplier for cited mail.
GRIDLEY, R. Tennessee Valley Authority. 88/01/11. Document Control Branch (Document Control Desk). 7pp. 44062.211-44062.217.

8801140288 Advises that time to respond to Insp Repts 50-327/87-18 & 50-328/87-18 extended to 880122, per conversation w/ McCoy.
GRIDLEY, R. Tennessee Valley Authority. 88/01/12. Document Control Branch (Document Control Desk). 1p. 44046.235-44046.235.

8801200079 Partial response to FOIA request for documents. Forwards App D documents App D & E documents available in PDR App F document completely withheld (ref FOIA Exemption 7) App G document partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 6pp. 44081.218-44081.272.

8801210021 Responds to NRC 870305 ltr re Sequoyah design calculation review. Actions required to respond to insp findings identified & being implemented.
WHITE, S.A. Tennessee Valley Authority. 87/03/13. KEPPLER, J.G. Ofc of Special Projects. 5pp. 44081.282-44081.288.

8801280258 Forwards Rev 1 to Special Maint Instruction SMI-0-317-52, "Instrument Line Clamp Insp." addl info & responses re various element repts, per request.
RUSSELL, J.R. Tennessee Valley Authority. 88/01/14. Document Control Branch (Document Control Desk). 18pp. 44158.081-44158.092.

8801280264 Rev 1 to Special Maint Instruction SMI-0-317-52, "Instrument Line Clamp Insp."
SHARMA, N. Tennessee Valley Authority. 87/02/18. 18pp. 44168.077-44168.082.

8801210111 Forwards disposition of div of nuclear engineering (DNE) calculation effort open items & list of commitments from 1-wk closeout Insp on DNE calculation effort & plant design baseline & verification program.
GRIDLEY, R. Tennessee Valley Authority. 88/01/19. Document Control Branch (Document Control Desk). 20pp. 44105.021-44105.040.

8801250154 Forwards safety evaluation supporting 850816, 860606 & 871117 relief requests from testing pumps & valves ASME Boiler & Pressure Vessel Code, Section XI & util 820303 Inservice testing program. Supportive technical evaluation rept encl.
ZECH, G.G. Ofc of Special Projects. 88/01/19. WHITE, S.A. Tennessee Valley Authority. 5pp. 44114.123-44114.144.

8801250194 Safety evaluation supporting 850816, 860606 & 871117 relief requests from ASME Boiler & Pressure Vessel Code, Section XI, implemented in plant on 820303 for first 10-yr Inservice testing program on pumps & valves.
* Ofc of Special Projects. 88/01/19. 3pp. 44114.128-44114.130.

8801190186 "Requests for Relief Pump & Valve Inservice Testing Program, Sequoyah Nuclear Plant, Units 1 & 2," technical evaluation rept.
MURPHY, G.A. Oak Ridge National Laboratory. FIN F-0001. ORNL/NRC/LTR/87/12. 87/12/30. NRC - No Detailed Affiliation Given. 14pp. 44114.131-44114.144.

8801250251 Requests that util identify specific actions taken, will take to remedy listed observations from Integrated Design Insp Repts 50-327/87-48 & 50-328/87-48 Response requested by 880128.
EBNETER, S.D. Ofc of Special Projects. 88/01/20. WHITE, S.A. Tennessee Valley Authority. 2pp. 44116.339-44116.340.

8801270165 Forwards itemized responses to open items & list of commitments in response to NRC 871030 Insp of corrective actions re design baseline & verification program.
GRIDLEY, R. Tennessee Valley Authority. 88/01/20. Document Control Branch (Document Control Desk). 7pp. 44169.073-44169.079.

8801210246 Undated ltr forwarding revised "Procedures Generation Package" per NRC request. Rev addresses deficiencies noted in Insp Repts 50-327/87-61 & 50-328/87-61.
GRIDLEY, R. Tennessee Valley Authority. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44083.301-44083.244.

8801220548 Informs that revised Std Practice SQM-2 to proceduralize requirements for working essential raw cooling water pumping station heat loss issued on 871222, per 871110 commitment re Insp Repts 50-327/87-52 & 50-328/87-52.
GRIDLEY, R. Tennessee Valley Authority. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44097.359-44097.360.

8801250030 Responds to NRC 871221 ltr re violations noted in Insp Repts 50-327/87-66 & 50-328/87-66. Corrective actions: mgt personnel assigned to directly supervise sys alignment program & personnel trained re importance of following procedures.
GRIDLEY, R. Tennessee Valley Authority. 88/01/21. Document Control Branch (Document Control Desk). 8pp. 44101.253-44101.260.

8801260276 Partial response to FOIA requests Forwards App A documents. Documents being placed in PDR. Only files in NRC Ofc of Governmental & Public Affairs searched for documents responsive to request, per 871028 ltr.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139.280-44139.334.

8801260551 Advises that Committee on Interior & Insular Affairs has provided encl info on TVA w/d issues.
KAMMERER, C. Office of Congressional Affairs (pro 870413). 85/10/17. DIRCKS, W. Ofc of the Executive Director for Operations. 23pp. 44139.346-44140.008.

8801270348 Advises of delay in completing corrective actions for violations in Insp Repts 50-327/87-53 & 50-328/87-53 due to need to return inadequate lock sets to supplier for mods. Expected completion date rescheduled from 871219 to 880218.
GRIDLEY, R. Tennessee Valley Authority. 88/01/22. Document Control Branch (Document Control Desk). 2pp. 44145.238-44145.239.

8801280882 Forwards summary of actions required by NRC to support Unit 2 nonnuclear heatup, per Insp Repts 50-327/87-48 & 50-328/87-48 Actions complete & ready for closeout Insp.
RAY, M. J. Tennessee Valley Authority. 88/01/26. Document Control Branch (Document Control Desk). 5pp. 44160.107-44160.111.

R. Periodic operating reports & related correspondence

8801260059 Monthly operating repts for Dec 1987. W/880113 ltr.
DUPREE, D.C., SMITH, S.J. Tennessee Valley Authority. 87/12/31. 63pp. 44123.153-44123.215.

8801130288 Forwards repts to discharge monitoring repts for NPDES TN0028450 Discharge Serial 112 for Nov 1986 & Jul 1987 & NPDES TN0020168 Discharge Serial 101 for Aug & Sept 1987.
BROOKS, R.H. Tennessee Valley Authority. 88/01/04. LUNN, D.E. Tennessee, State of. 1p. 44000.226-44000.233.

8801130296 Rev to NPDES discharge monitoring rept for Jul 1987.
BROOKS, R.H. Tennessee Valley Authority. 87/07/31. 2pp. 44000.227-44000.228.

8801130308 Rev to NPDES discharge monitoring rept for Nov 1986.
BROOKS, R.H. Tennessee Valley Authority. 88/11/30. 1p. 44000.229-44000.229.

8801200079 Partial response to FOIA request for documents. Forwards App D documents App D & E documents available in PDR App F document completely withheld (ref FOIA Exemption 7) App G document partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 6pp. 44081.218-44081.272.

8802190673 Summarizes NRC activities involving TVA from 880203-07.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/02/12. STELLO, V. Ofc of the Executive Director for Operations. 3pp. 44081.278-44081.281.

8801250422 Forwards weekly schedule of TVA activities for wks of 880118 & 25.
KELLY, J.L. Ofc of Special Projects. 88/01/15. ZECH, G.G. Ofc of Special Projects. 5pp. 44116.010-44116.014.

8801260418 Forwards weekly schedule of TVA activities for wks of 880126 & 0201.
KELLY, J.L. Ofc of Special Projects. 88/01/22. ZECH, G.G. Ofc of Special Projects. 4pp. 44139.081-44139.084.

S. Reportable occurrences, LERs & related correspondence

8712280030 Special Rept 87-22 on 871128, fire breach occurred for greater than 7 days for removal of existing pyrocrete, drilling, installing, welding & insp of mod & reinstallation of pyrocrete fire watch established.
SMITH, S.J. Tennessee Valley Authority. 87/12/14. Document Control Branch (Document Control Desk). 2pp. 43893.185-43893.186.

8712300037 LER 87-008-00 on 871127, electromagnetic interference spike occurred initiating isolation ventilation isolation. Caused by electromagnetic pulse due to inadequate detector cable ground. Ground wire secured W/871218 ltr.
KILGORE, B.E., SMITH, S.J. Tennessee Valley Authority. 87/12/18. 6pp. 43898.276-43898.281.

8801060248 LER 87-009-00 on 871205, two containment ventilation isolations occurred. Caused by electromagnetic pulse generated by actuation of low sample flow switch induced to detector cable. SOI 30 2 performed W/871230 ltr.
KILGORE, B.E., SMITH, S.J. Tennessee Valley Authority. 87/12/30. 4pp. 43927.132-43927.136.

8801060277 LER 87-008-01 on 871127, w/Unit in Mode 5, Train A containment ventilation isolation occurred. Caused by spurious high radiation spike in radiation monitor. Special task force group established to determine root cause W/871230 ltr.
KILGORE, B.E., SMITH, S.J. Tennessee Valley Authority. 87/12/30. 6pp. 43916.267-43916.272.

8801200299 LER 87-010-00 on 871221, two containment ventilation isolations occurred due to spurious high radiation spike. Cause under investigation. Appropriate actions will be determined & implemented after investigation. W/880116 ltr.
KILGORE, B.E., SMITH, S.J. Tennessee Valley Authority. 88/01/16. 4pp. 44107.366-44107.369.

8801290319 Summary of Operating Reactors Events Meeting 88-03 on 880119. List of events & summaries of presented events & 1988 scrams encl.
LANNING, W. Events Assessment Branch. 88/01/21. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 18pp. 44180.269-44180.286.

8801280004 Final Part 21 deficiency rept re potential problem w/ silicone rubber insulated cables. Based on encl three test repts, TVA concludes that mfg. shipping, receipt & installation practices did not reduce cable insulation thickness.
GRIDLEY, R. Tennessee Valley Authority. 88/01/25. Document Control Branch (Document Control Desk). 7pp. 44171:227-44171:300.

-8801280007 "Tests on Silicone Rubber Insulated Control Cables."
ELDSTAD, E. Connecticut, Univ. of, Storrs, CT. 87/07/20. 43pp. 44171:234-44171:276.

-8801280010 "Sequoyah Nuclear Plant Impact Testing of AIW Cable."
RINER, G.L., CHILDRES, W.H. Tennessee Valley Authority. SME-MET-87-043. 87/07/22. 11pp. 44171:277-44171:287.

-8801280018 "Sequoyah Nuclear Plant Impact Testing of Rockbestos & Anaconda Cables."
RINER, G.L., CHILDRES, W.H. Tennessee Valley Authority. SME-MET-87-064. 87/08/31. 8pp. 44171:288-44171:295.

-8801280023 "Insulation Wall Thickness Measurement of Silicone-Rubber Cables at Identified Failure Points."
JONES, W.G., RAGSDALE, J.B., MORLEY, R.L. Tennessee Valley Authority. 87/11/23. 5pp. 44171:296-44171:300.

T. Hearing transcripts on non-antitrust matters

8801280661 Transcript of 880120 briefing on status of plant restart in Washington, DC. Pp 1-59. Viewgraphs encl.
* Commissioners. 88/01/20. 72pp. 44172:288-44172:359.

U. Congressional/Executive Correspondence

8801220109 Partial response to FOIA request for documents, including Myers 870721 objection to OTC of Inspector & Auditor use of word "lits" in briefing on TVA. Forwards App L documents. Documents also available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/20. WANN, L. Times Printing Co. 2pp. 44114:046-44114:091.

-8706040254 Requests that Commission state position re validity of encl D Hicks 870328 concerns on TVA nuclear project. Items presented by Hicks have potentially significant implications w/ respect to whether facility complies w/ NRC regulations.
UDALL, M.K. House of Rep., Interior & Insular Affairs. DINGELL, J.D. House of Rep., Energy & Commerce. 87/04/09. ZECH, L. Commissioners. 27pp. 44114:092-44114:122.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bosong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:038.

-8801220136 Advises of attendance at 870923 Nail Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, OTC of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

8801050673 Rev 7 to Corporate Plan Implementing Procedure CIP-2.1, "Dose Assessment & Protective Action Recommendations." W/ 871223 ltr.
SWAILS, S.L. Iowa Electric Light & Power Co. 87/12/23. 104pp. 43919:171-43919:274.

J. Insurance & Indemnity Information

8801270148 Forwards Endorsement 81 to NELIA Policy NF-214, Endorsement 67 to MAELU Policy MF-72, Endorsement 8 to NELIA Certificate N-50 & Endorsement 8 to MAELU Certificate M-50.
SAMUELS, J.L. Marsh & McLennan, Inc. 88/01/14. DINITZ, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 44141:053-44141:057.

P. Operating license stage documents & correspondence

8801060136 Advises that completion date for Phase 1 of DCRDR short-term enhancements changed from 871231 to 880131 due to procurement & installation difficulties. Changes to scope of surface enhancements discussed.
ROTHERT, W.C. Iowa Electric Light & Power Co. 87/12/29. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43926:358-43926:359.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712310152 Responds to deviations noted in Insp Rept 50-331/87-28 on 870928-1023. Corrective actions: task force review of plant sys completed & recommendations implemented. Full compliance achieved on 871010.
ROTHERT, W.C. Iowa Electric Light & Power Co. 87/12/22. DAVIS, A.B. Region 3, OTC of the Director. 9pp. 43963:324-43963:332.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

880110255 Forwards Safety Insp Rept 50-331/87-30 on 871020-1207. No violations noted.
GUILDEMOND, W.G. Region 3, OTC of the Director. 87/12/31. LIU, L. Iowa Electric Light & Power Co. 2pp. 43970:168-43970:176.

-8801110262 Insp Rept 50-331/87-30 on 871020-1207. No violations noted. One item of concern noted. Major areas inspected: previous insp findings, operational safety, maint. surveillance, LERs, Part 21 repts & generic ltr. JACKIW, I.N. Region 3, Ofc of the Director. 87/12/31. 7pp. 43970.170-43970.176

8801110277 Forwards app to SALP 6 Board Rept 50-331/87-01 for Mar 1986 - May 1987 App based on NRC review & evaluation of util 871008 response to SALP repl DAVIS, A.B. Region 3, Ofc of the Director. 88/01/04. LIU, L. Iowa Electric Light & Power Co. 2pp. 43970.215-43970.226.

-8801110284 App to SALP 6 Board Rept 50-331/87-01 for Mar 1986 - May 1987. Region 3, Ofc of the Director. 88/01/04. 5pp. 43970.217-43970.226.

880100394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morfill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801210095 Forwards Request for Relief NDE-006 from ASME Section XI requirements & for rev to current service insp plan. ROTHERT, W.C. Iowa Electric Light & Power Co. 88/01/15. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44133.058-44133.059.

R. Periodic operating reports & related correspondence

8801200350 Monthly operating rept for Dec 1987. W/880115 ltr. MILLER, L. HANNEN, R.L. Iowa Electric Light & Power Co. 87/12/31. 8pp. 44106.243-44106.250.

S. Reportable occurrences, LERs & related correspondence

8712310049 LER 87-030-00 on 871215, standby filter unit activated due to trip of radiation monitor. Caused by downscale signal due to temporary malfunction in artificial background source. Calbr procedure performed on monitor. W/871222 ltr. AXLINE, J.S. HANNEN, R.L. Iowa Electric Light & Power Co. 87/12/22. 4pp. 43920.092-43920.095.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-881170042 Summary of INPO training accreditation board 880723 & 24 meetings re programs for non-licensed operator, reactor operator & senior reactor operator positions for facilities. Agenda, notes on issues & other related documentation encl. ROWSOME, F.H. Human Factors Issues Branch. 88/11/07. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). PERSENSKY, J.J. Maintenance & Training Branch. 22pp. 44119.055-44119.076.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.168.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

8801050491 Advises that temporary addendum to security plan will be in effect until Nov 1988 based on current completion dates for const work on training & simulator bldg & sewage treatment plant & sanitary sewer sys. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 87/12/30. Document Control Branch (Document Control Desk). 1p. 43916.010-43916.010.

H. General correspondence

8801150242 Forwards revised Pages 8, 14, 31 & 48 to util 870928 comments on draft NUREG-1150, correcting editorial errors. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/01/12. Document Control Branch (Document Control Desk). 7pp. 44036.163-44036.169.

P. Operating license stage documents & correspondence

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945.344-43945.347.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8812080547 Trip rept of 861029-30 visit to Natl Nuclear Accrediting Board meeting to review selected training for plants. Board reviewed four sites & 24 programs. MCKEE, P.F. Operating Reactor Program Br, Div of Inspection Programs, IE (850212-870413). 86/12/02. PERSENSKY, J.J. Maintenance & Training Branch. 2pp. 44119.077-44119.078.

Q. Inspection reports, IE Bulletins & correspondence

8712290353 Forwards Safety Insp Rept 50-333/87-23 on 871102-06. No violations noted. JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/17. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 43893.055-43893.064.

-8712290358 Insp Rept 50-333/87-23 on 871102-06. No violations noted. Major areas inspected: improvements to post-mod controls such as verification of as-installed configurations. NAPUDA, G. BLUMBERG, N. Region 1, Ofc of the Director. 87/12/17. 6pp. 43893.057-43893.064.

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058.008-44058.127.

8801130176 Forwards Insp Rept 50-333/87-22 on 871021-1130. No violations noted. WENZINGER, E.C. Region 1, Ofc of the Director. 87/12/23. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 44039.180-44039.184.

-8801130180 Insp Rept 50-333/87-22 on 871021-1130. No violations noted. Major areas inspected: operational safety, verification, surveillance observations, maint observations, followup of plant trip & review of periodic & special repts. JOHNSON, J.R. Region 1, Ofc of the Director. 87/12/21. 13pp. 44039.182-44039.194.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/20. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8712290165 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morfill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801200381 Provides response to Action Item I of IE Bulletin 85-003. Valves within scope of bulletin would have performed safety functions w/ two exceptions, per results of as-found testing. Supporting documentation encl. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/01/15. Region 1, Ofc of the Director. 31pp. 44107.242-44107.272.

R. Periodic operating reports & related correspondence

8801070474 "Radiological Environ Surveillance Rept, 1986, Part B: Radiological Rept." W/870430 ltr. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/12/31. RUSSELL, W. Region 1, Ofc of the Director. 146pp. 43939.164-43939.305.

8801140319 Monthly operating rept for Dec 1987. W/880108 ltr. COOK, J. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 87/12/31. 6pp. 44042.093-44042.105.

8801120209 Summary of changes, tests & experiments implemented at plant during 1986, per requirements of 10CFR50.59. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/01/04. Document Control Branch (Document Control Desk). 22pp. 43988.023-43988.044.

S. Reportable occurrences, LERs & related correspondence

8801120268 LER 87-019-00 on 871207, review of plant procedures indicated that required test of standby gas treatment sys not performed. Caused by Tech Spec misinterpretation. Surveillance test requirement will be clarified. W/880108 ltr. VARGO, G.J. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/01/06. 3pp. 43990.335-43990.337.

8801140111 LER 87-020-00 on 871209, reactor trip from low water level actuation inadvertently initiated during surveillance testing. Caused by instrument & controls technician error. Technician counseled & valves replaced. W/880108 ltr. KEITH, H.N. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/01/08. 6pp. 44082.264-44082.269.

8801200289 LER 87-022-00 on 871210, portion of surveillance test not performed at required frequency due to operator oversight. Operators involved counseled. W/880111 ltr. LINDSEY, D.J. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/01/09. 4pp. 44108.336-44108.339.

8801200290 LER 87-021-00 on 871213, RWCU sys isolated due to failure of pipe flange to seat gasket. Caused by inadequate pipe flange bolt torquing procedure. Procedure changed to include secondary effects. W/880112 ltr. BAKER, R. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/01/12. 5pp. 44107.015-44107.018.

880120021 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-GR-204.
GP W.S.L.E.Y.D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY.K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-880120136 Advances of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
J.S.S.A.F. Region 2, Ofc of the Director. 87/11/02. ROE.J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8712300559 Forwards Safety Insp Rept 50-334/87-16 on 871030-1203. No violations noted.
W.G.S.N.S.J.T. Region 1, Ofc of the Director. 87/12/22. SIEBER, J.D. Duquesne Light Co. 2pp. 43920.316-43920.328.

-871230055 Insp Rept 50-334/87-16 on 871030-1203. No violations noted. Major areas inspected: licensee actions on previous insp findings, plant operations, physical security, radiological controls, house keeping & fire protection.
TRIPP, L.E. Region 1, Ofc of the Director. 87/12/22. 11pp. 43920.318-43920.328.

8801060190 Advises that 871125 Rev 2 to Issue 4 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/28. CAREY, J.J. Duquesne Light Co. 3pp. 43962.053-43962.055.

8801150137 Confirms planned insp of emergency operating procedures (EOPs) on 880201, per 880104 telcon. Requests simulator be available for evaluation of EOPs effectiveness & controlled copy of EOPs be provided to NRC prior to insp.
GALLO, R.M. Region 1, Ofc of the Director. 88/01/05. SIEBER, J.D. Duquesne Light Co. 2pp. 44045.300-44045.301.

J. Insurance & indemnity information

8801190008 Forwards Endorsements 86 & 74 to NELA Policy NF-226 & MAELU Policy MF-87 respectively w/o MAELU Policy MF-87.
BARNETT, J.E. Conover & Associates, Inc. 88/01/11. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 44047.329-44047.337.

P. Operating license stage documents & correspondence

8801140138 Forwards notice of consideration of issuance of amend to License DPR-66 & opportunity for prior hearing re: until 871112 request to revise Tech Specs re pressure isolation testing.
TAM, P.S. Project Directorate I-4. 87/12/22. SIEBER, J.D. Duquesne Light Co. 2pp. 44033.205-44033.210.

-8801140140 Notice of consideration of issuance of amend to License DPR-66 & opportunity for hearing on 871112 request to revise Tech Specs re pressure isolation valves per Generic Ltr 87-06.
TAM, P.S. Project Directorate I-4. 87/12/22. 4pp. 44033.207-44033.210.

8801070394 Forwards safety evaluation supporting design changes to be implemented in Unit 1 Cycle 7.
TAM, P.S. Project Directorate I-4. 87/12/29. SIEBER, J.D. Duquesne Light Co. 2pp. 43945.274-43945.277.

-8801070403 Safety evaluation accepting design changes to be implemented during Unit 1 Cycle 7 fuel reload. Tech Spec change unnecessary.
Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/08. 2pp. 43945.278-43945.277.

8801130343 Advises that encl notice of consideration of issuance of amend re 871112 application for amend to License DPR-66, revising Tech Specs concerning ESF response time, forwarded to Ofc of FR for publication.
TAM, P.S. Project Directorate I-4. 87/12/29. SIEBER, J.D. Duquesne Light Co. 2pp. 44008.185-44008.190.

-8801130370 Notice of consideration of issuance of amend to License DPR-66 & opportunity for prior hearing re 871112 application for amend, revising Tech Specs re ESF response times.
TAM, P.S. Project Directorate I-4. 87/12/29. 4pp. 44008.187-44008.190.

8801070205 Notification of 880106 meeting w/ Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945.344-43945.347.

8801200309 Forwards "DCRDR Supplemental Rept." per NRC 870410 request. Rept provides responses to all of NRC concerns noted in technical evaluation rept. Surveys noted in Section 2.4 of rept will be completed after both refueling outage.
SIEBER, J.D. Duquesne Light Co. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44060.009-44060.011.

-8801200338 "DCRDR Supplemental Rept."
Duquesne Light Co. 88/01/05. 400pp. 44060.011-44060.011.

Q. Inspection reports, IE Bulletins & correspondence

8712180089 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712300055 Insp Rept 50-334/87-16 on 871030-1203. No violations noted. Major areas inspected: licensee actions on previous insp findings, plant operations, physical security, radiological controls, house keeping & fire protection.
TRIPP, L.E. Region 1, Ofc of the Director. 87/12/22. 11pp. 43920.318-43920.328.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43905.138-43905.257.

8712290165 NRC Info Notice 87-066, "Inappropriate Application of Commercial Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43905.268-43905.018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.230.

8801150137 Confirms planned insp of emergency operating procedures (EOPs) on 880201, per 880104 telcon. Requests simulator be available for evaluation of EOPs effectiveness & controlled copy of EOPs be provided to NRC prior to insp.
GALLO, R.M. Region 1, Ofc of the Director. 88/01/05. SIEBER, J.D. Duquesne Light Co. 2pp. 44045.300-44045.301.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.183.

8801190298 Requests extension in reporting results of fastener testing required by NRC Compliance Bulletin 87-002 until 880215.
SIEBER, J.D. Duquesne Light Co. 88/01/12. Document Control Branch (Document Control Desk). 1p. 44061.212-44061.212.

8801290135 Ack receipt of 871202 ltr & affirms info stated. Div approval for use of instrumented insp technique documented in D MacDonald 880516 ltr to JJ Carey.
TAM, P.S. Project Directorate I-4. 88/01/21. SIEBER, J.D. Duquesne Light Co. 2pp. 44177.355-44177.358.

R. Periodic operating reports & related correspondence

8801040538 Monthly operating rept for Nov 1987. W/871211 ltr.
SMITH, P.A., WINGER, M.A., SIEBER, J.D. Duquesne Light Co. 87/11/30. 9pp. 43962.279-43962.287.

8801060114 "NPDES Discharge Monitoring Rept for Nov 1987." W/871228 ltr.
DRUGA, R.J. Duquesne Light Co. 87/11/30. VARGAS, S. Office of Nuclear Reactor Regulation, Director (Post 870411). 18pp. 43931.111-43931.129.

S. Reportable occurrences, LERs & related correspondence

8801190105 Requests that util use of ESF actuating circuits be accepted for interim use for reporting per 10CFR60.72 & 60.73.
SIEBER, J.D. Duquesne Light Co. 88/01/06. Document Control Branch (Document Control Desk). 2pp. 44065.140-44065.141.

8801130101 LER 87-019-00: on 871209, radiation monitor failed causing main filter bank ventilation alignment. Caused by failed components & wiring problem in radiation monitor. Components replaced & wiring corrected. W/880108 ltr.
LACEY, W.S. Duquesne Light Co. 88/01/08. 6pp. 44030.148-44030.152.

8801190078 LER 87-020-00: on 871213, energization of containment purge exhaust monitor caused ESF actuation. Caused by power spike when monitor burned on a technician error. Station shutdown procedures will be revised. W/880112 ltr.
LACEY, W.S. Duquesne Light Co. 88/01/12. 4pp. 44108.234-44108.237.

8801190058 Special rept: seven fire dampers failed to fully close during operational testing & not restored within 7 days. Cause undetermined. Dampers adjusted & returned to svc after retesting except VS-D-260 & 265. Fire watch established.
LACEY, W.S. Duquesne Light Co. 88/01/13. Document Control Branch (Document Control Desk). 2pp. 44063.078-44063.079.

8801260163 LER 87-021-00: on 871221, test results indicated that seven charcoal filter bank sprinkler nozzles blocked, resulting in violation of Tech Spec 4.7.14.2 d. Caused by debris due to moisture in sys. Nozzles cleaned. W/880120 ltr.
LACEY, W.S. Duquesne Light Co. 88/01/20. 3pp. 44130.352-44130.354.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-GR-204.
GP W.S.L.E.Y.D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8704080019 Summary of INPO Accreditation Board 870325 & 28 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl.
HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44119.129-44119.135.

—8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119-159-44119-166.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8801120284 Rev 15 to Health Physics Operating Procedure HP-80, "Emergency Equipment." W/880106 ltr. WOODY, C.O. Florida Power & Light Co. 88/01/06. 16pp. 43986-271-43986-286

8801190184 Forwards supplemental safety evaluation of alternate shutdown capacity for plant. Requests notification of plan to resolve two open items within 45 days of ltr date. TOURIGNY, E.G. Project Directorate II-2. 88/01/07. WOODY, C.O. Florida Power & Light Co. 3pp. 44055-353-44055-358.

—8801200200 Safety evaluation of alternate shutdown capability. Licensee methodology for safe shutdown for fire in control room & cable spreading room conforms w/criteria in 10CFR50, App R & Generic Ltrs 81-12 & 86-10 w/exception of listed items. * NRC - No Dataed Affiliation Given. 88/01/07. 3pp. 44055-356-44055-358.

8801190204 Forwards Insp Repts 50-335/87-30 & 50-389/87-29 on 871207-11. No violations or deviations noted. COLLINS, D.M. Region 2, Ofc of the Director. 88/01/11. WOODY, C.O. Florida Power & Light Co. 2pp. 44045-025-44045-031.

—8801190212 Insp Repts 50-335/87-30 & 50-389/87-29 on 871207-11. No violations or deviations noted. Major areas inspected: emergency preparedness & NRC info notices. KREH, J.L., DECKER, T.R. Region 2, Ofc of the Director. 88/01/08. 5pp. 44045-027-44045-031.

8801200465 Rev 5 to Safety Plan Implementing Procedure HP-200, "Health Physics Emergency Organization." W/880112 ltr. BARROW, J.H., WOODY, C.O. Florida Power & Light Co. 88/01/12. 16pp. 44056-355-44057-010.

8801270519 Forwards SALP Repts 50-335/87-28 & 50-389/87-27 for May 1986 - Oct 1987. Performance rated as excellent. Commitment to upgrade procedures in all areas will be monitored. Comments should be presented at 880126 meeting. GRACE, J.N. Region 2, Ofc of the Director. 88/01/20. WOODY, C.O. Florida Power & Light Co. 4pp. 44145-011-44145-063.

—8801270528 SALP Repts 50-335/87-28 & 50-335/87-27 for May 1986 - Oct 1987. * Region 2, Ofc of the Director. 88/01/20. 40pp. 44145-015-44145-063.

G. Adjudicatory correspondence

8801150027 Request for extension of time in which to file request for hearing & petition for leave to intervene. * Petitioner requests extension until 880212 due to delay caused by lack of access to relevant documents. RICH, C. Affiliation Not Assigned. #188-5334. 88/01/02. Commissioners. 1p. 44033-267-44033-267.

8801210181 Request for extension of time in which to file request for hearing & petition for leave to intervene. * Extension until 880212 requested due to lack of access to relevant documents during nonbusiness hours. Served on 880120. RICH, C. Rich, C. #188-5377. 88/01/02. Office of the Secretary of the Commission. 1p. 44065-175-44065-175.

8801250304 Request for hearing & petition for leave to intervene. * Expansion of spent fuel facility involves significant hazard determination which requires public hearing & EIS before approval. Served on 880121. RICH, C. Rich, C. #188-5391. 88/01/21. Atomic Safety and Licensing Board Panel. 12pp. 44090-200-44090-211.

J. Insurance & Indemnity Information

8801140119 Forwards Endorsements 69 & 70 to NELIA Policy NF-227, Endorsements 85 & 87 to NELIA Policy NF-185, Endorsements 56 & 57 to MAELU Policy MF-83 & Endorsements 73 & 74 to MAELU Policy MF-55. PICKERL, H.D. Marsh & McLennan, Inc. 88/01/07. DINIZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44010-057-44010-081.

P. Operating license stage documents & correspondence

8712300085 Application for amendments to Licensee DPR-67 & NPF-16, changing Tech Specs to modify requirements to perform moderator temp coefficient test near end of each cycle. Safety evaluation also encl. Fee paid. WOODY, C.O. Florida Power & Light Co. 87/12/22. Document Control Branch (Document Control Desk). 3pp. 43921-056-43921-073.

—8712300089 Proposed Tech Specs, modifying requirements to perform moderator temp coefficient test near end of each cycle. * Florida Power & Light Co. 87/12/22. 15pp. 43921-059-43921-073.

8801060221 Forwards response to NRC 871202 comments on util 871118 submittal of independent mgt appraisal program plan. Revised program plan also encl. WOODY, C.O. Florida Power & Light Co. 87/12/30. GRACE, J.N. Region 2, Ofc of the Director. 5pp. 43918-123-43918-212.

—8801060230 Rev 1 to "Independent Mgt Appraisal Program Plan for Florida Power & Light Co." * Enercon Services. 87/12/30. 85pp. 43918-128-43918-212.

8801070344 Forwards NSHC & administrative corrections to Tech Specs re pump & valve testing program to support 871116 application to amend Licensee DPR-67 & NPF-16. WOODY, C.O. Florida Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 9pp. 44030-318-44030-326.

8801270011 Application for amend to Licensee DPR-67, changing Tech Specs to increase enrichment spec of new fuel storage rack to 4.5 weight percent (w/o) U-235. Supporting documentation and Fee paid. WOODY, C.O. Florida Power & Light Co. 88/01/20. Document Control Branch (Document Control Desk). 3pp. 44137-304-44137-341.

—8801270014 Proposed Tech Specs increasing enrichment spec of new fuel storage rack to 4.5 weight percent (w/o) U-235. * Florida Power & Light Co. 88/01/20. 8pp. 44137-307-44137-314.

—8801270017 Rev 0 to "Criticality Safety Analysis St Lucie New Fuel Storage Vault W/ 4.5% Enriched 14x14 Fuel Assemblies." * Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). XN-NF-87-43 R00. 87/03/31. 28pp. 44137-315-44137-341.

8801290194 Application for amend to Licensee DPR-67, changing Tech Specs to revise requirements for boric acid makeup sys. Safety evaluation, determination of NSHC & CEN-353 (F). "Boric Acid Concentration Reduction Effort," encl. Fee paid. WOODY, C.O. Florida Power & Light Co. 88/01/22. Document Control Branch (Document Control Desk). 3pp. 44170-308-44170-339.

—8801290198 Proposed Tech Specs revising requirements for boric acid makeup sys. * Florida Power & Light Co. 88/01/22. 34pp. 44170-308-44170-339.

—8801290202 "Concentration Reduction Effort, Technical Bases & Operational Analysis." * Florida Power & Light Co. CEN-353 (F). 88/01/22. 227pp. 44170-340-44170-126.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056-008-44056-127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.

8801070349 Responds to violations noted in Insp Repts 50-335/87-23 & 50-389/87-22. Corrective actions procedures in control room updated by QC document personnel. WOODY, C.O. Florida Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 4pp. 44008-023-44008-024.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995-010.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-286.

8801110362 Forwards Insp Repts 50-335/87-26 & 50-389/87-25 on 871026-30. No violations or deviations noted. HERDT, A.R. Region 2, Ofc of the Director. 87/12/31. WOODY, C.O. Florida Power & Light Co. 2pp. 44006-065-44006-078.

—8801110367 Insp Repts 50-335/87-26 & 50-389/87-25 on 871026-30. No violation or deviation noted. Major areas inspected: safety-related pipe supports & pipe support base plate design using concrete expansion bolts (IE Bulletin 78-02). CHOU, R.C., BLAKE, J.J. Region 2, Ofc of the Director. 87/12/29. 12pp. 44006-067-44006-078.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Marlin MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

8801190204 Forwards Insp Repts 50-335/87-30 & 50-389/87-29 on 871207-11. No violations or deviations noted. COLLINS, D.M. Region 2, Ofc of the Director. 88/01/11. WOODY, C.O. Florida Power & Light Co. 2pp. 44045-026-44045-031.

—8801190212 Insp Repts 50-335/87-30 & 50-389/87-29 on 871207-11. No violations or deviations noted. Major areas inspected: emergency preparedness & NRC info notices. KREH, J.L., DECKER, T.R. Region 2, Ofc of the Director. 88/01/08. 5pp. 44045-027-44045-031.

8801150220 Advises that response to NRC Bulletin 87-002, "Fastener Testing to Determine Conformance w/Applicable Mail Specs," will be submitted by 880212, per 880111 telcon. Delay due to incomplete verification & validation of test results. WOODY, C.O. Florida Power & Light Co. 88/01/12. GRACE, J.N. Region 2, Ofc of the Director. 1p. 44062-180-44062-180.

8801200372 Provides summary report satisfying Item 1 of IE Bulletin 85-003 "Motor-Operated Valve Common Mode Failure During Plant Transients Due to Improper Switch Settings." Completion of each requirement addressed separately. WOODY, C.O. Florida Power & Light Co. 88/01/14. GRACE, J.N. Region 2, Ofc of the Director. 28pp. 44066-224-44066-252.

8801270519 Forwards SALP Repts 50-335/87-28 & 50-389/87-27 for May 1986 - Oct 1987. Performance rated as excellent. Commitment to upgrade procedures in all areas will be monitored. Comments should be presented at 880126 meeting. GRACE, J.N. Region 2, Ofc of the Director. 88/01/20. WOODY, C.O. Florida Power & Light Co. 4pp. 44145-011-44145-063.

R. Periodic operating reports & related correspondence

- 8812280112 Forwards monthly operating repts for Nov 1987 & corrected monthly operating repts for Oct 1987 revising outage duration hours.
WOODY, C.O. Florida Power & Light Co. 87/12/15. Document Control Branch (Document Control Desk). 1p. 43893.187-43893.206.
- 8812280093 Monthly operating repts for Nov 1987.
GRANT, N.W. Florida Power & Light Co. 87/11/30. 16pp. 43893.188-43893.203.
- 8801260314 Forwards monthly operating repts for Dec 1987 & corrected monthly operating repts for Nov 1987.
WOODY, C.O. Florida Power & Light Co. 88/01/15. Document Control Branch (Document Control Desk). 1p. 44132.324-44132.343.
- 8801210018 Monthly operating repts for Dec 1987.
GRANT, N.W. Florida Power & Light Co. 87/12/31. 18pp. 44132.325-44132.342.
- 8801270238 Quarterly turbine activities repts for Fourth Quarter 1987.
WOODY, C.O. Florida Power & Light Co. 88/01/21. Document Control Branch (Document Control Desk). 6pp. 44145.353-44145.358.

S. Reportable occurrences, LERs & related correspondence

- 8801260221 LER 87-017-00 on 871221 reactor tripped due to protective sys hi startup rate B channel in trip & loss of IMD 120 volt ac instrument bus. Caused by personnel error. Personnel counseled on following procedures W/880120 Ltr.
GREEN, W.C., WOODY, C.O. Florida Power & Light Co. 88/01/20. 4pp. 44131.025-44131.028.

V. Operator Examinations

- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.
- 8811170042 Summary of INPO training accreditation board 860723 & 24 meetings re programs for non-licensed operator, reactor operator & senior reactor operator positions for facilities. Agenda, notes on issues & other related documentation encl.
ROWSOME, F.H. Human Factors Issues Branch. 88/11/07. RUSSELL, W.T. Division of Human Factors Technology (85125-870411). 22pp. 44118.055-44118.076.
- 8801220138 Advises of attendance at 870923 Nati Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118.159-44118.168.
- 8801270519 Forwards SALP Repts 50-335/87-28 & 50-388/87-27 for May 1988 - Oct 1987. Performance rated as excellent. Commitment to upgrade procedures in all areas will be monitored. Comments should be presented at 880126 meeting.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/20. WOODY, C.O. Florida Power & Light Co. 4pp. 44145.011-44145.063.
- 8801270526 SALP Repts 50-335/87-28 & 50-335/87-27 for May 1988 - Oct 1987.
* Region 2, Ofc of the Director. 88/01/20. 49pp. 44145.015-44145.063.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

- 8801110443 Discusses Physical Security Insp Repts 50-245/87-22, 50-336/87-20 & 50-423/87-18 & Insp Rept 50-423/87-18 on 870831-0904 & 22-1102, respectively & forwards notice of violation & proposed imposition of civil penalty.
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 43968.169-43968.177.
- 8801110454 Partially deleted notice of violation from insp on 870831-0904 & 26-1026 (ref 10CFR73.21).
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. 5pp. 43968.173-43968.177.
- 8801110303 Special repton on 871125, cable vault deluge fire sprinkler sys in auxiliary bldg removed from svc for mods to meet 10CFR50, App R requirements. Mod to be completed prior to startup from 1988 refueling outage.
SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 87/12/29. Document Control Branch (Document Control Desk). 1p. 44000.042-44000.042.
- 880120384 Revised corporate organization for nuclear incidents procedures, including Rev 9 to CONI-9.01, "Notification of Communications W/Upper Mgt & On-Call Organization" & Rev 18 to CONI-10.01, "Emergency & Telephone..." W/871231 Ltr.
RODGERS, R., MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 87/12/31. 38pp. 43991.020-43991.058.
- 8801210188 Forwards insp Repts 50-245/87-30 & 50-336/87-25 on 871027-1130 & notice of violation. Several concerns re chilled water cooling sys HX inoperability, reactor scram & open sample sink valve discussed.
BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/01/11. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44083.235-44083.255.
- 8801210211 Insp Repts 50-245/87-30 & 50-336/87-25 on 871027-1130. Violations noted: Major areas inspected: physical security, operations, svc water sys operability, vital dc switchgear ventilation, surveillance & LERs.
MCCABE, E.C. Region 1, Ofc of the Director. 88/01/06. 18pp. 44083.236-44083.255.

- 8401120175 Forwards safety evaluation & Amend 90 to License D transition & accident analyses for Cycle 6 reload. Confirm outstanding. Submitting requested in 90 days.
HEITNER, K.L. Operating Reactors Branch 3. 83/12/30. CONUS Clear Energy Co. (subs. of Northeast Utilities). 3pp. 44008.301-44008.301.
- 8801130194 Amend 90 to License DPR-65, reflecting Tech Specs for plant operation in Cycle 6.
MILLER, J.R. Operating Reactors Branch 3. 83/12/30. 21pp. 44008.302-44008.302.
- 8801130200 Safety evaluation supporting Amend 90 to License D.
* Office of Nuclear Reactor Regulation, Director (pre-85112). 44008.315-44008.327.
- 880120090 Forwards info re Resource Technical Svcs, Inc., including contract work, NRC Form 26 for three existing contracts, audit info of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-21. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43008.230-43008.230.
- 8801070352 Forwards FR notice of consideration of issuance of DPR-65 & opportunity for hearing re 880521 application for spent fuel.
JAFKE, D.H. Project Directorate I-4. 87/12/21. MROCZKA, E.J. Energy Co. (subs. of Northeast Utilities). 2pp. 43945.258-43945.258.
- 8801070367 Notice of consideration of issuance of amend to License D for hearing. Amend deletes footnote to Tech Spec 3.2.2 removing limitation restricting storage of consolidated spent fuel.
JAFKE, D.H. Project Directorate I-4. 87/12/28. 7pp. 43945.260-43945.260.
- 8801050002 Application for amend to License DPR-65, revising Tech Specs for installation of personnel door in spent fuel pool area of auxiliary building.
MROCZKA, E.J., WERNER, R.P. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 87/12/29. Document Control Branch (Document Control Desk). 4pp. 43903.184-43903.189.
- 8801050004 Proposed Tech Specs adding personnel door to spent fuel auxiliary bldg.
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). Document Control Branch (Document Control Desk). 2pp. 43903.188-43903.188.
- 8801050012 Application for amend to License DPR-65, changing Tech Specs for current engineering & computational methodologies being utilized in current leakage rate during integrated leak rate test. Fee paid.
MROCZKA, E.J., SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 87/12/28. Document Control Branch (Document Control Desk). 4pp. 43903.208-43903.214.
- 8801050015 Proposed Tech Specs, deferring instrument error analysis to manual-type integrated leak rate test data acquisition/reduction.
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 43903.213-43903.214.
- 8801070383 Requests add info re post-accident trips of reactor NUREG-0737, Item 11.K.3.6 & Generic Ltr 86-06. Response requested re receipt of ltr.
JAFKE, D.H. Project Directorate I-4. 87/12/30. MROCZKA, E.J. Energy Co. (subs. of Northeast Utilities). 5pp. 43945.268-43945.268.
- 8801190155 Forwards notice of consideration of issuance of amend to License D & opportunity for prior hearing re 871228 & 880105 requests concerning containment leak rate testing & error analysis associated with integrated leak rate test.
JAFKE, D.H. Project Directorate I-4. 87/12/31. MROCZKA, E.J. Energy Co. (subs. of Northeast Utilities). 2pp. 44053.285-44053.285.
- 8801190163 Notice of consideration of issuance of amend to License D & opportunity for prior hearing re 871228 & 880105 requests to change "Containment Leakage" to delete ANSI Std N45.4-1972 & modify integrated leak rate test.
JAFKE, D.H. Project Directorate I-4. 88/01/05. 4pp. 44053.287-44053.287.
- 8801130113 Provides response to request for add'l info re spent fuel. 881117 telcon. NRC understanding re noninclusion of temporary spent fuel Tech Spec change request confirmed.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/04. Document Control Branch (Document Control Desk). 11pp. 44039.080-44039.090.
- 8801120389 Supplemental application for amend to License DPR-65, reflecting Tech Specs integrated leak rate test. Fee paid.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/05. Document Control Branch (Document Control Desk). 5pp. 43988.334-43988.341.
- 8801120374 Proposed Tech Specs, revising integrated leak rate test.
* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 43988.338-43988.341.
- 8801130260 Submits comments on draft SRP Section 3.6.3, "Leakage Procedures," for amend to GDC 4 of 10CFR50, App A. Comments by Nuclear Utility Group on Equipment Qualification.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/04. Document Control Branch (Document Control Desk). 44002.164.
- 8801190180 Comments on SRP Section 3.6.3 of NUREG-0800, "Equipment Qualification."
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SEARS, C.F. Connecticut Yankee Atomic Power Co. 88/01/11. Document Control Branch (Document Control Desk). 5pp. 44052.001-44052.005.

8801190189 Summary of 871210 meeting w/utl in Bethesda, MD re full 40-yr OL & status of worker ALARA programs at plants List of attendees & viewgraphs encl. JAFFE, D.H. Project Directorate I-4. 88/01/06. Project Directorate I-4. 69pp. 44055:223-44055:291.

8801200252 Forwards environ assessment re 881222 application for amend to License DPR-85, extending license expiration date from 101211 to 160731. Notice of issuance of environ assessment & finding of significant impact also encl. JAFFE, D.H. Project Directorate I-4. 88/01/06. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44066:303-44066:316.

-8801200256 Environ assessment re change in expiration date of License DPR-85. EIS unwarranted.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/06. 8pp. 44066:305-44066:312.

-8801200262 Notice of issuance of environ assessment & finding of no significant impact re 881222 application for amend to License DPR-85, extending expiration dates of OL from 101211 to 160731. EIS unwarranted.
JAFFE, D.H. Project Directorate I-4. 88/01/06. 4pp. 44066:313-44066:316.

880120248 Forwards addl info re design bases for piping & supports within reactor bldg closed cooling water sys. per NRC 871103 request. Design of sub sys piping & supports remains consistent w/applicable design bases set forth in FSAH. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/07. Document Control Branch (Document Control Desk). 7pp. 43986:239-43986:244.

8801250431 Forwards Amend 123 to License DPR-85 & safety evaluation. Amend changes expiration date from 101211 to 160731.
JAFFE, D.H. Project Directorate I-4. 88/01/12. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44116:107-44116:114.

-8801250438 Amend 123 to License DPR-85, changing expiration date from 101211 to 160731.
STOLZ, J.F. Project Directorate I-4. 88/01/12. 2pp. 44116:109-44116:110.

-8801250441 Safety evaluation supporting Amend 123 to License DPR-85.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/12. 4pp. 44116:111-44116:114.

8801190189 Forwards Pages 6-23 to Amend 120 to License DPR-85. Amend issued 870926 inadvertently deleted Pages 6-23 re secondary water chemistry. Pages 6-24 adding section on PASS/sampling & analysis of plant effluents also encl. JAFFE, D.H. Project Directorate I-4. 88/01/13. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 2pp. 44056:001-44056:004.

-8801190291 Errata to Amend 120 to License DPR-85 to include Page 6-23 re secondary water chemistry inadvertently deleted & to add Page 6-24 re PASS/sampling & analysis of plant effluents.
* Project Directorate I-4. 88/01/13. 2pp. 44056:003-44056:004.

8801210173 Documents fact that evaluations performed by Westinghouse to support facility coastdown operation used known sensitivities to assure that peak clad temps remained below current design basis analysis.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/13. Document Control Branch (Document Control Desk). 2pp. 44083:214-44083:215.

8801270151 Ack receipt of invoices G0369, G0403, G0404 & G0405 for second quarterly installment of 1988 annual fee. Payment for invoices will be transferred on 880129, per instructions.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/18. Document Control Branch (Document Control Desk). 8pp. 44168:014-44168:019.

8801280604 Notification of 880127 meeting w/utl to discuss use of dual role of senior reactor operator/shift technical adviser at facility.
JAFFE, D.H. Project Directorate I-4. 88/01/26. MURLEY, T., SNIJEZEK, J., MIRALIA, F. NRC - No Detailed Affiliation Given. 2pp. 44173:205-44173:208.

G. Inspection reports, IE Bulletins & correspondence

8801110443 Discusses Physical Security Insp Repts 50-245/87-22, 50-336/87-20 & 50-423/87-18 & Insp Rept 50-423/87-18 on 870831-0904 & 22-1102, respectively & forwards notice of violation & proposed imposition of civil penalty.
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 43969:169-43969:177.

-8801110454 Partially deleted notice of violation from Insp on 870831-0904 & 26-1026 (ref 10CFR73.21).
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. 5pp. 43969:173-43969:177.

8712280230 Responds to NRC 871119 ltr re violations noted in Insp Repts 50-245/87-17 & 50-336/87-15. Corrective actions: installed applications of wire reviewed & wire in equipment sub) to 10CFR50.49. Requirements replaced.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 87/12/18. JOHNSON, W.V. Region 1, Ofc of the Director. 10pp. 43963:352-43963:360.

8712160389 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-026, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:267.

8801130324 Forwards Safety Insp Repts 50-245/87-28 & 50-336/87-24 on 871102-06. No violations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. OPEKA, J.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44039:111-44039:118.

-8801130328 Insp Repts 50-245/87-28 & 50-336/87-24 on 871102-06. No violations noted. Major areas inspected: nonradiological chemistry program, including measurement control & analytical procedure evaluations.
ZIBULSKY, H., JANG, J., PASCIAK, W.J. Region 1, Ofc of the Director. 87/12/22. 6pp. 44039:113-44039:118.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of License Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801120362 Forwards Insp Repts 50-245/87-31, 50-336/87-26 & 50-423/87-27 on 871116-20. No violations noted. Unit 3 staff implementing effective radiation protection program. Weakness noted re qualification of respiratory protection support personnel.
MARTIN, T.T. Region 1, Ofc of the Director. 88/01/04. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 3pp. 44040:050-44040:061.

-8801120367 Insp Repts 50-245/87-31, 50-336/87-26 & 50-423/87-27 on 871116-20. No violations noted. Major areas inspected: radiation protection activities, including internal/external exposure control & personnel selection & training.
WEADOCK, A., THOMAS, W., SHANBAKY, M. Region 1, Ofc of the Director. 87/12/28. 9pp. 44040:053-44040:061.

8801150272 Confirms 880515 revised due date for util response to NRC request for addl info re inservice Insp program, per telcons w/facility project manager.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44041:073-44041:073.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801150178 Provides update on implementation status of corrective actions discussed in 881105 response to recommendations in SALP Board repts for 15-month period ending 880531 & addl relevant info.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/11. Document Control Branch (Document Control Desk). 39pp. 44035:349-44036:027.

8801210188 Forwards Insp Repts 50-245/87-30 & 50-336/87-25 on 871027-1130 & notice of violation. Several concerns re chilled water cooling sys HX inoperability, reactor scram & open sample sink valve discussed.
BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/01/11. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44083:235-44083:255.

-8801210200 Notice of violation from Insp on 871027. Violations noted: both redundant vital ventilation subsys chilled water coolers inoperable for 4 years.
* Region 1, Ofc of the Director. 88/01/11. 1p. 44083:237-44083:237.

-8801210211 Insp Repts 50-245/87-30 & 50-336/87-25 on 871027-1130. Violations noted. Major areas inspected: physical security, operations, svc water sys operability, vital dc switchgear ventilation, surveillance & LERs.
MCCABE, E.C. Region 1, Ofc of the Director. 88/01/06. 18pp. 44083:236-44083:255.

R. Periodic operating reports & related correspondence

8801140349 Monthly operating rept for Dec 1987. W/880108 ltr.
GIBSON, J., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 87/12/31. 4pp. 44042:332-44042:336.

S. Reportable occurrences, LERs & related correspondence

880120268 LER 87-004-01 on 870202 & 0208, automatic actuations of emergency safeguards actuation sys resulted in containment purge valve isolation. Caused by broken window on beta scintillation detector. Detector replaced. W/880104 ltr.
KUZEL, N.E., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 88/01/04. 3pp. 43996:354-43996:356.

8801110303 Special rept on 871125, cable vault deluge fire sprinkler sys in auxiliary bldg removed from svc for mods to meet 10CFR50. App R requirements. Mod to be completed prior to startup from 1989 refueling outage.
SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 87/12/29. Document Control Branch (Document Control Desk). 1p. 44000:042-44000:042.

8801200315 LER 87-013-00 on 871218, fire watch patrol failed to conduct hourly insp per Tech Specs. Caused by watchstander failure to relieve position in timely manner. Fire watch contractor replaced. W/880112 ltr.
BATES, R.W., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 88/01/12. 4pp. 44134:155-44134:158.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 3pp. 44118:001-44118:038.

* ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACN9
Committee on Reactor Safeguards. 14pp. 44140.030-44140.039

Q. Inspection reports, IE Bulletin & correspondence

8712160389 NRC Info Notice 87-084, "Conviction for Falsification of Social Records," Svc list encl.
ROSSI, G.E. Division of Operational Events Assessment (Post 870411).
Consolidated Edison Co. of New York, Inc. 120pp. 44153 001.44153 124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed C
Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411).
Consolidated Edison Co. of New York, Inc. 120pp. 44058 008 44058 127.

8712230003 Suppl 1 to NRC info Notice 87-020, "Air Sys Problems at US L
list encl.
ROSSI.C.E. Division of Operational Events Assessment (Post 870411).
Consolidated Edison Co. of New York, Inc. 124pp. 43995.130-43995.257.

8712290155 NRC Info Notice 87-088, "Inappropriate Application of Common Components," Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411).
Consolidated Edison Co. of New York, Inc. 1200p. 43996:268-43998 018.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional licensee Actions in Response to IE Bulletin 80-11." See list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411).
Consolidated Edison Co. of New York, Inc. 1230p. 44038.184-44038.200.

880110279 Forwards summary of program to ensure that valve operators selected, set & maintained properly, per IE Bulletin 86-003. Calculations used mine required thrusts also encl.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/04.
Control Branch (Document Control Desk). 28pp. 43871-307-43871-334.

8801120143 Forwards Insp Repts 60-338/87-36 & 60-339/87-36 on 87102 notice of violation. Concern expressed re number & type of problems that during Unit 2 outage & startup.
GRACE, J.N. Region 2, Ofc of the Director, 88/01/04. STEWART, W.L. Virgil (Virginia Electric & Power Co.), 2pp. 43987:311-43987:329.

-8801120153 Notice of violation from Insp on 871020-1110. Violations noted: Diesel Generator 2J electrically overloaded due to inadequate surveillance & failure to follow procedures.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/04. 3pp. 43087-313-43087

-9801120172 Insp Repts 50-338/87-38 & 50-338/87-38 on 871020-1110.
noted. Major areas inspected: plant status, unresolved items, LBN follow
walkdown, verification of containment integrity & security.
CALDWELL, J.L., KING, L.P., CANTRELL, F. Region 2, Ofc of the Director. 8
14pp. 439887.316-439887.328.

8801150293 Forwards Insp Repts 60-336/87-37 & 60-339/87-37 on 871019-
ices of violation & deviation.
HERDT, A.F. Region 2, Ofc of the Director. 88/01/06. STEWART, W.L. Virgin
(Virginia Electric & Power Co.). 2pp. 44084:102-44084:118.

-8801150307 Notice of violation from Insp on 881018-23. Violations noted: fire drill requirements not implemented when all shift fire brigades failed to participate in one drill per quarter as required by fire protection program.
HERDT, A.R. Region 2, Ofc of the Director. 88/01/08. 2pp. 44084:104-44084.

8801150314 Notice of deviation from insp on 871019-23. Deviation noted: c
sys at ceiling of upper compartment of quench spray pump lo
upgraded. Upgrade not included in complete fire detection design change pack
* Region 2, Ofc of the Director, 88/01/06, tp. 44064:106-44064:106.

8801150317 Insp Repts 60-338/87-37 & 50-339/87-37 on 871010-23. Violation noted Major areas inspected: fire protection.
WISEMAN, G.R., CONLON, T.E. Region 2, C/o of the Director. 87/12/2
44064:107-44064:119.

88-01050394 Suppl 1 to NRC info Notice 88-081, "Broken External Closure Sp
Atwood & Morrill MSIVs." Svo list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88
Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:183.

8801200300 Forwards Insp Repts 50-338/87-41 & 50-339/87-41 on 871214. 1B
lation or deviation noted.
HERDT, A.R. Region 2, Ofc of the Director. 88/01/11. STEWART, W.L., Virginia
(Virginia Electric & Power Co.), 2pp. 44058144-44058151.

8801200304 Insp Repts 60-338/87-41 & 60-338/87-41 on 871214-18. No viol
deviation noted Major areas inspected: inservice insp & testing of pumps & v
closing of open items.
ECONOMOS, N. BLAKE, J.J. Region 2, Ofc of the Director, 88/01/08, App. 440
44058.151.

801260380 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to
mine Conformance W/Applicable Mail Space." Based on ethical technical evaluation
fastener discrepancy noted in tests adversely affects safety-related components
STEWART, W.L. Virginia Power (Electric & Power Co.), 96/01/18. Doc
Control Branch (Document Control Desk), 51pp, 44128;187.44128:237.

801260380 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to
mine Conformance W/Applicable Mail Space." Based on ethical technical evaluation
fastener discrepancy noted in tests adversely affects safety-related components
STEWART, W.L. Virginia Power (Electric & Power Co.), 96/01/18. Doc
Control Branch (Document Control Desk), 51pp, 44128;187.44128:237.

(Economic Control Desk), 51pp, 44128:187-44128:237.

3. Reportable occurrences, LERs & related correspondence

8801280421 LER 88-001-00 on 880103, vent stack A normal range radiation monitor declared inoperable due to high indicated radiation levels. Caused by scintillator tube shorting to detector housing. Scintillator tube replaced. W/880114 ltr. HARRELL, E.W. Virginia Power (Virginia Electric & Power Co.). 88/01/14. 5pp. 44168.068-44168.072.

8801270275 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl. LANNING, W. Events Assessment Branch. 88/01/15. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 16pp. 44165.136-44165.151.

8801280177 LER 88-003-00 on 880107, Tech Spec 3.3.3.1, Action Statement 35 exceeded. Caused by radiation monitor 1A being inoperable for more than 72 h due to ion chamber problems. Grab samples taken & ion chamber & tube replaced. W/880121 ltr. HARRELL, E.W. Virginia Power (Virginia Electric & Power Co.). 88/01/21. 5pp. 44168.264-44168.258.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801070480 Summary of INPO Accreditation Board 851023-24 meetings in Atlanta, GA re training programs for listed facilities, performance indicators, NRC exam failure rate & instructor qualifications. ZIEMANN, D.L. Division of Human Factors Safety (800428-851124). 85/11/04. RUSSELL, W.T. Division of Human Factors Safety (800428-851124). 4pp. 44118.200-44118.203.

-8801220136 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2**F. Security, medical, emergency & fire protection plans**

8801120143 Forwards Insp Repts 50-338/87-36 & 50-339/87-38 on 871020-1119 & notice of violation. Concern expressed re number & type of problems that occurred during Unit 2 outage & startup. GRACE, J.N. Region 2, Ofc of the Director. 88/01/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43987.311-43987.329.

-8801120172 Insp Repts 50-338/87-36 & 50-339/87-38 on 871020-1119. Violations noted. Major areas inspected: plant status, unresolved items, LER followup, ESF walkdown, verification of containment integrity & security. CALDWELL, J.L. Region 2, Ofc of the Director. 87/12/28. 14pp. 43987.316-43987.329.

8801160293 Forwards Insp Repts 50-338/87-37 & 50-339/87-37 on 871019-23 & notices of violation & deviation. HERDT, A.R. Region 2, Ofc of the Director. 88/01/06. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 44064.102-44064.119.

-8801150307 Notice of violation from Insp on 880109-23. Violations noted: fire brigade drill requirements not implemented when all shift fire brigades failed to participate in one drill per quarter as required by fire protection program. HERDT, A.R. Region 2, Ofc of the Director. 88/01/06. 2pp. 44064.104-44064.105.

-8801150314 Notice of deviation from Insp on 871019-23. Deviation noted: detection sys at ceiling of upper compartment of quench spray pump to use not upgraded. Upgrade not included in complete fire detection design change package. * Region 2, Ofc of the Director. 88/01/06. 1p. 44064.106-44064.106.

-8801150317 Insp Repts 50-338/87-37 & 50-339/87-37 on 871019-23. Violations & deviation noted. Major areas inspected: fire protection. WISEMAN, G.R. Region 2, Ofc of the Director. 87/12/21. 13pp. 44064.107-44064.119.

8801200432 Rev 10 to Emergency Plan Implementing Procedure EPIP-1.01, "Emergency Manager Controlling Procedure (W/4 Attachments)." W/880113 ltr. BURLING, M.L., TRAMMEL, C.O., STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/13. 53pp. 44058.212-44058.264.

8801200271 Requests util remit fee for 871009 application for exemption from 10CFR50.47 & App E requirements to conduct annual exercise of station emergency plan in 1987 for plant. DIGGS, R.M. License Fee Management Branch. 88/01/15. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 1p. 44061.351-44061.351.

J. Insurance & indemnity information

8801190012 Forwards Endorsement 44 to NELIA Policy NS-318, Endorsement 8 to MAELU Certificates M-28 & M-27 & NELIA Certificates N-28 & N-27, Endorsement 88 to NELIA Policy NF-188 & Endorsements 88 & 47 Policies MF-57 & MF-98, respectively. INGLES, J.M., Marsh & McLennan, Inc. 88/01/07. DINITZ, I. NRC - No Detailed Affiliation Given. 14pp. 44045.175-44045.188.

P. Operating license stage documents & correspondence

8801120090 Forwards Info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSTON, E.H. Region 4, Ofc of the Director. 71pp. 43988.230-43988.300.

8801070205 Notification of 880108 meeting w/ Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generico Ltr 87-12. TRAMMEL, C.O. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945.344-43945.347.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8807090559 Discusses attendance at 880528 & 28 INPO Accreditation Board meetings. Board attendees listed & major facility-specific issues & util responses discussed. Evaluation method appears effective overall. NRC involvement should be maintained. BOGER, B.A. Operator Licensing Branch. 86/06/20. RUSSELL, W.T. Division of Human Factors Technology (851126-870411). 7pp. 44118.358-44118.010.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43996.138-43996.257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43996.018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.288.

8801102779 Forwards summary of program to ensure that valve operator switches selected, set & maintained properly, per IE Bulletin 85-003. Calculations used to determine required thrusts also encl. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/04. Document Control Branch (Document Control Desk). 28pp. 43971.307-43971.334.

8801120143 Forwards Insp Repts 50-338/87-36 & 50-339/87-38 on 871020-1119 & notice of violation. Concern expressed re number & type of problems that occurred during Unit 2 outage & startup. GRACE, J.N. Region 2, Ofc of the Director. 88/01/04. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 43987.311-43987.329.

-8801120153 Notice of violation from Insp on 871020-1119. Violations noted: Emergency Diesel Generator 2J electrically overloaded due to inadequate surveillance procedure & failure to follow procedures. GRACE, J.N. Region 2, Ofc of the Director. 88/01/04. 3pp. 43987.313-43987.316.

-8801120172 Insp Repts 50-338/87-36 & 50-339/87-38 on 871020-1119. Violations noted. Major areas inspected: plant status, unresolved items, LER followup, ESF walkdown, verification of containment integrity & security. CALDWELL, J.L., KING, L.P., CANTRELL, F. Region 2, Ofc of the Director. 87/12/28. 14pp. 43987.316-43987.329.

8801160293 Forwards Insp Repts 50-338/87-37 & 50-339/87-37 on 871019-23 & notices of violation & deviation. HERDT, A.R. Region 2, Ofc of the Director. 88/01/06. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 44064.102-44064.119.

-8801150307 Notice of violation from Insp on 880109-23. Violations noted: fire brigade drill requirements not implemented when all shift fire brigades failed to participate in one drill per quarter as required by fire protection program. HERDT, A.R. Region 2, Ofc of the Director. 88/01/06. 2pp. 44064.104-44064.105.

-8801150314 Notice of deviation from Insp on 871019-23. Deviation noted: detection sys at ceiling of upper compartment of quench spray pump to use not upgraded. Upgrade not included in complete fire detection design change package. * Region 2, Ofc of the Director. 88/01/06. 1p. 44064.106-44064.106.

-8801150317 Insp Repts 50-338/87-37 & 50-339/87-37 on 871019-23. Violations & deviation noted. Major areas inspected: fire protection. WISEMAN, G.R., CONLON, T.E. Region 2, Ofc of the Director. 87/12/21. 13pp. 44064.107-44064.118.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.183.

8801200300 Forwards Insp Repts 50-338/87-41 & 50-338/87-41 on 871214-18. No violation or deviation noted.
HEPDT, A.R. Region 2, Ofc of the Director. 88/01/11. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 44058:144-44058:151.

-8801200304 Insp Repts 50-338/87-41 & 50-338/87-41 on 871214-18. No violation or deviation noted. Major areas inspected: in-service Insp & testing of pumps & valves & closing of open items.
ECONOMOS, N., BLAKE, J.J. Region 2, Ofc of the Director. 88/01/06. 8pp. 44058:146-44058:151.

8801260380 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance With Applicable Matl Specs." Based on end technical evaluation, no fastener discrepancy noted in tests adversely effects safety-related components.
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 88/01/18. Document Control Branch (Document Control Desk). 51pp. 44128:187-44128:237.

S. Reportable occurrences, LERs & related correspondence

8801270032 LER 87-009-01 on 870915, main steam line code safety valves (MSSVs) set pressures found to exceed Tech Spec limit. Cause not determined. MSSVs refurbished & retested by Wyle Labs. W/880121 ltr.
HARRELL, E.W. Virginia Power (Virginia Electric & Power Co.). 88/01/21. 5pp. 44141:123-44141:127.

8801260212 LER 87-018-00 on 871221, inadvertent emergency diesel generator (EDG) start occurred during testing. Caused by personnel error. Periodic test terminated & EDG secured & returned to normal standby status. W/870114 ltr.
HARRELL, E.W. Virginia Power (Virginia Electric & Power Co.). 88/01/14. 5pp. 44170:173-44170:177.

8801270275 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl.
LANNING, W. Events Assessment Branch. 88/01/15. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 18pp. 44155:136-44155:151.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR Add records also available in PDR under Bogsong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801207480 Summary of INPO Accreditation Board 851023-24 meetings in Atlanta, GA re training programs for listed facilities, performance indicators, NRC exam failure rate & instructor qualifications.
ZIEGLER, D.L. Division of Human Factors Safety (880428-851124). 85/11/04. RUSSELL, W.T. Division of Human Factors Safety (880428-851124). 4pp. 44118:200-44118:203.

-8801220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8712170133 Forwards summary of 871116 special mgt meeting w/utl in Glen Ellyn, IL re weaknesses observed in last emergency preparedness exercise & planned corrective actions to resolve concerns identified in Insp Rept 50-341/87-39.
HINDS, J.M. Region 3, Ofc of the Director. 87/12/11. SYLVIA, B.R. Detroit Edison Co. 11pp. 43923:030-43923:040.

880120249 Forwards Safety Insp Rept 50-341/87-40 on 870922-25 & 1223 & notice of violation.
HARRISON, J.J. Region 3, Ofc of the Director. 87/12/30. SYLVIA, B.R. Detroit Edison Co. 2pp. 43986:245-43986:258.

-880120263 Notice of violation from insp on 870922-25 & 1223. Violations noted: licensee policy for fire brigade instruction specified for every 2 yrs instead of every 3 months over 2-yr period & Valve F007 discovered in unlocked, opened position.
HARRISON, J.J. Region 3, Ofc of the Director. 87/12/30. 2pp. 43986:247-43986:248.

-880120280 Insp Rept 50-341/87-40 on 870922-25 & 1223. Violations noted. Major areas inspected: fire protection program & organization including administrative controls, maint & test program, QA, Tech Spec review, deviation event rept & requirements.
ULIE, J.M., GARDNER, R.N. Region 3, Ofc of the Director. 87/12/21. 10pp. 43986:249-43986:258.

8801200076 Rev 3 to Radiological Emergency Response Procedure EP-205-30-SQ. "Security Force: Accountability."
FRASIER, L. Detroit Edison Co. 88/01/08. 14pp. 44051:343-44051:358.

G. Adjudicatory correspondence

8801130151 Informs that time provided by NRC regulations within which Commission may act review Director's Decision DO-87-19 expired. Decision became final agency action on 880104. Served on 880111.
CHILK, S. Office of the Secretary of the Commission. #188 5297 88/01/08. GARDE, B.P., CONDIT, R.E. Government Accountability Project. 1p. 43980:049-43980:049.

H. General correspondence

8801260084 Informs that RB Stafford appointed acting director for nuclear QA effective on 880118. Degree requirement for position temporarily waived based on sufficient work & supervisory experience. Stafford resume encl.
SYLVIA, B.R. Detroit Edison Co. 88/01/20. Document Control Branch (Document Control Desk). 5pp. 44124:356-44124:369.

P. Operating license stage documents & correspondence

8801200090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & list of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/15. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801260452 FOIA request for all documents in connection w/871208 ltr from TE Murley to Garde & Condit in response to 870507 2.206 petition on behalf of Safe Energy Coalition of Michigan & Sister Servants of Immaculate Heart of Mary Congregation.
BAUMAN, L. Government Accountability Project. 87/12/22. NRC - No Detailed Attribution Given. 2pp. 44139:111-44139:112.

8801070329 Forwards response to NRC 870729 concerns noted in SPDS audit rept & confirms operability as discussed in NRC 871205 ltr on assessment of util road access to proceed beyond 50% power.
SYLVIA, B.R. Detroit Edison Co. 87/12/30. Document Control Branch (Document Control Desk). 18pp. 43999:193-43999:211.

8801070370 Requests NRC concurrence to operate plant up to full power, based on operating performance, plant matl condition & satisfactory requisite testing completion.
SYLVIA, B.R. Detroit Edison Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43999:296-43999:297.

8801110431 Application for amend to License NPF-43, changing Tech Spec Table 3.4.3.2.2 & Bases 3/4.4.3.2 to correct alarm setpoints for RCS interface valve leakage pressure monitors. Processing per 10CFR50.91 requested. Related info encl. Fee paid.
SYLVIA, B.R. Detroit Edison Co. 88/01/06. Document Control Branch (Document Control Desk). 8pp. 43986:228-43986:237.

-8801110438 Proposed Tech Spec 3/4.4.3.2, "Operational Leakage" & Table 3.4.3.2.1, "RCS Pressure Isolation Valves," correcting alarm setpoints.
Detroit Edison Co. 88/01/06. 2pp. 43986:236-43986:237.

8801140143 Grants temporary waiver of compliance permitting leakage pressure monitor setpoints in Tech Spec Table 3.4.3.2.2 to be changed to enable plant startup from current outage, effective until 880112.
VIRGILIO, M.J. Project Directorate III-1. 88/01/06. SYLVIA, B.R. Detroit Edison Co. 3pp. 44033:211-44033:213.

8801260369 Forwards Amend 13 to License NPF-43 & safety evaluation. Amend revises Tech Spec Table 4.8.2.1-1, "Battery Surveillance Requirements," to delete Notations (7) & (8) & applicable bases.
STEFANO, J.J. Project Directorate III-1. 88/01/11. SYLVIA, B.R. Detroit Edison Co. 2pp. 44116:001-44116:009.

-8801250379 Amend 13 to License NPF-43, amending Tech Spec Table 4.8.2.1-1, "Battery Surveillance Requirements," to delete Notations (7) & (8) & applicable bases.
VIRGILIO, M.J. Project Directorate III-1. 88/01/11. 5pp. 44116:003-44116:007.

-8801250382 Safety evaluation supporting Amend 13 to License NPF-43.
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/11. 2pp. 44116:008-44116:009.

8801260239 Forwards Amend 14 to License NPF-43 & safety evaluation. Amend revises Tech Spec Table 3.4.3.2.2 to correct alarm setpoints for RCS interface valve leakage pressure monitors. Amend also makes changes to Bases 3/4.4.3.2.
STEFANO, J.J. Project Directorate III-1. 88/01/12. SYLVIA, B.R. Detroit Edison Co. 3pp. 44116:286-44116:309.

-8801250253 Amend 14 to License NPF-43, revising Table 3.4.3.2.2 of Tech Spec to correct alarm setpoints for RCS interface valve leakage pressure monitors.
HOLAHAN, G.M. Assistant Director for Region III & Region V Reactors. 88/01/12. 8pp. 44116:298-44116:305.

-8801250259 Safety evaluation supporting Amend 14 to License NPF-43.
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/12. 4pp. 44116:306-44116:309.

8801200052 Revises 820122 commitment re submission of loose parts monitoring sys (LPMS) program rept. LPMS program rept will be submitted 90 days after startup test program completion, per 871230 scission.
SYLVIA, B.R. Detroit Edison Co. 88/01/16. Document Control Branch (Document Control Desk). 2pp. 44106:208-44106:209.

8801220250 Application for amend to License NPF-43, revising Tech Specs to allow LPCI sys cross tie valve to be placed in closed position during plant shutdowns. Fee paid.
SYLVIA, B.R. Detroit Edison Co. 88/01/16. Document Control Branch (Document Control Desk). 6pp. 44101:222-44101:229.

-8801220258 Proposed Tech Specs allowing LPCI sys cross tie valve to be placed in closed position during plant shutdowns.
Detroit Edison Co. 88/01/15. 2pp. 44101:228-44101:229.

8801260553 Forwards draft supplemental response to Senator Levin 870717 ltr for review & signature re director's decision on 10CFR2.206 petition filed by GAP on 870507 re adequacy of SAFETEM program.
DAVIS, A.B. Region 3, Ofc of the Director. 88/01/22. REHM, T.A. Ofc of the Executive Director for Operations. 2pp. 44127:255-44127:269.

8801270535 Informs of recent organizational change within Div of Reactor Projects. Several project managers reassigned & certain facilities placed under different project directorate. TR Quay became project manager for Form-2.
VIRGILIO, M.J. Project Directorate III-1. 88/01/22. SYLVIA, B.R. Detroit Edison Co. 1p. 44150:013-44150:013.

8801280159 Grants 880115 request for extension until 90 days after completion of start-up test program to submit loose parts monitoring sys program development & comprehensive rept.
QUAY,T.R. Project Directorate III-1. 88/01/22. SYLVIA,B.R. Detroit Edison Co. 2pp. 44175:027-44175:028.

8801290341 Application for amend to License NPF-43,changing Tech Specs 3/4.8.3.1 & 3/4.8.3.2 to clarify limiting condition for operation of 480 volt MCC 72CF swing bus.Fee paid.
SYLVIA,B.R. Detroit Edison Co. 88/01/26. Document Control Branch (Document Control Desk). 6pp. 44182:075-44182:085.

8801290345 Proposed Tech Specs 3/4.8.3.1 & 3/4.8.3.2,clarifying limiting condition for operation of 480 volt MCC 72CF swing bus.
* Detroit Edison Co. 88/01/26. 3pp. 44182:083-44182:085.

8801290352 Application for amend to License NPF-43,revising Tech Spec Sections 3/4.8.1 & 3/4.8.5 to allow closure mechanisms for primary & secondary containment penetrations located in locked high radiation areas to be vented closed.Fee paid.
SYLVIA,B.R. Detroit Edison Co. 88/01/26. Document Control Branch (Document Control Desk). 7pp. 44182:086-44182:096.

8801290354 Proposed Tech Specs Sections 3/4.6.1, "Primary Containment" & 3/4.6.5, "Secondary Containment".
* Detroit Edison Co. 88/01/26. 4pp. 44182:093-44182:096.

8801290337 Application for amend to License NPF-43,revising Tech Specs 3/4.2.3, "Min Critical Power Ratio" & 3/4.7.9, "Main Turbine Bypass Sys" & associated bases to clarify operation w/ moisture separator reheater out of svc.Fee paid.
SYLVIA,B.R. Detroit Edison Co. 88/01/27. Document Control Branch (Document Control Desk). 6pp. 44181:027-44181:043.

8801290338 Proposed Tech Specs 3/4.2.3, "Min Critical Power Ratio" & 3/4.7.9, "Main Turbine Bypass Sys" & associated bases.
* Detroit Edison Co. 88/01/27. 8pp. 44181:036-44181:043.

Q. Inspection reports, IE Bulletins & correspondence

8712170133 Forwards summary of 871118 special mgt meeting w/with in Glen Ellyn,IL re weaknesses observed in last emergency preparedness exercise & planned corrective actions to resolve concerns identified in Insp Rept 50-341/87-39.
HINDS,J.M. Region 3, Ofc of the Director. 87/12/11. SYLVIA,B.R. Detroit Edison Co. 11pp. 43923:030-43923:040.

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712300140 Informs of status of progress made on improvement program committed to in 870812 response to violations noted in Insp Repts 50-341/87-02,50-341/87-06 & 50-341/87-08.Program will be completed by 880131.
ORSER,W.S. Detroit Edison Co. 87/12/23. Ofc of Enforcement (Post 870413). 2pp. 43964:125-43964:126.

8712230003 Suppl 1 to NRC Info Notice 87-020, "All Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801040007 Responds to Open Item 87047-01 noted in Insp Rept 50-341/87-47.Corrective actions:analytical results of two split samples encl.
SYLVIA,B.R. Detroit Edison Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43963:152-43963:163.

8801070356 Responds to NRC 871209 telcon & 871216 ltr re violations noted in Insp Rept 50-341/87-28,updating 871113 initial response.Corrective actions:procedures reviewed by 880729 & data bases & lists updated by 880831.
SYLVIA,B.R. Detroit Edison Co. 87/12/30. Document Control Branch (Document Control Desk). 6pp. 43991:199-43991:204.

8801120249 Forwards Safety Insp Rept 50-341/87-40 on 870922-25 & 1223 & notice of violation.
HARRISON,J.J. Region 3, Ofc of the Director. 87/12/30. SYLVIA,B.R. Detroit Edison Co. 2pp. 43986:245-43986:258.

8801120253 Notice of violation from Insp on 870922-25 & 1223.Violations noted:licensee policy for fire brigade instruction specified for every 2 yrs instead of every 3 months over 2-yr period & Valve F007 discovered in unlocked,opened position.
HARRISON,J.J. Region 3, Ofc of the Director. 87/12/30. 2pp. 43986:247-43986:248.

8801120260 Insp Rept 50-341/87-40 on 870922-25 & 1223.Violations noted. Major areas inspected:fire protection program & organization including administrative controls,maint & test program,QA, Tech Spec review,deviation event rept & requirements.
ULIE,J.M., GARDNER,R.N. Region 3, Ofc of the Director. 87/12/21. 10pp. 43986:249-43986:258.

8712290165 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of License Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801140035 Forwards Safety Insp Rept 50-341/87-50 on 871207-11 & notice of violation.
SHAFFER,W.D. Region 3, Ofc of the Director. 88/01/06. SYLVIA,B.R. Detroit Edison Co. 2pp. 44039:048-44039:060.

8801140037 Notice of violation from Insp on 871207-11.Violation noted: two untagged & unmarked equipment slings found in hot tool crib room.
SHAFFER,W.D. Region 3, Ofc of the Director. 88/01/06. 1p. 44039:050-44039:050.

8801140041 Insp Rept 50-341/87-50 on 871207-11.Violation noted:Major areas inspected:radiation protection activities,including organization & mgt control,training & qualification,exposure control,control of radioactive materials & contamination.
PAUL,R.A., GREGER,L.R. Region 3, Ofc of the Director. 88/01/06. 10pp. 44039:051-44039:060.

8801130145 Responds to NRC 871208 ltr re violations noted in Insp Rept 50-341/87-39.Corrective actions add clarifying info supplied to resolve inspector concerns re equipment qualification for Weidmuller terminal blocks.
SYLVIA,B.R. Detroit Edison Co. 88/01/07. Document Control Branch (Document Control Desk). 4pp. 44020:206-44020:209.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801150264 Responds to NRC 871209 ltr re violations noted in Insp Rept 50-341/87-44.Corrective actions:Procedures 44.020.235 & 44.020.238 revised to verify continuity of parallel contact to overlap between Relays E51-K58,E51-K59 & E51-K60,E51-K61.
SYLVIA,B.R. Detroit Edison Co. 88/01/12. Document Control Branch (Document Control Desk). 6pp. 44041:058-44041:063.

8801200347 Forwards Allegation Review Insp Rept 50-341/87-41 on 870824-1228 No violations noted.
HIND,J.A. Region 3, Ofc of the Director. 88/01/13. SYLVIA,B.R. Detroit Edison Co. 2pp. 44058:000-44058:008.

8801200353 Insp Rept 50-341/87-41 on 870824-1228.No violations noted. Major areas inspected:inadequate controls for drug test urine samples,excessive alcohol use & drug use at offsite locations & personnel under influence of drugs or alcohol.
PIRTLE,G.L., CREED,J.R., MALLETT,B.S. Region 3, Ofc of the Director. 88/01/12. 7pp. 44058:092-44058:098.

8801200240 Forwards fastener testing data sheets & test repts in response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance With Applicable Matl Specs." Test results for addl selection sample will be submitted.
SYLVIA,B.R. Detroit Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 67pp. 44051:216-44051:294.

8801200250 Rev 2 to "Chemical & Physical Testing of Fasteners for Form 2."
CYRULLEWSKI,J.D., GUILLAMIN,J.C., GAMBLE,R.L. Detroit Edison Co. 87C71-23 R02. 87/12/23. 3pp. 44051:283-44051:285.

8801200257 Rev 2 to "Chemical & Physical Testing of Fasteners for Form 2."
CYRULLEWSKI,J.D., GUILLAMIN,J.C., GAMBLE,R.L. Detroit Edison Co. 87C71-24 R02. 87/12/23. 3pp. 44051:288-44051:288.

8801200261 Rev 2 to "Chemical & Physical Testing of Fasteners for Form 2."
CYRULLEWSKI,J.D., GUILLAMIN,J.C., GAMBLE,R.L. Detroit Edison Co. 87C71-21 R02. 87/12/23. 3pp. 44051:289-44051:291.

8801200266 Rev 1 to "Chemical & Physical Testing of Fasteners for Form 2."
CYRULLEWSKI,J.D., GUILLAMIN,J.C., GAMBLE,R.L. Detroit Edison Co. 87C71-22 R01. 87/12/21. 3pp. 44051:292-44051:294.

8801200049 Forwards unit position re operation w/moisture separator reheaters out-of-svc & operation w/o full feedwater heating. Safety evaluation program has been enhanced extensively in order to strengthen effectiveness.
SYLVIA,B.R. Detroit Edison Co. 88/01/16. Document Control Branch (Document Control Desk). 82pp. 44134:274-44134:354.

R. Periodic operating reports & related correspondence

8801120155 Responds to 871009 ltr requesting unit reassess status of plant preventive maint program per unit 871003 ltr & provides monthly status rept for Nov 1987.
SYLVIA,B.R. Detroit Edison Co. 87/12/30. DAVIS,A.B. Region 3, Ofc of the Director. 3pp. 43987:330-43987:332.

8801200348 Monthly operating rept for Dec 1987.W/880115 ltr.
ANTHONY,P.M., ORSER,W.S. Detroit Edison Co. 87/12/31. 4pp. 44107:284-44107:287.

S. Reportable occurrences, LERs & related correspondence

8712290124 LER 87-042-01 on 870902,control ctr HVAC sys shifted to chlorine mode w/no chlorine present.Cause unknown. Availability & design of less radio frequency sensitive detectors under study.Radio use restricted.W/871214 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/12/14. 5pp. 43983:164-43983:168.

8801060123 LER 87-051-02 on 870929,differential pressure actuation of emergency equipment cooling water (EECW) occurred.Cause by design deficiency.Time delay for EECW low differential pressure switches will be lengthened.W/871229 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 87/12/29. 6pp. 43980:157-43980:161.

8801140091 LER 87-055-00 on 871210,isolation of RCIC sys steam line occurred.Cause by inadequacy in sys operating procedure.Rev made to operating procedure which directs operator to throttle inboard & outboard isolation valves.W/880109 ltr.
ANTHONY,P., ORSER,W.S. Detroit Edison Co. 88/01/09. 4pp. 44038:322-44038:325.

8801150243 PNO-III-88-002 on 880111,reactor tripped & HPCI & RCIC sys triggered automatically due to trip of one reactor feedwater pump.Cause by feedwater control sys power supply failure. Power supply replaced.
PELKE,P., GREENMAN,E. Region 3, Ofc of the Director. 88/01/11. 1p. 44064:159-44064:169.

8801270275 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105 List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl. 1. NRC W. Events Assessment Branch, 88/01/15. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 16pp. 44155-136-44155-151.

8801200294 LER 87-454-00 on 871217, isolation of reactor bldg ventilation occurred during performance of surveillance testing caused by equipment inaccessibility. Blown away repressors & actuators reset. W/880116 "u".
* 880116, P. GRISER W.S. Detroit Edison Co. 88/01/16. 5pp. 44107-168-44107-172.

U Congressional/Executive Correspondence

8801270141 Final response to FOIA request for documents Forwards App A documents & portion of App B document App A documents placed in PDR Portion of App B document withheld (ref FOIA Exemption 5).
* 880127, H. Division of Congressional Affairs (Post 870413). 88/01/21. CONNOR, L. Corp. Search Associates. 4pp. 44155-008-44155-028.

8801260074 Forwards investigative report re NRC investigation into 850702 criticality event at facility including two internal memos prepared by EDO & OIC of General Counsel as part of review process.
* 880126, EDO, Office of Congressional Affairs (Post 870413). 88/03/07. DINGELL, J.D. House of Rep. Energy & Commerce. 1p. 44155-026-44155-026.

Y Operator Examinations

8801200231 Final response to FOIA request for documents re worker training programs & NPO training accreditation Forwards App F documents App E & F documents also available in PDR Addl records also available in PDR under Bossong FOIA-87-014.
* 880120, EDO, Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen a Critical Mass Energy Project. 8pp. 44118-001-44118-039.

8802070451 Submits observations of INPO 851218 accreditation board meeting & accreditation process NRC activity in board reviews & participation in INPO team visit & post accreditation visits requested.
* 880207, B.A. Operator Licensing Branch, 88/01/14. RUSSELL, W.T. Division of Human Factors Technology (85125-870411). 4pp. 44118-244-44118-247.

8801220136 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at NRC offices in Atlanta GA re training programs at two plants. Encls include list of Board member names & attendees & 871195 plant status accreditation table.
* 880122, B.A. Region 2, OIC of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119-159-44119-166.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F Security, medical, emergency & fire protection plans

8801200384 Forwards application for amend to License NPF-1, consisting of License Change Application 151 removing portions of Tech Specs re fire protection program & relocating portions to Vol 1 of Topical Rept PGE-1012 Fee paid.
* COCKFIELD, D.W. Portland General Electric Co. 88/01/24. Document Control Branch (Document Control Desk). 3pp. 44056-134-44056-189.

8801200381 Application for amend to License NPF-1, consisting of License Change Application 151 removing portions of Tech Specs re fire protection & relocating them to Vol 1 of PGE-1012, "Trojan Nuclear Plant Fire Protection Plan...".
* COCKFIELD, D.W. Portland General Electric Co. 87/12/24. 6pp. 44056-137-44056-142.

8801200399 Proposed Tech Specs deleting sections re fire protection.
* Portland General Electric Co. 87/12/24. 47pp. 44056-143-44056-189.

8712319182 Responses to NRC 871125 ltr re violations noted in Insp Rept 50-344/87-34. Corrective actions procedures reviewed re fire protection program changes or modifications performed to identify weaknesses in specifying qualifications of review personnel.
* COCKFIELD, D.W. Portland General Electric Co. 87/12/28. Document Control Branch (Document Control Desk). 14pp. 43923-344-43923-357.

8801270616 Forwards revised pages to proposed rev to util 881219 security plan, response to NRC 870602 request for addl info re plan & description of changes per Generic Ltr 87-08 Encls withheld (ref 10CFR73.55c(1)(2)).
* COCKFIELD, D.W. Portland General Electric Co. 88/01/15. Document Control Branch (Document Control Desk). 2pp. 44145-193-44145-194.

A Insurance & indemnity information

8801130412 Forwards Endorsements 78 & 80 to NELA Policy NF-225, Endorsements 66 & 87 to MAELU Policy MF-86 & Endorsements 8 to MAELU Certificate M-57 & NELA Certificate N-57.
* BUCKLES, J.A. Marsh & McLennan, Inc. 88/01/06. DINI, T.I. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 44002-240-44002-250.

P Operating license stage documents & correspondence

8801280900 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
* FELMICH, R.A. Resource Technical Services, Inc. NRC 26-87-417. 87/12/16. J. CHINSON, E.H. Region 4, OIC of the Director. 71pp. 43998-230-43998-300.

8801280948 Forwards list of deficiencies in util 871109 application for amend to License type 1 changing Tech Spec Section 3.9.9 re containment ventilation isolation system.
* CHAN, T.L. Project Directorate V. 87/12/22. COCKFIELD, D.W. Portland General Electric Co. 8pp. 43995-136-43995-138.

Change Application 151, removing portions of Tech Specs re fire protection & relocating portions to Vol 1 of Topical Rept PGE-1012 Fee paid.
* COCKFIELD, D.W. Portland General Electric Co. 87/12/24. Document Control Branch (Document Control Desk). 3pp. 44056-134-44056-189.

8801200391 Application for amend to License NPF-1, consisting of License Change Application 151, removing portions of Tech Specs re fire protection & relocating portions to Vol 1 of Topical Rept PGE-1012 Fee paid.
* COCKFIELD, D.W. Portland General Electric Co. 87/12/24. 6pp. 44056-142.

8801200399 Proposed Tech Specs deleting sections re fire protection.
* Portland General Electric Co. 87/12/24. 47pp. 44056-143-44056-189.

8801070028 Forwards notice of 880104 site mgmt meeting & agenda, consolidated 871223 telcon w/ M. Mondoca.
* KIRSCH, D.F. Region 5, OIC of the Director. 87/12/20. COCKFIELD, D.W. Portland General Electric Co. 1p. 44007-300-44007-302.

8801130283 Notification of 880104 site meeting in Portland, OR w/ NRC w/ NRC finding & concerns re licensee performance Agenda encl.
* Region 5, OIC of the Director. 87/12/20. Region 5, OIC of the Director. 44007-301-44007-302.

8801070205 Notification of 880106 meeting w/ Washington Owners Group & Analysis Subcommittee in Baltimore, MD to discuss subcommittee involvement in analysis area re Generic Ltr 87-12.
* TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

8801190308 Forwards request for addl info discussion during 871110-870120 proposed Tech Spec change re surveillance requirements for pressure accumulator isolation valves. Response requested within 30 days.
* CHAN, T.L. Project Directorate V. 88/01/12. COCKFIELD, D.W. Portland General Electric Co. 3pp. 44053-358-44053-361.

8801270450 Forwards notice of 880201 mgmt meeting in Walnut Creek, CA Region V on util efforts to address pressure transmitter problems, per OIC w/ M. Mondoca.
* KIRSCH, D.F. Region 5, OIC of the Director. 88/01/12. COCKFIELD, D.W. Portland General Electric Co. 1p. 44140-043-44140-044.

8801270454 Notification of 880201 significant meeting w/ util in Walnut Creek, CA Region V on util pressure transmitter problem.
* Region 5, OIC of the Director. 88/01/12. Region 5, OIC of the Director. 44140-044-44140-044.

8801200188 Forwards application for amend to License NPF-1, consisting of License Change Application 162, revising offsite & facility organization charts for offsite & facility organization charts.
* COCKFIELD, D.W. Portland General Electric Co. 88/01/16. Document Control Branch (Document Control Desk). 1p. 44107-345-44107-355.

8801200174 Application for amend to License NPF-1, consisting of License Change Application 162, revising offsite & facility organization charts.
* COCKFIELD, D.W. Portland General Electric Co. 88/01/18. 8pp. 44107-351.

8801200178 Proposed Tech Specs, revising offsite & facility organization charts.
* Portland General Electric Co. 88/01/16. 4pp. 44107-352-44107-355.

Q Inspection reports, IE Bulletins & correspondence

8712310202 Forwards Insp Rept 50-344/87-31 on 870921-1002 & notices of deviation. Util has not consistently applied lessons learned from industry or other plant events. Increased mgmt attention required.
* KIRSCH, D.F. Region 5, OIC of the Director. 87/12/17. COCKFIELD, D.W. Portland General Electric Co. 4pp. 43920-086-43920-132.

8712310205 Notice of violation from Insp on 870921-1002. Violations noted re auxiliary feedwater turbine driven pump capability & exclusion of V&MS 222 from inservice testing program.
* KIRSCH, D.F. Region 5, OIC of the Director. 87/12/17. 3pp. 43920-100-43920-103.

8712310207 Notice of deviation from Insp on 870921-1002. Deviation noted re pressor screw of instrument air sys lubricated w/air/oil mixture & absorption filters in air lines to MSIVs & steam turbine isolation valves.
* KIRSCH, D.F. Region 5, OIC of the Director. 87/12/17. 1p. 43920-103-43920-103.

8712310209 Insp Rept 50-344/87-31 on 870921-1002. Violations noted re noted. Major areas inspected: ability of plant to learn from previous nuclear experiences.
* ANG, W.P., MELFI, J.F., TATUM, J.E. Region 5, OIC of the Director. 87/12/17. 43920-104-43920-132.

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Social Security Records." Svc list encl.
* ROSSI, C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Design Basis." Svc list encl.
* ROSSI, C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 120pp. 44056-008-44056-127.

8801100409 Forwards Mgt Meeting Rept 50-344/87-46 on 871201. Efforts to develop basis documentation & sys engineer programs found to be a direction. Util plans for resolution of engineering improvement open item.
* KIRSCH, D.F. Region 5, OIC of the Director. 87/12/23. COCKFIELD, D.W. Portland General Electric Co. 2pp. 43989-088-43989-115.

-8801110427 Mgt Meeting Summary Rept 50-344/87-45 on 871201. Summary of licensee programs presented. Major areas discussed: design basis documentation & engineering programs. Presentation mail encl.
PEREIRA, D.B., MENDONCA, M.M. Region 5, OIC of the Director. 87/12/22. 26pp. 43969.090-43969.115.

8801120138 Forwards Insp Rept 50-344/87-43 on 871207-11. No violations noted.
ZIMMERMAN, R. Region 5, OIC of the Director. 87/12/23. COCKFIELD, D.W. Portland General Electric Co. 2pp. 43990.209-43990.218.

-8801120141 Insp Rept 50-344/87-43 on 871207-11. No violations or deviations noted. Major areas inspected: Temporary Instruction 2515/84 re verification of compliance w/ order for mod of license & primary coolant sys pressure isolation valves.
CLARK, C., PEREIRA, D.B., MENDONCA, M.M. Region 5, OIC of the Director. 87/12/23. 8pp. 43990.211-43990.218.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8712310182 Responds to NRC 871125 ltr re violations noted in Insp Rept 50-344/87-34. Corrective actions: procedures reviewed re fire protection program changes or mods performed to identify weaknesses in specifying qualifications of review personnel.
COCKFIELD, D.W. Portland General Electric Co. 87/12/28. Document Control Branch (Document Control Desk). 14pp. 43923.344-43923.357.

8801130021 Forwards Insp Rept 50-344/87-42 on 871130-1204. No violations noted.
WENSLAWSKI, F.A. Region 5, OIC of the Director. 87/12/28. COCKFIELD, D.W. Portland General Electric Co. 2pp. 44039.195-44039.205.

-8801130024 Insp Rept 50-344/87-42 on 871130-1204. No violations or deviations noted. Major areas inspected: radioactive liquid & liquid waste, radioactive gaseous waste sys & facility tours.
HOOKER, C.A., CICOTTE, G.R., YUHAS, G.P. Region 5, OIC of the Director. 87/12/28. 9pp. 44039.187-44039.205.

8801050443 Responds to NRC 871130 ltr re violations noted in Insp Repts 50-344/87-40 & 50-344/87-37. Corrective actions: persons involved counseled & Core Quadrant Power Tilt Ratio Verification Procedure POT-28-1 revised.
COCKFIELD, D.W. Portland General Electric Co. 87/12/30. Document Control Branch (Document Control Desk). 9pp. 43962.133-43962.141.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.208.

8801200464 Responds to NRC Compliance Bulletin 87-002, "Faster Testing to Determine Compliance W/ Applicable Mats Specs." Delay of 30 days needed in order to review & compile lab test results. Requested info will be provided by 880218.
COCKFIELD, D.W. Portland General Electric Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44057.011-44057.016.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801270640 Ack receipt of 871230 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-344/87-40. Area of quality verification may require add licensee attention. Reexam of quadrant power tilt ratio requested.
KIRSCH, D.F. Region 5, OIC of the Director. 88/01/22. COCKFIELD, D.W. Portland General Electric Co. 1p. 44145.141-44145.141.

R. Periodic operating reports & related correspondence

8801140321 Monthly operating rept for Dec 1987. W/880106 ltr.
ULMER, F.J., OLMSTEAD, C.A. Portland General Electric Co. 87/12/31. 6pp. 44042.321-44042.328.

8801210126 NPDES noncompliance notification on 871209, sewage treatment plant effluent max daily limit of 6.3 lb BOD exceeded w/ discharge of 9 lb. Caused by high influent flow rates from leakage. "Discharge Monitoring Rept, Dec 1987" encl.
HESS, R.J. Portland General Electric Co. 88/01/11. Oregon, State of. 3pp. 44092.296-44092.300.

-8801220086 "Discharge Monitoring Rept, Dec 1987."
HESS, R.J. Portland General Electric Co. 87/12/31. 10pp. 44092.299-44092.308.

S. Reportable occurrences, LERs & related correspondence

8801110312 Requests update of LER 87-033-00 to indicate investigation results & planned resolution per 871204 telcon.
KIRSCH, D.F. Region 5, OIC of the Director. 87/12/24. COCKFIELD, D.W. Portland General Electric Co. 1p. 43999.339-43999.339.

8801070002 Special rept on 871229, Channel A of reactor vessel level instrumentation sys (RVLIS) declared inoperable. Caus by hydraulic isolator failure. Adjustment made. Failed power supply in RVLIS Channel B replaced & channel made operable.
OLMSTEAD, C.A. Portland General Electric Co. 87/12/30. Document Control Branch (Document Control Desk). 1p. 43999.324-43999.324.

8801050403 LER 87-036-00 on 871202, seismic monitoring instrumentation surveillance missed. Caused by personnel error. Required surveillance performed & seismic monitoring instrumentation verified operable. W/871231 ltr.
KERSHUL, B., OLMSTEAD, C.A. Portland General Electric Co. 87/12/31. 3pp. 43960.350-43960.352.

8801120350 LER 87-037-00 on 871206, reactor tripped manually following load rejection transient. Caused by failure of load decrease pushbutton in electrohydraulic control sys. Load decrease pushbutton replaced. W/880105 ltr.
KERSHUL, B., OLMSTEAD, C.A. Portland General Electric Co. 88/01/05. 4pp. 44040.096-44040.099.

8801130158 Special rept on 871207, listed fire penetrations determined to be nonfunctional for greater than 7 days. Caused by normal aging of sealing mat & inadequate restoration of seals. Penetrations repaired.
OLMSTEAD, C.A. Portland General Electric Co. 88/01/06. Document Control Branch (Document Control Desk). 2pp. 44039.351-44039.355.

8801140068 Special rept on 871223, 3-h fire barrier nonfunctional for greater than 7 days. Caused by inadequate const that left structural separation gap between Fire Areas T8 & T1. Fire patrol established until repairs made.
OLMSTEAD, C.A. Portland General Electric Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44043.301-44043.301.

8801140085 LER 87-032-01 on 870417, RCS wide range pressure transmitters PT-403 & PT-405 found out-of-cable. Caused by pressure transmitter drift. Transmitters cable & installation acceptance test on new transmitters evaluated. W/880108 ltr.
KERSHUL, B., OLMSTEAD, C.A. Portland General Electric Co. 88/01/08. 4pp. 44038.331-44038.334.

8801140087 LER 87-021-01 on 870821, opening of incorrect fuse drawer caused by 12.47 kV bus undervoltage occurred. Caused by personnel error. Operator counseled on correct method for potential transformer fuse replacement. W/880108 ltr.
KERSHUL, B., OLMSTEAD, C.A. Portland General Electric Co. 88/01/08. 4pp. 44038.318-44038.321.

8801210126 NPDES noncompliance notification on 871209, sewage treatment plant effluent max daily limit of 6.3 lb BOD exceeded w/ discharge of 9 lb. Caused by high influent flow rates from leakage. "Discharge Monitoring Rept, Dec 1987" encl.
HESS, R.J. Portland General Electric Co. 88/01/11. Oregon, State of. 3pp. 44092.296-44092.308.

-8801220086 "Discharge Monitoring Rept, Dec 1987."
HESS, R.J. Portland General Electric Co. 87/12/31. 10pp. 44092.299-44092.308.

8801190120 PNO-V-88-001 on 880108, reactor trip/turbine trip occurred & plant shutdown for greater than 48 h. Caused by dirty contact in cable connection to pre-amplifier. Containment leakage also discovered. Manway cover bolts torqued.
MENDONCA, M. Region 5, OIC of the Director. 88/01/12. 1p. 44065.142-44065.142.

8801260506 Special rept on 880114, Channel A narrow range containment water level instrument declared inoperable due to suspected level transmitter problem. Alternate method of monitoring containment sump A narrow range level established.
OLMSTEAD, C.A. Portland General Electric Co. 88/01/15. Document Control Branch (Document Control Desk). 1p. 44136.175-44136.175.

8801270276 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl.
LANNING, W. Events Assessment Branch. 88/01/15. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 16pp. 44155.136-44155.161.

V. Operator Examinations

8801150244 Requests that util furnish encl ref mat in order to meet schedule for reactor & senior reactor operator licensing exams on 880328 & 880330. 0401. Other guidance mat for exams also encl.
PATE, R.J. Region 5, OIC of the Director. 88/01/08. COCKFIELD, D.W. Portland General Electric Co. 8pp. 44041.276-44041.283.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO olcs in Atlanta, GA re training programs at two plants. Encls include list of board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, OIC of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801110266 Rev 1 to "Development of Evacuation Time Estimates for Davis Besse Nuclear Power Station."
* KLD Associates, Inc. KLD TR 100 R01. 87/11/10. 52pp. 43969.001-43969.053.

8801110470 Rev 0 to Pagos 5-11, E-7 & L-10 to evacuation time estimates.
* Toledo Edison Co. 87/12/21. 4pp. 43986.156-43986.159.

8801120399 Revised emergency plan off normal procedures, including Rev 0 to HS-EP-02807, "Helped Use & Control" & Rev 1 to HS-EP-02820, "Earthquake." Rev 4 to table of contents encl.
* Toledo Edison Co. 87/12/22. 22pp. 43990.082-43990.106.

8801110247 Change 1, Rev 1 to Emergency Plan Implementation Procedure HS-EP-02240, "Offsite Dose Assessment." Revised table of contents encl.
* Toledo Edison Co. 87/12/29. 8pp. 43985.252-43985.259.

8801110386 Forwards minutes of 871029-30 meetings re status of fire protection program, responses to NRC request for add info, Rev 3 to App R compliance assessment rept & Rev 9 to final hazard analysis rept.
SHELTON, D.C. Toledo Edison Co. 88/01/06. Document Control Branch (Document Control Desk). 13pp. 43982.353-43982.377.

110 DOCKETED ITEMS

-880110395 Rev 3 to "App R Compliance Assessment Rept."
* Toledo Edison Co. 02-1040-1153 R03 88/01/08. 23pp. 43983.007-43983.029.

-880110402 Rev 9 to "Fire Hazards Analysis Rept."
* Toledo Edison Co. 88/01/08. 107pp. 43983.030-43983.137.

8801200157 Forwards application & application fee for amend to License NPF-3 revising industrial security plan to delete Type 1 vital area designation & two-man rule Encl withheld (rel 10CFR73.71).
SHELTON,D.C. Toledo Edison Co. 88/01/12. Document Control Branch (Document Control Desk). 1p. 44092.231-44092.231.

O. Advisory Committee on Reactor Safeguards reports & correspondence

880120259 Summary of ACRS DHR Sys Subcommittee 871117 meeting in Washington,DC re util decision not to install dedicated blowdown sys at Davis Besse & implications of Diablo Canyon loss of shutdown cooling event. Viewgraphs encl.
* ACRS - Advisory Committee on Reactor Safeguards. 87/12/15. ACRS - Advisory Committee on Reactor Safeguards. 18pp. 44155.118-44155.135.

P. Operating license stage documents & correspondence

880120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26.87.417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8801050231 Provides clarification to 880122 application for amend to License NPF-3 re station review board responsibilities, per 871127 & 1202 telcons w/ AW DeAgazio & staff, respectively, revising Tech Specs 6.5.1(b) & 6.5.3.1(a),(b),(d) & (e).
SHELTON,D.C. Toledo Edison Co. 87/12/28. Document Control Branch (Document Control Desk). 2pp. 43980.344-43980.345.

8801140134 Forwards notice of consideration of issuance of amend to License NPF-3 & opportunity for prior hearing re util 870807 amend application.
DE AGAZIO, A.W. Project Directorate III-1. 87/12/29. SHELTON,D.C. Toledo Edison Co. 2pp. 44033.198-44033.204.

-8801140137 Notice of consideration of issuance of amend to License NPF-3 & opportunity for prior hearing re util 870807 request revising Tech Specs re safety sys instrumentation & containment isolation valves.
DE AGAZIO, A.W. Project Directorate III-1. 87/12/29. 5pp. 44033.200-44033.204.

8801140220 Forwards notice of consideration of issuance of amend to License NPF-3 & opportunity for prior hearing re 870504 application for amend.
DE AGAZIO, A.W. Project Directorate III-1. 87/12/29. SHELTON,D.C. Toledo Edison Co. 2pp. 44033.100-44033.105.

-8801140253 Notice of consideration of issuance of amend to License NPF-3 & opportunity for hearing on 870504 request re deletion of surveillance requirement for periodic channel functional tests & channel calibr for feedpump turbine.
DE AGAZIO, A.W. Project Directorate III-1. 87/12/29. 4pp. 44033.102-44033.105.

880110343 Lists actions described in 870420 response to NRC draft SER of procedure generation package detailed reviews that would be performed & enhancements made to emergency operating procedures (EOP) EOP changes will result from plant mods.
SHELTON,D.C. Toledo Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 43985.328-43985.329.

8801120010 Responds to NRC 871125 requests for util confirmation that certain outstanding mods re Reg Guide 1.97 would be implemented during fifth & sixth refueling outages. Current schedule for outstanding mods listed.
SHELTON,D.C. Toledo Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 43987.291-43987.292.

8801130201 Forwards application for amend to License NPF-3, clarifying boron concentration requirements for refueling conditions, specifically requirements not applicable when reactor vessel completely defueled. Fee paid.
SHELTON,D.C. Toledo Edison Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 44003.119-44003.130.

-8801130205 Application for amend to License NPF-3, clarifying boron concentration requirements for refueling conditions, specifically requirements not applicable when reactor vessel completely defueled.
SHELTON,D.C. Toledo Edison Co. 88/01/04. 8pp. 44003.119-44003.127.

-8801130207 Proposed Tech Specs, clarifying boron concentration requirements for refueling conditions.
* Toledo Edison Co. 88/01/04. 3pp. 44003.128-44003.130.

8801140396 Forwards SER accepting responses to Generic Ltr 83-28, Item 2 (Part I) re equipment classification programs for safety-related components. Requests confirmation that procedures, programs & sys currently in use as described in submittals.
DE AGAZIO, A.W. Project Directorate III-1. 88/01/11. SHELTON,D.C. Toledo Edison Co. 3pp. 44031.061-44031.069.

-8801140404 SER accepting license response to Generic Ltr 83-28, Item 2.2.1 re equipment classification programs for safety-related components.
* Project Directorate III-1. 88/01/11. 6pp. 44031.064-44031.069.

8801150234 Forwards application for amend to License NPF-3, adding third special interest group of steam generator tubes. Issuance of Tech Spec amend by 880311 requested in order to support pre-inspection activities. Fee paid.
SHELTON,D.C. Toledo Edison Co. 88/01/11. Document Control Branch (Document Control Desk). 1p. 44041.019-44041.037.

-8801150237 Application for amend to License NPF-3, revising Tech Spec 4.4.6.2, "Steam Generator Tube Sample Selection," to include third special interest group.
SHELTON,D.C. Toledo Edison Co. 88/01/11. 8pp. 44041.020-44041.027.

-8801150240 Proposed Tech Specs adding third special interest group of steam generator tubes.
* Toledo Edison Co. 88/01/11. 10pp. 44041.028-44041.037.

8801190143 Forwards SER accepting util responses to Generic Ltr 83-28, Item 1) re equipment classification of reactor trip sys components. Addl info re license 2 describing interface program between Ilicensio & NSSS vendor requested.
DE AGAZIO, A.W. Project Directorate III-1. 88/01/12. SHELTON,D.C. Toledo Edison Co. 3pp. 44053.005-44053.010.

-8801190147 Safety evaluation accepting util responses to Generic Ltr 83-28, Item 1) re equipment classification of reactor trip sys components.
* NRC - No Detailed Affiliation Given. 88/01/12. 3pp. 44053.008-44053.010.

8801200157 Forwards application & application fee for amend to License NPF-3 revising industrial security plan to delete Type 1 vital area designation & two-man rule Encl withheld (rel 10CFR73.71).
SHELTON,D.C. Toledo Edison Co. 88/01/12. Document Control Branch (Document Control Desk). 1p. 44092.231-44092.231.

8801207416 Forwards application for amend to License NPF-3, deleting Tech Spec 3/4.3.3.7, "Chlorine Detection Sys," due to replacement w/ liquid sodium chloride sys. Fee paid.
SHELTON,D.C. Toledo Edison Co. 88/01/15. Document Control Branch (Document Control Desk). 1p. 44140.054-44140.072.

-8801207440 Application for amend to License NPF-3, deleting Tech Spec & tion 3/4.3.3.7, "Chlorine Detection Sys." w/ supporting info.
SHELTON,D.C. Toledo Edison Co. 88/01/15. 15pp. 44140.055-44140.069.

-8801207443 Proposed deletion of Tech Spec & Basic Section 3/4.3.3.7, "Chlorine Detection Sys."
* Toledo Edison Co. 88/01/15. 3pp. 44140.070-44140.072.

8801207271 Submits plans for handling surveillance requirement time interval coming refueling outage, per discussion w/ AW DeAgazio.
SHELTON,D.C. Toledo Edison Co. 88/01/18. Document Control Branch (Document Control Desk). 3pp. 44169.012-44169.014.

8801250306 Forwards SER re util submittals on Generic Ltr 83-28, Item 4.5.2 re trip reliability on-line testing. Response acceptable.
DE AGAZIO, A.W. Project Directorate III-1. 88/01/19. SHELTON,D.C. Toledo Edison Co. 2pp. 44115.260-44115.263.

-8801250312 SER accepting util 831209 response to Generic Ltr 83-28, Item 4.5.2 re trip reliability on-line testing. Unit designed to permit on-line functional diverse trip features of reactor trip breakers.
* NRC - No Detailed Affiliation Given. 88/01/19. 2pp. 44115.262-44115.263.

8801250545 Forwards application for amend to License NPF-3, revising Tech Spec to allow one-time extension of 30 days to 18-month surveillance interval for testing of 13.8-kV bus transfer. Fee paid.
SHELTON,D.C. Toledo Edison Co. 88/01/20. Document Control Branch (Document Control Desk). 2pp. 44112.228-44112.248.

-8801250547 Application for amend to License NPF-3, revising Tech Spec to allow one-time extension of 30 days to 18-month surveillance interval for operation of 13.8-kV bus transfer.
SHELTON,D.C. Toledo Edison Co. 88/01/20. Document Control Branch (Document Control Desk). 13pp. 44112.230-44112.242.

-8801250550 Proposed Tech Specs, allowing one-time extension of 30 days to 18-month surveillance interval for operability testing of 13.8-kV bus transfer.
* Toledo Edison Co. 88/01/20. 8pp. 44112.243-44112.248.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-084, "Conviction for Falsification of Security Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US 1." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 124pp. 43095.138-43095.257.

8801040083 Documents 871104 meeting w/ util re actions taken in response to recommendations made in Insp Rept 80-348/87-25. Util committed to recommendations. Addl info re event documented in 871009 response to action II.
NORELIUS, C.E. Region 3, Ofc of the Director. 87/12/29. SHELTON,D.C. Toledo Edison Co. 1p. 43963.126-43963.132.

-8801040089 Corrected pages to Augmented Insp Team Insp Rept 80-348/87-25.
* Region 3, Ofc of the Director. 87/12/29. 6pp. 43963.127-43963.132.

8712290155 NRC Info Notice 87-086, "Inappropriate Application of Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801105057 Forwards Maint Insp Team Insp Rept 80-348/87-30 on 871104 lowup to 870906 reactor trip & subsequent equipment problems. No violation.
NORELIUS, C.E. Region 3, Ofc of the Director. 88/01/05. SHELTON,D.C. Toledo Edison Co. 2pp. 43966.031-43966.048.

-8801110520 Maint Insp Team Insp Rept 50-346/87-30 on 871102-06. No new items of concern noted. Major areas inspected: main feedwater, svc water & component & spent fuel pool cooling water sys, including evaluation of main condition & maint backlog.
GULDEMOND, W.G. Region 3, Ofc of the Director. 87/12/17. 16pp. 43986:033-43986:048.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801190161 Forwards Exam Rept 50-346/OL-87-02 of exam administered on 871130.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/11. SHELTON, D. Toledo Edison Co. 2pp. 44044:278-44044:358.

-8801190152 Exam Rept 50-346/OL-87-02 on 871130. Exam results: four senior operator candidates passed exams.
REIDINGER, T.D., BURDICK, T. Region 3, Ofc of the Director. 88/01/06. 88pp. 44044:280-44044:358.

8801280065 Forwards Safety Insp Rept 50-346/87-17 on 870824-26. No violations noted.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/15. SHELTON, D. Toledo Edison Co. 2pp. 44044:272-44044:284.

-8801280073 Safety Insp Rept 50-346/87-17 on 870824-26 & 1211-17. No violations or deviations noted. Major areas inspected: activities re IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to..."
WOHL, P.R., PHILLIPS, M.P. Region 3, Ofc of the Director. 88/01/15. 11pp. 44120:274-44120:284.

R. Periodic operating reports & related correspondence

8801200443 Monthly operating rpt for Dec 1987. W/880113 ltr.
CIPRIANI, J., STORZ, L.F. Toledo Edison Co. 87/12/31. 6pp. 44057:029-44057:034.

S. Reportable occurrences, LERs & related correspondence

8801040575 LER 87-014-00 on 871125, determined that deficiency which occurred during performance of fire hose hydrostatic test made fire hose stallion inoperable from 871022-26. Caused by inadequate procedural guidance. W/871228 ltr.
STOTZ, J., STORZ, L.F. Toledo Edison Co. 87/12/28. 4pp. 43981:167-43981:170.

8801120038 LER 87-015-00 on 871207, reactor tripped due to instrument air pressure loss. Caused by air dryers solenoid valve & pressure switch failure. Solenoid valve repaired & pressure switch replaced. W/880106 ltr.
DAFT, C.T., STORZ, L.F. Toledo Edison Co. 88/01/06. 8pp. 44030:061-44030:066.

V. Operator Examinations

8801110488 Advises that projected completion dates for items identified in and shift technical advisor/senior reactor operator training program schedule provided in 870309 ltr, per Generic Ltr 88-04.
SHELTON, D.C. Toledo Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 3pp. 43989:178-43989:180.

8801200144 Requests Region III cooperation & support in helping util achieve sixth operating shift & implement shift manager program. Number of candidates for replacement operator exam scheduled for 880516 increased. Lead NRC examiner notified.
SHELTON, D.C. Toledo Edison Co. 88/01/06. DAVIS, A.B. Region 3, Ofc of the Director. 1p. 44058:198-44058:198.

8801150318 Requests encl listed ref matts at least 60 days prior to written & oral operator & senior reactor operator licensing exams scheduled for wk of 880316. Requirements for administration of written exams & other guidance also encl.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/11. SHELTON, D. Toledo Edison Co. 10pp. 44041:080-44041:089.

8801190151 Forwards Exam Rept 50-346/OL-87-02 of exam administered on 871130.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/11. SHELTON, D. Toledo Edison Co. 2pp. 44044:278-44044:358.

-8801190152 Exam Rept 50-346/OL-87-02 on 871130. Exam results: four senior operator candidates passed exams.
REIDINGER, T.D., BURDICK, T. Region 3, Ofc of the Director. 88/01/06. 88pp. 44044:280-44044:358.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801200136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:158-44119:166.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8801200169 Forwards Insp Repts 50-346/87-34 & 50-364/87-34 on 871207-11. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/29. MACDONALD, R.P. Alabama Power Co. 2pp. 43987:365-43987:357.

-8801120179 Partially withheld Physical Security Insp Repts 50-346/87-34 & 50-364/87-34 on 871207-11 (ref 10CFR2790(d) & 73.21). No violations noted. Major areas inspected: security plan & implementing procedures.
ENNIS, J.D., MCGUIRE, D.R. Region 2, Ofc of the Director. 87/12/23. 1p. 43987:357-43987:357.

8801270096 Advises that 871111 Rev 13 to physical security plan consistent w/provisions of 10CFR50.47(b) & acceptable.
COLLINS, D.M. Region 2, Ofc of the Director. 88/01/20. MCDONALD, R.P. Alabama Power Co. 2pp. 44186:064-44186:065.

J. Insurance & indemnity information

8801070357 Forwards endorsements, including Endorsement 7 to MAELU Certificate M-75, Endorsement 8 to NELIA Certificate N-75, Endorsement 9 to MAELU Certificate M-66 & Endorsement 7 to NELIA Certificate N-66.
SANNAL, L.J. Marsh & McLennan, Inc. 87/12/30. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 95pp. 43938:165-43938:260.

P. Operating license stage documents & correspondence

8712300107 Forwards results of addl studies re NUREG-0737, Item 1.D.1, concerning CDR & schedules for completion of remainder of studies, per 881229 commitment.
MCDONALD, R.P. Alabama Power Co. 87/12/23. Document Control Branch (Document Control Desk). 6pp. 43984:127-43984:132.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801070417 Notification of 880115 meeting w/licenses & consultants in Bethesda, MD to discuss recent 6-inch safety injection crack & analysis & relation to generic implications for PWRs. Discussion questions encl.
REEVES, E.A. Project Directorate II-1. 88/01/04. ADENSAM, E.J. Project Directorate II-1. 3pp. 43949:320-43949:322.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801210236 Trip rpt of 880721-25 visit to plant to observe INPO accreditation team evaluation of six training programs, including instrumentation & control technician, mechanical maint & electrical maint. List of team members encl.
FALCONER, D.P. Region 2, Ofc of the Director. 88/08/20. GIBSON, A.F. Region 2, Ofc of the Director. 4pp. 44119:016-44119:024.

8801200011 Forwards corrected safety evaluation Page 2 re Amends 74 & 86 to Licenses NPF-2 & NPF-8, respectively, deleting ref to quarterly surveillance testing "on staggered test basis."
REEVES, E.A. Project Directorate II-1. 88/01/14. MCDONALD, R.P. Alabama Power Co. 1p. 44081:138-44081:141.

-8801210054 Corrected Page 2 of safety evaluation re Amends 74 & 86 to Licenses NPF-2 & NPF-8, respectively, deleting ref to quarterly surveillance testing "on staggered test basis."
Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 3pp. 44091:139-44091:141.

8801200327 Forwards evaluation of effect of reduced safety injection flow corresponding to spilling to containment backpressure on small break LOCA analysis. FSAR update will be made to reflect peak cladding temp effects contained in evaluation.
MCDONALD, R.P. Alabama Power Co. 88/01/14. Document Control Branch (Document Control Desk). 13pp. 44057:078-44057:080.

8801210194 Partial response to FOIA request App G documents already available in PDR. App H documents re INPO accreditation training, encl & available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/18. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095:001-44095:021.

-8801210349 Forwards comments on licensee training performance during period of INPO accreditation effort. Certification of licensee operator training program encl.
GRACE, J.N. Region 2, Ofc of the Director. 87/02/25. DENTON, J.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 4pp. 44085:081-44085:084.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8801080440 Responds to violations noted in Insp Repts 50-348/87-31 & 50-364/87-31. Corrective actions: diesel test procedures will be revised by 880129 to ensure diesel generator corrected for proper operation.
MCDONALD, R.P. Alabama Power Co. 87/12/22. Document Control Branch (Document Control Desk). 2pp. 43991:254-43991:255.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:267.

112 DOCKETED ITEMS

8801120169 Forwards Insp Repts 50-348/87-34 & 50-364/87-34 on 871207-11. No violations or deviations noted.
QUINE, W.E. Region 2, Ofc of the Director. 87/12/29. MACDONALD, R.P. Alabama Power Co. 2pp. 43987:355-43987:357.

8801120170 Partially withheld Physical Security Insp Repts 50-348/87-34 & 50-364/87-34 on 871207-11 (rel 10CFR2.790(g) & 73.21). No violations noted. Major areas inspected: security plan & implementing procedures.
ENNIS, J.D., MCGUIRE, D.R. Region 2, Ofc of the Director. 87/12/23. 1p. 43987:357-43987:357.

8801110305 Forwards Insp Repts 50-348/87-29 & 50-364/87-29 on 871010-1116 & notice of violation.
VERRELLI, D.M. Region 2, Ofc of the Director. 87/12/30. MACDONALD, R.P. Alabama Power Co. 2pp. 44030:307-44030:317.

8801110342 Notice of violation from Insp on 871010-1116. Violation noted: survey records of radiation hazards not available.
VERRELLI, D.M. Region 2, Ofc of the Director. 87/12/31. 2pp. 44030:309-44030:310.

8801110349 Insp Repts 50-348/87-29 & 50-364/87-29 on 871011-1115. Violations noted: Major areas inspected: surveillance observation, monthly maint observation, operational safety verification & engineered safety sys insps.
BRADFORD, W.H., MILLER, W.H., DANCE, H.C. Region 2, Ofc of the Director. 87/12/28. 7pp. 44030:311-44030:317.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985:268-43986:018.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:184-44038:288.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Main/MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

R. Periodic operating reports & related correspondence

8801200364 Monthly operating rpt for Dec 1987. W/880114 ltr.
WOODARD, J.D., MACDONALD, R.P. Alabama Power Co. 87/12/31. 9pp. 44107:301-44107:309.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J.J. Division of Licensee Performance & Quality Evaluation (Post 870411). 6pp. 44118:158-44118:166.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

eam Insp Repts 50-352/87-27 & 50-353/87-11 on 871020 at Unit 1 & forwards notice of ovide adequate fire protection features.
Director. 87/12/30. KEMPER, J.S. Philadelphia

Insp on 870822-0702 & followup Insp on provided for control cables associated

87/30. 2pp. 43971:277-43971:278.

& notice of violation. Violation of protection sys identified, indicating
3/01/14. GALLAGHER, J.W. Philadelphia

-1210. Violation noted: fire suppression locked & closed from 1:00 am to

44047:257-44047:257.

71101-1210. Violation noted: Major walkdown of redundant reactivity
the Director. 89/01/12. 27pp.

tion of time for discovery. * Extension of study of mail provided &

20. Atomic Safety and Licensing

8801040088 Licensee objections to request for production of documents by Air & Water Pollution Patrol & motion for protective order. * Request re records of false activation of monitor alarms requires extensive research. Certificate of Svc encl.
WETTERHAHN, M.J. Philadelphia Electric Co. WETTERHAHN, M.J. Connor & Wetterhahn. #188 5255. 87/12/29. Air and Water Pollution Patrol. 5pp. 43986:281-43986:285.

8801040103 Licensee response to request for production of documents by Air & Water Pollution Patrol did 871207. * List of available requested documents provided. Certificate of Svc Related correspondence.
* Philadelphia Electric Co. #188 5254. 87/12/29. Air and Water Pollution Patrol. 3pp. 43988:151-43988:153.

8801130043 Air & Water Pollution Patrol (Romano) reaction to licensee time delay. * Response for production of documents as ordered by NRC administrative judges. 871120. * Requests that will be reprimanded for defaulting on 871120 order.
ROMANO, F.R. Air and Water Pollution Patrol. #188 5292. 88/01/05. WOLFE, COLE, R.F., FERGUSON, G.A. Atomic Safety and Licensing Board Panel. 2pp. 43989:309-43989:310.

8801130045 Licensee opposition to Intervenor R.L. Anthony request for extension of time for discovery. * Intervenor request should be denied as intervenor had adequate opportunity to review responses & pursue additional discovery. Certificate of Svc.
WETTERHAHN, M.J. Philadelphia Electric Co. WETTERHAHN, M.J. Connor & Wetterhahn. #188 5293. 88/01/06. Atomic Safety and Licensing Board Panel. 5pp. 43989:319-43989:323.

8801160046 Memorandum & order (granting in part Anthony request for time extension amending order of 871120). * R.L. Anthony & Air & Water Pollution Patrol can serve answers to licensee 871123 motion by 880112. Served on 880112.
WOLFE, S.J. Atomic Safety and Licensing Board Panel. #188 5330. 88/01/11. Anthony, R.L. 4pp. 44033:260-44033:263.

8801200222 Advises that licensee does not intend to formally respond to 880111 document re Air & Water Pollution Patrol. Although document claims default in discovery, no basis for assertion & not proper motion to compel.
WETTERHAHN, M.J. Philadelphia Electric Co. WETTERHAHN, M.J. Connor & Wetterhahn. #188 5363. 88/01/16. WOLFE, S.J., COLE, R.F., FERGUSON, G.A. Atomic Safety and Licensing Board Panel. 2pp. 44050:125-44050:128.

8801250434 Order denying requests in AWP 880105 submission. * Motion denied due to noncompliance w/10CFR2.740(f) in failing to set forth licensee response or objections to request for discovery. Served on 880121.
WOLFE, S.S. Atomic Safety and Licensing Board Panel. #188 5380. 88/01/18. 2pp. 44098:126-44098:127.

H. General correspondence

8712290013 Ack receipt of 871201 ltr describing plans for mgmt changes at facilities.
KANE, W.F. Region 1, Ofc of the Director. 87/12/21. GALLAGHER, J.W. Philadelphia Electric Co. 2pp. 43983:017-43983:018.

J. Insurance & Indemnity Information

8801270088 Forwards Endorsements 22 & 23 to NELA Policy NF-284, Endorsements 16 & 17 to MAELU Policy MF-113 & Endorsements 5 to MAELU Certificate M-98 & NELA Certificate N-98.
BRADLEY, E.J. Philadelphia Electric Co. 88/01/11. DINI, T.I. NRC - No Detailed Action Given. 7pp. 44163:282-44163:288.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/13. JOHNSTON, E.H. Region 4, Ofc of the Director. 71pp. 43988:230-43988:300.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801200547 Trip rept of 881029-30 visit to Natl Nuclear Accrediting Board meeting to review selected training for plants. Board reviewed four sites & 24 programs.
MCKEE, P.F. Operating Reactor Program Br. Div of Inspection Programs, IE (850212-870413). 88/12/02. PERSENSKY, J.J. Maintenance & Training Branch. 2pp. 44118:077-44118:078.

8801200030 Summary of INPO Accreditation Board 881015 & 16 meetings re end list of facility programs.
GIBSON, A.F. Region 2, Ofc of the Director. 88/10/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 3pp. 44118:041-44118:043.

Q. Inspection reports, IE Bulletins & correspondence

8712160368 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801120310 Ack receipt of 871209 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-352/87-25. Actions to close 40 open maint request forms & to revise Procedure A-26 will be examined during future insp.
JOHNSTON,W.V. Region 1, Ofc of the Director. 87/12/28. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 44040:928-44040:932.

8801110301 Discusses Special Const Team Insp Repts 50-352/87-27 & 50-353/87-11 on 870622-0702 & followup insp on 871020 at Unit 1 & forwards notice of violation. Violation involved failure to provide adequate fire protection features.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/12/30. KEMPER,J.S. Philadelphia Electric Co. 3pp. 43971:274-43971:278.

-8801110311 Notice of violation from insp on 870622-0702 & followup insp on 871020. Violation noted: fire protection features not provided for control cables associated w/emergency diesel generators.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/12/30. 2pp. 43971:277-43971:278.

8712290155 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801190314 Forwards Safety Insp Rept 50-352/87-28 & notice of violation. Violation of administrative controls causing inoperability of fire protection sys identified, indicating that equipment tag-out not properly evaluated.
WENZINGER,E.C. Region 1, Ofc of the Director. 88/01/14. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 44047:255-44047:284.

-8801190352 Notice of violation from insp on 871101-1210. Violation noted: fire suppression water isolation Valves HV-022-1108 & 0058 unlocked & closed from 1:00 am to 5:15 am w/o shift supervision permission.
* NRC - No Detailed Affiliation Given. 88/01/14. 1p. 44047:257-44047:257.

-8801190359 Safety Insp Rept 50-352/87-28 on 871101-1210. Violation noted. Major areas inspected: NRC Bulletin 87-002 on fasteners, walkdown of redundant reactivity control sys, plant tour & observations of maint & surveillance.
WILLIAMS,J.H., LINVILLE,J. Region 1, Ofc of the Director. 88/01/12. 27pp. 44047:258-44047:284.

R. Periodic operating reports & related correspondence

8801220218 Monthly operating rept for Dec 1987. W/880115 ltr.
GROPP,R.W., ALDEN,W.M. Philadelphia Electric Co. 87/12/31. 8pp. 44159:166-44159:171.

8801140006 Submits 1987 annual rept of all challenges to safety/relief valves per Tech Spec 8.9.1.5.b. Challenges defined as automatic opening of main steam sys safety/relief valves in response to high reactor pressure. No openings reported.
ALDEN,W.M. Philadelphia Electric Co. 88/01/07. RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 44043:292-44043:292.

S. Reportable occurrences, LERs & related correspondence

8801130072 Part 21 rept re reactor protective sys breaker trip. Initially reported in utl LER 87-023. Caused by misoperation of 27N undervoltage relay when control undervoltage resealed after having been off.
KAISER,A.F. Brown Boveri Corp. (subs. of Brown Boveri & Co., Ltd.). 87/12/22. BERLINGER,C. Generic Communications Branch. 3pp. 44001:244-44001:248.

8712310041 LER 87-083-00 on 871118. Tech Specs violation occurred when unapproved blocking permit mistakenly applied. Caused by personnel error. Personnel counseled on administrative procedures & memo to shift personnel issued. W/871224 ltr.
MENGERS,C.A., LOGUE,R.H. Philadelphia Electric Co. 87/12/24. 6pp. 43998:219-43998:223.

8801110220 PNO-188-001 on 880104, realignment of nuclear mgt updated. Action provides for corporate officer at each plant to elevate level of plant in corporate mgt structure.
LINVILLE,J. Region 1, Ofc of the Director. 88/01/04. 1p. 43999:337-43999:337.

8801120069 LER 87-048-01 on 870919, reactor scrambled following main turbine trip on low electrohydraulic control sys oil pressure. Caused by failure of tubing socket w/d pipe section w/ failed weld replaced. W/880105 ltr.
MENGERS,C.A., LOGUE,R.H. Philadelphia Electric Co. 88/01/05. 6pp. 44030:080-44030:085.

8801120104 LER 87-066-00 on 871208, HPCI sys inoperability discovered. Caused by malfunction of hydraulic-mechanical overspeed trip mechanism. Malfunction corrected & appropriate procedures revised. W/880107 ltr.
MENGERS,C.A., LOGUE,R.H. Philadelphia Electric Co. 88/01/07. 7pp. 44030:094-44030:100.

8801190134 Forwards LER 87-066-00, correcting date of rept from 870107 to 880107.
LOGUE,R.H. Philadelphia Electric Co. 88/01/07. Document Control Branch (Document Control Desk). 1p. 44047:305-44047:311.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO sites in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

A. Application/construction stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS,R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18. JOHNSON,E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8812080547 Trip rept of 881028-30 visit to Natl Nuclear Accrediting Board meeting to review selected training for plants. Board reviewed four sites & 24 programs.
MCKEE,P.F. Operating Reactor Program Br. Div of Inspection Programs, IE (850212-870413). 86/12/02. PERSENSKY,J.J. Maintenance & Training Branch. 2pp. 44118:077-44118:078.

-8812090030 Summary of INPO Accreditation Board 861016 & 16 meetings re encl list of facility programs.
GIBSON,A.F. Region 2, Ofc of the Director. 88/10/17. RUSSELL,W.T. Division of Human Factors Technology (851125-870411). 3pp. 44118:041-44118:043.

F. Security, medical, emergency & fire protection plans

8801130283 Forwards list of drawings requested to aid NRR to prepare for safeguards regulatory effectiveness review. Review will determine if safeguards regulation yield level of protection intended by NRC Drawings requested by 880331.
MARTIN,T.T. Region 1, Ofc of the Director. 87/12/29. KEMPER,J.S. Philadelphia Electric Co. 3pp. 44030:045-44030:047.

8801200006 Forwards Safety Insp Rept 50-353/87-16 on 871116-1220 & notice of violation. Violation involves failure to properly classify design change document affecting safety-related work activities.
WENZINGER,E.C. Region 1, Ofc of the Director. 88/01/08. KEMPER,J.S. Philadelphia Electric Co. 2pp. 44052:258-44052:276.

-8801200012 Insp Rept 50-353/87-16 on 871116-1220. No violations noted. Major areas inspected: work activities, procedures, records relative to recirculation pump motor, preoperation test procedure review, fire protection & assurance of quality.
WILLIAMS,J.H., LINVILLE,J.C. Region 1, Ofc of the Director. 88/01/07. 18pp. 44052:261-44052:276.

H. General correspondence

8712290013 Ack receipt of 871201 ltr describing plans for mgt changes at facilities.
KANE,W.F. Region 1, Ofc of the Director. 87/12/21. GALLAGHER,J.W. Philadelphia Electric Co. 2pp. 43993:017-43993:018.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801110301 Discusses Special Const Team Insp Repts 50-352/87-27 & 50-353/87-11 on 870622-0702 & followup insp on 871020 at Unit 1 & forwards notice of violation. Violation involved failure to provide adequate fire protection features.
RUSSELL,W.T. Region 1, Ofc of the Director. 87/12/30. KEMPER,J.S. Philadelphia Electric Co. 3pp. 43971:274-43971:278.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801140003 Responds to SALP Rept 50-353/88-99 for Jan 1988 - Jul 1987 assessment period. Problems individually & collectively reviewed in relation to independent findings made recently by unit & Bechtel.
KEMPER, J.S. Philadelphia Electric Co. 88/01/06. RUSSELL, W.T. Region 1, Ofc of the Director. 6pp. 44043:258-44043:262.

8801200416 Responds to NRC 871207 ltr re violations noted in Insp Rept 50-353/87-14. Corrective actions Licensing Document Change Notice (LCDN) FS-1239 being revised to require listing of new commitments.
KOWALSKI, S.J. Philadelphia Electric Co. 88/01/06. Document Control Branch (Document Control Desk). 4pp. 44057:044-44057:047.

8801200005 Forwards Safety Insp Rept 50-353/87-16 on 871116-1220 & notice of violation. Violation involves failure to properly classify design change document affecting safety-related work activities.
WENZINGER, E.C. Region 1, Ofc of the Director. 88/01/08. KEMPER, J.S. Philadelphia Electric Co. 2pp. 44052:258-44052:278.

-8801200009 Notice of violation from Insp on 871116-1220. Violation noted: motor solenoid reinforcement designated as nonsafety-related work by GE Field Disposition Instruction 98-73030.1. No QC Insp performed for gusset installation.
* Region 1, Ofc of the Director. 88/01/08. 1p. 44052:260-44052:260.

-8801200012 Insp Rept 50-353/87-16 on 871116-1220. No violations noted. Major areas inspected: work activities, procedures, records relative to recirculation pump motor, preoperational test procedure review, fire protection & assurance of quality.
WILLIAMS, J.H., LINVILLE, J.C. Region 1, Ofc of the Director. 88/01/07. 16pp. 44052:261-44052:276.

8801050394 Suppl 1 to NRC Info Notice 86-091, "Broken External Closure Springs on Atwood & Morris MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

S. Reportable occurrences, LERs & related correspondence

8801110532 Interim Deficiency Rept 219-2 re wiring within power control complex found in configurations not specified in Connections Diagrams 86SE214TR & 807E660TR. Initially reported on 871204. Analysis should be completed by 880801.
KOWALSKI, S.J. Philadelphia Electric Co. 87/12/31. RUSSELL, W.T. Region 1, Ofc of the Director. 2pp. 43986:152-43986:153.

8801110220 PNO-I-88-001 on 880104, realignment of nuclear mgt updated. Action provides for corporate officer at each plant to elevate level of plant in corporate mgt structure.
LINVILLE, J.C. Region 1, Ofc of the Director. 88/01/04. 1p. 43999:337-43999:337.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR Addl records also available in PDR under Rossing FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO sites in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:158-44119:166.

DOCKET 60-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801110399 Revised emergency plan implementing procedures, including Rev 1 to EPIP 403, "Public Info Liaison/Technical Writer Response - Emergency Operations Facility (EOF)" & Rev 2 to EPIP 404, "Protective..." Revised table of contents encl.
* Public Service Electric & Gas Co. of New Jersey. 87/12/08. 18pp. 43985:147-43985:164.

8801110263 Rev 3 to Artificial Island Emergency Plan Security Implementing Procedure EPIP 801, "Opening of Technical Support Ctr (TSC)." Revised table of contents also encl.
* Public Service Electric & Gas Co. of New Jersey. 87/12/22. 16pp. 43970:178-43970:194.

8801110237 Revised Artificial Island emergency plan station procedures including Rev 2 to EPIP 102H, "Alert," Rev 2 to EPIP 103H, "Site Area Emergency," Rev 2 to EPIP 104H, "General Emergency" & Rev 1 to EPIP 105H, "Protective Action..."
FAWCETT, D. Public Service Electric & Gas Co. of New Jersey. 87/12/30. 150pp. 43971:335-43972:148.

8801110502 Revised Artificial Island Emergency Plan Administrative Procedures, including Rev 2 to EPIP 1006, "Emergency Equipment Inventory Radiation Protection" & Rev 2 to EPIP 1007, Revised table of contents also encl.
* Public Service Electric & Gas Co. of New Jersey. 87/12/30. 78pp. 43986:074-43986:151.

8801120312 Rev 2 to Artificial Island emergency plan Section 11, "Protective Response." Change page & revised table of contents encl.
BURGIND, N. Nichols, S.J. Public Service Electric & Gas Co. of New Jersey. 87/12/30. 8pp. 43991:125-43991:133.

8801120336 Rev 14 to event classification guide.
* Public Service Electric & Gas Co. of New Jersey. 87/12/30. 200pp. 43997:008-43997:188.

8801270015 Revised emergency plan implementing procedures, consisting of Rev 2 to EPIP 602, "Radiological Dose Assessment" & Rev 2 to EPIP 603, "Field Monitoring." W/rev'd table of contents.
BANNER, C.W., WHITE, P., NICHOLS, J. Public Service Electric & Gas Co. of New Jersey. 88/01/12. 120pp. 44142:213-44142:332.

8801270098 Rev 3 to Emergency Plan Implementing Procedure EPIP 202H, Operations Support Ctr (OSC) Activation & Operations." W/Rev 7 to table of contents.
* Public Service Electric & Gas Co. of New Jersey. 88/01/22. 26pp. 44140:303-44140:328.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & list of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43989:230-43989:300.

8801130346 Advises that encl FR notice of consideration of issuance of amend re 871214 application for amend to License NPF-57, revising Tech Specs to change requirements re min critical power ratio, forwarded to Ofc of FR for publication.
RIVENBARK, G. Project Directorate I-2. 88/01/06. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 4pp. 44005:347-44005:355.

-8801130365 Notice of consideration of issuance of amend to License NPF-57, revising Tech Specs to increase min critical power ratio safety limit & revising Figures 3.2.1-1 & 3.2.1-2 to provide max average planar heat generation limit curves.
BUTLER, W.R. Project Directorate I-2. 88/01/06. 5pp. 44005:351-44005:355.

8801190052 Final response to FOIA request for documents re SAFETEAAM program. Forwards App I & J documents. App H & I documents available in PDR. Other records available in PDR. App J documents partially withheld (rel FOIA Exemption 6).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. MAXWELL, B. Cosmos Broadcasting Corp. 5pp. 44053:108-44053:272.

-8801190107 Marked-up review of plant SAFETEAAM Insp activities. Region IV expects to execute at Comanche Peak. Related info re Hope Creek SAFETEAAM program encl.
DENISE, R.P. Region 4, Ofc of the Director. 88/01/12. TAYLOR, J.M., NOONAN, V. NRC - No Detailed Affiliation Given. 16pp. 44053:268-44053:272.

8801200238 Forwards addl info to support 870921 Rev 1 to inservice testing program, per 871207 request. Approval for revised Relief Request V-02 & V-05 & Relief Request V-07 requested. Meeting also requested.
MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 88/01/14. Document Control Branch (Document Control Desk). 13pp. 44052:128-44052:138.

8801290192 Forwards Amend 14 to License NPF-57 & safety evaluation. Amend changes Tech Spec 3/4.9.2 requirements w/respect to min source range monitor neutron count rate & deletes Tech Spec 3/4.10.7.
RIVENBARK, G. Project Directorate I-2. 88/01/19. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 4pp. 44180:197-44180:228.

-8801290195 Amend 14 to License NPF-57, deleting Tech Spec 3/4.10.7 & changing Tech Spec 3/4.9.2 requirements w/respect to min source range monitor neutron count rate.
BUTLER, W.R. Project Directorate I-2. 88/01/19. 22pp. 44180:201-44180:222.

-8801290197 Safety evaluation supporting Amend 14 to License NPF-57.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/19. 6pp. 44180:223-44180:228.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/29. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:267.

8801140243 Forwards Safety Insp Rept 50-354/87-28 on 871116-20. No violation noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 44042:244-44042:263.

-8801140249 Insp Rept 50-354/87-28 on 871116-20. No violation noted. Major areas inspected: radiochemical measurements program, confirmatory measurements, audits & boron analysis.
KIRKWOOD, A., KOTTAN, J., PASCIAK, W.J. Region 1, Ofc of the Director. 87/12/21. 18pp. 44042:246-44042:263.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801120255 Forwards Radiological Controls Insp Rept 50-354/87-27 on 871116-18 & 20. One violation re leak checks of sealed sources reviewed & met criteria for non-suspension of notice of violation. No other violations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 88/01/06. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 2pp. 44040:211-44040:221.

8801120262 Radio/ogical Controls Insp Rpt 50-354/87-27 on 871118-18 & 20. No violations noted. Major areas inspected: process & area radiation monitor surveillance testing, sealed sources, radiological controls for new fuel receipt & Insp & ALARA. NIMITZ, R.L., SHANBAKY, M.M. Region 1, Ofc of the Director. 87/12/31. 9pp. 44040.213-44040.221.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801210235 Responds to NRC 871218 ltr re violations noted in Insp Rpt 50-354/87-17. Corrective actions: ltr issued to operators & meetings held to review valving & switching errors & quarterly shift meetings & retraining implemented. MCNEILL, C.A. Public Service Electric & Gas Co. of New Jersey. 88/01/15. Document Control Branch (Document Control Desk). 5pp. 44086.131-44086.135.

8801280338 Forwards response to NRC Compliance Bulletin 87-002 re testing of fasteners to determine conformance w/applicable matl specs. MITTINBRIDGE, S. Public Service Electric & Gas Co. of New Jersey. 88/01/22. RUSSELL, W.T. Region 1, Ofc of the Director. 16pp. 44159.219-44160.027.

R. Periodic operating reports & related correspondence

8801210050 Monthly operating rpt for Dec 1987. W/880116 ltr. JENSEN, H., RITZMAN, R., LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 87/12/31. 12pp. 44133.032-44133.043.

S. Reportable occurrences, LERs & related correspondence

8712290060 LER 87-050-00 on 871204, determined surveillance caused for MSIV outboard steam sealing gas test line isolation valve on 871111 lost. Caused by personnel error. Procedure for tracking surveillance testing reinforced w/personnel. W/871211 ltr. ERVIN, A.M., LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 87/12/21. 4pp. 43886.098-43886.101.

8801050053 LER 87-048-00 on 871215, trip of safety auxiliary cooling sys (SACS) pumps B & D & automatic start of pump A occurred. Caused by lack of precautions in SACS venting procedure. Procedure for venting room coolers revised. W/871224 ltr. COWLES, R.B., LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 87/12/24. 5pp. 43981.058-43981.062.

880120076 LER 87-049-00 on 870409, primary containment penetration P-22 failed to meet Tech Specs leak rate criteria. Caused by seat leakage & packing leaks on two valves. Leaking valves repaired & retested. W/880104 ltr. COWLES, R.B., LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 87/12/31. 6pp. 44040.022-44040.027.

880120094 Special Rpt 87-010-00 on 871218, north plant vent mid/high flow range sample pump inoperable for more than 72 h. Caused by inadequate documentation. Surveillance procedure revised & schematic drawings made available. ERVIN, A.M., LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 88/01/04. Document Control Branch (Document Control Desk). 6pp. 44040.033-44040.037.

8801190089 LER 87-051-00 on 871208, automatic reactor scram occurred. Caused by grounding of cabinets C & D which provided path for spurious signal. Personnel instructed & monitor grounding configuration analyzed. W/880108 ltr. ERVIN, A.M., LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 88/01/06. 5pp. 44135.068-44135.072.

8801190083 Special Rpt 87-010-01 on 871218, north plant vent sample pump declared inoperable for more than 72 h due to equipment failure. Caused by inadequate documentation. Schematic drawings of vent sample flow sys made available. ERVIN, A.M., LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 88/01/08. Document Control Branch (Document Control Desk). 5pp. 44108.228-44108.233.

8801190080 LER 87-052-00 on 871210, isolation of RWCU sys occurred while pressurizing filter/demineralizer (F/D) B. Caused by F/D design deficiency. Procedures changed & design change scheduled for 1988 outage. W/880109 ltr. COWLES, R.B., LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 88/01/11. 6pp. 44108.238-44108.243.

DOCKET 50-358 WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1

P. Operating license stage documents & correspondence

8801200090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.267.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43996.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801050533 Rev 2.01 to emergency plan for San Onofre Nuclear Generating Station Units 1, 2 & 3. BASKIN, K.P. Southern California Edison Co. 87/12/04. 34pp. 43914.022-43914.055.

8801101089 Rev 2 to "Manual of Emergency Events for San Onofre Nuclear Generating Station Units 1, 2 & 3." Southern California Edison Co. San Diego Gas & Electric Co. 87/12/15. 139pp. 44006.224-44006.382.

8801200431 Forwards Rev 4A to safeguards contingency plan per 871201-04 telcons re Rev 4 to plan. Changes do not decrease safeguards effectiveness of plan. MORGAN, H.E. Southern California Edison Co. 87/12/29. Document Control Branch (Document Control Desk). 6pp. 44057.229-44057.234.

8801130455 Notification of 880112 meeting w/utl in Bethesda, MD to discuss plant fire protection. ROOD, H. Project Directorate V. 88/01/07. KNIGHTON, G.W. Project Directorate V. 4pp. 44005.356-44005.369.

8801200145 Advises that 870410 & 1228 Rvs 4 & 4A to safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable. MONTGOMERY, J.L. Reg on 5, Ofc of the Director. 88/01/07. MORGAN, H.E. Southern California Edison Co. 4pp. 44058.184-44058.187.

8801210192 Addendum to Rev 2.01 to emergency plan. Southern California Edison Co. 88/01/12. 6pp. 44083.228-44083.233.

8801250401 Advises that portions of 870529 & 0807 Rvs 15 & 16A, respectively, to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable. Planned Rev 15B discussed Encl withheld (rel 10CFR73.21). SCARANO, R.A. Region 5, Ofc of the Director. 88/01/15. MORGAN, H.E. Southern California Edison Co. 5pp. 44109.358-44109.360.

8801260419 Forwards Rev 2 to utl 870531 submittal on 10CFR50. App R compliance assessment for plant, per Generic Ltr 86-10. Schedule for completion of fire protection mods provided. Amends to licenses for interim conditions will be submitted. MEDFORD, M.O. Southern California Edison Co. 88/01/21. Document Control Branch (Document Control Desk). 32pp. 44128.270-44128.301.

H. General correspondence

8801250394 Responds to 871207 ltr forwarding correspondence from B Gelsmar urging that reactor vessel level indicator be installed at facility. Matter not yet resolved because of difficulty of adapting instrument to older reactor design. STELL, D.V. Ofc of the Executive Director for Operations. 88/01/16. CRANSTON, A. Senate. 6pp. 44116.056-44116.080.

8804060306 Requests response to questions re plant safety resulting from recent documentary film, "60 Minutes to Mollo-down," aired on television. GEISMAR, B. Affiliation Not Assigned. 83/03/31. MATTSON, R. NRC - No Data'd Affiliation Given. 1p. 44116.087-44116.087.

8805080139 Ack receipt of 830331 ltr re plants B&W reactor not in use at facility. Mission Viejo, CA is well outside NRC determined emergency planning zone. Responses to specific concerns listed. MATTSON, R.J. Division of Systems Integration (811005-851124). 83/04/25. GEISMAR, B. Affiliation Not Assigned. 2pp. 44116.068-44116.069.

8801250427 Requests response to listed questions including what kind of ECCS is installed at plant. GEISMAR, B. Affiliation Not Assigned. 84/02/08. MATTSON, R.J. Division of Systems Integration (811005-851124). 2pp. 44116.070-44116.071.

8803050284 Provides answers to 840208 questions re facilities. Diagram illustrating turbine generator orientation encl. MATTSON, R.J. Division of Systems Integration (811005-851124). 84/02/27. GEISMAR, B. Affiliation Not Assigned. 4pp. 44116.072-44116.074.

J. Insurance & indemnity information

8801270250 Forwards Endorsements 120-123, 47-48, 9 & 7 to NELA Policies NF-146, NS-282, N-10 & N-87, respectively & Endorsements 105-108, 9, 8 & 7 to MAELU Policies MF-38, M-10, M-81 & M-7, respectively. ADAMS, J.B. Southern California Edison Co. 88/01/14. DINITZ, I. NRC - No Data'd Affiliation Given. 30pp. 44186.013-44186.042.

P. Operating license stage documents & correspondence

8801200090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8712300106 Forwards Transshipment of San Onofre Unit 1 Spent Fuel "Transshipment of San Onofre Unit 1 Spent Fuel" approval per NRC request at 870925 meeting. Proposed method for transshipment of spent fuel to Units 2 & 3 will not include air pallet sys Fee paid. MEDFORD, M.O. Southern California Edison Co. 87/12/24. Document Control Branch (Document Control Desk). 2pp. 43921:069-43921:134.

8712300109 Transshipment of San Onofre Unit 1 Spent Fuel "Southern California Edison Co. 87/12/31. 44pp. 43921:091-43921:134.

8801060149 Forwards Proposed Change PCN-242 to Licenses NPF-10 & NPF-15 re storage of Unit 1 spent fuel at Unit 2 & Unit 3 for review. Proposed license amend unnecessary since sub documented in FSAR & approved by NRC. Fee paid. MEDFORD, M.O. Southern California Edison Co. 87/12/30. Document Control Branch (Document Control Desk). 3pp. 43927:020-43927:022.

8801150007 Remits fee inadvertently omitted from 871224 submittal re spent fuel transshipment. MEDFORD, M.O. Southern California Edison Co. 88/01/08. PARKS, J. License Fee Management Branch. 1p. 44062:164-44062:165.

8801210056 Requests that encl util 880108 tr be processed under applicable docket & distribution code. PARKS, J. License Fee Management Branch. 88/01/13. MCKNIGHT, J. Document Control Branch (Document Control Desk). 1p. 44062:165-44062:165.

8801150052 Forwards add info re Proposed Change PCN-242, did 871230, to clarify that NRC conducted complete review & approved storage of spent fuel per request. MEDFORD, M.O. Southern California Edison Co. 88/01/12. Document Control Branch (Document Control Desk). 2pp. 44062:178-44062:179.

8801210024 Forwards Station Procedure SO23-3-3.12, "Integrated ESF Sys Refueling Test," "Evaluation of Reliability Benefits of Proposed Diesel Generator Cross-Connect Mod.," & procedures to support util proposed Tech Spec change (PCN-215). MEDFORD, M.O. Southern California Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 3pp. 44077:108-44077:129.

8801210038 Rev 3 to Operating Instruction SO23-0-2, "Control Room Supervisor Responsibilities, Duties & Authority." MORGAN, H.E. Southern California Edison Co. 84/02/03. 7pp. 44077:111-44077:117.

8801210040 Temporary Change Notice 0-3 to Rev 0 to Operations Div Procedure SO123-0-1, "Shift Superintendent Authority, Responsibilities & Duties." Southern California Edison Co. 85/06/25. 13pp. 44077:118-44077:130.

8801210043 Temporary Change Notice 0-1 to Rev 0 to Operations Div Procedure SO123-0-3, "Control Operator Responsibilities & Duties." Southern California Edison Co. 85/09/04. 12pp. 44077:131-44077:142.

8801210044 Temporary Change Notice 0-3 to Rev 0 to Operations Div Procedure SO123-0-30, "Shift Manning." Southern California Edison Co. 85/06/26. 18pp. 44077:143-44077:160.

8801210047 Rev 0 to Surveillance Operating Instruction SO23-3-3.0, "Operations Surveillance Program Requirements." W/ five oversize drawings. Southern California Edison Co. 87/01/02. 30pp. 44077:161-44077:183.

8801210062 Rev 2 to Engineering Procedure SO123-V-4.18, consisting of Calculation DC-M-15.6, "Diesel Generator Fuel Oil Tank S2(3)2421M1035(36) Size Calculation." Southern California Edison Co. 85/01/20. 24pp. 44077:184-44077:216.

8801210085 Rev 1 to Engineering Procedure SO23-SPE-017, "Standby Power Capacity Test." Related info encl. Southern California Edison Co. 86/01/08. 71pp. 44077:217-44077:287.

8801210094 Temporary Change Notice 10-6 to Rev 10 to Surveillance Operating Instruction SO23-3-3.12, "Integrated ESF Sys Refueling Test." Southern California Edison Co. 87/10/30. 30pp. 44077:288-44077:312.

8801210103 "Evaluation of Reliability Benefits of Proposed Diesel Generator Cross-Connect Mod for San Onofre Nuclear Generating Stations, Unit 2 & Unit 3." Enr Engineering & Research, Inc. 87/09/30. 900pp. 44078:153-44078:129.

8801270185 Inform of organization changes within Div of Reactor Projects. KNIGHTON, G.W. Project Directorate V. 88/01/20. BASKIN, K.P. Southern California Edison Co. HOLCOMBE, J.C. San Diego Gas & Electric Co. 3pp. 44154:359-44154:361.

8801290333 Application for amends to Licenses NPF-10 & NPF-15, clarifying requirements for determining content of inservice insp tube sample by deleting tubes in bawing area based on performance of corrective action program. Fee paid. MEDFORD, M.O. Southern California Edison Co. 88/01/26. Document Control Branch (Document Control Desk). 8pp. 44182:057-44182:074.

8801290335 Proposed Tech Specs, clarifying requirements for determining content of inservice insp tube sample by deleting tubes in bawing area based on performance of corrective action program. Southern California Edison Co. 88/01/26. 9pp. 44182:066-44182:074.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8801110246 Forwards Insp Repts 50-206/87-27.50-361/87-28 & 50-362/87-29 on 871004-1124. No violations noted. ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/24. BASKIN, K.P. Southern California Edison Co. 2pp. 43970:146-43970:163.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:268-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Alwood & Morris MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801270123 Forwards response to NRC Compliance Bulletin 87-002 re fastener testing to determine conformance w/ applicable mail specs. MEDFORD, M.O. Southern California Edison Co. 88/01/12. MARTIN, J.B. Region 5, Ofc of the Director. 88pp. 44141:168-44141:251.

8801290333 Application for amends to Licenses NPF-10 & NPF-15, clarifying requirements for determining content of inservice insp tube sample by deleting tubes in bawing area based on performance of corrective action program. Fee paid. MEDFORD, M.O. Southern California Edison Co. 88/01/26. Document Control Branch (Document Control Desk). 8pp. 44182:057-44182:074.

8801290335 Proposed Tech Specs, clarifying requirements for determining content of inservice insp tube sample by deleting tubes in bawing area based on performance of corrective action program. Southern California Edison Co. 88/01/26. 9pp. 44182:066-44182:074.

R. Periodic operating reports & related correspondence

8801200355 Monthly operating repts for Dec 1987. W/880115 lr. SIACOR, E.R., MORGAN, H.E. Southern California Edison Co. 87/12/31. 13pp. 44107:288-44107:300.

S. Reportable occurrences, LERs & related correspondence

8801070172 Followup RO re fire doors found inoperable during routine surveillance in Nov 1987. Encl Sections I-III identify 14 latching & 8 closure mechanism failures. Section IV addresses miscellaneous deficiencies. MORGAN, H.E. Southern California Edison Co. 87/12/16. MARTIN, J.B. Region 5, Ofc of the Director. 3pp. 44040:246-44040:248.

8712290067 LER 86-027-01: on 860913, reactor trip generated by all four core protection calculator channels. Caused by failure of Reed switch position transmitter due to loose solder joint. Transmitter replaced. W/871218 lr. MORGAN, H.E. Southern California Edison Co. 87/12/18. 4pp. 43921:141-43921:144.

8712290016 LER 87-025-00: on 871123, 18-month surveillance of snubbers not performed. Caused by apparent administrative error. Eight snubbers inspected, tested & returned to operable status. Review of snubbers documentation completed. W/871222 lr. MORGAN, H.E. Southern California Edison Co. 87/12/22. 5pp. 43893:142-43893:146.

8801060467 PNS-V-87-009A: on 871209, Region V reported licensee investigating rept of card playing in security alarm station. Disciplinary action: three supervisors terminated & nine security officers suspended. SCHAEFER, D., SCHUSTER, M. Region 5, Ofc of the Director. 87/12/28. 1p. 43979:046-43979:046.

8801070314 LER 87-027-00: on 871130, Tech Spec 4.7.9.1 fire door surveillance discrepancies noted for 11 doors. Caused by procedural deficiency & inadequate training. Fire door insp training program improved & procedure revised. W/871230 lr. MORGAN, H.E. Southern California Edison Co. 87/12/30. 2pp. 43991:178-43991:177.

8801060357 LER 86-028-02: on 861210, turbine tripped during power interruption to turbine governor control sys. Caused by failure to follow procedure for transfer of power supplies. Personnel involved in event counseled. W/871231 lr. MORGAN, H.E. Southern California Edison Co. 87/12/31. 5pp. 43927:224-43927:228.

8801070241 LER 87-030-00: on 871201, during routine review of effluent data, discovered that from 871118-21 samples from monitor not collected & analyzed. Caused by inadequate administrative controls. Procedures revised. W/871231 lr. MORGAN, H.E., MORGAN, H.E. Southern California Edison Co. 87/12/31. 8pp. 43999:270-43999:275.

8801070304 LER 87-004-01: on 870328, reactor trip occurred on low steam generator level. Caused by loose locknut on main feedwater control valve 2FV-1111 due to inadequate torque during calibr. Locknut tightened. W/871231 lr. MORGAN, H.E. Southern California Edison Co. 87/12/31. 6pp. 43999:318-43999:323.

8801130153 LER 87-028-00: on 871206, Train B containment purge isolation sys initiated from containment area radiation monitor 2FT-7857. Caused by poor electrical connection between monitor & cable connector. Calibr rev planned. W/880105 lr. MORGAN, H.E. Southern California Edison Co. 88/01/05. 5pp. 44028:277-44028:281.

8801190123 LER 87-029-00: on 871212, actuation of Train B of fuel handling isolation sys (FHIS) occurred. Caused by induced voltage spike. Cabinet housing on FHIS will be modified to separate wiring. W/880111 lr. MORGAN, H.E. Southern California Edison Co. 88/01/11. 5pp. 44092:226-44092:230.

8801260165 RO: followup rpt of Tech Spec fire-related assemblies found inoperable during routine surveillance in Dec 1987. No doors found blocked open in Dec 1987. Compensatory fire watches established until door restored to operable status. MORGAN, H.E. Southern California Edison Co. 88/01/14. MARTIN, J.B. Region 5, Ofc of the Director. 3pp. 44167:051-44167:053.

8801260555 LER 87-031-00: on 871217, main feedwater isolation valve failed to close, causing main feedwater pumps to trip on high discharge pressure. Caused by insufficient maint procedure. Procedure will be revised W/880118 ltr. MORGAN, H.E. Southern California Edison Co. 88/01/18. 7pp. 44112:318-44112:322.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents, App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8802030451 Submits observations of INPO 851218 accreditation board meeting & accreditation process. NRC activity in board reviews & participation in INPO team visit & post-accreditation visits requested. BOGER, B.A. Operator Licensing Branch. 88/01/14. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 4pp. 44118:244-44118:247.

8801070186 Forwards final rpt from Aug 1986 NRC post-accreditation audit. Plant has not performed task analysis to identify knowledge, skills & abilities for all job tasks. Radiological protection training warrants specific attention. RUSSELL, W.T. Division of Human Factors Technology (851126-870411). 88/09/10. STRAHM, K. Institute of Nuclear Power Operations. 16pp. 44119:025-44119:040.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ocs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:168.

DOCKET 80-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8801050533 Rev 2.01 to emergency plan for San Onofre Nuclear Generating Station Units 1, 2 & 3. BASKIN, K.P. Southern California Edison Co. 87/12/04. 34pp. 43914:022-43914:055.

8801110189 Rev 2 to "Manual of Emergency Events for San Onofre Nuclear Generating Station Units 1, 2 & 3." * Southern California Edison Co. * San Diego Gas & Electric Co. 87/12/15. 139pp. 44006:224-44006:382.

8801200431 Forwards Rev 4A to safeguards contingency plan, per 871201-04 telcons re Rev 4 to plan. Changes do not decrease safeguards effectiveness of plan. MORGAN, H.E. Southern California Edison Co. 88/01/29. Document Control Branch (Document Control Desk). 6pp. 44057:229-44057:234.

8801130455 Notification of 880112 meeting w/ull in Bethesda, MD to discuss plant fire protection. ROOD, H. Project Directorate V. 88/01/07. KNIGHTON, G.W. Project Directorate V. 4pp. 44005:358-44005:358.

8801200145 Advises that 870410 & 1229 Revs 4 & 4A to safeguards contingency plan consistent w/provisions of 10CFR50.54(p) & acceptable. MONTGOMERY, J.L. Region 6, Ofc of the Director. 88/01/07. MORGAN, H.E. Southern California Edison Co. 4pp. 44058:194-44058:197.

8801210192 Addendum to Rev 2.01 to emergency plan. * Southern California Edison Co. 88/01/12. 6pp. 44083:228-44083:233.

8801250401 Advises that portions of 870529 & 0807 Revs 15 & 15A, respectively, to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable. Planned Rev 16B discussed. Encl withheld (ref 10CFR73.21). SCARANO, R.A. Region 6, Ofc of the Director. 88/01/15. MORGAN, H.E. Southern California Edison Co. 6pp. 44109:356-44109:360.

8801260419 Forwards Rev 2 to 870531 submittal on 10CFR50, App R compliance assessment for plant, per Generic Ltr 88-10. Schedule for completion of fire protection mods provided. Amends to licenses for interim conditions will be submitted. MEDFORD, M.O. Southern California Edison Co. 88/01/21. Document Control Branch (Document Control Desk). 32pp. 44128:270-44128:301.

H. General correspondence

8801260394 Responds to 871207 ltr forwarding correspondence from B Geismar urging that reactor vessel level indicator be installed at facility. Matter not yet resolved because of difficulty of adapting instrument to older reactor design. STELLQ, V. Ofc of the Executive Director for Operations. 88/01/15. CRANSTON, A. Senate. 8pp. 44116:058-44116:080.

8804060305 Requests response to questions re plant safety resulting from recent documentary film, "60 Minutes to Meltdown," aired on television. GEISMAR, B. Affiliation Not Assigned. 83/03/31. MATTSON, R. NRC - No Detailed Affiliation Given. 7pp. 44116:067-44116:067.

8805060139 Ack receipt of 830331 ltr re plants B&W reactor not in use at facility. Mission Viejo, CA is well outside NRC determined emergency planning zone. Responses to specific concerns listed. MATTSON, R.J. Division of Systems Integration (811005-851124). 83/04/26. GEISMAR, B. Affiliation Not Assigned. 2pp. 44116:068-44116:069.

8801250427 Requests response to listed questions including what kind of ECCS installed at plant. GEISMAR, B. Affiliation Not Assigned. 84/02/08. MATTSON, R.J. Division of Systems Integration (811005-851124). 2pp. 44116:070-44116:071.

8803050264 Provides answers to 840208 questions re facilities Diagram illustrating turbine generator orientation encl. MATTSON, R.J. Division of Systems Integration (811005-851124). 84/02/27. GEISMAR, B. Affiliation Not Assigned. 4pp. 44116:072-44116:074.

J. Insurance & Indemnity Information

8801270260 Forwards Endorsements 120-123, 47-48, 9 & 7 to NELIA Policies NF-148, NS-282, N-10 & N-87, respectively & Endorsements 105-108, 9, 8 & 7 to MAELU Policies MF-38, M-10, M-81 & M-7, respectively. ADAMS, J.B. Southern California Edison Co. 88/01/14. DINITZ, I. NRC - No Detailed Affiliation Given. 30pp. 44168:013-44168:042.

P. Operating license stage documents & correspondence

8801120090 Forwards Info re Resource Technical Svcs, Inc. Including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8712300106 Forwards "Transshipment of San Onofre Unit 1 Spent Fuel" for review & approval, per NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. MEDFORD, M.O. Southern California Edison Co. 87/12/24. Document Control Branch (Document Control Desk). 2pp. 43921:089-43921:134.

8712300109 "Transshipment of San Onofre Unit 1 Spent Fuel." * Southern California Edison Co. 87/12/31. 44pp. 43921:091-43921:134.

8801060149 Forwards Proposed Change PCN-242 to Licenses NPF-10 & NPF-15 re storage of Unit 1 spent fuel at Unit 2 & Unit 3, for review. Proposed license amend unnecessary since subj documented in FSAR & approved by NRC. Fee paid. MEDFORD, M.O. Southern California Edison Co. 87/12/30. Document Control Branch (Document Control Desk). 3pp. 43927:020-43927:022.

8801150007 Remits fee inadvertently omitted from 871224 submittal re spent fuel transshipment. MEDFORD, M.O. Southern California Edison Co. 88/01/08. PARKS, J. License Fee Management Branch. 1p. 44082:164-44082:165.

8801210058 Requests that encl until 880108 ltr be processed under applicable docket & distribution code. PARKS, J. License Fee Management Branch. 88/01/13. MCKNIGHT, J. Document Control Branch (Document Control Desk). 1p. 44082:165-44082:165.

8801150052 Forwards addl info re Proposed Change PCN-242, dtd 871230, to clarify that NRC conducted complete review & approved storage of spent fuel per request. MEDFORD, M.O. Southern California Edison Co. 88/01/12. Document Control Branch (Document Control Desk). 2pp. 44082:178-44082:179.

8801210024 Forwards Station Procedure SO23-3-3.12, "Integrated ESF Sys Refueling Test," "Evaluation of Reliability Benefits of Proposed Diesel Generator Cross-Connect Mod..." & procedures to support full proposed Tech Spec change (PCN-215). MEDFORD, M.O. Southern California Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 3pp. 44077:108-44077:129.

8801210038 Rev 3 to Operating Instruction SO23-0-2, "Control Room Supervisor Responsibilities, Duties & Authority." MORGAN, H.E. Southern California Edison Co. 84/02/03. 7pp. 44077:111-44077:117.

8801210040 Temporary Change Notice 0-3 to Rev 0 to Operations Div Procedure SO123-0-1, "Shift Superintendent Authority, Responsibilities & Duties." * Southern California Edison Co. 85/08/26. 13pp. 44077:118-44077:130.

8801210043 Temporary Change Notice 0-1 to Rev 0 to Operations Div Procedure SO123-0-3, "Control Operator Responsibilities & Duties." * Southern California Edison Co. 85/09/04. 12pp. 44077:131-44077:142.

8801210044 Temporary Change Notice 0-3 to Rev 0 to Operations Div Procedure SO123-0-30, "Shift Manning." * Southern California Edison Co. 85/08/26. 18pp. 44077:143-44077:160.

8801210047 Rev 0 to Surveillance Operating Instruction SO23-3-3.0, "Operations Surveillance Program Requirements." W/lls oversize drawings. * Southern California Edison Co. 87/10/02. 33pp. 44077:161-44077:193.

8801210082 Rev 2 to Engineering Procedure SO123-V-4.18, consisting of Calculation DC-M-15.8, "Diesel Generator Fuel Oil Tank S2(8)2421MT035(36) Size Calculation." * Southern California Edison Co. 85/01/20. 24pp. 44077:194-44077:216.

8801210085 Rev 1 to Engineering Procedure SO23-SPE-017, "Standby Power Capacity Test." Related info encl. * Southern California Edison Co. 88/01/08. 71pp. 44077:217-44077:287.

8801210094 Temporary Change Notice 10-6 to Rev 10 to Surveillance Operating Instruction SO23-3-3.12, "Integrated ESF Sys Refueling Test." * Southern California Edison Co. 87/10/30. 200pp. 44077:288-44077:562.

8801210103 "Evaluation of Reliability Benefits of Proposed Diesel Generator Cross-Connect Mod for San Onofre Nuclear Generating Stations, Unit 2 & Unit 3." * Erin Engineering & Research, Inc. 87/09/30. 800pp. 44078:153-44078:129.

8801270185 Informs of organization changes within Div of Reactor Projects. KNIGHTON, G.W. Project Directorate V. 88/01/20. BASKIN, K.P. Southern California Edison Co. HOLCOMBE, J.C. San Diego Gas & Electric Co. 3pp. 44164:359-44164:361.

8801290333 Application for amends to Licenses NPF-10 & NPF-15, clarifying requirements for determining content of inservice insp tube sample by deleting tubes in bathing area based on performance of corrective action program. Fee paid. MEDFORD, M.O. Southern California Edison Co. 88/01/26. Document Control Branch (Document Control Desk). 9pp. 44182:057-44182:074.

118 DOCKETED ITEMS

-8801290335 Proposed Tech Specs, clarifying requirements for determining content of inservice insp tube sample by deleting tubes in bathing area based on performance of corrective action program.
* Southern California Edison Co. 88/01/26. 9pp. 44182-066-44182-074.

Q. Inspection reports, IE Bulletins & correspondence

8712160368 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058-008-44058-127.

8801110246 Forwards Insp Repts 50-206/87-27, 50-361/87-28 & 50-362/87-29 on 871004-1124. No violations noted.
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 87/12/24. BASKIN, K.P. Southern California Edison Co. 2pp. 43970-148-43970-163.

-8801110253 Insp Repts 50-206/87-27, 50-361/87-28 & 50-362/87-29 on 871004-1124. No violations or deviations identified. Major areas inspected: operations program of all units including safety verification plant unit & event evaluations & maint.
HUEY, F.R., TATUM, J.E., HONAL, L. Region 5, Ofc of the Director. 87/12/22. 14pp. 43970-150-43970-163.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995-016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-286.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

8801270123 Forwards response to NRC Compliance Bulletin 87-002 re fastener testing to determine conformance w/applicable mat specs.
MEDFORD, M.O. Southern California Edison Co. 88/01/12. MARTIN, J.B. Region 5, Ofc of the Director. 8pp. 44141-166-44141-251.

8801290333 Application for amendments to Licenses NPF-10 & NPF-15, clarifying requirements for determining content of inservice insp tube sample by deleting tubes in bathing area based on performance of corrective action program. Fee paid.
MEDFORD, M.O. Southern California Edison Co. 88/01/26. Document Control Branch (Document Control Desk). 9pp. 44182-057-44182-074.

-8801290335 Proposed Tech Specs, clarifying requirements for determining content of inservice insp tube sample by deleting tubes in bathing area based on performance of corrective action program.
* Southern California Edison Co. 88/01/26. 9pp. 44182-066-44182-074.

R. Periodic operating reports & related correspondence

8801200355 Monthly operating repts for Dec 1987. W/880115 ltr.
SIACOR, E.R., MORGAN, H.E. Southern California Edison Co. 87/12/31. 13pp. 44107-288-44107-300.

S. Reportable occurrences, LERs & related correspondence

8801060487 PNS-V-87-009A on 871209. Region V reported licensee investigating rept of card playing in security alarm station. Disciplinary action: three supervisors terminated & nine security officers suspended.
SCHAEFER, D. Region 5, Ofc of the Director. 87/12/28. 1p. 43979-046-43979-046.

8801050589 LER 87-004-01 on 870317, steam generator blowdown effluent sample not taken. Caused by miscommunication between control operator & equipment operator. Signs have been provided to notify personnel of sampling requirement. W/871229 ltr.
MORGAN, H.E. Southern California Edison Co. 87/12/29. 2pp. 43913-338-43913-339.

8801280165 RO: followup rept of Tech Spec fire-related assemblies found inoperable during routine surveillances in Dec 1987. No doors found blocked open in Dec 1987. Compensatory fire watches established until door restored to operable status.
MORGAN, H.E. Southern California Edison Co. 88/01/14. MARTIN, J.B. Region 5, Ofc of the Director. 3pp. 44157-051-44157-053.

8801270591 PNO-V-88-002 on 880116, reactor shutdown commenced for more than 48 h due to alarms on main generator hydrogen detaining unit. Caused by hydrogen leak into stator cooling water sys in main generator. Visual & sonic insps performed.
JOHNSON, P. Region 5, Ofc of the Director. 88/01/19. 1p. 44145-107-44145-107.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

-8802030451 Submits observations of INPO 851218 accreditation board meeting & accreditation process. NRC activity in board reviews & participation in INPO team visit & post-accreditation visits requested.
BOGER, B.A. Operator Licensing Branch. 88/01/14. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 4pp. 44118-244-44118-247.

-8810070186 Forwards final rept from Aug 1988 NRC post-accreditation aud. LPlant has not performed task analysis to identify knowledge, skills & abilities for all job tasks. Radiological protection training warrants specific attention.
RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 88/09/10. STRAHM, K. Institute of Nuclear Power Operations. 10pp. 44110-025-44110-040.

-8801220136 Advises of attendance at 870923 NRC Nuclear Accrediting Board meeting at INPO p/c in Atlanta, GA re training programs at two plants. Encls include list of board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44110-150-44110-168.

DOCKET 80-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8801120169 Forwards Insp Repts 50-340/87-34 & 50-361/87-34 on 871207-11. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/29. MACDONALD, R.P. Alabama Power Co. 2pp. 43987-355-43987-367.

-8801120179 Partially withhold Physical Security Insp Repts 50-340/87-34 & 50-361/87-34 on 871207-11 (ref 10CFR2.700(d) & 73.21). No violations noted. Major areas inspected: security plan & implementing procedures.
ENNIS, J.D. Region 2, Ofc of the Director. 87/12/23. 1p. 43987-357-43987-367.

8801270096 Advises that 871111 Rev 13 to physical security plan consistent w/provisions of 10CFR50.47(b) & acceptable.
COLLINS, D.M. Region 2, Ofc of the Director. 88/01/20. MACDONALD, R.P. Alabama Power Co. 2pp. 44186-064-44186-065.

P. Operating license stage documents & correspondence

8712300107 Forwards results of add'l studies re NUREG-0737, Item 1.D.1, concerning CRDR & schedules for completion of remainder of studies, per 881229 commercial.
MACDONALD, R.P. Alabama Power Co. 87/12/23. Document Control Branch (Document Control Desk). 6pp. 43984-127-43984-132.

8801070205 Notification of 880106 meeting w/Washington Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

8801070417 Notification of 880116 meeting w/Licensee & consultants in Bethesda, MD to discuss recent 6 inch safety injection crack & analysis & relation to generic implications for PWRs. Discussion questions encl.
REEVES, E.A. Project Directorate II-1. 88/01/04. ADENSA, E.J. Project Directorate II-1. 3pp. 43949-320-43949-322.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

-8801210236 Trip rept of 880721-26 visit to plant to observe INPO accreditation team evaluation of six training programs, including instrumentation & control technician, mechanical maint & electrical maint. List of team members encl.
FALCONER, D.P. Region 2, Ofc of the Director. 88/08/20. GIBSON, A.F. Region 2, Ofc of the Director. 4pp. 44119-016-44119-024.

8801200011 Forwards corrected safety evaluation Page 2 re Amendments 74 & 66 to Licenses NPF-2 & NPF-8, respectively, deleting ref to quarterly surveillance testing "on staggered test basis."
REEVES, E.A. Project Directorate II-1. 88/01/14. MACDONALD, R.P. Alabama Power Co. 1p. 44091-138-44091-141.

-8801210054 Corrected Page 2 of safety evaluation re Amendments 74 & 66 to Licenses NPF-2 & NPF-8, respectively, deleting ref to quarterly surveillance testing "on staggered test basis."
Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/16. 3pp. 44091-139-44091-141.

8801200327 Forwards evaluation of effect of reduced safety injection flow corresponding to spilling to containment backpressure on small break LOCA analysis. FSAR update will be made to reflect peak cladding temp effects contained in evaluation.
MACDONALD, R.P. Alabama Power Co. 88/01/14. Document Control Branch (Document Control Desk). 13pp. 44057-078-44057-080.

8801210194 Partial response to FOIA request. App G documents already available in PDR. App H documents, re INPO accreditation training, encl & available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095-001-44095-022.

-8801210349 Forwards comments on licensee training performance during period of INPO accreditation effort. Certification of licensed operator training program encl.
GRACE, J.N. Region 2, Ofc of the Director. 87/02/25. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 4pp. 44095-081-44095-084.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8801060440 Responds to violations noted in Insp Repts 50-348/87-31 & 50-364/87-31. Corrective actions: diesel test procedures will be revised by 880129 to ensure diesel generator corrected for proper operation.
MCDONALD, R.P. Alabama Power Co. 87/12/22. Document Control Branch (Document Control Desk). 2pp. 43981.254-43981.255.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43985.138-43985.257.

8801120169 Forwards Insp Repts 50-348/87-34 & 50-364/87-34 on 871207-11. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/29. MACDONALD, R.P. Alabama Power Co. 2pp. 43987.355-43987.357.

-8801120179 Partially withhold Physical Security Insp Repts 50-348/87-34 & 50-364/87-34 on 871207-11 (rel 10CFR2790(d) & 73.21). No violations noted. Major areas inspected: security plan & implementing procedures.
KEMIS, J.D., MCGUIRE, D.R. Region 2, Ofc of the Director. 87/12/23. 1p. 43987.357-43987.357.

8801110305 Forwards Insp Repts 50-348/87-29 & 50-364/87-29 on 871010-1116 & notice of violation.
VERRELLI, D.M. Region 2, Ofc of the Director. 87/12/30. MCDONALD, R.P. Alabama Power Co. 2pp. 44030.307-44030.317.

-8801110342 Notice of violation from Insp on 871010-1116. Violation noted: survey records of radiation hazards not available.
VERRELLI, D.M. Region 2, Ofc of the Director. 87/12/31. 2pp. 44030.309-44030.310.

-8801110349 Insp Repts 50-348/87-29 & 50-364/87-29 on 871011-1115. Violations noted: Major areas inspected: surveillance observation, monthly maintenance observation, operational safety verification & engineered safety sys Insps.
BRADFORD, W.H., MILLER, W.H., DANCE, H.G. Region 2, Ofc of the Director. 87/12/29. 7pp. 44030.311-44030.317.

8712290165 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985.258-43985.016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morris MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

R. Periodic operating reports & related correspondence

8801200366 Monthly operating rpt for Dec 1987. W/880114 Ir.
WOODARD, J.D., MCDONALD, R.P. Alabama Power Co. 87/12/31. 6pp. 44107.310-44107.316.

S. Reportable occurrences, LERs & related correspondence

8712290393 LER 87-009-00: on 871203, reactor tripped down to low water level in 2A steam generator coincident w/ feedwater loss than steam flow signal. Caused by personnel error. Operator involved counseled. W/871223 Ir.
WOODARD, J.D., MCDONALD, R.P. Alabama Power Co. 87/12/23. 4pp. 43888.089-43888.092.

8712290402 LER 87-008-00: on 871127, reactor coolant sys relief valve opened. Caused by localized pressure pulse created when RHR containment pump suction valves opened. Procedure re leak rate testing changed. W/871223 Ir.
WOODARD, J.D., MCDONALD, R.P. Alabama Power Co. 87/12/23. 4pp. 43888.059-43888.062.

8801140114 LER 87-010-00: on 871209, unit shutdown due to pressure boundary leakage on RCS Loop B cold safety injection line between check valve & loop. Caused by cracked joint due to fatigue. Defective pipe section replaced. W/880108 Ir.
WOODARD, J.D., MCDONALD, R.P. Alabama Power Co. 88/01/08. 6pp. 44043.207-44043.212.

8801140256 Summary of Operating Reactors Events Meeting 88-01 on 870105 re events that occurred since 871222. List of attendees & viewpoints encl.
LANNING, W. Events Assessment Branch. 88/01/07. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 24pp. 44031.033-44031.056.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.158-44119.166.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

8712310185 Revised emergency plan implementing procedures, including Rev 0 to 83EP-EIP-058-OS, "Emergency Call List," Rev 1 to 83EP-EIP-082-OS, "Operational Support Cir Activation" & Rev 1 to 83EP-EIP-063-OS. W/871221 Ir.
GUCWA, L.T. Georgia Power Co. 87/12/21. 170pp. 43988.001-43988.171.

8801270218 Responds to NRC 871218 Ir re violations noted in Insp Repts 50-321/87-30 & 50-366/87-30. Corrective actions: fire drill & critique repts completed per Procedure 41FP-FPX01-0. Procedure revised to require completion of repts on time.
GUCWA, L.T. Georgia Power Co. 88/01/18. Document Control Branch (Document Control Desk). 12pp. 44169.093-44169.104.

8801260550 Revised emergency plan implementing procedures, including Rev 0 to 83EP-EIP-107-OS, "Duties of Nuclear Security" & Rev 0 73EP-EIP-008-OS, "Nuclear Security Duties." W/880119 Ir.
GUCWA, L.T. Georgia Power Co. 88/01/19. 10pp. 44130.152-44130.161.

J. Insurance & Indemnity Information

8801270120 Forwards Endorsements 105 & 16 to NELIA Policies NF-215 & NF-302 & Endorsements 87 & 10 to MAELU Policies MF-78 & MF-129.
SANTA, L.J. Marsh & McLennan, Inc. 88/01/12. DINITZ, I. NRC - No Detailed Allocation Given. 17pp. 44186.047-44186.063.

P. Operating license stage documents & correspondence

8801040011 Forwards Amends 160 & 87 to Licenses DPR-7 & NPF-5, respectively & safety evaluation. Amends modify Tech Specs to define fuel average planar linear heat generation rate limits & ECCS surveillance requirements.
CROCKER, P.L. Project Directorate II-3. 87/12/21. O'REILLY, J.P. Georgia Power Co. 3pp. 43895.205-43895.239.

-8801040016 Amends 150 & 87 to Licenses DPR-57 & NPF-5, respectively, modifying Tech Specs to define fuel average planar linear heat generation limits & ECCS surveillance requirements.
JABBOUR, K.N. Project Directorate II-3. 87/12/21. 28pp. 43895.207-43895.234.

-8801040019 Safety evaluation supporting Amends 150 & 87 to Licenses DPR-57 & NPF-5, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/21. 4pp. 43895.235-43895.239.

8801120009 Confirms rel of request from Tech Spec requirements for RWCU sys isolation on high differential flow, per 871218 & 21 discussions. Permanent Tech Spec changes will be submitted, per GWR STS.
GUCWA, L.T. Georgia Power Co. 87/12/22. GRACE, J.N. Region 2, Ofc of the Director. 3pp. 44044.086-44044.088.

8801050006 Provides info re summary repts on plant startup & power escalation testing per NRC request. Results will be submitted if lead test bundled effect test results or reload consists of fuel bundles w/different design.
GUCWA, L.T. Georgia Power Co. 87/12/29. Document Control Branch (Document Control Desk). 2pp. 43903.190-43903.191.

8801050081 Forwards NPDES Permit GA 0004120, issued to Georgia Power Co., per ETS.
GUCWA, L.T. Georgia Power Co. 87/12/29. Document Control Branch (Document Control Desk). 4pp. 43890.349-43900.014.

-8801050091 NPDES Permit GA 0004120, issued to Georgia Power Co., LEDBETTER, J.L. Georgia, State of. 87/12/04. 21pp. 43899.353-43900.011.

-8801050108 "ETS Comparison of 1983 & 1987 NPDES Permits."
* Georgia Power Co. 87/12/20. 3pp. 43900.012-43900.014.

8801110290 Grants enforcement discretion re Tech Spec 3.3.2, per 871222 telcon. Enforcement discretion permits operation w/o isolating RWCU in order to prevent undesirable effects on reactor water chemistry.
GRACE, J.N. Region 2, Ofc of the Director. 87/12/28. O'REILLY, J.P. Georgia Power Co. 2pp. 43999.358-43999.357.

8801050578 Forwards "DCRDR Final Rept" dtd Nov 1987, consisting of engineering rept on 130 human engineering discrepancies not previously corrected at submittal of 861223 summary of DCRDR program. Mods may change during program implementation.
GUCWA, L.T. Georgia Power Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43915.003-43915.325.

-8801050584 "DCRDR Final Rept."
* Georgia Power Co. 87/11/30. 489pp. 43915.005-43915.325.

8801110479 Informs of petitioning of State of GA to revise NPDES Permit GA 0004120 reissued on 871204. Deletion of stated discharge limitation from Part I & deletion of Part III, Section II requested.
GUCWA, L.T. Georgia Power Co. 88/01/04. Document Control Branch (Document Control Desk). 2pp. 43986.210-43986.211.

8801120215 Application for amend to License NPF-5, changing Tech Specs to allow performance of sys hydrostatic or leakage pressure testing w/noncritical reactor core at reactor coolant temp above 212 F. Fee paid.
O'REILLY, J.P. Georgia Power Co. 88/01/04. Document Control Branch (Document Control Desk). 11pp. 43988.046-43988.064.

-8601120229 Proposed Tech Specs allowing performance of sys hydrostatic & leakage pressure testing w/noncritical reactor core at reactor coolant temp above 212 F.
* Georgia Power Co. 88/01/04. 9pp. 43988.056-43988.064.

8801120318 Requests exemption from 10CFR50.62(c)(4) ATWS requirements due to v.l. requiring equivalent parameters to requirements.
GUCWAL.T. Georgia Power Co. 88/01/08. Document Control Branch (Document Control Desk). 3pp. 43986.300-43986.302.

8801280030 Forwards Amend 88 to License NPF-5 & safety evaluation. Amend revises Tech Specs to permit temporary increase in main steam high line radiation scram & isolation setpoints to facilitate hydrogen addition water chemistry testing.
CROCKER.L.P. Project Directorate II-3. 88/01/13. O'REILLY,J.P. Georgia Power Co. 2pp. 44130.060-44130.088.

-8801280035 Amend 88 to License NPF-5 amending Tech Specs to permit temporary increase in main steam high line radiation scram & isolation setpoints to facilitate hydrogen addition water chemistry testing.
CROCKER.L.P. Project Directorate II-3. 88/01/13. 12pp. 44130.082-44130.093.

-8801260039 Safety evaluation supporting Amend 88 to License NPF-5.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/13. 5pp. 44130.094-44130.098.

8801200383 Responds to request for addl info re 871021 application to revise Tech Specs concerning fuel thermal limits & refueling operations. Revised pages of Unit 2 Tech Specs incorporating changes approved by Amend 87 encl.
GUCWAL.T. Georgia Power Co. 88/01/14. Document Control Branch (Document Control Desk). 4pp. 44107.011-44107.014.

8801260548 Forwards updated listings of outstanding licensing submittals that require NRC written response. Utl prepared to discuss mode to status repts.
GUCWAL.T. Georgia Power Co. 88/01/15. Document Control Branch (Document Control Desk). 6pp. 44125.114-44125.119.

8801290274 Forwards document re review of facilities for info. FR biweekly notice dtd 880113 including notice of consideration of issuance of amendments to Licenses DPR-57 & NPF-5 on Pages 827 & 831 encl.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/25. O'REILLY,J.P. Georgia Power Co. 19pp. 44180.243-44180.261.

G. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163.001-44163.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.006-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8712310155 Responds to NRC 871118 ltr re violations noted in Insp Rept 50-366/87-26. Corrective actions: operations dept personnel counseled & computer program to track review performance revised.
GUCWAL.T. Georgia Power Co. 87/12/28. Document Control Branch (Document Control Desk). 4pp. 43923.368-43923.361.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.266.

8801200771 Ack receipt of 871215 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/87-27 & 50-366/87-27.
COLLINS,D.M. Region 2, Ofc of the Director. 87/12/31. O'REILLY,J.P. Georgia Power Co. 1p. 43986.357-43986.357.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801200335 Confirms 871215 conversation re 880113 enforcement conference in Atlanta, GA to discuss findings in Insp Repts 50-321/88-35 & 50-366/88-35. Proposed agenda encl.
GRACE,J.N. Region 2, Ofc of the Director. 88/01/11. O'REILLY,J.P. Georgia Power Co. 3pp. 44058.099-44058.101.

8801270219 Responds to NRC 871218 ltr re violations noted in Insp Repts 50-321/87-30 & 50-366/87-30. Corrective actions: fire drill & critique repts completed per Procedure 41FP-FPX01-0. Procedure revised to require completion of repts on time.
GUCWAL.T. Georgia Power Co. 88/01/18. Document Control Branch (Document Control Desk). 12pp. 44169.093-44169.104.

8801270385 Forwards response to 871106 NRC Bulletin 87-002, "Fasteners Testing to Determine Conformance w/Applicable Mail Specs".
O'REILLY,J.P. Georgia Power Co. 88/01/18. Document Control Branch (Document Control Desk). 18pp. 44140.083-44140.243.

R. Periodic operating reports & related correspondence

8801210026 Monthly operating repts for Dec 1987 w/880113 ltr.
BEARD,R.M. GUCWAL.T. Georgia Power Co. 87/12/31. 13pp. 44133.045-44133.057.

S. Reportable occurrences, LERs & related correspondence

8801250285 LER 87-016.00 on 871231 surveillance not performed within limit caused by personnel error. Surveillance performed, vented & scheduled modified Personnel count 'ad W/880118 ltr.
BAKER,R.D. GUCWAL.T. Georgia Power Co. 88/01/18. 8pp. 44158.278-44158.

8801250282 LER 87-009.01 on 870803 reactor water level decrease due to reactor section sys activation setpoint & reactor scram occurred. Caused by electrical element failure. Jumpers installed & equipment removed from sys W/880119 ltr.
BAKER,R.D. GUCWAL.T. Georgia Power Co. 88/01/18. 12pp. 44158.345-44158.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Borsong FOIA 87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLE, Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Nuclear Performance & Quality Evaluation (Post 870411). 8pp. 44119.150-44119.166.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

8801200380 Rev 13 to Emergency Plan Implementing Procedure 1903.81, "Communications Equipment Tests".
* Arkansas Power & Light Co. 87/11/03. 21pp. 44057.246-44057.266.

8801050229 Confirms agreement between NRC & util re extension until 880301 for implementation of improved emergency action level identification & class factors.
871218 telcon.
LEVINE,J.M. Arkansas Power & Light Co. 87/12/21. CALLAN,L.J. Region 4, Ofc of the Director. 2pp. 43962.117-43962.118.

8801270307 Discusses quarterly status update of NRC inspectors security badges/requirements.
LEVINE,J.M. Arkansas Power & Light Co. 87/12/23. CALLAN,L.J. Region 4, Ofc of the Director. 4pp. 44188.043-44188.046.

8801110341 Rev 5 to emergency plan W/once oversize map & 880105 ltr.
ENOS,J.T. Arkansas Power & Light Co. 88/01/01. 100pp. 43983.153-43983.340.

8801270221 Forwards objectives for 1988 Radiological Emergency Exercise RE scheduled for 880323. Joint scenario committee meeting scheduled for 880114 to discuss objectives & scope of exercise.
DIGGS,G.J. Arkansas, State of. 88/01/05. MARTIN,R.D. Region 4, Ofc of the Director. 7pp. 44168.001-44168.007.

8801130126 Forwards Insp Repts 50-313/87-40 & 50-368/87-40 on 871207-11. No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/08. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 44043.302-44043.303.

-8801130131 Partially withheld Insp Repts 50-313/87-40 & 50-368/87-40 on 871207 (ref 10CFR73.21). No violations noted. Major areas inspected: licensee company measures, access control - personnel, assessment aids, detection aids & protection area.
EARNEST,A.B. Region 4, Ofc of the Director. 87/12/31. 1p. 44043.304-44043.304.

8801200330 Requests fee for 871029 application re exemption to Section III.G.2 of R for level transmitters for QCST.
DIGGS,R.M. License Fee Management Branch. 88/01/15. CAMPBELL,G. Arkansas Power & Light Co. 1p. 44081.354-44081.354.

8801220458 Forwards safeguards info re regulatory effectiveness review followup withheld (ref 10CFR2.780 & 73.21).
ENOS,J.T. Arkansas Power & Light Co. 88/01/15. CALVO,J.A. Project Directorate. 1p. 44169.142-44169.192.

8801260135 Ack receipt of 871221 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/87-31 & 50-368/87-31.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/19. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 44127.302-44127.304.

-8801260144 Responds to violations noted in Insp Repts 50-313/87-31 & 50-368/87-31. Details withheld (ref 10CFR73.21).
LEVINE,J.M. Arkansas Power & Light Co. 87/12/21. CALLAN,L.J. Region 4, Ofc of the Director. 1p. 44127.304-44127.304.

J. Insurance & indemnity information

8801280065 Forwards Endorsement 73 to NELA Policy NF-210. Endorsement 6 to MAELU Policy ME-74 & Endorsement 10 to NELA Certificates N-68 & N-48 & MA Certificates M-68 & M-48.
SAMUELS,J.L. Marsh & McLennan, Inc. 88/01/13. DINI,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 44157.313-44157.319.

P. Operating license stage documents & correspondence

880110033 Forwards FR notice of consideration of issuance of amend to License NPF-6 & opportunity for prior hearing on 871028 request to increase refueling water tank & safety injection tank boron concentration.
DICK,G.F. Project Directorate IV. 87/12/16. CAMPBELL,T.G. Arkansas Power & Light Co. 3pp. 43988:346-43988:352.

880110038 Notice of consideration of issuance of amend to License NPF-6 & proposed opportunity for prior hearing on 871029 request to increase refueling water tank & safety injection tank boron concentration.
DICK,G.F. Project Directorate IV. 87/12/16. 4pp. 43988:349-43988:352.

8801200184 Forwards notice of consideration of issuance of amendments to Licenses DPR-51 & NPF-6 & opportunity for prior hearing on 871204 request re responsibilities of plant safety committee concerning procedure reviews.
DICK,G.F. Project Directorate IV. 88/01/06. CAMPBELL,T.G. Arkansas Power & Light Co. 3pp. 44066:296-44066:302.

8801200208 Notice of consideration of issuance of amendments to Licenses DPR-51 & NPF-6 & opportunity for prior hearing on 871204 request re responsibilities of plant safety committee concerning procedure reviews.
DICK,G.F. Project Directorate IV. 88/01/06. 4pp. 44066:299-44066:302.

8801200254 Forwards FR publication of notice of consideration of issuance of amend to License NPF-6 & proposed NSHC determination & opportunity for hearing re 871130 request to render 8 of 10 MSIVs inoperable.
DICK,G.F. Project Directorate IV. 88/01/06. CAMPBELL,T.G. Arkansas Power & Light Co. 2pp. 44081:340-44081:350.

8801200263 Notice of consideration of issuance of amend to License NPF-6 & proposed NSHC determination & opportunity for hearing re 871130 request to render 8 of 10 MSIVs inoperable to perform 10 yr hydrostatic test.
DICK,G.F. Project Directorate IV. 88/01/06. 9pp. 44081:342-44081:350.

8801270179 Notification of 880204 mgt meeting w/util in Arlington,TX to discuss licensee corrective action program.
MILHOAN,J. Region 4, Ofc of the Director. 88/01/15. Region 4, Ofc of the Director. 2pp. 44188:010-44188:011.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801060055 Forwards Insp Repts 50-313/87-26 & 50-368/87-26 on 871019-23. No violations or deviations noted. Rept indicates that util has not yet resolved self-identified deficiencies in corrective action program. Mgt meeting will be arranged.
CALLAN,L.J. Region 4, Ofc of the Director. 87/12/29. CAMPBELL,G. Arkansas Power & Light Co. 3pp. 43980:248-43980:258.

8801060084 Insp Repts 50-313/87-26 & 50-368/87-26 on 871019-23. No violations or deviations noted. Major areas inspected: licensee corrective action program.
BOARDMAN,J.R., SEIDLE,W.C. Region 4, Ofc of the Director. 87/12/22. 8pp. 43960:251-43960:258.

8801060090 Forwards Insp Repts 50-313/87-33 & 50-368/87-33 on 871116-20. No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 87/12/30. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 43960:276-43960:304.

8801060094 Insp Repts 50-313/87-33 & 50-368/87-33 on 871116-20. No violations or deviations noted. Major areas inspected: licensee chemistry/radiological program & water chemistry & radiochemistry confirmatory measurements.
NICHOLAS,J.B., WISE,R., CHANEY,H.D. Region 4, Ofc of the Director. 87/12/22. 27pp. 43960:278-43960:304.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801270182 Responds to violations noted in Insp Repts 50-313/87-32 & 50-368/87-32. Corrective actions: adjustment criteria applied to correct measured value for surveillance which indicated some amount of leakage.
LEVINE,J.M. Arkansas Power & Light Co. 87/12/31. CALLAN,L.J. Region 4, Ofc of the Director. 4pp. 44188:357-44188:360.

8801280051 Requests extension of time until 880212 to respond to IE Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance w/Applicable Matl Specs." due to B&W delay in assisting util due to closing of B&W ofcs for holidays.
ENOS,J.T. Arkansas Power & Light Co. 88/01/06. MARTIN,R.D. Region 4, Ofc of the Director. 1p. 44157:196-44157:198.

8801130126 Forwards Insp Repts 50-313/87-40 & 50-368/87-40 on 871207-11. No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/08. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 44043:302-44043:304.

8801130131 Partially withheld Insp Repts 50-313/87-40 & 50-368/87-40 on 871207-11 (ref 10CFR73.21). No violations noted. Major areas inspected: licensee compensatory measures, access control - personnel assessment aids, detection aids & protected areas.
EARNEST,A.B., KELLY,J.A., YANDELL,L.A. Region 4, Ofc of the Director. 87/12/31. 1p. 44043:304-44043:304.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801200124 Insp Repts 50-313/87-35 & 50-368/87-35 cancelled.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/13. CAMPBELL,G. Arkansas Power & Light Co. 1p. 44108:205-44108:205.

8801200075 Forwards Insp Repts 50-313/87-37 & 50-368/87-37 on 871021-23 & 27-30. No violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/14. CAMPBELL,G. Arkansas Power & Light Co. 4pp. 44134:227-44134:240.

8801200077 Insp Repts 50-313/87-37 & 50-368/87-37 on 881021-23 & 27-30. No violations or deviations noted. Major areas inspected: Justification for continued operation commitment items & leakage of lower insp handhole cover.
STEWART,R.C., HAAG,R.C., BARNES,I. Region 4, Ofc of the Director. 87/12/18. 10pp. 44134:231-44134:240.

8801260135 Ack receipt of 871221 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/87-31 & 50-368/87-31.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/19. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 44127:302-44127:304.

8801280144 Responds to violations noted in Insp Repts 50-313/87-31 & 50-368/87-31. Details withheld (ref 10CFR73.21).
LEVINE,J.M. Arkansas Power & Light Co. 87/12/21. CALLAN,L.J. Region 4, Ofc of the Director. 1p. 44127:304-44127:304.

R. Periodic operating reports & related correspondence

8801140333 Monthly operating rept for Nov 1987. W/871215 ltr.
HARRISON,D.F., ENOS,J.T. Arkansas Power & Light Co. 87/11/30. BASSETT,H.S. NRC - No Detailed Affiliation Given. 6pp. 44082:279-44082:284.

8801270307 Discusses quarterly status update of NRC inspectors security badges/training requirements.
LEVINE,J.M. Arkansas Power & Light Co. 87/12/23. CALLAN,L.J. Region 4, Ofc of the Director. 4pp. 44188:043-44188:048.

U. Congressional/Executive Correspondence

8801280638 Responds to concerns raised in 871202 ltr re stainless steel matl designated as E-Brite 26-1. Actions taken to address allegation that E-Brite 26-1 unsuitable for use in nuclear power plants listed.
ZECH,L.W. Commissioners. 88/01/20. GLENN,J. Senate, Governmental Affairs. 6pp. 44173:227-44173:233.

V. Operator Examinations

8801190281 Certifies that plant consists solely of plant-ref simulator as defined in 10CFR55.4 & meets NRC regulations. W/NRC Form 474, exceptions taken to ANSI/ANS 3.5-1985, performance test abstract & description of scheduled performance testing.
LEVINE,J.M. Arkansas Power & Light Co. 87/12/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 44050:287-44050:018.

8801190299 Revised "Abstract: Performance Test Development, Conduct & Evaluation."
Arkansas Power & Light Co. ERC871417. 87/11/16. 73pp. 44050:272-44050:344.

8801190305 "Arkansas Nuclear One, Unit-II, Simulator Operability Test."
Arkansas Power & Light Co. ERC871030. 87/12/03. 32pp. 44050:346-44050:018.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:158-44119:166.

8801280126 Requests licensee to furnish encl ref matl by 880218 in order to meet schedule for reactor/senior reactor operating licensing exams scheduled for wk of 880418. Requirements for administering & reviewing written exams also encl.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/15. CAMPBELL,G. Arkansas Power & Light Co. 8pp. 44127:294-44127:301.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

procedures, including Rev 22 to CMIP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMIP-2, "News Group Plan" & Rev 21 to CMIP-4, "Administration..." W/ 880111 release memo.
TUCKER, H.B. Duke Power Co. 87/12/14. Document Control Branch (Document Control Desk). 7pp. 44004:125-44005:288.

-8801130380 Public version of revised crisis mgmt implementing procedures, including Rev 22 to CMIP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMIP-2, "News Group Plan" & Rev 21 to CMIP-4, "Administration & Logistics Plan."
HARRIS, R.E. Duke Power Co. 87/11/15. 400pp. 44004:133-44005:288.

8801120034 Confirms 871215 telcon between Anderson & M Slinkule re 880115 enforcement conference at Region II o/c to discuss unit control of safeguards mail.
GRACE, J.N. Region 2, O/c of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 43986:342-43986:342.

8801140352 Forwards Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09. Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115.
GRACE, J.N. Region 2, O/c of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027:358-44027:360.

-8801140383 Partially withheld Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 (rel 10CFR2.780(d) & 73.21) Major areas inspected compromised safeguards info.
TOBIN, W.J. Region 2, O/c of the Director. 88/01/04. 1p. 44027:360-44027:360.

8801280027 Forwards Rev 32 to security plan, addressing organizational, definition & several illustration changes Rev withheld (rel 10CFR 73.21).
TUCKER, H.B. Duke Power Co. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44157:163-44157:164.

H. General correspondence

8801270167 Requests removal of Region II from distribution for sys drawings Drawings no longer needed. Util document transmittal form encl.
COLLINS, D.M. Region 2, O/c of the Director. 88/01/20. TUCKER, H.B. Duke Power Co. 2pp. 44145:359-44145:360.

P. Operating license stage documents & correspondence

8801060455 Forwards proprietary BAW-10171P, "REFLOD3B Model for Multinode Core Refueling Analysis." Rept describes computer code that B&W will be using to analyze RCS behavior during refill of LOCA transient Rept withheld.
TAYLOR, J.H. Babcock & Wilcox Co. 87/12/14. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 1p. 43916:274-43916:274.

8801120090 Forwards Info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, O/c of the Director. 71pp. 43998:230-43998:300.

8801060151 Forwards proprietary BAW-10164P, "RELAP5/MOD2-B&W Advanced Program for LWR LOCA & Non-LOCA Transient Analysis." Rept describes computer code used to analyze RCS behavior during blowdown phase of LOCA transient. Rept withheld.
TAYLOR, J.H. Babcock & Wilcox Co. 87/12/28. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 1p. 43917:013-43917:013.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/10. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801140306 Forwards Amends 78 & 59 to Licenses NFP-9 & NFP-17, respectively & safety evaluation Amends change Tech Spec 3/4.7.4, "Nuclear Svc Water Sys," to reflect portions of sys shared between two units but not shared in entirety.
HOOD, D.S. Project Directorate II-3. 88/01/04. TUCKER, H.B. Duke Power Co. 3pp. 44031:138-44031:155.

-8801140328 Amends 78 & 59 to Licenses NFP-9 & NFP-17, respectively, changing Tech Spec 3/4.7.4 to reflect portions of sys shared between two units but not shared in entirety.
HOOD, D.S. Project Directorate II-3. 88/01/04. 12pp. 44031:140-44031:151.

-8801140336 Safety evaluation supporting Amends 78 & 59 to Licenses NFP-9 & NFP-17, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/04. 3pp. 44031:152-44031:155.

8801150056 Informs that no further action anticipated on rev to DPC-NF-2010A, "Nuclear Physics Methodology for Reload Design." NRC efforts on rev should be closed out. Another version of code purchased.
TUCKER, H.B. Duke Power Co. 88/01/06. Document Control Branch (Document Control Desk). 1p. 44062:263-44062:263.

8801150128 Confirms 880113 mgmt meeting in Region II o/c to discuss component cooling sys issues at plant.
GRACE, J.N. Region 2, O/c of the Director. 88/01/06. TUCKER, H.B. Duke Power Co. 1p. 44042:072-44042:072.

8801150309 Application for amends to Licenses NFP-35, NFP-52, NFP-9 & NFP-17, incorporating into Tech Specs recommendations of NRC Generic Ltr 87-09 re Sections 3.0 & 4.0. Fee paid.
TUCKER, H.B. Duke Power Co. 88/01/11. Document Control Branch (Document Control Desk). 7pp. 44045:033-44045:159.

-8801150311 Proposed Tech Specs, incorporating recommendations of NRC Generic Ltr 87-09 re Sections 3.0 & 4.0.
* Duke Power Co. 88/01/11. 100pp. 44045:040-44045:159.

grants & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, C. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8804170634 Trip rept of 840323 visit to INPO to respond to INPO concerns re testing & qualifications rulemaking package (SECY-84-76). Accreditation team rept on McGuire Station read & questions answered.
BLUMER, A.H., PERSENSKY, J.J. Licensee Qualifications Branch. 84/03/26. BOOHER, H.R. Licensee Qualifications Branch. 2pp. 44118:051-44118:052.

-8704080019 Summary of INPO Accreditation Board 870326 & 28 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl.
HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44119:129-44119:135.

8801270091 Forwards addl info re elimination of resistance temp detector bypass sys in response to 871106 request. Response for Catawba Nuclear Station submitted on 871119. No addl justification to response time required.
TUCKER, H.B. Duke Power Co. 88/01/19. Document Control Branch (Document Control Desk). 17pp. 44141:263-44141:278.

8801280022 Forwards addl info re 871026 relief request from ASME Code requirements, per BR Crowley request.
TUCKER, H.B. Duke Power Co. 88/01/19. Document Control Branch (Document Control Desk). 9pp. 44157:182-44157:190.

8801290328 Summary of 871123 meeting w/Util & Westinghouse in Bethesda, MD to discuss "Revised LOTIC-3 Drain-Flow Heat Transfer Models" for main steam break analysis inside containment. List of attendees & meeting handouts encl.
AULICK, R. O/c of Special Projects. 88/01/20. O/c of Special Projects. 27pp. 44180:297-44180:313.

8801270187 Summary of ACRS Subcommittee on Generic Items 871216 meeting w/AM in Washington, DC re effectiveness of NRC process that deals w/generic issues & USIs. Viewgraphs & presentation schedule encl.
* ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 42pp. 44148:249-44149:290.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/26. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801040181 Forwards Insp Repts 50-369/87-41 & 50-370/87-41 on 871021-1120 & notice of violation. Violations noted.
BROWNLEE, V.L. Region 2, O/c of the Director. 87/12/28. TUCKER, H.B. Duke Power Co. 2pp. 43963:133-43963:145.

-8801040181 Notice of violation from Insp on 871021-1120. Violations noted, work performed on flow instrument w/o procedural verification of safety-related component & post-mortem test of main electrical busline exceeded scope of procedures.
BROWNLEE, V.L. Region 2, O/c of the Director. 87/12/28. 2pp. 43963:136-43963:136.

-8801040185 Insp Repts 50-369/87-41 & 50-370/87-41 on 871021-1120. Violations noted. Major areas inspected: operations safety verification, surveillance testing, maintenance activities, follow-up of previous insp findings & refueling & startup activities.
ORDERS, W., GUENTHER, S., PEEBLES, J.A. Region 2, O/c of the Director. 87/12/23. 9pp. 43963:137-43963:145.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of License Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801120034 Confirms 871215 telcon between Anderson & M Slinkule re 880115 enforcement conference at Region II o/c to discuss unit control of safeguards mail.
GRACE, J.N. Region 2, O/c of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 43986:342-43986:342.

8801050384 Suppl 1 to NRC Info Notice 86-061, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801140352 Forwards Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09. Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115.
GRACE, J.N. Region 2, O/c of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027:358-44027:360.

8801140363 Partially withheld Insp Repts 50-269/87-50,50-270/87-50, 50-287/87-50,50-369/87-45,50-370/87-45,50-413/87-43 & 50-414/87-43 on 871208-09 (ref 10CFR2.790(d) & 73.21). Major areas inspected compromised safeguards info. TOBIN,W.J. Region 2, Ofc of the Director. 88/01/04. 1p. 44027:360-44027:360.

8801250529 Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Summary of schedule for responding to bulletin for McGuire & Catawba slated. TUCKER,H.B. Duke Power Co. 88/01/14. Document Control Branch (Document Control Desk). 25pp. 44103:335-44103:359.

R. Periodic operating reports & related correspondence

8801040340 Forwards monthly operating repts for Nov 1987 & revised monthly operating rpt for Oct 1987, consisting of unit shutdowns & power reductions for Unit 1. TUCKER,H.B. Duke Power Co. 87/12/15. Document Control Branch (Document Control Desk). 1p. 43893:001-43893:016.

8712280216 Monthly operating repts for Nov 1987. REAVIS,J.A. Duke Power Co. 87/11/30. 1pp. 43893:002-43893:015.

8801040342 Revised monthly operating rpt for Oct 1987, consisting of unit shutdowns & power reductions. REAVIS,J.A. Duke Power Co. 87/10/31. 1p. 43893:016-43893:016.

8801210045 Monthly operating repts for Dec 1987. W/880115 ltr. REAVIS,J.A., TUCKER,H.B. Duke Power Co. 87/12/31. 12pp. 44133:019-44133:031.

S. Reportable occurrences, LERs & related correspondence

8801060118 LER 87-031-00 on 871125, Tech Spec 3.0.3 entered when both component cooling HXs declared inoperable. Caused by equipment failure. Valve IRN-89 administratively blocked open W/871228 ltr. LEROY,S.E., TUCKER,H.B. Duke Power Co. 87/12/28. 6pp. 43960:142-43960:147.

8801050317 Informs that LER 87-033 due on 880108 delayed due to unresolved concerns & will be submitted on 880129. TUCKER,H.B. Duke Power Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43980:130-43980:131.

8801060115 LER 87-032-00 on 871108, damaged fire barrier discovered on auxiliary foodwater sys valve actuator. Cause unknown. Fire barrier repaired on 871113. Add corrections from previous LERs underway. W/871230 ltr. LEROY,S.E., TUCKER,H.B. Duke Power Co. 87/12/30. 6pp. 43960:134-43960:139.

8801130331 LER 87-034-00 on 871109, discovered two fire doors blocked open & fire watch missed. Caused by personnel error. Fire door closed & mechanical maint (MNT) will establish log book for Tech Spec items under MNT responsibility. W/871231 ltr. LEROY,S.E., TUCKER,H.B. Duke Power Co. 87/12/31. 5pp. 44062:289-44062:293.

8801150210 LER 87-035-00 on 870611, computer logs indicated that unit may have operated above rated thermal power as defined in Tech Spec. Caused by number of decimal places used to adjust plant output were rounded off. W/880105 ltr. LEROY,S.E., TUCKER,H.B. Duke Power Co. 88/01/05. 6pp. 44064:120-44064:125.

8801270275 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term follow-up assignments to be completed encl. LANNING,W. Events Assessment Branch. 88/01/15. ROSS,C.E. Division of Operational Events Assessment (Post 870411). 16pp. 44155:138-44155:151.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8803180117 Advises that INPO accreditation process offers utility mechanism to meet intent of proposed training rule w/o separate set of reporting requirements. Final accreditation rpt to detail observations required. THOMPSON,H.L. Division of Human Factors Safety (880428-851124). 84/03/01. STRAHM,K. Institute of Nuclear Power Operations. 2pp. 44118:049-44118:050.

8709010052 Requests certification prior to FSAR rev that reactor operator training program accredited & based upon sys approach to training. per Generic Ltr 87-07. HOOD,D. Project Directorate II-3. 87/08/28. TUCKER,H.B. Duke Power Co. 1p. 44119:154-44119:154.

8801220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. G-BSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801130319 Forwards public version of revised crisis mgt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan" & Rev 21 to CMP-4, "Administration..." W/880111 release memo. TUCKER,H.B. Duke Power Co. 87/12/14. Document Control Branch (Document Control Desk). 7pp. 44004:125-44005:288.

8801130360 Public version of revised crisis mgt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan" & Rev 21 to CMP-4, "Administration & Logistics Plan." HARRIS,R.E. Duke Power Co. 87/11/15. 400pp. 44004:133-44005:288.

8801120034 Confirms 871215 telcon between Anderson & M Snuke re 880115 enforcement conference at Region II ofc to discuss unit control of safeguards mail. GRACE,J.N. Region 2, Ofc of the Director. 88/01/04. TUCKER,H.B. Duke Power Co. 1p. 43986:342-43986:342.

8801140352 Forwards Insp Repts 50-269/87-50,50-270/87-50,50-287/87-50, 50-369/87-45,50-370/87-45,50-413/87-43 & 50-414/87-43 on 871208-09. Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115. GRACE,J.N. Region 2, Ofc of the Director. 88/01/11. TUCKER,H.B. Duke Power Co. 2pp. 44027:358-44027:360.

8801140363 Partially withheld Insp Repts 50-269/87-50,50-270/87-50, 50-287/87-50,50-369/87-45,50-370/87-45,50-413/87-43 & 50-414/87-43 on 871208-09 (ref 10CFR2.790(d) & 73.21). Major areas inspected compromised safeguards info. TOBIN,W.J. Region 2, Ofc of the Director. 88/01/04. 1p. 44027:360-44027:360.

8801280027 Forwards Rev 32 to security plan, addressing organizational, definition & several illustration changes. Rev withheld (ref 10CFR 73.21). TUCKER,H.B. Duke Power Co. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44157:163-44157:164.

H. General correspondence

8801270187 Requests removal of Region II from distribution for sys drawings. Drawings no longer needed. Util document transmittal form encl. COLLINS,D.M. Region 2, Ofc of the Director. 88/01/20. TUCKER,H.B. Duke Power Co. 2pp. 44145:358-44145:360.

P. Operating license stage documents & correspondence

8801060455 Forwards proprietary BAW-1017 IP, "REFLOD3B, Model for Multinode Core Reflooding Analysis." Rpt describes computer code that BAW will be using to analyze RCS behavior during reflood of LOCA transient. Rpt withheld. TAYLOR,J.H. Babcock & Wilcox Co. 87/12/14. NORBERG,J.A. Division of Engineering & Systems Technology (Post 870411). 1p. 43916:274-43916:274.

8801120090 Forwards info re Resource Technical Svcs, Inc, including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTS, R.A. Resource Technical Services, Inc. NRC-28-87-417. 87/12/16. JOHNSON,E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801060151 Forwards proprietary BAW-10184P, "RELAP5/MOD2-B&W, Advanced Program for LWR LOCA & Non-LOCA Transient Analysis." Rpt describes computer code used to analyze RCS behavior during blowdown phase of LOCA transient. Rpt withheld. TAYLOR,J.H. Babcock & Wilcox Co. 87/12/28. NORBERG,J.A. Division of Engineering & Systems Technology (Post 870411). 1p. 43917:013-43917:013.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12. TRAMMELL,C.M. Project Directorate V. 87/12/30. KNIGHTON,G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801140308 Forwards Amends 78 & 59 to Licenses NPF-9 & NPF-17, respectively & safety evaluation. Amends change Tech Spec 3/4.7.4, "Nuclear Svc Water Sys," to reflect portions of sys shared between two units but not shared in entirety. HOOD,D. Project Directorate II-3. 88/01/04. TUCKER,H.B. Duke Power Co. 3pp. 44031:138-44031:155.

8801140328 Amends 78 & 59 to Licenses NPF-9 & NPF-17, respectively, changing Tech Spec 3/4.7.4 to reflect portions of sys shared between two units but not shared in entirety. HOOD,D.S. Project Directorate II-3. 88/01/04. 12pp. 44031:140-44031:151.

8801140336 Safety evaluation supporting Amends 78 & 59 to Licenses NPF-9 & NPF-17, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/04. 3pp. 44031:152-44031:155.

8801160058 Informs that no further action anticipated on rev to DPC-NF-2010A, "Nuclear Physics Methodology for Reload Design." NRC efforts on rev should be closed out. Another version of code purchased. TUCKER,H.B. Duke Power Co. 88/01/06. Document Control Branch (Document Control Desk). 1p. 44062:263-44062:263.

8801160128 Confirms 880113 mgt meeting in Region II ofc to discuss component cooling sys issues at plant. GRACE,J.N. Region 2, Ofc of the Director. 88/01/08. TUCKER,H.B. Duke Power Co. 1p. 44042:072-44042:072.

8801160308 Application for amends to Licenses NPF-35, NPF-52, NPF-9 & NPF-17, incorporating into Tech Specs recommendations of NRC Generic Ltr 87-09 re Sections 3.0 & 4.0 Fee paid. TUCKER,H.B. Duke Power Co. 88/01/11. Document Control Branch (Document Control Desk). 7pp. 44045:033-44045:169.

8801160311 Proposed Tech Specs, incorporating recommendations of NRC Generic Ltr 87-09 re Sections 3.0 & 4.0. * Duke Power Co. 88/01/11. 100pp. 44045:040-44045:159.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8601040340 Forwards monthly operating repts for Nov 1987 & revised monthly operating repts for Oct 1987 consisting of unit shutdowns & power reductions for Unit 1. TUCKER, H.B. Duke Power Co. 87/12/16. Document Control Branch (Document Control Desk). In 43893.001-43893.016.

-8712280216 Monthly operating report for Nov 1987.
REAVIS, J.A. Duke Power Co. 87/11/30. 14pp. 43803:002-43803.016.

8801210045 Monthly operating rept for Dec 1987.W/880115 ltr.
BEAVIS J.A., TUCKER, H.B. Duke Power Co. 87/12/31. 12pp. 44133:019-44133

8. Reportable occurrences, LERs & related correspondence

8801050317 Informs that LER 87-33 due on 880108 delayed due to unresolved
 cars & w/ll be submitted on 880128.
 TUCKER,H.B. Duke Power Co. 87/12/30. Document Control Branch (Document
 Control Desk). 2pp. 43980:130-43980:131.

8801050321 Informs that submittal of LEFR 87-020-00 will be delayed due to unresolved concerns. Submittal expected by 880129.
TUCKER, H.B. Duke Power Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43962:153-43962:154.

8801140099 LER 87-021-00: on 871130, reactor trip occurred. Caused by reversed
on generator stator cooling differential pressure (D/P) switch circuitry combine
calibr drift of D/P switch & gauge. Wiring will be corrected. W/871230 lv.
LEROY, S.E., TUCKER, H.B. Duke Power Co. 8712/30. 10pp. 44039.062-44139

8801130134 informs that LER 370/87-22 re facility component cooling HX inoper will be delayed & submitted on 8/70113.
TUCKER,H.B. Duke Power Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 44030:153-44030:153.

8801190095 LER 87-022-00 on 871202, surveillance program inadequate to demonstrate operability of component cooling sys HXs. Caused by mgt deficiency. Differential pressure transmitters installed & program developed. W/880112 ltr.
LEROY, S.E., TUCKER, H.B. Duke Power Co. 88/01/13. 8pp. 44135.060-44135.06

9801270275 Summary of Operating Reactors Events Meeting 88-02 on 880111 events which occurred since last meeting on 880105. List of all ~~known~~ significant events & tabulation of long-term followup assignments to be completed LANNING, W. Events Assessment Branch. 88/01/16. ROSSI, G.E. Division of Chemical Events Assessment (Post 870411). 18pp. 44155:136-44155:151.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents to worker training grants & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Adul records also available in PDR under Bessong F 87-204.

GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/011/12. BOLA Public Citizen's Critical Mass Energy Project. App. 44118.001-44118.039.

8403160117 Advises that INPO accreditation process offers ubls mechanism to intent of proposed training rule w/o separate set of reporting requirements. Final accreditation rpt to detail observations required.
THOMPSON,H.L. Division of Human Factors Safety (800428-851124). 84/03
STRAHM,K. Institute of Nuclear Power Operations. 2pp. 44118049-44118050.

-9709010052 Requests certification prior to FSAR rev that reactor operator training
gram accredited & based upon sys approach to training per Generic Ltr 87-07.
HOOD, D. Project Directorate 1/3. 87/08/28. TUCKER, H.B. Duke Power Co
44119:154-44119:154.

-0801220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board met at INPO site in Atlanta, GA re training programs at two plants. Encls include: Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 871110Z. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 4418:150-44118:166.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801110357 Ack receipt of 871013 ltr responding to NRC 870911 ltr re noncompliance noted in Insp Repts 50-373/87-27 & 50-374/87-28. Disagreement w/violation re protection program requirements referred to NRC for guidance.
HARRISON J.J. Region 3, Ofc of the Director. 88/01/04. REED, C. Commonwealth Edison Co. Ip. 43689.076-43689.081.

880110372 Responds to violations noted in Insp Repts 50-373/87-27 & 50-374.
26. Disagrees w/violation re fire protection program requirements. Explicit language
App R clarifies any ambiguity in earlier 1977 document.
BUTTERFIELD, L. Commonwealth Edison Co. 87/10/13. DAVIS, A.B. Region 3. Of
the Director. Spp. 43989,077-43989,081.

8801120220 Forwards Safety Insp Repts 50-373/87-36 & 50-374/87-35 on 871217. No violations noted. Utli commitment for training of three individuals for station reactor communicator position by 880131 confirmed.
SAFER, W.D. Region 3, Ofc of the Director. 88/01/05. REED, C. Commonwealth Edison Co. 2pp. 43987.344-43987.354.

-8801120224 Insp Repts 50-373/87-36 & 50-374/87-35 on 871214-17. No violations noted. Major areas inspected: emergency preparedness program including emergency plan activations & operational status of program.
PLOSKEI, CHRISTOFFER, G., SMITH, M. Region 3, Ofc of the Director. 88/01/PL001. 43887.346-43887.354.

Q. Inspection reports, IE Bulletin & correspondence

8712160369 NRC info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSICE Division of Operational Events Assessment (Post 870411). 87/12/22.
Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23.
Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28.
Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.

80104Q181 Forwards Insp Repts 50-369/87-41 & 50-370/87-41 on 871021-1120 & notice of violation. Violations noted.
BROWNLEE, V. L. Region 2, Ofc of the Director. 87/12/28. TUCKER, H. B. Duke Power Co 2pp. 43963-133-43963-145

8801040185 Insp Repts 50-369/87-41 & 50-370/87-41 on 871021-1120. Violations noted Major areas inspected operations safety verification, surveillance testing, maint activities, follow up of previous insp findings & refueling & startup activities.
ORDERS, W. GUENTHER, S. PEEBLES, T.A. Region 2, Ofc of the Director. 87/12/23.
9pp. 43963.137-43963.145.

9712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
 Consolidated Edison Co. of New York, Inc. 120pp. 43995 258-43996 018.

712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of License Actions in Response to IE Bulletin 80-11." Svc list encl.
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
 Consolidated Edison Co. of New York, Inc. 123pp. 44038:154-44038:288.

801120034 Confirms 871215 telcon between Anderson & M. Sinkule re 880115 enforcement conference at Region II otc to discuss util control of safeguards mall. GRACE, J.N. Region 2, Otc of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 43986.342-43986.342.

901050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Alwood & Morris MSIVs." Svc flst encl.
 ROSI S.C.E. Division of Operational Events Assessment (Post 870411). 88/01/11.
 Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

001140352 Forwards Insp Rpts 50-269/87-50-270/87-50-287/87-50, 50-369/
87-45-50-370/87-45-50-413/87-43 & 50-414/87-43 on 871208-09. Violations
noted. Violations may change based on further review. Enforcement conference sched-
uled for 880115
GRACE, J.N. Region 2, Ofc of the Director, 88/01/11. TUCKER, H.B. Duke Power Co.
2pp. 44027.358-44027.360.

8801140363 Partially withheld Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-368/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 (rel 10CFR2.290(d) & 73.21) Major areas inspected: compromised safeguards info. TOBIN, W. J. Region 2, Ofc of the Director, 88/01/04. 1p 44027.350-44027.360.

001140236 Forwards partial response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs," including procurement & receipt insp program & methods for choosing fasteners to be tested.
TUCKER,H.B. Duke Power Co. 88/01/12. GRACE,J.N. Region 2. Ofc of the Director.
12pp. 44043.234-44043.245

001250520 Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Summary of schedule for responding to bulletin for McGuire & Catawba stated.

TUCKER, H.B. Duke Power Co. 88/01/14. Document Control Branch (Document Control Desk). 25pp. 44103.335-44103.359

8801210158 Forwards Rev 28 of security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions. Changes do not decrease safeguards effectiveness of plan Encl withheld (ref 10CFR73.21). BUTTERFIELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44084.245-44084.245

J. Insurance & Indemnity Information

8801120207 Forwards Endorsements 47 & 29 to NELIA Policy NF-253 & MAELU Policy MF-104, respectively. OSTER, J. Commonwealth Edison Co. 88/01/05. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43980.301-43980.303.

8801220599 Forwards Endorsements 8,6,5 & 3 to NELIA Policies N-1,N-2, N-3,N-28,N-30,N-42,N-43,N-71,N-83,N-93,N-101 & N-108 & MAELU Policies M-2,M-3,M-20,M-30,M-42,M-43,M-71,M-83,M-93, M-101 & M-108. OSTER, J. Commonwealth Edison Co. 88/01/19. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44247.198-44247.221.

8801220820 Forwards Endorsements 15,17,20,29,188,193,46,48,102 & 105 to NELIA Policies NF-294,NF-277,NF-43,NF-253,NF-187 & NF-201 & Endorsements 10,12,20,21,162,167,28,30,85,88,80 & 84 to MAELU Policies MF-128,MF-114,MF-22,MF-104,MF-54 & MF-84. OSTER, J. Commonwealth Edison Co. 88/01/19. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 49pp. 44247.101-44247.147.

P. Operating license stage documents & correspondence

8801110421 Advises of Intent to utilize Bechtel Topical Rept. BN-TOP-1 testing methodology at all plants. LEBLOND, P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43988.005-43988.005.

8801130334 Forwards Rev 5 to "Habitability of LaSalle County Station Control Room Following Postulated Accident Involving Shipments of Anhydrous..." Rept supports 870308 request for amend to Tech Specs allowing removal of ammonia detectors. ALLEN, C.M. Commonwealth Edison Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44002.162-44002.199.

8801130345 Rev 5 to "Habitability of LaSalle County Station Control Room Following Postulated Accident Involving Shipments of Anhydrous Ammonia in Vicinity of LaSalle County Station." Sargent & Lundy, Inc. 87/12/31. 37pp. 44002.163-44002.199.

8801140391 Informs of corrections to Amendments 52 & 34 to Licenses NPF-11 & NPF-18, respectively, to Unit 870616.1tr. Amends revised OAs to permit fuel pool of each unit to receive & store spent fuel from either unit. Paragraph 2 B(5) corrected. SHEMANSKI, P.C. Project Directorate III-2. 88/01/12. BUTTERFIELD, L. Commonwealth Edison Co. 6pp. 44030.327-44030.332.

8801290173 Confirms plans to meet with representatives on 880216 at Region III office re status of Static-O-Ring instrumentation, including causes of failures & programs for replacement per 880112 discussion. NORELIUS, C.E. Region 3, Ofc of the Director. 88/01/16. REED, C. Commonwealth Edison Co. 1p. 44183.248-44183.248.

8801260458 Informs that Revs 42-48 of QA Topical Rept CE-1-A acceptable per 10CFR50, App B. WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/20. REED, C. Commonwealth Edison Co. 2pp. 44125.108-44125.109.

8801260494 Forwards addl info for Item 2.2 (Part 1) of Generic Ltr 83-28 re equipment classification program. Licensees should identify & describe procedure by which supervisory & other personnel required to use info handling sys. SHEMANSKI, P.C. Project Directorate III-2. 88/01/20. BUTTERFIELD, L. Commonwealth Edison Co. 10pp. 44139.067-44139.078.

O. Inspection reports, IE Bulletins & correspondence

8801150261 Responds to NRC 871102 ltr re violations noted in Insp Repts 50-373/87-30 & 50-374/87-29. Corrective actions: leads reloaded, isolation signal reset, RWCU sys restarted & personnel counseled & trained. TURBAK, M.S. Commonwealth Edison Co. 87/12/16. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44084.148-44084.149.

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8801150256 Documents conversations between author & R Kiesel & M Ring during wks of 871207 & 14 re status of implementation of IE Bulletin 85-003. Action Items C & D completed for all facilities except Quad Cities. Completion schedule listed. MORGAN, W.E. Commonwealth Edison Co. 87/12/23. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44041.053-44041.055.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43985.138-43985.257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985.258-43985.016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of LI-

8801110357 Ack receipt of 871013 ltr responding to NRC 870811 ltr re noncompliance noted in Insp Repts 50-373/87-27 & 50-374/87-26. Disagreement w/violation re fire protection program requirements referred to NRC for guidance. HARRISON, J.J. Region 3, Ofc of the Director. 88/01/04. REED, C. Commonwealth Edison Co. 1p. 43969.076-43969.081.

8801110372 Responds to violations noted in Insp Repts 50-373/87-27 & 50-374/87-26. Disagrees w/violation re fire protection program requirements. Explicit language in App R clarifies any ambiguity in earlier 1977 document. BUTTERFIELD, L. Commonwealth Edison Co. 87/10/13. DAVIS, A.B. Region 3, Ofc of the Director. 5pp. 43969.077-43969.081.

8801120220 Forwards Safety Insp Repts 50-373/87-36 & 50-374/87-35 on 871214-17. No violations noted. Utl commitment for training of three individuals for station director communicator position by 880131 confirmed. SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/05. REED, C. Commonwealth Edison Co. 2pp. 43987.344-43987.354.

8801120224 Insp Repts 50-373/87-36 & 50-374/87-35 on 871214-17. No violations noted. Major areas inspected: emergency preparedness program including emergency plan activations & operational status of program. PLOSKI, T., CHRISTOFFER, G., SMITH, M. Region 3, Ofc of the Director. 88/01/04. 6pp. 43987.346-43987.354.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morfill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801140367 Forwards response to NRC 871106 Bulletin 87-002 requesting licensees to review receipt insp requirements & internal controls for fasteners & to independently determine through testing if fasteners meet mechanical/chemical specs. MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS, A.B. Region 3, Ofc of the Director. 26pp. 44045.317-44046.232.

8801210030 Forwards verification of completion of program to switch settings per IE Bulletin 85-003. Validity of calculations not fully confirmed. Response to concerns noted in Insp Repts 50-237/87-33 & 50-249/87-32 contained in Encl 1A. MORGAN, W.E. Commonwealth Edison Co. 88/01/16. DAVIS, A.B. Region 3, Ofc of the Director. 107pp. 44088.159-44088.265.

R. Periodic operating reports & related correspondence

8801120167 Monthly operating repts for Dec 1987. W/880110 ltr. SAMOLINSKI, S.J., DIEDERICH, G.J. Commonwealth Edison Co. 87/12/31. 32pp. 44040.179-44040.210.

S. Reportable occurrences, LERs & related correspondence

8712290371 Confirmatory Action Ltr CAL-RIII-87-28 re Unit 1 871216 MSIV failure per 871218 telcon. NRC understands that utl will complete listed actions, including replacement of remaining solenoid valve assemblies. DAVIS, A.B. Region 3, Ofc of the Director. 87/12/21. REED, C. Commonwealth Edison Co. 2pp. 43893.095-43893.096.

8801120359 LER 87-039-00 on 871218, RCIC sys declared inoperable when water leg pump seized. Cause unknown. RCIC water leg pump replaced, tested & declared operable on 871217. W/880108 ltr. LYON, D.M., DIEDERICH, G.J. Commonwealth Edison Co. 88/01/08. 4pp. 44046.278-44046.282.

8801190128 LER 87-037-00 on 871213, RWCU suction isolation valve closed on hi filter/demineralizer inlet temp. Caused by inoperable capacitor in temp switch trip circuit. Switch repaired & put back in svc. W/880111 ltr. LYON, D.M., DIEDERICH, G.J. Commonwealth Edison Co. 88/01/11. 6pp. 44081.249-44081.263.

8801200314 LER 87-040-00 on 871218, diesel generator 1A output breaker failed to close. Caused by failure of contact on 27X relay to close & make contact. Relay replaced & LOS-DG-M2 reformed. W/880113 ltr. SAMPSON, P., DIEDERICH, G.J. Commonwealth Edison Co. 88/01/13. 6pp. 44106.202-44106.206.

8801260053 Forwards response to Confirmatory Action Ltr CAL-RIII-87-26 re MSIV failure on 871217, including description of actions taken & results for each item of ltr. BUTTERFIELD, L. Commonwealth Edison Co. 88/01/18. DAVIS, A.B. Region 3, Ofc of the Director. 8pp. 44130.310-44130.319.

8801270105 LER 87-041-00 on 871222, control room HVAC sys B ammonia detector trip occurred due to chemacassette out of tape. Caused by procedural weakness. Chemacassette replaced & procedures revised. W/880121 ltr. WATFORD, P.S., DIEDERICH, G.J. Commonwealth Edison Co. 88/01/21. 6pp. 44141.263-44141.267.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.

GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

8511070480 Summary of INPO Accreditation Board 851023-24 meetings in Atlanta, GA re training programs for listed facilities, performance indicators, NRC exam failure rate & instructor qualifications. Division of Human Factors Safety (880428.951-24). 85111/04.

-8704080019 Summary of INPO Accreditation Board 870325 & 26 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl.
HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (861125-870411). 7pp. 44119:128-44119:135.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encl include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 88/01/02. REED, C. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

8801260453 Informs that written & oral operator & senior operator exams scheduled for wk of 880425. Approved test materials listed in encl must be submitted 60 days prior to exam date. Lists of space requirements & rules & guidance also encl.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/21. REED, C. Commonwealth Edison Co. 11pp. 44128:307-44128:317.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801110357 Ack receipt of 871013 ltr responding to NRC 870911 ltr re noncompliance noted in Insp Repts 50-373/87-27 & 50-374/87-26 Disagreement w/violation re fire protection program requirements referred to NRC for guidance.
HARRISON, J.J. Region 3, Ofc of the Director. 88/01/04. REED, C. Commonwealth Edison Co. 1p. 43969:076-43969:081.

-8801110372 Responds to violations noted in Insp Repts 50-373/87-27 & 50-374/87-26. Disagrees w/violation re fire protection program requirements. Explicit language in App R clarifies any ambiguity in earlier 1977 document.
BUTTERFIELD, L. Commonwealth Edison Co. 87/10/13. DAVIS, A.B. Region 3, Ofc of the Director. 5pp. 43969:077-43969:081.

8801260220 Forwards Safety Insp Repts 50-373/87-36 & 50-374/87-35 on 871214-17. No violations noted. Util commitment for training of three individuals for station director communicator position by 880131 confirmed.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/05. REED, C. Commonwealth Edison Co. 2pp. 43987:344-43987:354.

-8801210224 Insp Repts 50-373/87-36 & 50-374/87-35 on 871214-17. No violations noted. Major areas inspected. Emergency preparedness program including emergency plan activations & operational status of program.
PLOSKE, T., SNELL, W. Region 3, Ofc of the Director. 88/01/04. 8pp. 43987:346-43987:354.

8801210158 Forwards Rev 28 of security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions. Changes do not decrease safeguards effectiveness of plan. Encl withheld (rel 10CFR73.21).
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44084:245-44084:245.

J. Insurance & indemnity information

8801220599 Forwards Endorsements 8.8.5 & 3 to NELA Policies N-1, N-2, N-3, N-28, N-30, N-42, N-43, N-71, N-83, N-93, N-101 & N-108 & MAELU Policies M-2, M-3, M-29, M-30, M-42, M-43, M-71, M-83, M-93, M-101 & M-108.
OSTER, J. Commonwealth Edison Co. 88/01/19. DINI, Z.I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44247:198-44247:221.

P. Operating license stage documents & correspondence

8801110421 Advises of intent to utilize Bechtel Topical Rept, BN-TOP-1 testing methodology at all plants.
LEGION, P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43986:005-43986:005.

8801130334 Forwards Rev 5 to "Habitability of LaSalle County Station Control Room Following Postulated Accident Involving Shipments of Anhydrous Ammonia." Rept supports 870308 request for amend to Tech Specs allowing removal of ammonia detectors.
ALLEN, C.M. Commonwealth Edison Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44002:162-44002:169.

-8801130345 Rev 5 to "Habitability of LaSalle County Station Control Room Following Postulated Accident Involving Shipments of Anhydrous Ammonia in Vicinity of LaSalle County Station."
Sargent & Lundy, Inc. 87/12/31. 37pp. 44002:163-44002:199.

8801140391 Informs of corrections to Amendments 52 & 34 to Licenses NPF-11 & NPF-18, respectively, to util 870618 ltr. Amends revised OLS to permit fuel pool of each unit to receive & store spent fuel from either unit. Paragraph 2 B(5) corrected.
SHEMANSKI, P.C. Project Directorate III-2. 88/01/12. BUTTERFIELD, L. Commonwealth Edison Co. 6pp. 44030:327-44030:332.

8801290173 Confirms plans to meet util representatives on 880216 at Region III ofc re status of Static-D-Ring instrumentation, including causes of failures & programs for replacement per 880112 discussion.
NORELIUS, C.E. Region 3, Ofc of the Director. 88/01/15. REED, C. Commonwealth Edison Co. 1p. 44183:248-44183:248.

8801260458 Informs that Revs 42-48 of QA Topical Rept CE-1-A acceptable per 10CFR50, App B.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/20. REED, C. Commonwealth Edison Co. 2pp. 44125:108-44125:109.

8801260494 Forwards addl info for Item 2.2 (Part 1) of Generic Ltr 83-28 re equipment classification program. Licensee should identify & describe procedure by which supervisory & other personnel required to use info handling sys.
SHEMANSKI, P.C. Project Directorate III-2. 88/01/20. BUTTERFIELD, L. Commonwealth Edison Co. 10pp. 44139:067-44139:078.

Q. Inspection reports, IE Bulletins & correspondence

8801160261 Responds to NRC 871102 ltr re violations noted in Insp Repts 50-373/87-30 & 50-374/87-29. Corrective actions leads reloaded, isolation signal resolved, RWCU restarted & personnel counseled & trained.
TURBAK, M.S. Commonwealth Edison Co. 87/12/15. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44064:148-44064:149.

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8801150258 Documents conversations between author & R Klesol & M Rong Jung w/ 871207 & 14 re status of implementation of IE Bulletin 85-003. Action Items C & D completed for all facilities except Quad Cities. Completion schedule listed.
MORGAN, W.E. Commonwealth Edison Co. 87/12/23. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44041:053-44041:055.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:206.

8801110357 Ack receipt of 871013 ltr responding to NRC 870911 ltr re noncompliance noted in Insp Repts 50-373/87-27 & 50-374/87-26 Disagreement w/violation re fire protection program requirements referred to NRC for guidance.
HARRISON, J.J. Region 3, Ofc of the Director. 88/01/04. REED, C. Commonwealth Edison Co. 1p. 43969:076-43969:081.

-8801110372 Responds to violations noted in Insp Repts 50-373/87-27 & 50-374/87-26. Disagrees w/violation re fire protection program requirements. Explicit language in App R clarifies any ambiguity in earlier 1977 document.
BUTTERFIELD, L. Commonwealth Edison Co. 87/10/13. DAVIS, A.B. Region 3, Ofc of the Director. 5pp. 43969:077-43969:081.

8801260220 Forwards Safety Insp Repts 50-373/87-36 & 50-374/87-35 on 871214-17. No violations noted. Util commitment for training of three individuals for station director communicator position by 880131 confirmed.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/05. REED, C. Commonwealth Edison Co. 2pp. 43987:344-43987:354.

-8801210224 Insp Repts 50-373/87-36 & 50-374/87-35 on 871214-17. No violations noted. Major areas inspected. Emergency preparedness program including emergency plan activations & operational status of program.
PLOSKE, T., CHRISTOFFER, G., SMITH, M. Region 3, Ofc of the Director. 88/01/04. 8pp. 43987:346-43987:354.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morris MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801140367 Forwards response to NRC 871106 Bulletin 87-002 requesting licensee to review receipt inspec requirements & internal controls for fasteners & to independently determine through testing if fasteners meet mechanical/chemical specs.
MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS, A.B. Region 3, Ofc of the Director. 250pp. 44045:317-44045:232.

8801210030 Forwards verification of completion of program re switch settings per IE Bulletin 85-003. Validity of calculations not fully confirmed. Response to concerns noted in Insp Repts 50-237/87-33 & 50-249/87-32 contained in Encl 1A.
MORGAN, W.E. Commonwealth Edison Co. 88/01/15. DAVIS, A.B. Region 3, Ofc of the Director. 107pp. 44066:159-44066:265.

R. Periodic operating reports & related correspondence

8801120157 Monthly operating reports for Dec 1987 w/880110 ltr.
SAMOLINSKI, S.J., DIEDERICH, G.J. Commonwealth Edison Co. 87/12/31. 32pp. 44040:178-44040:210.

S. Reportable occurrences, LERs & related correspondence

8712290377 Confirmatory Action Ltr CAL-R111/87-26 re Unit 1 871216 MSIV failure per 871218 ltr. NRC understands that util w/ complete listed actions, including replacement of remaining solenoid valve assemblies.
DAVIS, A.B. Region 3, Ofc of the Director. 87/12/21. REED, C. Commonwealth Edison Co. 2pp. 43983:095-43983:096.

8801260053 Forwards response to Confirmatory Action Ltr CAL-R111/87-26 re MSIV failure on 871217, including description of actions taken & results for each item of ltr.
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/18. DAVIS, A.B. Region 3, Ofc of the Director. 8pp. 44130:310-44130:318.

V. Operator Examinations

- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
- GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.
- 8801200480 Summary of INPO Accreditation Board 851023-24 meetings in Atlanta, GA re training programs for listed facilities, performance indicators, NRC exam failure rate & instructor qualifications.
- ZIEMANN, D.L. Division of Human Factors Safety (880428-851124). 85/11/04. RUSSELL, W.T. Division of Human Factors Safety (880428-851124). 4pp. 44118.200-44118.203.
- 8804080019 Summary of INPO Accreditation Board 870325 & 26 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl.
- HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44119.129-44119.135.
- 8801220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
- GIBSON, A.F. Region 2, O/c of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.168.
- 8801250453 Informs that written & oral operator & senior operator exams scheduled for wk of 880425. Approved ref mats listed in encl must be submitted 80 days prior to exam date. Lists of space requirements & rules & guidance also encl.
- WRIGHT, G.C. Region 3, O/c of the Director. 88/01/21. REED, C. Commonwealth Edison Co. 11pp. 44128.307-44128.317.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

- 8801040049 Change 1 to Rev 5 to Emergency Plan Implementing Procedure EP-3-020, "Emergency Preparedness Drills & Exercises." W/871222 ltr.
- LABONTE, W., PHILLIPS, M., COOK, K.W. Louisiana Power & Light Co. 87/12/22. 5pp. 43963.045-43963.049.
- 8801050303 Application for amend to License NPF-38, changing Tech Specs to modify annulus fire detection sys. Description of proposed sys & surveillance requirements & field test documentation to demonstrate sys performance encl.
- COOK, K.W. Louisiana Power & Light Co. 87/12/22. Document Control Branch (Document Control Desk). 22pp. 43961.031-43961.057.
- 8801050314 Proposed Tech Specs, modifying annulus fire detection sys & surveillance requirements.
- * Louisiana Power & Light Co. 87/12/22. 5pp. 43961.053-43961.057.
- 8801070422 Documents discovery of uncompletely wrapped raceway supports per 870807 telcon. Existing suppression sys would mitigate or eliminate any adverse effects. Supports properly wrapped per 10CFR50, App R.
- COOK, K.W. Louisiana Power & Light Co. 87/12/22. Document Control Branch (Document Control Desk). 2pp. 43999.284-43999.285.
- 8801040005 Responds to violations noted in Insp Rept 50-382/87-22. Corrective actions personnel counseled, mechanics required to re-read Procedure UNT-7.005 in entirety & plant operators required to review Operations & Maint Directive 16.
- COOK, K.W. Louisiana Power & Light Co. 87/12/23. Document Control Branch (Document Control Desk). 10pp. 43963.001-43963.010.
- 8801040009 Informs of plans for upgrading assessment aids for security sys. per Insp Rept 50-382/87-02 exit meeting on 870123. Phase I completed. Phase II scheduled for operability in Jan-Mar 1988. Phase III scheduled for Jul-Aug 1988.
- DRUMMOND, F.J. Louisiana Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43963.081-43963.082.
- 8801060133 Forwards revised replacement pages for proposed Rev 10 of physical security plan in response to NRC 870823 ltr. Pages withheld (ref 10CFR2790).
- DEWEASE, J.G. Louisiana Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43926.358-43926.357.
- 880110299 Forwards Insp Rept 50-382/87-27 on 871214-18. No violations or deviations noted.
- CALLAN, L.J. Region 4, O/c of the Director. 88/01/05. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 43971.279-43971.284.
- 880110315 Insp Rept 50-382/87-27 on 871214-18. No violations or deviations noted. Major areas inspected: emergency detection & classification, protective action decisionmaking & operational status of emergency preparedness program.
- HACKNEY, C.A., FISHER, W.L. Region 4, O/c of the Director. 87/12/31. 4pp. 43971.281-43971.284.
- 8801190259 Forwards marked-up & draft rev to Emergency Plan Figure 5-1A, "Nuclear Operations Dept Organization," showing restructured organization. Changes will be incorporated in Rev 12 to emergency plan during Second Quarter 1988.
- BURSKI, R.F. Louisiana Power & Light Co. 88/01/08. Document Control Branch (Document Control Desk). 3pp. 44081.254-44081.256.
- 8801190258 Discusses proposed 881012 date for annual emergency preparedness exercise. Notification of date of exercise objectives meeting will be provided as soon as info confirmed.
- BURSKI, R.F. Louisiana Power & Light Co. 88/01/12. Document Control Branch (Document Control Desk). 1p. 44081.195-44081.195.
- 8801040022 Forwards addl info re changes to util QA program. per LJ Callan 871119 request.
- COOK, K.W. Louisiana Power & Light Co. 87/12/21. Document Control Branch (Document Control Desk). 4pp. 43963.163-43963.216.
- 8801040042 Rev 2.1 to Nuclear Operations Procedure NOP-003, "Records Mgt Sys."
- BURST, R.A., CARNS, N.S., BACKES, P. Louisiana Power & Light Co. 87/12/07. 11pp. 43963.167-43963.177.
- 8801040044 Rev 2 to QA Procedure QAP-010, "QA Records."
- KILGORE, O.W., GUILLOT, J.M., MORGAN, W.M. Louisiana Power & Light Co. 87/01/14. 15pp. 43963.178-43963.192.
- 8801040059 Rev 0 to Maint Departmental Procedure MD-1-008, "Collection & Transmittal of Maint Records & Documents."
- SMITH, J.N. Louisiana Power & Light Co. 87/08/24. 8pp. 43963.193-43963.201.
- 8801040051 Rev 1 to Radwaste Dept Administrative Procedure RW-1-200, "Record Preparation, Filing & Storage."
- STEVENS, D.B., PARKER, D., LABONTE, W. Louisiana Power & Light Co. 87/06/26. 15pp. 43963.202-43963.216.
- 8801050303 Application for amend to License NPF-38, changing Tech Specs to modify annulus fire detection sys. Description of proposed sys & surveillance requirements & field test documentation to demonstrate sys performance encl.
- COOK, K.W. Louisiana Power & Light Co. 87/12/22. Document Control Branch (Document Control Desk). 22pp. 43961.031-43961.057.
- 8801050314 Proposed Tech Specs, modifying annulus fire detection sys & surveillance requirements.
- * Louisiana Power & Light Co. 87/12/22. 5pp. 43961.053-43961.057.
- 8801070422 Documents discovery of uncompletely wrapped raceway supports, per 870807 telcon. Existing suppression sys would mitigate or eliminate any adverse effects. Supports properly wrapped per 10CFR50, App R.
- COOK, K.W. Louisiana Power & Light Co. 87/12/22. Document Control Branch (Document Control Desk). 2pp. 43999.284-43999.285.
- 8801070209 Application for amend to License NPF-38, incorporating Tech Spec Change Request NPF-38-71, reflecting recent reorganization of nuclear operations in Tech Spec Tables 6.2-1 & 6.2-2. Fee paid.
- DEWEASE, J.G. Louisiana Power & Light Co. 87/12/23. Document Control Branch (Document Control Desk). 5pp. 44285.220-44285.229.
- 880110017 Proposed Tech Specs, revising Tables 6.2-1 & 6.2-2, "Organization for Mgt & Technical Support," to reflect reorganization of nuclear operations.
- * Louisiana Power & Light Co. 87/12/23. 5pp. 44285.222-44285.229.
- 8801070434 Requests temporary waiver of compliance w/ Tech Spec Figures 6.2-1 & 6.2-2 while waiting for approval of Tech Spec Change Request NPF-38-71.
- DEWEASE, J.G. Louisiana Power & Light Co. 87/12/23. CRUTCHFIELD, D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 2pp. 43999.298-43999.299.
- 8801140145 Forwards Amend 26 to License NPF-38 & safety evaluation. Amend changes Tech Specs by revising limits for axial shape index.
- WILSON, J.H. Project Directorate IV. 88/01/05. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 44033.039-44033.047.
- 8801140148 Amend 26 to License NPF-38, changing Tech Specs by revising limits for axial shape index.
- CALVO, J.A. Project Directorate IV. 88/01/05. 4pp. 44033.041-44033.044.
- 8801140150 Safety evaluation supporting Amend 26 to License NPF-38.
- * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/05. 3pp. 44033.045-44033.047.
- 8801150186 Summarizes 871229 meeting in Region IV re changes in personnel assignments of util employees & organizational changes & recent efforts to improve communications between util & NRC. Ack that one change requires Tech Spec change.
- CALLAN, L.J. Region 4, O/c of the Director. 88/01/11. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 44036.126-44036.127.
- 8801260456 Forwards new nuclear operations dept policy "Excellence in Regulatory Affairs," per request. Policy ensures that staff understands importance placed on open & timely communication w/ Region IV & NRR.
- BARKHURST, R.P. Louisiana Power & Light Co. 88/01/12. MARTIN, R.D. Region 4, O/c of the Director. 6pp. 44126.314-44126.319.
- 8801200132 Ack 871231 granting of enforcement discretion re temporary deferral from Tech Spec Surveillance Requirement 4.7.6 c for 48 h period.
- MARTIN, R.D. Region 4, O/c of the Director. 88/01/13. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 44108.176-44108.177.
- 8801200160 Application for amend to License NPF-38, consisting of Tech Spec Change Request NPF-38-72, adding containment isolation valve. Fee paid.
- DEWEASE, J.G. Louisiana Power & Light Co. 88/01/13. Document Control Branch (Document Control Desk). 6pp. 44108.206-44108.216.
- 8801200164 Proposed Tech Specs, incorporating Tech Spec Change Request NPF-38-72, adding containment isolation valve to Tech Spec tables.
- * Louisiana Power & Light Co. 88/01/13. 7pp. 44108.212-44108.218.
- 8801270282 Informs of results of util Cycle 3 reload analyses discussed at 871027 meeting w/ NRR. No Tech Spec changes due to reload analyses necessary to support Cycle 3.
- BURSKI, R.F. Louisiana Power & Light Co. 88/01/21. Document Control Branch (Document Control Desk). 1p. 44188.003-44188.003.

P. Operating license stage documents & correspondence

- 8801120090 Forwards info re Resource Technical Svcs, Inc. Including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
- FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, O/c of the Director. 71pp. 43988.230-43988.300.

Q. Inspection reports, IE Bulletins & correspondence

128 DOCKETED ITEMS

8801040006 Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Submittal provides sufficient info to close open issues from Insp Rept 50-382/87-05. COOK, K.W. Louisiana Power & Light Co. 87/12/21. Document Control Branch (Document Control Desk). 52pp. 43963-073-43963-125.

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44050-008-44050-127.

8801040005 Responds to violations noted in Insp Rept 50-382/87-22. Corrective actions: personnel counseled, mechanics required to re-read Procedure UNT-7-005 in entirety & plant operators required to review Operations & Maint Directive 16. COOK, K.W. Louisiana Power & Light Co. 87/12/23. Document Control Branch (Document Control Desk). 10pp. 43963-001-43963-010.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-128-43995-257.

8801040003 Responds to Violation 8721-01 noted in Insp Rept 50-382/87-21. Corrective actions: station info mgt sys now employed to track measuring & test equipment non-conformance. DRUMMOND, F.J. Louisiana Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 3pp. 43963-217-43963-219.

8801040009 Informs of plans for upgrading assessment aids for security sys. per Insp Rept 50-382/87-02 exit meeting on 870123. Phase I completed. Phase II scheduled for operability in Jan-Mar 1988. Phase III scheduled for Jul-Aug 1988. DRUMMOND, F.J. Louisiana Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43963-061-43963-062.

8801060485 Forwards Insp Rept 50-382/87-25 on 871116-1215 & notice of violation. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/30. DEWEASE, J.G. Louisiana Power & Light Co. 3pp. 43978-047-43978-066.

-8801060490 Notice of violation from Insp on 871116-1215. Violation noted partially threaded bolts inappropriately installed in hub of Dry Cooling Tower Fan 4B resulting in failure of one blade. Similar incorrect bolts installed as replacements. * Region 4, Ofc of the Director. 87/12/30. 1p. 43979-050-43979-050.

-8801060496 Insp Rept 50-382/87-25 on 871116-1215. Violations noted. Major areas inspected followup on previously identified items, monthly surveillance & maint observations, ESF sys walkdown & cold weather preparations Insp. SMITH, W.F., STAKER, T.R., JAUDON, J.P. Region 4, Ofc of the Director. 87/12/29. 16pp. 43979-051-43979-066.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995-016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-286.

8801080097 Ack receipt of 871216 ltr informing NRC of steps taken to correct deficiencies noted in Insp Rept 50-382/87-23. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/31. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 43960-232-43960-238.

880110299 Forwards Insp Rept 50-382/87-27 on 871214-18. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/05. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 43971-278-43971-284.

-880110315 Insp Rept 50-382/87-27 on 871214-18. No violations or deviations noted. Major areas inspected: emergency detection & classification, protective action decisionmaking & operational status of emergency preparedness program. HACKNEY, C.A., FISHER, W.L. Region 4, Ofc of the Director. 87/12/31. 4pp. 43971-281-43971-284.

8801140009 Forwards Insp Rept 50-382/87-29 on 871130-1204. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/08. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 44043-271-44043-278.

-8801140012 Insp Rept 50-382/87-29 on 871130-1204. No violations or deviations noted. Major areas inspected: previously identified items & implementation of licensee actions taken in response to NRC Bulletin 87-002. TAPIA, J.T., JAUDON, J.P. Region 4, Ofc of the Director. 88/01/08. 6pp. 44043-273-44043-278.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

8801130220 Ack receipt of 871216 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-382/87-23. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/11. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 44002-295-44002-298.

8801200148 Ack receipt of 871230 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-382/87-21. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/14. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 44108-165-44108-169.

8801210304 Forwards info re receipt Insp & internal control procedures for fasteners & results of independent testing of fasteners in response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/ Applicable..." BURSKE, R.F. Louisiana Power & Light Co. 88/01/18. MARTIN, R.D. Region 4, Ofc of the Director. 65pp. 44093-106-44093-169.

R. Periodic operating reports & related correspondence

8801190210 Monthly operating rept for Dec 1987. W/880112 ltr. MILLER, G., BURSKE, R.F. Louisiana Power & Light Co. 87/12/31. 7pp. 44064-063-44064-069.

S. Reportable occurrences, LERs & related correspondence

8801040021 LER 87-027-00 on 871125, discovered fire impairment when installed drain pipe not capped at other end. Caused by inadequate design change controls during plant const. Pipe removed & new procedures implemented W/871221 ltr. HOLDER, A.L., CARNS, N.S. Louisiana Power & Light Co. 87/12/21. 4pp. 43963-050-43963-053.

8801040052 LER 87-028-00 on 871123, chemical & vol control valves failed to meet containment penetration backup overcurrent protection operability requirement. Caused by personnel error. Cables properly connected W/871222 ltr. BAKER, D.E., CARNS, N.S. Louisiana Power & Light Co. 87/12/22. 7pp. 43919-323-43919-329.

8801200424 LER 87-028-00 on 871211, reactor trip occurred due to inadvertent shutting of MSIV. Caused by solenoid valve stuck open during testing. Solenoid valve replaced & MSIV tested successfully prior to restarting of plant W/880111 ltr. VINCI, D.W., CARNS, N.S. Louisiana Power & Light Co. 88/01/11. 10pp. 44057-235-44057-244.

8801270138 PNO-IV-88-006 on 880105, licensee determined that reactor vessel flange inner O-ring leaking. Inner leakoff monitor tube isolated to contain leakage. Outage of approx 21 days expected in order to replace O-ring seals. TAPIA, J.T. Region 4, Ofc of the Director. 88/01/22. 2pp. 44168-355-44168-358.

U. Congressional/Executive Correspondence

8801260276 Partial response to FOIA requests Forwards App A documents. Documents being placed in PDR. Only files in NRC Ofc of Governmental & Public Affairs searched for documents responsive to request per 871028 telcon. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139-290-44139-334.

-8801260481 Forwards update of status of plant project. Info suppls Commission 840531 ltr to Udell. COMBS, F. Office of Congressional Affairs (pre 870413). 84/08/21. MYERS, J. House of Rep., Interior & Insular Affairs. 3pp. 44139-327-44139-329.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bessing FOIA. 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

-8803260578 Trip rept of attendance at 870225-26 Natl Nuclear Accrediting Board meeting in Atlanta, GA re util training programs. Meeting agenda encl. BOGER, B.A. Division of Human Factors Technology (851125-870411). 87/03/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 8pp. 44119-120-44119-128.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119-159-44119-166.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801300090 Rev 5 to cover sheet for Emergency Plan Implementing Procedure EP-IP-035, "Emergency Vent Monitor Sampling." Revised table of contents encl. * Pennsylvania Power & Light Co. 88/04/14. 4pp. 44000-270-44000-273.

8712310013 Forwards Safeguards Insp Repts 50-387/87-20 & 50-388/87-18 on 871027-30. No violations noted. MARTIN, T.T. Region 1, Ofc of the Director. 87/12/24. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 43964-046-43964-055.

-8712310017 Insp Repts 50-387/87-20 & 50-388/87-18 on 871027-30. No violation or deviation noted. Major areas inspected: nuclear mail control & accounting, including shipping & receiving, organization & operation & storage & internal control. DELLA RATT, A., KEIMIG, R.R. Region 1, Ofc of the Director. 87/12/07. 8pp. 43964-048-43964-055.

8801060463 Forwards Change AA to plant physical security plan. Changes AA & Z should not be entered into plan until Change Y approved & entered. Plan does not decrease safeguards effectiveness. Change withheld (ref 10CFR73.21). KEISER, H.W. Pennsylvania Power & Light Co. 87/12/28. RUSSELL, W.T. Region 1, Ofc of the Director. 1p. 43927-275-43927-275.

8801260521 Forwards 870429 final exercise rpt for exercise of offsite radiological emergency preparedness plans site-specific to facility. No deficiencies identified. Outstanding deficiency identified at last exercise corrected. KRIMM, R.W. Federal Emergency Management Agency, 87/12/29. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 44161:168-44161:267.

8801260468 "FEMA & Regional Assistance Committee Exercise Evaluation Rept," of 870429 exercise
* Federal Emergency Management Agency, 87/09/14. 101pp. 44161:167-44161:267.

8801260111 Rev 9 to Emergency Plan Implementing Procedure EP-IP-030, "Activation & Functional Operation of Emergency Operations Facility & Transfer of Control From Technical Support Ctr." W/880108 ltr.
KEISER, H.W. Pennsylvania Power & Light Co. 88/01/08. 48pp. 44124:095-44124:142.

8801260197 Rev 136 to "Table of Contents for Susquehanna Steam Electric Station Emergency Plan Implementation Procedures Manual."
* Pennsylvania Power & Light Co. 88/01/15. 3pp. 44167:244-44167:248.

P. Operating license stage documents & correspondence

8801260090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43988:230-43988:300.

8801100068 Forwards rpt summarizing 1986 approved safety evaluations, per 10CFR50.59.
KEISER, H.W. Pennsylvania Power & Light Co. 87/12/31. RUSSELL, W.T. Region 1, Ofc of the Director. 131pp. 43966:176-43966:307.

8801130376 Forwards BNL request for addl info re 870331 PL-NF-87-007 related to BWR steady-state core physics methods, including bases for depletion steps, spatial mesh, energy groups & other parameters used in production calculations w/CPM-2/MICBURN.
THADANI, M.C. Project Directorate I-2. 88/01/11. KEISER, H.W. Pennsylvania Power & Light Co. 5pp. 44008:244-44008:248.

8801150173 Provides addl info re proposed Amend 94 to Licenses NPF-14 & NPF-47. Min of 2 h necessary to restore standby gas treatment sys subsystem when both subsystems inoperable.
KEISER, H.W. Pennsylvania Power & Light Co. 88/01/12. BUTLER, W.R. Project Directorate I-2. 2pp. 44035:134-44035:135.

8801270079 Advises that site visits being scheduled during 880210-12, per request Plants constitute sample of Mark I & II plants. Proposed plan to review emergency operating procedures on containment venting discussed.
BUTLER, W.R. Project Directorate I-2. 88/01/15. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 2pp. 44149:202-44149:203.

8801270070 Notification of 880128 meeting w/utl in Bethesda, MD to review licensing actions schedules.
THADANI, M. Project Directorate I-2. 88/01/21. MURLEY, T., SNEZEK, J., MIRAGLIA, F. NRC - No Detailed Affiliation Given. 3pp. 44149:198-44149:201.

Q. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712310013 Forwards Safeguards Insp Repts 50-387/87-20 & 50-388/87-18 on 871027-30. No violations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/24. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 43964:048-43964:055.

8712310017 Insp Repts 50-387/87-20 & 50-388/87-18 on 871027-30. No violation or deviation noted. Major areas inspected: nuclear fuel control & accounting, including shipping & receiving, organization & operation & storage & internal control.
DELLA RATTIA, A., KEIMIG, R.R. Region 1, Ofc of the Director. 87/12/07. 8pp. 43964:048-43964:055.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:268-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:266.

8801150250 Responds to NRC 871130 ltr re violations noted in Insp Repts 50-387/87-19 & 50-388/87-19. Corrective actions: nuclear dept instruction & plant administrative procedures revised to reflect suitability of individuals for certain mgt position.
KEISER, H.W. Pennsylvania Power & Light Co. 88/01/08. MARTIN, T.T. Region 1, Ofc of the Director. 4pp. 44092:252-44092:255.

8801200251 Forwards Safety Insp Rept 50-387/87-23 on 871207-11. No violations noted.
JOHNSON, W.V. Region 1, Ofc of the Director. 88/01/08. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 44052:102-44052:110.

8801200280 Insp Rept 50-387/87-23 on 871207-11. No violations noted. Major areas inspected: Cycle 4 startup physics testing program & power ascension tests.
WEN, P.C., MURPHY, K.G. Region 1, Ofc of the Director. 88/01/08. 7pp. 44052:104-44052:110.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801150257 Forwards response to IE Bulletin 87-002. Action Items (1), (2), (3) & (4) & completion of Action Items (5) & (6). Final rpt will be late due to time needed for testing.
KEISER, H.W. Pennsylvania Power & Light Co. 88/01/11. RUSSELL, W.T. Region 1, Ofc of the Director. 9pp. 44064:093-44064:101.

8801150177 Forwards util final response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failure Due to Improper Switch Settings."
KEISER, H.W. Pennsylvania Power & Light Co. 88/01/12. RUSSELL, W.T. Region 1, Ofc of the Director. 214pp. 44035:136-44035:348.

8801200080 Ack receipt of util 870914 rpt re inattentiveness of shift supervisor. Encl NRC concerns re investigation should be further discussed at mgt meeting.
RUSSELL, W.T. Region 1, Ofc of the Director. 88/01/12. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 44052:189-44052:192.

R. Periodic operating reports & related correspondence

8801160195 Monthly operating repts for Dec 1987. W/880112 ltr.
HIRT, J.A., KEISER, H.W. Pennsylvania Power & Light Co. 87/12/31. McDONALD, W.G. Office of Administration & Resources Management, Director (Post 870413). 11pp. 44041:236-44041:248.

S. Reportable occurrences, LERs & related correspondence

8712300017 LER 87-036-00: on 870918, senior reactor operators w/o active licenses assigned duties in violation of Tech Spec 8.2.2.d. Caused by insufficient training & administrative controls. Requirements reviewed w/personnel. W/871223 ltr.
SHERANKO, R.G., BYRAM, R.G. Pennsylvania Power & Light Co. 87/12/23. 4pp. 43920:307-43920:310.

8712310021 PNO-I-87-118: on 871223, reactor scrambled due to leak from intermediate waterbox manway C. Caused by failure of manway gasket. Waterbox C isolated & spill terminated. Water in condenser bay area measured 43 inches.
BLOUGH, R. Region 1, Ofc of the Director. 87/12/24. 1p. 43888:229-43888:229.

8801060145 LER 87-034-00: on 871129, HPCI Inboard steam isolation valve inadvertently closed. Caused by personnel error. HPCI isolation reset & valve reopened. States links will be installed inside cabinet. W/871228 ltr.
HIRT, J.A., BYRAM, R.G. Pennsylvania Power & Light Co. 87/12/28. 4pp. 43960:161-43960:164.

8801070082 Forwards LER 87-031-01: correcting error in event date coded in Block 5.
BYRAM, R.G. Pennsylvania Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 1p. 43965:278-43965:281.

8801060116 LER 87-031-01: on 871105, during Surveillance Test SE-159-200, unanticipated ESF actuation occurred due to installation of jumper in wrong panel. Caused by cognitive personnel error. Test director counseled & event reviewed w/staff directors.
SHERANKO, R.G. Pennsylvania Power & Light Co. 87/12/30. 2pp. 43965:280-43965:281.

8801200019 PNO-I-88-006: on 880113, contractor within radiological waste bldg injured. Caused when contractor slipped & hydro-less cut leg. Contractor transported to hosp & slight contamination found near area of injury. Worker decontaminated at hosp.
YOUNG, F., BLOUGH, R. Region 1, Ofc of the Director. 88/01/13. 1p. 44052:299-44052:299.

8801260476 Discusses safety concern derived from 880522 occurrence at facility re common mode failures. Requests info within 30 days re actions util proposes to address safety concern.
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 88/01/14. KEISER, H.W. Pennsylvania Power & Light Co. 5pp. 44118:118-44118:123.

V. Operator Examinations

8801200080 Ack receipt of util 870914 rpt re inattentiveness of shift supervisor. Encl NRC concerns re investigation should be further discussed at mgt meeting.
RUSSELL, W.T. Region 1, Ofc of the Director. 88/01/12. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 44052:189-44052:192.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801310180 Forwards results of post-accreditation reviews at Susquehanna on 851021-23. Dresden on 851118-21 & Oconee on 851216-18. Significant progress observed in improving training.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/01/28. PATE, Z. Institute of Nuclear Power Operations. 38pp. 44118:267-44118:316.

8801450629 Forwards final repts from staff post-accreditation audits & comparison of revised NRC review questions w/INPO accreditation objectives & criteria. Recommends INPO consider adding appropriate accreditation criteria.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/04/03. PATE, Z. Institute of Nuclear Power Operations. 32pp. 44118:316-44118:357.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 60-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801130090 Rev 5 to cover sheet for Emergency Plan Implementing Procedure EP-IP-035, "Emergency Vent Monitor Sampling." Revised table of contents encl. * Pennsylvania Power & Light Co. 88/04/14. 4pp. 44000:270-44000:273.

8712310013 Forwards Safeguards Insp Repts 50-387/87-20 & 50-388/87-18 on 871027-30. No violations noted. MARTIN, T.T. Region 1, Ofc of the Director. 87/12/24. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 43964:046-43964:055.

-8712310017 Insp Repts 50-387/87-20 & 50-388/87-18 on 871027-30. No violation or deviation noted. Major areas inspected: nuclear matl control & accounting, including shipping & receiving, organization & operation & storage & internal control. DELLA RATTIA, A. Region 1, Ofc of the Director. 87/12/07. 8pp. 43964:048-43964:055.

8801080453 Forwards Change AA to plant physical security plan. Changes AA & Z should not be entered into plan until Change Y approved & entered. Plan does not decrease safeguards effectiveness. Change withheld (ref 10CFR73.21). KEISER, H.W. Pennsylvania Power & Light Co. 87/12/28. RUSSELL, W.T. Region 1, Ofc of the Director. 1p. 43927:275-43927:275.

8801260521 Forwards 870429 final exercise rpt for exercise of offsite radiological emergency preparedness plans site-specific to facility. No deficiencies identified. Outstanding deficiency identified at last exercise corrected. KIRMM, R.W. Federal Emergency Management Agency. 87/12/29. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 44161:166-44161:167.

-8801280468 "FEMA & Regional Assistance Committee Exercise Evaluation Rept." of 870429 exercise. * Federal Emergency Management Agency. 87/09/14. 101pp. 44161:167-44161:267.

8801260111 Rev 9 to Emergency Plan Implementing Procedure EP-IP-030, "Activation & Functional Operation of Emergency Operations Facility & Transfer of Control From Technical Support Ctr." W/880108 ltr. KEISER, H.W. Pennsylvania Power & Light Co. 88/01/08. 48pp. 44124:085-44124:142.

8801280197 Rev 136 to "Table of Contents for Susquehanna Steam Electric Station Emergency Plan Implementation Procedures Manual." * Pennsylvania Power & Light Co. 88/01/15. 3pp. 44167:244-44167:246.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work. NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8712300077 Forwards application for amend to License NPF-22, changing Tech Specs in support of mod to reduce potential for waterhammer in suppression pool cooling mode of RHR sys. Fee paid. KEISER, H.W. Pennsylvania Power & Light Co. 87/12/23. BUTLER, W.R. Project Directorate I-2. 5pp. 43898:258-43898:269.

-8712300087 Application for amend to License NPF-22, revising Tech Specs in support of mod to reduce potential for waterhammer in suppression pool cooling mode of RHR sys. KEISER, H.W. Pennsylvania Power & Light Co. 87/12/23. 2pp. 43898:264-43898:265.

-8712300092 Proposed Tech Specs supporting mod to reduce potential for waterhammer in suppression pool cooling mode of RHR sys. * Pennsylvania Power & Light Co. 87/12/23. 4pp. 43898:266-43898:269.

8712310143 Forwards application for Proposed Amend 58 to License NPF-22, changing Tech Specs to support Cycle 3 reload. Unit scheduled to shutdown on 880305 & restart on 880503. Reload summary & transient analysis repts encl. Fee paid. KENYON, B.D. Pennsylvania Power & Light Co. 87/12/23. BUTLER, W.R. Project Directorate I-2. 2pp. 43961:211-43962:017.

-8712310218 Application for Proposed Amend 58 to License NPF-22, revising Tech Specs to support Cycle 3 reload. KENYON, B.D. Pennsylvania Power & Light Co. 87/12/23. 1p. 43961:213-43961:213.

-8712310145 Proposed Tech Specs Index & Sections 3/4.2.1, 3/4.2.2, 3/4.2.3, 3/4.2.4, 3/4.3.6, 3/4.4.1, B 2.1, B 3/4.2.1, B 3/4.2.2, B 3/4.2.3 & B 3/4.4.1, to support Cycle 3 reload. * Pennsylvania Power & Light Co. 87/12/23. 39pp. 43961:214-43961:252.

-8712310151 "Susquehanna SES Unit 2 Cycle 3 Reload Summary Rept." SPADARO, J.P., KULICK, J.M., STEFANKO, J.S. Pennsylvania Power & Light Co. PL-NF-87-007. 87/12/31. 26pp. 43961:253-43961:278.

-8712310166 Rev 1 to "Susquehanna Unit 2 Cycle 3 Plant Transient Analysis." WHITE, J.A. Advanced Medical Systems, Inc. ANF-87-125 R01. 87/11/30. 54pp. 43961:276-43961:332.

-8712310158 Rev 1 to "Susquehanna Unit 2 Cycle 3 Reload Analysis Design & Safety Analysis." WHITE, J.A. Advanced Medical Systems, Inc. ANF-87-126 R01. 87/11/30. 42pp. 43961:333-43962:014.

-8801080091 "Susquehanna Steam Electric Station Unit 2 Cycle 3 Proposed Startup Physics Tests Summary Description." * Pennsylvania Power & Light Co. 87/11/30. 3pp. 43962:015-43962:017.

8801110098 Forwards rpt summarizing 1986 approved safety evaluations, 10CFR50.59. KEISER, H.W. Pennsylvania Power & Light Co. 87/12/31. RUSSELL, W.T. Region 1, Ofc of the Director. 131pp. 43968:176-43968:307.

8801130376 Forwards BNL request for addl info re 870331 PL-NF-87-007 related BWR steady-state core physics methods, including bases for depletion steps, mesh, energy groups & other parameters used in production calculations w/CFMIBURN. THADANI, M.C. Project Directorate I-2. 88/01/11. KEISER, H.W. Pennsylvania Power & Light Co. 5pp. 44008:244-44008:248.

8801150173 Provides addl info re proposed Amend 94 to License NPF-14 & 47. Min of 2 h necessary to restore standby gas treatment sys subsystem when subsystems inoperable. KEISER, H.W. Pennsylvania Power & Light Co. 88/01/12. BUTLER, W.R. Project Directorate I-2. 2pp. 44035:134-44035:135.

8801270079 Advises that site visits being scheduled during 880210-12, request Plants constitute sample of Mark I & II plants. Proposed plan to review agency operating procedures on containment venting discussed. BUTLER, W.R. Project Directorate I-2. 88/01/15. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 2pp. 44149:202-44149:203.

8801270070 Notification of 880128 meeting w/utl in Bethesda, MD to review license actions schedules. THADANI, M.C. Project Directorate I-2. 88/01/21. MURLEY, T., SNEZINSKI, M. NRC - No Detailed Affiliation Given. 3pp. 44149:189-44149:201.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712310013 Forwards Safeguards Insp Repts 50-387/87-20 & 50-388/87-18 on 871027-30. No violations noted. MARTIN, T.T. Region 1, Ofc of the Director. 87/12/24. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 43964:046-43964:055.

-8712310017 Insp Repts 50-387/87-20 & 50-388/87-18 on 871027-30. No violation or deviation noted. Major areas inspected: nuclear matl control & accounting, including shipping & receiving, organization & operation & storage & internal control. DELLA RATTIA, A., KEIMIG, R.R. Region 1, Ofc of the Director. 87/12/07. 43964:048-43964:055.

8712300033 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-086, "Inappropriate Application of Commercial Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Inspection Actions In Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801150250 Responds to NRC 871130 ltr re violations noted in Insp Repts 50-387/87-19 & 50-388/87-18. Corrective actions: nuclear dept instruction & plant admininstr procedures revised to reflect suitability of individuals for certain mgt position. KEISER, H.W. Pennsylvania Power & Light Co. 88/01/08. MARTIN, T.T. Region 1, Ofc of the Director. 4pp. 44092:252-44092:255.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs at Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/08. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801150267 Forwards response to IE Bulletin 87-002, Action Items (1), (2), (3) & completion of Action Items (5) & (6). Final rpt will be late due to time needed for insps. KEISER, H.W. Pennsylvania Power & Light Co. 88/01/11. RUSSELL, W.T. Region 1, Ofc of the Director. 8pp. 44064:093-44064:101.

8801150177 Forwards utl final response to IE Bulletin 85-003, "Motor-Operated Common Mode Failure Due to Improper Switch Settings." KEISER, H.W. Pennsylvania Power & Light Co. 88/01/12. RUSSELL, W.T. Region 1, Ofc of the Director. 214pp. 44035:198-44035:348.

8801200080 Ack receipt of utl 870914 rpt re inattentiveness of shift supervisor. NRC concerns re investigation should be further discussed at mgt meeting. RUSSELL, W.T. Region 1, Ofc of the Director. 88/01/12. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 44052:188-44052:192.

R. Periodic operating reports & related correspondence

8801150195 Monthly operating repts for Dec 1987. W/880112 ltr. HIRT, J.A., KEISER, H.W. Pennsylvania Power & Light Co. 87/12/23. McDONALD, W.G. Office of Administration & Resources Management, Director. 870413. 11pp. 44041:238-44041:248.

S. Reportable occurrences, LERs & related correspondence

8801250476 Discusses safety concern derived from 880522 occurrence at facility re common mode failures. Requests info within 30 days re actions until proposes to address safety concern.
VARGO, S.A. Division of Reactor Projects - I/II (Post 870411). 88/01/14. KEISER, H.W. Pennsylvania Power & Light Co. 5pp. 44118:118-44118:123.

V. Operator Examinations

8801200080 Ack receipt of util 870914 rept re inattentiveness of shift supervisor. Encl NRC concerns re investigation should be further discussed at mgt meeting.
RUSSELL, W.T. Region 1, Ofc of the Director. 88/01/12. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 44052:189-44052:192.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801310180 Forwards results of post-accreditation reviews at Susquehanna on 851021-23, Dresden on 851118-21 & Oconee on 851218-19. Significant progress observed in improving training.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/01/28. PATE, Z. Institute of Nuclear Power Operations. 38pp. 44118:267-44118:315.

8804150629 Forwards final repts from staff post-accreditation audits & comparison of revised NRC review questions w/INPO accreditation objectives & criteria. Recommends INPO consider adding appropriate accreditation criteria.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/04/03. PATE, Z. Institute of Nuclear Power Operations. 32pp. 44118:316-44118:357.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:168.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2**F. Security, medical, emergency & fire protection plans**

8801120284 Rev 15 to Health Physics Operating Procedure HP-80, "Emergency Equipment." W/880108 ltr.
WOODY, C.O. Florida Power & Light Co. 88/01/06. 16pp. 43986:271-43986:286.

8801190204 Forwards Insp Repts 50-335/87-30 & 50-389/87-29 on 871207-11. No violations or deviations noted.
COLLINS, D.M. Region 2, Ofc of the Director. 88/01/11. WOODY, C.O. Florida Power & Light Co. 2pp. 44045:025-44045:031.

8801190212 Insp Repts 50-335/87-30 & 50-389/87-29 on 871207-11. No violations or deviations noted. Major areas inspected: emergency preparedness & NRC info notices.
KREH, J.L. Region 2, Ofc of the Director. 88/01/08. 5pp. 44045:027-44045:031.

8801200485 Rev 5 to Emergency Plan Implementing Procedure HP-200, "Health Physics Emergency Organization." W/880112 ltr.
BARROW, J.H., WOODY, C.O. Florida Power & Light Co. 88/01/12. 16pp. 44058:355-44058:410.

8801270519 Forwards SALP Repts 50-335/87-28 & 50-389/87-27 for May 1986 - Oct 1987. Performance rated as excellent. Commitment to upgrade procedures in all areas will be monitored. Comments should be presented at 880126 meeting.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/20. WOODY, C.O. Florida Power & Light Co. 4pp. 44145:011-44145:063.

8801270526 SALP Repts 50-335/87-28 & 50-335/87-27 for May 1986 - Oct 1987.
* Region 2, Ofc of the Director. 88/01/20. 49pp. 44145:015-44145:063.

J. Insurance & indemnity information

8801140119 Forwards Endorsements 89 & 70 to NELIA Policy NF-227, Endorsements 86 & 87 to NELIA Policy NF-185, Endorsements 56 & 57 to MAELU Policy MF-88 & Endorsements 73 & 74 to MAELU Policy MF-55.
PICKERL, H.D. Marsh & McLennan, Inc. 88/01/07. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44010:057-44010:081.

P. Operating license stage documents & correspondence

8712300074 Application for amend to License NPF-16, changing action statement for Tech Spec 3.7.1.6 to allow 72 h to restore inoperable, open main feedwater isolation valve. Safety evaluation determination of NSHC also encl. Fee paid.
WOODY, C.O. Florida Power & Light Co. 87/12/22. Document Control Branch (Document Control Desk). 3pp. 43920:286-43920:306.

8712300081 Proposed Tech Spec 3.7.1.6, changing action statement to allow 72 h to restore inoperable, open main feedwater isolation valve to operable status.
* Florida Power & Light Co. 87/12/22. 8pp. 43820:289-43820:306.

8712300085 Application for amends to Licenses DPR-67 & NPF-16, changing Tech Specs to modify requirements to perform moderator temp coefficient test near end of each cycle. Safety evaluation also encl. Fee paid.
WOODY, C.O. Florida Power & Light Co. 87/12/22. Document Control Branch (Document Control Desk). 3pp. 43921:058-43921:073.

8712300089 Proposed Tech Specs, modifying requirements to perform moderator temp coefficient test near end of each cycle.
* Florida Power & Light Co. 87/12/22. 15pp. 43921:059-43921:073.

8801060221 Forwards response to NRC 871202 comments on util 871118 submittal of independent mgt appraisal program plan. Revised program plan also encl.
WOODY, C.O. Florida Power & Light Co. 87/12/30. GRACE, J.N. Region 2, Ofc of the Director. 5pp. 43918:123-43918:212.

8801060230 Rev 1 to "Independent Mgt Appraisal Program Plan for Florida Power & Light Co."
* Enercon Services. 87/12/30. 85pp. 43918:128-43918:212.

8801070344 Forwards NSHC & administrative corrections to Tech Specs re pump & valve testing program to support 871116 application to amend Licenses DPR-67 & NPF-16.
WOODY, C.O. Florida Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 9pp. 44030:318-44030:326.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801070349 Responds to violations noted in Insp Repts 50-336/87-23 & 50-389/87-22. Corrective actions procedures in control room updated by QC document personnel.
WOODY, C.O. Florida Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 44008:023-44008:024.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801110362 Forwards Insp Repts 50-336/87-26 & 50-389/87-25 on 871026-30. No violations or deviations noted.
HEROT, A.R. Region 2, Ofc of the Director. 87/12/31. WOODY, C.O. Florida Power & Light Co. 2pp. 44006:065-44006:078.

8801110367 Insp Repts 50-335/87-26 & 50-389/87-25 on 871026-30. No violation or deviation noted. Major areas inspected: safety-related pipe supports & pipe support base plate design using concrete expansion bolts (IE Bulletin 79-02).
CHOUR, C.E., BLAKE, J.J. Region 2, Ofc of the Director. 87/12/28. 12pp. 44006:067-44006:078.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:183.

8801190204 Forwards Insp Repts 50-335/87-30 & 50-389/87-29 on 871207-11. No violations or deviations noted.
COLLINS, D.M. Region 2, Ofc of the Director. 88/01/11. WOODY, C.O. Florida Power & Light Co. 2pp. 44045:025-44045:031.

8801190212 Insp Repts 50-335/87-30 & 50-389/87-29 on 871207-11. No violations or deviations noted. Major areas inspected: emergency preparedness & NRC info notices.
KREH, J.L., DECKER, T.R. Region 2, Ofc of the Director. 88/01/08. 5pp. 44045:027-44045:031.

8801150220 Advises that response to NRC Bulletin 87-002, "Fastener Testing to Determine Conformance w/Applicable Matl Specs," will be submitted by 880126, per 880111 telcon. Delay due to incomplete verification & validation of test results.
WOODY, C.O. Florida Power & Light Co. 88/01/12. GRACE, J.N. Region 2, Ofc of the Director. 1p. 44062:180-44062:180.

8801200372 Provides summary rept satisfying Item 1 of IE Bulletin 85-003 "Motor-Operated Valve Common Mode Failure During Plant Transients Due to Improper Switch Settings." Completion of each requirement addressed separately.
WOODY, C.O. Florida Power & Light Co. 88/01/14. GRACE, J.N. Region 2, Ofc of the Director. 29pp. 44068:224-44068:262.

8801270519 Forwards SALP Repts 50-335/87-28 & 50-389/87-27 for May 1986 - Oct 1987. Performance rated as excellent. Commitment to upgrade procedures in all areas will be monitored. Comments should be presented at 880126 meeting.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/20. WOODY, C.O. Florida Power & Light Co. 4pp. 44145:011-44145:063.

8801270526 SALP Repts 50-335/87-28 & 50-335/87-27 for May 1986 - Oct 1987.
* Region 2, Ofc of the Director. 88/01/20. 49pp. 44145:015-44145:063.

R. Periodic operating reports & related correspondence

8712260112 Forwards operating status & summary of operating experience repts for Nov 1987 & corrected shutdown repts for Oct 1987.
WOODY, C.O. Florida Power & Light Co. 87/12/15. Document Control Branch (Document Control Desk). 1p. 43893:187-43893:206.

8712280093 Monthly operating repts for Nov 1987.
GRANT, N.W. Florida Power & Light Co. 87/11/30. 16pp. 43893:188-43893:203.

- 8712280154 Corrected monthly operating rept for Oct 1987, consisting of revised outage duration hours.
GRANT, N.W. Florida Power & Light Co. 87/10/31. 3pp. 43893-204-43893-205.
- 8801260314 Forwards monthly operating rept for Dec 1987 & corrected monthly operating rept for Nov 1987.
WOODY, C.D. Florida Power & Light Co. 88/01/15. Document Control Branch (Document Control Desk). 1p. 44132-324-44132-343.
- 8801210018 Monthly operating rept for Dec 1987.
GRANT, N.W. Florida Power & Light Co. 87/12/31. 18pp. 44132-325-44132-342.
- 8801260321 Corrected monthly operating rept for Nov 1987.
GRANT, N.W. Florida Power & Light Co. 87/11/30. 1p. 44132-343-44132-343.
- 8801270238 Quarterly turtle activities rept for Fourth Quarter 1987.
WOODY, C.D. Florida Power & Light Co. 88/01/21. Document Control Branch (Document Control Desk). 6pp. 44145-353-44145-358.

S. Reportable occurrences, LERs & related correspondence

- 8712310052 LER 87-007-00 on 871125, reactor tripped on loss of load due to turbine trip caused by failure of main generator exciter bearing. Root cause is personnel error. Electrical maint personnel trained & procedures revised. W/871221 ltr.
JOHNSON, A.B., WOODY, C.D. Florida Power & Light Co. 87/12/21. 5pp. 43898-235-43898-239.

V. Operator Examinations

- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.
- 8811170042 Summary of INPO training accreditation board 860723 & 24 meetings re programs for non-licensed operator/reactor operator & senior reactor operator positions for facilities. Agenda, notes on issues & other related documentation encl.
ROWSON, F.H. Human Factors Issues Branch. 86/11/07. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 22pp. 44119-055-44119-076.
- 8801220136 Advances of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118-159-44118-166.
- 8801270519 Forwards SALP Repts 50-335/87-28 & 50-389/87-27 for May 1986 - Oct 1987. Performance rated as excellent. Commitment to upgrade procedures in all areas will be monitored. Comments should be presented at 880126 meeting.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/20. WOODY, C.D. Florida Power & Light Co. 4pp. 44145-011-44145-063.
- 8801270526 SALP Repts 50-335/87-28 & 50-335/87-27 for May 1986 - Oct 1987.
* Region 2, Ofc of the Director. 88/01/20. 48pp. 44145-015-44145-063.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

- 8801040518 Requests authorization for use of ASME Boiler & Pressure Vessel Code Cases N-341 & N-356 for plants Required justification for use encl. Concurrence on use of cases requested by 880215.
GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43961-203-43961-205.
- 8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.
- 8801100378 Forwards table listing Sequoyah & TVA generic allegations investigated by unit & noted in GO Zech 870729 ltr to SA White as restart issues. Table also notes submission dates for rept.
GRIDLEY, R. Tennessee Valley Authority. 88/01/05. Document Control Branch (Document Control Desk). 3pp. 43969-082-43969-084.
- 8801250133 Summary of 871215 meeting w/TVA in Bethesda, MD re TVA program to address microbiologically induced corrosion. List of attendees & viewpoints encl.
AULUCK, R. Ofc of Special Projects. 88/01/11. Ofc of Special Projects. 76pp. 44118-219-44118-294.
- 8801150064 Submits notice of reassessment re resistance temp detector bypass loop elimination & Eagle 21 electronics upgrade. List of specific outstanding items & brief status encl.
GRIDLEY, R. Tennessee Valley Authority. 88/01/12. Document Control Branch (Document Control Desk). 3pp. 44062-208-44062-210.
- 8801200331 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.
- 8801220136 Advances of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119-159-44119-166.

8801200064 Partial response to FOIA request for documents. Forwards App F & documents App H & I documents available in PDR. App J documents partially withheld (rel FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, Times Printing Co. 6pp. 44081-130-44081-217.

-8801200154 Forwards Congressional staff rept re TVA QA program at plant.
KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/12/18. ZECH, G.G. ERTS, ASSELSTINE Commissioners. 36pp. 44081-173-44081-208.

8801200246 Final response to FOIA request for documents re plant App B documents completely withheld (rel FOIA Exemption 7).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. CONNOR, Doc-Search Associates. 3pp. 44088-276-44088-278.

880120202 Partial response to FOIA request for documents. Forwards App B documents. Documents also available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/10. WANN, Times Printing Co. 2pp. 44092-122-44092-182.

-880120212 Forwards Youngblood 860710 & 24 ltr to SA White requesting addl re project mgt plan for DOE weld evaluation project for plant. In response to inquiry KENT, S. NRC - No Detailed Affidavit Given. 88/07/25. MYERS, H. House of Representatives & Insular Affairs. 1p. 44092-127-44092-147.

8801290328 Summary of 871123 meeting w/Util & Westinghouse in Bethesda, MD discuss "Revised LOTIC-3 Drain-Flow Heat Transfer Models" for main steam break analysis inside containment. List of attendees & meeting handouts encl.
AULUCK, R. Ofc of Special Projects. 88/01/20. Ofc of Special Projects. 27p. 44180-287-44180-313.

8801270141 Final response to FOIA request for documents. Forwards App A documents & portion of App B document. App A documents placed in PDR. Portion of App B document withheld (rel FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, Doc-Search Associates. 4pp. 44155-008-44155-028.

-8801270400 Discusses interviews of Region II personnel by Subcommittee on Oversight & Investigations re TVA facilities.
KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/12/13. PALM, DINO Commissioners. 2pp. 44155-015-44155-023.

8801290285 Grants full authorization to use ASME Code Cases N-341 & N-356 extend certification period for Level III NDE examiners from 3 to 5 yrs, per 871229 ZECH, G.G. Ofc of Special Projects. 88/01/25. WHITE, S.A. Tennessee Valley Authority. 4pp. 44177-357-44177-380.

J. Insurance & indemnity information

8801070357 Forwards endorsements, including Endorsement 7 to MAELU Certificate 75, Endorsement 7 to NELIA Certificate N-76, Endorsement 8 to MAELU Certificate 66 & Endorsement 8 to NELIA Certificate N-80.
SANN, L.J. Marsh & McLennan, Inc. 87/12/30. DINI, J. Office of Nuclear Regulation, Director (Post 870411). 85pp. 43938-165-43938-260.

O. Inspection reports, IE Bulletins & correspondence

- 8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/29. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.
- 8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/29. Consolidated Edison Co. of New York, Inc. 120pp. 44056-008-44056-127.
- 8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/29. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.
- 8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/29. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995-018.
- 8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Inspection Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/29. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-286.
- 8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Spring Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/12. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.
- 8801200079 Partial response to FOIA request for documents. Forwards App B documents App D & E documents available in PDR. App F document completely withheld (rel FOIA Exemption 7) App G document partially withheld (rel FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, Times Printing Co. 6pp. 44081-218-44081-272.
- 8801200116 Discusses F Combs 860110 memo addressing H Myers inquiry re status of Unresolved Items 390/84-07-01, 391/84-07-01, 436/84-02-01 & 439/84-01-01.
OLSHINSKI, J.A. Region 2, Ofc of the Director. 85/03/13. REHM, T.A. Region 2, Ofc of the Director. 1p. 44081-226-44081-258.
- 8801200125 Forwards documents re 860613 meeting between Region II & TV. Nonconformance Repts WBN-CEB 85-01 & WBN-SWP 82-30, per 881031 request ZECH, G.G. Region 2, Ofc of the Director. 88/11/10. COMBS, F. Office of Congressional Affairs (pre 870413). 1p. 44081-258-44081-259.

8801210118 Forwards info re missing & incomplete vendor records noted in 50-390/84-07-01.

* NRC - No Detailed Affiliation Given. 86/03/19. NRC - No Detailed Affiliation Given. 1p. 44081:225-44081:225.

8801200060 Forwards status update of progress on violation noted in Insp Repts 50-390/87-05 & 50-391/87-05 re control of vendor documents & progress of layout/cleaness efforts. Encl discusses progress in addressing commitments to ANSI. GRIDLEY, R. Tennessee Valley Authority. 88/01/15. Document Control Branch (Document Control Desk). 3pp. 44107:173-44107:177.

8801220109 Partial response to FOIA request for documents, including Myers 870721 objection to OIC of Inspector & Auditor use of word "lirs" in briefing on TVA Forwards App L documents. Documents also available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/20. WANN, L. Times Printing Co. 2pp. 44114:048-44114:081.

8801220148 Advises that all questions in attached memo to H Denton re Insp Rept 50-390/85-57 relevant to licensing decisions affecting TVA nuclear facilities. Commission & NRC should require that bulk of questions be answered. * Affiliation Not Assigned. 86/01/28. NRC - No Detailed Affiliation Given. 1p. 44114:051-44114:051.

8801220164 Submits comments & questions re Insp Rept 50-390/85-57. Insp rept contains no summary statements indicating findings of areas of noncompliance, deviations or unresolved items. MYERS, H. Affiliation Not Assigned. 85/01/28. DENTON, J.E., KAMMERER, C. NRC - No Detailed Affiliation Given. 4pp. 44114:052-44114:085.

8801260276 Partial response to FOIA requests Forwards App A documents. Documents being placed in PDR. Only files in NRC OIC of Governmental & Public Affairs searched for documents responsive to request, per 871028 telcon. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139:280-44139:334.

8801260551 Advises that Committee on Interior & Insular Affairs has provided encl info on TVA weld issues. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/17. DIRCKS, W. OIC of the Executive Director for Operations. 23pp. 44139:346-44140:008.

R. Periodic operating reports & related correspondence

8801130288 Forwards revs to discharge monitoring reports for NPDES TN0028450, Discharge Serial 112 for Nov 1986 & Jul 1987 & NPDES TN0020168, Discharge Serial 101 for Aug & Sept 1987. BROOKS, R.H. Tennessee Valley Authority. 88/01/04. LUNN, D.E. Tennessee, State of. 1p. 44000:226-44000:233.

8801130316 Rev to NPDES discharge monitoring report for Aug 1987. BROOKS, R.H. Tennessee Valley Authority. 87/08/31. 2pp. 44000:230-44000:231.

8801130327 Rev to NPDES discharge monitoring report for Sept 1987. BROOKS, R.H. Tennessee Valley Authority. 87/09/30. 2pp. 44000:232-44000:233.

8801200079 Partial response to FOIA request for documents Forwards App D documents, App D & E documents available in PDR App F document completely withheld (ref FOIA Exemption 7). App G document partially withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 6pp. 44081:218-44081:272.

8802190673 Summarizes NRC activities involving TVA from 880203-07. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/02/12. STELLO, V. OIC of the Executive Director for Operations. 3pp. 44081:279-44081:281.

S. Reportable occurrences, LERs & related correspondence

8801040423 Deficiency report re cable bend radius deficiencies. Initially reported on 820729. UOI provides response to Questions 1 & 2 of 880815 request. Final report addressing deficiencies & all 11 questions will be submitted by 881115. GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 4pp. 43961:196-43961:199.

8801040482 Part 21 & interim deficiency report re potential failure of operator-to-valve engagement on Xomox supplied valves. Initially reported on 871204. Final report will be submitted on or about 881216. GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43963:267-43963:289.

8801060070 Part 21 & interim deficiency report re failure to consider reactor core decay heat in determining most severe time dependent accident temp profile. Initially reported on 871201. Evaluation being performed. Next report by 880830. GRIDLEY, R. Tennessee Valley Authority. 88/01/05. Document Control Branch (Document Control Desk). 3pp. 43965:286-43965:288.

8801200177 Deficiency report re safety-related HVAC duct welding. Initially reported on 870312. UOI reevaluating corrective action methodology for determining appropriate exam & testing to ensure ductwork integrity. Next report by 880416. GRIDLEY, R. Tennessee Valley Authority. 88/01/14. Document Control Branch (Document Control Desk). 2pp. 44106:179-44106:179.

8801210202 Partial response to FOIA request for documents. Forwards App K documents. Documents also available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. WANN, L. Times Printing Co. 2pp. 44092:122-44092:125.

8801210218 Forwards listing of 10CFR50.55e reports submitted by utility re plant for 880101-0418. Rept re HVAC seismic deficiencies will be forwarded upon receipt. WEISE, S.P. Region 2, OIC of the Director. 88/06/12. REHM, T.A. OIC of the Executive Director for Operations. 5pp. 44092:148-44092:152.

8801220041 Deficiency report re improper fabrication, inspection & documentation of wall-mounted instrument panels. Initially reported on 870219. Final report delayed until 880218 to allow for in-depth verification of statements made in interim reports. GRIDLEY, R. Tennessee Valley Authority. 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44159:172-44159:173.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8801040516 Requests authorization for use of ASME Boiler & Pressure Vessel Code Cases N-341 & N-356 for plants. Required justification for use encl. Concurrence on use of cases requested by 880215. GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43961:203-43961:205.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801110376 Forwards table listing Sequoyah & TVA generic allegations investigated by utility & noted in GG Zech 870729 ltr to SA White as restant issues. Table also notes submission dates for reports. GRIDLEY, R. Tennessee Valley Authority. 88/01/08. Document Control Branch (Document Control Desk). 3pp. 43969:082-43969:084.

8801250133 Summary of 871215 meeting w/TVA in Bethesda, MD re TVA program to address microbiologically induced corrosion. List of attendees & viewpoints encl. AULUCK, R. OIC of Special Projects. 88/01/11. OIC of Special Projects. 78pp. 44116:219-44116:294.

8801150084 Submits notice of reassessment re resistance temp detector bypass loop elimination & Eagle 21 electronics upgrade. List of specific outstanding items & brief status encl. GRIDLEY, R. Tennessee Valley Authority. 88/01/12. Document Control Branch (Document Control Desk). 3pp. 44062:208-44062:210.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, OIC of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870413). 8pp. 44119:169-44119:166.

8801200064 Partial response to FOIA request for documents. Forwards App I & J documents. App H & I documents available in PDR App J documents partially withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 6pp. 44081:130-44081:217.

8801200154 Forwards Congressional staff report re TVA QA program at plant. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/12/18. ZECH, ROBERTS, ASSELSTINE Commissioners. 36pp. 44081:173-44081:208.

8801200246 Final response to FOIA request for documents re plant. App B documents completely withheld (ref FOIA Exemption 7). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. CONNOR, L. Doc-Search Associates. 3pp. 44068:275-44068:278.

8801210202 Partial response to FOIA request for documents. Forwards App K documents. Documents also available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. WANN, L. Times Printing Co. 2pp. 44092:122-44092:162.

8801210212 Forwards Youngblood 880716 & 24 ltrs to SA White requesting addl info re project mgt plan for DOE weld evaluation project for plant in response to inquiry. KENT, S. NRC - No Detailed Affiliation Given. 88/07/25. MYERS, H. House of Rep., Interior & Insular Affairs. 1p. 44092:127-44092:147.

8801290328 Summary of 871123 meeting w/utility & Westinghouse in Bethesda, MD to discuss "Revised LOTIC-3 Drain-Flow Heat Transfer Models" for main steam break analysis inside containment. List of attendees & meeting handouts encl. AULUCK, R. OIC of Special Projects. 88/01/20. OIC of Special Projects. 27pp. 44160:267-44160:313.

8801270141 Final response to FOIA request for documents. Forwards App A documents & portion of App B document. App A documents placed in PDR. Portion of App B document withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, L. Doc-Search Associates. 4pp. 44155:008-44155:028.

8801270400 Discusses interviews of Region II personnel by Subcommittee on Oversight & Investigations re TVA facilities. KAMMERER, C.C. Office of Congressional Affairs (pre 870413). 85/12/13. PALLA, DINO Commissioners. 2pp. 44155:015-44155:023.

8801290285 Grants utility authorization to use ASME Code Cases N-341 & N-356 to extend certification period for Level III NDE examiners from 3 to 5 yrs, per 871229 ltr. ZECH, G.G. OIC of Special Projects. 88/01/25. WHITE, S.A. Tennessee Valley Authority. 4pp. 44177:357-44177:380.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svo list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svo list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

- 8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.
- 8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.
- 8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.
- 8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.
- 8801200079 Partial response to FOIA request for documents Forwards App D documents App D & E documents available in PDR App F document completely withheld (ref FOIA Exemption 7) App G document partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 6pp. 44081:218-44081:272.
- 8801200118 Discusses F. Combs 880110 memo addressing H. Myers inquiry as to status of Unresolved Items 390/84-07-01, 391/84-07-01, 438/84-02-01 & 439/84-02-01.
OLSHINSKI, J.A. Region 2, Ofc of the Director. 85/03/13. REHM, T.A. Region 2, Ofc of the Director. 1p. 44081:226-44081:258.
- 8801200125 Forwards documents re 850613 meeting between Region II & TVA re Nonconformance Repts WBN-CEB 85-01 & WBN-SWP 82-30 per 881031 request.
ZECH, G. Region 2, Ofc of the Director. 88/11/10. COMBS, F. Office of Congressional Affairs (pre 870413). 1p. 44081:258-44081:259.
- 8801200060 Forwards status update of progress on violation noted in Insp Repts 50-390/87-05 & 50-391/87-05 re control of vendor documents & progress of layup/cleanliness efforts. Encl discusses progress in addressing commitments to ANSI.
GRIDLEY, R. Tennessee Valley Authority. 88/01/15. Document Control Branch (Document Control Desk). 5pp. 44107:173-44107:177.
- 8801260276 Partial response to FOIA request Forwards App A documents. Documents being placed in PDR Only files in NRC Ofc of Governmental & Public Affairs searched for documents responsive to request per 871028 telcon.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139:290-44139:334.
- 8801260551 Advises that Committee on Interior & Insular Affairs has provided encl info on TVA wild issues.
KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/17. DIRCKS, W. Ofc of the Executive Director for Operations. 23pp. 44139:346-44140:008.

R. Periodic operating reports & related correspondence

- 8801130288 Forwards repts to discharge monitoring repts for NPDES TN0026450 Discharge Serial 112 for Nov 1986 & Jul 1987 & NPDES TN0020168 Discharge Serial 101 for Aug & Sept 1987.
BROOKS, R.H. Tennessee Valley Authority. 88/01/04. LUNN, D.E. Tennessee, State of. 1p. 44000:226-44000:233.
- 8801130315 Rev to NPDES discharge monitoring rept for Aug 1987.
BROOKS, R.H. Tennessee Valley Authority. 87/08/31. 2pp. 44000:230-44000:231.
- 8801130327 Rev to NPDES discharge monitoring rept for Sept 1987.
BROOKS, R.H. Tennessee Valley Authority. 87/09/30. 2pp. 44000:232-44000:233.
- 8801200079 Partial response to FOIA request for documents Forwards App D documents App D & E documents available in PDR App F document completely withheld (ref FOIA Exemption 7) App G document partially withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 6pp. 44081:218-44081:272.
- 8802190673 Summarizes NRC activities involving TVA from 880203-07.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/02/12. STELLO, V. Ofc of the Executive Director for Operations. 3pp. 44081:278-44081:281.

S. Reportable occurrences, LERs & related correspondence

- 8801040423 Deficiency rept re cable bend radius deficiencies initially reported on 820729. Utl provides response to Questions 1 & 2 of 880815 request. Final rept addressing deficiencies & all 11 questions will be submitted by 881115.
GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 4pp. 43961:196-43961:199.
- 8801040482 Part 21 & interim deficiency rept re potential failure of operator-to-valve engagement on Xomox supplied valves. Initially reported on 871204. Final rept will be submitted on or about 881216.
GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43963:267-43963:269.
- 8801080070 Part 21 & interim deficiency rept re failure to consider reactor core decay heat in determining most severe time dependent accident temp profile. Initially reported on 871201. Evaluation being performed. Next rept by 880630.
GRIDLEY, R. Tennessee Valley Authority. 88/01/05. Document Control Branch (Document Control Desk). 3pp. 43965:286-43965:288.
- 8801200177 Deficiency rept re safety-related HVAC duct welding. Initially reported on 870312. Utl reevaluating corrective action methodology for determining appropriate exam & testing to ensure ductwork integrity. Next rept by 880415.
GRIDLEY, R. Tennessee Valley Authority. 88/01/14. Document Control Branch (Document Control Desk). 2pp. 44106:178-44106:179.

8801210202 Partial response to FOIA request for documents Forwards App documents. Documents also available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/10. WANN, L. Times Printing Co. 2pp. 44092:122-44092:125.

8801210218 Forwards listing of 10CFR60.55a repts submitted by uhl re plant 880101-0418 Rept re HVAC seismic deficiencies will be forwarded upon receipt.
WEISE, S.P. Region 2, Ofc of the Director. 88/06/12. REHM, T.A. Ofc of the Executive Director for Operations. 5pp. 44092:140-44092:152.

DOCKET 60-394 CALIFORNIA STATE POLYTECH COLLEGE RESEARCH REACTOR

S. Reportable occurrences, LERs & related correspondence

8801220041 Deficiency rept re improper fabrication, insp & documentation of wall mounted instrument panels initially reported on 870219. Final rept delayed until 880218. Allow for in-depth verification of statements made in interim repts.
GRIDLEY, R. Tennessee Valley Authority. 88/01/10. Document Control Branch (Document Control Desk). 2pp. 44159:172-44159:173.

DOCKET 60-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8712230037 Forwards repts to 871014 & 1113 proposed amend to physical security & implementation schedule mods, per 871203 discussion Repts withheld 10CFR2.79D.
NAUMAN, D.A. South Carolina Electric & Gas Co. 87/12/16. HAYES, J.J. Document Control Branch (Document Control Desk). 2pp. 43922:231-43922:232.

8801050272 Requests encl amended pages deleting original wording in OL Section be substituted for 870331 submittal. Change has no effect on safety evaluation or significant hazards determination. Reviewed by plant safety & nuclear safety.
NAUMAN, D.A. South Carolina Electric & Gas Co. 87/12/21. Document Control Branch (Document Control Desk). 4pp. 43981:074-43981:077.

8801120422 Forwards description of small scale radiological emergency exercise to be conducted on 880316. Complete exercise scenario package will be provided 880129.
NAUMAN, D.A. South Carolina Electric & Gas Co. 87/12/20. STOKR, J.P. Region 2, Ofc of the Director. 3pp. 43990:167-43990:169.

8801190268 Forwards Rev 21 to radiation emergency plan & Rev 12 to Emergency Plan Procedure EPP-001.
NAUMAN, D.A. South Carolina Electric & Gas Co. 88/01/12. Document Control Branch (Document Control Desk). 2pp. 44062:294-44062:353.

8801190275 Rev 21 to "VC Summer Nuclear Station Radiation Emergency Plan."
BRADHAM, O.S. South Carolina Electric & Gas Co. 87/12/28. 16pp. 44002:310-44002:310.

8801190280 Rev 12 to Emergency Plan Procedure EPP-001, "Activation & Implementation of Emergency Plan."
COUNTS, M., BRADHAM, O.S. South Carolina Electric & Gas Co. 87/12/28. 43pp. 44062:311-44062:353.

J. Insurance & indemnity information

8801070357 Forwards endorsements, including Endorsement 7 to MAELU Certificate 75, Endorsement 7 to NELIA Certificate N-75, Endorsement 8 to MAELU Certificate 68 & Endorsement 8 to NELIA Certificate N-66.
SANNA, L.J. Marsh & McLennan, Inc. 87/12/30. DINI, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 85pp. 43938:165-43938:260.

8801120325 Forwards Endorsement 18 to NELIA Policy NF-252 & Endorsement 2 to MAELU Policy NF-108.
FARRELL, E. Marsh & McLennan, Inc. 88/01/08. DINI, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43931:137-43931:139.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of contract work, NRC Form 28 for three existing contracts, audit info, work history & of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/10. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801050272 Requests encl amended pages deleting original wording in OL Section be substituted for 870331 submittal. Change has no effect on safety evaluation or significant hazards determination. Reviewed by plant safety & nuclear safety.
NAUMAN, D.A. South Carolina Electric & Gas Co. 87/12/21. Document Control Branch (Document Control Desk). 4pp. 43961:074-43961:077.

8801050093 Application for amend to License NPF-12, revising Tech Spec Tab 3.3 "Area Temp Monitoring." To increase temp limit for item 25 re svc water pump/screen room from 102 F to 118 F. Fee paid.
NAUMAN, D.A. South Carolina Electric & Gas Co. 87/12/22. Document Control Branch (Document Control Desk). 3pp. 43980:178-43980:181.

8801050109 Proposed Tech Specs, revising Table 3.7.7, "Area Temp Monitoring." Increase temp limit for item 25 re svc water pump/screen room from 102 F to 118 F.
South Carolina Electric & Gas Co. 87/12/22. 3pp. 43980:178-43980:181.

8801060406 Forwards Amend 6 to facility nuclear training & qualification plan & update index per 10CFR50.54(g), W/o encls.
NAUMAN, D.A. South Carolina Electric & Gas Co. 87/12/23. Document Control Branch (Document Control Desk). 1p. 43916:273-43916:273.

8801130213 Advises that changes to Emergency Operating Procedure (EOP)-2.4, "Total Loss of RHR Sys." will be completed by 870131. Restoration of refueling containment integrity on total loss of RHR required.
NAUMAN,D.A. South Carolina Electric & Gas Co. 87/12/23. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 44000-215-44000-215.

8801070205 Notification of 880108 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda,MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAMMELL,C.M. Project Directorate V. 87/12/30. KNIGHTON,G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801120231 Application for amend to License NPF-12, revising Tech Spec Section 6.0 to reflect organizational changes approved in 871221 telcon. Fee paid.
NAUMAN,D.A. South Carolina Electric & Gas Co. 87/12/31. Document Control Branch (Document Control Desk). 3pp. 43988-001-43988-010.

-8801120235 Proposed Tech Spec Section 6.0, "Administrative Controls," reflecting previously discussed & approved organizational changes.
* South Carolina Electric & Gas Co. 87/12/31. 7pp. 43988-004-43988-010.

8801140024 Application for amend to License NPF-12, revising 871231 proposed rev to Tech Spec Section 6.0, reflecting organizational changes previously approved on 871221. Reorganization will be functionally effective on 880125.
NAUMAN,D.A. South Carolina Electric & Gas Co. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 44009:327-44009:336.

-8801140029 Proposed Tech Specs, revising Section 6.0 to reflect organizational changes to be functionally effective on 880125.
* South Carolina Electric & Gas Co. 88/01/06. 7pp. 44009:330-44009:338.

8801140093 Corrects record re info previously provided in 870522 ltr re post-accident uncertainties associated w/core exit thermocouple sys supplied by C-E-NRC should disregard inclusion of plant in previous info package.
SCHEFFER,A.E. Combustion Engineering, Inc. 88/01/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44038:328-44038:330.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801240387 Responds to 851119 ltr re 850812 trip rpt on observations made during incident followup of 850221 high startup rate & subsequent power range trip. Accredited team observation visit protocol for use by NRC oncl.
CANTON,H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/01/17. DIXON,Q.W. South Carolina Electric & Gas Co. 18pp. 44118:248-44118:266.

8801200022 Advises that unit plans to rel Westinghouse PHOENIX-P computer code in support of Cycle 5 reload design. Cycle 4 shutdown planned to commence during Oct 1988.
NAUMAN,D.A. South Carolina Electric & Gas Co. 88/01/14. Document Control Branch (Document Control Desk). 2pp. 44106:176-44106:177.

O. Inspection reports, IE Bulletins & correspondence

8712160389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8801040207 Forwards app to SALP Rept 50-395/87-23 Incorporating changes for errata for final approved version based on 871021 meeting & util 871120 written comments.
GRACE,J.N. Region 2, Ofc of the Director. 87/12/24. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43963:014-43963:032.

-8801040214 App to SALP Rept 50-395/87-23.
* Region 2, Ofc of the Director. 87/10/09. 15pp. 43963:016-43963:032.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801120017 Reaffirms equipment qualification Insp Rept 50-395/88-01 on 880111-15 Insp team roster encl.
HERDT,A.R. Region 2, Ofc of the Director. 87/12/29. NAUMAN,D.A. South Carolina Electric & Gas Co. 4pp. 44044:082-44044:095.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985:258-43985:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:266.

880110253 Forwards detailed flow chart/schedule outlining ongoing equipment qualification enhancement program per 871223 telcon. Util will provide update on program status at 880111 audit entrance meeting. Environ qualification Insp data set.
NAUMAN,D.A. South Carolina Electric & Gas Co. 87/12/31. GRACE,J.N. Region 2, Ofc of the Director. 7pp. 43971:100-43971:106.

8801120412 Forwards Insp Rept 50-395/87-32 on 871118-20. No violations or deviations noted.
JULIAN,G.A. Region 2, Ofc of the Director. 88/01/05. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 43990:107-43990:130.

-8801130058 Insp Rept 50-395/87-32 on 871118-20. No violations or deviations noted. Major areas inspected licensed & nonlicensed staff training.
STADLER,S.D. SHYMLOCK,M. Region 2, Ofc of the Director. 87/12/31. 22pp. 43990:109-43990:130.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morill Drives." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801190358 Ack receipt of 871210 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-395/87-30.
HERDT,A.R. Region 2, Ofc of the Director. 88/01/11. NAUMAN,D.A. South Carolina Electric & Gas Co. 1p. 44045:004-44045:004.

8801200103 Ack receipt of 871221 ltr informing NRC of steps taken to correct violation noted in Insp Rept 50-395/87-31.
CLINE,W.E. Region 2, Ofc of the Director. 88/01/14. NAUMAN,D.A. South Carolina Electric & Gas Co. 1p. 44106:207-44106:207.

R. Periodic operating reports & related correspondence

8801190130 Monthly operating rpt for Dec 1987. W/880113 ltr.
HALTIWANGER,J., NAUMAN,D.A. South Carolina Electric & Gas Co. 87/12/31. BARRY,L.W. Document Control Branch (Document Control Desk). 6pp. 44061:215-44061:219.

S. Reportable occurrences, LERs & related correspondence

8801060033 LER 87-026-00 on 871103, weekly fire svc diesel battery test exceeded grace period allowed by Tech Spec Section 4.0.2. Caused by personnel error. Test performed & event discussed during maint weekly safety meeting. W/871201 ltr.
HIGGINS,W.R., NAUMAN,D.A. South Carolina Electric & Gas Co. 87/12/01. 4pp. 43979:247-43979:250.

8801270077 LER 87-030-00 on 871229, fire watch not established for partially open fire door. Caused by personnel error. Auxiliary operator involved attended 880108 mgt review board meeting re incident & will brief each shift. W/880121 ltr.
HIGGINS,W.R., NAUMAN,D.A. South Carolina Electric & Gas Co. 88/01/21. 5pp. 44141:041-44141:045.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY,K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801260509 Trip rpt of visit to INPO accreditation board 850924-26 meetings. Board process & plant visits well conceived & executed. NRC participation in all accreditation board meetings unnecessary.
BOCHER,H.R. Licensee Qualifications Branch. 85/10/17. RUSSELL,W.T. Division of Human Factors Safety (800428-851124). 3pp. 44118:197-44118:199.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET 60-396 UNIV. OF VIRGINIA CAVALIER REACTOR

P. Operating license stage documents & correspondence

8801130374 Forwards dismantling plan & application for possession only license.
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 88/01/05. Document Control Branch (Document Control Desk). 1p. 44003:282-44004:017.

-8801130378 Application for amend to License R-123 for possession only license & dismantling plan.
* Virginia, Univ. of, Charlottesville, VA. 87/11/30. 41pp. 44003:283-44003:333.

-8801130383 Proposed Tech Specs for Univ of Virginia Cavalier reactor for possession only license.
* Virginia, Univ. of, Charlottesville, VA. 85/05/31. 41pp. 44003:334-44004:017.

DOCKET 60-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

8801280281 Discusses 871002 response to 870820 ltr re util preferred course of action for precluding spurious opening of high-low interface Valves RHR-V 8 & RHR-V-9 in event of control room fire. No submittal on subj received to date.
KNIGHTON,G.W. Project Directorate V. 87/12/23. SORESENSEN,G.C. Washington Public Power Supply System. 3pp. 44140:010-44140:012.

8801060215 Revised emergency plan implementing procedures, including Rev 3 to 13.2.2, "Transportation Accidents," Rev 3 to 13.2.5, "Bomb Threats," Rev 3 to 13.2.6, "Civil Disturbance" & Rev 3 to 13.3.1, "Earthquakes."
BAKER,J.W. Washington Public Power Supply System. 87/12/30. 13pp. 43917:133-43917:145.

ington Nuclear Plant-2 Fire Protection Reevaluation." Responses to NRC questions re review of Amend 37 to FSAR will be submitted in mid-Jan 1988.
SORENSEN,G.C. Washington Public Power Supply System. 88/01/08. MARTIN,J.B. Region 5, Ofc of the Director. 3pp. 44141:062-44141:084.

8801130304 Responds to inconsistencies noted in introduction to SER forwarded by GW Knighton 871111 ltr. SER addressed fire protection & safe shutdown capability per Amend 37 to FSAR.
SORENSEN,G.C. Washington Public Power Supply System. 88/01/11. Document Control Branch (Document Control Desk). 15pp. 44002:202-44002:216.

8801190175 Notification of 880119 meeting w/utl in Bethesda,MD to discuss fire protection plan & utl responses to NRC comments on plan.
SAMWORTH,R. Project Directorate V. 88/01/13. KNIGHTON,G.W. Project Directorate V. 3pp. 44056:005-44056:007.

I. Financial information

8801120270 "WPPSS, 1987 Annual Rept." W/880108 ltr.
HALVORSON,C.M., MAZUR,D.W., SORENSEN,G.C. Washington Public Power Supply System. 87/12/31. 38pp. 43867:001-43867:040.

J. Insurance & indemnity information

8801270133 Forwards Endorsements 29 & 8 to NELIA Policies NF-270 & N-91, respectively & Endorsements 20 & 8 to MAELU Policies MF-110 & M-9, respectively.
ASHBURN,D.J. Marsh & McLennan, Inc. 88/01/11. DINITZ,I. NRC - No Delayed Affiliation Given. 5pp. 44186:004-44186:008.

P. Operating license stage documents & correspondence

8801070148 Informs of plans to fund plant-specific study of sampling sys in Spring 1988 to evaluate position on iodine plate out.
SORENSEN,G.C. Washington Public Power Supply System. 87/12/14. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43999:325-43999:326.

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS,R.A. Resource Technical Services, Inc. NRC-28-87-417. 87/12/18. JOHNSON,E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801040534 Summarizes utl concerns re accuracy of HVAC flow data that will become part of NUREG/CR on control room habitability.
SORENSEN,G.C. Washington Public Power Supply System. 87/12/23. Document Control Branch (Document Control Desk). 5pp. 43961:208-43961:210.

8801130208 Application for amend to License NPF-21 to implement requirements of Rev 2 to Reg Guide 1.97 for flux monitoring prior to startup following fourth refueling outage. Fee paid.
SORENSEN,G.C. Washington Public Power Supply System. 87/12/23. Document Control Branch (Document Control Desk). 9pp. 44000:192-44000:200.

8801040296 Forwards Amend 49 to License NPF-21 & safety evaluation, per 880827, 1106 & 880917 ltrs. Amend revises Tech Spec 6.4.1 & organization charts in Figures 6.2.2a & 6.2.2b to reflect organizational & administrative changes.
SAMWORTH,R.B. Project Directorate V. 87/12/24. SORENSEN,G.C. Washington Public Power Supply System. 2pp. 43895:311-43895:321.

-8801040301 Amend 49 to License NPF-21, revising Tech Spec 6.4.1 & Figures 6.2.2-1a & 6.2.2-1b to reflect organizational & administrative changes.
KNIGHTON,G.W. Project Directorate V. 87/12/24. 6pp. 43895:313-43895:318.

-8801040509 Safety evaluation supporting Amend 49 to License NPF-21.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/24. 3pp. 43895:319-43895:321.

8801040526 Final response to FOIA request for documents. Forwards App A documents. App A documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 87/12/29. CONNOR,L. Doc-Search Associates. 2pp. 43896:031-43896:045.

-8801040541 Amend 4 to utl application for CP, consisting of process data for new low temp recombiner charcoal adsorber sys for processing main condenser offgas, per AEG 720120 Questions 9 & 10.
STEIN,J.J. Washington Public Power Supply System. 72/03/10. MORRIS,P.A. Atomic Energy Commission. 12pp. 43896:034-43896:045.

8801120344 Requests removal of notes added to Pages 3/4 3-71 & 3/4 3-74 in Amend 47 to License NPF-21. During outage, begun on 871206, utl repaired acoustical monitor. Changes granted on emergency basis by amend no longer necessary.
SORENSEN,G.C. Washington Public Power Supply System. 88/01/04. Document Control Branch (Document Control Desk). 2pp. 43966:356-43966:357.

8801130212 Application for amend to License NPF-21, annotating encl Table 3.3.2-1 to reflect transfer of RHR V-8 to alternative remote shutdown panel during normal operation & clarifying Action a 2 on encl Table 3.6.3-1. Fee paid.
SORENSEN,G.C. Washington Public Power Supply System. 88/01/05. Document Control Branch (Document Control Desk). 5pp. 44000:201-44000:214.

-8801130217 Proposed Tech Specs transferring control of RHR V-8 to alternative remote shutdown panel during normal operation & clarifying that Action a 2 not applicable to RHR V-8.
* Washington Public Power Supply System. 88/01/05. 9pp. 44000:206-44000:214.

8801130317 Reiterates fundamental design philosophy of SPDS in response to NRC 871003 ltr. Design philosophy has been foundation for compliance to NUREG-0737, Suppl 1 for SPDS. Graphic display sys not same as SPDS & never intended to be.
SORENSEN,G.C. Washington Public Power Supply System. 88/01/07. Document Control Branch (Document Control Desk). 5pp. 44000:115-44000:119.

range neutron monitoring sys. Continuous monitoring & qualification assistance to ensure Gamma Metrics diligently pursues qualification of equipment.
SORENSEN,G.C. Washington Public Power Supply System. 88/01/15. Document Control Branch (Document Control Desk). 2pp. 44130:188-44130:189.

8801270570 Informs that during 880111 meeting, State of WA Energy Facility Site Evaluation Council reviewed & adopted motions indicating that Council has no comment re 880321 & 870901 requests to amend License NPF-21.
ESCHEL,G. Washington, State of. 88/01/20. KNIGHTON,G.W. Project Directorate V. 44145:087-44145:087.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Information Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8801130093 Informs that detailed discussion of corrective actions re violations noted in Insp Rept 50-397/87-19 will be submitted by 880205.
SORENSEN,G.C. Washington Public Power Supply System. 87/12/22. MARTIN,J.B. Region 5, Ofc of the Director. 1p. 44030:350-44030:350.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWR Reactors." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Inspection Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801070333 Responds to NRC 871204 ltr re violations noted in Insp Rept 50-397/87-19. Corrective actions: overtime control directive rev & other plant procedures rev planned. Full compliance expected by 880229.
SORENSEN,G.C. Washington Public Power Supply System. 87/12/31. Document Control Branch (Document Control Desk). 5pp. 43991:178-43991:182.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs at Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/05. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801150042 Submits results of fastener testing program per NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance w/ Applicable Matt Specs." Substantial problems found re use of fasteners at facility.
SORENSEN,G.C. Washington Public Power Supply System. 88/01/11. Document Control Branch (Document Control Desk). 102pp. 44041:328-44042:069.

8801270118 Requests extension of response time to 880120 for violations noted in Insp Rept 50-397/86-12, per 880115 telcon.
SORENSEN,G.C. Washington Public Power Supply System. 88/01/16. Document Control Branch (Document Control Desk). 1p. 44141:252-44141:252.

8801270293 Responds to NRC 871216 ltr re violations noted in Insp Rept 50-397/86-12. Corrective actions: utl received Rockbestos similarity evaluation which established test of KXL-760 mail formulation qualifies KXL-780 mail.
SORENSEN,G.C. Washington Public Power Supply System. 88/01/20. Document Control Branch (Document Control Desk). 5pp. 44168:350-44168:354.

R. Periodic operating reports & related correspondence

8801040529 Monthly operating rept for Nov 1987 W/871208 ltr.
HUTCHISON,L., POWERS,C.M. Washington Public Power Supply System. 87/12/29. 4pp. 43962:182-43962:185.

S. Reportable occurrences, LERs & related correspondence

8712300103 Forwards LER 87-031, per 10CFR50.73, W/o encl.
POWERS,C.M. Washington Public Power Supply System. 87/12/21. Document Control Branch (Document Control Desk). 1p. 43923:304-43923:304.

8712300103 Forwards LER 87-031, per 10CFR50.73.
POWERS,C.M. Washington Public Power Supply System. 87/12/21. Document Control Branch (Document Control Desk). 2pp. 43966:018-43966:023.

-8801110218 LER 87-031-00, on 871118, condition prohibited by Tech Specs not followed when performing weekly Tech Spec surveillance for plant batteries. Cause: lack of mental attention & poor work practice. Individual counseled.
DAVISON,W.S. Washington Public Power Supply System. 87/12/18. 4pp. 43966:023.

8801200326 LER 87-033-00, on 871218, plant Tech Spec Sections 4.0.5 re ASME in-service testing requirements & 3.8.3 concerning containment valve operability. Caused by personnel error. No corrective action. W/880115 ltr.
WASHINGTON,S.L., POWERS,C.M. Washington Public Power Supply System. 88/01/15. 5pp. 44135:038-44135:040.

8801220161 LER 87-032-00 on 871216, RCIC trip sys inoperability discovered. Caused by incorrect instrument setpoint calculation Surveillance procedure for channel calibr of RCIC high exhaust pressure switches corrected. W/880115 ltr.
DAVISON, W.S., POWERS, C.M. Washington Public Power Supply System. 88/01/15. 5pp. 44159.176-44159.180.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.

GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

-8807090559 Discusses attendance at 860528 & 29 INPO Accreditation Board meetings. Board attendees listed & major facility-specific issues & utl responses discussed. Evaluation method appears effective overall. NRC involvement should be maintained.

BOGER, B.A. Operator Licensing Branch. 88/06/20. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44118-358-44119-010.

-8704080295 Forwards final rept re post-accreditation audit of training programs at plant conducted in Mar 1987. Nonlicensed & licensed operator training programs developed from task analysis identified skills & for learning objectives.

RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 87/04/06. STRAHM, K. Institute of Nuclear Power Operations. 18pp. 44118-136-44119-153.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118-159-44119-166.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8801040441 Revised plant emergency procedures, including Rev 6 to PEP-102, "Site Emergency Coordinator - Control Room," Rev 3 to PEP-203 "Logistics Support Director" & Rev 4 Change 1 to PEP-301, "Notification of Non-CP&L..." W/871223 ltr.
WILLIS, L.J., WATSON, R.A. Carolina Power & Light Co. 87/12/23. 43pp. 43982-233-43982-275.

880110481 Forwards Insp Rept 50-400/87-42 on 871130-1214. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/30. UTLEY, E.E. Carolina Power & Light Co. 2pp. 43986-212-43986-214.

-880110498 Partially withheld Security Insp Rept 50-400/87-42 on 871130-1204 (rel 10CFR2.790 & 73.21). No violations noted. Major areas inspected: security program audit, protected & vital areas of barriers & compensatory measures.
MASNYK, O., MACGUIRE, D.R. Region 2, Ofc of the Director. 87/12/29. 1p. 43986-214-43986-214.

8801270023 Revised emergency procedures, including Rev 4, Change 1 to PEP-223, "Radiological Control Manager," Rev 3 to PEP-351, "Emergency Plant Environ Monitoring" & Rev 3 to PEP-381, "Evacuation." W/880110 ltr.
WATSON, R.A. Carolina Power & Light Co. 88/01/10. 37pp. 44142-171-44142-207.

P. Operating license stage documents & correspondence

8801200090 Forwards Info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43989-230-43989-300.

8801050116 Suppls 870812 application for amend to License NPF-63, deleting organization charts from Tech Specs, per NRC request. Separate amend request will be sent, revising requirement that operation manager maintain reactor license.
EURY, L.W. Carolina Power & Light Co. 87/12/30. Document Control Branch (Document Control Desk). 2pp. 43903-240-43903-256.

-8801050144 Proposed Tech Specs, including Tech Spec 6.2.1 Initially deleted in 870812 request & expanding Tech Spec 6.2.2 to specify required operator licenses for manager - operations & operations supervisor.
Carolina Power & Light Co. 87/12/30. 6pp. 43903-251-43903-258.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

8801100533 Application for amend to License NPF-63, revising requirement in Tech Spec 6.2 that operations manager hold senior reactor operator license. Significant hazards analysis encl. Fee paid.
EURY, L.W. Carolina Power & Light Co. 88/01/04. Document Control Branch (Document Control Desk). 4pp. 43986-049-43986-052.

8801140141 Informs that basis provided for cold shutdown testing of RCS vent valves reviewed & found acceptable, per util 871030 submittal of suppl to Rev 3 to inservice testing program. Relief request approval not required.
BUCKLEY, B. Project Directorate II-1. 88/01/06. UTLEY, E.E. Carolina Power & Light Co. 3pp. 44033-036-44033-038.

8801200120 Forwards response to plant-specific requirements of ATWS mitigating sys actuation circuitry SER. Requests NRC review design & provide initial feedback to acceptability by 880215 to minimize design rework & implementation schedule.
ZIMMERMAN, S.R. Carolina Power & Light Co. 88/01/11. Document Control Branch (Document Control Desk). 59pp. 44061-012-44061-070.

O. Inspection reports, IE Bulletins & correspondence

8712180369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc ltr encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc ltr encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058-008-44058-127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc ltr encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.

880110481 Forwards Insp Rept 50-400/87-42 on 871130-1214. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/30. UTLEY, E.E. Carolina Power & Light Co. 2pp. 43986-212-43986-214.

-880110498 Partially withheld Security Insp Rept 50-400/87-42 on 871130-1204 (rel 10CFR2.790 & 73.21). No violations noted. Major areas inspected: security program audit, protected & vital areas of barriers & compensatory measures.
MASNYK, O., MACGUIRE, D.R. Region 2, Ofc of the Director. 87/12/29. 1p. 43986-214-43986-214.

8712290165 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc ltr encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43996-016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc ltr encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc ltr encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

8801250520 Forwards Insp Rept 50-400/87-38 on 871019-23 & 1102-06 & notice of violation.
JULIAN, C.A. Region 2, Ofc of the Director. 88/01/16. UTLEY, E.E. Carolina Power & Light Co. 2pp. 44159-041-44159-063.

-8801250536 Notice of violation from Insp on 871019-23 & 1102-06. Violations noted: design inputs for design change packages not formally identified & procedure changes accomplished w/o approval during RCS isolation valve test on 870721.
JULIAN, C.A. Region 2, Ofc of the Director. 88/01/16. 3pp. 44159-043-44159-045.

-8801250551 Insp Rept 50-400/87-38 on 871019-24 & 1102-06. Violations noted: Major areas inspected: quality verification in areas of main design control, operations, electrical, instrument & control & QA/QC.
MEILEN, L.S., SHANNON, M., WRIGHT, W. Region 2, Ofc of the Director. 87/12/17. 18pp. 44159-046-44159-063.

8801250454 Discusses Insp Rept 50-400/87-34 on 870820-0024 & forwards notice of violation.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/10. UTLEY, E.E. Carolina Power & Light Co. 2pp. 44158-305-44158-308.

-8801250479 Notice of violation from Insp on 870820-0024. Violation noted: failure to comply w/action requirements of Tech Spec 3.6.3 in that Valve 1BD-11 not repaired, penetration not isolated & unit not brought to cold shutdown.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/10. 2pp. 44158-307-44158-308.

R. Periodic operating reports & related correspondence

8801190060 Monthly operating rpt for Dec 1987. W/880112 ltr.
HALE, M.W., WATSON, R.A. Carolina Power & Light Co. 87/12/31. 8pp. 44063-052-44063-060.

S. Reportable occurrences, LERs & related correspondence

8712290008 LER 87-065-00 on 871124, first stage turbine pressure setpoints for P-13 permissive incorrectly set. Caused by personnel error. Plant change request initiated to change controlled setpoints W/undated ltr.
SCHWABENBAUER, WATSON, R.A. Carolina Power & Light Co. 87/12/23. 5pp. 43893-019-43893-023.

8801130337 Special rept on 871102, vent stack 5A wide range gas radiation monitor inoperable. Caused by potential loss of sample flow due to calibr of transmitter & isotonic sampling skid. Mass flow meter replaced.
WATSON, R.A. Carolina Power & Light Co. 88/01/04. Document Control Branch (Document Control Desk). 4pp. 44039-176-44039-179.

8801130341 Special rept on 871212, waste processing bldg vent Stack 5 wide range gas monitor declared inoperable in excess of 7 days. Caused by defective photo-multiplier tube on low range channel. Tube replaced.
WATSON, R.A. Carolina Power & Light Co. 88/01/04. Document Control Branch (Document Control Desk). 3pp. 44039-102-44039-104.

8801130154 LER 87-066-00 on 871204, frequency requirement for containment ventilation isolation circuitry actuation logic test not fulfilled. Caused by personnel error. Procedure & task sheet for monthly tests generated. W/880104 ltr.
JOHNSON, J.R., WATSON, R.A. Carolina Power & Light Co. 88/01/10. 5pp. 44029-320-44029-324.

8801200123 LER 87-065-01 on 871124, P-13 channel declared inoperable due to incorrect first stage turbine pressure setpoints for P-13 permissive. Caused by personnel error. Applicable compensatory action & plant change request initiated. W/880114 ltr. SCHWABENBAUER, WATSON, R.A. Carolina Power & Light Co. 88/01/14. 5pp. 44108.189-44108.193.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.

GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

8801200136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, O/c of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.168.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

F. Security, medical, emergency & fire protection plans

8801060483 Forwards Safety Insp Rept 50-409/87-15 on 871017-1205. No violations noted. GULDEMOND, W.G. Region 3, O/c of the Director. 87/12/23. TAYLOR, J.W. Dairyland Power Cooperative. 2pp. 44008.097-44008.107.

8801060493 Insp Rept 50-409/87-15 on 871017-1205. No violations or significant safety issues noted. Major areas inspected: actions on previous insp findings, including operational safety verification, fire protection & LER followup. JACKIWI, N. Region 3, O/c of the Director. 87/12/23. 9pp. 44008.099-44008.107.

8801150011 Forwards Amend 58 to License DPR-45, safety evaluation & environ assessment & finding of no significant impact. Amend revises Tech Specs to show possession-only status & grants exemption from 10CFR50, App R re fire brigade requirements. CRUTCHFIELD, D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 88/01/04. TAYLOR, J.W. Dairyland Power Cooperative. 3pp. 44038.008-44038.028.

8801150017 Amend 58 to License DPR-45, revising Tech Specs to show possession-only status, to reduce fire brigade from five to three members & to reassign training responsibilities for fire brigade. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 88/01/04. 10pp. 44038.011-44038.020.

8801150019 Safety evaluation supporting Amend 58 to License DPR-45. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/04. 6pp. 44038.021-44038.026.

8801150024 Environ assessment & finding of no significant impact re exemption from requirements of 10CFR50, App R, Section III.H concerning size of fire brigade. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 87/12/21. 2pp. 44038.027-44038.028.

P. Operating license stage documents & correspondence

8801060200 Forwards Rev 5 to facility QA program description. Analyses show that no postulated accident would result in release exceeding 10CFR100 limits in present plant condition. TAYLOR, J.W. Dairyland Power Cooperative. 87/12/21. Document Control Branch (Document Control Desk). 7pp. 43960.183-43960.211.

8801060211 Rev 5 to "QA Program Description." TAYLOR, J.W. Dairyland Power Cooperative. 87/10/29. 4pp. 43960.180-43960.231.

8801150072 Forwards decommissioning plan & suppl to environ repl for facility post-operating license stage, for review. Proposed Tech Specs for SAFSTOR period will be submitted separately. Fee paid. TAYLOR, J.W. Dairyland Power Cooperative. 87/12/21. Document Control Branch (Document Control Desk). 2pp. 44034.164-44035.004.

8801150078 Suppl to "Environ Repl for LACBWR Post-Operating License Stage SAFSTOR." Dairyland Power Cooperative. 87/12/31. 38pp. 44034.166-44034.203.

8801150113 "Decommissioning Plan." Dairyland Power Cooperative. 87/12/31. 161pp. 44034.204-44035.004.

8801140204 Requests FR publication of notice of issuance of Amend 58 to License DPR-45, revising Tech Specs to reduce required size of fire brigade from five persons to three & reflect organization changes. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 88/01/04. NRC - No Detailed Affiliation Given. 3pp. 44033.092-44033.094.

8801150011 Forwards Amend 58 to License DPR-45, safety evaluation & environ assessment & finding of no significant impact. Amend revises Tech Specs to show possession-only status & grants exemption from 10CFR50, App R re fire brigade requirements. CRUTCHFIELD, D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 88/01/04. TAYLOR, J.W. Dairyland Power Cooperative. 3pp. 44038.008-44038.028.

8801150017 Amend 58 to License DPR-45, revising Tech Specs to show possession-only status, to reduce fire brigade from five to three members & to reassign training responsibilities for fire brigade. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 88/01/04. 10pp. 44038.011-44038.020.

8801150019 Safety evaluation supporting Amend 58 to License DPR-45. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/04. 6pp. 44038.021-44038.026.

8801150024 Environ assessment & finding of no significant impact re exemption from requirements of 10CFR50, App R, Section III.H concerning size of fire brigade. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 87/12/21. 2pp. 44038.027-44038.028.

8801130336 Requests add info re 871112 application for amend to License DPR-45, adding shift crew requirements. Spec should be proposed to require individual qualified in radiation protection on site when potential for release exists. ERICKSON, P.B. Standardization & Non-Power Reactor Project Directorate. 88/01/15. TAYLOR, J.W. Dairyland Power Cooperative. 2pp. 44008.117-44008.118.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8801060483 Forwards Safety Insp Rept 50-409/87-15 on 871017-1205. No violations noted. GULDEMOND, W.G. Region 3, O/c of the Director. 87/12/23. TAYLOR, J.W. Dairyland Power Cooperative. 2pp. 44008.097-44008.107.

8801060493 Insp Rept 50-409/87-15 on 871017-1205. No violations or significant safety issues noted. Major areas inspected: actions on previous insp findings, including operational safety verification, fire protection & LER followup. JACKIWI, N. Region 3, O/c of the Director. 87/12/23. 9pp. 44008.099-44008.107.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.268-43995.018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801200215 Notices of cancellation of SALP 7 for assessment period 860701-871031, due to permanent plant shutdown on 870430. DAVIS, A.B. Region 3, O/c of the Director. 88/01/08. TAYLOR, J.W. Dairyland Power Cooperative. 1p. 44052.139-44052.139.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.183.

V. Operator Examinations

8801060483 Forwards Safety Insp Rept 50-409/87-15 on 871017-1205. No violations noted. GULDEMOND, W.G. Region 3, O/c of the Director. 87/12/23. TAYLOR, J.W. Dairyland Power Cooperative. 2pp. 44008.097-44008.107.

8801060493 Insp Rept 50-409/87-15 on 871017-1205. No violations or significant safety issues noted. Major areas inspected: actions on previous insp findings, including operational safety verification, fire protection & LER followup. JACKIWI, N. Region 3, O/c of the Director. 87/12/23. 9pp. 44008.099-44008.107.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.

GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

8703280578 Trip repl of attendance at 870226-28 Natl Nuclear Accrediting Board meeting in Atlanta, GA re unit training programs. Meeting agenda encl. BOGER, B.A. Division of Human Factors Technology (851125-870411). 87/03/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 8pp. 44119.120-44119.128.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, O/c of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

880110459 Forwards Rev 4 to security & safeguards contingency plan. Encl withheld. CARSON, K.A. Niagara Mohawk Power Corp. 88/01/04. DENTON, H.R. NRC - No Detailed Affiliation Given. 2pp. 43986.223-43986.224.

8801150261 Rev 10 to Emergency Plan Implementing Procedure EPP-6, "In-Plant Emergency Surveys." W/880111 ltr. MANGAN, C.V. Niagara Mohawk Power Corp. 88/01/11. 14pp. 44033.347-44033.360.

8801280012 Forwards changes to plant security training & qualification plan per 10CFR 50.54(p) Changes discussed w/ W. Martin Encl withheld (ref 10CFR 2.790 & 73.21). BERATTA, J.P. Niagara Mohawk Power Corp. 88/01/22. MURLEY, T.E. NRC - No Detailed Affiliation Given. 1p. 44157:129-44157:129.

H. General correspondence

8801260357 Responds to 871207 ltr to J. Bradburne re 871029 ltrs from constituents, B. Sienski & L. Munger, concerning handling of nuclear waste. No nuclear waste shipped to facility Papers dealing w/ handling of nuclear waste encl. STELLOV, O. Ofc of the Executive Director for Operations. 88/01/19. HORTON, F. House of Rep. 8pp. 44139:012-44139:019.

J. Insurance & indemnity information

8801070437 Forwards Endorsements 8,3 & 87 to MAELU Policies M-12,M-105, & MF-46, respectively & Endorsements 8,3 & 104 to NELIA Policies N-12,N-105 & NF-181, respectively. GOLDEN, M.P. Marsh & McLennan, Inc. 87/12/28. DINIZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 43991:168-43991:174.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26 87-417. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801140135 Summary of 871117 meeting w/ util re licensing issues. List of meeting attendees & meeting agenda encl. Besides encl agenda items, subj of maintaining negative pressure in secondary containment also discussed. HAUGHEY, M.F. BENEDICT, R.A. Project Directorate I-1. 88/01/04. Project Directorate I-1. 10pp. 44033:026-44033:035.

8801200378 Forwards application for renewal of SPDES Permit D001015, for Niagara Mohawk Power Corp. MANGAN, C.V. Niagara Mohawk Power Corp. 88/01/11. Document Control Branch (Document Control Desk). 94pp. 44107:020-44107:113.

8801190064 Notification of 880120 meeting w/ util & Westinghouse in Bethesda, MD to discuss Westinghouse fuel for plant. HAUGHEY, M.F. Project Directorate I-1. 88/01/12. CAPRA, R.A. Project Directorate I-1. 2pp. 44053:273-44053:274.

8801200225 Forwards responses to NRC questions during 871207 meeting re plant downcomer reanalysis submitted on 870515. Completes responses to all outstanding NRC questions re downcomer reanalysis. MANGAN, C.V. Niagara Mohawk Power Corp. 88/01/12. Document Control Branch (Document Control Desk). 8pp. 44052:116-44052:123.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bessong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

880120066 Forwards Denton 850814 memo re NRC approach to evaluate effectiveness of INPO accreditation program on improved training in nuclear power industry. W/O encl. PERSENSKY, J.J. Licensee Qualifications Branch. 85/08/23. COAKLEY, W. Institute of Nuclear Power Operations. 1p. 44118:196-44118:198.

8801220148 Forwards Rev 3 to NMPC-QATR-1, "QA Program Topical Rept for Nine Mile Point Nuclear Station Operations." Revs include corporate reporting, responsibility changes & general descriptions of responsibilities for organizations. PERRY, J.A. Niagara Mohawk Power Corp. 88/01/15. Document Control Branch (Document Control Desk). 5pp. 44098:308-44098:018.

8801220188 Rev 3 to "QA Program Topical Rept for Nine Mile Point Nuclear Station Operations." PERRY, J.A. Niagara Mohawk Power Corp. NMPC-QATR-1 R03. 88/01/12. 70pp. 44098:311-44098:018.

8801260297 Forwards summary of 871203 & 04 meetings w/ util, INEL, Gilbert/ Commonwealth & Nuclear Energy Sys at plant site re inservice testing program for pumps & valves. General questions & comments on open items also encl. W/O summary. HAUGHEY, M.F. Project Directorate I-1. 88/01/15. MANGAN, C.V. Niagara Mohawk Power Corp. 35pp. 44138:260-44138:294.

8801260325 Summary of 871203 & 04 meetings w/ NRC, INEL, util, Gilbert/ Commonwealth & Nuclear Energy Sys re inservice testing program for facility. List of attendees, agenda & related documentation encl. HAUGHEY, M.F. Project Directorate I-1. 88/01/15. Project Directorate I-1. 52pp. 44138:303-44138:364.

8801270213 Requests permission to use ASME Code Case N-415 in inservice testing program. Code case will be used for testing relief valves, safety valves & rupture discs in pump & valve testing program. MANGAN, C.V. Niagara Mohawk Power Corp. 88/01/18. Document Control Branch (Document Control Desk). 1p. 44168:008-44168:008.

8801210194 Partial response to FOIA request. App G documents already available in PDR. App H documents, re INPO accreditation training, encl & available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095:001-44095:022.

8801240318 Summary of attendance at INPO Accreditation Board 881119 & 20 meetings in Atlanta, GA re training programs. Agenda encl. ZERBE, J.E. Regional Operations & Generic Requirements, EDO (Pre 870413). 88/11/24. SNEIZEK, J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 4pp. 44095:077-44095:080.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290165 NRC Info Notice 87-068, "Inappropriate Application of Commercial Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801140004 Revised response to violations noted in Insp Rept 50-410/87-22. Instruction sheet re restoration of power to post-accident sampling sys sample valves & elevator will not be incorporated in procedure. Power supply to be modified. MANGAN, C.V. Niagara Mohawk Power Corp. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 44043:293-44043:294.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801200224 Discusses investigation Rept 1-85-020 re adequacy of quality first program investigation of circumstances associated w/ installation of certain neutron monitoring sys cables at facility in May 1985. Synopsis encl. KANE, W.F. Region 1, Ofc of the Director. 88/01/11. DONLON, W. Niagara Mohawk Power Corp. 8pp. 44086:146-44086:163.

8801210101 Forwards Insp Repts 50-220/87-24 & 50-410/87-42 on 871031-1210. Enforcement action on licensee limiting safety sys setpoint violation & compliance w/ June 1983 conformity order re steam discharge vol design & testing unresolved. WENZINGER, E.C. Region 1, Ofc of the Director. 88/01/14. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 44086:326-44086:349.

8801210107 Insp Repts 50-220/87-24 & 50-410/87-42 on 871031-1210. Two unresolved items noted. Major areas inspected power ascension testing plant tours surveillance testing review, safety sys welds & LER, TMI action plan items & IE Bulletin review. JOHNSON, J.R. Region 1, Ofc of the Director. 88/01/07. 22pp. 44086:328-44086:349.

8801260236 Confirms 880119 ltr on re 1-month extension for submittal of response to Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance w/ Applicable Mat Specs." Test data encl. Response will be submitted by 880218. LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/20. Document Control Branch (Document Control Desk). 38pp. 44124:258-44124:287.

S. Reportable occurrences, LERs & related correspondence

8712290379 LER 87-073-00 on 871124, isolation of sys occurred. Caused by cognitive personal error. Operator counseled & training mod recommendation initiated to address issue during operations control training W/871221 ltr. RANDALL, R.G. LEMPGES, T.E. Niagara Mohawk Power Corp. 87/12/21. 6pp. 43993:050-43993:054.

8801060380 PNO-I-87-120 on 871228, reactor scram occurred from approx 25% power due to turbine trip on low condenser vacuum caused by crack in condenser p/p penetration. Penetration seal weld repaired. COOK, W. JOHNSON, J. Region 1, Ofc of the Director. 87/12/29. 1p. 43991:247-43991:247.

8801130163 Special rept on 871212, invalid test & failure of diesel generator occurred. Caused by failure of speed indicating relay to be responsible for diesel generator trip. New speed indicating relay installed. LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/08. RUSSELL, W.T. Region 1, Ofc of the Director. 2pp. 44043:332-44043:352.

8801130172 Special rept on 871209, Div 2 diesel generator tripped on incomplete start-up sequence. Caused by failure of Woodward electric governor to operate. New Woodward electric governor installed. LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/08. RUSSELL, W.T. Region 1, Ofc of the Director. 2pp. 44039:075-44039:076.

8801130174 Special rept on 871128, triaxial response spectrum recorder 2ERS-RSR3A inoperable. Caused by flooding due to condensate storage tank CST-A rupture. Replacement recorder & sensor ordered & 880127 return to operability planned. W/880108 ltr. LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/08. RUSSELL, W.T. Region 1, Ofc of the Director. 2pp. 44044:011-44044:012.

8801200292 LER 87-078-00 on 871212, potential radioactive release resulting from design deficiency in floor drain sys. Numerous mods initiated to eliminate problems that existed in drain lines. W/880111 ltr. JENKINS, R.E., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/11. 7pp. 44106:354-44106:380.

8801200321 LER 87-077-00 on 871217, ECCS actuation & coolant injection occurred due to repair activities on flow transmitter instrument line. Caused by personnel error. Instrument & control technician training requested W/880114 ltr. JENKINS, R.E., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/14. 6pp. 44134:159-44134:164.

8801250493 LER 87-074-00 on 871219, discovered unsatisfactory floor plug installation in fire-rated floor. Four other installations discovered on 880114. Caused by design deficiency. Fire watch patrols established & other plugs evaluated W/880118 ltr. JENKINS, R.E., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/18. 7pp. 44159:028-44159:032.

8801250250 LER 87-078-00 on 871220 & 26, ESF actuation occurred due to failure of reactor bldg ventilation sys supply fan. Caused by design deficiency. Isolation reset & tested W/880118 ltr. JENKINS, R.E., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/19. 5pp. 44169:015-44169:019.

8801270073 PNO-1 88-010 on 880120, reactor scrammed from 42% power based on low reactor vessel water level. Caused by equipment operator error. NRC dispatched Augmented Insp Team to site to review generic safety implications of event. COOK, W., JOHNSON, J. Region 1, OIC of the Director. 88/01/21. 2pp. 44141:046-44141:047.

8801270121 LER 87-079-00 on 871222, unit experienced ESF actuation. Caused by difficulty in establishing jumper connections at panel. Mod request initiated to install hard wire test switches, which will eliminate use of jumpers. W/880121 ltr. JENKINS, R.E., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/21. 5pp. 44169:015-44169:019.

8801290167 LER 87-081-00 on 871226, reactor scrammed due to loss of condenser vacuum. Caused by failure of normal & high level control valves of fifth point feedwater heater. Cracked welds & level control valves to be repaired W/880125 ltr. JENKINS, R.E., LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/25. 7pp. 44183:241-44183:247.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA. 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, OIC of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 80-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801060190 Advises that 871125 Rev 2 to Issue 4 to physical security plan consistent w/provisions of 10CFR50.54(b) & acceptable. MARTIN, T.T. Region 1, OIC of the Director. 87/12/28. CAREY, J.J. Duquesne Light Co. 3pp. 43962:053-43962:055.

8801130267 Forwards request for add info to support safeguards regulatory effectiveness review in progress. Info requested by 880331. MARTIN, T.T. Region 1, OIC of the Director. 87/12/29. CAREY, J.J. Duquesne Light Co. 3pp. 44039:105-44039:107.

8801090021 Advises that CO2 concentration testing successfully completed for all eight zones, per 870930 commitment to provide schedule for completion of unfinished fire protection items. SIEBER, J.D. Duquesne Light Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43965:290-43965:290.

I. Financial Information

8801280202 Notices of Associated Southern Investment Co (ASIC) intent to transfer interests to Mission Funding Alpha, Funding Beta & Mission Funding Gamma by 880129. First Natl Bank of Boston will remain owner trustee of transactions. SILBERG, J.E. Shaw, Pittman, Potts & Trowbridge. 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44123:131-44123:132.

J. Insurance & indemnity information

8801190006 Forwards Endorsements 86 & 74 to NEIA Policy NF-226 & MAELU Policy MF-87 respectively. W/O MAELU Policy MF-87. BARNETT, J.E. Conover & Associates, Inc. 88/01/11. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 44047:328-44047:337.

P. Operating license stage documents & correspondence

8801070206 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801250011 Forwards application for amend to License NPF-73, consisting of Tech Spec Change Request 10, incorporating temporary change to Tech Spec 3.3.3.2 to relax required number of incore detector thimbles from 75% to 50% for Cycle 1. SIEBER, J.D. Duquesne Light Co. 88/01/13. Document Control Branch (Document Control Desk). 2pp. 44101:230-44101:252.

8801250014 Application for amend to License NPF-73, amending Tech Specs to reduce required number of incore detector thimbles from 75% to 50% & to increase peaking factor uncertainties when performing flux map w/loss than 75% of thimbles. SIEBER, J.D. Duquesne Light Co. 88/01/13. 1p. 44101:232-44101:232.

8801250021 Proposed Tech Specs, relaxing required number of incore detector thimbles from 75% to 50% for remainder of Cycle 1. Duquesne Light Co. 88/01/13. 20pp. 44101:233-44101:252.

8801280362 Requests processing of encl ltr under applicable docket & assignment of list of distribution under code M008. PARKS, J. License Fee Management Branch. 88/01/26. MCKNIGHT, J. Document Control Branch (Document Control Desk). 1p. 44180:060-44180:062.

8801280369 Forwards license amend application fee per 880113 request. VASSELLO, J.V. Duquesne Light Co. 88/01/15. License Fee Management Branch. 1p. 44180:061-44180:062.

Q. Inspection reports, IE Bulletins & correspondence

8712300108 Responds to NRC 870918 ltr re violations noted in Insp Rept 50-412/87-56. Corrective actions ongoing effort by operations personnel to reduce number of alarmed conditions in control room will continue until satisfactorily resolved. CAREY, J.J. Duquesne Light Co. 87/12/15. KANE, W.F. Region 1, OIC of the Director. 4pp. 43964:056-43964:058.

8712160368 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:136-43995:257.

8801050498 Forwards Fact Finding Insp Rept 50-412/87-88. No violation noted. JOHNSTON, W.V. Region 1, OIC of the Director. 87/12/29. CAREY, J.J. Duquesne Light Co. 3pp. 43961:001-43961:030.

8801050509 Insp Rept 50-412/87-88 on 871118-21. No violation noted. Major areas inspected: root cause & safety significance of 871117 event & review of licensee corrective actions, precursor events & potential for similar events. ANDERSON, C.J., DURR, J. Region 1, OIC of the Director. 87/12/16. 27pp. 43961:004-43961:030.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:266.

8801190337 Forwards Insp Rept 50-412/87-87 on 871118-25. No violations noted. JOHNSTON, W.V. Region 1, OIC of the Director. 88/01/07. CAREY, J.J. Duquesne Light Co. 2pp. 44047:285-44047:295.

8801190341 Insp Rept 50-412/87-87 on 871119-25. No violations noted. Major areas inspected: startup test program, power ascension tests & test results. WEN, P.C., MURPHY, K.G. Region 1, OIC of the Director. 87/12/28. 9pp. 44047:287-44047:295.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Mornil MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801190298 Requests extension in reporting results of fastener testing required by NRC Compliance Bulletin 87-002 until 880215. SIEBER, J.D. Duquesne Light Co. 88/01/12. Document Control Branch (Document Control Desk). 1p. 44061:212-44061:212.

R. Periodic operating reports & related correspondence

8801040536 Monthly operating repts for Nov 1987. W/871211 ltr. SMITH, P.A., WINGER, M.A., SIEBER, J.D. Duquesne Light Co. 87/11/30. 9pp. 43962:279-43962:287.

8801200267 Forwards sixth status rept identifying changes to initial test program as described in Chapter 14 of FSAR. CAREY, J.J. Duquesne Light Co. 88/01/07. Document Control Branch (Document Control Desk). 3pp. 44058:284-44058:288.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents, App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA. 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

--870408019 Summary of INPO Accreditation Board 870325 & 26 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl.
HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44119.129-44119.135.

--8801220136 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.150-44119.166.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801130319 Forwards public version of revised crisis mgt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan" & Rev 21 to CMP-4, "Administration..." W/ 880111 release memo.
TUCKER, H.B. Duke Power Co. 87/12/14. Document Control Branch (Document Control Desk). 7pp. 44004.125-44005.288.

--8801130360 Public version of revised crisis mgt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan" & Rev 21 to CMP-4, "Administration & Logistics Plan."
HARRIS, R.E. Duke Power Co. 87/11/15. 400pp. 44004.133-44005.288.

8801120034 Confirms 871215 telcon between Anderson & M. Sinkule re 880115 enforcement conference at Region II ofc to discuss util control of safeguards mail.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 44062.342-44062.342.

8801150303 Responds to NRC 871210 ltr re violations noted in Insp Repts 50-413/87-39 & 50-414/87-39. Corrective actions withheld (ref 10CFR73.21).
TUCKER, H.B. Duke Power Co. 88/01/06. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44041.088-44041.089.

8801140110 Responds to violations noted in Insp Repts 50-413/87-37 & 50-414/87-37. Corrective actions: Computerized program developed, unqualified fire brigade members removed from log & security journals reviewed.
TUCKER, H.B. Duke Power Co. 88/01/07. Document Control Branch (Document Control Desk). 3pp. 44038.346-44038.348.

8801140352 Forwards Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027.358-44027.360.

--8801140363 Partially withheld Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 (ref 10CFR73.21 & 73.21). Major areas inspected. Compromised safeguards info.
TOBIN, W.J. Region 2, Ofc of the Director. 88/01/04. 1p. 44027.360-44027.360.

8801120239 Revised emergency plan implementing procedures, including Procedure HP/O/B/1000/08, "Emergency Equipment Functional Check & Inventory" & Rev 7 to OP/O/A/8200/21, "Operating Procedure for Post-Accident Liquid ...". W/880114 ltr.
* Duke Power Co. 88/01/14. 71pp. 44085.336-44086.048.

J. Insurance & indemnity information

8801070357 Forwards endorsements, including Endorsement 7 to MAELU Certificate M-75, Endorsement 7 to NELIA Certificate N-75, Endorsement 8 to MAELU Certificate M-68 & Endorsement 8 to NELIA Certificate N-68.
SANTA, L.J. Marsh & McLennan, Inc. 87/12/30. DINI, T.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 95pp. 43938.165-43938.260.

P. Operating license stage documents & correspondence

8801060455 Forwards proprietary BAW-10171P, "REFLOD3B, Model for Multinodal Core Refueling Analysis." Rept describes computer code that B&W will be using to analyze RCS behavior during refill of LOCA transient. Rept withheld.
TAYLOR, J.H. Babcock & Wilcox Co. 87/12/14. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 1p. 43916.274-43916.274.

8801120090 Forwards Info re Resource Technical Svcs, Inc. Including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8801070180 Application for amendments to Licenses NPF-35 & NPF-52, changing Tech Spec 4.7.6 control room area ventilation sys surveillance requirements to extend carbon adsorber sampling frequency from 720 h to 1,440 h. Fee paid.
TUCKER, H.B. Duke Power Co. 87/12/21. Document Control Branch (Document Control Desk). 3pp. 43978.340-43978.347.

--8801070181 Proposed Tech Spec 4.7.6 changing control room area ventilation sys surveillance requirements to extend carbon adsorber sampling frequency from 720 h to 1,440 h.
* Duke Power Co. 87/12/21. 5pp. 43978.343-43978.347.

8801040498 Forwards revised Tech Spec Page 3/4 6-16 to Amendments 37 & 29 to Licenses NPF-35 & NPF-52, respectively.
JABBOUR, K.N. Project Directorate II-3. 87/12/23. TUCKER, H.B. Duke Power Co. 3pp. 43996.001-43996.004.

--8801040512 Errata, consisting of revised Page 3/4 6-16, to Amendments 37 & 29 to Licenses NPF-35 & NPF-52, respectively.
* NRC - No Detailed Affiliation Given. 87/12/23. 1p. 43996.004-43996.004.

8801060151 Forwards proprietary BAW-10164P, "RELAP5/MOD2 B&W Advanced Program for LWR LOCA & Non-LOCA Transient Analysis." Rept describes computer code used to analyze RCS behavior during blowdown phase of LOCA transient. Rept withheld.
TAYLOR, J.H. Babcock & Wilcox Co. 87/12/28. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 1p. 43917.013-43917.013.

8801050330 Informs that 871204 & 07 submittals re steam generator PORVs will be supplemented by 880331 revising steam generator tube rupture analysis & Tech Spec change request Proposed rev to FSAR 15.6.3 will also be included.
TUCKER, H.B. Duke Power Co. 87/12/28. Document Control Branch (Document Control Desk). 1p. 43980.341-43980.341.

8801070205 Notification of 880106 meeting w/ Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945.344-43945.347.

8801200360 Forwards detailed engineering calculations & analysis for single nuclear svc water sys pump supplying both units, per agreement during 870827 meeting w/ NRC. Analysis concludes that sys capable of handling all shutdown heat loads.
TUCKER, H.B. Duke Power Co. 88/01/04. Document Control Branch (Document Control Desk). 375pp. 44059.341-44059.359.

8801150056 Informs that no further action anticipated on rev to DPC-NF-2010A, "Nuclear Physics Methodology for Reload Design." NRC efforts on rev should be closed out. Another version of code purchased.
TUCKER, H.B. Duke Power Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44062.263-44062.263.

8801190032 Forwards response to NRC 871117 questions re util 870812 application for amendments to Licenses NPF-35 & NPF-52, revising Tech Spec Tables 3.3-12.4.3-8 & 4.11-1 to clarify radioactive liquid effluent monitoring requirements.
TUCKER, H.B. Duke Power Co. 88/01/08. Document Control Branch (Document Control Desk). 8pp. 44045.203-44045.211.

8801150309 Application for amendments to Licenses NPF-35, NPF-52, NPF-9 & NPF-17, incorporating into Tech Specs recommendations of NRC Generic Ltr 87-09 re Sections 3.0 & 4.0. Fee paid.
TUCKER, H.B. Duke Power Co. 88/01/11. Document Control Branch (Document Control Desk). 7pp. 44045.033-44045.159.

--8801150311 Proposed Tech Specs incorporating recommendations of NRC Generic Ltr 87-09 re Sections 3.0 & 4.0.
* Duke Power Co. 88/01/11. 100pp. 44045.040-44045.159.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

--8804080019 Summary of INPO Accreditation Board 870325 & 26 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl.
HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44119.129-44119.135.

8801250412 Clarifies statements in reload safety evaluation forwarded w/ 871113 ltr. Safety evaluations associated w/ resistance lamp detector bypass elimination, LHI sys elimination & low-lava setpoint mod.
TUCKER, H.B. Duke Power Co. 88/01/16. Document Control Branch (Document Control Desk). 2pp. 44104.148-44104.149.

8801210184 Partial response to FOIA request App G documents already available in PDR App H documents re INPO accreditation training encl & available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095.001-44095.022.

--8812040318 Summary of attendance at INPO Accreditation Board 881110 & 20 meetings in Atlanta, GA re training programs. Agenda encl.
ZERBE, J.E. Regional Operations & Generic Requirements, EDO (Pre 870413). 88/11/24. SNIJEK, J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 4pp. 44095.077-44095.080.

8801290328 Summary of 871123 meeting w/ util & Westinghouse in Bethesda, MD to discuss "Revised LOTIC-3 Drain-Flow Heat Transfer Models" for main steam break analysis inside containment. List of attendees & meeting handouts encl.
AULUCK, R. Ofc of Special Projects. 88/01/20. Ofc of Special Projects. 27pp. 44180.287-44180.313.

8801270124 Forwards safety evaluation supporting util 871113 request to change Tech Specs to reflect Unit 2 Cycle 2 refueling & addition of Boron dilution mitigation sys for Unit 2 SACP input also encl.
HODGES, M.W. Reactor Systems Branch. 88/01/22. JABBOUR, K.N. Project Directorate II-3. 1p. 44154.311-44154.317.

--8801270128 Safety evaluation supporting util 871113 proposed Tech Spec changes reflecting Unit 2 Cycle 2 refueling & addition of boron dilution mitigation sys for Unit 2.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/22. 6pp. 44154.312-44154.317.

8801270187 Summary of ACRS Subcommittee on Generic Items 871216 meeting w/ util in Washington, DC re effectiveness of NRC process that deals w/ generic issues & USIA Viewgraphs & presentation schedule encl.
* ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 42pp. 44149.249-44149.280.

G. Inspection reports, IE Bulletins & correspondence

- 8712180366 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.
- 8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:009-44056:127.
- 8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:267.
- 8801050284 Forwards revised response to violations noted in Insp Repts 50-413/87-30 & 50-414/87-30, per NRC 871210 request. Corrective actions: instrument ICAPS5131 checked & valved back in svc under work request 5749PRF on 870707.
TUCKER, H.B. Duke Power Co. 87/12/28. Document Control Branch (Document Control Desk). 8pp. 43962:121-43962:126.
- 8801120012 Forwards evaluation of 870904 comments re Insp Repts 50-413/87-13 & 50-414/87-13.
JULIAN, C.A. Region 2, OIC of the Director. 87/12/28. TUCKER, H.B. Duke Power Co. 3pp. 44030:204-44030:206.
- 8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.
- 8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:268.
- 8801130215 Responds to NRC 871201 ltr re violations noted in Insp Repts 50-413/87-30. Corrective actions: instrument ICAPS5131 checked & valved back into svc & disciplinary action administered in case of personnel error.
TUCKER, H.B. Duke Power Co. 87/12/31. Document Control Branch (Document Control Desk). 4pp. 44000:216-44000:219.
- 8801130433 Advises that inservice insp of Steam Generators A, B, C & D completed on 871218 per Tech Specs 4.4.5.5.a & 8.9.2. No tubes plugged. Further info will be provided prior to 881218, per Tech Spec 4.4.5.5.b.
TUCKER, H.B. Duke Power Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 44000:130-44000:130.
- 8801120034 Confirms 871215 telcon between Anderson & M Sinkule re 880116 enforcement conference at Region II o/c to discuss w/ control of safeguards matl.
GRACE, J.N. Region 2, OIC of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 43986:342-43986:342.
- 8801150303 Responds to NRC 871210 ltr re violations noted in Insp Repts 50-413/87-39 & 50-414/87-39. Corrective actions withheld (ref 10CFR73.21).
TUCKER, H.B. Duke Power Co. 88/01/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44041:088-44041:089.
- 8801140110 Responds to violations noted in Insp Repts 50-413/87-37 & 50-414/87-37. Corrective actions: Computerized program developed, unqualified fire brigade members removed from log & security journals reviewed.
TUCKER, H.B. Duke Power Co. 88/01/07. Document Control Branch (Document Control Desk). 3pp. 44038:346-44038:348.
- 8801190150 Responds to violations noted in Insp Repts 50-413/87-40 & 50-414/87-40. Corrective actions: violations will be reviewed by station personnel to determine if violation involves radiological working conditions.
TUCKER, H.B. Duke Power Co. 88/01/08. Document Control Branch (Document Control Desk). 4pp. 44047:296-44047:299.
- 8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.
- 8801140352 Forwards Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09. Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115.
GRACE, J.N. Region 2, OIC of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027:358-44027:360.
- 8801140363 Partially withheld Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 (ref 10CFR2.780(d) & 73.21). Major areas inspected: compromised safeguards info.
TOBIN, W.J. Region 2, OIC of the Director. 88/01/04. 1p. 44027:360-44027:360.
- 8801200031 Forwards Insp Repts 50-413/87-42 & 50-414/87-42 on 871126-1225 & notice of violation. Attention invited to unresolved items identified in Insp rpt. Matters will be pursued during future insp.
BROWNLEE, V.L. Region 2, OIC of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44052:312-44052:325.
- 8801200038 Notice of violation from Insp on 871126-1225. Violation noted: unit failed to properly classify start attempt number 648 on Diesel Generator 1A as invalid failure & therefore failed to report event to NRC in special rpt within 30 days.
BROWNLEE, V.L. Region 2, OIC of the Director. 88/01/11. 2pp. 44052:314-44052:315.
- 8801200056 Insp Repts 50-413/87-42 & 50-414/87-42 on 871126-1225. Violations noted: Major areas inspected: reviews of plant operations, surveillance & maint observations, cold weather preparation & followup of Compliance Bulletin 87-002.
VAN DOORN, P.K., LESSER, M.S., PEEBLES, T.A. Region 2, OIC of the Director. 88/01/06. 10pp. 44052:316-44052:326.

8801140236 Forwards partial response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/ Applicable Matl Specs." Including procurement & receipt insp program & methods for choosing fasteners to be tested.
TUCKER, H.B. Duke Power Co. 88/01/12. GRACE, J.N. Region 2, OIC of the Director. 12pp. 44043:234-44043:245.

8801250529 Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Summary of schedule for responding to bulletin for McGuire & Catawba stated.
TUCKER, H.B. Duke Power Co. 88/01/14. Document Control Branch (Document Control Desk). 25pp. 44103:335-44103:359.

8801270498 Ack receipt of 871228 revised response informing NRC of steps taken to correct violations noted in 50-414/87-30 & 50-414/87-30.
GRACE, J.N. Region 2, OIC of the Director. 88/01/20. TUCKER, H.B. Duke Power Co. 1p. 44145:139-44145:139.

H. Periodic operating reports & related correspondence

8801210038 Monthly operating reports for Dec 1987. W/880115 ltr.
REAVIS, J.A., TUCKER, H.B. Duke Power Co. 87/12/31. 12pp. 44108:103-44108:204.

I. Reportable occurrences, LERs & related correspondence

8801060417 LER 87-041-00 on 870716 & 22, while performing diesel generator operability test, nuclear equipment operators performed pre-bred diesel generator starts instead of required nonlubed starts W/871217 ltr.
TORRE, J.G., TUCKER, H.B. Duke Power Co. 87/12/17. 6pp. 43978:078-43978:081.

8801060513 LER 87-042-00 on 871117, diesel generator 1B autostarted & subsequent failure of emergency load group to energize occurred. Caused by equipment malfunctions. Faulty switch in 50F Type SC relay repaired & timer recalibrated W/871217 ltr.
TORRE, J.G., TUCKER, H.B. Duke Power Co. 87/12/17. 6pp. 43991:248-43991:253.

8801060150 Special rpt on 871203, actuation of pressurizer PORV within Mode 5 occurred. Caused by temp increase in reactor coolant near Train B RHR HX due to short-term loss of component cooling water flow. New ESF procedure will be revised.
TUCKER, H.B. Duke Power Co. 87/12/30. Document Control Branch (Document Control Desk). 3pp. 43960:148-43960:150.

8801140098 LER 87-043-00 on 871105, RCS monitoring instrumentation degraded inoperable. Caused by design deficiency. Unit 1 resistance temp detector junction boxes sealed by filing epoxy. Unit 2 boxes will be sealed or replaced W/871230 ltr.
TORRE, J.G., TUCKER, H.B. Duke Power Co. 87/12/30. 6pp. 44038:335-44038:340.

8801060154 Special rpt on 871201, diesel generator 1B automatically started from control room. Caused by P-3 shuttle valve not operating correctly. Repairs completed on shuttle valve & diesel tested satisfactory.
TUCKER, H.B. Duke Power Co. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 43960:155-43960:156.

8801140117 LER 87-044-00 on 871201, control room area ventilation/ chilled water sys Trains A & B inoperable. Caused by mgt deficiency & personnel error. Power supplies swapped & Tech Spec change requested W/871231 ltr.
TORRE, J.G., TUCKER, H.B. Duke Power Co. 87/12/31. 6pp. 44043:285-44043:300.

8801190277 Resubmitted ltr forwarding LER 87-041-00.
TUCKER, H.B. Duke Power Co. 88/01/04. Document Control Branch (Document Control Desk). 1p. 44050:261-44050:266.

8801150217 Special rpt on 871007, diesel generator 1B started automatically from control room after approx 70 s. diesel tripped automatically. Caused by defective components (P-3 & shuttle valve). Components replaced.
TUCKER, H.B. Duke Power Co. 88/01/08. Document Control Branch (Document Control Desk). 2pp. 44082:189-44082:190.

8801150238 Special rpt on 871113, invalid failure of diesel generator 1A occurred. Caused by pneumatic valve, shuttle valve & pneumatic shutdown board logic element failures & air leaks in sys. Components replaced & air leaks corrected.
TUCKER, H.B. Duke Power Co. 88/01/07. Document Control Branch (Document Control Desk). 2pp. 44064:173-44064:174.

8801150253 LER 87-045-00 on 871018, Tech Spec violation due to containment purge sys being inoperable. Caused by personnel error. Technicians instructed that use of fused lumps must be reviewed W/880107 ltr.
TORRE, J.G., TUCKER, H.B. Duke Power Co. 88/01/07. 5pp. 44084:150-44084:154.

8801280130 NPDES noncompliance notification on 880116-17, water discharged from condenser circulating water sys to Lake Wylie via yard drain. Caused by cracked line from cooling water tower due to low temps. Procedures revised.
HALLER, W.A. Duke Power Co. 88/01/21. South Carolina, State of. 2pp. 44157:295-44157:296.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8709010052 Requests certification prior to FSAR rev that reactor operator training program accredited & based upon sys approach to training, per Generic Ltr 87-07.
HOOD, D. Project Directorate II-3. 87/08/28. TUCKER, H.B. Duke Power Co. 1p. 44118:154-44118:154.

8801200136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta. GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, OIC of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801130319 Forwards public version of revised crisis mgt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan" & Rev 21 to CMP-4, "Administration..." W/880111 release memo.
TUCKER, H.B. Duke Power Co. 87/12/14. Document Control Branch (Document Control Desk). 7pp. 44004:125-44005:288.

-8801130360 Public version of revised crisis mgt implementing procedures, including Rev 22 to CMP-1, "Recovery Manager & Immediate Staff," Rev 15 to CMP-2, "News Group Plan" & Rev 21 to CMP-4, "Administration & Logistics Plan."
HARRIS, R.E. Duke Power Co. 87/11/15. 400pp. 44004:133-44005:288.

8801120034 Confirms 871215 telcon between Anderson & M Sinku re 880115 enforcement conference at Reg on 11 o/c to discuss unit control of safeguards mgt.
GRACE, J.N. Region 2, O/c of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 43986:342-43986:342.

8801150303 Responds to NRC 871210 ltr re violations noted in Insp Repts 50-413/87-38 & 50-414/87-39. Corrective actions withheld (ref 10CFR73.21).
TUCKER, H.B. Duke Power Co. 88/01/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44041:088-44041:089.

8801140110 Responds to violations noted in Insp Repts 50-413/87-37 & 50-414/87-37. Corrective actions. Computerized program developed, unqualified fire brigade members removed from log & security journals reviewed.
TUCKER, H.B. Duke Power Co. 88/01/07. Document Control Branch (Document Control Desk). 3pp. 44038:346-44038:348.

8801140352 Forwards Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115.
GRACE, J.N. Region 2, O/c of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027:358-44027:360.

-8801140383 Partially withheld Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 (ref 10CFR72.70(d) & 73.21) Major areas inspected: compromised safeguards info.
TOBIN, W.J. Region 2, O/c of the Director. 88/01/04. 1p. 44027:360-44027:360.

8801120339 Revised emergency plan implementing procedures, including Procedure 1P/O/B/1000/08, "Emergency Equipment Functional Check & Inventory" & Rev 7 to OP/O/A/6200/21, "Operating Procedure for Post-Accident Liquid ...". W/880114 ltr.
* Duke Power Co. 88/01/14. 71pp. 44085:338-44085:048.

P. Operating license stage documents & correspondence

8801060455 Forwards proprietary BAW-10171P, "REFLOD3B, Model for Multinode Core Refueling Analysis." Rept describes computer code that B&W will be using to analyze RCS behavior during refilling of LOCA transient. Rept withheld.
TAYLOR, J.H. Babcock & Wilcox Co. 87/12/14. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 1p. 43916:274-43916:274.

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, O/c of the Director. 71pp. 43998:230-43998:300.

8801070180 Application for amendments to Licenses NPF-35 & NPF-52, changing Tech Spec 4.7.6 control room area ventilation sys surveillance requirements to extend carbon adsorber sampling frequency from 720 h to 1,440 h. Fee paid.
TUCKER, H.B. Duke Power Co. 87/12/21. Document Control Branch (Document Control Desk). 3pp. 43978:340-43978:347.

-8801070181 Proposed Tech Spec 4.7.6 changing control room area ventilation sys surveillance requirements to extend carbon adsorber sampling frequency from 720 h to 1,440 h.
* Duke Power Co. 87/12/21. 5pp. 43978:343-43978:347.

8801040498 Forwards revised Tech Spec Page 3/4 6-16 to Amendments 37 & 29 to Licenses NPF-35 & NPF-52, respectively.
JABBOUR, K.N. Project Directorate II-3. 87/12/23. TUCKER, H.B. Duke Power Co. 3pp. 43996:001-43996:004.

-8801040512 Errata consisting of revised Page 3/4 6-16, to Amendments 37 & 29 to Licenses NPF-35 & NPF-52, respectively.
* NRC - No Detailed Affiliation Given. 87/12/23. 1p. 43996:004-43996:004.

8801060151 Forwards proprietary BAW-10164P, "RELAP6/MOD2-B&W Advanced Program for LWR LOCA & Non-LOCA Transient Analysis." Rept describes computer code used to analyze RCS behavior during blowdown phase of LOCA transient. Rept withheld.
TAYLOR, J.H. Babcock & Wilcox Co. 87/12/28. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 1p. 43917:013-43917:013.

8801050330 Informs that 871204 & 07 submittals re steam generator PORVs will be supplemented by 880331, revising steam generator tube rupture analysis & Tech Spec change request. Proposed rev to FSAR 15.6.3 will also be included.
TUCKER, H.B. Duke Power Co. 87/12/29. Document Control Branch (Document Control Desk). 1p. 43960:341-43960:341.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801200360 Forwards detailed engineering calculations & analysis for single nuclear svw water sys pump supplying both units, per agreement during 870827 meeting w/NRC. Analysis concludes that sys capable of handling all shutdown heat loads.
TUCKER, H.B. Duke Power Co. 88/01/04. Document Control Branch (Document Control Desk). 376pp. 44058:341-44058:359.

8801150058 Informs that no further action anticipated on rev to DPC-NF-2010A, "Nuclear Physics Methodology for Reload Design." NRC efforts on rev should be closed out. Another version of code purchased.
TUCKER, H.B. Duke Power Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 44062:263-44062:263.

8801190032 Forwards response to NRC 871117 questions re util 870612 application for amendments to Licenses NPF-35 & NPF-52, revising Tech Spec Tables 3.3-12.4.3.8 & 4.11-1 to clarify radioactive liquid effluent monitoring requirements.
TUCKER, H.B. Duke Power Co. 88/01/08. Document Control Branch (Document Control Desk). 9pp. 44045:203-44045:211.

8801150309 Application for amendments to Licenses NPF-35, NPF-52, NPF-9 & NPF-17, incorporating into Tech Specs recommendations of NRC Generic Ltr 87-09 re Sections 3.0 & 4.0 Fee paid.
TUCKER, H.B. Duke Power Co. 88/01/11. Document Control Branch (Document Control Desk). 7pp. 44045:033-44045:159.

-8801150311 Proposed Tech Specs, incorporating recommendations of NRC Generic Ltr 87-09 re Sections 3.0 & 4.0.
* Duke Power Co. 88/01/11. 100pp. 44045:040-44045:159.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44118:001-44118:039.

-8704080019 Summary of INPO Accreditation Board 870325 & 26 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl.
HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44118:128-44118:135.

8801250412 Clarifies statements in reload safety evaluation forwarded w/871113 ltr. Safety evaluations associated w/resistance temp detector bypass elimination, utility system elimination & low-level sealpoint mod.
TUCKER, H.B. Duke Power Co. 88/01/15. Document Control Branch (Document Control Desk). 2pp. 44104:148-44104:149.

8801210194 Partial response to FOIA request App G documents already available in PDR. App H documents re INPO accreditation training, encl & available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/18. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095:001-44095:022.

-8812040318 Summary of attendance at INPO Accreditation Board 881118 & 20 meetings in Atlanta, GA re training programs. Agenda encl.
ZERBE, J.E. Regional Operations & Generic Requirements, EDO (Pre 870413). 86/11/24. SNIJEZEK, J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 4pp. 44085:077-44085:080.

8801290328 Summary of 871123 meeting w/util & Westinghouse in Bethesda, MD to discuss "Revised LOTIC-3 Drain-Flow Heat Transfer Models" for main steam break analysis. Inside contentment list of attendees & meeting handouts encl.
AULUCK, R. O/c of Special Projects. 88/01/20. O/c of Special Projects. 27pp. 44180:287-44180:313.

8801270124 Forwards safety evaluation supporting util 871113 request to change Tech Specs to reflect Unit 2 Cycle 2 refueling & addition of Boron dilution mitigation sys for Unit 2. SALP input also encl.
HODGES, M.W. Reactor Systems Branch. 88/01/22. JABBOUR, K.N. Project Directorate II-3. 1p. 44154:311-44154:317.

-8801270126 Safety evaluation supporting util 871113 proposed Tech Spec changes reflecting Unit 2 Cycle 2 refueling & addition of boron dilution mitigation sys for Unit 2.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/22. 6pp. 44154:312-44154:317.

8801270187 Summary of ACRS Subcommittee on Generic Items 871216 meeting w/util in Washington, DC re effectiveness of NRC process that deals w/generic issues & USIs. Viewgraphs & presentation schedule encl.
* ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 42pp. 44149:248-44149:290.

Q. Inspection reports, IE Bulletins & correspondence

8712180389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801050284 Forwards revised response to violations noted in Insp Repts 50-413/87-30 & 50-414/87-30, per NRC 871210 request. Corrective actions: instrument ICAPS5131 checked & valve back in svw under work request 5749PRF on 870707.
TUCKER, H.B. Duke Power Co. 87/12/28. Document Control Branch (Document Control Desk). 8pp. 43962:121-43962:128.

8801120012 Forwards evaluation of 870904 comments re Insp Repts 50-413/87-13 & 50-414/87-13.
JULIAN, C.A. Region 2, O/c of the Director. 87/12/28. TUCKER, H.B. Duke Power Co. 3pp. 44030:204-44030:206.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985:258-43986:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44039:288.

8801120034 Confirms 871215 telcon between Anderson & M. Sinkula re 880115 enforcement conference at Region II o/c to discuss util control of safeguards mail.
GRACE, J.N. Region 2, O/c of the Director. 88/01/04. TUCKER, H.B. Duke Power Co. 1p. 43986:342-43986:342.

8801150303 Responds to NRC 871210 IV re violations noted in Insp Repts 50-413/87-38 & 50-414/87-39. Corrective actions withheld (ref 10CFR73.21).
TUCKER, H.B. Duke Power Co. 88/01/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44041:088-44041:089.

8801140110 Responds to violations noted in Insp Repts 50-413/87-37 & 50-414/87-37. Corrective actions. Computerized program developed, unqualified fire brigade members removed from log & security journals reviewed.
TUCKER, H.B. Duke Power Co. 88/01/07. Document Control Branch (Document Control Desk). 3pp. 44038:346-44038:348.

8801190150 Responds to violations noted in Insp Repts 50-413/87-40 & 50-414/87-40. Corrective actions. Violations will be reviewed by station personnel to determine if violation involves radiological working conditions.
TUCKER, H.B. Duke Power Co. 88/01/08. Document Control Branch (Document Control Desk). 4pp. 44047:296-44047:299.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Mornit MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44039:163.

8801140352 Forwards Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09. Violations noted. Violations may change based on further review. Enforcement conference scheduled for 880115.
GRACE, J.N. Region 2, O/c of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44027:358-44027:360.

8801140363 Partially withheld Insp Repts 50-269/87-50, 50-270/87-50, 50-287/87-50, 50-369/87-45, 50-370/87-45, 50-413/87-43 & 50-414/87-43 on 871208-09 (ref 10CFR2.790(d) & 73.21). Major areas inspected. Compromised safeguards info.
TOBIN, W.J. Region 2, O/c of the Director. 88/01/04. 1p. 44027:360-44027:360.

8801200031 Forwards Insp Repts 50-413/87-42 & 50-414/87-42 on 871126-1225 & notice of violation. Attention invited to unresolved items identified in Insp rept. Matters will be pursued during future Insp.
BROWNLEE, V.L. Region 2, O/c of the Director. 88/01/11. TUCKER, H.B. Duke Power Co. 2pp. 44052:312-44052:325.

8801200056 Insp Repts 50-413/87-42 & 50-414/87-42 on 871126-1225. Violations noted. Major areas inspected: reviews of plant operations, surveillance & maint observations, cold weather preparation & followup of Compliance Bulletin 87-002.
VAN DOORN, P.K., LESSER, M.S., PEEBLES, T.A. Region 2, O/c of the Director. 88/01/06. 10pp. 44052:316-44052:326.

8801140236 Forwards partial response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/ Applicable Mail Specs," including procurement & receipt Insp program & methods for choosing fasteners to be tested.
TUCKER, H.B. Duke Power Co. 88/01/12. GRACE, J.N. Region 2, O/c of the Director. 12pp. 44043:234-44043:245.

8801260529 Forwards response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Summary of schedule for responding to bulletin for McGuire & Calamba stated.
TUCKER, H.B. Duke Power Co. 88/01/14. Document Control Branch (Document Control Desk). 25pp. 44103:335-44103:358.

8801270498 Ack receipt of 871228 revised response informing NRC of steps taken to correct violations noted in 50-414/87-30 & 50-414/87-30.
GRACE, J.N. Region 2, O/c of the Director. 88/01/20. TUCKER, H.B. Duke Power Co. 1p. 44145:139-44145:139.

R. Periodic operating reports & related correspondence

8801210038 Monthly operating repts for Dec 1987. W/880115 ltr.
REAVIS, J.A., TUCKER, H.B. Duke Power Co. 87/12/31. 12pp. 44108:193-44108:204.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8709010052 Requests certification prior to FSAR rev that reactor operator training program accredited & based upon sys approach to training per Generic Ltr 87-07.
HOOD, D. Project Directorate II-3. 87/09/28. TUCKER, H.B. Duke Power Co. 1p. 44119:154-44119:154.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, O/c of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:169-44119:169.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801110322 Forwards final rept of M. Stein for plant 871117 annual exercise. Minor changes made to draft. Rept covered control room & TSC.
JAMISON, J.D. Battelle Memorial Institute, Pacific Northwest Laboratories. 87/12/28. SARTOR, W.M. Region 2, O/c of the Director. 7pp. 43970:269-43970:275.

8801110523 Forwards Insp Rept 50-416/87-38 on 871130-1201. No violations cited since all criteria for categorization of licensee-identified violations met.
CLINE, W.E. Region 2, O/c of the Director. 87/12/28. KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 43969:181-43969:183.

8801110525 Partially withheld Insp Rept 50-416/87-38 on 871130-1201 (ref 10CFR2.790(d) & 73.21). Violations noted. Major areas inspected. Circumstances of licensee reported security event re delayed response to vital area intrusion alarm.
TILLMAN, A., MCGUIRE, D.R. Region 2, O/c of the Director. 87/12/22. 1p. 43969:183-43969:183.

8801120326 Rev 6 to Emergency Plan Implementing Procedure 10-S-01-19, "Personnel Injury." W/880106 ltr.
HURLEY, J., STRINGER, D.K., KINGSLEY, O.D. System Energy Resources, Inc. 88/3/1/06. 18pp. 43986:303-43986:320.

8801150134 Forwards computer tape of hourly meteorological data & Rev 4 to "Evacuation Time Estimates for Facility Plume Exposure Pathway EPZ," per LL Kirtner.
KINGSLEY, O.D. System Energy Resources, Inc. 88/01/11. Document Control Branch (Document Control Desk). 3pp. 44034:001-44034:086.

8801150143 Rev 4 to "Evacuation Time Estimates for Facility Plume Exposure Pathway EPZ."
System Energy Resources, Inc. 88/03/31. 81pp. 44034:004-44034:086.

8801200112 Notifies that 871209 Rev 15 to physical security plan consistent w/ 10CFR50.64(p) provisions & acceptable.
CLINE, W.E. Region 2, O/c of the Director. 88/01/14. KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 44106:194-44106:195.

P. Operating license stage documents & correspondence

8804170307 Advises that 850126 submittal re impact of revised seismic analysis on standby svc water cooling lower basin does not significantly affect equipment qualification because sufficient margins exist to accommodate revised loadings.
BUTLER, W.R. BWR Project Directorate 4. 88/04/02. KINGSLEY, O.D. Mississippi Power & Light Co. 3pp. 35605:315-35605:317.

8801260208 Forwards Rev 0 to current cycle safety analysis (CCSA) which will be used to supply existing baseline analyses contained in updated FSAR. CCSA provides info on current fuel cycle operations & contains analyses supporting operations.
KINGSLEY, O.D. System Energy Resources, Inc. 87/11/27. Document Control Branch (Document Control Desk). 25pp. 44122:147-44123:129.

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18. JOHNSON, E.H. Region 4, O/c of the Director. 71pp. 43998:230-43998:300.

8801040522 Requests issuance of 870813, 1023 & 1125 Tech Spec changes by 871230 due to emergency circumstances. NRC approval prior to close of normal comment period requested. Justification for emergency relief encl.
KINGSLEY, O.D. System Energy Resources, Inc. 87/12/22. Document Control Branch (Document Control Desk). 10pp. 43963:033-43963:042.

8801050261 Forwards add'l info re util request for emergency processing of Tech Spec change on ATWS mods. per NRC 871226 request.
KINGSLEY, O.D. System Energy Resources, Inc. 87/12/27. Document Control Branch (Document Control Desk). 10pp. 44040:262-44040:271.

8801120019 Forwards 1987 mgmt directive designating control room command function & shift operating personnel duties. Updated FSAR will be revised to delete requirement for future annual submittals. per 871217 discussion w/H. Davis & R. Butcher.
KINGSLEY, O.D. System Energy Resources, Inc. 87/12/29. GRACE, J.N. Region 2, O/c of the Director. 6pp. 44030:190-44030:194.

8801130431 Forwards Amend 41 to License NPF-29 & safety evaluation. Amend provides interim changes to Tech Specs for standby liquid control sys & ATWS recirculation pump trip sys to reflect mods made to conform to 10CFR50.62.
KINTNER, L.L. Project Directorate II-1. 87/12/30. KINGSLEY, O.D. System Energy Resources, Inc. 3pp. 44008:078-44008:111.

8801130441 Amend 41 to License NPF-29, providing interim changes to Tech Specs for standby liquid control sys & ATWS recirculation pump trip sys to reflect mods made to conform to 10CFR50.62.
LAINAS, G.C. Assistant Director for Region II Reactors. 87/12/30. 21pp. 44009:081-44009:101.

8801130446 Safety evaluation supporting Amend 41 to License NPF-29.
Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/30. 9pp. 44009:102-44009:111.

8801140149 Forwards Amend 42 to License NPF-29 & safety evaluation. Amend changes Tech Specs to clarify definition of secondary containment integrity, add smoke detectors to CRD repair room & modify setpoint for RHR/RCIC steam line high flow.
KINTNER, L.L. Project Directorate II-1. 87/12/30. KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 44033:049-44033:091.

8801140152 Amend 42 to License NPF-29, changing Tech Specs to clarify definition of secondary containment integrity, add certain smoke detectors & modify setpoint for RHR/RCIC steam line high flow.
ADENSAM, E.G. Project Directorate II-1. 87/12/30. 31pp. 44033:051-44033:081.

-8801140154 Safety evaluation supporting Amend 42 to License NPF-29.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/30. 10pp.
44033.082-44033.091.

8801110414 Forwards rept on containment air quality & use of containment purge during Cycle 2 operation, per 870302 commitment. Util proposes that per cycle monitoring program be discontinued based on data in encl rept. Fee paid.
KINGSLEY, O.D. System Energy Resources, Inc. 87/12/31. Document Control Branch (Document Control Desk). 10pp. 43985-170-43985-179.

8801070203 Forwards Amend 43 to License NPF-29 & safety evaluation. Amend changes Tech Spec to reflect changes to divisional power supplies & associated primary containment penetration conductor overcurrent protective devices for valves.
KINTNER, L.L. Project Directorate II-1. 88/01/04. KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 43952-348-43952-363.

-8801070210 Amend 43 to License NPF-29, changing Tech Spec to reflect changes to divisional power supplies & associated primary containment penetration conductor overcurrent protective devices for two isolation valves in RWCU sys.
ADENSAM, E.G. Project Directorate II-1. 88/01/04. 9pp. 43052-350-43052-358.

-8801070212 Safety evaluation supporting Amend 43 to License NPF-29.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/04. 5pp.
43952-358-43952-363.

8801070319 Summary of 871022 meeting w/ util re status & schedule of licensing actions List of attendees, agenda & related info encl.
KINTNER, L.L. Project Directorate II-1. 88/01/04. Project Directorate II-1. 104pp.
43945-152-43945-265.

8801150247 Forwards Rev 6A to Operational QA Manual MPL-TOP-1A for evaluation No QA program commitments reduced or organization independence of listed changes clearly shown.
KINGSLEY, O.D. System Energy Resources, Inc. 88/01/11. Document Control Branch (Document Control Desk). 13pp. 44064-180-44064-172.

8801270141 Final response to FOIA request for documents. Forwards App A documents & portion of App B document App A documents placed in PDR. Portion of App B document withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, L. Doc-Search Associates. 4pp. 44155-008-44155-028.

-8801270227 Informs that Subcommittee on Oversight & Investigations of House Committee on Energy & Commerce requested 841018 rept of Ofc of Inspector & Auditor re Region II regulatory performance at plant. Documents will be forwarded.
KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/26. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 1p. 44165-013-44165-013.

-8801270280 Informs that members of Subcommittee on Oversight & Investigations intend to visit Region II on 851218 to interview NRC employees on matters re TVA.
KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/12/08. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 1p. 44165-014-44165-014.

8801270559 Forwards notice of consideration of issuance of amend to License NPF-29 & opportunity for prior hearing, per util 871216 request re operating personnel qualification & training.
KINTNER, L.L. Project Directorate II-1. 88/01/21. KINGSLEY, O.D. Mississippi Power & Light Co. 1p. 44166-001-44166-008.

-8801270564 Notice of consideration of issuance of amend to License NPF-29 & opportunity for prior hearing re 871216 request to delete license condition & revise Tech Spec provisions re operating personnel qualification & training.
KINTNER, L.L. Project Directorate II-1. 88/01/21. 7pp. 44166-002-44166-009.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records" Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056-008-44056-127.

8801060316 Forwards SER granting 870612, 0814, 1026 & 1119 requests for relief from certain Section XI ASME Code requirements re first 10-yr interval inservice insp program.
CHENG, C.Y. Materials Engineering Branch. 87/12/23. KINTNER, L.L. Project Directorate II-2. 1p. 43929-003-43929-018.

-8801080318 Safety evaluation granting 870612, 0814, 1026 & 1119 requests for relief from certain Section XI ASME Code requirements re first 10-yr interval inservice insp program.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/23. 16pp.
43928-004-43928-019.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-267.

8801110523 Forwards Insp Rept 50-416/87-38 on 871130-1201. No violations cited since all criteria for categorization of licensee-identified violations met.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/28. KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 43969-181-43969-183.

-8801110525 Partially withheld Insp Rept 50-416/87-38 on 871130-1201 (ref 10CFR2.790(d) & 73.21). Violations noted. Major areas inspected: circumstances of licensee reported security event re delayed response to vital area intrusion alarm.
TILLMAN, A., MCGUIRE, D.R. Region 2, Ofc of the Director. 87/12/22. 1p. 43969-183-43969-183.

8801070277 Forwards SER re 870612, 0814, 1026 & 1119 relief requests from Section XI ASME Code requirements for first 10-yr interval inservice insp program. Requested relief appropriate.
ADENSAM, E.G. Project Directorate II-1. 87/12/30. KINGSLEY, O.D. Mississippi Power & Light Co. 2pp. 43948-001-43948-018.

-8801070282 Safety evaluation supporting 870612, 0814, 1026 & 1119 relief requests from first 10-yr interval inservice insp program requirements of Section XI of ASME Code.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/30. 16pp.
43948-003-43948-018.

8801110356 Ack receipt of 871125 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-416/87-28.
VERRELLI, D.M. Region 2, Ofc of the Director. 87/12/30. KINGSLEY, O.D. System Energy Resources, Inc. 1p. 44030-272-44030-272.

8801140272 Forwards exemption from requirements of 10CFR50.55a(c) re RCPB for section of piping in RWCU sys. Exemption acceptable. Requests that NRC be advised of augmented inservice insp program completion.
KINTNER, L.L. Project Directorate II-1. 87/12/30. KINGSLEY, O.D. System Energy Resources, Inc. 3pp. 44031-213-44031-222.

-8801140283 Exemption from requirements of 10CFR50.55a(c) re RCPB for section of piping in RWCU sys.
LAIRAS, G.C. Project Directorate II-1. 87/12/30. Mississippi Power & Light Co. 7pp.
44031-218-44031-222.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985-258-43985-018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-286.

8801200308 Forwards Insp Rept 50-416/87-39 on 871214-17 & notice of violation.
COLLINS, D.M. Region 2, Ofc of the Director. 88/01/06. KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 44058-108-44058-123.

-8801200316 Notice of violation from insp on 871214-17. Violation noted: Dec 1987 chemical cleaning of Loops A & C of standby svc water sys conducted w/o adequate safety evaluation of effect on weld mats & cravice regions in piping.
COLLINS, D.M. Region 2, Ofc of the Director. 88/01/06. 2pp. 44058-110-44058-111.

-8801200320 Insp Rept 50-416/87-39 on 871214-17. Violation noted. Major areas inspected: standby svc water & circulating water sys chemical cleaning & plant chemistry control.
ROSS, W.J., KAHLE, J.B. Region 2, Ofc of the Director. 88/01/06. 12pp. 44058-112-44058-123.

8801140121 Documents 871028 telcon re standby svc water solutions & advises of Insp completion of Div I & II emergency diesel generator jacket water HXs, RHRC pump room cooler & other components, per Insp Rept 50-416/87-03.
KINGSLEY, O.D. System Energy Resources, Inc. 88/01/08. GRACE, J.N. Region 2, Ofc of the Director. 2pp. 44042-242-44042-243.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

8801260349 Summary of 871015 meeting w/ util & GE re util request for relief from inservice insp (ISI) of certain reactor pressure vessel welds. List of attendees, util ISI requirements handout & Relief Requests 1-00015 & 1-00064 encl.
KINTNER, L.L. Project Directorate II-1. 88/01/11. Project Directorate II-1. 90pp.
44115-269-44115-358.

880120227 Forwards response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/ Applicable Matl Specs." for review. Response for Unit 2 will be submitted by 880212.
KINGSLEY, O.D. System Energy Resources, Inc. 88/01/15. Document Control Branch (Document Control Desk). 32pp. 44083-269-44083-300.

8801250501 Ack receipt of 871223 ltr informing NRC of actions taken to correct violations noted in Insp Rept 50-416/87-29.
VERRELLI, D.M. Region 2, Ofc of the Director. 88/01/19. KINGSLEY, O.D. System Energy Resources, Inc. 1p. 44159-078-44159-078.

8801270225 Forwards Insp Rept 50-416/87-35 on 871114-1218 & notice of violation.
VERRELLI, D.M. Region 2, Ofc of the Director. 88/01/20. KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 44169-034-44169-053.

-8801270233 Notice of violation from insp on 871114-1218. Violation noted: failure to provide necessary controls to ensure that work & testing accomplished & plant conditions maintained.
VERRELLI, D.M. Region 2, Ofc of the Director. 88/01/20. 2pp. 44169-036-44169-037.

-8801270237 Insp Rept 50-416/87-35 on 871114-1218. Violation noted. Major areas inspected: operational safety verification, maint observation, surveillance observation, operating reactor events & fastener testing for Bulletin 87-002.
BUTCHER, R.C., MATHIS, J.L., DANCE, H.C. Region 2, Ofc of the Director. 88/01/19. 16pp. 44169-038-44169-053.

R. Periodic operating reports & related correspondence

8801160232 Monthly operating rept for Dec 1987. W/880111 ltr.
HOBBS, S.H., KINGSLEY, O.D. System Energy Resources, Inc. 87/12/31. 4pp.
44064-155-44064-158.

S. Reportable occurrences, LERs & related correspondence

8712300057 RD 87-006/00 on 871126, emergency diesel generator 12 tripped on high vibration signal during surveillance. Cause undetermined. Calbr procedure & vibration sensor trip settings reviewed & determined to be correct. KINGSLEY, O.D. System Energy Resources, Inc. 87/12/23. Document Control Branch (Document Control Desk). 2pp. 43998:270-43998:271.

8801060088 LER 87-021-00 on 871130, shutdown cooling suction valve E12-F009 isolated. Caused by personnel error. Future power outages & restorations will have procedures to ensure that actions properly completed. W/871230 ltr. BYRD, R.W., KINGSLEY, O.D. System Energy Resources, Inc. 87/12/30. 4pp. 43918:050-43918:053.

8801120122 LER 87-022-00 on 871206 & 07, RWCU isolation valves closed. Caused by high temp signal & blown fuse, respectively. Fuse replaced. W/880106 ltr. SUMMERS, J., KINGSLEY, O.D. System Energy Resources, Inc. 88/01/06. 4pp. 44040:175-44040:178.

8801120035 LER 87-023-00 on 871208, inadvertent Div II LOCA signal initiated & combustible gas control sys Train B actuated during restoration from surveillance procedure. Caused by personnel error. Operator disciplined. W/880107 ltr. DIFFERENT, P.M., KINGSLEY, O.D. Mississippi Power & Light Co. KINGSLEY, O.D. System Energy Resources, Inc. 88/01/07. 4pp. 44030:067-44030:070.

8801150215 LER 87-024-00 on 871212, reactor protection sys actuation occurred. Caused by header air pressure diminished faster than anticipated. No procedure revs required. W/880111 ltr. BYRD, R.W., KINGSLEY, O.D. System Energy Resources, Inc. 88/01/11. 5pp. 44062:181-44062:185.

8801270275 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl. LANNING, W. Events Assessment Branch. 88/01/15. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 16pp. 44155:138-44155:151.

8801220175 LER 87-025-00 on 871219, reactor protection sys actuation caused by incorrect installation of fuse during MSIV closure calbr. Individuals reprimanded for failure to correctly install fuse. W/880118 ltr. DIFFERENT, P.M., KINGSLEY, O.D. System Energy Resources, Inc. 88/01/18. 4pp. 44159:166-44159:169.

U. Congressional/Executive Correspondence

8801270141 Final response to FOIA request for documents. Forwards App A documents & portion of App B document. App A documents placed in PDR. Portion of App B document withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, L. Doc-Search Associates. 4pp. 44155:008-44155:028.

-8801270202 Forwards unexpurgated rept from Ofc of Inspector & Auditor re investigation of regulatory performance of Region II ofc concerning facilities W/o encl. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/25. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 44155:012-44155:012.

8801260276 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR. Only files in NRC Ofc of Governmental & Public Affairs searched for documents responsive to request. per 871028 telcon. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139:290-44139:334.

-8801280491 Forwards transcript of Commission 840601 meeting re plant that Plains promised Sieberling. W/o encl. COMBS, F. Office of Congressional Affairs (pre 870413). 84/09/20. MYERS, H. House of Rep., Interior & Insular Affairs. 1p. 44139:330-44139:331.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801210048 Trip rept of 850420-22 visit to Port Gibson, Ms, to participate in field test of draft training review criteria & procedures at plant. NRC teams observed licensed operator & nonlicensed operator training. BLUMER, A.H. Licensee Qualifications Branch. 85/06/03. PERSENSKY, J.J. Licensee Qualifications Branch. 2pp. 44118:134-44118:135.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:168.

8801270559 Forwards notice of consideration of issuance of amend to License NPF-29 & opportunity for prior hearing, per util 871216 request re operating personnel qualification & training. KINTNER, L.L. Project Directorate II-1. 88/01/21. KINGSLEY, O.D. Mississippi Power & Light Co. 1p. 44156:001-44156:008.

-8801270554 Notice of consideration of issuance of amend to License NPF-29 & opportunity for prior hearing re 871216 request to delete license condition & revise Tech Spec provisions re operating personnel qualification & training. KINTNER, L.L. Project Directorate II-1. 88/01/21. 7pp. 44156:002-44156:008.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

8804170307 Advises that 850128 submittal re impact of revised seismic analysis or standby svc water cooling tower basin does not significantly affect equipment qualification because sufficient margins exist to accommodate revised loadings. BUTLER, W.R. BWR Project Directorate 4. 86/04/02. KINGSLEY, O.D. Mississippi Power & Light Co. 3pp. 35605:316-35605:317.

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801270141 Final response to FOIA request for documents. Forwards App A documents & portion of App B document. App A documents placed in PDR. Portion of App B document withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, L. Doc-Search Associates. 4pp. 44155:008-44155:028.

-8801270227 Informs that Subcommittee on Oversight & Investigations of House Committee on Energy & Commerce requested 841019 rept of Ofc of Inspector & Auditor re Region II regulatory performance at plant. Documents will be forwarded. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/26. PALLADINO, Commissioners. 1p. 44155:013-44155:013.

-8801270280 Informs that members of Subcommittee on Oversight & Investigations intend to visit Region II on 851218 to interview NRC employees on matters re TVA. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/12/08. PALLADINO, Commissioners. 1p. 44155:014-44155:014.

F. Security, medical, emergency & fire protection plans

8801110322 Forwards final rept of M Stein for plant 871117 annual exercise. Minor changes made to draft. Rept covered control room & TSC. JAMISON, J.D. Battelle Memorial Institute, Pacific Northwest Laboratories. 87/12/28. SARTOR, W.M. Region 2, Ofc of the Director. 7pp. 43970:269-43970:275.

D. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:267.

8712290155 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of U.S. Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801210227 Forwards response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." for review. Response for Unit 2 will be submitted by 880212. KINGSLEY, O.D. System Energy Resources, Inc. 88/01/15. Document Control Branch (Document Control Desk). 32pp. 44083:269-44083:300.

S. Reportable occurrences, LERs & related correspondence

8801270375 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl. LANNING, W. Events Assessment Branch. 88/01/15. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 16pp. 44155:138-44155:151.

U. Congressional/Executive Correspondence

8801270141 Final response to FOIA request for documents. Forwards App A documents & portion of App B document. App A documents placed in PDR. Portion of App B document withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, L. Doc-Search Associates. 4pp. 44155:008-44155:028.

-8801270202 Forwards unexpurgated rept from Ofc of Inspector & Auditor re investigation of regulatory performance of Region II ofc concerning facilities W/o encl. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/25. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 44155:012-44155:012.

8801260276 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR. Only files in NRC Ofc of Governmental & Public Affairs searched for documents responsive to request, per 871028 telcon.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139:290-44139:334.

8801260491 Forwards transcript of Commission 840801 meeting re plant that Plains promised Sieberling. W/o encl.
COMBS, F. Office of Congressional Affairs (pre 870413). 84/09/20. MYERS, H. House of Rep., Interior & Insular Affairs. 1p. 44139:330-44139:331.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801210048 Trip rept of 850420-22 visit to Port Gibson, Ms, to participate in field test of draft training review criteria & procedures at plant. NRC teams observed licensed operator & nonlicensed operator training.
BLUMER, A.H. Licensee Qualifications Branch. 85/06/03. PERSENSKY, J.J. Licensee Qualifications Branch. 2pp. 44118:134-44118:135.

8801220136 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:169-44119:186.

DOCKET 60-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8801110443 Discusses Physical Security Insp Repts 50-245/87-22, 50-336/87-20 & 50-423/87-18 & Insp Rept 50-423/87-18 on 870831-0904 & 22-1102, respectively & forwards notice of violation & proposed imposition of civil penalty.
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 43969:169-43969:177.

8801110454 Partially deleted notice of violation from Insp on 870831-0904 & 26-1026 (ref 10CFR73.21).
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. 5pp. 43969:173-43969:177.

8801130084 Revised corporate organization for nuclear incidents procedures, including Rev 9 to CONI-9.01, "Notification of Communications W/Upper Mgt & On-Cell Organization" & Rev 18 to CONI-10.01, "Emergency & Telephone..." W/871231 Ir.
RODGERS, R. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 87/12/31. 3pp. 43961:020-43961:058.

8801130092 Forwards Safety Insp Rept 50-423/87-24 on 871103-1207. No violations noted. NRC concerned about follow-up & root cause identification of events which led to abnormal sodium concentration in refueling water storage tank & RCS.
BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/01/06. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44043:305-44043:339.

8801130098 Insp Rept 50-423/87-24 on 871103-1207. No violations noted. Major areas inspected: outage activities, IE Bulletin 85-003, physical security & maint. Unresolved issues identified in area of licensee root cause identification & follow-up.
MCCABE, E.C. Region 1, Ofc of the Director. 88/01/04. 33pp. 44043:307-44043:339.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801050219 Forwards add'l info re 870909 application for amend to License NPF-49 re resistance temp detectors bypass elimination, per NRC 871207 request.
MROCZKA, E.J., SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 87/12/23. Document Control Branch (Document Control Desk). 4pp. 43982:129-43982:132.

8801040547 Advises that listed items implemented during first refueling outage, per 871113 Ir re SPDS parameters. Add'l info re post-LOCA cooling provided per NRC request during 871208 telcon.
MROCZKA, E.J., SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 87/12/24. Document Control Branch (Document Control Desk). 3pp. 43983:264-43983:266.

8801050241 Requests NRC to accelerate review schedule to support emergency authorization & approval of proposed amend to License NPF-49 to allow plant startup & return to svcs by 880122.
MROCZKA, E.J., SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 87/12/24. Document Control Branch (Document Control Desk). 3pp. 43991:126-43991:127.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, G.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801130260 Submits comments on draft SRP Section 3.6.3, "Leak-Before-Break Evaluation Procedures," per amend to GDC 4 of 10CFR50, App A. Ullis endorse comments by Nuclear Util Group on Equipment Qualification.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/01/06. Document Control Branch (Document Control Desk). 4pp. 44002:161-44002:164.

8801190180 Comment opposing SRP Section 3.6.3 of NUREG-0800. Ullis endorse comments by Nuclear Util Group on Equipment Qualification.
MROCZKA, E.J., SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SEARS, C.F. Connecticut Yankee Atomic Power Co. 88/01/06. Document Control Branch (Document Control Desk). 6pp. 44052:001-44052:005.

8801110264 Forwards rept evaluating risk significance of loss of HVAC sys scenarios in control room, switchgear room & auxiliary feedwater pump cubicles, per 851122 commitment. Loss of room cooling not significant core damage frequency issue.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/07. Document Control Branch (Document Control Desk). 7pp. 43970:195-43970:201.

8801190192 Responds to NRC 871201 request for info re expected moderator temp coefficient for plant during upcoming Cycle 2. One-time only evaluation provides further evidence that Westinghouse Owners Group approach appropriate w/o analyses.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/07. Document Control Branch (Document Control Desk). 6pp. 44045:168-44045:173.

8801220519 Clarifies 871113 & 1224 ltrs re post-LOCA cooling variables & hydrogen concentration for SPDS license condition.
MROCZKA, E.J., SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/14. Document Control Branch (Document Control Desk). 3pp. 44159:116-44159:118.

8801270236 Advises that upgrading of AO Procedure ACP-3570, "Earthquake" completed by taking into consideration NRC recommendation for dealing w/earthquake induced relay chatter.
MROCZKA, E.J., SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/15. Document Control Branch (Document Control Desk). 2pp. 44169:091-44169:092.

8801270151 Ack receipt of Invoices G0369, G0403, G0404 & G0405 for second quarterly installment of 1988 annual fee. Payment for invoices will be transferred on 880129, per instructions.
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 88/01/18. Document Control Branch (Document Control Desk). 6pp. 44168:014-44168:019.

8801270173 Provides summary of lab & in situ tests re qualification of diesel engine mounted instrumentation & controls for vibrations per commitment made in 871022 Ir. Control panel supports modified w/vibration isolators.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/18. Document Control Branch (Document Control Desk). 10pp. 44169:080-44169:089.

8801260101 Forwards Amend 13 to License NPF-49 & safety evaluation. Amend revises Tech Spec Section 4.8.4.1.a.2 to permit specified surveillance testing of instantaneous trip elements of molded case circuit breakers & starters.
FERGUSON, R.L. Project Directorate I-4. 88/01/20. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 3pp. 44138:113-44138:129.

8801260104 Amend 13 to License NPF-49, revising Tech Spec Section 4.8.4.1.a.2 to permit surveillance testing of instantaneous trip elements of molded case circuit breakers & unitized starters at -26 to +40% of instantaneous trip current range.
STOLZ, J.F. Project Directorate I-4. 88/01/20. 5pp. 44138:116-44138:120.

8801260106 Safety evaluation supporting Amend 13 to License NPF-49.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/20. 9pp. 44138:121-44138:129.

8801270573 Requests fee payment for 871113 request re addendum to NUSCO-152 concerning physics methodology for PWR reload design.
DIGGS, R.M. License Fee Management Branch. 88/01/21. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 1p. 44168:010-44168:010.

8801270592 Forwards results of evaluation performed on temp data collected during first cycle in response to License Condition 2.C(3) requirement. Cables qualified lives will not be reduced to less than 40 yrs due to higher temps.
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/21. Document Control Branch (Document Control Desk). 4pp. 44145:077-44145:080.

8801280630 Confirms that air dryers in emergency diesel air start sys installed & operational per License Condition 2.C(8).
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/21. Document Control Branch (Document Control Desk). 1p. 44180:194-44180:194.

Q. Inspection reports, IE Bulletins & correspondence

8801110443 Discusses Physical Security Insp Repts 50-245/87-22, 50-336/87-20 & 50-423/87-18 & Insp Rept 50-423/87-18 on 870831-0904 & 22-1102, respectively & forwards notice of violation & proposed imposition of civil penalty.
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 4pp. 43969:169-43969:177.

8801110454 Partially deleted notice of violation from Insp on 870831-0904 & 26-1026 (ref 10CFR73.21).
RUSSELL, W.T. Region 1, Ofc of the Director. 87/12/14. 5pp. 43969:173-43969:177.

8712180369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records," Svcs list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44056:006-44056:127.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions," Svcs list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 124pp. 43995:136-43995:257.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs," Svcs list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:136-43995:257.

148 DOCKETED ITEMS

8801120297 Forwards Safety Insp Rept 50-423/87-26 on 871116-20. No violations noted.
JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/28. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44040:078-44040:087.

8801120301 Insp Rept 50-423/87-26 on 871116-20. No violations noted. Major areas inspected: licensee action to improve reactor trip reliability; surveillance testing of ECCS sys & cold weather protection.
FINKEL, A., BLUMBERG, N. Region 1, Ofc of the Director. 87/12/17. 8pp. 44040:080-44040:087.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions In Response to IE Bulletin 88-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44039:164-44039:286.

8801120362 Forwards Insp Repts 50-245/87-31, 50-338/87-26 & 50-423/87-27 on 871116-20. No violations noted. Unit 3 staff implementing effective radiation protection program. Weakness noted re qualification of respiratory protection support personnel.
MARTIN, T.T. Region 1, Ofc of the Director. 88/01/04. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 3pp. 44040:050-44040:081.

8801120387 Insp Repts 50-245/87-31, 50-338/87-26 & 50-423/87-27 on 871116-20. No violations noted. Major areas inspected: radiation protection activities, including internal/external exposure control & personnel selection & training.
WEADOCK, A., THOMAS, W., SHANBAKY, M. Region 1, Ofc of the Director. 87/12/28. 9pp. 44040:053-44040:061.

8801130092 Forwards Safety Insp Rept 50-423/87-24 on 871103:1207. No violations noted. NRC concerned about follow-up & root cause identification of events which led to abnormal sodium concentration in refueling water storage tank & RCS.
BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/01/05. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44043:305-44043:339.

8801130098 Insp Rept 50-423/87-24 on 871103:1207. No violations noted. Major areas inspected: outage activities, IE Bulletin 85-003, physical security & maintenance. Unresolved issues identified in area of licensee root cause identification & follow-up.
MOCABE, E.C. Region 1, Ofc of the Director. 88/01/04. 33pp. 44043:307-44043:339.

8801120355 Forwards Safety Insp Rept 50-423/87-25 on 871116-20. No violations or deviations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 88/01/06. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 44040:088-44040:095.

8801120358 Safety Insp Rept 50-423/87-25 on 871116-20. No exams of noncompliance noted. Major areas inspected: gaseous & liquid effluents control program, including liquid & gaseous waste processing, sampling & measurement & release records.
DAVIDSON, B.S., PASCIAK, W.J. Region 1, Ofc of the Director. 87/12/31. 6pp. 44040:090-44040:095.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Mord' MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801290193 Forwards rept summarizing corrective actions taken to repair reactor coolant pumps. Seven loose parts found during core unload. Refueling outage will be extended to insp & repair pumps.
MROCZKA, E.J., SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/01/22. Document Control Branch (Document Control Desk). 9pp. 44183:263-44183:271.

R. Periodic operating reports & related correspondence

8801140330 Monthly operating rept for Dec 1987. W/680108 lr.
ELMS, A.L. SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 87/12/31. 4pp. 44062:285-44062:288.

S. Reportable occurrences, LERs & related correspondence

8801120239 LER 87-047-00 on 871130, core alteration made w/o licensed senior reactor operator present in containment. Caused by both personnel & procedural errors. Core alterations stopped until senior reactor operator could be present. W/ 871228 lr.
MCDANIEL, D.T., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 87/12/28. 4pp. 43996:358-43996:361.

8801120099 LER 87-046-00 on 871203 & 05, drain hoses discovered strung through Train B recirculation spray sys cubicle & control bldg equipment room door, respectively. Caused by human error. Memo to reinforce correct methods issued W/880104 lr.
PINKOWITZ, B.M., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 88/01/04. 4pp. 43998:226-43998:229.

8801200303 LER 87-049-00 on 871218, engineering evaluation required by plant Tech Specs not performed within allotted time frame. Caused by misinterpretation of action statement of Tech Specs 3.7.10. Engineering evaluation performed W/880113 lr.
LOOMIS, L.E., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 88/01/13. 4pp. 44106:199-44106:201.

8801270118 LER 87-050-00 on 871221, discovered that temps for various areas housing safety-related & environmentally qualified equipment not within Tech Spec limits. Caused by personnel error. Personnel instructed W/880120 lr.
JOSEPH, V.R., SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 88/01/20. 5pp. 44169:020-44169:024.

V. Operator Examinations

8801110174 Forwards comments discussed during 871215 exam review meeting & subsequent reviews re written licensee reactor operator exam administered on 871215. SCACE, S.E. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). SCACE, S.E. Northeast Utilities. 87/12/24. Document Control Branch (Document Control Desk). 8pp. 44006:058-44006:064.

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR Add'l records also available in PDR under Bossong FOIA: 87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801220136 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8801120021 Informs that Dec 1987 security sys mods completion committed to in 871021 lr delayed until Mar 1988 due to software problems. Appropriate Region 1 personnel informed during 871221 telcon.
GUCWAL, T. Georgia Power Co. 87/12/28. GRACE, J.N. Region 2, Ofc of the Director. 2pp. 44044:098-44044:100.

8801120431 Rev 4 to Emergency Plan Implementing Procedure 91110-G, "Duties of Health Physics Supervisor (Technical Support Cir)." W/ revised table of contents & 871230 lr.
GUCWAL, T. Georgia Power Co. 87/12/30. 14pp. 43990:171-43990:184.

8801110441 Confirms JA Edwards & LA Hill 871216 conference call w/ TR Docker re NRC decision not to conduct emergency response facility appraisal during 880524 emergency preparedness exercise.
GUCWAL, T. Georgia Power Co. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 43986:025-43986:028.

8801290156 Forwards Amend 9 to physical security & contingency plan, reflecting implementation of physical & administrative improvements. Amend withheld (ref 10CFR73.21).
GUCWAL, T. Georgia Power Co. 88/01/08. Document Control Branch (Document Control Desk). 2pp. 44183:229-44183:230.

8801190271 Confirms telcon between WE Burns & MV Sinkula re 880119 mgmt meeting at site to discuss recent operating events & plant activities. Proposed meeting agenda encl.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/12. O'REILLY, J.P. Georgia Power Co. 3pp. 44051:023-44051:025.

8801270488 Forwards Rev 4 to security training & qualification plan, incorporating clarification re psychological evaluations & minor editorial changes. Rev withheld (ref 10CFR73.21).
GUCWAL, T. Georgia Power Co. 88/01/15. Document Control Branch (Document Control Desk). 2pp. 44141:086-44141:087.

8801260535 Informs that items included in Amend 8 to plant physical security & contingency plan resolved through direct discussions between utility & NRC. Disposition of items encl. Amend withheld.
GUCWAL, T. Georgia Power Co. 88/01/20. Document Control Branch (Document Control Desk). 2pp. 44125:120-44125:121.

J. Insurance & Indemnity Information

8801270357 Forwards endorsements, including Endorsement 7 to MAELU Certificate M-75, Endorsement 7 to NELIA Certificate N-75, Endorsement 8 to MAELU Certificate M-66 & Endorsement 8 to NELIA Certificate N-68.
SANNAL, J. Marsh & McLennan, Inc. 87/12/30. DINIZ, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 85pp. 43938:185-43938:260.

8801270120 Forwards Endorsements 105 & 16 to NELIA Policies NF-215 & NF-302 & Endorsements 87 & 10 to MAELU Policies MF-78 & MF-129.
SANNAL, J. Marsh & McLennan, Inc. 88/01/12. DINIZ, J. NRC - No Detailed Affiliation Given. 17pp. 44186:047-44186:063.

P. Operating license stage documents & correspondence

8801190239 FOIA request for all documents re S McNally, B Weatherford, J Register, ST Register & L Price.
WHITNEY, C.W. Troutman, Sanders, Lockerman & Ashmore. 88/02/14. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 44055:179-44055:179.

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUSE, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801050275 Forwards updated listing of licensing issues under NRC review. Approval requested by dates noted.
GUCWAL, T. Georgia Power Co. 87/12/28. Document Control Branch (Document Control Desk). 3pp. 43980:173-43980:175.

8801070182 Application for amend to License NPF-68, revising Tech Specs for corporate & plant organization descriptions. Fee paid.
O'REILLY, J.P. Georgia Power Co. 87/12/28. Document Control Branch (Document Control Desk). 8pp. 43991:183-43991:193.

8801070165 Proposed Tech Specs, revising corporate & plant organizations.

* Georgia Power Co. 87/12/28. 3pp. 43991:191-43991:193.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801120011 Forwards anonymous letter from concerned individual re RII-87-A-0123. Requests findings from review of concern within 30 days of ltr receipt. Ltr withheld (ref 10CFR2.790).
REYES, L.A. Region 2, Ofc of the Director. 87/12/30. O'REILLY, J.P. Georgia Power Co. 2pp. 44030:185-44030:186.

8801120303 Submits addl info re Generic Ltr 83-28, Item 2.2.2 on incorporating vendor technical info into plant procedures, per 871108 request.
GUCWAL, T. Georgia Power Co. 88/01/05. Document Control Branch (Document Control Desk). 7pp. 43986:293-43986:299.

8801190260 Final response to FOIA request. Addl records subj to request identified in responses to FOIA-88-43 & FOIA-88-A-140 under name of Fowler. Forwards App A documents App A also available in PDR. App B documents withheld (ref FOIA Exemption 7).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. WHITNEY, C.W. Troutman, Sanders, Lockerman & Ashmore. 4pp. 44055:180-44055:180.

8801190285 Forwards index of documents re FOIA-88-43.
VORSE, J. Region 2, Ofc of the Director. 88/04/03. SCHOFIELD, P. Office of Investigations. 7pp. 44055:184-44055:190.

8801260358 Forwards updated listing of licensing issues under NRC review.
GUCWAL, T. Georgia Power Co. 88/01/15. Document Control Branch (Document Control Desk). 3pp. 44136:353-44136:355.

8801280077 Summary of ACRS Subcommittee on Quality & QA in Design & Const 871124 meeting in Washington, DC. Notice of meeting, tentative meeting agenda & list of handouts encl.
* ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 12pp. 44173:275-44173:286.

Q. Inspection reports, IE Bulletins & correspondence

8712300032 Responds to violations noted in Insp Rept 50-424/87-61. Corrective actions radioactive matl identified during survey removed from landfill & disposed of as radioactive. Monitor will perform release surveys of contaminated matl.
GUCWAL, T. Georgia Power Co. 87/12/21. Document Control Branch (Document Control Desk). 4pp. 43984:059-43984:062.

8712160389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8801040116 Forwards Insp Repts 50-424/87-66 & 50-425/87-47 on 871118-20. No violation or deviation noted.
HERDT, A.R. Region 2, Ofc of the Director. 87/12/23. O'REILLY, J.P. Georgia Power Co. 2pp. 43963:248-43963:261.

8801040119 Insp Repts 50-424/87-66 & 50-425/87-47 on 871118-20. No violation or deviation noted. Major areas inspected: welding & nonwelding activities re containment spray piping supports, preservice Insp & HVAC quality concerns.
HALLSTROM, G.A., BLAKE, J.J. Region 2, Ofc of the Director. 87/12/18. 12pp. 43963:250-43963:261.

8712230003 Suppl 1 to NRC Info Notice 87-026, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43985:138-43985:257.

8801120021 Informs that Dec 1987 security sys mods completion committed to in 871021 ltr delayed until Mar 1988 due to software problems. Appropriate Region II personnel informed during 871221 telcon.
GUCWAL, T. Georgia Power Co. 87/12/28. GRACE, J.N. Region 2, Ofc of the Director. 2pp. 44044:099-44044:100.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985:258-43985:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44036:164-44036:286.

8801150124 Ack receipt of 871026 & 1125 supplemental responses to violations noted in Insp Rept 50-424/87-35. Responses discussed at 871209 meeting in Atlanta, GA. Meeting summary & list of attendees encl.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/05. O'REILLY, J.P. Georgia Power Co. 2pp. 44042:077-44042:081.

8801190304 Responds to violations noted in Insp Rept 50-424/87-64. Corrective actions: 1 liter Marinell beaker w/proper attenuation corrections ordered to correct noted problems in health physics counting room.
GUCWAL, T. Georgia Power Co. 88/01/07. Document Control Branch (Document Control Desk). 4pp. 44061:208-44061:211.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Mornil MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44036:041-44036:163.

8801130253 Ack receipt of ullr 871030 ltr, informing NRC of steps taken to correct violations noted in NRC 870904 & 1001 ltrs & payment of civil penalty.
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/01/11. O'REILLY, J.P. Georgia Power Co. 2pp. 44002:160-44002:161.

8801200332 Confirms 871212 telcon re 880119 mgt meeting in Waynesboro, GA to review results of NRC SALP program, including appraisal of ullr regulatory performance per 861001-870930 evaluation.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/11. O'REILLY, J.P. Georgia Power Co. 2pp. 44058:102-44058:103.

8801270385 Forwards response to 871108 NRC Bulletin 87-002, "Fasteners Testing to Determine Conformance w/Applicable Mail Specs."
O'REILLY, J.P. Georgia Power Co. 88/01/18. Document Control Branch (Document Control Desk). 161pp. 44140:083-44140:243.

R. Periodic operating reports & related correspondence

8801260351 Monthly operating rept for Dec 1987. W/880112 ltr.
DILWORTH, S.C., GUCWAL, T. Georgia Power Co. 87/12/31. 6pp. 44136:337-44136:342.

S. Reportable occurrences, LERs & related correspondence

8801120267 LER 87-071-00: on 871109, storage tanks refilled w/ inadequately analyzed diesel fuel oil. Caused by personnel miscommunication. Analysis procedure revised & personnel involved counseled. W/880104 ltr.
BURNS, W.E., GUCWAL, T. Georgia Power Co. 88/01/04. 6pp. 44044:234-44044:239.

8801120113 LER 87-069-00: on 871120, discovered that max licensed power level exceeded on numerous occasions. Caused by procedural deficiency. Procedures revised. Suppl rept will be submitted by 880212. W/880105 ltr.
BURNS, W.E., GUCWAL, T. Georgia Power Co. 88/01/05. 6pp. 44030:108-44030:115.

8801130070 Special Rept 87-002: voids in tendon sheathing grease in excess of 6% not duct vol detected during surveillance. Containment structural integrity demonstrated.
GUCWAL, T. Georgia Power Co. 88/01/08. Document Control Branch (Document Control Desk). 6pp. 44039:358-44040:001.

8801190081 LER 87-072-00: on 871121, Tech Spec surveillance for plant improperly performed. Caused by inadequate training of auxiliary plant operator. Individuals involved counseled & training discussion conducted. W/880109 ltr.
BURNS, W.E., GUCWAL, T. Georgia Power Co. 88/01/08. 6pp. 44108:244-44108:249.

8801260350 LER 87-074-00: on 871008, determined that junction boxes should be identified as deficiency & deficiency card (DC) initiated. DC processed w/o identifying thermocouples as inoperable. Caused by personnel error. W/880119 ltr.
BURNS, W.E., GUCWAL, T. Georgia Power Co. 88/01/17. 6pp. 44156:287-44156:292.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 6pp. 44118:001-44118:039.

8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ocs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871106 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 6pp. 44118:159-44118:166.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

8801190239 FOIA request for all documents re S McNally, B Weatherford, J Register, ST Register & L Price.
WHITNEY, C.W. Troutman, Sanders, Lockerman & Ashmore. 88/02/14. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 44055:179-44055:179.

8801120090 Forwards info re Resource Technical Svcs, Inc, including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801120011 Forwards anonymous letter from concerned individual re RII-87-A-0123. Requests findings from review of concern within 30 days of ltr receipt. Ltr withheld (ref 10CFR2.790).
REYES, L.A. Region 2, Ofc of the Director. 87/12/30. O'REILLY, J.P. Georgia Power Co. 2pp. 44030:185-44030:186.

8801120303 Submits addl info re Generic Ltr 83-28, Item 2.2.2 on incorporating vendor technical info into plant procedures, per 871108 request.
GUCWAL, T. Georgia Power Co. 88/01/05. Document Control Branch (Document Control Desk). 7pp. 43986:293-43986:299.

150 DOCKETED ITEMS

8801190260 Final response to FOIA request. Add records subj to request identified in responses to FOIA-88-43 & FOIA-88-A-140 under name of Fowler. Forwards App A documents App A also available in PDR App B documents withheld (ref FOIA Exemption 7). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. 44055:190.

-8801190285 Forwards index of documents re FOIA-66-43. VORSE, J.Y. Region 2, Ofc of the Director. 88/04/03. SCHOFIELD, P. Office of Investigations. 7pp. 44055:184-44055:190.

8801270072 Forwards draft Tech Specs. Draft retains current requirements for Unit 1 & applies consistent Tech Spec requirements for Unit 2. BAILEY, J.A. Georgia Power Co. BAILEY, J.A. Southern Company Services, Inc. 88/01/15. Document Control Branch (Document Control Desk). 800pp. 44143:091-44144:221.

F. Security, medical, emergency & fire protection plans

8801120431 Rev 4 to Emergency Plan Implementing Procedure 9110-C, "Duties of Health Physics Supervisor (Technical Support Ctr)." W/ revised table of contents & 871230 ltr. GUCWA, L.T. Georgia Power Co. 87/12/30. 14pp. 43990:171-43990:184.

8801110441 Confirms JA Edwards & LA Hul 871216 conference call w/ TR Decker re NRC decision not to conduct emergency response facility appraisal during 880524 emergency preparedness exercise. GUCWA, L.T. Georgia Power Co. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 43986:025-43986:026.

8801290156 Forwards Amend 9 to physical security & contingency plan, reflecting implementation of physical & administrative improvements. Amend withheld (ref 10CFR73.21). GUCWA, L.T. Georgia Power Co. 88/01/06. Document Control Branch (Document Control Desk). 2pp. 44183:229-44183:230.

8801270488 Forwards Rev 4 to security training & qualification plan, incorporating clarification re psychological evaluations & minor editorial changes. Rev withheld (ref 10CFR73.21). GUCWA, L.T. Georgia Power Co. 88/01/15. Document Control Branch (Document Control Desk). 2pp. 44141:068-44141:067.

8801260535 Informs that items included in Amend 8 to plant physical security & contingency plan resolved through direct discussions between util & NRC. Disposition of items encl. Amend withheld. GUCWA, L.T. Georgia Power Co. 88/01/20. Document Control Branch (Document Control Desk). 2pp. 44125:120-44125:121.

J. Insurance & indemnity information

8801270120 Forwards Endorsements 105 & 16 to NELA Policies NF-215 & NF-302 & Endorsements 87 & 10 to MAELU Policies MF-78 & MF-128. SANNA, L.J. Marsh & McLennan, Inc. 88/01/12. DINITZ, I. NRC - No Detailed Affiliation Given. 17pp. 44186:047-44186:063.

Q. Inspection reports, IE Bulletins & correspondence

8712180389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8801040116 Forwards Insp Repts 50-424/87-66 & 50-425/87-47 on 871116-20 No violation or deviation noted. HERDT, A.R. Region 2, Ofc of the Director. 87/12/23. O'REILLY, J.P. Georgia Power Co. 2pp. 43963:248-43963:261.

-8801040119 Insp Repts 50-424/87-66 & 50-425/87-47 on 871116-20. No violation or deviation noted. Major areas inspected welding & nonwelding activities re containment spray piping supports, preservice insp & HVAC quality concerns. HALLSTROM, G.A., BLAKE, J.J. Region 2, Ofc of the Director. 87/12/18. 12pp. 43963:250-43963:261.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801110296 Forwards Insp Rept 50-425/87-45 on 871116-19. No violations or deviations noted. HERDT, A.R. Region 2, Ofc of the Director. 87/12/31. O'REILLY, J.P. Georgia Power Co. 2pp. 44000:001-44000:010.

-8801110300 Insp Rept 50-425/87-45 on 871116-19. No violations or deviations noted. Major areas inspected electrical & instrumentation & control const activities. FILLION, P.J., CONLON, T.E. Region 2, Ofc of the Director. 87/12/29. 8pp. 44000:003-44000:010.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801200332 Confirms 871212 telcon re 880119 mgt meeting in Waynesboro, GA to review results of NRC SALP program, including appraisal of util regulatory performance per 861001-870930 evaluation. GRACE, J.N. Region 2, Ofc of the Director. 88/01/11. O'REILLY, J.P. Georgia Power Co. 2pp. 44058:102-44058:103.

8801270385 Forwards response to 871108 NRC Bulletin 87-002, "Fasteners Testing to Determine Conformance w/ Applicable Matl Specs." O'REILLY, J.P. Georgia Power Co. 88/01/18. Document Control Branch (Document Control Desk). 161pp. 44140:083-44140:243.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA 87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

Q. Inspection reports, IE Bulletins & correspondence

8712180389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

DOCKET STN-50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

8801120090 Forwards Info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & list of expertise available for special insps & of current resource svcs. FELTHOUSE, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43999:230-43999:300.

8801040516 Requests authorization for use of ASME Boiler & Pressure Vessel Code Cases N-341 & N-356 for plants. Required justification for use encl. Concurrence on use of cases requested by 880215. GRIDLEY, R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43961:203-43961:205.

8801110376 Forwards table listing Sequoyah & TVA generic allegations investigated by util & noted in GG Zach 870729 ltr to SA White as restart issues. Table also notes submission dates for repts. GRIDLEY, R. Tennessee Valley Authority. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 43969:062-43969:084.

8801250133 Summary of 871215 meeting w/ TVA in Bethesda, MD re TVA program to address microbiologically induced corrosion. List of attendees & viewgraphs encl. AULUCK, R. Ofc of Special Projects. 88/01/11. Ofc of Special Projects. 76pp. 44116:219-44116:284.

8801290032 Summary of 871215 meeting w/ util in Bethesda, MD re util welding reinsp program. List of attendees & viewgraphs encl. AULUCK, R. Ofc of Special Projects. 88/01/15. Ofc of Special Projects. 27pp. 44178:200-44178:227.

8801270141 Final response to FOIA request for documents Forwards App A documents & portion of App B document App A documents placed in PDR Portion of App B document withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR,L. Doc-Search Associates. 4pp. 44155:008-44155:028.

-8801270400 Discusses interviews of Region II personnel by Subcommittee on Oversight & Investigations re TVA facilities.
KAMMERER,C.C. Office of Congressional Affairs (pre 870413). 85/12/13. PALLA-DINO, ROBERTS, ASSELSTINE Commissioners. 2pp. 44155:015-44155:023.

8801290285 Grants util authorization to use ASME Code Cases N-341 & N-356 to extend certification period for Level III NDE examiners from 3 to 5 yrs, per 871229 ltr.
ZECH,G.G. Oic of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 4pp. 44177:357-44177:360.

J. Insurance & Indemnity Information

8801070357 Forwards endorsements, including Endorsement 7 to MAELU Certificate M-75, Endorsement 7 to NELIA Certificate N-75, Endorsement 8 to MAELU Certificate M-66 & Endorsement 8 to NELIA Certificate N-66.
SANNAL,J. Marsh & McLennan, Inc. 87/12/30. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 95pp. 43038:165-43038:280.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-020, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:280.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801200079 Partial response to FOIA request for documents Forwards App D documents App D & E documents available in PDR App F document completely withheld (ref FOIA Exemption 7). App G document partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN,L. Times Printing Co. 6pp. 44081:218-44081:272.

-8801200116 Discusses F Combs 880110 memo addressing H Myers inquiry as to status of Unresolved Items 380/84-07-01, 381/84-07-01, 438/84-02-01 & 439/84-02-01.
OLSHINSKI,J.A. Region 2, Oic of the Director. 85/03/13. REHM,T.A. Region 2, Oic of the Director. 1p. 44081:228-44081:258.

8801260276 Partial response to FOIA requests Forwards App A documents. Documents being placed in PDR Only files in NRC Oic of Governmental & Public Affairs searched for documents responsive to request, per 871028 telcon.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR,L. Doc-Search Associates. 3pp. 44139:290-44139:334.

-8801260551 Advises that Committee on Interior & Insular Affairs has provided encl info on TVA weld issues.
KAMMERER,C.C. Office of Congressional Affairs (pre 870413). 85/10/17. DIRCKS,W. Oic of the Executive Director for Operations. 23pp. 44139:346-44140:008.

R. Periodic operating reports & related correspondence

8801200079 Partial response to FOIA request for documents Forwards App D documents App D & E documents available in PDR App F document completely withheld (ref FOIA Exemption 7). App G document partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN,L. Times Printing Co. 6pp. 44081:218-44081:272.

-8802190873 Summarizes NRC activities involving TVA from 860203-07.
DENTON,H.R. Office of Nuclear Reactor Regulation, Director (861125-870411). 86/02/12. STELLO,V. Oic of the Executive Director for Operations. 3pp. 44081:279-44081:281.

S. Reportable occurrences, LERs & related correspondence

8801140106 Interim Deficiency & Part 21 Rept CAQR BLF870201 re disengaged Xomox Corp operators for 90 degree Tulline plug valves. Initially reported on 871127. Mod kits will be provided by Xomox for valve repair.
GRIDLEY,R. Tennessee Valley Authority. 88/01/08. Document Control Branch (Document Control Desk). 4pp. 44038:349-44038:352.

A. Application/construction stage documents & correspondence

8801040516 Requests authorization for use of ASME Boiler & Pressure Vessel Code Cases N-341 & N-356 for plants Required justification for use encl Concurrency on use of cases requested by 880215.
GRIDLEY,R. Tennessee Valley Authority. 87/12/29. Document Control Branch (Document Control Desk). 3pp. 43961:203-43961:205.

8801110376 Forwards table listing Sequoyah & TVA generic allegations investigated by util & noted in CG Zech 870729 ltr to SA White as restart issues. Table also notes submission dates for repts.
GRIDLEY,R. Tennessee Valley Authority. 88/01/08. Document Control Branch (Document Control Desk). 3pp. 43969:082-43969:084.

8801250133 Summary of 871215 meeting w/TVA in Bethesda, MD re TVA program to address microbiologically induced corrosion. List of attendees & viewgraphs encl.
AULUCK,R. Oic of Special Projects. 88/01/11. Oic of Special Projects. 76pp. 44116:219-44116:284.

8801290032 Summary of 871215 meeting w/util in Bethesda, MD re util welding re: insp program. List of attendees & viewgraphs encl.
AULUCK,R. Oic of Special Projects. 88/01/15. Oic of Special Projects. 27pp. 44176:200-44176:227.

8801270141 Final response to FOIA request for documents Forwards App A documents & portion of App B document App A documents placed in PDR Portion of App B document withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR,L. Doc-Search Associates. 4pp. 44155:008-44155:028.

-8801270400 Discusses interviews of Region II personnel by Subcommittee on Oversight & Investigations re TVA facilities.
KAMMERER,C.C. Office of Congressional Affairs (pre 870413). 85/12/13. PALLA-DINO Commissioners. 2pp. 44155:016-44155:023.

8801290285 Grants util authorization to use ASME Code Cases N-341 & N-356 to extend certification period for Level III NDE examiners from 3 to 5 yrs, per 871229 ltr.
ZECH,G.G. Oic of Special Projects. 88/01/25. WHITE,S.A. Tennessee Valley Authority. 4pp. 44177:357-44177:360.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-020, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:280.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801200079 Partial response to FOIA request for documents Forwards App D documents App D & E documents available in PDR App F document completely withheld (ref FOIA Exemption 7). App G document partially withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN,L. Times Printing Co. 6pp. 44081:218-44081:272.

-8801200116 Discusses F Combs 880110 memo addressing H Myers inquiry as to status of Unresolved Items 380/84-07-01, 381/84-07-01, 438/84-02-01 & 439/84-02-01.
OLSHINSKI,J.A. Region 2, Oic of the Director. 85/03/13. REHM,T.A. Region 2, Oic of the Director. 1p. 44081:228-44081:258.

8801260276 Partial response to FOIA requests Forwards App A documents. Documents being placed in PDR Only files in NRC Oic of Governmental & Public Affairs searched for documents responsive to request, per 871028 telcon.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR,L. Doc-Search Associates. 3pp. 44139:290-44139:334.

-8801260551 Advises that Committee on Interior & Insular Affairs has provided encl info on TVA weld issues.
KAMMERER,C.C. Office of Congressional Affairs (pre 870413). 85/10/17. DIRCKS,W. Oic of the Executive Director for Operations. 23pp. 44139:346-44140:008.

R. Periodic operating reports & related correspondence

8801200079 Partial response to FOIA request for documents Forwards App D documents App D & E documents available in PDR App F document completely withheld (ref FOIA Exemption 7) App G document partially withheld (ref FOIA Exemption 5).

GP/MS/LE/CH Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 5pp. 44081 218-44081 272.

-8801200671 Summaries NRC activities involving TVA from 860203-07. DEANTON, H.R. Chief of Nuclear Reactor Regulation, Director (851125-870411). 86/02-12 STELLOV, G. Of the Executive Director for Operations. 3pp. 44081 279-44081 281.

S. Reportable occurrences, LERs & related correspondence

8801140108 Interim Deficiency & Part 21 Rept CAOR BLF870201 re disengaged Xomox Corp operators for 90 degree Tuffine plug valves invalably reported on 871127. Mod kits will be provided by Xomox for valve repair. GR/DLEY, R. Tennessee Valley Authority. 88/01/08. Document Control Branch (Document Control Desk). 4pp. 44038 343-44038 352.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

8801280462 Revised emergency plan implementing procedures including Revs 4 to Emergency Plan implementing instructions EPI-A2, "Unusual Event," EPI-A4, "Site Area Emergency," & EPI-A5, "General Emergency." W/880115 ltr. MOON, S. GERBER, G.H. KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/15. 35pp. 44127 251-44127 255.

Q. Adjudicatory correspondence

8801250411 NRC Staff response to petition to intervene filed by OCRE. OCRE should comply w/ requirement to submit at least one loggable contention. Notice of appearance & Certificate of Svc. encl. WOODHEAD, C.P. Assistant General Counsel for Hearings. #188 5393. 88/01/20. Atomic Safety and Licensing Board Panel. 4pp. 44099 128-44099 133.

8801250309 Forwards OCRE petition for leave to intervene & request for formal adjudicatory hearing. Hearing request referred for appropriate action. Served on 880122. CHILK, S.J. Office of the Secretary of the Commission. #188 5382. 88/01/21. COTTER, B.P. Atomic Safety and Licensing Board Panel. 1p. 44099 192-44099 199.

-8801250314 Petition for leave to intervene & request for formal adjudicatory hearing. OCRE demonstrated right to be made party in proceeding & petition should be granted. HATT, S.L. Ohio Citizens for Responsible Energy. 88/01/07. Atomic Safety and Licensing Board Panel. 5pp. 44099 193-44099 197.

-8801250317 Affidavit of S.L. Hatt. W/Certificate of Svc. HATT, S.L. Ohio Citizens for Responsible Energy. 88/01/07. 2pp. 44099 198-44099 199.

8801270339 Licensee answer to OCRE petition for leave to intervene & request for formal adjudicatory hearing. Intervenor failed to meet FR notice obligations & NRC regulations. W/ Certificate of Svc. SILBERG, J.E. Cleveland Electric Illuminating Co. SILBERG, J.E. Shaw, Pitman, Potts & Townsend. #188 5413. 88/01/22. Atomic Safety and Licensing Board Panel. 7pp. 44126 315-44126 321.

H. General correspondence

8801070448 Advises of two administrative changes to nomenclature within organizational structure. Changes administrative in nature, do not affect structure of dept or section. Changes to be included in future Tech Spec rev. KAPLAN, A. Cleveland Electric Illuminating Co. 87/12/28. Document Control Branch (Document Control Desk). 1p. 43991 175-43991 175.

8801210321 Comments on util 870918 request for license amend to suspend antitrust license conditions. Amend request should be denied since motive is anti-competitive & thus contrary to spirit of antitrust provisions of Atomic Energy Act. HATT, S.L. Ohio Citizens for Responsible Energy. 88/01/04. NRC - No Detailed Affiliation Given. 1p. 44082 131-44082 131.

P. Operating license stage documents & correspondence

8801120000 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998 230-43998 300.

8712310180 Forwards results of evaluations of valve & power supply configurations to maximize PRC sys reliability & availability. Evaluations address NRC pursuit of resolution to Generic Issue B7, "Failure of HPCI Steam Line W/..." KAPLAN, A. Cleveland Electric Illuminating Co. 87/12/29. Document Control Branch (Document Control Desk). 6pp. 43964 038-43964 043.

8801160350 Forwards summary of reviews performed to evaluate industry experience on specific types of valves being deferred & recent industry experience of leak rate results after leak rate testing extensions have been granted. KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/08. Document Control Branch (Document Control Desk). 2pp. 43970 276-43970 280.

Forwards "Startup Test Results Final Summary Rept." for period from 8 per Reg Guide 1.16 & plant Tech Spec Section 5.9. KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/08. Document Control Branch (Document Control Desk). 1p. 43982 103-43982 347.

-8801110384 "Startup Test Results Final Summary Rept." CANTLIN, J.G., BIDDLECOM, L.B., KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/04. 244pp. 43982 104-43982 347.

8801270248 Forwards "Reactor Internals Vibration Testing at Perry Unit 1," preliminary rept. per Reg Guide 1.20. KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/15. Document Control Branch (Document Control Desk). 1p. 44145 279-44145 307.

-8801270258 "Reactor Internals Vibration Testing at Perry Unit 1," preliminary rept. CANTLIN, J.G. General Electric Co. 88/01/13. 28pp. 44145 280-44145 307.

8801210254 Forwards "Environ Assessment & Finding of No Significant Impact," for exemption from App J of 10CFR50 for plant. COLBURN, T.G. Project Directorate III-1. 88/01/19. KAPLAN, A. Cleveland Electric Illuminating Co. 2pp. 44093 332-44093 338.

-8801210258 Environ assessment & finding of no significant impact, supporting w/ 870911 request for exemption from requirements of App J to 10CFR50. VIRGILIO, M.J. Project Directorate III-1. 88/01/19. 5pp. 44093 334-44093 338.

Q. Inspection reports, IE Bulletins & correspondence

8712290381 Forwards Safety Insp Rept 50-440/87-16 on 870813-1010 & notice of violation. FORNEY, W.L. Region 3, Ofc of the Director. 87/12/10. EDELMAN, M.R. Cleveland Electric Illuminating Co. 2pp. 43898 284-43898 308.

-8712290391 Notice of violation from Insp on 870813-1010. Violation noted failure to provide required instructions for sequencing MSIV rawwork activities or periodic test water pump turbine stop valve tests. FORNEY, W.L. Region 3, Ofc of the Director. 87/12/10. 2pp. 43898 288-43898 297.

-8712290395 Insp Rept 50-440/87-16 on 870813-1010. Violation noted Major areas inspected: ESF, operational safety, nonroutine events, LERs, startup testing, NRC regional o/c requests, surveillance testing & maint activities. KNOPF, R.C. Region 3, Ofc of the Director. 87/12/09. 21pp. 43898 298-43898 308.

8712180389 NRC Info Notice 87-064, "Conviction for Failure/Callout of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153 001-44153 124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056 008-44056 127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43895 138-43895 257.

8801060129 Forwards Safety Insp Rept 50-440/87-22 on 871103-1221 & notice of violation. WRIGHT, G.C. Region 3, Ofc of the Director. 87/12/20. EDELMAN, M.R. Cleveland Electric Illuminating Co. 2pp. 43980 170-43980 182.

-8801060136 Notice of violation from Insp on 871103-1221. Violation noted: licensee failed to perform required safety evaluation for Temporary Mod LLJED 1-87-077 which changed circuitry of Div III diesel generator water jacket heater. WRIGHT, G.C. Region 3, Ofc of the Director. 87/12/28. 1p. 43980 172-43980 172.

-8801060140 Insp Rept 50-440/87-22 on 871103-1221. Violation noted: Major areas inspected: adequacy of 10CFR50.69 safety evaluations. HASSE, R.A., BUTLER, D.S., RESCHESKE, P.R. Region 3, Ofc of the Director. 87/12/29. 10pp. 43969 173-43969 182.

8801060010 Forwards Safety Insp Rept 50-440/87-26 on 871207-11. No violations noted. SHAFER, W.D. Region 3, Ofc of the Director. 87/12/30. EDELMAN, M.R. Cleveland Electric Illuminating Co. 2pp. 43962 058-43962 087.

-8801060015 Insp Rept 50-440/87-26 on 871207-11. No violations or deviations noted. Major areas inspected: operational radiation protection program, 98% power radiation measurement & chemical & radiochemical startup tests. MILLER, D.E., GREGER, L.R. Region 3, Ofc of the Director. 87/12/30. 10pp. 43962 058-43962 067.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995 258-43995 016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insp of License Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038 164-44038 286.

8801130248 Forwards NRC 871210 ltr re violations noted in Insp Rept 50-440/87-18. Corrective actions: Instruction PTI-N27-P0001 revised to require each feedwater pump controller to be placed in manual prior to testing associated feedwater pump. KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/08. Document Control Branch (Document Control Desk). 4pp. 44002 271-44002 274.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038 041-44038 163.

8801250457 Responds to NRC Bulletin 87-002, "Faster Testing to Determine Conformance W/Applicable Mail Specs." Insp & testing program discussed & addl info on implementation of comprehensive program provided. KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/19. DAVIS, A.B. Region 3, Ofc of the Director. 5pp. 44110 245-44110 300.

R. Periodic operating reports & related correspondence

- 8801200369** Monthly operating rept for Dec 1987 W/880115 ltr. DUNN, G.A., KAPLAN, A. Cleveland Electric Illuminating Co. 87/12/31. 7pp. 44107.004-44107.010.
- 8801210380** Forwards "Fourth Quarterly Rept, Cleveland Electric Illuminating Co., Seismic Monitoring Network, 870716-1015." No definite conclusion reached on origin or causal mechanism for micro events. KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44086.049-44086.065.
- 8801210383** "Fourth Quarterly Rept, Cleveland Electric Illuminating Co., Seismic Monitoring Network, 870716-1015." * Weston Geophysical Corp. 87/12/30. 12pp. 44086.051-44086.065.

S. Reportable occurrences, LERs & related correspondence

- 8712310234** LER 87-076-00 on 871203, main steam drain line isolations occurred. Caused by inadequate surveillance instructions. Instructions revised W/871229 ltr. DUNN, G.A., KAPLAN, A. Cleveland Electric Illuminating Co. 87/12/29. 4pp. 43963.304-43963.307.
- 8801260199** LER 87-077-00 on 871216, control room operators failed to demonstrate operability of required offsite electrical power sources within Tech Spec limits. Caused by personnel error. Personnel disciplined. W/880115 ltr. DUNN, G.A., KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/15. 5pp. 44166.142-44166.145.
- 8801280230** LER 87-076-01 on 871203, main steam drain line isolation occurred. Caused by inadequate surveillance instruction re identifying tripping of nuclear steam supply shutoff sys isolation logic channels. Instructions revised W/880122 ltr. DUNN, G.A., KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/22. 4pp. 44167.054-44167.057.

U. Congressional/Executive Correspondence

- 8801280638** Responds to concerns raised in 871202 ltr re stainless steel matl designated as E-Brite 28-1. Actions taken to address allegation that E-Brite 28-1 unsuitable for use in nuclear power plants listed. ZECH, L.W. Commissioners. 88/01/20. GLENN, J. Senate, Governmental Affairs. 5pp. 44173.227-44173.233.

V. Operator Examinations

- 8801200231** Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.
- 8801220136** Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

- 8801200990** Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of export info available for special insps & of current resource svcs. FELTHOUS, A.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

F. Security, medical, emergency & fire protection plans

- 8801260462** Revised emergency plan implementing procedures, including Revs 4 to Emergency Plan Implementing Instructions EPI-A2, "Unusual Event," EPI-A4, "Site Area Emergency" & EPI-A5, "General Emergency." W/880115 ltr. MOON, S., GERBER, G.H., KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/15. 35pp. 44127.201-44127.235.

H. General correspondence

- 8801070446** Advises of two administrative changes to nomenclature within organizational structure. Changes administrative in nature, do not affect structure of dept or section. Changes to be included in future Tech Spec rev. KAPLAN, A. Cleveland Electric Illuminating Co. 87/12/28. Document Control Branch (Document Control Desk). 1p. 43991.175-43991.175.
- 8801210321** Comments on until 870918 request for license amend to suspend antitrust license conditions. Amend request should be denied since motive is anti-competitive & thus contrary to spirit of antitrust provisions of Atomic Energy Act. HATT, S.L. Ohio Citizens for Responsible Energy. 88/01/04. NRC - No Detailed Affiliation Given. 1p. 44082.131-44082.131.

Q. Inspection reports, IE Bulletins & correspondence

- 8712160369** NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

- 8712170119** NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

- 8712230003** Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

- 8712290155** NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

- 8712300091** NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

- 8801050394** Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

- 8801260467** Responds to NRC Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Matl Specs." Insp & testing program discussed & addl info on implementation of comprehensive program provided. KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/19. DAVIS, A.B. Region 3, Ofc of the Director. 56pp. 44110.245-44110.300.

R. Periodic operating reports & related correspondence

- 8801210380** Forwards "Fourth Quarterly Rept, Cleveland Electric Illuminating Co., Seismic Monitoring Network, 870716-1015." No definite conclusion reached on origin or causal mechanism for micro events. KAPLAN, A. Cleveland Electric Illuminating Co. 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44086.049-44086.065.

- 8801210383** "Fourth Quarterly Rept, Cleveland Electric Illuminating Co., Seismic Monitoring Network, 870716-1015." * Weston Geophysical Corp. 87/12/30. 12pp. 44086.051-44086.065.

U. Congressional/Executive Correspondence

- 8801280638** Responds to concerns raised in 871202 ltr re stainless steel matl designated as E-Brite 28-1. Actions taken to address allegation that E-Brite 28-1 unsuitable for use in nuclear power plants listed. ZECH, L.W. Commissioners. 88/01/20. GLENN, J. Senate, Governmental Affairs. 5pp. 44173.227-44173.233.

V. Operator Examinations

- 8801200231** Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

- 8801220136** Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 8801040266** Forwards request for info re facility plan for Commonwealth of MA communities. Date when info will formally be submitted should be provided. NERSES, V. Project Directorate I-3. 87/12/23. HARRISON, R.J. Public Service Co. of New Hampshire. 2pp. 43895.245-43895.246.

- 8801060429** Forwards Safety Insp Rept 50-443/87-25 on 871215-17. No violations noted. MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. HARRISON, R.J. Public Service Co. of New Hampshire. 5pp. 43961.130-43961.140.

- 8801050441** Emergency Preparedness Insp Rept 50-443/87-25 on 871215-17. No violations noted. Major areas inspected: licensee annual emergency exercise performed on 871215. CONKLIN, C., LAZARUS, W.J. Region 1, Ofc of the Director. 87/12/22. 6pp. 43961.135-43961.140.

- 8801110534** Responds to FOIA requests for documents re recent NRC rule amending 10CFR50.47 & 10CFR50. App E Forwards documents listed in App B App A documents already available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. BELAIR, R.R. Kirkpatrick & Lockhart. 3pp. 43978.284-43978.305.

- 8712030207** Forwards Rev 0 to "Seabrook Plan for Massachusetts Communities," consisting of 10 vols, effective 870921. FEMA findings re whether encl meets criteria of Suppl 1 to NUREG-0854/FEMA-REP-1. Rev 1 requested W/o encl. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 87/11/27. KRIMM, R.W. Federal Emergency Management Agency. 2pp. 43978.304-43978.305.

8801190017 Notices of encl. and press release re oil line
towns Press release may have relevance to matters before NASLP, including 871113
motion to reopen records & admit contentions involving Newburyport, MA sirens.
FEIS E.J. Assistant General Counsel for Hearings. #188 5337. 88/01/07.
ROSENTHAL, A.S., SMITH, J.W., WOLFE, S.J. Atomic Safety and Licensing Board
Panel 4pp. 44035:129-44035:131

G. Adjudicatory correspondence

8801130040 Responds to portion of transcript of Seabrook hearing re bus driver
training. Any cross-examination suitable & NRC position consistent w/responsibility to
ensure development of full & complete record. Served on 880111.
MURRAY, J.P. Deputy General Counsel for Hearings & Enforcement. #188 5314. 87/
11/24. BACKUS, R.A. Backus, Meyer & Solomon. 2pp. 43989:271-43989:272.

8801060061 Forwards corrected Seacoast Anti-Pollution League petition for review of
ALAB-879, dtd 871201.
BACKUS, R.A. Seacoast Anti-Pollution League. BACKUS, R.A. Backus, Meyer & Solo-
mon. #188 5259. 87/12/22. ZECH, L.V., ROBERTS, T.M., BERNTHAL, F.M. Commis-
sioners. 1p. 43909:251-43909:260

8801060073 Corrected Seacoast Anti-Pollution League petition for review of ALAB
879. * NRC statements in 1982 reflected sound public policy approach & that ap-
proach should be maintained at this time. Certificate of Svc encl.
BACKUS, R.A. Seacoast Anti-Pollution League. BACKUS, R.A. Backus, Meyer & Solo-
mon. 87/12/01. Commissioners. 9pp. 43909:252-43909:260.

8801040066 New England Coalition on Nuclear Pollution (NECNP) second set of Inter-
rogatories & request for production of documents to applicants on NECNP Contention
IV. * Certificate of Svc encl. Related correspondence.
FERSTER, A. New England Coalition on Nuclear Pollution. FERSTER, A. Harmon &
Weiss. #188 5225. 87/12/23. Public Service Co. of New Hampshire. 15pp.
43888:312-43888:326.

8801040099 New England Coalition on Nuclear Pollution response to staff re environ-
qualification of RG-58 coastal cable. * Svc list encl. Related correspondence.
WEISS, E.R. New England Coalition on Nuclear Pollution. WEISS, E.R. Harmon &
Weiss. #188 5226. 87/12/23. Atomic Safety and Licensing Appeal Panel. 7pp.
43888:299-43888:305.

8801060083 Affidavit of TN Beard. * Affidavit more precisely explains term "installed" as
used in Paragraph 4 of 871217 affidavit. Certificate of Svc encl. Related correspondence.
BEARD, T.N. Public Service Co. of New Hampshire. #188 5257. 87/12/23. 7pp.
43909:190-43909:188.

8801040124 Forwards documents belonging to Categories 2 & 3 & draft testimony pre-
pared for presentation before Congressman Markey subcommittee. Documents in Cat-
egory 1 will still be withheld. W/o encls. Related correspondence.
TURK, S.E. Assistant General Counsel for Hearings. #188 5247. 87/12/24.
TRAFFICONTI, J. Massachusetts, Commonwealth of. DIGNAN, T. Ropes & Gray. 1p.
43888:164-43888:164.

8801040203 NRC Staff motion for extension of time to respond to State of MA Atty
General motion to reopen record & admit late-filed contention. * Motion for extension
of time until 880118 should be granted. Certificate of Svc encl.
BERRY, G.A. Assistant General Counsel for Hearings. #188 5249. 87/12/24. Atomic
Safety and Licensing Appeal Panel. 7pp. 43889:316-43889:322.

8801040084 Order. * Motion for extension of time to respond to State of MA Atty Gen-
eral motion to reopen record & admit late-filed contention granted. Served on 871229.
SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5235. 87/12/28.
Public Service Co. of New Hampshire. 2pp. 43888:306-43888:307.

8801040284 Order. * Time in which Commission may act to review ALAB-879 extended
until 880112. Served on 871230.
CHILK, S.J. Office of the Secretary of the Commission. #188 5230. 87/12/29. Com-
missioners. 1p. 43887:133-43887:133.

8801060296 Supplemental memorandum of Atty General JM Shannon in support of
motion to admit late-filed contention & reopen record. * Applicant combination of over-
lapping seven coverage & 19 minute helicopter alerting run insufficient.
JONAS, S.A. Massachusetts, Commonwealth of. #188 5289. 87/12/31. Atomic Safety
and Licensing Appeal Panel. 7pp. 43908:284-43908:314.

8801060300 Affidavit of PJ Matthews. * Remaining emergency notification sirens will
not be used for emergency planning purposes. Related info encl.
MATTHEWS, P.J. Newburyport, MA. 87/11/30. 14pp. 43908:291-43908:304.

8801060304 Affidavit of SA Jonas. * Airborne alerting sys using helicopter or helicop-
ters tested on 871104 over plant. No info received from Ropes & Gray or applicant
until test completed. Related info encl.
JONAS, S.A. Massachusetts, Commonwealth of. 87/12/31. 3pp. 43908:305-
43908:307.

8801060314 Affidavit of K Stapelfeldt. * Observation of helicopter tests discussed. No
recognizable voice message emanated from helicopter. W/Certificate of Svc.
STAPELFELDT, K. Massachusetts, Commonwealth of. STAPELFELDT, K. Salmon Falls
Research Associates. 87/12/30. 7pp. 43908:308-43908:314.

8801250303 Requests encl. corrected page be substituted for Page 7 of "NRC Staff Re-
sponse to Joint Intervenor Motion to Enlarge Record on Appeal," filed 880118.
BERRY, G.A. Assistant General Counsel for Hearings. #188 5397. 88/01/01.
ROSENTHAL, A.S. Atomic Safety and Licensing Appeal Panel. MOORE, T.S.,
WILBUR, H.A. Atomic Safety and Licensing Board Panel. 2pp. 44098:251-44098:252.

8801060281 Forwards listed documents w/Certificate of Svc for filing in proceeding.
DIGNAN, T.G. Ropes & Gray. #188 5290. 88/01/04. Docketing & Services Branch.
2pp. 43908:085-43908:283.

8801060305 Applicants memo in support of low power operation. * Recommends that
ASLB should not further stay low power license for plant.
DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. 88/
01/04. Atomic Safety and Licensing Board Panel. 20pp. 43908:087-43908:106.

8801060337 Affidavit of KW Dow. * Discusses chlorine minimization while maintaining
circulating water sys free from fouling. Statement of prof qualification encl.
DOW, K.W. Yankee Atomic Electric Co. 87/12/21. 4pp. 43908:107-43908:110.

8801060351 Affidavit of JN Esposito on Ginna tube rupture event & design of & ex-
perience w/domestic Model F steam generators. * Related info encl.
ESPOSITO, J.N. Westinghouse Electric Corp. 87/11/20. 8pp. 43908:248-43908:255.

8801060353 Affidavit of GA Kahn. * Discusses inservice (insp) program, inservice test
program & test control program. Related info encl.
KAHN, G.A. Public Service Co. of New Hampshire. 87/12/22. 8pp. 43908:261-
43908:281.

8801060364 Affidavit of JN Esposito on North Anna tube rupture. * Discusses tube ru-
ture event, including mechanism which led to event & shows disassembly w/steam
generators at plant. Related info encl.
ESPOSITO, J.N. Westinghouse Electric Corp. 87/11/20. 3pp. 43908:262-43908:264.

8801060370 Affidavit of PS Littlefield. * Discusses analysis of steam generator tu-
berupture for plant at full power. Related info encl.
LITTLEFIELD, P. Yankee Atomic Electric Co. 87/12/23. 7pp. 43908:265-43908:271.

8801060408 Affidavit of P Huang on mass transfer & flagging fraction for steam gen-
erator tube rupture at 5% power. * Related info encl.
HUANG, P. Westinghouse Electric Corp. 87/11/20. 4pp. 43908:272-43908:275.

8801060414 Affidavit of K Rubin on reactor coolant activity at 5% power. * DS Sta-
tion notice of appearance & related info encl. Certificate of Svc encl.
RUBIN, K. Westinghouse Electric Corp. 87/11/20. 8pp. 43908:276-43908:283.

8801130042 New England Coalition on Nuclear Pollution brief in opposition to renew-
al of authorization to operate at low power. * No justification provided for authorizing
power operations. Certificate of Svc encl.
FERSTER, A. New England Coalition on Nuclear Pollution. FERSTER, A. Harmon
Weiss. #188 5304. 88/01/04. Commissioners. 38pp. 43988:273-43988:308.

8801130062 Motion to enlarge record on appeal on decision of ASLP not to w/hold re-
lations excluding financial qualification review for Public Svc Company of NM. * Cer-
tificate of Svc encl.
BACKUS, R.A. Hampton, NH. BACKUS, R.A. Seacoast Anti-Pollution League.
BACKUS, R.A. Backus, Meyer & Solomon. #188 5302. 88/01/05. Atomic Safety &
Licensing Appeal Panel. 10pp. 43988:001-43988:016.

8801130052 Motion for order (&/or subpoenas) requiring attendance & testimony of p-
ticular named NRC employees. * Testimony of RJ Bore & WJ Lazarus requested.
NRC withdrawal of info from Regional Assistance Committee. Certificate of Svc encl.
DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray.
#188 5318. 88/01/06. Atomic Safety and Licensing Board Panel. 103pp. 43989:03-
43989:136.

8801130081 Contention of Atty General JM Shannon on notification sys for Commis-
sioners of MA & motion to admit late-filed contention & reopen record. * Certificate
of Svc encl.
SHANNON, J.M., JONAS, S.A. Massachusetts, Commonwealth of. #188 5303. 88/01/
07. 32pp. 43990:017-43990:048.

8801190017 Notices of encl. and press release to util. offer to give spon. pcos
towns. Press release may have relevance to matters before NASLP, including 871113
motion to reopen records & admit contentions involving Newburyport, MA sirens.
FEIS, E.J. Assistant General Counsel for Hearings. #188 5337. 88/01/07.
ROSENTHAL, A.S., SMITH, J.W., WOLFE, S.J. Atomic Safety and Licensing Board
Panel. 4pp. 44035:128-44035:131.

8801200220 Forwards second set of Interrogatories & request for production of docu-
ments to NRC on Contentions I.V. & IV. & to applicants on Contention I.V. & IV.
880104 brief. W/o errata. Related correspondence.
FERSTER, A. New England Coalition on Nuclear Pollution. FERSTER, A. Harmon
Weiss. #188 5370. 88/01/07. WOLFE, S.J., LUEBKE, E.A., HARBOUR, J. Atomic
Safety and Licensing Board Panel. 1p. 44050:228-44050:253.

8801200235 New England Coalition on Nuclear Pollution (NECNP) second set of Inter-
rogatories & request for production of documents to NRC Staff on NECNP Contention
I.V. & IV. * W/Certificate of Svc. Related correspondence.
FERSTER, A., SPIELBERG, A. New England Coalition on Nuclear Pollution.
FERSTER, A. Harmon & Weiss. 88/01/07. Office of the General Counsel. 16pp.
44050:229-44050:246.

8801200244 New England Coalition on Nuclear Pollution (NECNP) second set of Inter-
rogatories & request for production of documents to applicants on NECNP Contention
I.V. & IV. * W/Certificate of Svc & svc list. Related correspondence.
SPIELBERG, A. New England Coalition on Nuclear Pollution. SPIELBERG, A. Harmon
Weiss. 88/01/07. Public Service Co. of New Hampshire. 7pp. 44050:247-44050:253.

8801200287 New England Coalition on Nuclear Pollution errata to brief in opposition to
renewal of authorization to operate at low power, filed on 880104. * W/Certificate
of Svc. Related correspondence.
FERSTER, A. Harmon & Weiss. #188 5358. 88/01/07. Atomic Safety and Licensing
Board Panel. 3pp. 44050:159-44050:161.

8801200329 Atty General JM Shannon motion for directed certification of 871116 & 1117
ASLB rulings concerning admissibility of certain evidence. * Board should permit in-
terlocutory review & reverse lower Board orders. Certificate of Svc encl.
TRAFFICONTI, J. Massachusetts, Commonwealth of. #188 5371. 88/01/07. 300pp.
44049:103-44049:043.

8801130055 Memorandum & order. * Issue re environ. qualification of RG58 cable re-
mended to ASLB for addl. proceedings consistent w/opinion. Served on 880111.
SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5305. 88/01/04.
9pp. 43989:326-43989:334.

8801150001 Advises that time for Commission to review Decision ALAB-87-
871230. Served on 880112.
CHILK, S.J. Office of the Secretary of the Commission. #188 5331. 88/01/11. Office
of the General Counsel. 1p. 44033:268-44033:268.

- 8801150013** Order.* Order extending time until 880203 for Commission to determine whether to review ALAB-879. Served on 880112. CHILK, S.J. Office of the Secretary of the Commission. #188 5332. 88/01/11. Commissioners. 1p. 44033:273-44033:273.
- 8801200234** Joinder of Seacoast Anti-Pollution League in New England Coalition on Nuclear Pollution brief in opposition to renewal of authorization to operate at low power.* W/Certificate of Svc. BACKUS, R.A. Seacoast Anti-Pollution League. BACKUS, R.A. Backus, Meyer & Solomon. #188 5362. 88/01/11. Commissioners. 3pp. 44050:151-44050:153.
- 8801200247** Applicant motion for extension of time to respond to Commonwealth of MA atty general motion for directed certification of ASLB rulings as to admissibility of certain evidence.* State approves motion. W/Certificate of Svc. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #188 5387. 88/01/11. Atomic Safety and Licensing Appeal Panel. 5pp. 44050:144-44050:148.
- 8801200270** Applicant motion for extension of time to respond to State of MA atty general motion for directed certification of ASLB rulings as to admissibility of certain evidence.* Granted for ASLB on 880115. Certificate of Svc encl. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #188 5368. 88/01/11. Atomic Safety and Licensing Appeal Panel. 3pp. 44050:220-44050:222.
- 8801200305** Applicants motion for extension of time to respond to atty general of Massachusetts contention on notification sys & motion to admit late-filed contention & reopen record.* Motion granted on 880115. Certificate of Svc encl. DIGNAN, T.G., LEWALD, G.H., SELLECK, K.A. Ropes & Gray. #188 5361. 88/01/11. Atomic Safety and Licensing Appeal Panel. 3pp. 44049:085-44049:097.
- 8801200317** Applicants motion for extension of time to respond to atty general of Massachusetts contention on notification sys & motion to admit late-filed contention & reopen record.* Certificate of Svc encl. DIGNAN, T.G., LEWALD, G.H., SELLECK, K.A. Ropes & Gray. #188 5360. 88/01/11. Atomic Safety and Licensing Appeal Panel. 5pp. 44049:098-44049:102.
- 8801150005** Order (granting staff motion for time extension).* NRC 880111 request for 1-day extension until 880112 within which to file brief re question whether low power operation may be reauthorized granted. Served on 880113. WOLFE, S.J. Atomic Safety and Licensing Board Panel. #188 5335. 88/01/12. Office of the General Counsel. 1p. 44033:268-44033:268.
- 8801190016** NRC Staff response to Licensing Board order of 871127.* ASLB should rule that issues raised by Contentions I.V & IV irrelevant to safe conduct of low power operations. NRR should issue low power license per findings. BERRY, G.A. Assistant General Counsel for Hearings. #188 5336. 88/01/12. Atomic Safety and Licensing Board Panel. 16pp. 44035:008-44035:053.
- 8801190024** Affidavit of N Wagner.* Discusses if issues requiring resolution raised by Contention IV. Chlorination & distribution sys designed to permit safe operation of plant at either full or low power. Related info encl. WAGNER, N. Reactor Systems Branch. 88/01/12. 7pp. 44035:024-44035:030.
- 8801190028** Affidavit of MT Masnik.* Discusses Contention IV & whether issues raised must be resolved prior to reauthorization of low power operations. Debris at intake structure poses no safety hazard. Prof qualifications encl. MASNIK, M.T. TMI-2 Cleanup Project Directorate (870413-880201). 88/01/12. 11pp. 44035:031-44035:041.
- 8801190031** Affidavit of HF Conrad.* Discusses whether Contention I.V raises issues that must be resolved prior to issuance of low power license. Operation of plant at 5% power would not change augmentation. Certificate of Svc encl. CONRAD, H.F. Materials Engineering Branch. 88/01/12. 12pp. 44035:042-44035:053.
- 8801190015** Order.* Staff response to Atty General of Massachusetts 880107 motion for directed certification of certain ASLB 871116 & 18 rulings re offsite emergency planning due on or before 880125. Served on 880114. SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5345. 88/01/13. Office of the General Counsel. 2pp. 44035:132-44035:133.
- 8801190016** Notice of ASLB constitution. AS Rosenthal, chairman & TS Moore & HA Wilber members. Served on 880114. SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5344. 88/01/13. 1p. 44035:085-44035:085.
- 8801190023** Advises that AS Rosenthal assigned as chairman & TS Moore & HA Wilber assigned as members of ASLB for offsite emergency planning phase of OL proceeding. Related correspondence. ROSENTHAL, A.S. Atomic Safety and Licensing Appeal Panel. #188 5348. 88/01/13. Atomic Safety and Licensing Appeal Panel. 1p. 44035:091-44035:091.
- 8801200340** Applicants responses to New England Coalition on Nuclear Pollution (NECNP) second set of interrogatories & request for production of documents to applicants on NECNP Contention IV.* W/Certificate of Svc. Related correspondence. FEIGENBAUM, J.C. Public Service Co. of New Hampshire. #188 5358. 88/01/14. New England Coalition on Nuclear Pollution. 44pp. 44050:044-44050:087.
- 8801250307** NRC Staff response to contention of Atty General, JM Shannon & motion to admit late-filed contention & reopen record.* Ruling should be deferred until applicant submits alternative notification plans. W/Certificate of Svc. BERRY, G.A. Assistant General Counsel for Hearings. #188 5396. 88/01/14. Atomic Safety and Licensing Appeal Panel. 12pp. 44099:258-44099:268.
- 8801250321** Requests that encl corrected Pages 6 & 7 to NRC 880112 response to Licensing Board order of 871127 be substituted for same pages due to typos. BERRY, G.A. Assistant General Counsel for Hearings. #188 5388. 88/01/14. WOLFE, S.J., HARBOUR, J., LUEBKE, E.A. Atomic Safety and Licensing Board Panel. 3pp. 44100:132-44100:134.
- 8801270305** Forwards New England Coalition on Nuclear Pollution motion for leave to file reply to applicant & NRC briefs re low power operations & errata to brief in opposition to renewal of authorization to operate at low power filed on 880104. FERSTER, A. New England Coalition on Nuclear Pollution. FERSTER, A. Harmon & Weiss. #188 5421. 88/01/14. WOLFE, S.J., LUEBKE, E.A., HARBOUR, J. Atomic Safety and Licensing Board Panel. 1p. 44126:193-44126:198.
- 8801270311** New England Coalition on Nuclear Pollution reply to applicant & NRC staff briefs re low power operations.* Motion for leave to file reply to applicant memo in support of low power operation. Certificate of Svc encl. FERSTER, A. New England Coalition on Nuclear Pollution. FERSTER, A. Harmon & Weiss. 88/01/14. Atomic Safety and Licensing Board Panel. 13pp. 44126:184-44126:198.
- 8801270321** New England Coalition on Nuclear Pollution errata to brief in opposition to renewal of authorization to operate at low power, filed on 880104.* Certificate of Svc encl. FERSTER, A. New England Coalition on Nuclear Pollution. FERSTER, A. Harmon & Weiss. 88/01/14. Atomic Safety and Licensing Board Panel. 3pp. 44126:197-44126:199.
- 8801250305** Requests that encl corrected Page 7 be substituted in place of present Page 7 of 880114 NRC response to contention of Atty General JM Shannon & motion to admit late-filed contention & reopen record. BERRY, G.A. Assistant General Counsel for Hearings. #188 5387. 88/01/15. ROSENTHAL, A.S., MOORE, T.S., WILBUR, H.A. Atomic Safety and Licensing Appeal Panel. 2pp. 44099:253-44099:254.
- 8801250313** NRC Staff response to Joint Intervenor's motion to enlarge record on appeal.* Motion to enlarge record should be granted but appeal should be denied. W/Certificate of Svc. BERRY, G.A. Assistant General Counsel for Hearings. #188 5394. 88/01/19. Atomic Safety and Licensing Board Panel. 5pp. 44099:187-44099:191.
- 8801210159** Ack receipt of MM Murphy 871026 ltr as forwarded by RC Smith & advises that concerns set out in ltr subj of extensive testimony to ASLB on 871020. Ltr will be made matter of public record. Served on 880120. SMITH, I.W. Atomic Safety and Licensing Board Panel. #188 5378. 88/01/20. SMITH, R.C. House of Rep. 1p. 44068:123-44068:128.
- 8801210167** Forwards MM Murphy 881027 ltr re offsite emergency plans for plant w/ special focus on safety of school children. Ltr will be made available to ASLB for consideration in federal approval of plan. Related mail encl. SMITH, R.C. House of Rep. 88/01/07. SMITH, I. Atomic Safety and Licensing Board Panel. 6pp. 44068:124-44068:128.
- 8801260298** Order.* Motion for addl extension until 880222 of time within which to file opposition to 880107 motion of atty general of Commonwealth of MA to reopen record & to admit late-filed contention denied. Served on 880121. SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5396. 88/01/20. Public Service Co. of New Hampshire. 2pp. 44099:244-44099:245.
- 8801260400** Informs of State of MA atty general request to reopen record on onsite safety issues & emergency planning. Matter should be deferred pending submission of applicants alternative notification plan in event of plant emergency. BERRY, G.A. Assistant General Counsel for Hearings. #188 5398. 88/01/20. ROSENTHAL, A.S., WILBER, H.A. Atomic Safety and Licensing Appeal Panel. 2pp. 44099:134-44099:135.
- 8801270328** Applicant request for further extension of time to file opposition to motion of atty general for Commonwealth of MA to admit late-filed contention & reopen record.* Certificate of Svc encl. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #188 5420. 88/01/20. Atomic Safety and Licensing Appeal Panel. 5pp. 44126:327-44126:331.
- 8801270380** Applicants response to motion to enlarge record on appeal.* In absence of authentically objection, motion essentially addressed to sound discretion of Appeal Board. Certificate of Svc encl. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #188 5419. 88/01/20. Atomic Safety and Licensing Appeal Panel. 4pp. 44126:262-44126:265.
- 8801270322** Applicant response to Atty General JM Shannon motion for directed certification of 871116 & 18 ASLB rulings re admissibility of certain evidence.* Motion should be denied. W/Certificate of Svc. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #188 5429. 88/01/21. Atomic Safety and Licensing Appeal Panel. 13pp. 44126:081-44126:093.
- 8801270288** Notice of hearing.* Evidentiary hearing will resume on 880208 in Boston, MA. Rebuttal testimony will be received on 880222. Served on 880126. SMITH, I.W. Atomic Safety and Licensing Board Panel. #188 5427. 88/01/22. 1p. 44126:261-44126:261.
- 8801270297** Informs that telcon previously provided for has been set for 880127. Effort will be made to include recipient in call. Served on 880126. MORAN, D.M. Atomic Safety and Licensing Board Panel. #188 5430. 88/01/22. MITCHELL, S.F. Kensington, NH. 1p. 44126:080-44126:080.
- 8801270326** Memorandum following telcon.* Summary of 880121 telcon w/ applicants, atty general of Massachusetts & NRC to discuss implications of Rockingham County Newspapers, Inc. FOIA Request 88-28 on proceeding. Served on 880126. SMITH, I.W. Atomic Safety and Licensing Board Panel. #188 5426. 88/01/22. 4pp. 44126:332-44126:335.
- 8801270379** Order.* Grants in part NRC motion for extension until 880205 to respond to Commonwealth of MA 880107 motion for directed certification of certain ASLB rulings. Served on 880126. SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5426. 88/01/22. Office of the General Counsel. 1p. 44126:266-44126:266.
- 8801270344** Motion for leave to file supplemental testimony out of time.* FEMA response to ASLP 880113 order re filing of proposed supplemental testimony submitted on 880125 rather than 880122 as ordered. FLYNN, H.J. Federal Emergency Management Agency. #188 5431. 88/01/25. Atomic Safety and Licensing Board Panel. 1p. 44126:164-44126:171.
- 8801270372** Supplemental testimony of D McLoughlin, EA Thomas & WR Cumming on behalf of FEMA on sheltering/beach population issues.* Addl info on D McLoughlin, EA Thomas & withdrawal of appearance of WR Cumming encl. W/Certificate of Svc. MCLOUGHLIN, D., THOMAS, E.A., CUMMING, W.R. Federal Emergency Management Agency. 88/01/25. 17pp. 44126:155-44126:171.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc. Including summary of NRC contract work, NRC Form 26 for three existing contracts, add'l info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16.
JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998-230-43998-300.

8801050005 Forwards portion of NUREG-0995, "FES re Operation of Seabrook Station Units 1 & 2," addressing recipient 871208 request for identification of NRC requirements for evaluating impact of potential exposure to electric fields.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/28. WOUTALIK, T.A. Tennessee Valley Authority. 12pp. 43910-288-43910-310.

8801050010 Requests assistance in identifying NRC requirements for evaluating impact of potential exposure to electric or magnetic fields from transmission lines serving or delivering service from nuclear power plants.
WOUTALIK, T.A. Tennessee Valley Authority. 87/12/08. STELLO, V. Deputy Executive Director for Regional Operations, EOC (Post 870413). 2pp. 43910-310-43910-310.

8801050558 Responds to 871029 request to relocate three seismic monitors. Rationale presented for relocation & proposed new locations reasonable & comply w/Reg Guide 1.12 requirements. Tech Spec Tables 3.3.7 & 4.3.4 changed to reflect locations.
NERSES, V. Project Directorate I-3. 87/12/28. HARRISON, R.J. Public Service Co. of New Hampshire. 1p. 43911-020-43911-020.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re General Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

8801140164 Notification of contract execution: "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee & Pigrit & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
DORSEY, M. Contract Administration Branch. FIN C-1012. 88/01/11. GODY, A.T. Region 1, Ofc of the Director. 15pp. 44031-234-44031-249.

8801140174 Contract: "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee, Pigrit & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
GAMMONS, S. New England Bell Telephone Co. FIN C-1012. 88/01/11. 15pp. 44031-235-44031-249.

8801200333 Requests fee for 871029 application for proposed changes to Tech Specs re relocation of seismic monitors.
DIGGS, R.M. License Fee Management Branch. 88/01/15. HARRISON, R.J. Public Service Co. of New Hampshire. 1p. 44081-355-44081-355.

Q. Inspection reports, IE Bulletins & correspondence

8712180359 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056-008-44056-127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.

8801050429 Forwards Safety Insp Rept 50-443/87-25 on 871215-17. No violations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. HARRISON, R.J. Public Service Co. of New Hampshire. 5pp. 43961-130-43961-140.

8801050441 Emergency Preparedness Insp Rept 50-443/87-25 on 871215-17. No violations noted. Major areas inspected licensee annual emergency exercise performed on 871215.
CONKLIN, C. LAZARUS, W.J. Region 1, Ofc of the Director. 87/12/22. 6pp. 43961-135-43961-140.

8712290165 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43985-258-43986-016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-154-44038-236.

8801190068 Submits add'l info re functional areas of plant operations, engineering support & assurance of quality as described in SALP Rept 50-443/86-99, per 871209 SALP mtg meeting.
THOMAS, G.S. Public Service Co. of New Hampshire. 88/01/08. Document Control Branch (Document Control Desk). 3pp. 44063-075-44063-077.

8801160198 Forwards Safety Insp Rept 50-443/87-24 on 871020-1207. No violation noted.
WIGGINS, J.T. Region 1, Ofc of the Director. 88/01/08. HARRISON, R.J. Public Service Co. of New Hampshire. 6pp. 44065-143-44065-174.

8801150199 Insp Rept 50-443/87-24 on 871020-1207. No violation noted. Major areas inspected: work activities procedure & records re startup testing & license issuance, maint surveillance & plant operations during cold shutdown.
HAYEKAMP, D.R. Region 1, Ofc of the Director. 88/01/07. 25pp. 44065-149-44065-174.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

R. Periodic operating reports & related correspondence

8801190114 Monthly operating rept for Dec 1987. W/880111 ltr.
NARDONE, P., THOMAS, G.S. Public Service Co. of New Hampshire. 87/12/31. 6pp. 44082-235-44082-240.

S. Reportable occurrences, LERs & related correspondence

8801050437 LER 87-015-01 on 870813, multiple ESFs actuated upon receipt of low pressurizer pressure signal. Caused by actuation of safety injection reset due to contact bounce of listed switch. Installation procedures revised. W/871231 ltr.
KINGSTON, G., THOMAS, G.S. Public Service Co. of New Hampshire. 87/12/31. 4pp. 43960-346-43960-349.

8801120060 LER 87-025-00 on 871207, RHR pump declared inoperable due to incomplete surveillance data. Caused by incorrect info for operation of test equipment. New baseline ref values acceptance criteria established. W/870106 ltr.
TEFFT, J.G., THOMAS, G.S. Public Service Co. of New Hampshire. 88/01/06. 6pp. 44006-046-44006-050.

T. Hearing transcripts on non-antitrust matters

8712230213 Transcript of 871214 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 7,555-7,686.
* Atomic Safety and Licensing Board Panel. 87/12/14. 133pp. 43898-309-43899-08.

8712230220 Transcript of 871215 evidentiary hearing in Concord, NH. Pp 7,687-7,820. Supporting documentation encl.
* Atomic Safety and Licensing Board Panel. 87/12/15. 400pp. 43921-145-43922-230.

8712230285 Transcript of 871216 limited appearance statements hearing in Concord, NH re offsite emergency planning. Pp 8,103-1 to 8,103-149.
* Atomic Safety and Licensing Board Panel. 87/12/16. 151pp. 43922-233-43923-021.

8801040279 Summary of 871222 meeting w/util & plant joint owners in Bethesda, MD re offsite emergency plan for Commonwealth of MA portion of EPZ. Transcript of meeting & list of attendees encl.
NERSES, V. Project Directorate I-3. 87/12/23. Project Directorate I-3. 8pp. 43895-258-43895-307.

8801050106 Transcript of 871222 meeting w/util in Bethesda, MD re plant emergency plan for Commonwealth of MA portion of EPZ.
* Project Directorate I-3. 87/12/22. 42pp. 43895-285-43895-307.

8801130010 Applicant Direct Testimony 6 (sheltering). * Testimony discussing State of NH radiological emergency response plan protective actions. Supporting documentation encl. Related correspondence.
BAER, J.W., BELL, D.W., BONDS, J.D. Public Service Co. of New Hampshire. #198 5312. 88/01/06. 53pp. 43989-143-43989-198.

8801130097 Errata to applicant Direct Testimony 6 (sheltering). * Changes to 871217 testimony listed. Related correspondence.
* Public Service Co. of New Hampshire. 88/01/06. 1p. 43989-198-43989-196.

8801200227 Forwards rebuttal testimony of CJ Earl re Contentions NHLP-2, SAPL-8 & SAPL-8A & town of Hampton revised Contentions IV & VI. Notification of hearing dates requested so Earl may appear at hearings. Related correspondence.
CURRAN, D. Harmon & Weiss. #188 5369. 88/01/07. SMITH, W., HARBOR, J. LINENBERGER, G. Atomic Safety and Licensing Board Panel. 1p. 44050-091-44050-120.

8801200239 Rebuttal testimony of CJ Earl re Contentions NHLP-2, SAPL-8, SAPL-8A & town of Hampton Contentions IV & VI. * Testimony re util adequacy of offsite emergency response. Certificate of Svc & svc list encl. Related correspondence.
EARL, C.J. Resource Management Systems, Inc. 88/01/07. 26pp. 44050-095-44050-120.

8801130094 Applicant rebuttal Testimony 1 (rebuttal to Doctor A Ceder). * Witness E. Lieberman Certificate of Svc encl. Related correspondence.
LIEBERMAN, E. Public Service Co. of New Hampshire. #188 5313. 88/01/11. 5pp. 43989-029-43989-033.

8801190156 Transcript of 880111 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 8,385-8,498. Witnesses: D. Milet.
* Atomic Safety and Licensing Board Panel. 88/01/11. 115pp. 44061-071-44061-186.

8801190162 Transcript of 880112 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 8,499-8,737. Witnesses: M. Fallon, B. Hollingworth, E. Weinhold, E. Thomas & R. Bore.
* Atomic Safety and Licensing Board Panel. 88/01/12. 241pp. 44063-180-44064-062.

8801210099 Transcript of 880113 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 8,738-9,035. Witnesses: J. Degulis, E. Thomas, R. Bore, A. Calandrelli, P. Franchette, M. Sinclair, R. Strome, G. Casapiano & R. Nelson.
* Atomic Safety and Licensing Board Panel. 88/01/13. 375pp. 44105-082-44106-070.

8801270300 Rebuttal testimony of EJ Olivera on behalf of atty general for Commonwealth of MA re traffic disorders expected during evacuation of beach area because of accident at Seabrook Nuclear Plant. * Related correspondence.
OLIVERA, E.J. Massachusetts, Commonwealth of. OLIVERA, E.J. Salisbury, MA. #189 5428. 88/01/22. Atomic Safety and Licensing Board Panel. 6pp. 44126-220-44126-259.

8801270306 Rebuttal testimony of TF Moughan on behalf of atty general for Commonwealth of MA re presence of hidden parking spaces in Salisbury Beach & on Plum Island. * Related correspondence.
MOUGHAN, T.F. Massachusetts, Commonwealth of. 88/01/22. Atomic Safety and Licensing Board Panel. 3pp. 44126-229-44126-231.

8801270310 Rebuttal testimony of TJ Adler on behalf of JM Shannon, atty general for Commonwealth of MA, concerning various matters raised in evacuation time estimate contentions. * W/ Certificate of Svc. Related correspondence.
ADLER, T.J. Massachusetts, Commonwealth of. 88/01/22. Atomic Safety and Licensing Board Panel. 28pp. 44126-232-44126-259.

8801270319 Applicant rebuttal Testimony 2 (rebuttal to corrected testimony of A. Codor & AE Lutoff on Seacoast Anti-Pollution League 31 & town of Hampton III re drivers to owning advice of traffic guides * Witness DS Mittell.
* Pub. Service Co. of New Hampshire. #188 5432. 88/01/22. 3pp. 44126 015-44126 078.

-8801270350 Applicant rebuttal Testimony 3 (rebuttal to testimony of Zolgor, Johnson & Cole re Social Data Analysts, Inc. telephone survey conducted for Commonwealth of MA.) * Witnesses: BD Spencer & DS Mittell.
* Public Service Co. of New Hampshire. 88/01/22. 28pp. 44126 018-44126 045.

-8801270354 Applicant's rebuttal Testimony 4 (rebuttal to corrected testimony of AE Lutoff re beach blanket survey conducted for Commonwealth of MA.) * Witnesses: BD Spencer & DS Mittell.
* Public Service Co. of New Hampshire. 88/01/22. 21pp. 44126 046-44126 066

-8801270358 Applicant's rebuttal Testimony 5 (rebuttal to testimony of A. Codor & AE Lutoff re panic.) * Witness DS Mittell. Curriculum vitae of BD Spencer & Certificate of Svc encl.
* Public Service Co. of New Hampshire. 88/01/22. 13pp. 44126 067-44126 078.

8801270344 Motion for leave to file supplemental testimony out of time. * FEMA response to ASLP 880113 order re filing of proposed supplemental testimony submitted on 880125 rather than 880122 as ordered.
FLYNN, H.J. Federal Emergency Management Agency. #188 5431. 88/01/25. Atomic Safety and Licensing Board Panel. 1p. 44126 154-44126 171.

-8801270372 Supplemental testimony of D McLoughlin, EA Thomas & WR Cumming on behalf of FEMA on sheltering/beach population issues. * Addl. info on D McLoughlin, EA Thomas & withdrawal of appearance of WR Cumming encl. W/Certificate of Svc.
MCLOUGHLIN, D., THOMAS, E.A., CUMMING, W.R. Federal Emergency Management Agency. 88/01/25. 17pp. 44126 155-44126 171.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-28-87-417. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43908 230-43908 300.

8801050005 Forwards portion of NUREG 0895, "FES re Operation of Seabrook Station Units 1 & 2," addressing recipient 871208 request for identification of NRC requirements for evaluating impact of potential exposure to electric fields.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/28. WOJCIK, T.A. Tennessee Valley Authority. 12pp. 43910 288-43910 310.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945 344-43945 347.

8801104064 Notification of contract execution: "Local Telephone svc for Yankee Rowe, Vermont Yankee, Maine Yankee & Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
DORSEY, M. Contract Administration Branch. FIN C-1012. 88/01/11. GODY, A.T. Region 1, Ofc of the Director. 15pp. 44031 234-44031 249.

-8801140174 Contract: "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee, Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
GAMMON, S. New England Bell Telephone Co. FIN C-1012. 88/01/11. 15pp. 44031 235-44031 249.

F. Security, medical, emergency & fire protection plans

8801040256 Forwards request for info re facility plan for Commonwealth of MA commencing Date when info will formally be submitted should be provided.
NERSES, V. Project Directorate I-3. 87/12/23. HARRISON, R.J. Public Service Co. of New Hampshire. 2pp. 43895 245-43895 246.

880110534 Responds to FOIA requests for documents re recent NRC rule amending 10CFR50.47 & 10CFR50. App E. Forwards documents listed in App B App A documents already available in PDR.
GIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. BELAIR, R.R. Kirkpatrick & Lockhart. 3pp. 43978 284-43978 305.

-8712030207 Forwards Rev 0 to "Seabrook Plan for Massachusetts Communities," consisting of 10 vols, effective 870921. FEMA findings re whether encl meets criteria of Suppl 1 to NUREG-0654/FEMA-REP-1, Rev 1 requested. W/o encl.
CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 87/11/27. KRIMM, R.W. Federal Emergency Management Agency. 2pp. 43978 304-43978 305.

8801190017 Notices of encl util press release re util offer to give spon poles to towns. Press release may have relevance to matters before NASLP, including 871113 motion to reopen records & admit contentions involving Newburyport, MA siting.
REISE, J. Assistant General Counsel for Hearings. #188 5337. 88/01/07. ROSENTHAL, A.S. Atomic Safety and Licensing Board Panel. 4pp. 44035 128-44035 131.

G. Adjudicatory correspondence

8801130040 Responds to portion of transcript of Seabrook hearing re bus driver training. Atty cross-examination suitable & NRC position consistent w/responsibility to ensure development of full & complete record. Served on 880111.
MURRAY, J.P. Deputy General Counsel for Hearings & Enforcement. #188 5314. 87/11/24. BACKUS, R.A. Backus, Mayer & Solomon. 2pp. 43989 271-43989 272.

8801060061 Forwards corrected Seacoast Anti-Pollution League petition for review of ALAB-878, did 871201.
BACKUS, R.A. Seacoast Anti-Pollution League. BACKUS, R.A. Backus, Mayer & Solomon. #188 5268. 87/12/22. ZECH, L.W., ROBERTS, T.M., BERNTHAL, F.M. Commissioners. 1p. 43909 251-43909 260.

8801040099 New England Coalition on Nuclear Pollution response to staff re environ qualification of RG-58 coaxial cable. * Svc list encl. Related correspondence.
WEISS, E.R. New England Coalition on Nuclear Pollution. WEISS, E.R. Harmon & Wales. #188 5226. 87/12/23. Atomic Safety and Licensing Appeal Panel. 7pp. 43888 289-43888 305.

8801080083 Affidavit of TN Beard. * Affidavit more precisely explains term "installed" as used in Paragraph 4 of 871217 affidavit. Certificate of Svc encl. Related correspondence.
BEARD, T.N. Public Service Co. of New Hampshire. #188 5257. 87/12/23. 7pp. 43809 180-43809 186.

8801040124 Forwards documents belonging to Categories 2 & 3 & draft testimony prepared for presentation before Congressmen Markey subcommittee Documents in Category 1 will still be withheld. W/o encl. Related correspondence.
TURK, S.E. Assistant General Counsel for Hearings. #188 5247. 87/12/24. TRAFFICONTI, J. Massachusetts, Commonwealth of. DIGMAN, T. Ropes & Gray. 1p. 43888 184-43888 184.

8801040203 NRC Staff motion for extension of time to respond to State of MA Atty General motion to reopen record & admit late-filed contention. * Motion for extension of time until 880118 should be granted. Certificate of Svc encl.
BERRY, G.A. Assistant General Counsel for Hearings. #188 5249. 87/12/24. Atomic Safety and Licensing Appeal Panel. 7pp. 43880 318-43888 322.

8801040064 Order. * Motion for extension of time to respond to State of MA Atty General motion to reopen record & admit late filed contention granted. Served on 871229.
SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5235. 87/12/28. Public Service Co. of New Hampshire. 2pp. 43888 306-43888 307.

8801040284 Order. * Time in which Commission may act to review ALAB-878 extended until 880112. Served on 871230.
CHILK, S.J. Office of the Secretary of the Commission. #188 5230. 87/12/29. Commissioners. 1p. 43887 133-43887 133.

8801080296 Supplemental memorandum of Atty General JM Shannon in support of motion to admit late-filed contention & reopen record. * Applicant combination of overlapping spon coverage & 18 minute heli-copter alerting run insufficient.
JONAS, S.A. Massachusetts, Commonwealth of. #188 5209. 87/12/31. Atomic Safety and Licensing Appeal Panel. 7pp. 43908 284-43908 314.

-8801080300 Affidavit of PJ Matthews. * Remaining emergency notification plans will not be used for emergency planning purposes. Related info encl.
MATTHEWS, P.J. Newburyport, MA. 87/11/30. 14pp. 43908 291-43908 304.

-8801080304 Affidavit of SA Jones. * Airborne alerting sys using helicopter or heli-copters tested on 871104 over plant. No info received from Ropes & Gray or applicant until test completed. Related info encl.
JONAS, S.A. Massachusetts, Commonwealth of. 87/12/31. 3pp. 43908 305-43908 307.

-8801080314 Affidavit of K Stapelfeldt. * Observation of heli-copter tests discussed. No recognizable voice message emanated from heli-copter. W/Certificate of Svc.
STAPFELDT, K. Massachusetts, Commonwealth of. STAPFELDT, K. Salmon Falls Research Associates. 87/12/30. 7pp. 43908 308-43908 314.

8801250303 Request encl corrected page be substituted for Page 7 of "NRC Staff Response to Joint Intervenor Motion to Enlarge Record on Appeal," filed 880110.
BERRY, G.A. Assistant General Counsel for Hearings. #188 5397. 88/01/01. ROSENTHAL, A.S. Atomic Safety and Licensing Appeal Panel. MOORE, T.S., WILBUR, H.A. Atomic Safety and Licensing Board Panel. 2pp. 44099 251-44099 252.

8801060291 Forwards listed documents w/Certificate of Svc for filing in proceeding.
DIGMAN, T.G. Ropes & Gray. #188 5200. 88/01/04. Docketing & Services Branch. 2pp. 43908 085-43908 283.

-8801060305 Applicants memo in support of low power operation. * Recommends that ASLE should not further stay low power license for plant.
DIGMAN, T.G. Public Service Co. of New Hampshire. DIGMAN, T.G. Ropes & Gray. 88/01/04. Atomic Safety and Licensing Board Panel. 20pp. 43908 087-43908 106.

-8801080337 Affidavit of KW Dow. * Discusses chlorine minimization while maintaining circulating water sys free from fouling. Statement of prof qualification encl.
DOW, K.W. Yankee Atomic Electric Co. 87/11/21. 4pp. 43908 107-43908 110.

-8801080346 Affidavit of WB Leland. * Discusses function of chemistry dept to insp circulating & svc water sys, monitor effectiveness of blowdown control & ensure compliance w/ NPEOS restrictions. Related info encl.
LELAND, W.B. Public Service Co. of New Hampshire. 87/12/31. 138pp. 43908 111-43908 247.

-8801060351 Affidavit of JN Esposito on G'nna tube rupture event & design of & experience w/domestic Model F steam generators. * Related info encl.
ESPPOSITO, J.N. Westinghouse Electric Corp. 87/11/20. 8pp. 43908 248-43908 255.

-8801060353 Affidavit of GA Kahn. * Discusses inservice insp program, inservice testing program & test control program. Related info encl.
KAHN, G.A. Public Service Co. of New Hampshire. 87/11/22. 8pp. 43908 256-43908 261.

-8801060364 Affidavit of JN Esposito on North Anna tube rupture. * Discusses tube rupture event, including mechanism which led to event & shows dissimilarities w/steam generators at plant. Related info encl.
ESPPOSITO, J.N. Westinghouse Electric Corp. 87/11/20. 3pp. 43908 262-43908 264.

-8801060370 Affidavit of PS Littlefield. * Discusses analysis of steam generator tube rupture for plant at full power. Related info encl.
LITTLEFIELD, P. Yankee Atomic Electric Co. 87/12/23. 7pp. 43908 265-43908 271.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, A.B. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998-230-43998-300.

8801050005 Forwards portion of NUREG-0895, "FES re Operation of Seabrook Station Units 1 & 2," addressing recipient 871208 request for identification of NRC requirements for evaluating impact of potential exposure to electric fields. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/28. WOUTALIK, T.A. Tennessee Valley Authority. 12pp. 43910-298-43910-310.

8801050010 Requests assistance in identifying NRC requirements for evaluating impact of potential exposure to electric or magnetic fields from transmission lines serving or delivering service from nuclear power plants. WOUTALIK, T.A. Tennessee Valley Authority. 87/12/08. STELLOV, Deputy Executive Director for Regional Operations, EDO (Post 870413). 2pp. 43910-310-43910-310.

8801050558 Responds to 871029 request to relocate three seismic monitors. Rationale presented for relocation & proposed new locations reasonable & comply w/Reg Guide 1.12 requirements. Tech Spec Tables 3.3.7 & 4.3.4 changed to reflect locations. NERSES, V. Project Directorate I-3. 87/12/28. HARRISON, R.J. Public Service Co. of New Hampshire. 1p. 43911-020-43911-020.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

8801100104 Notification of contract execution. "Local Telephone svc for Yankee Rowe, Vermont Yankee, Maine Yankee & Piggin & Seabrook Resident Sites," awarded to New England Bell Telephone Co. DORSEY, M. Contract Administration Branch, FIN C-1012. 88/01/11. GODY, A.T. Region 1, Ofc of the Director. 15pp. 44031-234-44031-249.

8801140174 Contract. "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee, Piggin & Seabrook Resident Sites," awarded to New England Bell Telephone Co. GAMMON, S. New England Bell Telephone Co. FIN C-1012. 88/01/11. 15pp. 44031-235-44031-249.

8801200333 Requests fee for 871029 application for proposed changes to Tech Specs re relocation of seismic monitors. DIGGS, R.M. License Fee Management Branch. 88/01/15. HARRISON, R.J. Public Service Co. of New Hampshire. 1p. 44081-355-44081-355.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058-008-44058-127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.

8801050429 Forwards Safety Insp Rept 50-443/87-25 on 871215-17. No violations noted. MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. HARRISON, R.J. Public Service Co. of New Hampshire. 5pp. 43961-130-43961-140.

8801050441 Emergency Preparedness Insp Rept 50-443/87-25 on 871215-17. No violations noted. Major areas inspected; licensee annual emergency exercise performed on 871215. CONKLIN, C. LAZARUS, W.J. Region 1, Ofc of the Director. 87/12/22. 8pp. 43961-135-43961-140.

8712290155 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995-016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 122pp. 44038-164-44038-286.

8801190088 Submits add info re functional areas of plant operations, engineering support & assurance of quality as described in SALP Rept 50-443/88-99, per 871209 SALP mgmt meeting. THOMAS, G.S. Public Service Co. of New Hampshire. 88/01/06. Document Control Branch (Document Control Desk). 3pp. 44063-075-44063-077.

8801150198 Forwards Safety Insp Rept 50-443/87-24 on 871020-1207. No violation noted. WIGGINS, J.T. Region 1, Ofc of the Director. 88/01/08. HARRISON, R.J. Public Service Co. of New Hampshire. 6pp. 44065-143-44065-174.

8801150199 Insp Rept 50-443/87-24 on 871020-1207. No violation noted. Major areas inspected: work activities, procedure & records re startup testing & license issuance, maintenance & plant operations during cold shutdown. HAVERKAMP, D.R. Region 1, Ofc of the Director. 88/01/07. 25pp. 44065-148-44065-174.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

R. Periodic operating reports & related correspondence

8801190114 Monthly operating repl for Dec 1987 W/880111 tr. NARDONE, P., THOMAS, G.S. Public Service Co. of New Hampshire. 87/12/31. 6pp. 44082-235-44082-240.

S. Reportable occurrences, LERs & related correspondence

8801050437 LER 87-015-01 on 870813, multiple ESFs actuated upon receipt of low pressurizer pressure signal. Caused by actuation of safety injection reset due to contact bounce of latched signal installation procedures revised W/871231 tr. KINGSTON, G., THOMAS, G.S. Public Service Co. of New Hampshire. 87/12/31. 4pp. 43960-346-43960-348.

8801200060 LER 87-025-00 on 871207, RHR pump declared inoperable due to incomplete surveillance data. Caused by incorrect info for operation of test equipment. New baseline rel values acceptance criteria established W/8780108 tr. TEFFT, J.G., THOMAS, G.S. Public Service Co. of New Hampshire. 88/01/06. 5pp. 44006-046-44006-050.

T. Hearing transcripts on non-antitrust matters

8712230213 Transcript of 871214 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 7,555-7,588. * Atomic Safety and Licensing Board Panel. 87/12/14. 133pp. 43998-309-43998-367.

8712230220 Transcript of 871215 evidentiary hearing in Concord, NH re 7,587-7,620 Supporting documentation encl. * Atomic Safety and Licensing Board Panel. 87/12/15. 400pp. 43921-145-43921-230.

8712230285 Transcript of 871216 limited appearance statements hearing in Concord, NH re offsite emergency planning. Pp 8,103-1 to 8,103-149. * Atomic Safety and Licensing Board Panel. 87/12/16. 151pp. 43922-233-43922-024.

8801040279 Summary of 871222 meeting w/util & plant joint owners in Bethesda, MD re util offsite emergency plan for Commonwealth of MA portion of EP2. Transcript of meeting & list of attendees encl. NERSES, V. Project Directorate I-3. 87/12/23. Project Directorate I-3. 8pp. 43655-258-43655-307.

8801050106 Transcript of 871222 meeting w/util in Bethesda, MD re plant emergency plan for Commonwealth of MA portion of EP2. * Project Directorate I-3. 87/12/22. 42pp. 43995-265-43995-307.

8801130010 Applicant Direct Testimony 6 (sheltering). * Testimony discussing State of NH radiological emergency response plan protective actions. Supporting documentation encl. Related correspondence. BAER, J.W., BELL, D.W., BONDS, J.D. Public Service Co. of New Hampshire. #153. 5312. 88/01/06. 53pp. 43989-143-43989-196.

8801130087 Errata to applicant Direct Testimony 6 (sheltering). * Changes to 871217 testimony listed. Related correspondence. * Public Service Co. of New Hampshire. 88/01/06. 1p. 43989-196-43989-198.

8801200227 Forwards rebuttal testimony of CJ Earl re Contentions NHP-2, SAPL-3 & SAPL-8A & town of Hampton revised Contentions IV & VI. Notification of hearing dates requested so Earl may appear at hearings. Related correspondence. CURRAN, D. Harmon & Weiss. #188. 5369. 88/01/07. SMITH, J.W., HARBOUR, J. LINENBERGER, G. Atomic Safety and Licensing Board Panel. 1p. 44050-054-44050-120.

8801200239 Rebuttal testimony of CJ Earl re Contentions NHP-2, SAPL-3, SAPL-8A & town of Hampton Contentions IV & VI. * Testimony re util adequacy of offsite emergency response. Certificate of Svc & svc list encl. Related correspondence. EARL, C.J. Resource Management Systems, Inc. 88/01/07. 26pp. 44050-095-44050-120.

8801130094 Applicant rebuttal testimony 1 (rebuttal to Doctor A. Cadari). * Witness E. Lieberman. Certificate of Svc encl. Related correspondence. LIEBERMAN, E. Public Service Co. of New Hampshire. #188. 5313. 88/01/11. 5pp. 43989-028-43989-033.

8801190158 Transcript of 880111 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 8,385-8,498. Witnesses: D. Mihel. * Atomic Safety and Licensing Board Panel. 88/01/11. 115pp. 44061-071-44061-186.

8801190182 Transcript of 880112 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 8,498-8,737. Witnesses: M. Fallon, B. Hollingworth, E. Weinhold, E. Thomas & R. Bores. * Atomic Safety and Licensing Board Panel. 88/01/12. 241pp. 44063-180-44063-062.

8801210099 Transcript of 880113 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 8,738-9,035. Witnesses: J. Degulis, E. Thomas, R. Bores, A. Calandrelli, P. Franchette, M. Sinclair, R. Strom, G. Capatano & R. Nelson. * Atomic Safety and Licensing Board Panel. 88/01/13. 375pp. 44105-062-44105-073.

8801270300 Rebuttal testimony of EJ Oliveira on behalf of atty general for Commonwealth of MA re traffic disorders expected during evacuation of beach area because of accident at Seabrook Nuclear Plant. * Related correspondence. OLIVEIRA, E.J. Massachusetts, Commonwealth of. OLIVEIRA, E.J. Salisbury, MA. #188. 5428. 88/01/22. Atomic Safety and Licensing Board Panel. 9pp. 44126-220-44126-259.

8801270306 Rebuttal testimony of TF Moughan on behalf of atty general for Commonwealth of MA re presence of hidden parking spaces in Salisbury Beach & on Plum Island. * Related correspondence. MOUGHAN, T.F. Massachusetts, Commonwealth of. 88/01/22. Atomic Safety and Licensing Board Panel. 3pp. 44126-229-44126-231.

8801270310 Rebuttal testimony of TJ Adler on behalf of JM Shannon, atty general for Commonwealth of MA, concerning various matters raised in evacuation time estimate contentions. * W/ Certificate of Svc. Related correspondence. ADLER, T.J. Massachusetts, Commonwealth of. 88/01/22. Atomic Safety and Licensing Board Panel. 28pp. 44126-232-44126-259.

8801270319 Applicant rebuttal Testimony 2 (rebuttal to corrected testimony of A Coder & AE Luloff on Seacoast Anti-Pollution League 31 & town of Hampton III re drivers following advice of traffic guides.* Witness DS Mileti.
* Public Service Co. of New Hampshire. #188 5432. 88/01/22. 3pp. 44126.015-44126.079.

8801270350 Applicant rebuttal Testimony 3 (rebuttal to testimony of Zeigler, Johnson & Cole re Social Data Analysts, Inc telephone survey conducted for Commonwealth of MA.) * Witnesses BD Spencer & DS Mileti.
* Public Service Co. of New Hampshire. 88/01/22. 28pp. 44126.018-44126.045.

8801270354 Applicants rebuttal Testimony 4 (rebuttal to corrected testimony of AE Luloff re beach blanket survey conducted for Commonwealth of MA.) * Witnesses BD Spencer & DS Mileti.
* Public Service Co. of New Hampshire. 88/01/22. 21pp. 44126.046-44126.068.

8801270359 Applicants rebuttal Testimony 5 (rebuttal to testimony of A Coder & AE Luloff re panic)* Witness DS Mileti. Curriculum vitae of BD Spencer & Certificate of Svc encl.
* Public Service Co. of New Hampshire. 88/01/22. 13pp. 44126.067-44126.070.

8801270344 Motion for leave to file supplemental testimony out of time.* FEMA response to ASLP 880113 order re filing of proposed supplemental testimony submitted on 880125 rather than 880122 as ordered.
FLYNN, H.J. Federal Emergency Management Agency. #188 5431. 88/01/25. Atomic Safety and Licensing Board Panel. 1p. 44126.154-44126.171.

8801270372 Supplemental testimony of D McLoughlin, EA Thomas & WR Cumming on behalf of FEMA on shorting/beach population issues.* Addl info on D McLoughlin, EA Thomas & withdrawal of appearance of WR Cumming encl. W/Certificate of Svc.
MCLOUGHLIN, D., THOMAS, E.A., CUMMING, W.R. Federal Emergency Management Agency. 88/01/25. 17pp. 44126.155-44126.171.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc, including summary of NRC contract work, NRC Form 26 for three existing contracts, and 1 info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-117. 87/12/18. JONHONSON, E.H. Region 4, Ofc of the Director. 71pp. 43989.230-43989.400.

8801050005 Forwards portion of NUREG-0895, "FES re Operation of Seabrook Station Units 1 & 2," addressing recipient 871208 request for identification of NRC requirements for evaluating impact of potential exposure to electric fields.
MURLEY, E.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/28. WOLFE, T.A. Tennessee Valley Authority. 12pp. 43910.288-43910.310.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAVEMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945.344-43945.347.

8801140164 Notification of contract execution: "Local Telephone svc for Yankee Rowe, Vermont Yankee, Maine Yankee & Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
DCRSEY, M. Contract Administration Branch, FIN C-1012. 88/01/11. GODY, A.T. Region 1, Ofc of the Director. 15pp. 44031.234-44031.249.

8801140174 Contract: "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee, Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
GAYMON, S. New England Bell Telephone Co. FIN C-1012. 88/01/11. 15pp. 44031.235-44031.249.

F. Security, medical, emergency & fire protection plans

8801040256 Forwards request for info re facility plan for Commonwealth of MA communities. Data when info will formally be submitted should be provided.
NERSES, V. Project Directorate I-3. 87/12/23. HARRISON, R.J. Public Service Co. of New Hampshire. 2pp. 43985.246-43985.248.

8801110534 Responds to FOIA requests for documents re recent NRC rule amending 10CFR50.47 & 10CFR50, App E. Forwards documents listed in App B. App A documents already available in PDR.
GRIVSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. BELAIR, R.R. Kirkpatrick & Lockhart. 3pp. 43978.284-43978.305.

8712030207 Forwards Rev 0 to "Seabrook Plan for Massachusetts Communities," consisting of 10 vols, effective 7/8/82. FEMA findings re whether and meets criteria of Suppl 1 to NUREG-0854/FEMA-REP-1. Rev 1 requested. W/o encl.
CUNNEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 87/11/27. KRIMM, R.W. Federal Emergency Management Agency. 2pp. 43978.304-43978.305.

8801190017 Notices of encl util press release re util offer to give siren poles to towns. Press release may have relevance to matters before NASLP, including 871113 motion to reopen records & admit contentions involving Newburyport, MA sirens.
REIS, E.J. Assistant General Counsel for Hearings. #188 5337. 88/01/07. ROSENTHAL, A.S. Atomic Safety and Licensing Board Panel. 4pp. 44035.128-44035.131.

G. Adjudicatory correspondence

8801130040 Responds to portion of transcript of Seabrook hearing re bus driver taking Atty cross-examination suitable & NRC position consistent w/responsibility to ensure development of full & complete record. Served on 880111.
MURRAY, J.P. Deputy General Counsel for Hearings & Enforcement. #188 5314. 87/11/24. BACKUS, R.A. Backus, Meyer & Solomon. 2pp. 43989.271-43989.272.

8801060061 Forwards corrected Seacoast Anti-Pollution League petition for review of ALAB-879, dtd 871201.
BACKUS, R.A. Seacoast Anti-Pollution League. BACKUS, R.A. Backus, Meyer & Solomon. #188 5259. 87/12/22. ZECH, L.W., ROBERTS, T.M., BERNTHAL, F.M. Commissioners. 1p. 43989.251-43989.260.

8801040099 New England Coalition on Nuclear Pollution response to staff re environ qualification of RG-58 coaxial cable.* Svc list encl. Related correspondence.
WEISS, E.R. New England Coalition on Nuclear Pollution. WEISS, E.R. Harmon & Weiss. #188 5226. 87/12/23. Atomic Safety and Licensing Appeal Panel. 7pp. 43988.298-43988.305.

8801060083 Affidavit of TN Board.* Affidavit more precisely explains term "installed" as used in Paragraph 4 of 871217 affidavit. Certificate of Svc encl. Related correspondence.
BEARD, T.N. Public Service Co. of New Hampshire. #188 5267. 87/12/23. 7pp. 43989.100-43989.106.

8801040124 Forwards documents belonging to Categories 2 & 3 & draft testimony prepared for presentation before Congressman Markey subcommittee. Documents in Category 1 will still be withheld. W/o encl. Related correspondence.
TURK, S.E. Assistant General Counsel for Hearings. #188 5247. 87/12/24. TRAFFICONTI, J. Massachusetts, Commonwealth of. DIGNAN, T. Ropes & Gray. 1p. 43988.164-43988.164.

8801040203 NRC Staff motion for extension of time to respond to State of MA Atty General motion to reopen record & admit late filed contention.* Motion for extension of time until 880118 should be granted. Certificate of Svc encl.
BERRY, G.A. Assistant General Counsel for Hearings. #188 5249. 87/12/24. Atomic Safety and Licensing Appeal Panel. 7pp. 43989.316-43989.322.

8801040064 Order.* Motion for extension of time to respond to State of MA Atty General motion to reopen record & admit late filed contention granted. Served on 871229.
SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5235. 87/12/28. Public Service Co. of New Hampshire. 2pp. 43988.306-43988.307.

8801040284 Order.* Time in which Commission may act to review ALAB-879 extended until 880118. Served on 871230.
CHILK, S.J. Office of the Secretary of the Commission. #188 5230. 87/12/29. Commissioners 1p. 43987.133-43987.133.

8801060298 Supplemental memorandum of Atty General JM Shannon in support of motion to admit late filed contention & reopen record.* Applicant combination of overlapping siren coverage & 19 m rule helicopter alerting run insufficient.
JONAS, S.A. Massachusetts, Commonwealth of. #188 5289. 87/12/31. Atomic Safety and Licensing Appeal Panel. 7pp. 43908.284-43908.314.

8801060300 Affidavit of PJ Matthews.* Remaining emergency notification sirens will not be used for emergency planning purposes. Related info encl.
MATTHEWS, P.J. Newburyport, MA. 87/11/30. 14pp. 43908.291-43908.304.

8801060304 Affidavit of SA Jonas.* Airborne alerting sys using helicopter or helicopters tested on 871104 over plant. No info received from Ropes & Gray or applicant until test completed. Related info encl.
JONAS, S.A. Massachusetts, Commonwealth of. 87/12/31. 3pp. 43908.305-43908.307.

8801060314 Affidavit of K Stapelfeldt.* Observation of helicopter tests discussed. No recognizable voice message emanated from helicopter. W/Certificate of Svc.
STAPELFELDT, K. Massachusetts, Commonwealth of. STAPELFELDT, K. Salmon Falls Research Associates. 87/12/30. 7pp. 43908.308-43908.314.

8801250303 Request encl corrected page be substituted for Page 7 of "NRC Staff Response to Joint Intervenor Motion to Enlarge Record on Appeal," filed 880119.
BERRY, G.A. Assistant General Counsel for Hearings. #188 5397. 88/01/01. ROSENTHAL, A.S. Atomic Safety and Licensing Appeal Panel. MOORE, T.S., WILBUR, H.A. Atomic Safety and Licensing Board Panel. 2pp. 44099.251-44099.252.

8801060291 Forwards listed documents w/Certificate of Svc for filing in proceeding.
DIGNAN, T.G. Ropes & Gray. #188 5200. 88/01/04. Docketing & Services Branch 2pp. 43908.095-43908.283.

8801060305 Applicants memo in support of low power operation.* Recommends that ASLB should not further delay low power license for plant.
DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. 88/01/04. Atomic Safety and Licensing Board Panel. 20pp. 43908.087-43908.106.

8801060337 Affidavit of KW Dow.* Discusses chlorine minimization while maintaining circulating water sys free from fouling. Statement of prof qualification encl.
DOW, K.W. Yankee Atomic Electric Co. 87/11/21. 4pp. 43908.107-43908.110.

8801060346 Affidavit of WB Leland.* Discusses function of chemistry dept to insp circulating & s/w water sys, monitor effectiveness of biofouling control & ensure compliance w/ NPDES restrictions. Related info encl.
LELAND, W.B. Public Service Co. of New Hampshire. 87/12/31. 138pp. 43908.111-43908.247.

8801060351 Affidavit of JN Esposito on Ginna tube rupture event & design of & experience w/domestic Modol F steam generators.* Related info encl.
ESPOSITO, J.N. Westinghouse Electric Corp. 87/11/20. 8pp. 43908.248-43908.255.

8801060353 Affidavit of GA Kahn.* Discusses inservice insp program, inservice testing program & test control program. Related info encl.
KAHN, G.A. Public Service Co. of New Hampshire. 87/12/22. 6pp. 43908.258-43908.261.

8801060364 Affidavit of JN Esposito on North Anna tube rupture.* Discusses tube rupture event, including mechanism which led to event & shows dissimilarities w/steam generators at plant. Related info encl.
ESPOSITO, J.N. Westinghouse Electric Corp. 87/11/20. 3pp. 43908.262-43908.264.

8801060370 Affidavit of PS Littlefield.* Discusses analysis of steam generator tube rupture for plant at full power. Related info encl.
LITTLEFIELD, P. Yankee Atomic Electric Co. 87/12/23. 7pp. 43908.265-43908.271.

158 DOCKETED ITEMS

- 8801060408 Affidavit of P Huang on mass transfer & flashing fraction for steam generator tube rupture at 5% power. * Related info encl. HUANG,P. Westinghouse Electric Corp. 8/7/11/20. 4pp. 43908-272-43908-275.
- 8801060414 Affidavit of K Rubin on reactor coolant activity at 5% power. * OS Steadland notice of appearance & related info encl. Certificate of Svc encl. RUBIN,K. Westinghouse Electric Corp. 8/7/11/20. 8pp. 43908-276-43908-283.
- 8801130042 New England Coalition on Nuclear Pollution brief in opposition to renewal of authorization to operate at low power. * No justification provided for authorizing low power operations. Certificate of Svc encl. FERSTER,A. New England Coalition on Nuclear Pollution. FERSTER,A. Harmon & Weiss. #188 5304. 8/8/01/04. Commissioners. 36pp. 43989-273-43989-308.
- 8801130062 Motion to enlarge record on appeal on decision of ASLAP not to waive regulations excusing financial qualification review for Public Svc Company of NM. * Certificate of Svc encl. BACKUS,R.A. Hampton, NH. BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. #188 5302. 8/8/01/05. Atomic Safety and Licensing Appeal Panel. 10pp. 43999-001-43999-018.
- 8801130052 Motion for order (8/for subpoenas) requiring attendance & testimony of particular named NRC employees. * Testimony of RJ Boreas & WJ Lazarus requested re NRC withdrawal of info from Regional Assistance Committee. Certificate of Svc encl. DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #188 5318. 8/8/01/06. Atomic Safety and Licensing Board Panel. 103pp. 43989-034-43989-138.
- 8801130081 Contentions of Atty General JM Shannon on notification sys for Commonwealth of MA & motion to admit late-filed contentions & reopen record. * Certificate of Svc encl. SHANNON,J.M., JONAS,S.A. Massachusetts, Commonwealth of. #188 5303. 8/8/01/07. 32pp. 43990-017-43990-048.
- 8801190017 Notices of encl. util. press release re util. offer to give siren poles to towns. Press release may have relevance to matters before NASLP, including 871113 motion to reopen records & admit contentions involving Newburyport, MA sirens. REISE,E.J. Assistant General Counsel for Hearings. #188 5337. 8/8/01/07. ROSENTHAL,A.S., SMITH,I.W., WOLFE,S.J. Atomic Safety and Licensing Board Panel. 4pp. 44035-128-44035-131.
- 8801200220 Forwards second set of interrogatories & request for production of documents to NRC on Contentions I.V. & IV & to applicants on Contention I.V. & errata to 880104 brief. W/o errata. Related correspondence. FERSTER,A. New England Coalition on Nuclear Pollution. FERSTER,A. Harmon & Weiss. #188 5370. 8/8/01/07. WOLFE,S.J., LUEBKE,E.A., HARBOUR,J. Atomic Safety and Licensing Board Panel. 1p. 44050-228-44050-253.
- 8801200235 New England Coalition on Nuclear Pollution (NECNP) second set of interrogatories & request for production of documents to NRC Staff on NECNP Contentions I.V. & IV. * W/Certificate of Svc. Related correspondence. FERSTER,A., SPIELBERG,A. New England Coalition on Nuclear Pollution. FERSTER,A. Harmon & Weiss. 8/8/01/07. Office of the General Counsel. 18pp. 44050-228-44050-248.
- 8801200244 New England Coalition on Nuclear Pollution (NECNP) second set of interrogatories & request for production of documents to applicants on NECNP Contention I.V. * W/Certificate of Svc & svt lst. Related correspondence. SPIELBERG,A. New England Coalition on Nuclear Pollution. SPIELBERG,A. Harmon & Weiss. 8/8/01/07. Public Service Co. of New Hampshire. 7pp. 44050-247-44050-253.
- 8801200287 New England Coalition on Nuclear Pollution errata to brief in opposition to renewal of authorization to operate at low power, filed on 880104. * W/Certificate of Svc. Related correspondence. FERSTER,A. Harmon & Weiss. #188 5368. 8/8/01/07. Atomic Safety and Licensing Board Panel. 3pp. 44050-159-44050-161.
- 8801200329 Atty General JM Shannon motion for directed certification of 871116 & 18 ASLB rulings concerning admissibility of certain evidence. * Board should permit interrogatory review & reverse lower Board orders. Certificate of Svc encl. TRAFICONTI,J. Massachusetts, Commonwealth of. #188 5371. 8/8/01/07. 300pp. 44049-103-44050-043.
- 8801130055 Memorandum & order. * Issue re environ qualification of RG58 cable remanded to ASLB for addl proceedings consistent w/ opinion. Served on 880111. SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #188 5305. 8/8/01/08. 9pp. 43989-326-43989-334.
- 8801150001 Advises that time for Commission to review Decision ALAB-875 expired. Commission declined review. Decision became final agency action on 871230. Served on 880112. CHILK,S.J. Office of the Secretary of the Commission. #188 5331. 8/8/01/11. Office of the General Counsel. 1p. 44033-286-44033-286.
- 8801150013 Order. * Order extending time until 880203 for Commission to determine whether to review ALAB-879. Served on 880112. CHILK,S.J. Office of the Secretary of the Commission. #188 5332. 8/8/01/11. Commissioners. 1p. 44033-273-44033-273.
- 8801200234 Joinder of Seacoast Anti-Pollution League in New England Coalition on Nuclear Pollution brief in opposition to renewal of authorization to operate at low power. * W/Certificate of Svc. BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. #188 5382. 8/8/01/11. Commissioners. 3pp. 44050-151-44050-153.
- 8801200247 Applicant motion for extension of time to respond to Commonwealth of MA Atty General motion for directed certification of ASLB rulings as to admissibility of certain evidence. * State approves motion. W/Certificate of Svc. DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #188 5367. 8/8/01/11. Atomic Safety and Licensing Appeal Panel. 5pp. 44050-144-44050-148.
- 8801200270 Applicant motion for extension of time to respond to State of MA Atty General motion for directed certification of ASLB rulings as to admissibility of certain evidence. * Granted for ASLB on 880115. Certificate of Svc encl. DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #188 5368. 8/8/01/11. Atomic Safety and Licensing Appeal Panel. 3pp. 44050-220-44050-222.
- 8801200305 Applicants motion for extension of time to respond to Atty General of Massachusetts contention on notification sys & motion to admit late-filed contentions & reopen record. * Motion granted on 880115. Certificate of Svc encl. DIGNAN,T.G., LEWALD,G.H., SELLECK,K.A. Ropes & Gray. #188 5381. 8/8/01/11. Atomic Safety and Licensing Appeal Panel. 3pp. 44049-085-44049-097.
- 8801200317 Applicants motion for extension of time to respond to Atty General of Massachusetts contention on notification sys & motion to admit late-filed contentions & reopen record. * Certificate of Svc encl. DIGNAN,T.G., LEWALD,G.H., SELLECK,K.A. Ropes & Gray. #188 5360. 8/8/01/11. Atomic Safety and Licensing Appeal Panel. 5pp. 44049-088-44049-102.
- 8801150005 Order (granting staff motion for time extension). * NRC 880111 request for 1-day extension until 880112 within which to file brief re question whether low power operation may be reauthorized granted. Served on 880113. WOLFE,S.J. Atomic Safety and Licensing Board Panel. #188 5335. 8/8/01/12. Office of the General Counsel. 1p. 44033-288-44033-288.
- 8801190016 NRC Staff response to Licensing Board order of 871127. * ASLB should rule that issues raised by Contentions I.V. & IV irrelevant to safe conduct of low power operations. NRR should issue low power license per findings. BERRY,G.A. Assistant General Counsel for Hearings. #188 5336. 8/8/01/12. Atomic Safety and Licensing Board Panel. 16pp. 44035-008-44035-053.
- 8801190024 Affidavit of N Wagner. * Discusses if issues requiring resolution raised by Contention IV. Chlorination & distribution sys designed to permit safe operation of plant at either full or low power. Related info encl. WAGNER,N. Reactor Systems Branch. 8/8/01/12. 7pp. 44035-024-44035-030.
- 8801190028 Affidavit of MT Masnik. * Discusses Contention IV & whether issues raised must be resolved prior to reauthorization of low power operations. DCP's at state structure poses no safety hazard. Prof qualifications encl. MASNIK,M.T. TMI-2 Cleanup Project Directorate (870413-880201). 8/8/01/12. 11pp. 44035-031-44035-041.
- 8801190031 Affidavit of HF Conrad. * Discusses whether Contention IV raises issues that must be resolved prior to issuance of low power license. Operation of plant at 5% power would not change augmentation Certificate of Svc encl. CONRAD,H.F. Materials Engineering Branch. 8/8/01/12. 12pp. 44035-042-44035-063.
- 8801190015 Order. * Staff response to Atty General of Massachusetts 880107 motion for directed certification of certain ASLB 871116 & 18 rulings re offsite emergency planning due on or before 880125. Served on 880114. SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #188 5345. 8/8/01/13. Office of the General Counsel. 2pp. 44035-132-44035-133.
- 8801190019 Notice of ASLB constitution AS Rosenthal, chairman & TS Moore & HA Wilbur members. Served on 880114. SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #188 5344. 8/8/01/13. 1p. 44035-085-44035-085.
- 8801190023 Advises that AS Rosenthal assigned as chairman & TS Moore & HA Wilbur assigned as members of ASLB for offsite emergency planning phase of OL proceeding. Related correspondence. ROSENTHAL,A.S. Atomic Safety and Licensing Appeal Panel. #188 5346. 8/8/01/13. Atomic Safety and Licensing Appeal Panel. 1p. 44035-081-44035-091.
- 8801200340 Applicants responses to New England Coalition on Nuclear Pollution (NECNP) second set of interrogatories & request for production of documents to applicants on NECNP Contention IV. * W/Certificate of Svc. Related correspondence. FEIGENBAUM,J.C. Public Service Co. of New Hampshire. #188 5359. 8/8/01/14. New England Coalition on Nuclear Pollution. 4pp. 44050-044-44050-087.
- 8801260307 NRC Staff response to contention of Atty General JM Shannon & motion to admit late-filed contentions & reopen record. * Ruling should be deferred until applicant submits alternative notification plans. W/Certificate of Svc. BERRY,G.A. Assistant General Counsel for Hearings. #188 5395. 8/8/01/14. Atomic Safety and Licensing Appeal Panel. 12pp. 44099-255-44099-266.
- 8801260321 Requests that encl corrected Pages 6 & 7 to NRC 880112 response to Licensing Board order of 871127 be substituted for same pages due to typos. BERRY,G.A. Assistant General Counsel for Hearings. #188 5396. 8/8/01/14. WOLFE,S.J., HARBOUR,J., LUEBKE,E.A. Atomic Safety and Licensing Board Panel. 3pp. 44100-132-44100-134.
- 8801270305 Forwards New England Coalition on Nuclear Pollution motion for leave to file reply to applicant & NRC briefs re low power operations & errata to brief in opposition to renewal of authorization to operate at low power filed on 880104. FERSTER,A. New England Coalition on Nuclear Pollution. FERSTER,A. Harmon & Weiss. #188 5421. 8/8/01/14. WOLFE,S.J., LUEBKE,E.A., HARBOUR,J. Atomic Safety and Licensing Board Panel. 1p. 44126-183-44126-189.
- 8801270311 New England Coalition on Nuclear Pollution reply to applicant & NRC staff briefs re low power operations. * Motion for leave to file reply to applicant memo in support of low power operation. Certificate of Svc encl. FERSTER,A. New England Coalition on Nuclear Pollution. FERSTER,A. Harmon & Weiss. 8/8/01/14. Atomic Safety and Licensing Board Panel. 13pp. 44126-184-44126-196.
- 8801270321 New England Coalition on Nuclear Pollution errata to brief in opposition to renewal of authorization to operate at low power, filed on 880104. * Certificate of Svc encl. FERSTER,A. New England Coalition on Nuclear Pollution. FERSTER,A. Harmon & Weiss. 8/8/01/14. Atomic Safety and Licensing Board Panel. 3pp. 44126-197-44126-199.
- 8801260305 Requests that encl corrected Page 7 be substituted in place of present Page 7 of 880114 NRC response to contention of Atty General JM Shannon & motion to admit late-filed contentions & reopen record. BERRY,G.A. Assistant General Counsel for Hearings. #188 5387. 8/8/01/15. ROSENTHAL,A.S., MOORE,T.S., WILBUR,H.A. Atomic Safety and Licensing Appeal Panel. 2pp. 44099-253-44099-254.

8801250313 NRC Staff response to Joint Intervenor's motion to enlarge record on appeal. * Motion to enlarge record should be granted but appeal should be denied. W/ Certificate of Svc. BERRY, G.A. Assistant General Counsel for Hearings. #188 5394. 88/01/19. Atomic Safety and Licensing Board Panel. 5pp. 44089:187-44089:191.

8801210159 Ack receipt of MM Murphy 871026 ltr as forwarded by RC Smith & advises that concerns set out in ltr subj of extensive testimony to ASLB on 871020 ltr will be made matter of public record. Served on 880120. SMITH, J.W. Atomic Safety and Licensing Board Panel. #188 5378. 88/01/20. SMITH, J.C. House of Rep. 1p. 44086:123-44086:128.

8801210167 Forwards MM Murphy 881027 ltr re offsite emergency plans for plant w/ special focus on safety of school children ltr will be made available to ASLB for consideration in federal approval of plan. Related mail encl. SMITH, J.C. House of Rep. 88/01/07. SMITH, J. Atomic Safety and Licensing Board Panel. 5pp. 44086:124-44086:128.

8801250298 Order. * Motion for add'l extension until 880222 of time within which to file opposition to 880107 motion of atty general of Commonwealth of MA to reopen record & to admit late-filed contention denied. Served on 880121. SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5386. 88/01/20. Public Service Co. of New Hampshire. 2pp. 44099:244-44099:245.

8801250400 Informs of State of MA atty general request to reopen record on onsite safety issues & emergency planning. Matter should be deferred pending submission of application alternative notification plan in event of plant emergency. BERRY, G.A. Assistant General Counsel for Hearings. #188 5398. 88/01/20. ROSENTHAL, A.S., WILBER, H.A. Atomic Safety and Licensing Appeal Panel. 2pp. 44099:134-44099:135.

8801270328 Applicant request for further extension of time to file opposition to motion of atty general for Commonwealth of MA to admit late-filed contention & reopen record. * Certificate of Svc encl. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #188 5420. 88/01/20. Atomic Safety and Licensing Appeal Panel. 5pp. 44126:327-44126:331.

8801270380 Applicant's response to motion to enlarge record on appeal. * In absence of authenticity objection, motion essentially addressed to sound discretion of Appeal Board. Certificate of Svc encl. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #188 5419. 88/01/20. Atomic Safety and Licensing Appeal Panel. 4pp. 44126:262-44126:265.

8801270322 Applicant response to Atty General JM Shannon motion for directed certification of 871116 & 18 ASLB rulings re admissibility of certain evidence. * Motion should be denied. W/ Certificate of Svc. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #188 5429. 88/01/21. Atomic Safety and Licensing Appeal Panel. 13pp. 44126:001-44126:093.

8801270286 Notice of hearing. * Evidentiary hearing will resume on 880208 in Boston, MA. Rebuttal testimony may be received on 880222. Served on 880125. SMITH, J.W. Atomic Safety and Licensing Board Panel. #188 5427. 88/01/22. 1p. 44126:204-44126:261.

8801270297 Informs that telcon previously provided for has been set for 880127. Effort will be made to include recipient in call. Served on 880128. MORAN, D.M. Atomic Safety and Licensing Board Panel. #188 5430. 88/01/22. MITCHELL, S.F. Kensington, NH. 1p. 44126:080-44126:080.

8801270326 Memorandum following telcon. * Summary of 880121 telcon w/ app/conts, atty general of Massachusetts & NRC to discuss implications of Rockingham County Newspapers, Inc. FOIA Request 88-28 on proceeding. Served on 880125. SMITH, J.W. Atomic Safety and Licensing Board Panel. #188 5425. 88/01/22. App. 44126:332-44126:335.

8801270379 Order. * Grants in part NRC motion for extension until 880205 to respond to Commonwealth of MA 880107 motion for directed certification of certain ASLB rulings. Served on 880125. SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #188 5428. 88/01/22. Office of the General Counsel. 1p. 44126:266-44126:268.

8801270344 Motion for leave to file supplemental testimony out of time. * FEMA response to ASLP 880113 order re filing of proposed supplemental testimony submitted on 880125 rather than 880122 as ordered. FLYNN, H.J. Federal Emergency Management Agency. #188 5431. 88/01/25. Atomic Safety and Licensing Board Panel. 1p. 44126:164-44126:171.

0. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSS, J.C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170118 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSS, J.C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSS, J.C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSS, J.C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSS, J.C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl. ROSS, J.C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

T. Hearing transcripts on non-antitrust matters

8712230213 Transcript of 871214 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 7,555-7,686. * Atomic Safety and Licensing Board Panel. 87/12/14. 133pp. 43888:309-43888:087.

8712230220 Transcript of 871215 evidentiary hearing in Concord, NH. Pp 7,687-7,920. Supporting documentation encl. * Atomic Safety and Licensing Board Panel. 87/12/15. 400pp. 43921:145-43922:230.

8712230285 Transcript of 871216 limited appearance statements hearing in Concord, NH re offsite emergency planning. Pp 8,103-1 to 8,103-149. * Atomic Safety and Licensing Board Panel. 87/12/16. 151pp. 43922:233-43923:024.

8801130010 Applicant Direct Testimony 6 (sheltering). * Testimony discussing State of NH radiological emergency response plan protective actions. Supporting documentation encl. Related correspondence. BAER, J.W., BELL, D.W., BONDS, J.D. Public Service Co. of New Hampshire. #188 5312. 88/01/06. 53pp. 43989:143-43989:196.

8801130097 Errata to applicant Direct Testimony 6 (sheltering). * Changes to 871217 testimony listed. Related correspondence. * Public Service Co. of New Hampshire. 88/01/06. 1p. 43989:196-43989:196.

8801200227 Forwards rebuttal testimony of CJ Earl re Contentions NHP-2, SAPL-8 & SAPL-8A & town of Hampton revised Contentions IV & VI. Notification of hearing dates requested so Earl may appear at hearings. Related correspondence. CURRAN, D. Harmon & Wells. #188 5369. 88/01/07. SMITH, J.W., HARBOR, J., LINENBERGER, G. Atomic Safety and Licensing Board Panel. 1p. 44050:094-44050:120.

8801200239 Rebuttal testimony of CJ Earl re Contentions NHP-2, SAPL-8, SAPL-8A & town of Hampton Contentions IV & VI. * Testimony re utility adequacy of offsite emergency response. Certificate of Svc & svc list encl. Related correspondence. EARL, C.J. Resource Management Systems, Inc. 88/01/07. 26pp. 44050:095-44050:120.

8801130094 Applicant rebuttal Testimony 1 (rebuttal to Doctor A Cedar). * Witness: E Lieberman. Certificate of Svc encl. Related correspondence. LIEBERMAN, E. Public Service Co. of New Hampshire. #188 5313. 88/01/11. 5pp. 43989:029-43989:033.

8801190158 Transcript of 880111 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 8,395-8,498. Witnesses: D Milotti. * Atomic Safety and Licensing Board Panel. 88/01/11. 115pp. 44061:071-44061:186.

8801190162 Transcript of 880112 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 8,499-8,737. Witnesses: M Fallon, B Hollingworth, E Weinhold, E Thomas & R Boreas. * Atomic Safety and Licensing Board Panel. 88/01/12. 241pp. 44063:180-44064:062.

8801210099 Transcript of 880113 evidentiary hearing in Concord, NH re offsite emergency planning. Pp 8,738-8,935. Witnesses: J Dequils, E Thomas, R Boreas, A Callender, P Franchitto, M Sinclair, R Stromo, G Catapano & R Nelson. * Atomic Safety and Licensing Board Panel. 88/01/13. 375pp. 44105:082-44106:079.

8801270300 Rebuttal testimony of EJ Oliveira on behalf of atty general for Commonwealth of MA re traffic disorders expected during evacuation of beach area because of accident at Seabrook Nuclear Plant. * Related correspondence. OLIVEIRA, E.J. Massachusetts, Commonwealth of. OLIVEIRA, E.J. Salisbury, MA. #188 5428. 88/01/22. Atomic Safety and Licensing Board Panel. 8pp. 44126:220-44126:259.

8801270306 Rebuttal testimony of TF Moughan on behalf of atty general for Commonwealth of MA re presence of hidden parking spaces in Salisbury Beach & on Plum Island. * Related correspondence. MOUGHAN, T.F. Massachusetts, Commonwealth of. 88/01/22. Atomic Safety and Licensing Board Panel. 3pp. 44126:228-44126:231.

8801270310 Rebuttal testimony of TJ Adler on behalf of JM Shannon, atty general for Commonwealth of MA, concerning various matters raised in evacuation time estimate contentions. * W/ Certificate of Svc. Related correspondence. ADLER, T.J. Massachusetts, Commonwealth of. 88/01/22. Atomic Safety and Licensing Board Panel. 28pp. 44126:232-44126:259.

8801270319 Applicant rebuttal Testimony 2 (rebuttal to corrected testimony of A Cedar & AE Lutoff on Seacoast Anti-Pollution League 31 & town of Hampton III re drivers following advice of traffic guides). * Witness: DS Milotti. * Public Service Co. of New Hampshire. #188 5432. 88/01/22. 3pp. 44126:016-44126:079.

8801270350 Applicant rebuttal Testimony 3 (rebuttal to testimony of Zolger, Johnson & Cole re Social Data Analysts, Inc. telephone survey conducted for Commonwealth of MA). * Witnesses: BD Spencer & DS Milotti. * Public Service Co. of New Hampshire. 88/01/22. 28pp. 44126:018-44126:045.

8801270354 Applicant rebuttal Testimony 4 (rebuttal to corrected testimony of AE Lutoff re beach blanket survey conducted for Commonwealth of MA). * Witnesses: BD Spencer & DS Milotti. * Public Service Co. of New Hampshire. 88/01/22. 21pp. 44126:046-44126:066.

8801270359 Applicant rebuttal Testimony 5 (rebuttal to testimony of A Cedar & AE Lutoff re panic). * Witness: DS Milotti. Curriculum vitae of BD Spencer & Certificate of Svc encl. * Public Service Co. of New Hampshire. 88/01/22. 13pp. 44126:067-44126:079.

8801270344 Motion for leave to file supplemental testimony in response to ASLP 880113 ordering re filing of proposed supplemental testimony submitted on 880125 rather than 880122 as ordered.
FLYNN, H.J. Federal Emergency Management Agency #188 5431. 68/01/25. Atomic Safety and Licensing Board Panel. 1p. 44126 154-44126 171.

-8801270372 Supplemental testimony of D McLoughlin, EA Thomas & WR Cumming on behalf of FEMA 880113 ordering re filing of proposed supplemental testimony submitted on 880125 rather than 880122 as ordered.
McLoughlin, D. THOMAS, E.A. CUMMING, W.R. Federal Emergency Management Agency 88/01/25 17pp. 44126 155-44126 171.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

A. Application/construction stage documents & correspondence

8801140053 FOIA request for two hearing transcripts.
WILLIAMS, O.G. JRA Associates. 87/12/11. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 2pp. 44033 120-44033 121.

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, a full info. work history & lists of expertise available for special insps & of current resource Svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998 230-43998 300.

8801070138 Forwards advance draft Amend 66 to FSAR for Comanche Peak Steam Electric Station significant changes summarized. Certain figures to be updated in Amend 66 not included in end Related info end.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.) 87/12/23. Document Control Branch (Document Control Desk). 1560pp. 43933 052-43933 140.

8801070167 FOIA request for NRC internal correspondence dtd after 881126 re Ofc of Inspector & Auditor investigation of allegations of misconduct by Region IV mgt concerning plant.
CONNOR, L. Doc-Search Associates. 87/12/23. Division of Rules & Records (Post 870413). 1p. 43953 348-43953 348.

8801040397 Forwards first draft of unit Tech Specs Meeting w/ licensee scheduled for wk of 880111-15 to discuss Tech Specs Agenda & details of trip will be forwarded w/ Tech Specs.
GIARDINA, R.J. Technical Specifications Branch. 87/12/28. WHITE, R. Lawrence Livermore National Laboratory. 1p. 43895 356-43895 356.

8801060430 Forwards addl info re Issue Specific Action Plan Results Rept V.a per 870916 request.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.) 87/12/30. Document Control Branch (Document Control Desk). 7pp. 43978 071-43978 077.

8801070205 Notification of 880106 meeting w/ Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945 344-43945 347.

8801070418 Forwards Rev 0 to "Comanche Peak Response Team Collective Evaluation Rept" & Rev 1 to Vol IV.A - Vol IV.E, "Comanche Peak Response Team Results Rept Issue-Specific Action Plan (ISAP-VII.C, Const Reinsp/Documentation Review)."
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 87/12/31. Document Control Branch (Document Control Desk). 4pp. 43956 016-43956 098.

-8801070429 Rev 0 to "Comanche Peak Response Team Collective Evaluation Rept."
BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.) 87/12/23. 350pp. 43956 020-43956 325.

-8801070442 Rev 1 to "Comanche Peak Response Team Results Rept Issue-Specific Action Plan-VII.C Const Reinsp/Documentation Review: Vol IV.A Summary."
PATTERSON, A.A., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.) 87/12/17. 200pp. 43958 326-43958 162.

-8801080038 Rev 1 to "Comanche Peak Response Team Results Rept for Issue-Specific Action Plan-VII.C Const Reinsp/Documentation Review: Vol IV.B, Electrical Population Repts (Apps 1-7)."
TU Electric (formerly Texas Utilities Generating Co.) 87/12/17. 200pp. 43957 163-43957 340.

-8801080040 Rev 1 to "Comanche Peak Response Team Results Rept for Issue-Specific Action Plan-VII.C Const Reinsp/Documentation Review: Vol IV.C, Mechanical Population Repts (Apps 8-17)."
TU Electric (formerly Texas Utilities Generating Co.) 87/12/17. 300pp. 43957 341-43958 268.

o "Comanche Peak Response Team Results Rept for Issue-Specific Action Plan-VII.C Const Reinsp/Documentation Review: Vol IV.D, Structural Population Repts (Apps 18-24)."
TU Electric (formerly Texas Utilities Generating Co.) 87/12/17. 200pp. 43958 269.

in Results Rept for Issue-Specific Action Plan-VII.C Const Reinsp/Documentation Review: Vol IV.E, Support Population Repts (Apps 25-34).
37/12/17. 200pp. 43959 094.

Plant Specific info on Comanche Peak Station, Units 1 & 2."

218, G.R.G. Small Business Administration. THOMPSON, R.D. Division of Contracts (Post 870413). FIN O-2110. 88/01/04. 128pp. 44094 148-44094 276.

& allegations concerning licensee information that requested documents available under the FOIA.
GRIMSLEY, D.H. Divs on of Rules & Records (Post 870413). 88/01/05. COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1. 43953 348-43953 349.

8801200381 Forwards first draft Tech Specs, description of SER items requiring proposed Tech Specs & current schedule for Tech Spec review showing milestones.
GRIMES, C.I. Ofc of Special Projects. 88/01/08. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 425pp. 44089 284-44089 059.

8801190165 Forwards transcript of unit 871217 & 18 meetings w/CASE re control of discussions that started in Mar 1987 on pipe supports Presentation mail also.
MALLOY, M. Ofc of Special Projects. 88/01/07. Ofc of Special Projects. 44054 010-44055 003.

8801140049 Forwards Rev 0 to "Corrective Action Program, Project Repl, Equipment Qualification." Resolution of issues in "Generic Technical Issues - Evaluation & Resolution of TERA Equipment Qualification Issues" included.
BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 1p. 44011 091-44011 175.

-8801140051 Rev 0 to "Corrective Action Program, Project Status Rept, Equipment Qualification."
WAWRZENIAK, J. Impell Corp. 88/01/08. 110pp. 44011 092-44011 175.

8801140058 Partial response to FOIA request for hearing transcript App A document & also available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/13. WILLIAMS, O.G. JRA Associates. 3pp. 44033 122-44033 144.

8801190052 Final response to FOIA request for documents re SAFE program Forwards App I & J documents App H & I documents available in PDR records available in PDR App J documents partially withheld (rel FOIA Exempt).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. MAXWELL, C. Cosmos Broadcasting Corp. 5pp. 44053 108-44053 272.

-8801190058 Informs that Ofc unable to respond to 880505 request for investigation re review of Comanche Peak SAFETEM program due to resource constraints.
HERR, R.K. Region 4, Ofc of the Director. 88/05/06. MARTIN, R. Region 4, Ofc of the Director. 1p. 44053 115-44053 115.

8801150225 Final response to FOIA request App H documents re correction to Inspector & Auditor rept encl & being made available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/13. BAUMANN, J. Government Accountability Project. 2pp. 44038 001-44038 007.

-8801150239 Forwards corrections to Ofc of Inspector & Auditor rept, "Allegation of Misconduct by Region IV W/Respect to Comanche Peak Steam Electric Station" forwarded by Chairman Zach 881210 ltr Changes do not affect rept conclusions.
KAMMERER, C. Office of Congressional Affairs (pre 870413). 87/01/09. MARKS, J. House of Rep., Energy & Commerce. 3pp. 44038 005-44038 007.

8801200344 Forwards Rev 0 to "Project Status Rept, Electrical, Comanche Peak Steam Electric Station, Unit 1 & Common Corrective Action Program." Resolution to iss electrical generic issues rept contained in Apps A & B.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/15. Document Control Branch (Document Control Desk). 1p. 44057 110-44057 228.

-8801200352 Rev 0 to "Project Status Rept, Electrical, Comanche Peak Steam Electric Station, Unit 1 & Common Corrective Action Program."
ACKLEY, R.W. TU Electric (formerly Texas Utilities Generating Co.). 88/01/15. 44057 111-44057 228.

8801200410 Discusses Amend 66 to FSAR including updates, clarifications, corrections, additions & additional changes as well as revised effective page for affected portions of repl. Summary of changes encl.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/15. Document Control Branch (Document Control Desk). 119pp. 44056 194-44056 312.

8801250558 Advises that although NRC has not yet finalized review of acceptance testing increased yield strength of 46 ksi for A500 Grade B tube shapes, 42 ksi strength at 100 F can be used w/o risk to public, per unit 871028 request.
GRIMES, C.I. Ofc of Special Projects. 88/01/15. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 44116 133-44116 138.

8801260507 Forwards results repts, consisting of Rev 1 to Issue Specific Action Plan I.d.1, "QC Inspector Qualifications" & VII b.3, "Pipe Support Insps." Files containing supporting documents will be available. Revised table of contents also encl.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 4pp. 44121 302-44122 146.

-8801260554 Rev 1 to Comanche Peak response team results rept, Issue Specific Action Plan I.d.1, "QC Inspector Qualifications."
YOUNG, J.E., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. 44121 306-44122 083.

-8801260557 Rev 1 to Comanche Peak response team results rept, Issue Specific Action Plan VII b.3, "Pipe Support Insps."
BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/12/23. 44122 084-44122 146.

8801270094 Commits to exercise caution in design of any future mods to avoid controlling essential equipment in superpipe areas, per NRC 870814 request for additional effects of jet impingement.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 1p. 44169 090-44169 090.

8801270149 Requests response to all open issues identified in and technical evaluation of technical concerns & allegations in areas of electrical/instrumentation, civil/structural & mechanical piping. Response requested within 60 days.
GRIMES, C.I. Ofc of Special Projects. 88/01/21. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 40pp. 44149 205-44149 244.

8801270181 Forwards revised "Response to NUREG-0737, Item II.F.2, Instrumentation for Detection of Inadequate Core Cooling," reflecting discrepancies w/as-built configuration Design basis document to reflect any addl changes to sys. COUNCIL, W.G. WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/22. Document Control Branch (Document Control Desk). 1p. 44145:312-44145:352.

-8801270184 "Response to NUREG-0737, Item II.F.2, Instrumentation for Detection of Inadequate Core Cooling."
* TU Electric (formerly Texas Utilities Generating Co.). 88/01/22. 40pp. 44145:313-44145:352

F. Security, medical, emergency & fire protection plans

8801200294 Informs that data for submission of updated response to Notice of Violation 445/05-18-V-15 revised to be no later than 880530 Investigation of methods for evaluating fire effects on instruments tubing not yet complete. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 1p. 44058:311-44058:311.

8801200453 Forwards Insp Rept 50-445/87-22 on 871019-23 No violations noted. MCKEE, P.F. Ofc of Special Projects. 88/01/12. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 44056:318-44056:352.

-8801200459 Insp Rept 50-445/87-22 on 871019-23 No violations noted. Major areas "inspected: implementation of fire protection program & compliance w/Branch Technical Position CMBE-9.5-1. "Fire Protection for Nuclear Power Plants." SINGH, A. MCKEE, P.F. Ofc of Special Projects. KELLEY, D. Region 4, Ofc of the Director. 88/01/11. 31pp. 44056:322-44056:352.

8801260119 Advises that Rev 1 to "Emergency Dose Assessment Model (EDAM) Program Document" issued & available at plant. Major changes to program & program documentation, include addition of EDAM benchmark section. COUNCIL, W.G. WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 1p. 44131:024-44131:024.

G. Adjudicatory correspondence

8801040065 Requests removal of name from any svc list for facility proceeding. BRYANT, A.H. Trial Lawyers for Public Justice, P.C. #188 5234. 87/12/28. Docketing & Services Branch. 4pp. 43889:308-43889:311.

8801040077 Answers to Board 14 questions (memo; proposed memo of 860414) re Action Plan Results Rept I.C. Description of problem areas addressed in subj rept to Comanche Peak response team Action Plan I.C provided W/Certificate of Svc. WORTGAT, C.P. LEVIN, H.A. TU Electric (formerly Texas Utilities Generating Co.). #188 5241. 87/12/28. 73pp. 43888:341-43888:053.

8801040091 Response to Texas Municipal Power Agency to Consolidated (TMPA) intervenor motion to compel TMPA to supply complete answers (8/15/87). * Util should produce documents directly to NRC & CASE Certificate of Svc encl. BAILEY, J.R. Texas Municipal Power Agency. #188 5240. 87/12/28. Atomic Safety and Licensing Board Panel. 6pp. 43888:286-43888:291.

8801040085 Applicant ninth progress rept. * Progress rept covers period of 871026-1225 submitted per Board 860608 memorandum & order (progress rept & notice of available documents). Next rept will be issued on 880229 W/Certificate of Svc. EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5242. 87/12/30. 32pp. 43888:249-43888:280.

8801060063 Forwards attachments to applicant 871204 answers to ASLB 14 questions re Action Plan Results Rept IX Certificate of Svc also encl. EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5279. 87/12/31. Docketing & Services Branch. 142pp. 43906:315-43906:056.

8801060299 Forwards special review team approved rept, Collective Evaluation Rept VII.C, "Const Reinsp/Documentation Review Plan" & revised table of contents. Related correspondence. EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5291. 87/12/31. BLOCH, P.B., JORDAN, W.H., MCCOLLOM, K.A. Atomic Safety and Licensing Board Panel. 1,000pp. 43904:001-43904:094.

8801130048 Informs that Commissioner KM Carr will tour facilities on 880127 Parties wishing to send representative should notify CI Grimes by 880122. Served on 880107. BURNS, S.G. Commissioners. #188 5307. 88/01/07. Office of the General Counsel. 1p. 43989:324-43989:324.

8801180039 NRC Staff eighth progress rept & annotated bibliography. * Progress rept in response to ASLB 860608 order. W/Certificate of Svc. MCORE, J.E. Assistant General Counsel for Hearings. #188 5352. 88/01/07. Atomic Safety and Licensing Board Panel. 31pp. 44035:086-44035:126.

8801130023 Forwards util 880108 ltr transmitting Rev 0 to project status rept, "Equipment Qualification." W/o rept Related correspondence. WOOLDRIDGE, R.A. TU Electric (formerly Texas Utilities Generating Co.). WOOLDRIDGE, R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #188 5309. 88/01/08. BLOCH, P.B., JORDAN, W.H., MCCOLLOM, K.A. Atomic Safety and Licensing Board Panel. 2pp. 43989:231-43989:232.

8801130015 Forwards fourth submission response to ASLB 870812 request for responses to notice of violation & notices of deviations covering 871123-1228. Certificate of Svc encl. EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5308. 88/01/11. BLOCH, P.B., JORDAN, W.H., MCCOLLOM, K.A. Atomic Safety and Licensing Board Panel. 1p. 43989:197-43989:230.

8801150062 Notice of availability of results rept & working files. * Facility response team senior review team has approved & published VII.C, "Const Reinsp/Documentation Review Plan." W/Certificate of Svc. Related correspondence. EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5320. 88/01/12. 5pp. 44033:251-44033:255.

8801200255 CASE progress rept. * Submits progress rept per Board 860608 Memorandum & Order CASE interested in util filing w/Security Exchange Commission & reported settlement w/G bbs & Hill. Newspaper articles encl. W/Certificate of Svc. ELLIS, J. Citizens Association for Sound Energy. #188 5353. 88/01/12. 18pp. 44050:127-44050:143.

8801190020 Supplemental notice of availability of results rept & working files. * Working files of Results Rept VII.C will be made available onsite upon 48 h notice of intention to inspect W/Certificate of Svc Related correspondence. EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5351. 88/01/14. 5pp. 44035:086-44035:090.

8801200221 Forwards util Form B-K, current repts, dtd 871118 & 1214, filed w/Securities & Exchange Commission Documents forwarded as part of parties efforts to keep Board apprised to matters re facility Related correspondence. WOOLDRIDGE, R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #188 5355. 88/01/14. BLOCH, P.B., JORDAN, W.H., MCCOLLOM, K.A. Atomic Safety and Licensing Board Panel. 5pp. 44050:223-44050:227.

8801200230 Notice of appearance. * RM Fillmore entered appearance re facility Certificate of Svc encl. FILLMORE, R.M. TU Electric (formerly Texas Utilities Generating Co.). FILLMORE, R.M. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #188 5354. 88/01/15. 5pp. 44050:154-44050:158.

8801200286 Notice of appearance. * RM Fillmore will appear as counsel for util in proceeding Certificate of Svc encl. FILLMORE, R.M. TU Electric (formerly Texas Utilities Generating Co.). FILLMORE, R.M. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #188 5357. 88/01/15. 5pp. 44050:162-44050:168.

8801210143 Forwards WG Council 880116 ltr to NRC, transmitting project rept for "Electrical." Rev 0 Rept also sent to J Ellis & CYGNA Related correspondence. WOOLDRIDGE, R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #188 5378. 88/01/15. BLOCH, P.B., JORDAN, W.H., MCCOLLOM, K.A. Atomic Safety and Licensing Board Panel. 2pp. 44065:176-44065:177.

8801250319 Forwards WG Council 880118 ltr forwarding approved results repts re issue Specific Action Plans I.d.1 "QC Inspector Qualifications" & VII.b.3, "Pipe Support Insps" & revised table of contents. Related correspondence. WOOLDRIDGE, R.A. TU Electric (formerly Texas Utilities Generating Co.). WOOLDRIDGE, R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #188 5401. 88/01/18. BLOCH, P.B., MCCOLLOM, K.A., JORDAN, W.H. Atomic Safety and Licensing Board Panel. 272pp. 44089:278-44089:124.

8801210149 Notice of availability. * Notice of project status rept Rev 0 to "Equipment Qualification" & rel documents in rept available for review. Certificate of Svc encl. Related correspondence. EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5379. 88/01/20. 5pp. 44066:106-44066:110.

8801210152 Forwards applicant answer to ASLB 14 questions for filing. SCHMUTZ, T.A. TU Electric (formerly Texas Utilities Generating Co.). SCHMUTZ, T.A. Newman & Holtzinger. #188 5380. 88/01/20. CLEMENTS, W.L. Docketing & Services Branch. 1p. 44066:111-44066:122.

-8801210156 Answers to ASLB 14 questions (memo; proposed memo of 860414) re Action Plan Results Rept V.b. * Answers to questions re Action Plan V.b, "Shortening of Anchor Bolts." Certificate of Svc encl. ARROS, J.K., LEVIN, H.A. TU Electric (formerly Texas Utilities Generating Co.). 88/01/20. 11pp. 44066:112-44066:122.

8801250301 Notice of availability of results rept & working files. * Advises AZ Holman that Comanche Peak response team senior review team approved & published issue Specific Action Plans I.d.1 & VII.b.3 W/Certificate of Svc Related correspondence. EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5399. 88/01/21. 5pp. 44099:246-44099:250.

8801250316 Applicant supplementation to answers to CASE interrogatories to applicants (850827). * W/Certificate of Svc Related correspondence. EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5400. 88/01/22. Citizens Association for Sound Energy. 10pp. 44099:268-44099:277.

8801270330 Notice of availability of collective evaluation rept & working files. * Per established procedure & ASLB 871118 memorandum & order, util makes working files available for Insp. Certificate of Svc encl. Related correspondence. EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5412. 88/01/26. 5pp. 44126:322-44126:326.

K. Utility Final Safety Analysis Report (FSAR) & amends

8801200308 Amend 66 to FSAR for Comanche Peak Steam Electric Station. W/ 880115 ltr. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/15. 6,200pp. 44067:001-44077:107.

8801210135 Forwards advance draft FSAR Amend 67 changes, providing revs to encl figures & flow diagrams only. Formal submittal of Amend 67 will be forthcoming during early 1988. COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 256pp. 44084:246-44085:337.

O. Inspection reports, IE Bulletins & correspondence

8801140169 FOIA request for documents re RF Warnick 870903 ltr to WG Council re Council 870605 & 0713 ltrs & reasons addl info needed on Items B & C of notice of deviation from Insp Repts 50-445/86-26 & 50-446/86-22. BAUMAN, L. Government Accountability Project. 87/09/16. NRC - No Detailed Affiliation Given. 2pp. 44033:215-44033:216.

162 DOCKETED ITEMS

- 8801150094** FOIA request for all agency records & info in connection w/RF Warnick 870902 ltr to WG Council forwarding Insp Repts 50-445/87-11 & 50-446/87-09 on 870625-0707. BAUMANN, L. Government Accountability Project. 87/09/16. NRC - No Detailed Affiliation Given. 2pp. 44049.051-44049.092.
- 8801140161** Appeals denial of FOIA request for documents re RF Warnick 870903 ltr to WG Council WG Council 870605 & 0713 ltrs & reasons addl info needed on items B & C of notice of deviation from Insp Repts 50-445/86-26 & 50-446/86-22. BAUMANN, L. Government Accountability Project. 87/12/10. STELLOV, O. Of the Executive Director for Operations. 1p. 44033.214-44033.214.
- 8801150047** Appeals denial of FOIA request for documents re RF Warnick 870902 ltr to WG Council forwarding Insp Repts 50-445/87-11 & 50-446/87-09 on 870605-0707. BAUMANN, L. Government Accountability Project. 87/12/10. STELLOV, O. Of the Executive Director for Operations. 1p. 44049.087-44049.087.
- 8801040045** Ack receipt of 871217 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-445/87-18 & 50-446/87-14. WARNICK, R.F. Of the Special Projects. 87/12/18. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43895.139-43895.143.
- 8801040239** Forwards Insp Repts 50-445/87-31 & 50-446/87-23 on 871104-1201 & notices of violation & deviation. WARNICK, R.F. Of the Special Projects. 87/12/18. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 7pp. 43895.101-43895.128.
- 8801040250** Notice of violation from Insp on 871104-1201. Violation noted: walkdown engineer failed to record one dimension required to fully locate structural tubing on base plate. WARNICK, R.F. Of the Special Projects. 87/12/18. 3pp. 43895.107-43895.109.
- 8801040258** Notice of deviation from Insp on 871104-1201. Deviation noted: baseplate reported to be 8 inches long found by NRC inspection to be 9 inches long. WARNICK, R.F. Of the Special Projects. 87/12/18. 3pp. 43895.110-43895.112.
- 8801040267** Insp Repts 50-445/87-31 & 50-446/87-23 on 871104-1201. Violations & deviations noted: Major areas unspecified; applicant actions on previous Insp findings & corrective action program. ELLERSHAW, L.E. LIVERMORE, H.H. Of the Special Projects. 87/12/18. 15pp. 43895.113-43895.128.
- 8801040407** Ack receipt of 871123 & 1207 ltrs informing NRC of steps taken to correct violations & deviations noted in Insp Repts 50-445/87-16 & 50-446/87-13. Review of response to Violation Item C will be completed when addl info received. WARNICK, R.F. Of the Special Projects. 87/12/18. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43895.357-43895.361.
- 8712160369** NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSS, J.C. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.
- 8712170119** NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSS, J.C. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.
- 8712230003** Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSS, J.C. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.
- 8712290155** NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSS, J.C. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.
- 8712300091** NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSS, J.C. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.
- 8801040581** Revises date of full compliance for notice of violation (NOV) Item B (445/8718-V-08) & NOV Item C (445/8718-V-08) to 880205, per 871207 commitment. Completion of review required longer time than expected. COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/31. Document Control Branch (Document Control Desk). 1p. 43892.314.
- 8801050016** Revised response to violation Item A (445/8626-V-02) noted in Insp Repts 50-445/86-26 & 50-446/86-22. Corrective actions: Nonconformance Rept E-86-103883S & Const Deficiency Rept 87-4746EC issued to address pull ropes. COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/31. Document Control Branch (Document Control Desk). 3pp. 43903.222-43903.224.
- 8801050063** Requests extension of 871123 commitment dates per response to notice of deviation (445/8718-D-01) to 880301. COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/31. Document Control Branch (Document Control Desk). 1p. 43900.042.
- 8801080045** Revises completion date to 880212 for violation of welds of 60 pipe supports per 871120 response to violations noted in Insp Repts 50-445/86-03 & 50-446/86-02. COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/31. Document Control Branch (Document Control Desk). 1p. 43918.010.
- 8801140055** Discusses Insp Repts 50-445/87-27 & 50-446/87-20 on 871007-1103 & forwards notice of violation. Violations re failure to identify & correct rotation of fans on auxiliary feedwater pump motor. One potential violation withdrawn. GRIMSLEY, D.H. Of the Special Projects. 87/12/31. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 7pp. 44033.145-44033.178.
- 8801140065** Notice of violation from Insp on 871007-1103. Violations noted: failure to determine cause of reversed fan on auxiliary feedwater pump motor & failure to take adequate corrective actions. Related info encl. WARNICK, R.F. NRC - No Detailed Affiliation Given. 87/12/31. 24pp. 44033.151-44033.176.
- 8801120351** Advises that completion date for required mods & rework of Unit 1 cable tray hangers noted in 871102 ltr revised to 880226 for full compliance for notice of violation Item A, (445/8418-V-01). Unit 2 completion date of 881031 unchanged. BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 88/01/07. Document Control Branch (Document Control Desk). 2pp. 43988.359-43988.360.
- 8801050394** Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl. ROSS, J.C. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.
- 8801140172** Final response to FOIA request & appeal for documents re items from Insp Repts 50-445/86-26 & 50-446/86-22. App A documents available in PDR. No further action being taken on 871210 appeal ltr. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. BAUMANN, L. Government Accountability Project. 2pp. 44033.217-44033.219.
- 8801150076** Final response to appeal of denial of FOIA request for documents re plant App A documents available in PDR. No further action being taken on appeal ltr dated 871210. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. BAUMANN, L. Government Accountability Project. 2pp. 44049.088-44049.090.
- 8801200294** Informs that date for submission of updated response to Notice of Violation 445/85-18-V-15 revised to be no later than 880530. Investigation of methods for evaluating fire effects on instruments tubing not yet complete. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 1p. 44058.311-44058.311.
- 8801200456** Responds to NRC Compliance Bulletin 87-002 re fastener testing to determine conformance w/applicable mail specs. Plan incorporating all required elements of bulletin implemented. Full compliance anticipated on or before 880211. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. MARTIN, R.D. Region 4, Of the Director. 2pp. 44057.027-44057.028.
- 8801190052** Final response to FOIA request for documents re SAFETEM program. Forwards App 1 & J documents. App H & I documents available in PDR. Other documents available in PDR. App J documents partially withheld (ref FOIA Exemption 8). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. MAXWELL, S. Cosmos Broadcasting Corp. 5pp. 44053.108-44053.272.
- 8801190107** Marked-up review of plant SAFETEM Insp activities Region IV expects to execute at Comanche Peak. Related info re Hope Creek SAFETEM program end DENISE, R.P. Region 4, Of the Director. 88/01/12. TAYLOR, J.M., NOONAN, NRC - No Detailed Affiliation Given. 15pp. 44053.268-44053.272.
- 8801200453** Forwards Insp Rept 50-445/87-22 on 871019-23. No violations noted. MCKEE, P.F. Of the Special Projects. 88/01/12. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 44058.318-44058.352.
- 8801200459** Insp Rept 50-445/87-22 on 871019-23. No violations noted. Major areas inspected: Implementation of fire protection program & compliance w/Branch Technical Position CMEB-9-5-1, "Fire Protection for Nuclear Power Plants." SINGH, A., MCKEE, P.F. Of the Special Projects. KELLEY, D. Region 4, Of the Director. 88/01/11. 31pp. 44058.322-44058.362.
- 8801210108** Informs that date for submission of update describing addl corrective action specified by Corrective Action Rept CAR 87-075 revised from 880115 to 880215. COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/13. Document Control Branch (Document Control Desk). 1p. 44132.344-44132.344.
- 8801210109** Responds to NRC 871216 ltr re violations noted in Insp Repts 50-445/87-29 & 50-446/87-21. Corrective actions: Insp checklist corrected & Deviation Rept H-VIIA-9-082-01-DRS issued to identify incorrect connection size. COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/13. Document Control Branch (Document Control Desk). 2pp. 44104.290-44104.291.
- 8801210180** Responds to NRC 871218 ltr re violations noted in Insp Repts 50-445/87-30 & 50-446/87-22. Corrective action: startup group will perform complete verification of Unit 2 diesel generator control panels as part of functional test. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/15. Document Control Branch (Document Control Desk). 5pp. 44063.216-44063.220.
- 8801260115** Forwards Exam Rept 50-445/OL-87-02 of exam administered during wk of 871214. GALLAN, L.J. Region 4, Of the Director. 88/01/15. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 44124.143-44124.188.
- 8801260123** Exam Rept 50-445/OL-87-02 during wk of 871214. Exam results: three of five senior reactor operator candidates passed exams. Written exam waived for one candidate. WHITTEMORE, J.E., PELLET, J.L. Region 4, Of the Director. 88/01/13. 44pp. 44124.145-44124.188.
- 8801250319** Forwards WG Council 880118 ltr forwarding approved results re issue Specific Action Plans I.d.1 "QC Inspector Qualifications" & VII.B.3, "Pipe Support Insps" & revised table of contents. Related correspondence. WOOLDRIDGE, R.A. TU Electric (formerly Texas Utilities Generating Co.). WOOLDRIDGE, R.A. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). #188 5401, 88/01/18. BLOCH, P.B., MCCOLLUM, K.A., JORDAN, W.H. Atomic Safety and Licensing Board Panel. 272pp. 44098.278-44100.124.
- 8801270102** Responds to violations noted in Insp Repts 50-445/87-31 & 50-446/87-23. Corrective actions: personnel retrained on importance of documenting walkdown data completely & accurately. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 8pp. 44169.054-44169.061.

1270200 Forwards Insp Repts 50-445/87-33 & 50-446/87-25 on 871202-880105. No violations or deviations noted.
ARNICK, R.F. Ofc of Special Projects. 88/01/21. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 44150.028-44150.046.

1270212 Insp Repts 50-445/87-33 & 50-446/87-25 on 871202-880105. No violations or deviations noted. Major areas inspected. Applicant actions on previous inspections low on violations & deviations & general plant area tours.
GNER, P.C., LIVERMORE, H.H. Ofc of Special Projects. 88/01/21. 14pp. 150.033-44150-046.

270546 Forwards Insp Rept 50-445/87-34 on 871201-880105. No violations or deviations noted.
ARNICK, R.F. Ofc of Special Projects. 88/01/21. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 44155.352-44155.360.

1270553 Safety Insp Rept 50-445/87-34 on 871202-880105. No violations or deviations noted. Major areas inspected. plant tours.
LLEY, D.L., WARNICK, R.F. Ofc of Special Projects. 88/01/21. 4pp. 44155.357-155.360.

portable occurrences, LERs & related correspondence

290130 Interim Deficiency Rept CP-87-26 re diesel generator fuel oil transfer pump. Initially reported on 870829. Alternatives being evaluated to provide additional evidence of proper pump operation. Next rept expected by 880331.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 12/23. Document Control Branch (Document Control Desk). 2pp. 43868.014-43868.015.

290137 Interim Deficiency Rept CP-87-21 re effect of thermolag on cable derating. Initially reported on 870817. Identified cables exceeding prescribed ampacity will be reworked. Next rept expected by 880408.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 12/23. Document Control Branch (Document Control Desk). 2pp. 43868.282-38.283.

290145 Final Deficiency Rept CP-87-75 re contact surface temps for epoxy. Initially reported 870824. Engineering became responsible for development of epoxy grouts. Condition not reportable under 10CFR50.55(e).
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 12/23. Document Control Branch (Document Control Desk). 3pp. 43863.131-93.133.

10206 Final Deficiency Rept CP-88-81 re calculations for balance-of-plant safety-related instrument setpoints. Initially reported on 871107. S&W concluded condition no safety significance. New calculations being performed.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 12/23. Document Control Branch (Document Control Desk). 2pp. 43923.119-23.120.

40446 Final Deficiency Rept CP-87-70 re proband pipe wall thickness. Initially reported on 870824. Performed pipe bends ultrasonically tested. Item not reportable per FR50.55(e).
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 12/28. Document Control Branch (Document Control Desk). 2pp. 43963.235-33.238.

40458 Interim Deficiency Rept CP-87-122 re nozzle load interfaces. Initially reported on 871125. Condition discovered during seismic equipment qualification review. Next rept will be issued on 880309.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 2/28. Document Control Branch (Document Control Desk). 1p. 44040.272-40.272.

10463 Interim Deficiency Rept CP-87-123 re wire terminations not in accordance with drawings. Initially reported on 871125. Evaluation continuing. Next rept will be issued by 880302.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 2/28. Document Control Branch (Document Control Desk). 1p. 43923.076-3075.

0227 Final Deficiency Rept CP-87-38 re fire detection sys printed circuit. Initially reported on 870715. All CMLW light sockets replaced w/Dialco 6's. Fire protection panel spec revised to require use of components w/UL or FM.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 2/28. Document Control Branch (Document Control Desk). 2pp. 44000.047-0.048.

0229 Final Deficiency Rept CP-87-106 re component design spec. Initially reported on 870823. Item not reportable under FR50.55(e). Deviations would not affect safety function of equipment.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 2/29. Document Control Branch (Document Control Desk). 2pp. 44006.219-3220.

0231 Supplemental Deficiency Rept CP-82-07 re defective governor drive coupler on diesel generators. Initially reported on 870908. Installation of replacement rps not scheduled. Next rept will be submitted by 880330.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 2/29. Document Control Branch (Document Control Desk). 1p. 44006.049-1.048.

2325 Interim Deficiency Rept CP-87-110 re solid state safeguard sequencer relay setting contact interrupting rating requirements. Initially reported on 871012. Evaluation continuing. Next rept will be submitted by 880316.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 3/30. Document Control Branch (Document Control Desk). 1p. 43989.355-1.355.

1288 Interim Deficiency Rept CP-87-124 re Xomox (Tulline) plug or butterfly w/Limitorque 90-degree electric motor operators w/1-BC gears. Initially reported 871130. Spacer installed in valves. Next rept will be submitted by 880310.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 3/30. Document Control Branch (Document Control Desk). 2pp. 44000.052-0.053.

880110293 Supplemental Deficiency Rept CP-86-31 re possible failure of rubber facing on diesel generator lube oil sump tank foot valves. Initially reported on 860822. Rubber facing replacement rescheduled for 880315 completion.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/30. Document Control Branch (Document Control Desk). 1p. 44006.055-44006.055.

880110269 Interim Deficiency Rept CP-87-125 re svc water sys piping support in which Hilti bolt failed when associated nut being tightened to specified torque. Initially reported on 871204. Evaluation continuing. Next rept will be submitted by 880328.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/04. Document Control Branch (Document Control Desk). 1p. 43970.214-43970.214.

880110307 Interim Deficiency Rept CP-87-132 re unqualified Limitorque actuators. Initially reported on 871218. Evaluation continuing. Next rept anticipated by 880329.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44046.243-44046.244.

880110311 Interim Deficiency Rept CP-87-30 re errors in seismic qualification rept supplied by vendor of roll-away crissle shields. Initially reported on 870701. Evaluation continuing. Next rept will be submitted by 880205.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/05. Document Control Branch (Document Control Desk). 1p. 44030.048-44030.048.

880110316 Interim Deficiency Rept CP-87-139 re unqualified terminal blocks. Initially reported on 871230. Applicable Weldmuffler terminal blocks will be replaced & design procedures developed. Next rept will be submitted by 880415.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44030.048-44030.050.

880110323 Interim Deficiency Rept CP-87-122 re nozzle load stresses failing to meet FSAR limits. Initially reported on 871125. Fan coil units will be corrected by adding flexible connection to units. Next rept will be submitted by 880328.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44039.206-44039.208.

880110326 Final Deficiency Rept CP-88-32 re thru wall embedded conduit sleeves. Initially reported on 860421. Evaluation of plant as-built data re cable derating & fire seal integrity has not identified any deficiencies. per 10CFR50.55 (e).
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44039.209-44039.210.

880110330 Interim Deficiency Rept CP-87-81 re snug light torquing of structural bolts. Initially reported on 870821. Spec 2323-SS-168 revised to require high strength bolts to be torqued. Next rept will be submitted by 880307.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44039.211-44039.212.

880110201 Final Deficiency Rept CP-87-121 re 6.9 kV/480 volt transformer bus bar clearance. Initially reported on 871112. Transformer vendor directed to perform required analyses to demonstrate seismic qualification. Next rept by 880331.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 2pp. 43997.286-43997.287.

880110208 Interim Deficiency Rept CP-87-71 re structural steel assemblies containing undersized & missing welds & undersized members. Initially reported on 870824. Assemblies will be reworked. Next rept will be submitted by 880302.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/06. Document Control Branch (Document Control Desk). 2pp. 43980.232-43980.233.

880110221 Interim Deficiency Rept CP-87-128 re emergency diesel generator auto start circuitry for loss of control power. Initially reported on 871207. Auxiliary relay racks will be modified. Next rept will be submitted by 880331.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 2pp. 43980.254-43980.255.

880110329 Final Deficiency Rept CP-87-81 re loose connections at Weldmuffler terminal blocks. Initially reported on 870831. Installation & insp procedures revised.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 2pp. 43981.140-43981.141.

880110360 Interim Deficiency Rept CP-87-44 re unistrut tubing support bolting. Initially reported on 870717. Evaluation continuing. Next rept will be submitted no later than 880604.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/06. Document Control Branch (Document Control Desk). 1p. 43987.360-43987.360.

8801102409 Interim Deficiency Rept CP-87-127 re overstressed platforms & supports. Initially reported on 871207. Seismic Category I & II platforms/supports exceeding stress limits redesigned. Schedule for corrective actions will be provided by 880331.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 2pp. 43981.107-43981.108.

8801102432 Interim Deficiency Rept CP-87-130 re svc water sys water hammer. Initially reported on 871207. Vacuum breakers will be installed in emergency diesel generator jacket water coolers. Next rept will be submitted by 880215.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/06. Document Control Branch (Document Control Desk). 2pp. 43980.185-43980.186.

164 DOCKETED ITEMS

- 8801130124** Interim Deficiency Rept CP-87-129 re containment spray sys pH effects on safety-related equipment initially reported on 8/7/07. Condition could adversely affect safety of operations. Next rept will be submitted by 8/8/08.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/06. Document Control Branch (Document Control Desk). 2pp. 44002.317. 44002.318.
- 8801130181** Interim Deficiency Rept CP-87-08 re calibr accuracy for dead weight tester used as std in calibr pressure instrumentation initially reported on 8/7/07. Evaluation continuing. Next rept will be submitted by 8/8/08.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/06. Document Control Branch (Document Control Desk). 1p. 44003.089. 44003.099.
- 8801130240** Interim Deficiency Rept CP-85-31 re installation of separation barrier & radiant energy shield mat on Class 1E raceway sys w/o engineering review initially reported on 8/6/06. Mod of supports continuing. Next rept by 8/8/06.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/06. Document Control Branch (Document Control Desk). 1p. 44000.253. 44000.253.
- 8801140126** Final Deficiency Rept CP-87-126 re potential deficiency in fire detection alarm circuitry initially reported on 8/7/07. No reportable deficiency exists per 10CFR50.55(e).
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/06. 2pp. 44011.214-44011.215.
- 8801120381** Final Deficiency Rept CP-84-12 re environ qualification of equipment outside containment for high energy line breaks. Initially reported on 4/8/04. Issue not reportable under 10CFR50.55(e) per Westinghouse mass & energy release data.
BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/07. Document Control Branch (Document Control Desk). 2pp. 43989.011-43989.012.
- 8801120429** Interim Deficiency Rept CP-87-72 re improperly defined weld lengths initially reported on 8/7/02. Evaluation of issue continuing. Next rept will be provided no later than 8/8/01.
BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/07. Document Control Branch (Document Control Desk). 1p. 43990.170-43990.170.
- 8801120216** Advises that evaluation continuing for Deficiency Repts CP-87-91 re startup transformer overload & CP-87-94 & CP-87-95 re uninterruptible power supply loading & input voltage, respectively. Next rept by 8/8/04.
COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/08. Document Control Branch (Document Control Desk). 2pp. 43990.304. 43990.305.
- 8801120324** Interim Deficiency Rept CP-86-45 re interaction of Seismic Category II sys & components w/Seismic Category I installations initially reported on 8/7/06. Schedule for corrective actions anticipated by 8/8/01.
BECK, J.W., COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/08. Document Control Branch (Document Control Desk). 1p. 43991.136. 43991.136.
- 8801130186** Final Deficiency Rept CP-87-72 re inadequate measurement of weld length in joints of structural tube steel for small & large bore piping supports initially reported on 8/7/02. All welds evaluated meet applicable design requirements.
COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/08. Document Control Branch (Document Control Desk). 1p. 44003.102. 44003.102.
- 8801130196** Interim Deficiency Rept CP-87-93 re MCC starter coils not picking up at min bus voltage initially reported on 8/7/03. Evaluation continuing. Next rept will be submitted by 8/8/01.
COUNCIL, W.G., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/08. Document Control Branch (Document Control Desk). 1p. 44002.300. 44002.300.
- 8801190191** Interim Deficiency Rept CP-88-12 re Class 1E & non-Class 1E cable separation. Cables E0140291 & E0140305 will be rerouted in non-Class 1E raceways & separation criteria defined in listed document. Next rept will be submitted by 8/8/04.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44061.213-44061.214.
- 8801190206** Interim Deficiency Rept CP-88-07 re reactor coolant pump wiring. Cause not stated. Electrical separation design criteria have been established & documented in design basis document. Next rept will be submitted by 8/8/01.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44061.257-44061.258.
- 8801190220** Interim Deficiency Rept CP-88-11 re battery charger overheating due to failure of vendor to supply chargers per specs. Design criteria for battery charger temp requirements documented. Next rept will be submitted by 8/8/04.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44064.070-44064.071.
- 8801200025** Final Deficiency Rept CP-87-119 re essential & emergency lighting sys supports. Deficiency addressed in previous Repts CP-85-34, "Conduit Support Design" & CP-87-119, "Train C Conduit Supports," therefore, not considered separate.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44134.242-44134.242.
- 8801200032** Forwards list of 10CFR50.55(e) reportable items deemed not reportable.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44135.034-44135.035.
- 8801200147** Final Deficiency Repts CP-87-88, CP-87-89 & CP-87-95 Repts initially reported on 8/7/03. Issue found not reportable per 10CFR50.55(e) for listed reasons.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44106.187-44106.188.
- 8801200186** Advises that evaluation of issues re encl list of deficiencies continuing. Next rept will be submitted by 8/8/04.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44106.180-44106.181.
- 8801200241** Interim Deficiency Rept CP-86-52 re cable tray splices/connections & field drilled cable tray holes initially reported on 8/7/02. Evaluation of issue including proposed corrective actions continuing. Next rept expected by 8/8/04.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 1p. 44058.160-44058.160.
- 8801200248** Interim Deficiency Rept CP-87-13 re Class 1E separation violations initially reported on 8/7/05. Affected cable tray covers will be replaced in-situ removal. Next rept procedure revised. Next rept will be submitted by 8/8/04.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44058.284-44058.285.
- 8801200274** Interim Deficiency Rept CP-87-48 re solid state safeguards sys wiring terminations initially reported on 8/7/02. Startup Work Packages 4094 & 4095 initiated to reterminate deficiencies. Next rept expected by 8/8/03.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44058.299-44058.300.
- 8801200311** Interim Deficiency Rept CP-86-38 re installation & insp criteria for cable runs used as pigtail extensions initially reported on 8/6/02. All Class 1E Data 1, 13 & 19 splices being incorporated into electrical wiring diagrams.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44058.108-44058.107.
- 8801200324** Final Deficiency Rept CP-87-134 re cable ampacity & voltage ratings & Class 1E separation criteria initially reported on 8/7/12. Design criteria for cable sizing established & documented in Design Basis Document DBD-EE-052.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44058.104-44058.105.
- 8801200351** Final Deficiency Rept CP-87-136 re motor control ctr space heaters. Initially reported on 8/7/12. Two fuses in each non-Class 1E space heater circuit for a Class 1E motor control ctrs will be removed.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44057.076-44057.077.
- 8801200357** Interim Deficiency Rept CP-87-91 re overload capacity of station transformers initially reported on 8/7/03. AC distribution sys being revised to include two addl startup transformers & associated cabling. Next rept by 8/8/04.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44058.088-44058.087.
- 8801200362** Final Deficiency Rept CP-87-93 re motor control ctr starter coils initially reported on 8/7/03. Design basis documents issued to provide criteria for correct calculation of circuit voltage drops under worst case operating conditions.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44057.074-44057.075.
- 8801200373** Final Deficiency Rept CP-87-123 re wire terminations not in accordance w/ design drawings initially reported on 8/7/12. Cables will be reterminated by 8/8/05 & external field wiring terminations will be validated.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44057.322-44057.323.
- 8801200414** Final Deficiency Rept CP-86-88 re weather protection for Class 1E components initially reported on 8/6/02. Cause by inadequate sealing requirements. Electrical Spec 2323-ES-100 revised. Condition not reportable per 10CFR50.55(e).
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44057.048-44057.049.
- 8801200421** Interim Deficiency Rept CP-87-51 re backup protection for 480V containment electrical penetrations initially reported on 8/7/29. Spare contacts from backup overcurrent relays will be connected to breaker trip circuit. Next rept by 8/8/04.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 1p. 44057.245-44057.245.
- 8801200426** Final Deficiency Rept CP-88-09 re lack of back up protection devices for Class 1E & non-Class 1E electrical penetrations. Listed solutions will be applied as required to resolve issues. Activities will be completed no later than 8/8/02.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44057.040-44057.041.
- 8801200455** Interim Deficiency Rept CP-85-39 re conduit not installed per design documents initially reported on 8/6/08. Util insp revealed need for listed corrective actions. Schedule for completion of corrective action will be submitted by 8/8/03.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44058.277-44058.283.
- 8801200462** Interim Deficiency Rept CP-88-10 re 15 kV bus ampacity rating. Design change authorization indicating new bus ratings for rev to project & vendor documents issued. Next rept will be submitted no later than 8/8/04.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44057.017-44057.018.
- 8801210012** Interim Deficiency Rept CP-87-40 re electrical isolation between Class 1E & Non-Class 1E equipment initially reported on 8/7/05. Appropriate devices to separate equipment will be installed. Next rept will be submitted by 8/8/04.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44066.303-44066.304.
- 8801210019** Final Deficiency Rept CP-87-38 re deficiencies & discrepancies in vendor equipment qualification repts. Initially reported on 8/7/05. Deficiencies in repts do not affect qualification status of equipment.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 1p. 44066.302-44066.302.
- 8801210139** Final Deficiency Rept CP-87-101 re Class 1E cable arrangement initially reported on 8/7/05. Cause by design deficiency of multiple single conductors. Conductor phase circuit design documented in DBD-EE-052.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 8/8/01/11. Document Control Branch (Document Control Desk). 2pp. 44063.211-44063.212.

101210144 Interim Deficiency Rept CP-87-79 re cable & raceway data sys (CARDS) calculations. Initially reported on 870228. Software to calculate max tray section fill developed & CARDS re planned Suppl rept will be submitted by 880229.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44082:169-44082:170.

01200356 Supplemental Deficiency Rept CP-87-62 re use of nomographs to design seismically supported Class 5 piping. Initially reported on 870930. Spec 2323-MS-46B will be revised by 880315 to include appropriate criteria for nomograph use.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/12. Document Control Branch (Document Control Desk). 2pp. 44058:088-44058:089.

01210013 Final Deficiency Rept CP-88-08 re heaters in Class 1E battery rooms. Heaters not powered from redundant Class 1E power supplies & not seismically qualified. Unit heaters will be replaced with seismically qualified heaters.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/13. Document Control Branch (Document Control Desk). 2pp. 44105:041-44105:042.

01210015 Interim Deficiency Rept CP-88-35 re motor operators for manual valves. Initially reported on 880602. Corrective actions continuing. Next rept will be submitted by 880416.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/13. Document Control Branch (Document Control Desk). 1p. 44133:044-44133:044.

11210058 Interim Deficiency Rept CP-87-116 re purge gas overpressurization of condensate storage & reactor makeup water storage tanks. Initially reported on 171023. Pressure devices to be installed. Next rept will be submitted by 880415.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/13. Document Control Branch (Document Control Desk). 3pp. 44104:282-44104:294.

11210089 Final Deficiency Rept CP-87-65 re LOCA effects on HVAC duct inside containment. Initially reported on 870824. Condition found not reportable under QCFR50.55 per review & parametric studies.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/13. Document Control Branch (Document Control Desk). 3pp. 44105:043-44105:045.

1210191 Interim Deficiency Rept CP-88-10 re electrical penetration assemblies supplied by Buiker Ramo. Completion of corrective actions for Unit 1 rescheduled for 880404. Unit 2 schedule being formulated. Next rept will be submitted by 880425.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/15. Document Control Branch (Document Control Desk). 1p. 44083:234-44083:234.

1250508 Final Deficiency Rept CP-87-53 re pipe whip restraint design methodology. Initially reported on 870729. Previous pipe rupture design calculations will be reperfomed. Mod will be identified in 880811 general const schedule.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44159:013-44159:014.

1250533 Final Deficiency Rept CP-88-13 re computer entry error which could invalidate portions of jet impingement load review for high energy line breaks. Initially reported on 870305. Resolution continues. Results will be on 880811 schedule.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44158:367-44158:368.

1260435 Final Deficiency Rept CP-87-19 re ambient temp effects on MSIV actuators. Initially reported on 870711. Actuators returned to Rockwell Int'l for pairs. Valves will be reinstalled & corrective actions completed by 880101.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44170:132-44170:133.

260457 Final Deficiency Rept CP-87-133 re high energy line break analysis. Initially reported on 871218. Mods required will be identified & scheduled for implementation in next const schedule by 880811.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 3pp. 44170:129-44170:131.

260478 Final Deficiency Rept CP-88-17 re control room habitability. Initially reported on 880115. New calculations developed for control room habitability & existing control room intake radiation monitors upgraded.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44170:127-44170:128.

260479 Final Deficiency Rept CP-87-29 re instrumentation & controls used for isolation of component cooling water to reactor coolant pump thermal barrier HX. Initially reported on 871211. Mods will be evaluated using design basis criteria.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44170:126-44170:126.

260487 Final Deficiency Rept CP-87-55 re containment spray pump recirculating line. Initially reported on 871208. Affected piping scheduled to be replaced w/ASME ss 2 pipe & seismic Category I supports by 881216.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44170:123-44170:124.

260395 Final Deficiency Rept CP-87-30 re errors in seismic qualification rept of 40r of Roll-Away Missile Shields. Initially reported on 870701. Mods underway to use stress in equipment. Condition not reportable per 10CFR50.65(e).
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44109:353-44109:354.

50418 Deficiency rept re listed deficiencies deemed not reportable per FR50.55(e). Evaluation concluded that if issues uncorrected, no condition adverse safety of plant operations would occur. List of deficiencies end.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44103:333-44103:334.

8801250583 Final Deficiency Rept CP-87-90 re connection of relief valve piping to RHR pump suction piping. Initially reported on 871120. Unit 1 corrective actions will be completed by 880123. Unit 2 actions will be completed per const schedule.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44112:330-44112:331.

8801260098 Final Deficiency Rept CP-87-129 re containment spray sys pH. Initially reported on 880106. Caused by inadequate chemical additive sys design. Design mod will be implemented to eliminate out-of-range pH. Mod will be completed by 881023.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44130:287-44130:288.

8801260137 Supplemental Deficiency Rept CP-87-50 re abnormal thrust bearing temp on turbine driven auxiliary freshwater pump. Initially reported on 870727. Completion of Unit 1 actions rescheduled for 880215. Unit 2 actions expected after Unit 1.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 1p. 44124:360-44124:360.

8801260185 Final Deficiency Rept CP-88-16 re containment spray sys chemical additive tank. Initially reported on 880115. Inservice insp program will be developed to monitor tank/piping corrosion rates. Completion anticipated by 881115.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44123:133-44123:134.

8801260305 Final Deficiency Rept CP-87-26 re diesel generator fuel oil transfer pump suction lift. Initially reported on 871223. Low & high fuel oil storages will be implemented to allow 7 days of fuel oil at 100% power level.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/20. Document Control Branch (Document Control Desk). 2pp. 44186:134-44186:135.

8801260392 Final Deficiency Rept CP-87-64 re pressure relieving capacity of tornado venting devices. Initially reported on 870824. Existing tornado venting analysis will be validated to ensure correct differential pressures used.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/20. Document Control Branch (Document Control Desk). 3pp. 44186:075-44186:077.

8801260403 Final Deficiency Rept CP-87-100 re containment piping penetrations. Initially reported on 871201. Requirement to provide adequate overpressure protection for containment penetration added to Design Basis Document DBD-ME-013.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/20. Document Control Branch (Document Control Desk). 2pp. 44186:073-44186:074.

8801260373 Final Deficiency Rept CP-87-103 re cracked gears in valve operators. Initially reported on 870911. All affected valves & replacement parts will be reworked or replaced. Unit 1 activities will be completed by 880811.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44137:001-44137:002.

8801260441 Final Deficiency Rept CP-87-46 re unsatisfactory internal clearance for containment spray pump motors CP1-CTAPCS-02M & 04M. Initially reported on 870717. Motors cleaned to remove minimal rust, dust & metal burrs.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44128:356-44128:359.

T. Hearing transcripts on non-antitrust matters

8801140058 Partial response to FOIA request for hearing transcript. App A documents encl & also available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. WILLIAMS, O.G. JRA Associates. 3pp. 44033:122-44033:144.

-8801140064 Transcript of 840321 hearing in Fort Worth, TX. Pp 11,318-11,336.
* Atomic Safety and Licensing Board Panel. 84/03/21. 20pp. 44033:126-44033:144.

V. Operator Examinations

8801260115 Forwards Exam Rept 50-445/OL-87-02 of exam administered during wk of 871214.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/15. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 2pp. 44124:143-44124:188.

-8801260123 Exam Rept 50-445/OL-87-02 during wk of 871214. Exam results: three of five senior reactor operator candidates passed exams. Written exam waived for one candidate.
WHITEMORE, J.E., PELLET, J.L. Region 4, Ofc of the Director. 88/01/13. 44pp. 44124:145-44124:188.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

A. Application/construction stage documents & correspondence

8801140053 FOIA request for two hearing transcripts.
WILLIAMS, O.G. JRA Associates. 87/12/11. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 2pp. 44033:120-44033:121.

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & list of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC 26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

166 DOCKETED ITEMS

8801070138 Forwards advance draft Amend 66 to FSAR for Comanche Peak Steam Electric Station. Significant changes summarized. Certain figures to be updated in Amend 66 not included in encl. Related info encl.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/23. Document Control Branch (Document Control Desk). 1500pp. 43933.052-43938.140.

8801070167 FOIA request for NRC internal correspondence did alter 881126 re OIC of Inspector & Auditor investigation of allegations of misconduct by Region IV mgt concerning plant.
CONNOR, L. Doc-Search Associates. 87/12/23. Division of Rules & Records (Post 870413). 1p. 43953.348-43953.348.

8801060430 Forwards addl info re Issue Specific Action Plan Results Rept V.a per 870916 request.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/30. Document Control Branch (Document Control Desk). 7pp. 43979.071-43979.077.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Lic 87-12.
TRAHMEL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43953.344-43953.347.

8801070418 Forwards Rev 0 to "Comanche Peak Response Team Collective Evaluation Rept." & Rev 1 to Vol IV-A - Vol IV-E, "Comanche Peak Response Team Results Rept Issue-Specific Action Plan ISAP-VII.C, Const Reinsp/Documentation Review."
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 87/12/31. Document Control Branch (Document Control Desk). 4pp. 43956.018-43960.098.

-8801070429 Rev 0 to "Comanche Peak Response Team Collective Evaluation Rept."
BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/12/23. 350pp. 43956.020-43956.325.

-8801070442 Rev 1 to "Comanche Peak Response Team Results Rept Issue-Specific Action Plan-VII.C Const Reinsp/Documentation Review: Vol IV-A, Summary."
PATTERSON, A.A., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/12/17. 200pp. 43956.328-43957.162.

-8801080038 Rev 1 to "Comanche Peak Response Team Results Rept for Issue-Specific Action Plan-VII.C, Const Reinsp/Documentation Review: Vol IV-B, Electrical Population Repts, (Apps 1-7)."
* TU Electric (formerly Texas Utilities Generating Co.). 87/12/17. 200pp. 43957.163-43957.340.

-8801080040 Rev 1 to "Comanche Peak Response Team Results Rept for Issue-Specific Action Plan-VII.C, Const Reinsp/Documentation Review: Vol IV-C, Mechanical Population Repts, (Apps 8-17)."
* TU Electric (formerly Texas Utilities Generating Co.). 87/12/17. 300pp. 43957.341-43958.288.

-8801080042 Rev 1 to "Comanche Peak Response Team Results Rept for Issue-Specific Action Plan-VII.C, Const Reinsp/Documentation Review: Vol IV-D, Structural Population Repts, (Apps 18-24)."
* TU Electric (formerly Texas Utilities Generating Co.). 87/12/17. 200pp. 43958.289-43959.093.

-8801080045 Rev 1 to "Comanche Peak Response Team Results Rept for Issue-Specific Action Plan-VII.C, Const Reinsp/Documentation Review: Vol IV-E, Support Population Repts & Miscellaneous Apps, (Apps 25-35)."
* TU Electric (formerly Texas Utilities Generating Co.). 87/12/17. 200pp. 43959.094-43960.098.

8801210299 Contract: "Review of RETRAN Computer Code & Plant Specific Info on Steam Generator Overfill for Comanche Peak Steam Electric Station, Units 1 & 2," awarded to SBA & Int'l Technical Svcs, Inc.
ZILG, R.G. Small Business Administration. THOMPSON, R.D. Division of Contracts (Post 870413). FIN D-2110. 88/01/04. 128pp. 44094.148-44094.276.

8801070171 Partial response to FOIA request for documents re Region IV Investigation & allegations concerning licensee informs that requested documents available in PDR under files FOIA 87-586, FOIA 87-677 & FOIA 87-A-14.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/05. CONNOR, L. Doc-Search Associates. 1p. 43953.349-43953.349.

8801190165 Forwards transcript of util 871217 & 18 meetings w/CASE re continuation of discussions that started in Mar 1987 on pipe supports. Presentation mail also encl.
MALLOY, M. OIC of Special Projects. 88/01/07. OIC of Special Projects. 400pp. 44054.010-44055.083.

8801140049 Forwards Rev 0 to "Corrective Action Program, Project Status Rept, Equipment Qualification." Resolution of issues in "Generic Technical Issue Rept - Evaluation & Resolution of TERA Equipment Qualification Issue" included in reit.
BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 1p. 44011.091-44011.175.

-8801140051 Rev 0 to "Corrective Action Program, Project Status Rept, Equipment Qualification."
WAWRZENIAK, J. Impell Corp. 88/01/08. 110pp. 44011.092-44011.175.

8801140058 Partial response to FOIA request for hearing transcript. App A documents encl & also available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. WILLIAMS, O.G. JRA Associates. 3pp. 44033.122-44033.144.

8801190052 Final response to FOIA request for documents re SAFETEM program. Forwards App I & J documents. App H & I documents available in PDR. Other records available in PDR. App J documents partially withheld (rel FOIA Exemption 8).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. MAXWELL, B. Cosmos Broadcasting Corp. 5pp. 44053.108-44053.272.

-8801190059 Informs that oic unable to respond to 860505 request for investigative assistance re review of Comanche Peak SAFETEM program due to resource limitations.
HERR, R.K. Region 4, OIC of the Director. 86/05/06. MARTIN, R. Region 4, OIC of the Director. 1p. 44053.115-44053.115.

8801150225 Final response to FOIA request. App H documents re correction to OIC of Inspector & Auditor reit encl & being made available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/13. BAUMANN, Government Accountability Project. 2pp. 44038.001-44038.007.

-8801150239 Forwards corrections to OIC of Inspector & Auditor reit, "Allegations of Misconduct by Region IV W/Respect to Comanche Peak Steam Electric Station," forwarded by Chairman Zech 881210 ltr. Changes do not affect reit conclusions.
KAMMERER, C. Office of Congressional Affairs (pre 870413). 87/01/08. MARKEY, E.J. House of Rep., Energy & Commerce. 3pp. 44038.005-44038.007.

8801200410 Discusses Amend 66 to FSAR including updates, clarifications, revisions, corrections, additions & editorial changes as well as revised effective page listing for affected portions of reit. Summary of changes encl.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/15. Document Control Branch (Document Control Desk). 118pp. 44056.194-44058.312.

8801250556 Advises that although NRC has not yet finalized review of acceptability of using increased yield strength of 48 ksi for A500 Grade B tube shapes, 42 ksi yield strength at 100 F can be used w/o risk to public, per util 871026 request.
GRIMES, C.I. OIC of Special Projects. 88/01/15. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 44116.133-44116.136.

8801260507 Forwards results reit, consisting of Rev 1 to Issue Specific Action Plan I.d.1, "QC Inspector Qualifications" & VII.b.3, "Pipe Support Insps." Files containing supporting documents will be available. Revised table of contents also encl.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 4pp. 44121.302-44122.146.

-8801260554 Rev 1 to Comanche Peak response team results reit, Issue Specific Action Plan I.d.1, "QC Inspector Qualifications."
YOUNG, J.E., BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/12/02. 140pp. 44121.306-44122.083.

-8801260557 Rev 1 to Comanche Peak response team results reit, Issue Specific Action Plan VII.b.3, "Pipe Support Insps."
BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 87/12/23. 63pp. 44122.084-44122.146.

8801270094 Commits to exercise caution in design of any future mods to avoid concentrating essential equipment in superpipe areas, per NRC 870814 request for addl info re effects of jet impingement.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 1p. 44169.090-44169.090.

8801270149 Requests response to all open issues identified in encl technical evaluation of technical concerns & allegations in areas of electrical/instrumentation, civil/structural & mechanical/piping. Response requested within 60 days.
GRIMES, C.I. OIC of Special Projects. 88/01/21. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 40pp. 44149.205-44149.244.

8801270181 Forwards revised "Response to NUREG-0737, Item II.F.2, Instrumentation for Detection of Inadequate Core Cooling," reflecting discrepancies w/as-built configuration. Design basis document to reflect any addl changes to sys.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/22. Document Control Branch (Document Control Desk). 1p. 44145.312-44145.352.

-8801270184 "Response to NUREG-0737, Item II.F.2, Instrumentation for Detection of Inadequate Core Cooling."
* TU Electric (formerly Texas Utilities Generating Co.). 88/01/22. 40pp. 44145.313-44145.352.

F. Security, medical, emergency & fire protection plans

8801200294 Informs that date for submission of updated response to Notice of Violation 445/85-18-V-15 revised to be no later than 880530. Investigation of methods for evaluating fire effects on instruments tubing not yet complete.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 1p. 44058.311-44058.311.

8801260119 Advises that Rev 1 to "Emergency Dose Assessment Model (EDAM) Program Document" issued & available at plant. Major changes to program & program documentation include addition of EDAM benchmark section.
COUNCIL, W.G., WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 1p. 44131.024-44131.024.

G. Adjudicatory correspondence

8801040077 Answers to Board 14 questions (memo/proposed memo of 860414) re Action Plan Results Rept I.c. Description of problem areas addressed in subj reit re Comanche Peak response team Action Plan I.c provided. W/Certificate of Svc.
MORTGAT, C.P., LEVIN, H.A. TU Electric (formerly Texas Utilities Generating Co.). #188 5241. 87/12/28. 73pp. 43888.341-43888.053.

8801040085 Applicant ninth progress reit. * Progress reit covers period of 871028-1225 submitted per Board 860806 memorandum & order (progress reit & notice of available documents). Next reit will be issued on 880228. W/Certificate of Svc.
EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5242. 87/12/30. 32pp. 43888.248-43888.280.

8801060063 Forwards attachments to applicant 871204 answers to ASLB 14 questions re action plan Results Rept IX, Certificate of Svc also encl.
EDGAR, G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR, G.L. Newman & Holtzinger. #188 5279. 87/12/31. Docketing & Services Branch. 142pp. 43808.315-43808.096.

ial review team approved rept,Collective Evaluation Rept Documentation Review Plan" & revised table of ndence

(formerly Texas Utilities Generating Co.). EDGAR,G.L. #188 5201. 87/12/31. BLOCH,P.B., JORDAN,W.H., Safety and Licensing Board Panel. 1,000pp. 43804:001-

ommissioner KM Carr w/1 tour facilities on 880127 Parties tive should notify CI Games by 880122 Served on 880107. rs. #188 5307. 88/01/07. Office of the General Counsel.

h progress rept & annotated bibliography. * Progress rept in order W/ Certificate of Svc. neral Counsel for Hearings #188 5352. 88/01/07 Atomic f Panel. 31pp. 44035 086-44035 126.

10108 ltr transmitting Rev 0 to project status rept, "Equip- pt. Related correspondence. Electric (formerly Texas Utilities Generating Co.). am, Forsythe, Sampels & Woolridge (formerly Worsham, #188 5309. 88/01/08. BLOCH,P.B., JORDAN,W.H., Safety and Licensing Board Panel. 2pp. 43889:231-

1 submission response to ASLB 870812 request for re- tion & notices of deviations covering 871123-1228 Certi-

(formerly Texas Utilities Generating Co.). EDGAR,G.L. #188 5308. 88/01/11. BLOCH,P.B., JORDAN,W.H., Safety and Licensing Board Panel. 1p. 43889:197-

ility of results rept & working files. * Facility response team proved & published VII.C. "Const Reinsp/Documentation of Svc. Related correspondence. (formerly Texas Utilities Generating Co.). EDGAR,G.L. 9 5320. 88/01/12. 5pp. 44033:251-44033:255.

rept. * Submits progress rept per Board 880606 Memorand- in util filing w/Security Exchange Commission & report- ill. Newspaper articles encl W/Certificate of Svc. tion for Sound Energy. #188 5353. 88/01/12. 18pp.

itice of availability of results rept & working files. * Working ill be made available onsl to upon 40 h notice of intention Svc. Related correspondence. (formerly Texas Utilities Generating Co.). EDGAR,G.L. 1 5351. 88/01/14. 5pp. 44035:086-44035 080.

rm 8-K,current repts,dtd 871118 & 1214,filed w/Securities documents forwarded as part of parties efforts to keep a facility Related correspondence. am, Forsythe, Sampels & Woolridge (formerly Worsham, #188 5355. 88/01/14. BLOCH,P.B., JORDAN,W.H., Safety and Licensing Board Panel. 5pp. 44050:223-

pppearance * RM Fillmore entered appearance ro l. (formerly Texas Utilities Generating Co.). FILLMORE,R.M. ls & Woolridge (formerly Worsham, Forsythe & Sampels). 44050:154-44050:158.

unsil 880115 ltr to NRC,transmitting project rept for "Elec- to J Ellis & CYGNA Related correspondence. im, Forsythe, Sampels & Woolridge (formerly Worsham, #188 5378. 88/01/16. BLOCH,P.B., JORDAN,W.H., Safety and Licensing Board Panel. 2pp. 44065:176-

unsil 880118 ltr forwarding approved results repts re Issue "QC Inspector Qualifications" & VII.b.3. "Pipe Support tents Related correspondence. Electric (formerly Texas Utilities Generating Co.). im, Forsythe, Sampels & Woolridge (formerly Worsham, 188 5401. 88/01/18. BLOCH,P.B., MCCOLLOM,K.A., ety and Licensing Board Panel. 272pp. 44099:278-

ility. * Notice of project status rept Rev 0 to "Equipment nents in rept available for review.Certificate of Svc l. (formerly Texas Utilities Generating Co.). EDGAR,G.L. 5379. 88/01/20. 5pp. 44066:108-44066:110.

it answer to ASLB 14 questions for filing. (formerly Texas Utilities Generating Co.). SCHMUTZ,T.A. 5380. 88/01/20. CLEMENTS,W.L. Docketing & Services 1:122.

.B 14 questions (memo:proposed memo of 860414) re 1. * Answers to questions re Action Plan V.b, "Shortening of Svc encl. Electric (formerly Texas Utilities Generating Co.). 88/01/ 22.

ity of results repts & working files. * Advises AZ Roleman se team senior review team approved & published issue VII.b.3.W/Certificate of Svc.Related correspondence. (formerly Texas Utilities Generating Co.). EDGAR,G.L. 5399. 88/01/21. 5pp. 44099:246-44099:250.

8801250316 Applicant supplementation to answers to CASE Interrogatories to appli- cants (850827). * W/Certificate of Svc.Related correspondence. EDGAR,G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR,G.L. Newman & Holtzinger. #188 5400. 88/01/22. Citizens Association for Sound Energy. 10pp. 44089:268-44089:277.

8801270330 Notice of availability of collective evaluation rept & working files. * Per es- tablished procedure & ASLB 871118 memorandum & order,util makes working files available for Insp Certificate of Svc encl.Related correspondence. EDGAR,G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR,G.L. Newman & Holtzinger. #188 5412. 88/01/26. 5pp. 44126:322-44126:328.

K. Utility Final Safety Analysis Report (FSAR) & amends

8801200308 Amend 66 to FSAR for Comanche Peak Steam Electric Station W/ 880115 ltr. COUNCIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/01/15. 5,200pp. 44067:001-44077:107.

8801210136 Forwards advance draft FSAR Amend 67 changes,providing rovs to encl figures & flow diagrams only. Formal submittal of Amend 67 will be forthcoming during early 1989. COUNCIL,W.G., MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 250pp. 44084:246-44085:337.

Q. Inspection reports, IE Bulletins & correspondence

8801140169 FOIA request for documents re RF Warnick 870903 ltr to WG Council re Council 870605 & 0713 ltrs & reasons add info needed on Items B & C of notice of deviation from Insp Repts 50-445/86-26 & 50-446/86-22. BAUMAN,L. Government Accountability Project. 87/09/16. NRC - No Detailed Affili- ation Given. 2pp. 44033:215-44033:216.

8801150094 FOIA request for all agency records & info in connection w/RF Warnick 870902 ltr to WG Council forwarding Insp Repts 50-445/87-11 & 50-446/87-09 on 870605:0707. BAUMAN,L. Government Accountability Project. 87/09/16. NRC - No Detailed Affili- ation Given. 2pp. 44040:001-44040:092.

8801140181 Appeals denial of FOIA request for documents re RF Warnick 870903 ltr to WG Council,WG Council 870605 & 0713 ltrs & reasons add info needed on Items B & C of notice of deviation from Insp Repts 50-445/86-26 & 50-446/86-22. BAUMAN,L. Government Accountability Project. 87/12/10. STELLO,V. Ofc of the Ex- ecutive Director for Operations. 1p. 44033:214-44033:214.

8801150047 Appeals denial of FOIA request for documents re RF Warnick 870902 ltr to WG Council forwarding Insp Repts 50-445/87-11 & 50-446/87-09 on 870605:0707. BAUMAN,L. Government Accountability Project. 87/12/10. STELLO,V. Ofc of the Ex- ecutive Director for Operations. 1p. 44049:087-44049:087.

8801040045 Ack receipt of 871217 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-445/87-18 & 50-446/87-14. WARNICK,R.F. Ofc of Special Projects. 87/12/18. COUNCIL,W.G. TU Electric (for- merly Texas Utilities Generating Co.). 5pp. 43895:139-43895:143.

8801040239 Forwards Insp Repts 50-445/87-31 & 50-446/87-23 on 871104-1201 & no- tices of violation & deviation. WARNICK,R.F. Ofc of Special Projects. 87/12/18. COUNCIL,W.G. TU Electric (for- merly Texas Utilities Generating Co.). 7pp. 43895:101-43895:128.

--8801040250 Notice of violation from insp on 871104-1201. Violation noted,w/akdown engineer failed to record one dimension required to fully locate structural tubing on base plate. WARNICK,R.F. Ofc of Special Projects. 87/12/18. 3pp. 43895:107-43895:109.

--8801040267 Insp Repts 50-445/87-31 & 50-446/87-23 on 871104-1201. Violations & deviations noted.Major areas inspected: applicant actions on previous insp findings & corrective action program. ELLERSHAW,L.E., LIVERMORE,H.H. Ofc of Special Projects. 87/12/18. 15pp. 43895:113-43895:128.

8801040407 Ack receipt of 871123 & 1207 ltrs informing NRC of steps taken to correct violations & deviations noted in Insp Repts 50-445/87-18 & 50-446/87-13.Review of response to Violation Item C will be completed when addl info received. WARNICK,R.F. Ofc of Special Projects. 87/12/18. COUNCIL,W.G. TU Electric (for- merly Texas Utilities Generating Co.). 5pp. 43895:357-43895:361.

8801040014 Forwards Insp Rept 50-446/87-29 on 871201-03.No violations noted. WARNICK,R. Ofc of Special Projects. 87/12/21. COUNCIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 43895:153-43895:162.

--8801040016 Insp Rept 50-446/87-29 on 871201-03.No violations or deviations noted.Major areas inspected:preservice insp activities,including review of programs,procedures, observation of work & work activities & data review. WARD,K.D., DANIELSON,D.H. Region 3, Ofc of the Director. 87/12/14. 5pp. 43895:158-43895:162.

8712180389 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058:008-44058:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43895:138-43895:267.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43996:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.

8801040581 Revises date of full compliance for notice of violation (NOV) Item B (445/8718-V-09) & NOV Item C (445/8718-V-08) to 880205, per 871207 commitment. Completion of review required longer time than expected.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/31. Document Control Branch (Document Control Desk). 1p. 43892:314-43892:314.

8801050018 Revised response to violation Item A (445/8826-V-02) noted in Insp Repts 50-445/88-26 & 50-446/88-22. Corrective actions: Nonconformance Rept E-86-103883S & Const Deficiency Rept 87-4746EC issued to address pull ropes.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/31. Document Control Branch (Document Control Desk). 3pp. 43803:222-43803:224.

8801050063 Requests extension of 871123 commitment dates per response to notice of violation (445/8716-D-01) to 880301.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/31. Document Control Branch (Document Control Desk). 1p. 43900:042-43900:042.

8801050279 Provides revised date of full compliance for Violation D.1 noted in Insp Rept 50-446/88-02 Date for completion of design verification & closure of NRC-87-3742 is 880601.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/31. Document Control Branch (Document Control Desk). 1p. 43918:134-43918:134.

8801060065 Revises completion date to 880212 for violation of welds of 60 pipe supports per 871120 response to violations noted in Insp Repts 50-445/88-03 & 50-446/88-02.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/31. Document Control Branch (Document Control Desk). 1p. 43918:010-43918:010.

8801140055 Discusses Insp Repts 50-445/87-27 & 50-446/87-20 on 871007-1103 & forwards notice of violation. Violations re failure to identify & correct rotation of fans on auxiliary feedwater pump motor. One potential violation withdrawn.
GRIMES, C.I. Ofc of Special Projects. 87/12/31. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 7pp. 44033:145-44033:178.

8801140085 Notice of violation from insp on 871007-1103. Violations noted: failure to determine cause of reversed fan on auxiliary feedwater pump motor & failure to take adequate corrective actions. Related info encl.
WARNICK, R.F. NRC - No Detailed Affiliation Given. 87/12/31. 24pp. 44033:151-44033:176.

88011400351 Advises that completion date for required mods & rework of Unit 1 cable tray hangers noted in 871102 is revised to 880228 for full compliance for notice of violation Item A (445/8416-V-01). Unit 2 completion date of 880301 unchanged.
BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.). 88/01/07. Document Control Branch (Document Control Desk). 2pp. 43988:359-43988:360.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801140172 Final response to FOIA request & appeal for documents re items from Insp Repts 50-445/88-28 & 50-446/88-22. App A documents available in PDR. No further action being taken on 871210 appeal. Ir.
GRIMSLEY, D. Division of Rules & Records (Post 870413). 88/01/11. BAUMAN, L. Government Accountability Project. 2pp. 44033:217-44033:219.

8801150076 Final response to appeal of denial of FOIA request for documents re plant App A documents available in PDR. No further action being taken on appeal. Ir did 871210.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. BAUMAN, L. Government Accountability Project. 2pp. 44049:086-44049:090.

8801200294 Informs that date for submission of updated response to Notice of Violation 445/86-18-V-15 revised to be no later than 880530. Investigation of methods for evaluating fire effects on instruments tubing not yet complete.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 1p. 44058:311-44058:311.

8801200458 Responds to NRC Compliance Bulletin 87-002 re fastener testing to determine conformance w/applicable mat specs. Plan incorporating all required elements of bulletin implemented. Full compliance anticipated on or before 880211.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. MARTIN, R.D. Region 4 Ofc of the Director. 2pp. 44057:027-44057:028.

re documents re SAFETEAAM documents available in PDR. Other withheld (ref FOIA Exemption 6). 0413. 88/01/12. MAXWELL, B.

ties Region IV expects 'ETEAM program encl. R.J.M. NRC - No De-

addl corrective action 1115 to 880215. ties Generating Co.). sk). 1p. 44132:344-

8801210109 Responds to NRC 871216. Ir re violations noted in Insp Repts 50-445/87-29 & 50-446/87-21. Corrective actions: insp checklist corrected & Deviation Rept #1-VII-A-8-082-01-DR5 issued to identify incorrect connection size.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44104:290-44104:291.

8801210180 Responds to NRC 871216. Ir re violations noted in Insp Repts 50-445/87-30 & 50-446/87-22. Corrective action: startup group will perform complete verification of Unit 2 diesel generator control panels as part of functional test.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/15. Document Control Branch (Document Control Desk). 5pp. 44083:216-44083:220.

8801250319 Forwards WG Council 880118. Ir forwarding approved results re issue Specific Action Plans I.d.1 "QC Inspector Qualifications" & VII.b.3, "Pipe Support Insps" & revised table of contents. Related correspondence.
WOLDRIDGE, R.A. TU Electric (formerly Texas Utilities Generating Co.). #188 5461 88/01/18. BLOCH, P.B. Atomic Safety and Licensing Board Panel. 272pp. 44099:278-44100:124.

8801270102 Responds to violations noted in Insp Repts 50-445/87-31 & 50-446/87-23. Corrective actions: personnel retrained on importance of documenting workdown data completely & accurately.
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 8pp. 44169:054-44169:061.

8801270200 Forwards Insp Repts 50-445/87-33 & 50-446/87-25 on 871202-880105. No violations or deviations noted.
WARNICK, R.F. Ofc of Special Projects. 88/01/21. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 44150:028-44150:046.

8801270212 Insp Repts 50-445/87-33 & 50-446/87-25 on 871202-880105. No violations or deviations noted. Major areas inspected. Applicant actions on previous insp findings followup on violations & deviations & general plant area tours.
WAGNER, P.C., LIVERMORE, H.H. Ofc of Special Projects. 88/01/21. 14pp. 44150:033-44150:046.

S. Reportable occurrences, LERs & related correspondence

8712290130 Interim Deficiency Rept CP-87-26 re diesel generator fuel oil transfer pump suction. Initially reported on 870629. Alternatives being evaluated to provide add confidence of proper pump operation. Next rept expected by 880331.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/23. Document Control Branch (Document Control Desk). 2pp. 43988:014-43988:015.

8712290137 Interim Deficiency Rept CP-87-21 re effect of thermaleg on cable derating factors. Initially reported on 870617. Identified cables exceeding prescribed ampacity rating will be reworked. Next rept expected by 880406.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/23. Document Control Branch (Document Control Desk). 2pp. 43988:282-43988:283.

8712290144 Final Deficiency Rept CP-87-112 re hot shutdown panel seismic analysis. Initially reported on 871012. Calculation prepared to verify structural integrity of equipment prior to rework. Condition not reportable per 10CFR50.55(e).
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/23. Document Control Branch (Document Control Desk). 2pp. 43988:001-43988:002.

8712290145 Final Deficiency Rept CP-87-75 re contact surface temps for epoxy grouts. Initially reported 870824. Engineering became responsible for development of insp for epoxy grouts. Condition not reportable under 10CFR50.55(e).
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/23. Document Control Branch (Document Control Desk). 3pp. 43983:131-43983:133.

8712310206 Final Deficiency Rept CP-86-81 re calculations for balance-of-plant safety-related instrument setpoints. Initially reported on 871107. S&W concluded condition has no safety significance. New calculations being performed.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/23. Document Control Branch (Document Control Desk). 2pp. 43923:119-43923:120.

8801040446 Final Deficiency Rept CP-87-70 re prebend pipe wall thickness. Initially reported on 870824. Preformed pipe bends ultrasonically tested. Item not reportable per 10CFR50.55(e).
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/28. Document Control Branch (Document Control Desk). 2pp. 43983:235-43983:236.

8801040456 Interim Deficiency Rept CP-87-122 re nozzle load interfaces. Initially reported on 871125. Condition discovered during seismic equipment qualification review activities. Next rept will be issued on 880308.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/28. Document Control Branch (Document Control Desk). 1p. 44040:272-44040:272.

8801040463 Interim Deficiency Rept CP-87-123 re wire terminations not in accordance w/design drawings. Initially reported on 871125. Evaluation continuing. Next rept will be submitted by 880302.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/28. Document Control Branch (Document Control Desk). 1p. 43923:075-43923:075.

8801110227 Final Deficiency Rept CP-87-38 re fire detection sys printed circuit boards. Initially reported on 870715. All CMLW light sockets replaced w/Dialco sockets. Fire protection panel spec revised to require use of components w/UL or FM listing.
COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 87/12/29. Document Control Branch (Document Control Desk). 2pp. 44000:047-44000:048.

10229 Final Deficiency Rept CP-87-106 re component design spec agency. Initially reported on 870923. Item not reportable under 10CFR50.55(e). Deviations would not effect safety function of equipment. NSIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 2/29. Document Control Branch (Document Control Desk). 2pp. 44008:219-6:220.

0231 Supplemental Deficiency Rept CP-82-07 re defective governor drive couplings on diesel generators. Initially reported on 870908. Installation of replacement rings not scheduled. Next rept will be submitted by 880330. NSIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 2/29. Document Control Branch (Document Control Desk). 1p. 44000:049-3:049.

0235 Interim Deficiency Rept CP-87-110 re solid state safeguard sequencer relay timing control interrupting timing requirements. Initially reported on 871012. Evaluation continuing. Next rept will be submitted by 880316. NSIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 3/30. Document Control Branch (Document Control Desk). 1p. 43999:355-1:355.

2288 Interim Deficiency Rept CP-87-124 re Xomox (Tuffline) plug or butterfly w/lim torque 90-degree electric motor operators w/H-BC gears. Initially reported 871130. Spacer installed in valves. Next rept will be submitted by 880310. NSIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 3/30. Document Control Branch (Document Control Desk). 2pp. 44000:052-1:053.

2293 Supplemental Deficiency Rept CP-86-31 re possible failure of rubber facing seal generator tube oil sump tank foot valves. Initially reported on 880822. Rubber replacement rescheduled for 880315 completion. NSIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 3/30. Document Control Branch (Document Control Desk). 1p. 44008:055-1:055.

269 Interim Deficiency Rept CP-87-126 re svc water sys piping support in which it failed when associated nut being tightened to specified torque. Initially reported 871204. Evaluation continuing. Next rept will be submitted by 880328. NSIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 3/30. Document Control Branch (Document Control Desk). 1p. 43970:214-4:3970:214.

307 Interim Deficiency Rept CP-87-132 re unqualified limit torque sys. Initially reported on 871218. Evaluation continuing. Next rept anticipated by 3. NSIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 3/05. Document Control Branch (Document Control Desk). 2pp. 44046:243-2:44.

311 Interim Deficiency Rept CP-87-30 re errors in seismic qualification rept supply vendor of roll-away missile shields. Initially reported on 870701. Evaluation continuing. Next rept will be submitted by 880205. NSIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 3/05. Document Control Branch (Document Control Desk). 1p. 44030:048-3:48.

316 Interim Deficiency Rept CP-87-139 re unqualified terminal blocks. Initially reported on 871230. Applicable Weldmuller terminal blocks will be replaced & design res developed. Next rept will be submitted by 880415. NSIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 3/05. Document Control Branch (Document Control Desk). 2pp. 44030:049-3:50.

23 Interim Deficiency Rept CP-87-122 re nozzle load stresses failing to meet limits. Initially reported on 871126. Fan coil units will be corrected by adding connection to units. Next rept will be submitted by 880328. NSIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 3/05. Document Control Branch (Document Control Desk). 2pp. 44039:206-1:08.

26 Final Deficiency Rept CP-86-32 re thru wall embedded conduit. Initially reported on 880421. Evaluation of plant as built data re cable derating sel integrity has not identified any deficiencies. per 10CFR50.55 (e). NSIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 3/15. Document Control Branch (Document Control Desk). 2pp. 44039:206-1:10.

30 Interim Deficiency Rept CP-87-81 re snug tight torquing of structural jally reported on 870821. Spec 2323-SS-188 revised to require high strength be torqued. Next rept will be submitted by 880307. NSIL, W.G., TU Electric (formerly Texas Utilities Generating Co.). 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44039:211-4:4039:212.

31 Final Deficiency Rept CP-87-121 re 6.9 kV/480 volt transformer bus bar e. Initially reported on 871112. Transformer vendor directed to perform re-analyses to demonstrate seismic qualification. Next rept by 880331. NSIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 6/6. Document Control Branch (Document Control Desk). 2pp. 43997:286-3:7.

38 Interim Deficiency Rept CP-87-71 re structural steel assemblies containing ed & missing welds & undersized members. Initially reported on 870824. As-will be reworked. Next rept will be submitted by 880302. NSIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 5/3. Document Control Branch (Document Control Desk). 2pp. 43990:232-1:3.

1 Interim Deficiency Rept CP-87-128 re emergency diesel generator auto ultry for loss of control power. Initially reported on 871207. Auxiliary relay be modified. Next rept will be submitted by 880331. NSIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 3/3. Document Control Branch (Document Control Desk). 2pp. 43990:254-5.

9 Final Deficiency Rept CP-87-81 re loose connections at Weldmuller terminals. Initially reported on 870831. Installation & Insp procedures revised. NSIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 1/1. Document Control Branch (Document Control Desk). 2pp. 43991:140-1.

8801120380 Interim Deficiency Rept CP-87-44 re uninstr tubing support bosting Initially reported on 870717. Evaluation continuing. Next rept will be submitted no later than 880504.

COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 1p. 43987:380-43987:380.

8801120409 Interim Deficiency Rept CP-87-127 re overstressed platforms & supports. Initially reported on 871207. Seismic Category I & II platforms/supports exceeding stress limits redesigned. Schedule for corrective actions will be provided by 880331.

COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 2pp. 43991:107-43991:108.

8801120432 Interim Deficiency Rept CP-87-130 re svc water sys water hammer. Initially reported on 871207. Vacuum breakers will be installed in emergency diesel generator jacket water coolers. Next rept will be submitted by 880216.

COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 2pp. 43980:185-43980:188.

8801130124 Interim Deficiency Rept CP-87-128 re containment spray sys pH affects on safety-related equipment. Initially reported on 871207. Condition could adversely affect safety of operations. Next rept will be submitted by 880228.

COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 2pp. 44002:317-44002:318.

8801130181 Interim Deficiency Rept CP-87-08 re calibr accuracy for dead weight tester used as std in calor pressure instrumentation. Initially reported on 870420. Evaluation continuing. Next rept to be submitted by 880306.

COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 1p. 44003:099-44003:099.

8801140128 Final Deficiency Rept CP-87-126 re potential deficiency in fire detection alarm circuitry. Initially reported on 871207. No reportable deficiency exists. per 10CFR50.55(e).

COUNCIL, W.G., MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. 2pp. 44011:214-44011:215.

8801120361 Final Deficiency Rept CP-84-12 re environ qualification of equipment outside containment for high energy line breaks. Initially reported on 840604. Issue not reportable under 10CFR50.55(e) per Westinghouse mass & energy release data. BECK, J.W., TU Electric (formerly Texas Utilities Generating Co.). 88/01/07. Document Control Branch (Document Control Desk). 2pp. 43988:011-43988:012.

8801120429 Interim Deficiency Rept CP-87-72 re improperly defined weld lengths. Initially reported on 870824. Evaluation of issue continuing. Next rept will be provided no later than 880211.

BECK, J.W., TU Electric (formerly Texas Utilities Generating Co.). 88/01/07. Document Control Branch (Document Control Desk). 1p. 43990:170-43990:170.

8801120218 Advises that evaluation continuing for Deficiency Repts CP-87-91 re startup transformer overload & CP-87-94 & CP-87-95 re uninterruptible power supply loading & input voltage, respectively. Next rept by 880304.

COUNCIL, W.G., BECK, J.W., TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 2pp. 43980:304-43980:305.

8801120324 Interim Deficiency Rept CP-86-45 re interaction of Seismic Category II sys & components w/Seismic Category I installations. Initially reported on 871016. Schedule for corrective actions anticipated by 880401.

BECK, J.W., COUNCIL, W.G., TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 1p. 43991:136-43991:136.

8801130186 Final Deficiency Rept CP-87-72 re inadequate measurement of weld length in joints of structural tube steel for small & large bore piping supports. Initially reported on 870824. All welds evaluated meet applicable design requirements.

COUNCIL, W.G., BECK, J.W., TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 1p. 44003:102-44003:102.

8801130196 Interim Deficiency Rept CP-87-93 re MCC starter coils not picking up at min bus voltage. Initially reported on 870903. Evaluation continuing. Next rept will be submitted by 880401.

COUNCIL, W.G., BECK, J.W., TU Electric (formerly Texas Utilities Generating Co.). 88/01/08. Document Control Branch (Document Control Desk). 1p. 44002:300-44002:300.

8801190206 Interim Deficiency Rept CP-88-07 re reactor coolant pump wiring. Cause not stated. Electrical separation design criteria have been established & documented in design basis document. Next rept will be submitted by 880411.

COUNCIL, W.G., TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44061:267-44061:258.

8801190220 Interim Deficiency Rept CP-88-11 re battery charger overheating due to failure of vendor to supply chargers per specs. Design criteria for battery charger temp requirements documented. Next rept will be submitted by 880426.

COUNCIL, W.G., TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44064:070-44064:071.

8801200025 Final Deficiency Rept CP-87-119 re essential & emergency lighting sys supports. Deficiency addressed in previous Repts CP-85-34, "Conduit Support Design" & CP-87-119, "Train C Conduit Supports," therefore not considered separate.

COUNCIL, W.G., TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44134:242-44134:242.

8801200032 Forwards list of 10CFR50.55(e) reportable items deemed not reportable. COUNCIL, W.G., TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44135:034-44135:035.

170 DOCKETED ITEMS

- 8801200147** Final Deficiency Repts CP-87-86 CP-87-89 & CP-87-95. Repts initially reported on 870923 issue found not reportable per 10CFR50.55(a) for listed reasons. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44108-187-44108-188.
- 8801200186** Advises that evaluation of issues re and list of deficiencies continuing. Next rept will be submitted by 880304. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44108-180-44108-181.
- 8801200241** Interim Deficiency Rept CP-85-52 re cable tray splices/connections & field drilled cable tray holes. Initially reported on 870429. Evaluation of issues including prescribed corrective actions continuing. Next rept expected by 880415. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 1p. 44058-160-44058-160.
- 8801200249** Interim Deficiency Rept CP-87-13 re Class 1E separation violations. Initially reported on 870515. Affected cable tray covers will be replaced. Insp removal notice procedure revised. Next rept will be submitted by 880403. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44058-284-44058-285.
- 8801200274** Interim Deficiency Rept CP-87-49 re solid state safeguards sys internal wiring terminations. Initially reported on 870722. Startup Work Packages 4094 & 4095 initiated to terminate deficiencies. Next rept expected by 880329. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44058-299-44058-300.
- 8801200311** Interim Deficiency Rept CP-86-38 re installation & insp criteria for cable runs used as pigtail extensions. Initially reported on 860527. All Class 1E Detail 13 & 18 splices being incorporated into electrical wiring diagrams. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44058-108-44058-107.
- 8801200324** Final Deficiency Rept CP-87-134 re cable capacity & voltage ratings & Class 1E separation criteria. Initially reported on 871218. Design criteria for cable sizing established & documented in Design Basis Document D80-EE-052. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44058-104-44058-105.
- 8801200351** Final Deficiency Rept CP-87-136 re motor control ctr space heaters. Initially reported on 871230. Two fuses in each non-Class 1E space heater circuit for all Class 1E motor control ctrs will be removed. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44057-076-44057-077.
- 8801200357** Interim Deficiency Rept CP-87-91 re overload capacity of startup transformers. Initially reported on 870903. AC distribution sys being revised to include two add'l startup transformers & associated cabling. Next rept by 880415. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44058-086-44058-087.
- 8801200362** Final Deficiency Rept CP-87-93 re motor control ctr starter coils. Initially reported on 870903. Design basis documents issued to provide criteria for correct calculation of circuit voltage drops under worst case operating conditions. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44057-074-44057-075.
- 8801200373** Final Deficiency Rept CP-87-123 re wire terminations not in accordance w/ design drawings. Initially reported on 871125. Cables will be reterminated by 880705 & external field wiring terminations will be validated. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44057-322-44057-323.
- 8801200414** Final Deficiency Rept CP-88-68 re weather protection for Class 1E components. Initially reported on 861002. Caused by inadequate sealing requirements. Electrical Spec 2323-ES-100 revised. Condition not reportable per 10CFR50.55(e). COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44057-048-44057-049.
- 8801200421** Interim Deficiency Rept CP-87-51 re backup protection for 480V containment electrical penetrations. Initially reported on 870729. Spare contacts from backup overcurrent relays will be connected to breaker trip circuit. Next rept by 880401. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 1p. 44057-245-44057-245.
- 8801200428** Final Deficiency Rept CP-88-09 re lack of back up protection devices for Class 1E & non-Class 1E electrical penetrations. Listed solutions will be applied as required to resolve issues. Activities will be completed no later than 881020. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44057-040-44057-041.
- 8801200455** Interim Deficiency Rept CP-85-39 re conduct not installed per design documents. Initially reported on 860918. UII insp revealed need for listed corrective actions. Schedule for completion of corrective action will be submitted by 880301. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 7pp. 44058-277-44058-283.
- 8801200482** Interim Deficiency Rept CP-88-10 re 15 kV bus ampacity rating. Design change authorization indicating new bus ratings for rev to project & vendor documents issued. Next rept will be submitted no later than 880304. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44057-017-44057-018.
- 8801210012** Interim Deficiency Rept CP-87-40 re electrical isolation between Class 1E & Non-Class 1E equipment. Initially reported on 870715. Appropriate devices to separate equipment will be installed. Next rept will be submitted by 880408. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44058-303-44058-304.
- 8801210019** Final Deficiency Rept CP-87-36 re deficiencies & discrepancies in vendor equipment qualification repts. Initially reported on 870715. Deficiencies in repts do not affect qualification status of equipment. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 1p. 44086-302-44086-302.
- 8801210139** Final Deficiency Rept CP-87-101 re Class 1E cable arrangement. Initially reported on 870910. Caused by design deficiency of multiple eye conductors. Conductor phase circuit design documented in D80-EE-052. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44083-211-44083-212.
- 8801210144** Interim Deficiency Rept CP-87-79 re cable & raceway data sys. CARDS calculations. Initially reported on 870228. Software to calculate max. tray section & developed & CARDS rev planned. Suppl rept will be submitted by 880223. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44082-189-44082-170.
- 8801200356** Supplemental Deficiency Rept CP-87-62 re use of nomographs to design seismic supported Class 5 piping. Initially reported on 870330. Spec 2323-PS-42 will be revised by 880315 to include appropriate criteria for nomograph use. COUNCIL W.G. MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/12. Document Control Branch (Document Control Desk). 2pp. 44358-33-44058-089.
- 8801210013** Final Deficiency Rept CP-88-08 re heaters in Class 1E bldg rooms. Heaters not powered from redundant Class 1E power supplies & not seismically qualified. Unit heaters will be replaced with seismically qualified heaters. COUNCIL W.G. MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/13. Document Control Branch (Document Control Desk). 2pp. 44105-04-44105-042.
- 8801210015** Interim Deficiency Rept CP-86-35 re motor operators for rated valves. Initially reported on 880602. Corrective actions continuing. Next rept will be submitted by 880415. COUNCIL W.G. MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/13. Document Control Branch (Document Control Desk). 1p. 44133-34-44133-044.
- 8801210056** Interim Deficiency Rept CP-87-116 re purge gas overpressurization of condenser storage & reactor makeup water storage tanks. Initially reported on 871023. Pressure devices to be installed. Next rept will be submitted by 880415. COUNCIL W.G. MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/13. Document Control Branch (Document Control Desk). 3pp. 44164-28-44104-294.
- 8801210089** Final Deficiency Rept CP-87-65 re LOCA effects on HVAC duct insns containment. Initially reported on 870824. Condition found not reportable under 10CFR50.65, per review & parametric studies. COUNCIL W.G. MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/13. Document Control Branch (Document Control Desk). 3pp. 44105-043-44105-045.
- 8801210191** Interim Deficiency Rept CP-88-10 re electrical penetration assemblies supplied by Bunker Ramo. Completion of corrective actions for Unit 1 rescheduled by 880404. Unit 2 schedule being formulated. Next rept will be submitted by 880425. COUNCIL W.G. MARSHALL, J.S. TU Electric (formerly Texas Utilities Generating Co.). 88/01/15. Document Control Branch (Document Control Desk). 1p. 44083-234-44083-234.
- 8801250506** Final Deficiency Rept CP-87-53 re pipe whip restraint design methodology. Initially reported on 870728. Previous pipe rupture design calculations will be reperfomed. Mod will be identified in 880811 general const sched. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/16. Document Control Branch (Document Control Desk). 2pp. 44159-013-44159-014.
- 8801260435** Final Deficiency Rept CP-87-19 re ambient temp effects on MSV actuators. Initially reported on 870711. Actuators returned to Rockwell Int'l for repairs. Valves will be reinstalled & corrective actions completed by 880101. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44170-132-44170-133.
- 8801260457** Final Deficiency Rept CP-87-133 re high energy line break analysis. Initially reported on 871218. Mods required will be identified & scheduled for implementation in general const schedule by 880811. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 3pp. 44170-129-44170-131.
- 8801260476** Final Deficiency Rept CP-88-17 re control room habitability. Initially reported on 880115. New calculations developed for control room habitability & existing control room intake radiation monitors upgraded. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44170-127-44170-128.
- 8801260479** Final Deficiency Rept CP-87-28 re instrumentation & controls used for isolation of component cooling water to reactor coolant pump thermal barrier. Initially reported on 871211. Mods will be evaluated using design basis criteria. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44170-126-44170-126.
- 8801260487** Final Deficiency Rept CP-87-65 re containment spray pump recirculating piping. Initially reported on 871208. Affected piping scheduled to be replaced w/ ASME Class 2 pipe & Seismic Category I supports by 881218. COUNCIL W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44170-123-44170-124.
- 8801260395** Final Deficiency Rept CP-87-30 re errors in seismic qualification rept of vendor of Roll-Away Missile Shields. Initially reported on 870701. Mods underway to reduce stress in equipment. Condition not reportable per 10CFR50.55(e). COUNCIL W.G. WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44109-353-44109-354.
- 8801260418** Deficiency rept re listed deficiencies deemed not reportable per 10CFR50.55(e). Evaluation concluded that if issues uncorrected, no condition adverse to safety of plant operations would occur. List of deficiencies encl. COUNCIL W.G. WOODLAN, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44103-333-44103-334.

8801260583 Final Deficiency Rept CP-87-90 re connection of relief valve piping to AHR pump suction p.p.ng Initially reported on 871120. Unit 1 corrective actions will be completed by 880123. Unit 2 actions will be completed per const schedule.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44112-330. 44112-331.

8801260098 Final Deficiency Rept CP-87-129 re containment spray sys pH. Initially reported on 880106. Caused by inadequate chemical additive sys design. Design mod will be implemented to eliminate out-of-range pH. Mod will be completed by 881023.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44130-287. 44130-288.

8801260137 Supplemental Deficiency Rept CP-87-50 re abnormal thrust bearing temp on turbine driven auxiliary feedwater pump. Initially reported on 870727. Completion of Unit 1 actions rescheduled for 880215. Unit 2 actions expected after Unit 1.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 1p. 44124-380. 44124-380.

8801260185 Final Deficiency Rept CP-88-16 re containment spray sys chemical additive tank. Initially reported on 880115. Inservice insp program will be developed to monitor tank's piping corrosion rates. Completion anticipated by 881115.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/19. Document Control Branch (Document Control Desk). 2pp. 44123-133. 44123-134.

8801260305 Final Deficiency Rept CP-87-26 re diesel generator fuel oil transfer pump suction kit. Initially reported on 871223. Low & high fuel oil storages will be implemented to allow 7 days of fuel oil at 100% power level.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/20. Document Control Branch (Document Control Desk). 2pp. 44188-134. 44188-135.

8801260392 Final Deficiency Rept CP-87-64 re pressure relieving capacity of tornado venting devices. Initially reported on 870824. Existing tornado venting analysis will be validated to ensure correct differential pressures used.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/20. Document Control Branch (Document Control Desk). 3pp. 44188-075. 44188-077.

8801260403 Final Deficiency Rept CP-87-100 re containment piping penetrations. Initially reported on 871201. Requirement to provide adequate overpressure protection for containment penetration added to Design Basis Document DBD-ME-013.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/20. Document Control Branch (Document Control Desk). 2pp. 44185-073. 44185-074.

8801260373 Final Deficiency Rept CP-87-103 re cracked gears in valve operators. Initially reported on 870911. All affected valves & replacement parts will be reworked or replaced. Unit 1 activities will be completed by 880811.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44137-001. 44137-002.

8801260441 Final Deficiency Rept CP-87-46 re unsatisfactory internal clearance for containment spray pump motors CPI-CTAPCS 02M & 04M. Initially reported on 870717. Motors cleaned to remove minimal rust, dust & metal burrs.
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.). 88/01/21. Document Control Branch (Document Control Desk). 2pp. 44128-356. 44128-359.

T. Hearing transcripts on non-antitrust matters

8801140058 Partial response to FOIA request for hearing transcript. App A documents encl & also available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. WILLIAMS, O.G. JRA Associates. 3pp. 44033-122-44033-144.

8801140064 Transcript of 840321 hearing in Fort Worth, TX. Pp 11, 138-11, 1336.
* Atomic Safety and Licensing Board Panel. 84/03/21. 20pp. 44033-125-44033-144.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801060002 Rev 5 to Emergency Plan Implementing Procedure BZP 500-T11. Revised index encl.
* Commonwealth Edison Co. 87/12/22. 2pp. 43965-282-43965-283.

880110380 Revised emergency plan implementing procedures, including Rev 7 to BZP 310-4, "Assembly & Evacuation of Personnel (Primary Responsibility - Station Director)," & Rev 5 to BZP 380-3, "Post-Accident Vent Stack Sampling of Wide Range Gas..."
* Commonwealth Edison Co. 87/12/31. 18pp. 43970-130-43970-147.

8801210204 Forwards Rev 22 to security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions. Rev withheld (ref 10CFR73.21).
BUTTERFIELD, D.L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44082-168-44082-168.

8801210176 Rev 10 to Procedure BZP 100-T1, "Station Director (Checklist of Initial Generating Station Emergency Plan Responsibilities)." W/emergency procedure index.
* Commonwealth Edison Co. 88/01/15. 7pp. 44163-221-44163-227.

8801260803 Forwards SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
DAVIS, A.B. Region 3, Ofc of the Director. 88/01/22. REED, C. Commonwealth Edison Co. 3pp. 44160-198-44160-233.

8801260515 SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
* Region 3, Ofc of the Director. 88/01/22. 35pp. 44160-198-44160-233.

J. Insurance & Indemnity Information

8801220599 Forwards Endorsements 8.6.5 & 3 to NELA Policies N-1, N-2, N-3, N-28, N-30, N-42, N-43, N-71, N-83, N-101 & N-108 & MAELU Policies M-2, M-3, M-28, M-30, M-42, M-43, M-71, M-83, M-83, M-101 & M-108.
OSTER, J. Commonwealth Edison Co. 88/01/19. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44247-198-44247-221.

P. Operating license stage documents & correspondence

8801060089 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, revising Tech Spec Tables 3.3-1 & 4.3-1, per Generic Ltr 85-09. Fee paid.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43927-055-43927-074.

8801060095 Proposed Tech Spec Tables 3.3-1 & 4.3-1, "Reactor Trip Sys Instrumentation" & "Reactor Trip Sys Instrumentation Surveillance Requirements," respectively. Description of changes & NSIC encl.
* Commonwealth Edison Co. 87/12/23. 18pp. 43927-057-43927-074.

8801050227 Requests completion of review of author 870901 ltr to TE Murley re Reg Guide 1.97 compliance final rpt.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43962-079-43962-080.

8801060481 Forwards addl info re coolant flow velocity at containment recirculation sump screens, per 871215 telcon.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43991-244-43991-246.

8801070205 Notification of 880108 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12.
FRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

8801110421 Advises of intent to utilize Bochtal Topical Rept, BN-TOP-1 testing methodology at all plants.
LEBLOND, P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43988-005-43988-005.

8801070222 Forwards notice of consideration of issuance of amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75 & opportunity for prior hearing re 871204 request for amend to licenses. Amendments would modify Tech Specs re heat flux hot channel factor.
OLSHAN, L. Project Directorate III-2. 88/01/04. BUTTERFIELD, L. Commonwealth Edison Co. 4pp. 43952-181-43952-189.

8801070236 Notice of consideration of issuance of amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75 & opportunity for prior hearing re 871204 request amendments modify Tech Spec Figure 3.2-2 re heat flux hot channel factor.
MULLER, D.R. Project Directorate III-2. 87/12/23. 5pp. 43952-185-43952-189.

8801130372 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, removing two tables listing reactor trip sys instrumentation & ESF response times from Tech Specs. Tables will be placed in Chapter 16 of FSAR. Fee paid.
AINGER, K.A. Commonwealth Edison Co. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44001-345-44002-023.

8801130391 Proposed Tech Specs, removing Tables 3.3-2 & 3.3-5 re reactor trip sys instrumentation & ESF response times, respectively, to be placed in Chapter 16 of FSAR.
* Commonwealth Edison Co. 88/01/05. 37pp. 44001-347-44002-023.

8801140217 Forwards notice of issuance of Amendments 12 to Licenses NPF-37 & NPF-66 & Amendments 2 to Licenses NPF-72 & NPF-75. Amendments revised Tech Specs to allow one-line extension of 18-month instrument surveillance interval to 32 months.
OLSHAN, L. Project Directorate III-2. 88/01/05. BUTTERFIELD, L. Commonwealth Edison Co. 3pp. 44033-095-44033-099.

8801140266 Notice of issuance of Amendments 12 to Licenses NPF-37 & NPF-66 & Amendments 2 to Licenses NPF-72 & NPF-75. Amendments allowed one-time extension to 32 months for interval for performing certain 18-month instrument surveillance.
MULLER, D.R. Project Directorate III-2. 88/01/05. 2pp. 44033-098-44033-099.

8801130221 Provides simplified one-line drawing showing how fire & oil sump discharge & condensate polisher discharge interface w/ cooling water flume, circulating water blowdown & liquid release tank.
AINGER, K.A. Commonwealth Edison Co. 88/01/08. Document Control Branch (Document Control Desk). 7pp. 44000-100-44000-108.

8801200417 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, changing Tech Spec Tables 3.3-12 & 4.3-8 to allow more accurate measurement of lower effluent discharge flow rate. Fee paid.
HUNSADER, S.C. Commonwealth Edison Co. 88/01/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44066-135-44066-143.

8801200425 Proposed Tech Spec Tables 3.3-12 & 4.3-8, allowing more accurate measurement of lower effluent discharge flow rates.
* Commonwealth Edison Co. 88/01/12. 7pp. 44066-137-44066-143.

8801210005 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, revising Tech Specs 3.3-13 & 4.3-9 to separate gaseous waste mgmt sys oxygen analyzer into two major components. Fee paid.
HUNSADER, S.C. Commonwealth Edison Co. 88/01/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44086-305-44086-317.

8801210007 Proposed Tech Spec Tables 3.3-13 & 4.3-9, revising separate gaseous waste mgmt oxygen analyzer into two major components.
* Commonwealth Edison Co. 88/01/12. 11pp. 44086-307-44086-317.

8801260458 Informs that Revs 42-48 of OA Topical Rept CE-1-A acceptable per 10CFR50, App B.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/20. REED, C. Commonwealth Edison Co. 2pp. 44125-108-44125-109.

75, respectively & safety evaluation.
OLSHAN, L.N., SANDSSP. Project Directorate III-2. 88/01/21. BUTTERFIELD, L. Commonwealth Edison Co. 3pp. 44154:318-44154:342.

-8801270148 Amends 14,14.4 & 4 to Licenses NPF-37,NPF-66,NPF-72 & NPF-75, respectively, extending Tech Specs allowable outage times from 72 h to 7 days for several sys & subsystems.
MULLER, D.R. Project Directorate III-2. 88/01/21. 20pp. 44154:321-44154:340.

-8801270182 Safety evaluation supporting Amends 14,14.4 & 4 to Licenses NPF-37,NPF-66,NPF-72 & NPF-75, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/21. 2pp. 44154:341-44154:342.

Q. Inspection reports, IE Bulletins & correspondence

8801050236 Requests extension until 880201 for completion of commitment to review all four other plants per Insp Rept 50-454/87-31.
JOHNSON, I.M. Commonwealth Edison Co. 87/12/15. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44040:258-44040:260.

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8801150256 Documents conversations between author & R Kiesel & M Ring during wks of 871207 & 14 re status of implementation of IE Bulletin 85-003 Action Items C & D completed for all facilities except Quad Cities Completion schedule listed.
MORGAN, W.E. Commonwealth Edison Co. 87/12/23. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44041:053-44041:055.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801140025 Forwards Safety Insp Repts 50-454/87-44 & 50-455/87-42 on 871208-11. No violations noted.
SHAFER, W.D. Region 3, Ofc of the Director. 88/01/08. REED, C. Commonwealth Edison Co. 2pp. 44038:297-44038:308.

-8801140027 Insp Repts 50-454/87-44 & 50-455/87-42 on 871208-11. No violations or deviations noted. Major areas inspected: operational radiation protection activities during surveillance outage, including organization & mgmt control.
GRANT, W.B., GREGOR, L.R. Region 3, Ofc of the Director. 88/01/08. 10pp. 44038:289-44038:308.

8801190194 Forwards Safety Insp Repts 50-454/87-43 & 50-455/87-40 on 871201-31. No violations noted.
FORNEY, W.L. Region 3, Ofc of the Director. 88/01/08. REED, C. Commonwealth Edison Co. 2pp. 44045:160-44045:167.

-8801190202 Insp Repts 50-454/87-43 & 50-455/87-40 on 871201-31. No violations or deviations noted. Major areas inspected: actions on previous Insp findings, bulletins, LERs, operations summary, training, local leak rate testing & surveillance.
HINDS, J.M. Region 3, Ofc of the Director. 88/01/08. 6pp. 44045:162-44045:167.

8801200339 Responds to NRC 871210 ltr re violations noted in Insp Repts 50-454/87-41 & 50-455/87-38. Corrective actions Procedure BAP 1600-T11 checklist revised. Senior reactor operator must sign checklist to ensure list properly completed.
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/08. DAVIS, A.B. Region 3, Ofc of the Director. 4pp. 44058:337-44058:340.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801140367 Forwards response to NRC 871106 Bulletin 87-002 requesting licensees to review receipt Insp requirements & internal controls for fasteners & to independently determine through testing if fasteners meet mechanical/chemical specs.
MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS, A.B. Region 3, Ofc of the Director. 250pp. 44045:317-44046:232.

8801220244 Forwards Safety Insp Repts 50-454/87-27 & 50-455/87-25 on 870707-09 & 0820-21 & notice of violation.
HARRISON, J.J. Region 3, Ofc of the Director. 88/01/14. REED, C. Commonwealth Edison Co. 2pp. 44159:157-44159:165.

-8801220260 Notice of violation from Insp on 870707-09 & 0820-21. Violations noted: diesel generators technically inoperable & in violation of Tech Spec 3.8.1.1 from receipt of OL.
HARRISON, J.J. Region 3, Ofc of the Director. 88/01/14. 1p. 44159:159-44159:159.

-8801220284 Safety Insp Repts 50-454/87-27 & 50-455/87-25 on 870707-09 & 0820-21. Violations noted: Major areas inspected: previous Insp findings, observation of main surveillance activities & training.
FALEVITS, Z., GARDNER, R.N. Region 3, Ofc of the Director. 88/01/14. 6pp. 44159:160-44159:165.

Bulletin 85-003 Validity of calculations not fully confirmed. Response to concerns raised in Insp Repts 50-237/87-33 & 50-249/87-32 contained in Encl 1A.
MORGAN, W.E. Commonwealth Edison Co. 88/01/15. DAVIS, A.B. Region 3, Ofc of the Director. 107pp. 44086:159-44086:285.

8801260276 Partial response to FOIA requests Forwards App A documents. Documents being placed in PDR. Only files in NRC Ofc of Governmental & Public Affairs search for documents responsive to request, per 871028 ltrcon.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONYOR, Doc Search Associates. 3pp. 44139:280-44139:334.

-8801260288 Forwards listed Insp repts re plant per request Copy of results of reinsp effort & ASLB decision will be forwarded. W/o encl.
KENT, S. NRC - No Detailed Affiliation Given. 84/01/17. MYERS, H. Affiliation Not Assigned. 1p. 44139:293-44139:293.

-8801260295 Forwards memo received from Region III providing chronology of event re development of reinsp program at plant. Rept on results of reinsp dtd 840112 being produced & will be forwarded. W/o encl.
KENT, S. Office of Congressional Affairs (pre 870413). 84/01/23. MYERS, H. Affiliation Not Assigned. 1p. 44139:294-44139:294.

-8801260300 Forwards list of items listed in chronology of events re reinsp of plant. KENT, S. Office of Congressional Affairs (pre 870413). 84/01/23. MYERS, H. Affiliation Not Assigned. 1p. 44139:295-44139:295.

8801260603 Forwards SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
DAVIS, A.B. Region 3, Ofc of the Director. 88/01/22. REED, C. Commonwealth Edison Co. 3pp. 44160:198-44160:233.

-8801260816 SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
* Region 3, Ofc of the Director. 88/01/22. 35pp. 44160:199-44160:233.

R. Periodic operating reports & related correspondence

8801190070 Monthly operating repts for Dec 1987. W/880110 ltr.
SPITZER, D.J., QUERIO, R.E. Commonwealth Edison Co. 87/12/31. 14pp. 44063:074-44063:074.

S. Reportable occurrences, LERs & related correspondence

8801040560 RO on 870925, during monthly operability surveillance of diesel generator 1A, fuel oil leak occurred at connection of fuel pump w/fuel pump discharge line. Caused by cracked fitting at cylinder pump discharge. Pump & line replaced.
QUERIO, R.E. Commonwealth Edison Co. 87/12/21. DAVIS, A.B. Region 3, Ofc of the Director. 17pp. 43966:001-43966:017.

8801280678 LER 87-019-01 on 870812, throttle valve failure during throttle to governor valve transfer on main turbine caused turbine overspeed. Caused by failed MC servo valve. Defective valve replaced. W/880118 ltr.
BRINDELL, J., QUERIO, R.E. Commonwealth Edison Co. 88/01/15. 5pp. 44160:411-44160:427.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add'l records also available in PDR under Bossong File 87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOE, Public Citizen's Critical Mass Energy Project. 6pp. 44118:001-44118:039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encl include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 6pp. 44119:163-44119:166.

8801280603 Forwards SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
DAVIS, A.B. Region 3, Ofc of the Director. 88/01/22. REED, C. Commonwealth Edison Co. 3pp. 44160:198-44160:233.

-8801280615 SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
* Region 3, Ofc of the Director. 88/01/22. 35pp. 44160:199-44160:233.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8801080002 Rev 5 to Emergency Plan implementing Procedure BZP 500-T11. Rev 7 to Index encl.
* Commonwealth Edison Co. 87/12/22. 2pp. 43985:282-43985:283.

8801100380 Revised emergency plan implementing procedures, including Rev 7 to 310-4, "Assembly & Evacuation of Personnel (Primary Responsibility - Station Design)" & Rev 5 to BZP 380-3, "Post-Accident Vent Stack Sampling of Wide-Radiation Gas..."
* Commonwealth Edison Co. 87/12/31. 18pp. 43970:130-43970:147.

8801210204 Forwards Rev 22 to security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions. Rev withheld 10CFR73.21).
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44082:168-44082:168.

8801210176 Rev 10 to Procedure BZF 100-T1, "Station Director (Checklist of Initial Generating Station Emergency Plan Responsibilities)." W/emergency procedure index.
* Commonwealth Edison Co. 88/01/16. 7pp. 44163:221-44163:227.

8801280603 Forwards SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
DAVIS,A.B. Region 3, Ofc of the Director. 88/01/22. REED,C. Commonwealth Edison Co. 3pp. 44160:196-44160:233.

8801280615 SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
* Region 3, Ofc of the Director. 88/01/22. 35pp. 44160:199-44160:233.

J. Insurance & Indemnity information

8801220599 Forwards Endorsements 8,6,5 & 3 to NELIA Policies N-1,N-2, N-3,N-28,N-33,N-42,N-43,N-71,N-83,N-93,N-101 & N-108 & MAELU Policies M-2,M-3,M-29,M-30,M-42,M-43,M-71,M-83,M-93,M-101 & M-108.
OSTER,J. Commonwealth Edison Co. 88/01/19. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 24pp. 44247:188-44247:221.

P. Operating license stage documents & correspondence

880120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS,R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON,E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801060089 Application for amendments to Licenses NPF-37,NPF-66,NPF-72 & NPF-75, revising Tech Spec Tables 3.3-1 & 4.3-1, per Generic Ltr 85-09. Fee paid.
HUNSADER,S.C. Commonwealth Edison Co. 87/12/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43927:055-43927:074.

8801080095 Proposed Tech Spec Tables 3.3-1 & 4.3-1, "Reactor Trip Sys Instrumentation" & "Reactor Trip Sys Instrumentation Surveillance Requirements," respectively, Description of changes & NSHC encl.
* Commonwealth Edison Co. 87/12/23. 18pp. 43927:057-43927:074.

8801050227 Requests completion of review of author 870901 ltr to TE Murley re Reg Guide 1.97 compliance final rept.
HUNSADER,S.C. Commonwealth Edison Co. 87/12/28. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43982:079-43982:080.

8801060461 Forwards addl info re coolant flow velocity at containment recirculation pump screens, per 871215 telcon.
HUNSADER,S.C. Commonwealth Edison Co. 87/12/28. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43991:244-43991:246.

8801070205 Notification of 880108 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12.
FRANKMELL,C.M. Project Directorate V. 87/12/30. KNIGHTON,G.W. Project Directorate V. 4pp. 43945:344-43945:347.

8801110421 Advises of Intent to utilize Bachtel Topical Rept, BN-TOP-1 testing methodology at all plants.
LEBLOND,P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43986:005-43986:005.

8801070222 Forwards notice of consideration of issuance of amendments to Licenses NPF-37,NPF-66,NPF-72 & NPF-75 & opportunity for prior hearing re 871204 request for amend to licenses. Amends would modify Tech Specs re heat flux hot channel factor.
OLSHAN,L. Project Directorate III-2. 88/01/04. BUTTERFIELD,L. Commonwealth Edison Co. 4pp. 43952:181-43952:189.

8801070238 Notice of consideration of issuance of amendments to Licenses NPF-37,NPF-66,NPF-72 & NPF-75 & opportunity for prior hearing re 871204 request. Amends modify Tech Spec Figure 3.2-2 re heat flux hot channel factor.
MULLER,D.R. Project Directorate III-2. 87/12/23. 6pp. 43952:185-43952:189.

8801130372 Application for amendments to Licenses NPF-37,NPF-66,NPF-72 & NPF-75, removing two tables listing reactor trip sys instrumentation & ESF response times from Tech Specs. Tables will be placed in Chapter 16 of FSAR. Fee paid.
AINGER,K.A. Commonwealth Edison Co. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44001:345-44002:023.

8801130391 Proposed Tech Specs, removing Tables 3.3-2 & 3.3-5 re reactor trip sys instrumentation & ESF response times, respectively, to be placed in Chapter 16 of FSAR.
* Commonwealth Edison Co. 88/01/05. 37pp. 44001:347-44002:023.

8801140217 Forwards notice of issuance of Amendments 12 to Licenses NPF-37 & NPF-66 & Amendments 2 to Licenses NPF-72 & NPF-75. Amends revised Tech Specs to allow one-time extension of 18-month instrument surveillance interval to 32 months.
OLSHAN,L. Project Directorate III-2. 88/01/05. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 44033:095-44033:098.

8801140268 Notice of issuance of Amendments 12 to Licenses NPF-37 & NPF-66 & Amendments 2 to Licenses NPF-72 & NPF-75. Amends allowed one-time extension to 32 months for interval for performing certain 18-month instrument surveillance.
MULLER,D.R. Project Directorate III-2. 88/01/05. 2pp. 44033:098-44033:099.

8801130221 Provides simplified one-line drawing showing how fire & oil pump discharge & condensate polisher discharge interface w/ cooling water flume, circulating water blowdown & liquid release tank.
AINGER,K.A. Commonwealth Edison Co. 88/01/08. Document Control Branch (Document Control Desk). 7pp. 44000:100-44000:108.

8801200417 Application for amendments to Licenses NPF-37,NPF-66,NPF-72 & NPF-75, changing Tech Spec Tables 3.3-12 & 4.3-8 to allow more accurate measurement of lower effluent discharge flow rates. Fee paid.
HUNSADER,S.C. Commonwealth Edison Co. 88/01/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44068:135-44068:143.

8801200425 Proposed Tech Spec Tables 3.3-12 & 4.3-8, allowing more accurate measurement of lower effluent discharge flow rates.
* Commonwealth Edison Co. 88/01/12. 7pp. 44066:137-44066:143.

8801210005 Application for amendments to Licenses NPF-37,NPF-66,NPF-72 & NPF-75, revising Tech Specs 3.3-13 & 4.3-9 to separate gaseous waste mgt sys oxygen analyzer into two major components. Fee paid.
HUNSADER,S.C. Commonwealth Edison Co. 88/01/12. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44088:305-44088:317.

8801210007 Proposed Tech Spec Tables 3.3-13 & 4.3-9, revising separate gaseous waste mgt oxygen analyzer into two major components.
* Commonwealth Edison Co. 88/01/12. 11pp. 44086:307-44086:317.

8801260458 Informs that Revs 42-48 of OA Topical Rept CE-1-A acceptable per 10CFR50, App B.
WRIGHT,G.C. Region 3, Ofc of the Director. 88/01/20. REED,C. Commonwealth Edison Co. 4pp. 44125:108-44125:109.

8801270132 Forwards Amends 14,14,4 & 4 to Licenses NPF-37,NPF-66,NPF-72 & NPF-75, respectively & safety evaluation.
OLSHAN,L.N. SANDS,S.P. Project Directorate III-2. 88/01/21. BUTTERFIELD,L. Commonwealth Edison Co. 3pp. 44154:318-44154:342.

8801270146 Amends 14,14,4 & 4 to Licenses NPF-37,NPF-66,NPF-72 & NPF-75, respectively, extending Tech Specs allowable outage times from 72 h to 7 days for several svcs & subsystems.
MULLER,D.R. Project Directorate III-2. 88/01/21. 20pp. 44154:321-44154:340.

8801270182 Safety evaluation supporting Amends 14,14,4 & 4 to Licenses NPF-37,NPF-66,NPF-72 & NPF-75, respectively.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/21. 2pp. 44154:341-44154:342.

Q. Inspection reports, IE Bulletins & correspondence

8801050236 Requests extension until 880201 for completion of commitment to review util four other plants per Insp Rept 50-454/87-31.
JOHNSON,I.M. Commonwealth Edison Co. 87/12/16. DAVIS,A.B. Region 3, Ofc of the Director. 2pp. 44040:259-44040:260.

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8801150256 Documents conversations between author & R Kiesel & M Ring during wks of 871207 & 14 re status of implementation of IE Bulletin 85-003. Action Items C & D completed for all facilities except Quad Cities completion schedule listed.
MORGAN,W.E. Commonwealth Edison Co. 87/12/23. DAVIS,A.B. Region 3, Ofc of the Director. 2pp. 44041:053-44041:055.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43095:138-43995:257.

8712290155 NRC Info Notice 87-088, "Inappropriate Application of Commercial Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43998:016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801140025 Forwards Safety Insp Repts 50-454/87-44 & 50-455/87-42 on 871208-11. No violations noted.
SHAFER,W.D. Region 3, Ofc of the Director. 88/01/08. REED,C. Commonwealth Edison Co. 2pp. 44038:297-44038:308.

8801140027 Insp Repts 50-454/87-44 & 50-455/87-42 on 871208-11. No violations or deviations noted. Major areas inspected: operational radiation protection activities during surveillance outage, including organization & mgt control.
GRANT,W.B. GREGER,L.R. Region 3, Ofc of the Director. 88/01/08. 10pp. 44038:299-44038:308.

8801190194 Forwards Safety Insp Repts 50-454/87-43 & 50-455/87-40 on 871201-31. No violations noted.
FORNEY,W.L. Region 3, Ofc of the Director. 88/01/08. REED,C. Commonwealth Edison Co. 2pp. 44045:160-44045:167.

8801190202 Insp Repts 50-454/87-43 & 50-455/87-40 on 871201-31. No violations or deviations noted. Major areas inspected: util actions on previous insp findings, bulletins, LERs, operations summary, training, local leak rate testing & surveillance.
HINDS,J.M. Region 3, Ofc of the Director. 88/01/08. 6pp. 44045:162-44045:167.

8801200339 Responds to NRC 871210 ltr re violations noted in Insp Repts 50-454/87-41 & 50-455/87-38. Corrective actions. Procedure BAP 1800-T11 checklist revised. Senior reactor operator must sign checklist to ensure list properly completed.
BUTTERFIELD, Commonwealth Edison Co. 88/01/08. DAVIS,A.B. Region 3, Ofc of the Director. 4pp. 44058:337-44058:340.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:183.

review receipt insp requirements & internal controls for fasteners & to independently determine through testing if fasteners meet mechanical/chemical specs.
MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS, A.B. Region 3, Ofc of the Director. 25pp. 44045-317-44046-232.

8801220244 Forwards Safety Insp Repts 50-454/87-27 & 50-455/87-25 on 870707-09 & 0820-21 & notice of violation.
HARRISON, J.J. Region 3, Ofc of the Director. 88/01/14. REED, C. Commonwealth Edison Co. 2pp. 44159-157-44159-165.

-8801220260 Notice of violation from insp on 870707-09 & 0820-21. Violations noted: diesel generators technically inoperable & in violation of Tech Spec 3.8.1.1 from receipt of OL.
HARRISON, J.J. Region 3, Ofc of the Director. 88/01/14. 1p. 44159-159-44159-159.

-8801220264 Safety Insp Repts 50-454/87-27 & 50-455/87-25 on 870707-09 & 0820-21. Violations noted: Major areas inspected previous insp findings, observation of main surveillance activities & training.
FALEVITS, Z., GARDNER, R.N. Region 3, Ofc of the Director. 88/01/14. 6pp. 44159-160-44159-165.

8801210030 Forwards verification of completion of program re switch settings, per IE Bulletin 85-003. Validity of calculations not fully confirmed. Response to concerns noted in Insp Repts 50-237/87-33 & 50-249/87-32 contained in Encl 1A.
MORGAN, W.E. Commonwealth Edison Co. 88/01/15. DAVIS, A.B. Region 3, Ofc of the Director. 107pp. 44086-159-44086-265.

8801260276 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR Only files in NRC Ofc of Governmental & Public Affairs searched for documents responsive to request per 871028.1st con.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139-290-44139-334.

-8801260288 Forwards listed insp repts re plant, per request. Copy of results of C-E reinsp effort & ASLB decision will be forwarded W/o encl.
KENT, S. NRC - No Detailed Affiliation Given. 84/01/17. MYERS, H. Affiliation Not Assigned. 1p. 44139-293-44139-293.

-8801260295 Forwards memo received from Region III providing chronology of events re development of reinsp program at plant. Rept on results of reinsp did 840112 being produced & will be forwarded W/o encl.
KENT, S. Ofc of Congressional Affairs (pre 870413). 84/01/23. MYERS, H. Affiliation Not Assigned. 1p. 44139-294-44139-294.

-8801260300 Forwards list of items listed in chronology of events re reinsp of plant.
KENT, S. Ofc of Congressional Affairs (pre 870413). 84/01/23. MYERS, H. Affiliation Not Assigned. 1p. 44139-295-44139-295.

8801280603 Forwards SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
DAVIS, A.B. Region 3, Ofc of the Director. 88/01/22. REED, C. Commonwealth Edison Co. 3pp. 44160-196-44160-233.

-8801280615 SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
* Region 3, Ofc of the Director. 88/01/22. 35pp. 44160-199-44160-233.

R. Periodic operating reports & related correspondence

8801190070 Monthly operating repts for Dec 1987. W/880110 ltr.
SPITZER, D.J., QUERIO, R.E. Commonwealth Edison Co. 87/12/31. 14pp. 44063-061-44063-074.

S. Reportable occurrences, LERs & related correspondence

8801060324 LER 87-020-00 on 871202, unanticipated water discharged into primary sys when safety injection accumulators discharge isolation valves opened. Caused by defective procedure. Procedure revised to include precaution. W/871230 ltr.
BRINDLE, D., QUERIO, R.E. Commonwealth Edison Co. 87/12/30. 4pp. 43918-352-43918-355.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118-159-44118-166.

8801280603 Forwards SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
DAVIS, A.B. Region 3, Ofc of the Director. 88/01/22. REED, C. Commonwealth Edison Co. 3pp. 44160-196-44160-233.

-8801280615 SALP Repts 50-454/88-01 & 50-455/88-01 for Nov 1986 - Oct 1987.
* Region 3, Ofc of the Director. 88/01/22. 35pp. 44160-199-44160-233.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

E. NRC Safety Evaluation Report (SER), supp's & correspondence

8801060466 Comments on SSERs 1-4 (NUREG-1002), for info. Items discussed previously w/NRC.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/28. MURLEY, T.E. Ofc of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43978-067-43978-068.

BRADWOOD STATION, UNITS 1 AND 2. DOCKET NOS. 50-456 AND 50-457. COMMONWEALTH EDISON COMPANY.
* Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 1002 S05. 87/12/31. 21pp. 43975-207-43975-229.

8801130384 Forwards SSER 5 to NUREG-1002.

MULLER, D.R. Project Directorate III-2. 88/01/05. BUTTERFIELD, L. Commonwealth Edison Co. 24pp. 44005-297-44005-320.

F. Security, medical, emergency & fire protection plans

8801220218 Revised procedures, including Rev 8 to BwPZ 600-2, "Station List" & Rev 8 to BwPZ 600-2A1, "App A, Station Personnel, Effective Jan-March 1988".
Revised index included.
* Commonwealth Edison Co. 87/12/21. 19pp. 43980-235-43980-253.

8801220225 Revised emergency plan implementing procedures, including BwPZ 600-1, "Prioritized Call Listing for Staff Augmentation" & Rev 7 to BwPZ 600-1A1, "App A, Guidance for Staff Augmentation Effective Jan-Mar 1988".
* Commonwealth Edison Co. 87/12/21. 33pp. 43987-248-43987-280.

8801210187 Forwards Rev 16 to security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions, including making what card key access not functional. Rev withheld (rel 10CFR73.21).
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/14. Document Control (Document Control Desk). 1p. 44083-221-44083-221.

8801260596 Forwards FEMA 871231 memo re plant-specific offsite medical facilities for state & local govt, reviewed by FEMA on 871203. Requirements of Memo MS-1, "Medical Svcs," satisfied by State of IL.
KRAMM, R.W. Federal Emergency Management Agency. 88/01/21. CONGRESSIONAL OFFICE OF RADIATION PROTECTION & EMERGENCY PREPAREDNESS (Post 870411). 44160-243-44160-245.

G. Adjudicatory correspondence

8801130028 Informs that MI Miller & author moved to another law firm, Austin, effective on 880101. Author & MI Miller will continue to represent utilities & telephone numbers listed. W/Certificate of Svcs.
STEPHENS, P.P. Sidley & Austin. #188 6294. 88/01/07. ROSENBERG, J. JOHNSON, R.W., WILBER, H. Atomic Safety and Licensing Appeal Panel. 43988-233-43988-236.

8801160055 Informs that encl intervenors motion to reconsider Board 870707-000 random & order on late-filed contention being entered into record of proceedings. Motion denied by Ofc of Secretary.
JULIAN, E.L. Docketing & Services Branch. #188 5322. 88/01/11. Docketing & Services Branch. 4pp. 44033-266-44033-259.

8801260355 Requests that NRC avo lists & meeting lists revised to include address of author to listed address. Related correspondence.
STEPHENS, P.P. Sidley & Austin. #188 6383. 88/01/11. CLEMENTS, W.L. Docketing & Services Branch. 1p. 44099-176-44099-176.

J. Insurance & indemnity information

8801270232 Forwards Endorsements 18 & 13 to NELIA Policy NF-294 & MAE Policy NF-128, respectively.
OSTER, J. Commonwealth Edison Co. 88/01/14. DINITZ, I. Office of Nuclear Regulation, Director (Post 870411). 3pp. 44168-009-44168-011.

8801220598 Forwards Endorsements 8, 6, 5 & 3 to NELIA Policies N-1, N-2, N-30, N-42, N-43, N-71, N-83, N-93, N-101 & N-108 & MAELU Policies M-2, M-3, M-42, M-43, M-71, M-83, M-89, M-101 & M-108.
OSTER, J. Commonwealth Edison Co. 88/01/19. DINITZ, I. Office of Nuclear Regulation, Director (Post 870411). 24pp. 44247-196-44247-221.

P. Operating license stage documents & correspondence

8801220090 Forwards info re Resource Technical Svcs, Inc. including summary contract work, NRC Form 26 for three existing contracts, audit info, work history of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998-230-43998-300.

8801060086 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-73. Revising Tech Spec Tables 3.3-1 & 4.3-1, per Generic Ltr 85-09. Fee paid.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/23. MURLEY, T.E. Ofc of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43927-055-43927-074.

-8801060095 Proposed Tech Spec Tables 3.3-1 & 4.3-1, "Reactor Trip System Instrumentation" & "Reactor Trip System Instrumentation Surveillance Requirements". Description of changes & NSHC encl.
* Commonwealth Edison Co. 87/12/23. 18pp. 43927-057-43927-074.

8801050227 Requests completion of review of author 870901 ltr to TE Murley re compliance final rept.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/28. MURLEY, T.E. Ofc of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43982-079-43982-080.

8801060481 Forwards addl info re coolant flow velocity at containment recirculation pumps, per 871215 telcon.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/28. MURLEY, T.E. Ofc of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43991-244-43991-246.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group & Analysis Subcommittee in Bethesda, MD to discuss subcommittee's investigation of area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

110421 Advises of intent to utilize Bechtel Topical Rept, BN-TOP-1 testing methodology at all plants.
BLOND, P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43988:005-43988:005.

070222 Forwards notice of consideration of issuance of amendments to Licenses NPF-66, NPF-72 & NPF-75 & opportunity for prior hearing re 871204 request for amendments to Tech Specs re heat flux hot channel factor.
SHAN, L. Project Directorate III-2. 88/01/04. BUTTERFIELD, L. Commonwealth Edison Co. 4pp. 43952:181-43952:189.

1070236 Notice of consideration of issuance of amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75 & opportunity for prior hearing re 871204 request for amendments to Tech Spec Figure 3.2-2 re heat flux hot channel factor.
MULLER, D.R. Project Directorate III-2. 87/12/23. 5pp. 43952:185-43952:189.

130372 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, revising two tables listing reactor trip system instrumentation & ESF response times from Tech Specs. Tables will be placed in Chapter 16 of FSAR. Fee paid.
NGER, K.A. Commonwealth Edison Co. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44001:346-44002:023.

1130391 Proposed Tech Specs, removing Tables 3.3-2 & 3.3-5 re reactor trip system instrumentation & ESF response times, respectively, to be placed in Chapter 16 of FSAR.
Commonwealth Edison Co. 88/01/05. 37pp. 44001:347-44002:023.

140217 Forwards notice of issuance of Amendments 12 to Licenses NPF-37 & NPF-66. Amendments 2 to Licenses NPF-72 & NPF-75. Amendments revised Tech Specs to allow one-line extension of 18-month instrument surveillance interval to 32 months.
SHAN, L. Project Directorate III-2. 88/01/05. BUTTERFIELD, L. Commonwealth Edison Co. 3pp. 44033:095-44033:099.

1140266 Notice of issuance of Amendments 12 to Licenses NPF-37 & NPF-66 & Amendments 2 to Licenses NPF-72 & NPF-75. Amendments revised one-time extension to 32 months for interval for performing certain 18-month instrument surveillances.
MULLER, D.R. Project Directorate III-2. 88/01/05. 2pp. 44033:098-44033:099.

130221 Provides simplified one-line drawing showing how fire & oil sump discharge condensate polisher discharge interface w/ cooling water flume, circulating water shutdown & liquid release tank.
NGER, K.A. Commonwealth Edison Co. 88/01/08. Document Control Branch (Document Control Desk). 7pp. 44000:100-44000:108.

200417 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, changing Tech Spec Tables 3.3-12 & 4.3-8 to allow more accurate measurement of lower effluent discharge flow rates. Fee paid.
JUNSADEP, S.C. Commonwealth Edison Co. 88/01/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44086:136-44086:143.

01200425 Proposed Tech Spec Tables 3.3-12 & 4.3-8, allowing more accurate measurement of lower effluent discharge flow rates.
Commonwealth Edison Co. 88/01/12. 7pp. 44086:137-44086:143.

0120005 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, revising Tech Specs 3.3-13 & 4.3-9 to separate gaseous waste mgmt sys oxygen analyzer into two major components. Fee paid.
JUNSADEP, S.C. Commonwealth Edison Co. 88/01/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44086:305-44086:317.

01210007 Proposed Tech Spec Tables 3.3-13 & 4.3-9, revising separate gaseous waste mgmt oxygen analyzer into two major components.
Commonwealth Edison Co. 88/01/12. 11pp. 44086:307-44086:317.

280458 Informs that Revs 42-48 of QA Topical Rept CE-1-A acceptable per CFR50, App B.
RISH, G.C. Region 3, Ofc of the Director. 88/01/20. REED, C. Commonwealth Edison Co. 2pp. 44125:108-44125:109.

1270132 Forwards Amendments 14, 14.4 & 4 to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, respectively & safety evaluation.
SHAN, L.N., SANDS, S.F. Project Directorate III-2. 88/01/21. BUTTERFIELD, L. Commonwealth Edison Co. 3pp. 44154:318-44154:342.

01270146 Amendments 14, 14.4 & 4 to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, respectively, extending Tech Specs allowable outage times from 72 h to 7 days for several sys & subsystems.
MULLER, D.R. Project Directorate III-2. 88/01/21. 20pp. 44154:321-44154:340.

01270162 Safety evaluation supporting Amendments 14, 14.4 & 4 to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, respectively.
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/21. 2pp. 44154:341-44154:342.

Inspection reports, IE Bulletins & correspondence

22290312 Forwards Safety Insp Repts 50-456/87-39 & 50-457/87-37 on 870929-10. No violations noted.
HARRISON, J.J. Region 3, Ofc of the Director. 87/12/18. REED, C. Commonwealth Edison Co. 2pp. 43893:089-43893:083.

12290322 Safety Insp Repts 50-456/87-39 & 50-457/87-37 on 870929-12. No violations or deviations noted. Major areas inspected: resolution of previous inspection findings, walkdown of HVAC sys & Insp of electrical switchgear breakers.
MCCOBBSON, J.M., SMITH, J.F., SCHAPKER, J.F. Region 3, Ofc of the Director. 87/12/13. 13pp. 43893:071-43893:083.

2160389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

01270119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions."

8801150256 Documents conversations between author & R Kiesel & M Ring during wks of 871207 & 14 re status of implementation of IE Bulletin 85-003. Action Items C & D completed for all facilities except Quad Cities. Completion schedule listed.
MORGAN, W.E. Commonwealth Edison Co. 87/12/23. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44041:053-44041:055.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801050242 Responds to NRC 871201 ltr re violations noted in Insp Rept 50-456/87-35. Corrective actions: root cause determination process evaluated & changes incorporated into process checklist.
BUTTERFIELD, L. Commonwealth Edison Co. 87/12/28. DAVIS, A.B. Region 3, Ofc of the Director. 6pp. 43982:142-43982:147.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801120194 Forwards Safety Insp Repts 50-456/87-46 & 50-457/87-47 on 871207, 16 & 17. No violations noted.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/06. REED, C. Commonwealth Edison Co. 2pp. 43990:219-43990:227.

-8801120200 Insp Repts 50-456/87-46 & 50-457/87-47 on 871207, 16 & 17. No violations or deviations noted. Major areas inspected: chemistry program primary & secondary sys water QC programs & development of QA/QC program in lab.
HOLTZMAN, R.B., SCHUMACHER, M.C. Region 3, Ofc of the Director. 88/01/04. 7pp. 43990:221-43990:227.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801190339 Responds to NRC 871214 ltr re violation noted in Insp Rept 50-456/87-42. Corrective actions: surveillance requirement added to program for station training dept to verify & update personnel who qualify for 10CFR65 exemption.
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/11. DAVIS, A.B. Region 3, Ofc of the Director. 6pp. 44045:008-44045:012.

8801140367 Forwards response to NRC 871108 Bulletin 87-002 requesting licensees to review receipt Insp requirements & internal controls for fasteners & to independently determine through testing if fasteners meet mechanical/chemical specs.
MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS, A.B. Region 3, Ofc of the Director. 260pp. 44045:317-44045:232.

8801210030 Forwards verification of completion of program re switch settings, per IE Bulletin 85-003. Validity of calculations not fully confirmed. Response to concerns noted in Insp Repts 50-237/87-33 & 50-249/87-32 contained in Encl 1A.
MORGAN, W.E. Commonwealth Edison Co. 88/01/15. DAVIS, A.B. Region 3, Ofc of the Director. 107pp. 44086:159-44086:265.

8801260533 Confirms 880229-0304 for NRC environ qualification Insp of electrical & instrumentation equipment, per 880119 ltr. Listed areas will be inspected, including corrective action implementation. Listed documents requested by 880212.
MILLER, H.J. Region 3, Ofc of the Director. 88/01/21. REED, C. Commonwealth Edison Co. 3pp. 44125:122-44125:124.

8801260336 Forwards Safety Insp Repts 50-456/87-45 & 50-457/87-46 on 871210-22. No violations noted. NRC concerned w/ possible effects on Tech Spec operability caused by sizeable backlog of out-of-tolerance measuring & test equipment evaluations.
HARRISON, J.J. Region 3, Ofc of the Director. 88/01/22. REED, C. Commonwealth Edison Co. 2pp. 44138:300-44138:309.

-8801260338 Insp Repts 50-456/87-45 & 50-457/87-46 on 871210-22. No violations or deviation noted. Major areas inspected: QA program implementation in preparation for operation of Unit 2.
REYNOLDS, S.A., JABLONSKI, F.J. Region 3, Ofc of the Director. 88/01/14. 8pp. 44138:302-44138:309.

R. Periodic operating reports & related correspondence

8801190109 Monthly operating repts for Dec 1987. W/880118 ltr.
PETERSON, M.W., FITZPATRICK, E. Commonwealth Edison Co. 87/12/31. 14pp. 44061:220-44061:233.

S. Reportable occurrences, LERs & related correspondence

8801120067 LER 87-062-00: on 871211, control room & auxiliary bldg ventilation shifted to emergency makeup mode. Caused by insufficient torquing of set screws on input error inhibit switch. Set screws tightened. W/871223 ltr.
DOYLE, J., FITZPATRICK, E. Commonwealth Edison Co. 87/12/23. 4pp. 44030:086-44030:089.

8801060398 LER 87-060-00: on 871208, reactor manually tripped. Caused by blockage of condensate/condensate booster pump suction strainers. Walkdown of condensate sys

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR Addl records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.

8801220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, O/c of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119:159-44119:166.

8801200282 Requests fees for 870918 & 1030 applications re one-time exemption to annual written exam requirement of licensed operator requalification program topical rept & approval of listed control room ventilation interm plan, respectively.
DIGGS, R.M. License Fee Management Branch. 88/01/20. BUTTERFIELD, L. Commonwealth Edison Co. 1p. 44068:324-44068:324.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

A. Application/construction stage documents & correspondence

880120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expense available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, O/c of the Director. 71pp. 43998:230-43998:300.

E. NRC Safety Evaluation Report (SER), suppls & correspondence

8801060466 Comments on SSERs 1-4 (NUREG-1002), for info. Items discussed previously w/ NRC.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43979:067-43979:068.

880110212 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF BRAIDWOOD STATION, UNITS 1 AND 2. Docket Nos. 50-456 And 50-457. (Commonwealth Edison Company).
* Division of Reactor Projects - III, IV & Special Projects (Post 870411). NUREG-1002 S05. 87/12/31. 21pp. 43975:207-43975:229.

8801130384 Forwards SSER 5 to NUREG-1002.
MULLER, D.R. Project Directorate III-2. 88/01/05. BUTTERFIELD, L. Commonwealth Edison Co. 24pp. 44005:297-44005:320.

F. Security, medical, emergency & fire protection plans

8801120218 Revised procedures, including Rev 8 to BwP 600-2, "Station Employee List" & Rev 8 to BwP 600-2A1, "App A Station Personnel, Effective Jan-Mar 1988". Revised index included.
* Commonwealth Edison Co. 87/12/21. 19pp. 43990:235-43990:253.

8801120025 Revised emergency plan implementing procedures, including Rev 7 to BwP 600-1, "Prioritized Call Listing for Staff Augmentation" & Rev 7 to BwP 600-1A1, "App A, Guidance for Staff Augmentation Effective Jan-Mar 1988".
* Commonwealth Edison Co. 87/12/23. 33pp. 43987:248-43987:280.

8801150229 Provides update on status of completion of remaining work re structural steel fireproofing, penetration fire seals & cable tray fire wrap. Util & contractor have taken step to assure completion of work by 880228.
HUNSADER, S.C. Commonwealth Edison Co. 88/01/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 44036:170-44036:173.

8801210187 Forwards Rev 15 to security plan. All amend items will be implemented upon receipt of NRC approval notification w/ listed exceptions, including manual logging when card key access not functional. Rev withheld (ref 10CFR73.21).
BUTTERFIELD, L. Commonwealth Edison Co. 88/01/14. Document Control Branch (Document Control Desk). 1p. 44083:221-44083:221.

8801280596 Forwards FEMA 871231 memo re plant-specific offsite medical svc capabilities for state & local govt, reviewed by FEMA on 871203 Requirements of Guidance Memo MS-1, "Medical Svcs," satisfied by State of IL.
KRUMH, R.W. Federal Emergency Management Agency. 88/01/21. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 3pp. 44160:243-44160:245.

G. Adjudicatory correspondence

8801130028 Informs that MI Miller & authors moved to another law firm, Sidley & Austin, effective on 880101. Author & MI Miller will continue to represent until New addresses & telephone numbers listed. W/Certificate of Svc.
STEPTOE, P.P. Sidley & Austin. #188 5294. 88/01/07. ROSENTHAL, A., JOHNSON, R.W., WILBER, H. Atomic Safety and Licensing Appeal Panel. 4pp. 43989:233-43989:236.

8801150055 Informs that encl intervenors motion to reconsider Board 870706 memorandum & order on late filed contention being entered into record of proceeding maintained by O/c of Secretary.
JULIAN, E.L. Docketing & Services Branch #188 5322. 88/01/11. Docketing & Services Branch. 4pp. 44033:256-44033:259.

P. Operating license stage documents & correspondence

8801080088 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, revising Tech Spec Tables 3.3-1 & 4.3-1, per Generic Ltr 85-09. Fee paid.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43927:055-43927:074.

8801060085 Proposed Tech Spec Tables 3.3-1 & 4.3-1, "Reactor Trip Sys Instrumentation" & "Reactor Trip Sys Instrumentation Surveillance Requirements", respectively. Description of changes & NSHC encl.
* Commonwealth Edison Co. 87/12/23. 18pp. 43927:057-43927:074.

8801050227 Requests completion of review of author 870901 ltr to TE Murley re Reg Guide 1.87 compliance final rept.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43962:079-43962:080.

8801060474 Advises that util has effective & working A-model program in place for Unit 2 as of 871209, per 870901 commitment.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 44008:108-44008:109.

8801060481 Forwards addl info re coolant flow velocity at containment recirculation sump screens, per 871216 telcon.
HUNSADER, S.C. Commonwealth Edison Co. 87/12/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43991:244-43991:246.

8801070205 Notification of 880106 meeting w/ Westinghouse Owners Group Operators & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigators' analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945:344-43945:347.

880110421 Advises of intent to utilize Bechtel Topical Rept. BN-TOP-1 testing methodology at all plants.
LEBLOND, P.C. Commonwealth Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 1p. 43988:006-43988:006.

8801070222 Forwards notice of consideration of issuance of amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75 & opportunity for prior hearing re 871204 request for amend to licenses. Amendments would modify Tech Specs re heat flux hot channel factor.
OLSHAN, L. Project Directorate III-2. 88/01/04. BUTTERFIELD, L. Commonwealth Edison Co. 4pp. 43952:181-43952:189.

8801070236 Notice of consideration of issuance of amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75 & opportunity for prior hearing re 871204 request. Amendments modify Tech Spec Figure 3.2-2 re heat flux hot channel factor.
MULLER, D.R. Project Directorate III-2. 87/12/23. 6pp. 43962:185-43962:189.

8801130372 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, removing two tables listing reactor trip sys instrumentation & ESF response times from Tech Specs. Tables will be placed in Chapter 16 of FSAR. Fee paid.
ANGER, K.A. Commonwealth Edison Co. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44001:345-44002:023.

8801130381 Proposed Tech Specs, removing Tables 3.3-2 & 3.3-5 re reactor trip sys instrumentation & ESF response times, respectively, to be placed in Chapter 16 of FSAR.
* Commonwealth Edison Co. 88/01/05. 37pp. 44001:347-44002:023.

8801140217 Forwards notice of issuance of Amendments 12 to Licenses NPF-37 & NPF-66 & Amendments 2 to Licenses NPF-72 & NPF-75. Amendments revised Tech Specs to allow one-time extension of 18-month instrument surveillance interval to 32 months.
OLSHAN, L. Project Directorate III-2. 88/01/05. BUTTERFIELD, L. Commonwealth Edison Co. 3pp. 44033:095-44033:099.

8801140286 Notice of issuance of Amendments 12 to Licenses NPF-37 & NPF-66 & Amendments 2 to Licenses NPF-72 & NPF-75. Amendments allowed one-time extension to 32 months for interval for performing certain 18-month instrument surveillances.
MULLER, D.R. Project Directorate III-2. 88/01/05. 2pp. 44033:098-44033:099.

8801130221 Provides simplified one-line drawing showing how fire & oil sump discharge & condensate polisher discharge interface w/ cooling water flume, circulating water blowdown & liquid release tank.
ANGER, K.A. Commonwealth Edison Co. 88/01/08. Document Control Branch (Document Control Desk). 7pp. 44000:100-44000:106.

8801200417 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, changing Tech Spec Tables 3.3-12 & 4.3-8 to allow more accurate measurement of lower effluent discharge flow rates. Fee paid.
HUNSADER, S.C. Commonwealth Edison Co. 88/01/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44086:135-44086:143.

8801200426 Proposed Tech Spec Tables 3.3-12 & 4.3-8, allowing more accurate measurement of lower effluent discharge flow rates.
* Commonwealth Edison Co. 88/01/12. 7pp. 44086:137-44086:143.

8801210005 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, revising Tech Specs 3.3-13 & 4.3-9 to separate gaseous waste mgt sys oxygen analyzer into two major components. Fee paid.
HUNSADER, S.C. Commonwealth Edison Co. 88/01/12. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44086:305-44086:317.

8801210007 Proposed Tech Spec Tables 3.3-13 & 4.3-9, revising separate gaseous waste mgt oxygen analyzer into two major components.
* Commonwealth Edison Co. 88/01/12. 11pp. 44086:307-44086:317.

- 8801260458** Informs that Revs 42-48 of OA Topical Rept CE-1-A acceptable per 10CFR50, App E. WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/20. REED, C. Commonwealth Edison Co. 2pp. 44125:108-44125:109.
- 8801270132** Forwards Amends 14.14.4 & 4 to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, respectively & safety evaluation. CLSHAM, L.N. Project Directorate III-2. 88/01/21. BUTTERFIELD, L. Commonwealth Edison Co. 3pp. 44154:318-44154:342.
- 8801270146** Amends 14.14.4 & 4 to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, respectively, extending Tech Specs allowable outage times from 72 h to 7 days for several sys & subsystems. MULLER, D.R. Project Directorate III-2. 88/01/21. 20pp. 44154:321-44154:340.
- 8801270182** Safety evaluation supporting Amends 14.14.4 & 4 to Licenses NPF-37, NPF-66, NPF-72 & NPF-75, respectively. * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/21. 2pp. 44154:341-44154:342.

Q. Inspection reports, IE Bulletins & correspondence

- 8801150080** Responds to NRC 870918 ltr re violations noted in Insp Rept 60-457/87-20. Corrective actions ongoing effort initiated by operations personnel to perform 100% re-asp of all locking devices & pivot pin retaining washers. BUTTERFIELD, L. Commonwealth Edison Co. 87/10/16. DAVIS, A.B. Region 3, Ofc of the Director. 3pp. 44082:205-44082:207.
- 8712290312** Forwards Safety Insp Repts 50-456/87-38 & 50-457/87-37 on 870929-1210. No violations noted. HARRISON, J.J. Region 3, Ofc of the Director. 87/12/18. REED, C. Commonwealth Edison Co. 2pp. 43893:069-43893:083.
- 8712290322** Safety Insp Repts 50-456/87-38 & 50-457/87-37 on 870929-1210. No violations or deviations noted. Major areas inspected: resolution of previous insp findings, walkdown of HVAC sys & insp of electrical switchgear breakers. JACOBSON, J.M., SMITH, J.F., SCHAPKER, J.F. Region 3, Ofc of the Director. 87/12/18. 13pp. 43893:071-43893:083.
- 8712160369** NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.
- 8712170119** NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.
- 8801150266** Documents conversations between author & R Kiesel & M Ring during wks of 871207 & 14 re status of implementation of IE Bulletin 85-003. Action items C & D completed for all facilities except Quad Cities. Completion schedule listed. MORGAN, W.E. Commonwealth Edison Co. 87/12/23. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44041:053-44041:055.
- 8712230003** Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.
- 8712290155** NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.
- 8712300091** NRC Info Notice 87-067, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:286.
- 8801110396** Forwards Safety Insp Rept 50-457/87-30 on 870921-1204. No violation noted. HARRISON, J.J. Region 3, Ofc of the Director. 87/12/31. REED, C. Commonwealth Edison Co. 4pp. 43971:151-43971:169.

- 8801110418** Insp Rept 50-457/87-30 on 870921-1204. No violations or deviations identified. Major areas inspected: seismic analysis for as-built safety-related piping sys, safety-related piping support & restraint sys & training & qualification. LIU, W.C., DANIELSON, D.H. Region 3, Ofc of the Director. 87/12/30. 15pp. 43971:155-43971:169.

- 8801120194** Forwards Safety Insp Repts 50-456/87-46 & 50-457/87-47 on 871207, 16 & 17. No violations noted. SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/06. REED, C. Commonwealth Edison Co. 2pp. 43990:219-43990:227.

- 8801120200** Insp Repts 50-456/87-46 & 50-457/87-47 on 871207, 16 & 17. No violations or deviations noted. Major areas inspected: chemistry program, primary & secondary sys water QC programs & development of OA/QC program in lab. HOLTZMAN, R.B., SCHUMACHER, M.C. Region 3, Ofc of the Director. 88/01/04. 7pp. 43990:221-43990:227.

- 8801060394** Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Mill MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

- 8801110367** Forwards response to NRC 871108 Bulletin 87-002 requesting licensees to review receipt insp requirements & internal controls for fasteners & to independently determine through testing if fasteners meet mechanical/chemical specs. MORGAN, W.E. Commonwealth Edison Co. 88/01/12. DAVIS, A.B. Region 3, Ofc of the Director. 250pp. 44045:317-44045:232.

- 8801210030** Forwards verification of completion of program re switch settings, per IE Bulletin 85-003. Validity of calculations not fully confirmed. Response to concerns noted in Insp Repts 50-237/87-33 & 50-249/87-32 contained in Encl 1A. MORGAN, W.E. Commonwealth Edison Co. 88/01/15. DAVIS, A.B. Region 3, Ofc of the Director. 107pp. 44086:159-44086:265.

- 8801260533** Confirms 880229-0304 for NRC environ qualification Insp of electrical & instrumentation equipment, per 880119 ltr/encl. Listed areas will be inspected, including corrective action implementation. Listed documents requested by 880212. MILLER, H.J. Region 3, Ofc of the Director. 88/01/21. REED, C. Commonwealth Edison Co. 3pp. 44125:122-44125:124.

- 8801260335** Forwards Safety Insp Repts 50-456/87-45 & 50-457/87-46 on 871210-22. No violations noted. NRC concerned w/possible effects on Tech Spec operability caused by sizeable backlog of out-of-tolerance measuring & test equipment evaluations. HARRISON, J.J. Region 3, Ofc of the Director. 88/01/22. REED, C. Commonwealth Edison Co. 2pp. 44138:300-44138:309.

- 8801260338** Insp Repts 50-456/87-45 & 50-457/87-46 on 871210-22. No violations or deviation noted. Major areas inspected: OA program implementation in preparation for operation of Unit 2. REYNOLDS, S.A., JABLONSKI, F.J. Region 3, Ofc of the Director. 88/01/14. 8pp. 44138:302-44138:309.

R. Periodic operating reports & related correspondence

- 8801190109** Monthly operating repts for Dec 1987. W/880118 ltr. PETERSON, M.W., FITZPATRICK, E. Commonwealth Edison Co. 87/12/31. 14pp. 44061:220-44061:233.

V. Operator Examinations

- 8801200231** Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.
- 8801220136** Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO o/c in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table. GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118:159-44118:166.

- 8801200282** Requests fees for 870918 & 1030 applications re one time exemption to annual written exam requirement of licensed operator requalification program topical rept & approval of listed control room ventilation interim plan, respectively. DIGGS, R.M. License Fee Management Branch. 88/01/20. BUTTERFIELD, L. Commonwealth Edison Co. 1p. 44086:324-44086:324.

DOCKET 50-456 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

- 8801050259** Responds to concerns noted during 871210 exit meeting for Insp 60-458/87-30 re emergency planning. Corrective actions: Individuals w/incomplete annual re-training in emergency response will receive training prior to 871231. DEDDENS, J.C. Gulf States Utilities Co. 87/12/23. CALLAN, L.J. Region 4, Ofc of the Director. 2pp. 43971:128-43971:129.

- 8801080500** Forwards Insp Rept 50-456/87-23 on 871026-30. Violations noted. Notice of violation withheld. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/30. DEDDENS, J.C. Gulf States Utilities Co. 2pp. 43979:043-43979:045.

- 8801080509** Partially withheld Insp Rept 50-456/87-23 on 871026-30 (rel 10CFR73.21). Violations noted. Major areas inspected: previously identified insp items, including security plan, security program audits & physical barriers. KELLY, J.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/12/24. 1p. 43979:045-43979:046.

- 8801210148** Forwards Rev 4 to safeguards contingency plan. Rev withheld (rel 10CFR73.21). DEDDENS, J.C. Gulf States Utilities Co. 88/01/07. Document Control Branch (Document Control Desk). 2pp. 44086:157-44086:158.

M. Antitrust correspondence

- 8801110032** FOIA request for all documents re agreement of Cajun Electric Power Cooperative, Inc./Gulf States Util Integrated transmission sys or any antitrust review of Gulf States or River Bend station from 880101 to present. RUDEBUSCH, T. Duncan, Weinberg & Miller. RUDEBUSCH, T. Cajun Electric Power Cooperative, Inc. 87/11/12. BURNS, A.I. Justice, Dept. of, Attorney General, Office of. 3pp. 43972:284-43972:286.

- 8801110055** Responds to FOIA request for documents re Gulf States Util Co, River Bend Station, Units 1 & 2. Forwards App A documents. App A documents also available in PDR. One add record undergoing review for disclosure determination. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/06. PEMBROKE, J.D. Duncan, Weinberg & Miller. 2pp. 43972:287-43972:307.

- 8801110077** Expresses understanding that Gulf States Util Co intends to apply for CP. Forwards listing of smaller municipals & investor-owned utils that purchase bulk power from or may be affected by operations of prospective applicant. RUTBERG, J. Atomic Energy Commission. 72/06/30. SAUNDERS, J.J. Justice, Dept. of. 3pp. 43972:289-43972:291.

- 8801110085** Forwards application for CP for River Bend Station, Units 1 & 2 & info for antitrust review. Application submitted on 730805 not accepted & under review per AEC rules to determine if filing requirements met. W/o encls. SHAPAR, H.K. Atomic Energy Commission. 73/08/13. RICHARDSON, E.L., SAUNDERS, J.J. Justice, Dept. of, Attorney General, Office of. 1p. 43972:292-43972:292.

8801110100 Advises that util application for CP formally accepted info requested by atty general for antitrust review encl. W/O encl.
SHAPAR, H.J. Atomic Energy Commission. 73/09/27. RICHARDSON, E.L. Justice, Dept. of Attorney General, Office of. 1p. 43972 293-43972 293.

8801110338 Forwards current application for CP for River Bend Station, Units 1 & 2 & info requested by atty general for antitrust review W/O encl.
SHAPAR, H.K. Atomic Energy Commission. 73/12/26. BORK, R.H. Justice, Dept. of Attorney General, Office of. SAUNDERS, J.J. Justice, Dept. of. 1p. 43972 294-43972 294.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43995 230-43995 300.

8801110055 Responds to FOIA request for documents re Gulf States Util's Co., River Bend Station, Units 1 & 2. Forwards App A documents. App A documents also available in PDF. One add record undergoing review for disclosure determination.
GRMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/05. PEMBROKE, J.D. Duncan, Weinberg & Miller. 2pp. 43972 287-43972 307.

8801110077 Expresses understanding that Gulf States Util's Co. intends to apply for CP. Forwards listing of smaller municipal & investor-owned utls that purchase bulk power from or may be affected by operations of prospective applicant.
RUTBERG, J. Atomic Energy Commission. 72/06/30. SAUNDERS, J.J. Justice, Dept. of. 3pp. 43972 289-43972 291.

8801110085 Forwards application for CP for River Bend Station, Units 1 & 2 & info for antitrust review. Application submitted on 730605 not accepted & under review per AEC rules to determine if filing requirements met. W/O encl.
SHAPAR, H.K. Atomic Energy Commission. 73/06/13. RICHARDSON, E.L. Justice, Dept. of Attorney General, Office of. 1p. 43972 292-43972 292.

8801110100 Advises that util application for CP formally accepted. Info requested by atty general for antitrust review encl. W/O encl.
SHAPAR, H.J. Atomic Energy Commission. 73/09/27. RICHARDSON, E.L. SAUNDERS, J.J. Justice, Dept. of Attorney General, Office of. 1p. 43972 293-43972 293.

8801110184 Notice of issuance of CPPR-145 & CPPR-146 to Gulf States Util's Co. for const of two BWR in West Feliciana Parish, LA.
VALGA, S.A. Light Water Reactors Branch 4. 77/03/25. 3pp. 43972 305-43972 307.

8801110338 Forwards current application for CP for River Bend Station, Units 1 & 2 & info requested by atty general for antitrust review W/O encl.
SHAPAR, H.K. Atomic Energy Commission. 73/12/26. BORK, R.H. Justice, Dept. of Attorney General, Office of. 1p. 43972 294-43972 294.

8801190344 Summary of 871215 & 16 meetings w/util in St Francisville, LA re questions & comments resulting from review of inservice testing program. INEL trip rept, list of attendees & questions & comments encl.
PAULSON, W.A. Project Directorate IV. 88/01/06. Project Directorate IV. 2pp. 44055:132-44055:159.

8801190349 Trip rept of 871215-16 site visit to discuss pump & valve inservice testing program.
COOK, T.L. EG&G Idaho, Inc. (subs. of EG&G, Inc.). COOK, T.L. Idaho National Engineering Laboratory. 87/12/28. SHAW, H. NRC - No Detailed Affiliation Given. 26pp. 44055 134-44055 159.

8801120075 Further response to FOIA request for documents re Gulf States Util's Co. & facility. App B documents available in PDF.
GRMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. PEMBROKE, J.D. Duncan, Weinberg & Miller. 2pp. 43992:133-43992:137.

8801250384 Forwards safety evaluation concluding that util 870731 & 1030 submittals re alternate rod injection & recirculation pump trip sys comply w/ATWS rule 10CFR50.62 & acceptable.
PAULSON, W.A. Project Directorate IV. 88/01/14. DEDDENS, J.C. Gulf States Util's Co. 2pp. 44116:349-44116:356.

8801250390 Safety evaluation supporting util 870731 & 1030 submittals on facility compliance re alternate rod injection & recirculation pump trip sys per ATWS rule 10CFR50.62.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/14. 6pp. 44116:351-44116:356.

Q. Inspection reports, IE Bulletins & correspondence

8712160389 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8801050259 Responds to concerns noted during 871210 exit meeting for Insp 50-450/87-30 re emergency planning. Corrective actions: individuals w/incomplete annual re-training in emergency response will receive training prior to 871231.
DEDDENS, J.C. Gulf States Util's Co. 87/12/23. CALLAN, L.J. Region 4, Ofc of the Director. 2pp. 43961:128-43961:129.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8801050164 Forwards responses to questions presented in 871202 exit meeting. Corrective actions: call w/R Ireland & A. Johnson re Insp Rept 50-458/87-21 on 871102/30 concerning equipment qualification program & implementation.
BOOKER, J.E. Gulf States Util's Co. 87/12/28. Document Control Branch (Document Control Desk). 5pp. 43902:027-43902:031.

8801060500 Forwards Insp Rept 50-458/87-23 on 871026-30 Violations noted. Notice of violation withheld.
CALLAN, L.J. Region 4, Ofc of the Director. 87/12/30. DEDDENS, J.C. Gulf States Util's Co. 2pp. 43979:043-43979:045.

8801060509 Partially withheld Insp Rept 50-458/87-23 on 871026-30 re 10CFR73.21 violations noted. Major areas inspected, previously identified items, including security plan, security program audits & physical barriers.
KELLY, J.A. YANDELL, L.A. Region 4, Ofc of the Director. 87/12/24. 1p. 43975:045-43975:045.

8712280155 NRC Info Notice 87-086, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:164-44038:288.

8801060104 Forwards Exam Rept 50-458/OL-87-02 administered during wks of 871112 & 16. Reactor operator candidates not knowledgeable of recent event in which upper fuel pool level inadvertently lowered. Operational events will be reviewed w/lanes.
CALLAN, L.J. Region 4, Ofc of the Director. 87/12/31. DEDDENS, J.C. Gulf States Util's Co. 2pp. 43979:140-43979:244.

8801060108 Exam Rept 50-458/OL-87-02 during wks of 871102 & 16. Exam results: seven of nine reactor operators & seven of eight senior reactor operators successfully completed exam.
GRAVES, D.N. PELLET, J.L. Region 4, Ofc of the Director. 87/12/29. 11pp. 43979:142-43979:244.

8801080056 Ack receipt of 871030 & 1125 ltrs informing NRC of steps taken to correct violation noted in Insp Rept 50-458/87-20.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/01. DEDDENS, J.C. Gulf States Util's Co. 1p. 43965:291-43965:296.

8801060384 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Moritt MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801190229 Informs that Insp 50-458/87-17 has been cancelled & that no rept will be issued for rept number.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/13. DEDDENS, J.C. Gulf States Util's Co. 1p. 44045:024-44045:024.

8801260508 Forwards initial response to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/Applicable Tech Specs." Final response to be submitted by 880129.
BOOKER, J.E. Gulf States Util's Co. 88/01/16. Region 4, Ofc of the Director. 47pp. 44112:080-44112:108.

8801250518 Ack receipt of 871218 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-458/87-27.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/19. DEDDENS, J.C. Gulf States Util's Co. 2pp. 44112:122-44112:129.

8801260381 Ack receipt of 871215 ltr informing NRC of steps taken to correct deviations & violations noted in Insp Repts 50-458/86 22 & 50-458/87-16.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/20. DEDDENS, J.C. Gulf States Util's Co. 2pp. 44120:355-44120:357.

8801290018 Forwards Insp Rept 50-458/87-20 on 871122-1231 & notice of violation.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/22. DEDDENS, J.C. Gulf States Util's Co. 2pp. 44171:320-44171:337.

8801290020 Notice of violation from Insp on 871122-1231. Violation noted: failure to follow procedure for control of locked valves.
* Region 4, Ofc of the Director. 88/01/20. 1p. 44171:322-44171:322.

8801290031 Insp Rept 50-458/87-29 on 871122-1231. Violations noted: Major areas inspected: previous insp findings, status of facility OL conditions, NRC Bulletin 87-002, 10CFR21 repts, surveillance test observation, maint observation & safety sys walk-down.
CHAMBERLAIN, D., JONES, W.B., HOLLER, E.J. Region 4, Ofc of the Director. 88/01/22. 16pp. 44171:323-44171:337.

R. Periodic operating reports & related correspondence

8801280473 Monthly operating rept for Dec 1987. W/880115 ltr.
COLE, R.E., BOOKER, J.E. Gulf States Util's Co. 87/12/31. 5pp. 44136:198-44136:202.

S. Reportable occurrences, LERs & related correspondence

8801110222 Part 21 rept re defect in charcoal filter electrical heater panel supplied by NUTHERM Int'l, Inc. Initially reported on 870808. No corrective action filed.
DEDDENS, J.C. Gulf States Util's Co. 87/12/23. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 44006:221-44006:223.

8801040590 LER 87-031-00: on 871128, during performance of surveillance test procedure, initiation of standby svc water sys occurred. Caused by procedural inadequacies. Procedure corrected via temporary change notice. W/871228 ltr.
GRANT, E.R., BOOKER, J.E. Gulf States Util's Co. 87/12/28. 4pp. 43961:179-43961:182.

260101 LER 87-033-00 on 871211, loss of Div II reactor protection sys occurred due to trip of electrical protection assembly breaker CS71-S003D. Caused by defective breaker logic card. Integrated circuit chips replaced W/880111 ltr.
ANTER, BOOKER, J.E. Gulf States Utilities Co. 88/01/11. 5pp. 44063 001-363 005.

260142 LER 86-024-06 on 880325 & 1224, power to reactor protection sys bus B due to trip of electrical protection assembly (EPA) breaker. Caused by problem in A breaker trip condition circuitry. Breaker design reworked W/880115 ltr.
ANTER, BOOKER, J.E. Gulf States Utilities Co. 88/01/15. 4pp. 44130-338-130-341.

270276 Summary of Operating Reactors Events Meeting 88-02 on 880112 re units which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl.
NING, W. Events Assessment Branch. 88/01/15. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 16pp. 44155-136-44155-151.

270071 LER 87-034-00 on 871221, full reactor scram occurred due to manual alarm & intermediate range monitor spike. Caused by air trapped in instrument ref. Unit successfully returned to operation on 871223 W/880119 ltr.
ANTER, BOOKER, J.E. Gulf States Utilities Co. 88/01/19. 4pp. 44141-077-141 080.

Operator Examinations

360104 Forwards Exam Rept 50-458/OL-87-02 administered during wks of 871102 & 871103. Reactor operator candidates not knowledgeable of recent event in which upper I pool level inadvertently lowered. Operational events will be reviewed w/trainers.
LANE, J. Region 4, Ofc of the Director. 87/12/31. DEDDEN, J.C. Gulf States Utilities Co. 2pp. 43979-140-43979-244.

1060108 Exam Rept 50-458/OL-87-02 during wks of 871102 & 16. Exam units, seven of nine reactor operators & seven of eight senior reactor operators successfully completed exam.
AVES, D.N., PELLET, J.L. Region 4, Ofc of the Director. 87/12/29. 110pp. 719-142-43979-244.

200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bessong FOIA-204.

IMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Lic Citizen's Critical Mass Energy Project. 8pp. 44118 001-44118-039.

1220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting NPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of member names & attendees & 871105 plant status accreditation table.
SON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119-159-44119-166.

LET 50-459 RIVER BEND STATION, UNIT 2

Application/construction stage documents & correspondence

110055 Responds to FOIA request for documents re Gulf States Utils Co, River Bend Station, Units 1 & 2. Forwards App A documents. App A documents also available in PDR. One addl record undergoing review for disclosure determination.
IMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/05. BROKE, J.D. Duncan, Weinberg & Miller. 2pp. 43972-287-43972-307.

1110077 Expresses understanding that Gulf States Utils Co intends to apply for Forwards listing of smaller municipalities & investor-owned units that purchase bulk power from or may be affected by operations of prospective applicant.
RUTBERG, J. Atomic Energy Commission. 72/08/30. SAUNDERS, J.J. Justice, Dept. 3pp. 43972-289-43972-291.

1110085 Forwards application for CP for River Bend Station, Units 1 & 2 & info for antitrust review. Application submitted on 730605 not accepted & under review per AEC rules to determine if filing requirements met. W/o encls.
SHAPAR, H.K. Atomic Energy Commission. 73/08/13. RICHARDSON, E.L. Justice, Dept. of Attorney General, Office of. 1p. 43972-292-43972-292.

1110100 Advises that until application for CP formally accepted. Info requested by atty general for antitrust review encl. W/o encl.
SHAPAR, H.J. Atomic Energy Commission. 73/09/27. RICHARDSON, E.L. Justice, Dept. of Attorney General, Office of. 1p. 43972-293-43972-293.

1110154 Forwards CP for Unit 2 w/same antitrust conditions as for Unit 1.
RUTBERG, J. Antitrust Division. 77/04/06. SAUNDERS, J.J. Justice, Dept. of. 1p. 43972-295-43972-295.

1110170 CP for facility, authorizing const of plant.
D.R.S. Division of Project Management. 77/03/25. 8pp. 43972-296-43972-304.

110184 Notice of Issuance of CPPR-145 & CPPR-146 to Gulf States Utils Co for Unit 2 of BWR in West Feliciana Parish, LA.
GA, S.A. Light Water Reactors Branch 4. 77/03/26. 3pp. 43972-305-43972-307.

110338 Forwards current application for CP for River Bend Station, Units 1 & 2 & info requested by atty general for antitrust review. W/o encls.
SHAPAR, H.K. Atomic Energy Commission. 73/12/26. BORK, R.H. Justice, Dept. of Attorney General, Office of. 1p. 43972-294-43972-294.

litig correspondence

10032 FOIA request for all documents re agreement of Cajun Electric Power perative, Inc/Gulf States Util Integrated transmission sys or any antitrust review of States or River Bend station from 880101 to present.
JEBUSCH, T. Duncan, Weinberg & Miller. RUDEBUSCH, T. Cajun Electric Power perative, Inc. 87/11/12. BURNS, A.I. Justice, Dept. of Attorney General, Office of. 43972-284-43972-286.

8801110055 Responds to FOIA request for documents re Gulf States Utils Co, River Bend Station, Units 1 & 2. Forwards App A documents. App A documents also available in PDR. One addl record undergoing review for disclosure determination.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/05. PEMBROKE, J.D. Duncan, Weinberg & Miller. 2pp. 43972-287-43972-307.

8801110077 Expresses understanding that Gulf States Utils Co intends to apply for CP. Forwards listing of smaller municipalities & investor-owned units that purchase bulk power from or may be affected by operations of prospective applicant.
RUTBERG, J. Atomic Energy Commission. 72/08/30. SAUNDERS, J.J. Justice, Dept. of. 3pp. 43972-289-43972-291.

8801110085 Forwards application for CP for River Bend Station, Units 1 & 2 & info for antitrust review. Application submitted on 730605 not accepted & under review per AEC rules to determine if filing requirements met. W/o encls.
SHAPAR, H.K. Atomic Energy Commission. 73/08/13. RICHARDSON, E.L. Justice, Dept. of Attorney General, Office of. 1p. 43972-292-43972-292.

8801110100 Advises that until application for CP formally accepted. Info requested by atty general for antitrust review encl. W/o encl.
SHAPAR, H.J. Atomic Energy Commission. 73/09/27. RICHARDSON, E.L. Justice, Dept. of Attorney General, Office of. 1p. 43972-293-43972-293.

8801110154 Forwards CP for Unit 2 w/same antitrust conditions as for Unit 1.
RUTBERG, J. Antitrust Division. 77/04/06. SAUNDERS, J.J. Justice, Dept. of. 1p. 43972-295-43972-295.

8801110338 Forwards current application for CP for River Bend Station, Units 1 & 2 & info requested by atty general for antitrust review. W/o encls.
SHAPAR, H.K. Atomic Energy Commission. 73/12/26. BORK, R.H. Justice, Dept. of Attorney General, Office of. SAUNDERS, J.J. Justice, Dept. of. 1p. 43972-294-43972-294.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

G. Adjudicatory correspondence

8801060303 Submits 17th quarterly status rept re const activities at facility. During Fourth Quarter 1987, no significant safety-related const activities performed, although limited engineering effort continuing. No changes anticipated.
REYNOLDS, N.S. Bishop, Cook, Purcell & Reynolds. #188 5287. 88/01/04. BLOCH, P.B., BRIGHT, G.O., HARBOUR, J. Atomic Safety and Licensing Board Panel. 1p. 43909-176-43909-176.

1. Financial Information

8801120270 "WPPSS, 1987 Annual Rept." W/880108 ltr.
HALVORSON, C.M., MAZUR, D.W., SORENSEN, G.C. Washington Public Power Supply System. 87/12/31. 38pp. 43987-001-43987-040.

G. Inspection reports, IE Bulletins & correspondence

8801070161 Proposes deferral of response to Compliance Bulletin 87-002 until after re-start of const.
SORENSEN, G.C. Washington Public Power Supply System. 87/12/21. MARTIN, J.B. Region 5, Ofc of the Director. 2pp. 43989-191-43989-192.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8712310032 Forwards Security Insp Rept 50-461/87-38 on 871130-1204. No violations noted.
MALLET, B.S. Region 3, Ofc of the Director. 87/12/28. GERSTNER, W.C. Illinois Power Co. 2pp. 43923-121-43923-123.

8712310035 Partially withheld Physical Security Insp Rept 50-461/87-38 on 871130-1204 (ref 10CFR73.21). No violations noted. Major areas inspected: security plan/implementing procedures, security organization & program audit & physical barriers.
DROUIN, B., CREED, J.R. Region 3, Ofc of the Director. 87/12/22. 1p. 43923-123-43923-123.

8801140075 Forwards Exam Rept 50-461/OL-87-01 administered on 871027-1106. General weakness re use of emergency operating procedures by senior operator candidates identified. Exam & answer key & facility comments & resolution also encl.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/06. GERSTNER, W.C. Illinois Power Co. 2pp. 44042-106-44042-241.

8801140077 Exam Rept 50-461/OL-87-01 on 871027-1106. Exam results: all 10 senior reactor operators & 6 reactor operators passed written exams & all but one senior reactor operator passed operating exam.
MCGHEE, J.M., HANEK, J.F., BISHOP, M.O. Region 3, Ofc of the Director. 87/12/17. 130pp. 44042-108-44042-241.

J. Insurance & indemnity information

8712300122 Forwards Endorsement 33 to NELA Policy NF-261 & Endorsement 14 to MAELU Policy NF-121.
TURNER, C.L. Illinois Power Co. 87/12/22. DINITZ, I. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 43921-074-43921-076.

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16.
JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998:230-43998:300.

8801040414 Provides updated corrective actions to improve maint & quality programs. Describes new maint improvement program initiated & long-term action items.
SPANGENBERG, F. Illinois Power Co. 87/12/23. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 43963:063-43963:064.

8801060120 Requests that program be revised to correct two listed items re delay of design verification & conditional release of unqualified items. Revised operations QA manual should be submitted for review.
MILLER, H.J. Region 3, Ofc of the Director. 87/12/30. GERSTNER, W.C. Illinois Power Co. 2pp. 43960:132-43960:133.

8801130421 Requests NRC concurrence to discontinue facility monitoring of lake water intrusion wells. Monitoring does not serve purpose intended.
SPANGENBERG, F.A. Illinois Power Co. 88/01/08. Document Control Branch (Document Control Desk). 2pp. 44004:064-44004:065.

8801190289 Requests one-time exemption from requirements of 10CFR50, App J, Paragraph III D.3 re surveillance interval requirement for Type C local leak rate tests for containment isolation valves. Fee paid.
HALL, D.P. Illinois Power Co. 88/01/13. Document Control Branch (Document Control Desk). 8pp. 44061:241-44061:248.

8801260152 Forwards request for addl info re util 870820 submittal of Rev 3 to Inservice testing program. Response requested within 30 days.
STEVENSON, J.A. Project Directorate III-2. 88/01/21. SPANGENBERG, F. Illinois Power Co. 6pp. 44139:168-44139:173.

Q. Inspection reports, IE Bulletins & correspondence

8712106369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153:001-44153:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712310032 Forwards Security Insp Rept 50-461/87-38 on 871130-1204. No violations noted.
MALLET, B.S. Region 3, Ofc of the Director. 87/12/28. GERSTNER, W.C. Illinois Power Co. 2pp. 43923:121-43923:123.

8712310035 Partially withheld Physical Security Insp Rept 50-461/87-38 on 871130-1204 (ref 10CFR73.21). No violations noted. Major areas inspected: security plan/implementing procedures, security organization & program audit & physical barriers.
DROUIN, B., CREED, J.R. Region 3, Ofc of the Director. 87/12/22. 1p. 43923:123-43923:123.

8801060098 Forwards Safety Insp Rept 50-461/87-35 on 871005-1120 & notice of violation.
MILLER, H.J. Region 3, Ofc of the Director. 87/12/30. GERSTNER, W.C. Illinois Power Co. 2pp. 43960:118-43960:131.

8801060103 Notice of violation from Insp on 871005-1120. Violations noted Procedure 8216.11, "MSIV Maint" not implemented in two listed cases & work continued despite identification of violation of procedure for tightening bonnet studnuts.
MILLER, H.J. Region 3, Ofc of the Director. 87/12/30. 2pp. 43960:120-43960:121.

8801060107 Insp Rept 50-461/87-35 on 871005-1120. Violations noted. Major areas inspected: QA program verification, maint & followup of inspector identified problems.
WALKER, H.A., JABLONSKI, F.J. Region 3, Ofc of the Director. 87/12/29. 10pp. 43960:122-43960:131.

8712290155 NRC Info Notice 87-068, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:258-43995:016.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insp of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038:184-44038:286.

8801120258 Forwards Insp Rept 50-461/87-40 on 871208-09 & 18. No violations noted.
SHAFER, W.D. Region 3, Ofc of the Director. 88/01/05. GERSTNER, W.C. Illinois Power Co. 2pp. 43990:258-43990:263.

8801120268 Insp Rept 50-461/87-40 on 871208-09 & 18. No violations, deficiencies or deviations noted. Major areas inspected: available facility space & layout, communication & NRC computer compatibility.
SHEAR, G.L., LAFRENIERE, R.L., SNELL, W. Region 3, Ofc of the Director. 88/01/05. 6pp. 43990:258-43990:263.

8801140075 Forwards Exam Rept 50-461/OL-87-01 administered on 871027-1108. Generic weakness re use of emergency operating procedures by senior operator candidates identified. Exam & answer key & facility comments & resolution also encl.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/06. GERSTNER, W.C. Illinois Power Co. 2pp. 44042:106-44042:241.

8801140077 Exam Rept 50-461/OL-87-01 administered on 871027-1108. Generic weakness re use of emergency operating procedures by senior operator candidates identified. Exam & answer key & facility comments & resolution also encl.
MCQUEEN, J.M., HANEK, J.F., BISHOP, M.O. Region 3, Ofc of the Director. 87/12/30. 44042:108-44042:241.

8801050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Sp... Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/06. Consolidated Edison Co. of New York, Inc. 123pp. 44038:041-44038:163.

8801260057 Responds to NRC Bulletin 87-002, "Fastener Testing to Determine Performance W/ Applicable Matl Specs." Attachments provide info re util program for identification of chemical & mechanical quality of fasteners used at plant.
HALL, D.P. Illinois Power Co. 88/01/15. DAVIS, A.B. Region 3, Ofc of the Director. 87pp. 44120:285-44120:351.

R. Periodic operating reports & related correspondence

8801190104 Monthly operating rept for Dec 1987. W/880111111r.
SPANGENBERG, F. Illinois Power Co. 87/12/31. 6pp. 44092:220-44092:225.

S. Reportable occurrences, LERs & related correspondence

8801120154 Amended Part 21 rept re addl damage to Div III diesel generator caused during implementation of corrective actions. Initial damage report 870728. Reworking of diesel generator complete. Damaged exciter leads replaced.
HALL, D.P. Illinois Power Co. 87/12/16. DAVIS, A.B. Region 3, Ofc of the Director. 43998:218-43998:221.

8712290133 LER 87-087-00 on 871124, Div 1 RCIC Isolated. Caused by overly restrictive design setpoint trip tolerance for Riffey 88 temp switches which resulted in broken wire. Broken wire reworked. W/8712221r.
CAMILLETT, T.J., SPANGENBERG, F. Illinois Power Co. 87/12/22. 4pp. 43993:108-43993:108.

8801060444 LER 87-069-00 on 871203, Isolation Instrumentation declared inoperable due to inoperable containment isolation function valve. Caused by oversight. Staff assistant shift supervisor counseled for oversight. W/8712311r.
SCHALLER, R.F., SPANGENBERG, F. Illinois Power Co. 87/12/31. 4pp. 43960:358-43960:358.

8801150201 Part 21 rept re Beloit Power Sys HPCS Div III diesel generator rear & rotor shaft damage. Shaft repaired & bearings replaced.
HALL, D.P. Illinois Power Co. 88/01/04. DAVIS, A.B. Region 3, Ofc of the Director. 44084:145-44084:147.

8801200331 LER 87-088-00 on 871211, standby gas treatment sys high range rate monitor inoperable due to missing filter. Caused by personnel error by person. Monitor monthly channel check surveillance procedure revised. W/8801151r.
HILLIER, D.W., SPANGENBERG, F. Illinois Power Co. 88/01/13. 4pp. 44107:283-44107:283.

8801200149 LER 87-070-00 on 871207, unqualified equipment installed resulting in inoperable drywell high pressure transmitters. Caused by personnel error due to client research. Temporary mod procedure revised. W/8801151r.
SCHALLER, R.F., SPANGENBERG, F. Illinois Power Co. 88/01/15. 6pp. 44107:321-44107:321.

V. Operator Examinations

8801140075 Forwards Exam Rept 60-461/OL-87-01 administered on 871027-1108. Generic weakness re use of emergency operating procedures by senior operator candidates identified. Exam & answer key & facility comments & resolution also encl.
WRIGHT, G.C. Region 3, Ofc of the Director. 88/01/06. GERSTNER, W.C. Illinois Power Co. 2pp. 44042:106-44042:241.

8801140077 Exam Rept 50-461/OL-87-01 on 871027-1108. Exam results all 1 reactor operators & 6 reactor operators passed written exams & all but one reactor operator passed operating exam.
MCQUEEN, J.M., HANEK, J.F., BISHOP, M.O. Region 3, Ofc of the Director. 87/12/30. 44042:108-44042:241.

DOCKET STN-50-470 CESSAR SYSTEM 80

A. Application/construction stage documents & correspondence

8801190201 Notification of 880127 meeting w/C-E in Bethesda, MD to discuss generator vibration issue for Sys 80 design.
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/01/06. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 44055:301-44055:302.

8801190214 Forwards NUREG-0852, Suppl 3, SER re final design of NSSS for Sys 80. W/8801151r.
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/01/06. SCHERER, A.E. Combustion Engineering, Inc. 3pp. 44066:263-44066:265.

8801250272 Notification of 880126 meeting w/C-E in Bethesda, MD to discuss PRA for Sys 80+ design, CESSAR-DC. Portions of meeting will be proprietary.
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/01/06. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 44119:172-44119:174.

8801250367 Forwards input to licensing review bases document being developed by CESSAR - Design Certification originally transmitted on 870702. Encl "80+ TM Std Design" design certification bases addresses NRC 871207 comment.
SCHERER, A.E. Combustion Engineering, Inc. 88/01/19. MIRAGLIA, F.J. Association for Projects (Post 870411). 2pp. 44110:001-44110:097.

50377 Draft "C-E Sys 80+ TM Std Design." design certification licensing review
Response to NRC comments on licensing document oncl.
Combustion Engineering, Inc. 88/01/18. 95pp. 44110.003-44110.097.

3263 Forwards proprietary "Base Line Level 1 PRA for Sys 80r NSSS Design."
presents methodology & results of Sys 80 PRA to be used for evaluation of
trade-offs for Sys 80+ Std design.
NER, A.E. Combustion Engineering, Inc. 88/01/22. VISSING, G.S. Standardiza-
Non-Power Reactor Project Directorate. 7pp. 44152.319-44152.325.

Safety Evaluation Report (SER), supple & correspondence

3284 SAFETY EVALUATION REPORT RELATED TO THE FINAL DESIGN OF
STANDARD NUCLEAR STEAM SUPPLY REFERENCE SYSTEM.CESSAR
m 80.Docket No. 50-470.(Combustion Engineering, Incorporated)
sion of Reactor Projects - III, IV, V & Special Projects (Post 870411). NUREG-
563. 87/12/31. 78pp. 43940.294-43941.011.

T STN-50-482 WOLF CREEK GENERATING STATION

ity, medical, emergency & fire protection plans

3065 Forwards Insp Rept 50-482/87-31 on 871031-1118. Violations & unresolved
in encl rept & Insp Rept 50-482/87-27 appear to represent breakdown in admin-
re & mgt control. Enforcement conference scheduled for 871218.
AN, L. J. Region 4, Ofc of the Director. 87/12/21. WITHERS, B.D. Wolf Creek Nu-
Operating Corp. 2pp. 43920.282-43920.285.

00072 Insp Rept 50-482/87-31 on 871031-1118. Potential violation noted Major
inspected: LER review, physical security verification, radiological protection &
tional safety.
JINS, J. E., BARTLETT, B.L., HAAG, R.C. Region 4, Ofc of the Director. 87/12/18.
43920.284-43920.285.

3126 Forwards Insp Rept 50-482/87-34 on 871118-20. Violations noted Notice of
on withh'd (ref 10CFR73.21).
AN, L. J. Region 4, Ofc of the Director. 87/12/29. WITHERS, B.D. Wolf Creek Nu-
Operating Corp. 3pp. 43991.208-43991.211.

70130 Partially withheld Insp Rept 50-482/87-34 on 871118-20 (ref
73.21). Violation noted Major areas inspected: licensee locks & keys, physical
re - PA, lighting, assessment aids, access control - personnel & vehicles.
EST, A.B., YANDELL, L.A. Region 4, Ofc of the Director. 87/12/18. 1p.
211-43991.211.

3322 Clarifies commitment made in response to violations noted in Insp Rept 50-
482-19 re reportability of security event. Util records events within 24 h & submits
s in quarterly log.
Y, J.A. Wolf Creek Nuclear Operating Corp. 87/12/30. MARTIN, R.D. Region 4,
f the Director. 1p. 44051.083-44051.083.

3331 Responds to violations noted in Insp Rept 50-482/87-28. Corrective
s: cabinet for decontamination supplies installed, Procedure HPH 03-014 posted
h physics technician counseled, Procedure will be revised by 880311.
ERS, B.D. Wolf Creek Nuclear Operating Corp. 88/01/04. Document Control
h (Document Control Desk). 3pp. 43971.188-43971.191.

3185 Forwards revised updated SAR pages that have been approved for incor-
pation into next rev of updated SAR. Revised pages reflect relocation of current fire
:on Tech Spec requirements & inclusion of implied shutdown requirements.
ERS, B.D. Wolf Creek Nuclear Operating Corp. 88/01/08. Document Control
h (Document Control Desk). 10pp. 44034.154-44034.163.

3371 Forwards Rev 11 to physical security plan, safeguards contingency plan &
y training & qualification plan. Rev withheld (ref 10CFR73.21).
ERS, B.D. Wolf Creek Nuclear Operating Corp. 88/01/14. Document Control
h (Document Control Desk). 2pp. 44056.192-44056.193.

3006 Forwards Rev 7 to Radiological Emergency Response Plan Implementing Doc-
ume EPP 02-1.2, "Training Programs."
Y, J.A. Wolf Creek Nuclear Operating Corp. 88/01/21. Document Control Branch
ment Control Desk). 5pp. 44142.149-44142.170.

70008 Rev 7 to Radiological Emergency Response Plan Implementing Proce-
dure EPP 02-1.2, "Training Programs."
MD, ANDREWS, R., WITHERS, B. Wolf Creek Nuclear Operating Corp. 87/12/17.
pp. 44142.154-44142.170.

trial correspondence

3324 Responds to 871123 ltr requesting when response to GAP 880516 2.206
n, amended on 880531, may be expected. Response to petition scheduled to be
eted by 880315.
EY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/
Y, E.R.V. Nuclear Awareness Network. 3pp. 44115.264-44115.268.

50328 Forwards RV Eye 871123 ltr ref correspondence w/H Denton, NRR re-
s to ltr requested.
AM, F. Public Affairs. 87/12/03. MURLEY, T.E. Office of Nuclear Reactor Regula-
Director (Post 870411). 1p. 44115.267-44115.268.

50337 Requests status of investigation re GAP 880516 2.206 petition, amended
880529. Ltr dtd 870327 indicated completion of investigation expected in Jul
Copy of rept when issued requested.
I.V. Nuclear Awareness Network. 87/11/23. DENTON, H.R. Office of Nuclear
or Regulation, Director (Post 870411). 1p. 44115.268-44115.268.

aling licensee stage documents & correspondence

1120 FOIA request for documents re plant, including all info within Ofc of Investi-
s cases concerning investigations which have occurred &/or closed on 880608.
-ENS, S. Nuclear Awareness Network. 87/10/01. GRIMSLEY, D.H. NRC - No
ed Affiliation Given. 2pp. 44139.133-44139.134.

8801190195 FOIA request for all documents re plant, including items/ mats discovered
or retrieved from Coffey County, KS landfill.
STEPHENS, S. Nuclear Awareness Network. 87/12/09. GRIMSLEY, D. NRC - No De-
tailed Affiliation Given. 2pp. 44055.292-44055.293.

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC
contract work, NRC Form 26 for three existing contracts, audit info, work history & lists
of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-28-87-417. 87/12/18.
JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8801060302 Documents util commitments re mods to standby diesel generator output
breaker control circuitry. Design mod to enhance output breaker operation to be
made, reviewed & finalized by 880331 & implemented per 871216 meeting w/NRC.
BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 87/12/29. Document Control Branch
(Document Control Desk). 2pp. 43980.132-43980.133.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations
& Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in
analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Director-
ate V. 4pp. 43945.344-43945.347.

8801120245 Confirms 880105 telcon re licensee intended actions in event of leakage
past outer reactor vessel flange O-ring. Orderly shutdown & cooldown would be initiat-
ed to prepare for replacing both seal rings.
BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 88/01/06. Document Control Branch
(Document Control Desk). 1p. 43987.041-43987.041.

8801190200 Partial response to FOIA request for documents re plant. Forwards App B
documents Apps A & B documents available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. STEPHENS, S.
Nuclear Awareness Network. 3pp. 44055.294-44055.300.

-8801190211 Press release discussing discovery of approx 0.41 uCi of rad oactive mail
from home smoke detector at Coffey County, KS landfill. Release of trash mail stopped
pending investigation. Related articles oncl.
SMITH, R. Wolf Creek Nuclear Operating Corp. 87/11/18. 4pp. 44055.207-44055.300.

8801270465 Forwards SER re first 10-yr inservice testing program plan & requests for
relief from requirements. Program as modified by SER provides reasonable assurance
of operational readiness of safety-related pumps. Technical evaluation rept also encl.
CALVO, J.A. Project Directorate IV. 88/01/15. WITHERS, B.D. Wolf Creek Nuclear Op-
erating Corp. 3pp. 44155.222-44155.300.

-8801270470 SER of first 10-yr inservice testing program plan & requests for relief from
requirements concluding that program as modified by SER provides reasonable assur-
ance of operational readiness of safety related pumps & valves.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/15. 12pp.
44155.225-44155.238.

-8801270490 "Technical Evaluation Rept, Pump & Valve Inservice Testing Program, Wolf
Creek Generating Station."
RANSOM, C.B., ROCKWOLD, H.C. EG&G Idaho, Inc. (subs of EG&G, Inc.).
BONNEY, R. Idaho National Engineering Laboratory. FIN A-6812. EGG-NTA-7911. 87/
12/31. NRC - No Detailed Affiliation Given. 64pp. 44155.237-44155.300.

8801260132 Final response to FOIA request for info re facility allegations. Forwards App
B documents App A, B & C documents available in PDR. App C documents partially
withheld (ref FOIA Exemptions 8 & 7).
GRIMSLEY, D. Division of Rules & Records (Post 870413). 88/01/21. STEPHENS, S.
Nuclear Awareness Network. 5pp. 44139.135-44139.154.

-8801260147 Requests response to listed questions re allegations made by V Hill in
encl 880518 ltr. W/o encl.
ASSELSTINE, J.K. Commissioners. 88/05/20. HAYES, B.B. Office of Investigations. 1p.
44139.140-44139.140.

-8801260177 Responds to 880520 memo re facility allegations made by former util
employee, V Hill. Ofc of Investigations completed investigation but rept withheld from
public disclosure for listed reasons.
HAYES, B.B. Office of Investigations. 88/06/10. ASSELSTINE Commissioners. 1p.
44139.141-44139.141.

-8801260215 Discusses nonresponsiveness by Ofc of Investigations, Region IV re V Hill
info concerning alleged wrongdoing by util mgt at plant. Ofc of Investigations respond-
ed to request on 880610. Recommendations that inquiry be closed.
SMITH, L.B. Office of Inspector & Auditor. 87/03/13. CONNELLY, S.R. Office of In-
spector & Auditor. 1p. 44139.145-44139.145.

-8801260227 Responds to 880313 ltr indicating that allegations provided to NRC on
880114 were not handled appropriately. On 870122, Ofc of Investigations informed Ofc
of Inspector & Auditor that listed rept have been sent in response to request.
CONNELLY, S.R. Office of Inspector & Auditor. 87/03/20. HILL, V. Affiliation Not As-
signed. 3pp. 44139.146-44139.148.

-8801260239 Partially withheld response to 880513 ltr. Allegations raised have been in-
vestigated by Ofc of Investigations & documented. Package of documents prepared
but not sent due to lack of authorization for public release.
WARD, W. Office of Investigations. 88/06/10. HILL, V. Affiliation Not Assigned. 1p.
44139.149-44139.149.

-8801260258 Partially withheld ltr requesting investigatory documents re client concerns
for lawsuit against Daniel Intl.
WULZ, D.L. Bryan, Lykins, Hejmanek & Wulz. 88/12/12. Region 4, Ofc of the Director.
2pp. 44139.150-44139.151.

-8801260279 Partially withheld FOIA request for all records re investigation of deficien-
cies in const & procedures at facility.
WULZ, D.L. Bryan, Lykins, Hejmanek & Wulz. 87/01/06. NRC - No Detailed Affiliation
Given. 2pp. 44139.152-44139.153.

-8801260286 Partially withheld ltr addressing concerns re plant & Daniels Const Co, per
Allegation 4-84-A-019, NRC continuing efforts re concerns. Resultant findings will be
forwarded upon completion.
EMERSON, M. Region 4, Ofc of the Director. 87/01/12. Affiliation Not Assigned. 1p.
44139.154-44139.154.

Q. Inspection reports, IE Bulletins & correspondence

- 8712300065** Forwards Insp Rept 50-482/87-31 on 871031. 1118 Violations & unresolved items in encl rept & Insp Rept 50-482/87-27 appear to represent breakdown in administrative & mgmt control. Enforcement conference scheduled for 871216.
CALLAN, L.J. Region 4, Ofc of the Director. 87/12/21. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43920-282-43920-285.
- 8712300072** Insp Rept 50-482/87-31 on 871031. 1118 Potential violation noted. Major areas inspected: LER review, physical security verification, radiological protection & operational safety.
CUMMINS, J.E., BARTLETT, B.L., HAAG, R.C. Region 4, Ofc of the Director. 87/12/18. 12pp. 43920-284-43920-285.
- 8712160369** NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.
- 8712170119** NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056-008-44056-127.
- 8712230003** Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.
- 8801070126** Forwards Insp Rept 50-482/87-34 on 871116. 20 Violations noted. Notice of violation withheld (ref 10CFR73.21).
CALLAN, L.J. Region 4, Ofc of the Director. 87/12/29. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp. 43991-208-43991-211.
- 8801070130** Partially withheld Insp Rept 50-482/87-34 on 871116-20 (ref 10CFR73.21). Violation noted. Major areas inspected: licensee locks & keys, physical barriers, PA lighting, assessment aids, access control, personnel & vehicles.
EARNEST, A.B., YANDELL, L.A. Region 4, Ofc of the Director. 87/12/18. 1p. 43991-211-43991-211.
- 8801190322** Clarifies commitment made in response to violations noted in Insp Rept 50-482/88-18 re reportability of security event. Upl records events within 24 h & submits events in quarterly log.
BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 87/12/30. MARTIN, R.D. Region 4, Ofc of the Director. 1p. 44051-083-44051-083.
- 8712290155** NRC Info Notice 87-086, "Inappropriate Application of Commercial Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995-018.
- 8712300091** NRC Info Notice 87-087, "Lessons Learned From Regional Insps of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-288.
- 8801110034** Forwards Insp Rept 50-482/87-36 on 871116 & 17 & notice of violation.
CALLAN, L.J. Region 4, Ofc of the Director. 88/01/04. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp. 43965-352-43965-358.
- 8801110042** Notice of violation from Insp on 871116 & 17. Violation noted: licensee disposed of two blue rags, containing approx 0.41 uCi licensed mail in Coffey County, KS landfill, unauthorized recipient.
* Region 4, Ofc of the Director. 88/01/04. 1p. 43965-354-43965-354.
- 8801110047** Insp Rept 50-482/87-36 on 871116 & 17. Violation noted. Major areas inspected: radiation protection program, including contamination control.
BAER, R.E., MURRAY, B. Region 4, Ofc of the Director. 87/12/17. 4pp. 43965-355-43965-358.
- 8801110331** Responds to violations noted in Insp Rept 50-482/87-28. Corrective actions: cabinet for decontamination supplies installed; Procedure HPH 03-014 posted & health physics technician counseled. Procedure will be revised by 880311.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/01/04. Document Control Branch (Document Control Desk). 3pp. 43971-189-43971-191.
- 8801050394** Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-183.
- 8801180301** Forwards "Final Rept on NRC IE Bulletin 85-003." Including verification of program completion, summary of findings re valve operability prior to adjustments & summary of data.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/01/14. MARTIN, R.D. Region 4, Ofc of the Director. 3pp. 44063-091-44063-169.
- 8801190311** "Final Rept on NRC IE Bulletin 85-003."
* Wolf Creek Nuclear Operating Corp. 88/01/14. 7pp. 44063-094-44063-169.
- 8801270465** Forwards SER re first 10-yr inservice testing program plan & requests for relief from requirements. Program as modified by SER provides reasonable assurance of operational readiness of safety-related pumps. Technical evaluation rept also encl.
CALVO, J.A. Project Directorate II-3. 88/01/15. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp. 44155-222-44155-300.
- 8801270470** SER of first 10-yr inservice testing program plan & requests for relief from requirements concluding that program as modified by SER provides reasonable assurance of operational readiness of safety-related pumps & valves.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/15. 12pp. 44155-225-44155-236.

S. Reportable occurrences, LERs & related correspondence

- 8712290099** Special Rept 87-014: on 871014, hydrogen pressurizer ignited. Caused by inadequate pressurizer draining & depressurizing procedure. Procedure review & rev 5 control room personnel training planned. W/871218 lr.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 87/12/18. Document Control Branch (Document Control Desk). 6pp. 43983-024-43983-029.
- 8712290139** LER 87-053-00: on 871123, control room ventilation isolation signal occurred. Caused by MDA Scientific, Inc. chlorine monitor GK-AITS-3 paper tape bunching up. Bunched up portion removed & tape replaced. W/871222 lr.
WILLIAMS, M.G., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 87/12/22. 5pp. 43986-004-43986-009.
- 8712310210** LER 87-054-00: on 871127, ESF actuated. Caused by moisture induced corrosion of electrical connector on radiation monitor skid. Connector cleaned & sealed w/heat shrink moisture seal. W/871223 lr.
WILLIAMS, M.G., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 87/12/23. 4pp. 43923-298-43923-301.
- 8712310215** Special Rept 87-10, Suppl 2: voids in tendon sheathing attributed to listed additive factors, quality program described, grease installation & insp discussed & audits & surveillance of const operations conducted.
BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 87/12/24. Document Control Branch (Document Control Desk). 17pp. 43964-008-43964-024.
- 8801140363** Special Rept 87-013: on 871109, discovered low level radioactive mat delivered to Coffey County land fill. Caused by nonlicensed util personnel error. Procedure for release of radioactive mat revised.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/01/07. Document Control Branch (Document Control Desk). 5pp. 44042-327-44042-331.
- 8801190100** Special Rept 87-015: on 871211, failure of emergency diesel generator A occurred due to excessive leakage. Caused by cracked lube oil line fitting. Fitting replaced & retested for leakage. Cause of cracking not determined.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/01/08. Document Control Branch (Document Control Desk). 2pp. 44108-227-44108-228.
- 8801220530** Special Rept 87-016: on 871219, failure of emergency diesel generator B occurred when generator not synchronized w/bus. Caused by repeated opening & closing of roll-out potential transformer. Engineering evaluation in progress.
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/01/14. Document Control Branch (Document Control Desk). 3pp. 44159-129-44159-131.

V. Operator Examinations

- 8801200231** Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.
- 8801220136** Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO office in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119-159-44119-166.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

- 8801130243** Forwards Rev 12 to physical security plan in response to comments on miscellaneous amendments & search requirements. Rev withheld.
SCHNELL, D.F. Union Electric Co. 87/11/17. ALEXION, T.W. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 44000-251-44000-252.
- 8801110426** Forwards Safety Insp Rept 50-483/87-32 on 871004-1204. No violations noted.
FORNEY, W.L. Region 3, Ofc of the Director. 87/12/31. SCHNELL, D.F. Union Electric Co. 2pp. 43986-008-43986-024.
- 8801110432** Safety Insp Rept 50-483/87-32 on 871004-1204. Violations noted but no notices issued. Major areas inspected: LERs, plant operations, ESF sys, radiological controls, maint, surveillance, fire protection, emergency preparedness & security.
HINDS, J.M. Region 3, Ofc of the Director. 87/12/31. 17pp. 43986-008-43986-024.
- 8801120029** Temporary Change Notice 87-0858 to Page 1 of Attachment 4 to Rev 11 to Emergency Plan Implementing Procedure EIP-22-00201, "Notifications."
WHITE, A.E., DAMPF, J.O. Union Electric Co. 87/12/31. 3pp. 43986-339-43986-341.
- 8801130297** Forwards revised marked-up FSAR pages re fire protection Tech Spec requirements approved for incorporation in next FSAR rev.
SCHNELL, D.F. Union Electric Co. 88/01/07. Document Control Branch (Document Control Desk). 20pp. 44002-217-44002-236.
- 8801260377** Forwards Amend 30 to License NPF-30 & safety evaluation. Amend revises Tech Specs to remove certain fire protection requirements & to place requirements in plant procedures under control of on-site review committee & in FSAR.
ALEXION, T.W. Project Directorate II-3. 88/01/13. SCHNELL, D.F. Union Electric Co. 2pp. 44139-029-44139-054.
- 8801260399** Amend 30 to License NPF-30, revising Tech Specs to remove certain fire protection requirements & to place requirements in plant procedures under control of plant on-site review committee & in FSAR.
PERKINS, K.E. Project Directorate II-3. 88/01/13. 20pp. 44139-031-44139-050.
- 8801260405** Safety evaluation supporting Amend 30 to License NPF-30.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/13. 4pp. 44139-051-44139-054.

R. Periodic operating reports & related correspondence

- 8801220209** Monthly Operating Rept 34 for Dec 1987. W/880115 lr.
WILLIAMS, M.G., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 87/12/31. 7pp. 44159-084-44159-090.

on proposed change to retention periods for records. Util option period for security dept records. Incorporation of proposed to licensees w/o any benefit.
Union Electric Co. 88/01/15. Document Control Branch (Document 4083-225-44083-227.

80210 & 11 site visit to four emergency response facilities, per il determine whether NRC Expanded Activation Site Team can notated. Outline of areas NRC will be reviewing encl.
Ofc of the Director. 88/01/19. STILLER, M. Union Electric Co. 322.

Large documents & correspondence

safety evaluation accepting licensee proposed implementation of 0.62) & June 1989 implementation schedule, per util 871218 yied implementation reasonable.
Directorate III-3. 87/12/24. SCHNELL, D.F. Union Electric Co. 180.

valuation conditionally accepting proposed ATWS mitigation sys gn per ATWS rule (10CFR60.62).
Reactor Regulation, Director (Post 870411). 87/12/24. 8pp.

of 880106 meeting w/Westinghouse Owners Group Operations fees in Bethesda, MD to discuss subcommittee investigations in ric Ltr 87-12.
ect Directorate V. 87/12/30. KNIGHTON, G.W. Project Director. 43945-347.

vised marked-up FSAR pages re fire protection Tech Spec re- or incorporation in next FSAR rev.
Electric Co. 88/01/07. Document Control Branch (Document 4002-217-44002-236.

mend 30 to License NPF-30 & safety evaluation. Amend revises r certain fire protection requirements & to place requirements in r control of onsite review committee & in FSAR.
Directorate III-3. 88/01/13. SCHNELL, D.F. Union Electric Co. 054.

to License NPF-30, revising Tech Specs to remove certain fire s & to place requirements in plant procedures under control of mitee & in FSAR.
Directorate III-3. 88/01/13. 20pp. 44139-031-44139-050.

situation supporting Amend 30 to License NPF-30.
Reactor Regulation, Director (Post 870411). 88/01/13. 4pp.

IE Bulletins & correspondence

Notice 87-064, "Conviction for Falsification of Security Training l.
of Operational Events Assessment (Post 870411). 87/12/22. o. of New York, Inc. 120pp. 44153-001-44153-124.

Notice 87-065, "Plant Operation Beyond Analyzed Conditions."
of Operational Events Assessment (Post 870411). 87/12/23. o. of New York, Inc. 120pp. 44056-008-44056-127.

NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc
of Operational Events Assessment (Post 870411). 87/12/28. o. of New York, Inc. 124pp. 43995-138-43995-257.

Notice 87-066, "Inappropriate Application of Commercial-Grade encl.
of Operational Events Assessment (Post 870411). 87/12/31. o. of New York, Inc. 120pp. 43995-258-43995-016.

Notice 87-067, "Lessons Learned From Regional Inps of Li- pence to IE Bulletin 80-11." Svc list encl.
of Operational Events Assessment (Post 870411). 87/12/31. o. of New York, Inc. 123pp. 44038-164-44038-286.

safety Insp Rept 50-483/87-32 on 871004-1204. No violations
3. Ofc of the Director. 87/12/31. SCHNELL, D.F. Union Electric 986-024.

p Rept 50-483/87-32 on 871004-1204. Violations noted but no areas inspected: LERs, plant operations, ESF sys, radiological nce, fire protection, emergency preparedness & security.
Ofc of the Director. 87/12/31. 17pp. 43986-008-43986-024.

NRC Info Notice 88-081, "Broken External Closure Springs on s." Svc list encl.
of Operational Events Assessment (Post 870411). 88/01/11. o. of New York, Inc. 123pp. 44038-041-44038-183.

80210 & 11 site visit to four emergency response facilities, per l determine whether NRC Expanded Activation Site Team can notated. Outline of areas NRC will be reviewing encl.
Ofc of the Director. 88/01/19. STILLER, M. Union Electric Co. 322.

Imports & related correspondence

S. Reportable occurrences, LERs & related correspondence

8712290014 LER 87-018-01 on 870815, discovered that essential svc water Train B partially shut. Caused by personnel errors. Valve actuator repaired during Refuel If Personnel Involved counseled W/871222 Ltr.
MCFARLAND, T.H., BLOSSER, J.D. Union Electric Co. 87/12/22. 8pp. 43983-134-43983-141.

8712310034 LER 87-013-02 on 870608, control room emergency ventilation sys inoper- able due to pressure boundary breach. Caused by personnel error. Mispositioned damper found on 870814. Penetrations sealed & personnel counseled W/871222 Ltr.
SHEPPARD, W.H., MCFARLAND, T.H., BLOSSER, J.D. Union Electric Co. 87/12/22. 11pp. 43920-041-43920-051.

8801270275 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant ele- ments of events & tabulation of long-term followup assignments to be completed encl. LANNING, W. Events Assessment Branch. 88/01/15. ROSSI, C.E. Division of Oper- ational Events Assessment (Post 870411). 16pp. 44155-136-44155-151.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training pro- grams & INPO training accreditation. Forwards App F documents. App E & F docu- ments also available in PDR. Addl records also available in PDR under Bossong FOIA- 87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118-001-44118-039.

-8511070480 Summary of INPO Accreditation Board 851023-24 meetings in Atlanta, GA re training programs for listed facilities, performance indicators, NRC exam failure rate & instructor qualifications.
ZIEMANN, D.L. Division of Human Factors Safety (800428-851124). 85/11/04. RUSSELL, W.T. Division of Human Factors Safety (800428-851124). 4pp. 44118-200-44118-203.

-8612100113 Forwards final rapls from NRC post-accreditation audits using Training & Review Criteria & Procedures published as NUREG-1220 in Jul 1988. Both job & task analyses necessary for full implementation of performance-based training.
RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 86/12/03. STRAHM, K. Institute of Nuclear Power Operations. 33pp. 44118-079-44118-111.

-8801220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO ofcs in Atlanta, GA re training programs at two plants. Encls include list of board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44118-159-44118-166.

DOCKET STN-50-496 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

8712310056 Forwards Insp Repts 50-498/87-52 & 50-499/87-52 on 870824- 28. Viola- tions noted. Enforcement conference scheduled on 871230, per 871223 telcon.
CALLAN, L.J. Region 4, Ofc of the Director. 87/12/23. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 43920-036-43920-040.

-8712310061 Partially withheld Insp Repts 50-498/87-52 & 50-499/87-52 on 870824-28 (ref 10CFR73.21). Violations noted. Major areas inspected: security plan & implementing procedures, mgt effectiveness & security organization & program audit.
KELLY, J.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/11/11. 3pp. 43920-038-43920-040.

8712310174 Forwards Insp Repts 50-498/87-86 & 50-499/87-86 on 871018- 23. Viola- tions noted. Enforcement conference scheduled for 871230 to discuss violations.
CALLAN, L.J. Region 4, Ofc of the Director. 87/12/23. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 43963-338-43963-341.

-8712310177 Partially withheld Insp Repts 50-498/87-86 & 50-499/87-86 on 871019-23 (ref 10CFR73.21). Violations noted. Major areas inspected: licensee access control, including personnel, detection aids, protected area, assessment aids & testing.
EARNEST, A.B., YANDELL, L.A. Region 4, Ofc of the Director. 87/11/27. 1p. 43963-341-43963-341.

8712310179 Forwards Insp Repts 50-498/87-54 & 50-499/87-54 on 870908- 11. Viola- tions noted. Enforcement conference scheduled 871230 to discuss violations.
CALLAN, L.J. Region 4, Ofc of the Director. 87/12/23. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 43963-333-43963-337.

-8712310181 Partially withheld Insp Repts 50-498/87-54 & 50-499/87-54 on 870908-11 (ref 10CFR73.21). Violations noted. Major areas inspected: licensee access control, including personnel, training & qualifications, access control & packages.
EARNEST, A.B., CALDWELL, R.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/ 11/18. 2pp. 43963-336-43963-337.

8712310062 Notification of 871230 enforcement conference in Arlington, TX to discuss security matters described in Insp Repts 50-498/87-52, 50-499/87-54 & 50-498/87-86.
CALLAN, L.J. Region 4, Ofc of the Director. 87/12/24. Region 4, Ofc of the Director. 2pp. 43920-215-43920-216.

8801060184 Notification of canceled 871230 meeting in Arlington, TX to discuss security matters described in Insp Repts 50-498/87-52, 50-499/87-54 & 50-498/87-86.
CALLAN, L.J. Region 4, Ofc of the Director. 87/12/24. Region 4, Ofc of the Director. 2pp. 43962-051-43962-052.

8801130216 Forwards Insp Repts 50-498/87-58 & 50-499/87-59 on 870921-25 & 1005- 09. Violation noted & one unresolved item identified. Enforcement conference sched-

-8801130226 Partially withheld Insp Repts 50-498/87-59 & 50-499/87-59 on 870921-25 & 1005-09 (rel 10CFR73.21). Violations noted: Major areas inspected: security program audits, repts & records, physical barriers - vital areas & access control. KELLY, J.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/11/17. 1p. 44000-223-44000-223.

8801150197 Advises that 871202 rev to emergency plan acceptable. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/12. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 44037-350-44037-351.

8801270174 Notification of 880119 enforcement conference meeting w/utl in Arlington, TX to discuss security matters as described in Insp Repts 50-498/87-52, 50-498/87-54, 50-498/87-59 & 50-498/87-68. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/15. Region 4, Ofc of the Director. 2pp. 44186-001-44186-002.

G. Adjudicatory correspondence

8801190033 Informs that time provided by NRC regulations within which Commission may act to review Director's Decision (DD-87-20) expired. Commission declined review. Decision became final agency action on 880107. Served on 880114. CHILK, S.J. Office of the Secretary of the Commission. #188 5350. 88/01/13. SINKIN, L. Citizens Concerned About Nuclear Power, Inc. SINKIN, L. Christic Institute. 1p. 44035-095-44035-095.

P. Operating license stage documents & correspondence

880120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43988-230-43988-300.

8801110398 Discusses utl 870219 ltr to NRC re Wyle Lab Test Rept 53576 identifying numerous electrical wiring & cable configurations tested. Utl intends to incorporate listed arrangements into plant design criteria for installation. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/21. Document Control Branch (Document Control Desk). 3pp. 43969-085-43969-087.

8801070334 Forwards addl info re ATWS mitigating sys actuation circuitry (AMSAC) submitted by 881020 ltr per 870903 telcon. Schedule & installation of AMSAC remains as described in 851008 ltr. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/22. Document Control Branch (Document Control Desk). 19pp. 43991-142-43991-162.

8801070470 Informs that first quarterly installment of FY88 annual fee per 10CFR171 made by electronic transfer of funds. Utl instituted litigation challenging regulations in US Court of Appeals for District of Columbia Circuits. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/22. Document Control Branch (Document Control Desk). 2pp. 43999-268-43999-269.

8801150190 Forwards proprietary WCAP-11701 & nonproprietary WCAP-11702, "Response to NRC Questions re Fast Response Narrow Range, Thermowell Mounted Resistance Temp Detector," per NRC 871218 request for addl info. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/23. Document Control Branch (Document Control Desk). 3pp. 44041-216-44041-237.

-8801150191 Requests proprietary WCAP-11701, "Responses to NRC Questions re Fast Response Narrow Range, Thermowell Mounted Resistance Temp Detector," be withheld from public disclosure (rel 10CFR2.790(b)(4)). WISEMANN, R.A. Westinghouse Electric Corp. 87/12/16. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 44041-219-44041-228.

-8801150193 "Responses to NRC Questions re Fast Response Narrow Range, Thermowell Mounted Resistance Temp Detectors." TULEY, C.R., RICE, W.R. Westinghouse Electric Corp. WCAP-11702. 87/12/31. 10pp. 44041-228-44041-237.

8801050042 Forwards "Auxiliary Feedwater Sys (AFS) Rept: Investigation of Hydraulic Transient Events." Confirmatory testing of modified flow control valves will be conducted during wk of 871228. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/24. Document Control Branch (Document Control Desk). 3pp. 43899-261-43899-348.

-8801050054 "Auxiliary Feedwater Sys Investigation of Hydraulic Transient Events." W/ 22 oversize drawings. Houston Lighting & Power Co. 87/12/31. 95pp. 43899-264-43899-348.

8801080003 Responds to 871125 ltr re constituent DR Lighter request concerning termination from plant for refusal to take drug screening test. Min plant fitness-for-duty program should include drug tests. STELLIO, V. Ofc of the Executive Director for Operations. 87/12/29. DELAY, T. House of Rep. 1pp. 43967-147-43967-166.

-8801080004 Forwards constituent DR Lighter request for assistance re termination from plant. Info to aid in response to constituent requested. Supporting info encl. DELAY, T. House of Rep. 87/11/25. CALLAHAN, M. NRC - No Detailed Affiliation Given. 8pp. 43967-158-43967-165.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittee investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945-344-43945-347.

8801120395 Discusses 871203 & 14 conference calls among utl, NRC & EQ&G re NRC comments on Rev 2 to pump & valve inservice test plan for plant. Comments & utl responses summarized. Rev to plan incorporating comments will be sent to NRC by 880115. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/30. Document Control Branch (Document Control Desk). 4pp. 43991-016-43991-019.

8801110521 Lists addl info on significant hazards evaluation for utl proposed change to Tech Spec 4.6.1.6.1.b.1 re tendon surveillance requirements. per NP Kadambi 871229 request. WISENBURG, M.R. Houston Lighting & Power Co. 88/01/04. Document Control Branch (Document Control Desk). 2pp. 43988-027-43988-028.

8801150227 Forwards info re bottom mounted instrumentation including partially withheld Topical Rept WCAP-11683, "Responses to NRC Questions..." & WCAP-11711 "Meeting Slides..." Proprietary Topical Rept WCAP-11710 withheld. WISENBURG, M.R. Houston Lighting & Power Co. 88/01/05. Document Control Branch (Document Control Desk). 8pp. 44033-274-44033-345.

-8801150258 Submits application for withholding proprietary info from public disclosure & affidavit re responses to NRC questions concerning bottom mounted instrumentation thimble wear. Withholding requested (rel 10CFR2.790). WISEMANN, R.A. Westinghouse Electric Corp. 87/12/08. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 44033-282-44033-288.

-8801150294 Submits application for withholding proprietary info from public disclosure & affidavit re proprietary WCAP-11710, "Meeting Slides & Responses to NRC Questions from 871214 Meeting." WISEMANN, R.A. Westinghouse Electric Corp. 87/12/22. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 44033-289-44033-296.

-8801150310 Partially deleted "Responses to NRC Questions re Bottom Mounted Instrumentation Thimble Wear." GALEMBUSH, J.S., MERVOSKY, D. Westinghouse Electric Corp. WCAP-11683 87/12/31. 14pp. 44033-287-44033-310.

-8801150316 Partially deleted "Meeting Slides & Responses to NRC Questions for 871214 Meeting." GALEMBUSH, J.S. Westinghouse Electric Corp. WCAP-11711. 87/12/31. 35pp. 44033-311-44033-345.

8801280278 Requests addl info re acceptance criteria for eddy current measurement scheduled to be performed after 12 wks of operation & action plan if measurement shows excessive wear, per 880105 ltr. * NRC - No Detailed Affiliation Given. 88/01/05. Houston Lighting & Power Co. 1p. 44173-288-44173-288.

8801190052 Final response to FOIA request for documents re SAFETEM program Forwards App I & J documents App H & I documents available in PDF. Other records available in PDF. App J documents partially withheld (rel FOIA Exemption b) GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. MAXWELL, Cosmos Broadcasting Corp. 5pp. 44053-108-44053-272.

-8801160073 "SAFETEM Program Instruction Manual." W/870128 ltr & related info. GUTHRIE, I.L. Houston Lighting & Power Co. 87/01/28. 131pp. 44053-116-44053-245.

-8801160099 Rev 4 to "SAFETEM Program Instruction Manual," including Rev 3 to table of contents & Rev 1 to Pages 2-5 of ST-11, "Preliminary Concern Review (PCR) Program." W/870223 ltr & related info. GUTHRIE, I.L. Houston Lighting & Power Co. 87/02/23. 12pp. 44053-246-44053-257.

8801280355 Ack receipt of 871217 ltr requesting addl info on OL review costs for period of 840624-861220 as billed on Invoices G0269 & 270. Advises that NRC will respond to 871201 & 17 ltrs as soon as possible. DIGGS, R.M. License Fee Management Branch. 88/01/26. WISENBURG, M.R. Houston Lighting & Power Co. 2pp. 44180-008-44180-026.

-8801280359 Submits payment of licensing fees charged for OL review for period of 840624-861220, per Invoices G0269 & G0270. Addl info re Invoices G0269 & G0270, including breakdown of cost requested. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/01. Document Control Branch (Document Control Desk). 6pp. 44180-007-44180-013.

O. Inspection reports, IE Bulletins & correspondence

8712230265 Forwards Insp Repts 50-498/87-70 & 50-499/87-70 on 871019-1120 & notice of violation. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/17. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 43894-024-43894-038.

-8712230271 Notice of violation from Insp on 871019-1120. Violation noted: ceiling structural steel penetration cover plate improperly constructed per design drawing provisions & design requirements not translated properly. * Region 4, Ofc of the Director. 87/12/17. 2pp. 43894-026-43894-027.

-8712230275 Insp Repts 50-498/87-70 & 50-499/87-70 on 871019-1120. Violations noted: Major areas inspected: mgmt of QA activities, QA insp of performance component cooling water HX & spent fuel storage racks. JOHNSON, C.E., GARRISON, D.L., TAYLOR, R.G. Region 4, Ofc of the Director. 87/12/11. 11pp. 43894-028-43894-038.

8712300048 Notification of 871230 enforcement conference in Arlington, TX to discuss recent failures to comply w/Tech Specs as described in Insp Rpt 50-498/87-71. CONSTABLE, G.L. Region 4, Ofc of the Director. 87/12/21. Region 4, Ofc of the Director. 2pp. 43964-063-43964-064.

8712160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training Records." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163-001-44163-124.

8712170119 NRC Info Notice 87-085, "Plant Operation Beyond Analyzed Conditions." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44068-008-44068-127.

8712310056 Forwards Insp Repts 50-498/87-52 & 50-499/87-52 on 870824-28. Violations noted: Enforcement conference scheduled on 871230, per 871223 telcon. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/23. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 43920-036-43920-040.

-8712310061 Partially withheld Insp Repts 50-498/87-52 & 50-499/87-52 on 870824-28 (rel 10CFR73.21). Violations noted: Major areas inspected: security plan & implementing procedures, mgmt effectiveness & security organization & program audit. KELLY, J.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/11/11. 3pp. 43820-038-43820-040.

Repts 50-498/87-66 & 50-499/87-66 on 871019. 23 Violation conference scheduled for 871230 to discuss violations. Ofc of the Director. 87/12/23. GOLDBERG, J.H. Houston 43963.338-43963.341.

aid Insp Repts 50-498/87-66 & 50-499/87-66 on 871019-23 ons noted Major areas inspected license access, detection aids, protected area, assessment aids & testing L.A. Region 4, Ofc of the Director. 87/11/27. 1p.

Repts 50-498/87-54 & 50-499/87-54 on 870908. 11 Violation conference scheduled 871230 to discuss violations. Ofc of the Director. 87/12/23. GOLDBERG, J.H. Houston 43963.333-43963.337.

aid Insp Repts 50-498/87-54 & 50-499/87-54 on 870908-11 ons noted Major areas inspected license access, training & qualifications, access control & packages. L.A. YANDELL, L.A. Region 4, Ofc of the Director. 87/363-337.

171230 enforcement conference in Arlington, TX to discuss in Insp Repts 50-498/87-52, 50-499/87-54 & 50-498/87-66. c of the Director. 87/12/24. Region 4, Ofc of the Director.

anceled 871230 meeting in Arlington, TX to discuss security Repts 50-498/87-52, 50-499/87-54 & 50-498/87-66. c of the Director. 87/12/24. Region 4, Ofc of the Director.

Info Notice 87-028, "Air Sys Problems at US LWRs" Svc Operational Events Assessment (Post 870411). 87/12/28. New York, Inc. 124pp. 43995-138-43995-257.

87-088, "Inappropriate Application of Commercial-Grade Operational Events Assessment (Post 870411). 87/12/31. New York, Inc. 120pp. 43995-258-43998-018.

87-087, "Lessons Learned From Regional Insps of LWRs to IE Bulletin 80-11." Svc list encl. Operational Events Assessment (Post 870411). 87/12/31. New York, Inc. 123pp. 44038-164-44038-286.

rept on development of erosion/corrosion (E/C) surveillance preliminary response to NRC Bulletin 87-001. Util will submit surveillance program development completed by 880316. Lighting & Power Co. 87/12/31. Document Control Branch 8pp. 43919-117-43919-124.

ponse to questions raised by J. Gagliardo during Insp on I readiness review issues. Initial Insp performed on 870829. Lighting & Power Co. 87/12/31. Document Control Branch 8pp. 43928-124-43928-129.

'0504 request for addl info re Insp Rept Item 498/8739-04-28, Item 2.2, "Equipment Classification & Vendor Interface Related Components." Program discussion encl. in Lighting & Power Co. 88/01/05. Document Control Desk. 6pp. 44043-286-44043-291.

actions for improving personnel & plant performance, per 1230 enforcement conference. Addl info from 880108 opel will be provided in near future. Lighting & Power Co. 88/01/08. MARTIN, R.D. Region 4, Ofc 009-44186-012.

Info Notice 86-081, "Broken External Closure Springs on Svc list encl. Operational Events Assessment (Post 870411). 88/01/11. New York, Inc. 123pp. 44038-041-44038-163.

Repts 50-498/87-59 & 50-499/87-59 on 870921-25 & 1005-unresolved item identified. Enforcement conference scheduled to understand of apparent violation & corrective action.

Ofc of the Director. 88/01/11. GOLDBERG, J.H. Houston 44000-220-44000-223.

aid Insp Repts 50-498/87-59 & 50-499/87-59 on 870921-25 1) Violations noted Major areas inspected security program sical barriers - vital areas & access control. Region 4, Ofc of the Director. 87/11/17. 1p. 44000-223.

Repts 50-498/87-73 & 50-499/87-73 on 871130-1211. No ops. Ofc of the Director. 88/01/14. GOLDBERG, J.H. Houston 44135-048-44135-055.

-498/87-73 & 50-499/87-73 on 871130-1211. No violations areas inspected: selected instrument components & sel internals & mechanical component work observations. D., HAAQ, R.C. Region 4, Ofc of the Director. 88/01/05.

98/87-76 & 50-499/87-76 cancelled. Ofc of the Director. 88/01/14. GOLDBERG, J.H. Houston 44108-174-44108-175.

IC 871217 Itr re violations noted in Insp Repts 50-498/87-ive actions, reanalysis performed assuming bolt preload of 25 ft-pounds. Lighting & Power Co. 88/01/15. Document Control Branch 1pp. 44066-131-44066-134.

8801210130 Responds to NRC 871216 Itr re violation noted in Insp Rept 50-498/87-84. Corrective actions chemical operator relieved & counsel od boric acid batching Insp reformed & lineup checklist placed in chemical operations foreman files. VAUGHN, G.E. Houston Lighting & Power Co. 88/01/15. Document Control Branch (Document Control Desk). 5pp. 44083-140-44083-144.

8801270174 Notification of 880119 enforcement conference meeting w/utl in Arlington, TX to discuss security matters as described in Insp Repts 50-498/87-52, 50-498/87-54, 50-499/87-59 & 50-498/87-66. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/15. Region 4, Ofc of the Director. 2pp. 44186-001-44186-002.

8801280025 Discusses 871230 enforcement conference re findings of Insp Repts 50-498/87-71 & 50-499/87-71 on 871101-30. Meeting summary encl. Meeting beneficial. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/19. GOLDBERG, J.H. Houston Lighting & Power Co. 17pp. 44157-185-44157-181.

A. Periodic operating reports & related correspondence

8801200343 Monthly operating rept for Dec 1987. W/880115 Itr. PARKEY, S.L., VAUGHN, G.E. Houston Lighting & Power Co. 87/12/31. 7pp. 44107-273-44107-279.

S. Reportable occurrences, LERs & related correspondence

8712310031 LER 87-014-01 on 871113, control room ventilation actuation to recirculation mode occurred. Caused by toxic gas monitor detection of pent flames containing gases. Painting suspended & painting control procedure will be revised W/871218 Itr. AYALA, C., VAUGHN, G.E. Houston Lighting & Power Co. 87/12/18. 5pp. 43963-308-43963-312.

8712290131 LER 87-015-00 on 871121, cooldown in lated due to inoperability of essential chiller units 11C & 12A. Caused by inadequate protection of equipment controls. Caution tags posted & operator logs revised. W/871221 Itr. AYALA, C., VAUGHN, G.E. Houston Lighting & Power Co. 87/12/21. 7pp. 43886-016-43886-022.

8712300082 LER 87-017-00 on 871124, discrepancy between Tech Spec pressurizer low pressure safety injection setpoint & actual setpoint identified. Caused by procedural error. Surveillance procedures & setpoints corrected. W/871221 Itr. AYALA, C., VAUGHN, G.E. Houston Lighting & Power Co. 87/12/21. 6pp. 43921-037-43921-042.

8712300088 LER 87-019-00 on 871124, determined that continuity of slave relay contact in Train A of containment spray sys improperly tested. Caused by personnel error. Relay tested & procedures for testing relays in Trains B & C reviewed W/871221 Itr. AYALA, C., VAUGHN, G.E. Houston Lighting & Power Co. 87/12/21. 6pp. 43898-252-43898-257.

8712300099 LER 87-020-00 on 871128, control room ventilation actuated to recirculation mode. Caused by toxic gas monitor computer chip failure. Computer chip replaced & monitor restored to normal operation. W/871222 Itr. AYALA, C., VAUGHN, G.E. Houston Lighting & Power Co. 87/12/22. 5pp. 43920-311-43920-315.

8712300095 LER 87-018-00 on 871124, cooldown initiated due to inoperability of two trains of containment spray. Crack in pipe connection of Train A caused by design error. Mod to all trains of emergency cooling water planned. W/871223 Itr. AYALA, C., VAUGHN, G.E. Houston Lighting & Power Co. 87/12/23. 7pp. 43921-011-43921-017.

8801120225 Forwards LER re hydraulic transients in auxiliary feedwater sys due to design error. Event did not have adverse impact on health & safety of public. Errata to Dec 1987 rept re auxiliary feedwater sys also encl. VAUGHN, G.E. Houston Lighting & Power Co. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 43988-229-43988-322.

-8801120232 LER 87-016-00 on 871105, hydraulic transients discovered in auxiliary feedwater sys. Caused by design error. Design changes implemented & proof tested prior to entry into Mode 3. Errata to auxiliary feedwater sys rept encl. AYALA, C. Houston Lighting & Power Co. 88/01/05. 2pp. 43988-231-43988-322.

-8801120240 Errata to "Auxiliary Feedwater Sys. Investigation of Hydraulic Transient Events." * Houston Lighting & Power Co. 88/01/05. 2pp. 43988-233-43988-322.

8801120386 LER 87-024-00 on 871208, control room ventilation actuation to recirculation mode occurred. Caused by personnel error. Flow pushbuttons disabled & technicians briefed on importance of attention to detail. W/880107 Itr. AYALA, C., VAUGHN, G.E. Houston Lighting & Power Co. 88/01/07. 5pp. 44046-256-44046-260.

8801120370 LER 87-023-00 on 871010 & 12, loose or displaced valve shaft-to-actuator drive keys identified in motor-operated valves. Condition evaluated on 871208. Caused by lack of vendor guidance. Vendor manuals amended. W/880107 Itr. AYALA, C., VAUGHN, G.E. Houston Lighting & Power Co. 88/01/07. 7pp. 44040-043-44040-049.

8801130053 LER 87-022-00 on 871206, control room toxic gas monitors inoperable. Caused by inadequate training program for toxic gas monitoring sys operation & channel checks. Monitor operation training & logging procedure planned. W/880107 Itr. AYALA, C., VAUGHN, G.E. Houston Lighting & Power Co. 88/01/07. 6pp. 44029-271-44029-276.

8801140082 LER 87-025-00 on 871209, ESF Train A loss of offsite power actuation occurred. Caused by procedural errors coupled w/hardware failure. Relay test procedure revised. W/880108 Itr. AYALA, C., VAUGHN, G.E. Houston Lighting & Power Co. 88/01/08. 6pp. 44042-298-44042-303.

8801150249 LER 87-021-00 on 871130, unanticipated bus trip & diesel generator start occurred. Cause could not be conclusively determined. Technicians received training on deenergizing ESF sequencer by opening main circuit breaker. W/880108 ltr. AYALA, C. VAUGHN, G.E. Houston Lighting & Power Co. 88/01/08. 6pp. 44092.258-44092.261.

8801250279 LER 87-026-00 on 871212, determined trip actuation device operational test on degraded undervoltage coincident w/ safety injection not tested as required. Caused by deficient surveillance procedure due to personnel error. W/880111 ltr. AYALA, C. VAUGHN, G.E. Houston Lighting & Power Co. 88/01/11. 8pp. 44159.020-44159.025.

8801260368 Forwards "Hydraulic Transient in Main Feedwater During Filling of Steam Generators," describing events, causes & corrective actions. Confirmatory testing will be completed prior to entry into Mode 3. WISENBURG, M.R. Houston Lighting & Power Co. 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44125.054-44125.068.

8801260378 "Hydraulic Transient in Main Feedwater During Filling of Steam Generators." Houston Lighting & Power Co. 88/01/31. 13pp. 44125.056-44125.068.

8801270451 Forwards Rev 1 to LER 87-019 re slave relay surveillance deficiency due to personnel error. Rev corrects typo in last line of add'l info section, changing date from 870111 to 880111. VAUGHN, G.E. Houston Lighting & Power Co. 88/01/18. Document Control Branch (Document Control Desk). 2pp. 44140.037-44140.042.

8801270484 LER 87-019-01 on 871124, determined that slave relay surveillance procedure not properly tested in Train A of containment spray sys. Caused by personnel error. Relay tested & procedures for Trains B & C reviewed. AYALA, C. Houston Lighting & Power Co. 88/01/18. 4pp. 44140.038-44140.042.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

A. Application/construction stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 28 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs. FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8801130098 Discusses until 870219 ltr to NRC re Wyle Lab Test Rept 53575 identifying numerous electrical wiring & cable configurations tested. Util intends to incorporate listed arrangements into plant design criteria for installation. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/21. Document Control Branch (Document Control Desk). 3pp. 43969.085-43969.087.

8801070334 Forwards add'l info re ATWS mitigating sys actuation circuitry (AMSAC) submitted by 861020 ltr, per 870903 telcon. Schedule & installation of AMSAC remains as described in 851008 ltr. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/22. Document Control Branch (Document Control Desk). 19pp. 43991.142-43991.162.

8801150190 Forwards proprietary WCAP-11701 & nonproprietary WCAP-11702, "Response to NRC Questions re Fast Response, Narrow Range, Thermowell Mounted Resistance Temp Detector," per NRC 871218 request for add'l info. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/23. Document Control Branch (Document Control Desk). 3pp. 44041.218-44041.237.

8801050042 Forwards "Auxiliary Feedwater Sys (AFS) Rept Investigation of Hydraulic Transient Events." Confirmatory testing of modified flow control valves will be conducted during wk of 871228. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/24. Document Control Branch (Document Control Desk). 3pp. 43899.261-43899.348.

8801050054 "Auxiliary Feedwater Sys: Investigation of Hydraulic Transient Events." W/ 22 oversize drawings. Houston Lighting & Power Co. 87/12/31. 95pp. 43899.284-43899.348.

8801080003 Responds to 871125 ltr re constituent DR Lighter request concerning termination from plant for refusal to take drug screening test. Min plant fitness-for-duty program should include drug tests. STELLO, V. Ofc of the Executive Director for Operations. 87/12/29. DELAY, T. House of Rep. 11pp. 43967.147-43967.185.

8801080004 Forwards constituent DR Lighter request for assistance re termination from plant. Info to aid in response to constituent requested Supporting Info encl. DELAY, T. House of Rep. 87/11/25. CALLAHAN, M. NRC - No Detailed Affiliation Given. 8pp. 43967.188-43967.195.

8801070205 Notification of 880106 meeting w/Westinghouse Owners Group Operations & Analysis Subcommittees in Bethesda, MD to discuss subcommittees investigations in analysis area re Generic Ltr 87-12. TRAMMELL, C.M. Project Directorate V. 87/12/30. KNIGHTON, G.W. Project Directorate V. 4pp. 43945.344-43945.347.

8801150227 Forwards info re bottom mounted instrumentation including partially withheld Topical Repts WCAP-11683, "Responses to NRC Questions..." & WCAP-11711, "Meeting Slides..." Proprietary Topical Rept WCAP-11710 withheld. WISENBURG, M.R. Houston Lighting & Power Co. 88/01/05. Document Control Branch (Document Control Desk). 8pp. 44033.274-44033.345.

8801180258 Submits application for withholding proprietary info from public disclosure & affidavit re responses to NRC questions concerning bottom mounted instrumentation thimble wear. Withholding requested (ref 10CFR2.790). WIESEMANN, R.A. Westinghouse Electric Corp. 87/12/08. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 44033.282-44033.288.

8801150294 Submits application for withholding proprietary info from public disclosure & affidavit re proprietary WCAP-11710, "Meeting Slides & Responses to NRC Questions from 871214 Meeting." WIESEMANN, R.A. Westinghouse Electric Corp. 87/12/22. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 44033.289-44033.296.

8801150310 Partially deleted "Responses to NRC Questions re Bottom Mounted Instrumentation Thimble Wear." GALEMBUSH, J.S., MERVOSKY, D. Westinghouse Electric Corp. WCAP-11683. 87/12/31. 14pp. 44033.287-44033.310.

8801150316 Partially deleted "Meeting Slides & Responses to NRC Questions from 871214 Meeting." GALEMBUSH, J.S. Westinghouse Electric Corp. WCAP-11711. 87/12/31. 35pp. 44033.311-44033.345.

8801190052 Final response to FOIA request for documents re SAFETEM program. Forwards App I & J documents. App H & I documents available in PDR. Other records available in PDR. App J documents partially withheld (ref FOIA Exemption 6). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. MAXWELL, Cosmos Broadcasting Corp. 6pp. 44053.108-44053.272.

8801190073 "SAFETEM Program Instruction Manual." W/870128 ltr & related r/s. GUTHRIE, I.L. Houston Lighting & Power Co. 87/01/28. 131pp. 44053.116-44053.242.

8801190098 Rev 4 to "SAFETEM Program Instruction Manual," including Rev 3 table of contents & Rev 1 to Pages 2-5 of ST-11, "Preliminary Concern Review (PCP, Program)." W/870223 ltr & related info. GUTHRIE, I.L. Houston Lighting & Power Co. 87/02/23. 12pp. 44053.246-44053.251.

8801290355 Ack receipt of 871217 ltr requesting add'l info on OL review costs for period of 840624-861220, as billed on Invoices G0269 & 270. Advises that NRC will respond by 871201 & 17 ltrs as soon as possible. DIGGS, R.M. License Fee Management Branch. 88/01/26. WISENBURG, M.R. Houston Lighting & Power Co. 2pp. 44180.005-44180.026.

8801290359 Submits payment of licensing fees charged for OL review for period of 840624-861220, per Invoices G0269 & G0270. Add'l info re Invoices G0269 & G0270, including breakdown of cost requested. WISENBURG, M.R. Houston Lighting & Power Co. 87/12/01. Document Control Branch (Document Control Desk). 5pp. 44180.007-44180.013.

F. Security, medical, emergency & fire protection plans

8712310056 Forwards Insp Repts 50-498/87-52 & 50-499/87-52 on 870824. 28 Violations noted. Enforcement conference scheduled on 871230, per 871223 telcon. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/23. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 43920.038-43920.040.

8712310061 Partially withheld Insp Repts 50-498/87-52 & 50-499/87-52 on 870824. 29 (ref 10CFR73.21). Violations noted. Major areas inspected: security plan & implementing procedures, mgt effectiveness & security organization & program audit. KELLY, J.A., YANDELL, L.A. Region 4, Ofc of the Director. 87/11/11. 3pp. 43920.038-43920.040.

8712310174 Forwards Insp Repts 50-498/87-66 & 50-499/87-66 on 871019. 23 Violations noted. Enforcement conference scheduled for 871230 to discuss violations. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/23. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 43963.338-43963.341.

8712310177 Partially withheld Insp Repts 50-498/87-66 & 50-499/87-66 on 871019. 23 (ref 10CFR73.21). Violations noted. Major areas inspected: licensee access control, including personnel, detection aids, protected area, assessment aids & testing. EARNEST, A.B. Region 4, Ofc of the Director. 87/11/27. 1p. 43963.341-43963.341.

8712310179 Forwards Insp Repts 50-498/87-54 & 50-499/87-54 on 870908. 11 Violations noted. Enforcement conference scheduled 871230 to discuss violations. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/23. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 43963.333-43963.337.

8712310181 Partially withheld Insp Repts 50-498/87-54 & 50-499/87-54 on 870908. 11 (ref 10CFR73.21). Violations noted. Major areas inspected: licensee access control, including personnel, training & qualifications, access control & packages. EARNEST, A.B. Region 4, Ofc of the Director. 87/11/16. 2pp. 43963.336-43963.337.

8801150216 Forwards Insp Repts 50-498/87-59 & 50-499/87-59 on 870821. 25 & 1005-09 Violation noted & one unresolved item identified. Enforcement conference scheduled on 880119 to discuss until understanding of apparent violation & corrective actions. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/11. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 44000.220-44000.223.

8801130228 Partially withheld Insp Repts 50-498/87-59 & 50-499/87-59 on 870821. 25 & 1005-09 (ref 10CFR73.21). Violations noted. Major areas inspected: security program audits, repts & records, physical barriers - vital areas & access control. KELLY, J.A. Region 4, Ofc of the Director. 87/11/17. 1p. 44000.223-44000.223.

8801150197 Advises that 871202 rev to emergency plan acceptable. CALLAN, L.J. Region 4, Ofc of the Director. 88/01/12. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 44037.350-44037.351.

G. Adjudicatory correspondence

8801190033 Informs that time provided by NRC regulations within which Commission may act to review Director's Decision (DD-87-20) expired. Commission declined review. Decision became final agency action on 880107. Served on 880114. CHILK, S.J. Office of the Secretary of the Commission. #188 5350. 88/01/13. SINKIN, L. Citizens Concerned About Nuclear Power, Inc. SINKIN, L. Christic Institute. 1p. 44035.095-44035.095.

H. Inspection reports, IE Bulletins & correspondence

8712230265 Forwards Insp Repts 50-498/87-70 & 50-499/87-70 on 871019. 1120 & notice of violation. CALLAN, L.J. Region 4, Ofc of the Director. 87/12/17. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 43984.024-43984.038.

steel penetration cover plate properly constructed per design drawing processes & design requirements not translated properly.
egon 4, Ofc of the Director. 87/12/17. 2pp. 43894:026-43894:027.

2230275 Insp Repts 50-498/87-70 & 50-499/87-70 on 871019-1120. Violations of Major areas inspected: mgt of QA activities, QA Insp of performance, component ing water HX & spent fuel storage racks.
SON,C.E. GARRISON,D.L., TAYLOR,R.G. Region 4, Ofc of the Director. 87/12/11pp. 43894:028-43894:038.

60369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
SSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

70119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
SSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

10056 Forwards Insp Repts 50-498/87-52 & 50-499/87-52 on 870824-28. Violations noted. Enforcement conference scheduled on 871230, per 871223 telcon.
LAN,L.J. Region 4, Ofc of the Director. 87/12/23. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 43920:036-43920:040.

310061 Partially withheld Insp Repts 50-498/87-52 & 50-499/87-52 on 870824-28 (10CFR73.21) Violations noted. Major areas inspected: security plan & implementing procedures, mgt effectiveness & security organization & program audit.
LY,J.A., YANDELL,L.A. Region 4, Ofc of the Director. 87/11/11. 3pp. 43920:038-20:040.

10174 Forwards Insp Repts 50-498/87-66 & 50-499/87-66 on 871019-23. Violations noted. Enforcement conference scheduled for 871230 to discuss violations.
LAN,L.J. Region 4, Ofc of the Director. 87/12/23. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 43963:338-43963:341.

310177 Partially withheld Insp Repts 50-498/87-66 & 50-499/87-66 on 871019-23 (10CFR73.21) Violations noted. Major areas inspected: licensee access control, including personnel, detection aids, protected area, assessment aids & testing.
INEST,A.B., YANDELL,L.A. Region 4, Ofc of the Director. 87/11/27. 1p. 33:341-43963:341.

10179 Forwards Insp Repts 50-498/87-54 & 50-499/87-54 on 870908-11. Violations noted. Enforcement conference scheduled 871230 to discuss violations.
LAN,L.J. Region 4, Ofc of the Director. 87/12/23. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 43963:333-43963:337.

310181 Partially withheld Insp Repts 50-498/87-54 & 50-499/87-54 on 870908-11 (10CFR73.21) Violations noted. Major areas inspected: licensee access control, including personnel, training & qualifications, access control & packages.
INEST,A.B., CALDWELL,R.A., YANDELL,L.A. Region 4, Ofc of the Director. 87/11/26. 2pp. 43963:336-43963:337.

30003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
SSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

30165 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
SSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:268-43995:018.

30091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of License Actions in Response to IE Bulletin 80-11." Svc list encl.
SSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44036:164-44036:286.

30628 Provides status report on development of erosion/corrosion (E/C) surveillance program, per 870914 preliminary response to NRC Bulletin 87-001. Util will submit response once E/C surveillance program development completed by 880315.
BERG,J.H. Houston Lighting & Power Co. 87/12/31. Document Control Branch (Document Control Desk). 8pp. 43918:117-43918:124.

10453 Forwards response to questions raised by J. Gagliardo during Insp on 14 & 15 re operational readiness review issues. Initial Insp performed on 870629.
GH,N.G. Houston Lighting & Power Co. 87/12/31. Document Control Branch (Document Control Desk). 6pp. 43928:124-43928:129.

10007 Responds to 870604 request for addl info re Insp Rept Item 496/8739-04 during Generic Ltr 83-28, Item 2.2, "Equipment Classification & Vendor Interface Factors for All Safety-Related Components." Program discussion encl.
BURG,M.R. Houston Lighting & Power Co. 88/01/05. Document Control Branch (Document Control Desk). 6pp. 44043:286-44043:281.

30223 Forwards facility plan for addressing IE Bulletin 79-14 requirements for on-going as-built reconciliation (ABR) program. Detailed ABR program considered unsatisfactory due to listed reasons.
BERG,J.H. Houston Lighting & Power Co. 88/01/05. Document Control Branch (Document Control Desk). 8pp. 44011:178-44011:185.

30394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on od & Morrill MSIVs." Svc list encl.
SSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44036:041-44036:183.

30216 Forwards Insp Repts 50-498/87-59 & 50-499/87-59 on 870921-25 & 1005-01919 to discuss until understanding of apparent violation & corrective action.
LAN,L.J. Region 4, Ofc of the Director. 88/01/11. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 44000:220-44000:223.

30401 Responds to NRC 871217 ltr re violation noted in Insp Rept 50-499/87-70 re: corrective actions review of design details for nonsafety-related civil/structural elements to Category 1 (Class 3) structural steel in Unit 2 performed.
BERG,J.H. Houston Lighting & Power Co. 88/01/13. Document Control Branch (Document Control Desk). 6pp. 44056:313-44056:317.

violations or deviations noted.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/14. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 44135:048-44135:055.

-8801200121 Insp Repts 50-498/87-73 & 50-499/87-73 on 871130-1211. No violations or deviations noted. Major areas inspected: selected instrument components & sys, welding of reactor vessel internals & mechanical component work observations.
VICKREY,R.B., GILBERT,L.D., HAAG,R.C. Region 4, Ofc of the Director. 88/01/05. 7pp. 44135:049-44135:055.

8801200153 Insp Repts 50-498/87-76 & 50-499/87-76 cancelled.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/14. GOLDBERG,J.H. Houston Lighting & Power Co. 2pp. 44108:174-44108:175.

8801200412 Responds to NRC 871217 ltr re violations noted in Insp Repts 50-498/87-70 & 50-499/87-70. Corrective actions: reanalysis performed assuming bolt pre-load resulting from applied torque of 25 ft-pounds.
GOLDBERG,J.H. Houston Lighting & Power Co. 88/01/15. Document Control Branch (Document Control Desk). 4pp. 44066:131-44066:134.

8801280025 Discusses 871230 enforcement conference re findings of Insp Repts 50-498/87-71 & 50-499/87-71 on 871101-30. Meeting summary encl. Meeting beneficial.
CALLAN,L.J. Region 4, Ofc of the Director. 88/01/19. GOLDBERG,J.H. Houston Lighting & Power Co. 17pp. 44157:165-44157:181.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

I. Financial information

8801120270 "WPPSS, 1987 Annual Rept." W/880108 ltr.
HALVORSON,C.M., MAZUR,D.W., SORENSEN,G.C. Washington Public Power Supply System. 87/12/31. 38pp. 43987:001-43987:040.

Q. Inspection reports, IE Bulletins & correspondence

8801070181 Proposes deferral of response to Compliance Bulletin 87-002 until after re-start of const.
SORENSEN,G.C. Washington Public Power Supply System. 87/12/21. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 43999:191-43999:192.

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44163:001-44163:124.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056:008-44056:127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257.

8712290165 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995:268-43995:018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of License Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44036:164-44036:286.

8801050394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44036:041-44036:183.

DOCKET STN-50-628 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8801150286 Forwards public version of revised emergency plan implementing procedures, including Rev 6 to EPIP-02, "Emergency Classification" & Rev 11 to EPIP-03, "Notification of Unusual Event..." W/870113 release memo.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/23. Document Control Branch (Document Control Desk). 4pp. 44047:345-44048:022.

-8801160290 Public version of revised emergency plan implementing procedures, including Rev 6 to EPIP-02, "Emergency Classification" & Rev 11 to EPIP-11, "Notification of Unusual Event Implementing Actions."
PUIGGIE,M., CLYDE,M.L., KIRBY,J.L. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/23. 300pp. 44047:349-44049:022.

I. Financial information

8801120335 Notifies Commission of listed transfers of interest for utility sale & leaseback transactions effective on 871231.
QUINTANA,R.L. Ketcher & McLeod. 88/01/08. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43988:344-43988:345.

8801220508 Advises that utility is paying, under protest, to NRC by electronic transfer of funds for second quarterly installment of FY88 annual fee, per 10CFR171.
VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/13. NRC - No Detailed Affiliation Given. 2pp. 44098:060-44098:061.

P. Operating license stage documents & correspondence

8801120090 Forwards info re Resource Technical Svcs, Inc. including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
 FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8712300114 Forwards response to SPDS audit findings & NRC 881211.870205 & 0505 comments. Proposed revalidation of SPDS in simulator will be completed by Second Quarter 1989 & completion of other open items expected by Dec 1988.
 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/24. Document Control Branch (Document Control Desk). 7pp. 43921.043-43921.049.

8801110472 Forwards summary rept of unit core protection calculator/ COLSS operational experience for Cycle 1, per NRC 850515 request.
 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/31. Document Control Branch (Document Control Desk). 8pp. 43986.215-43986.222.

8801120279 Forwards proprietary Engineering Calculation 77-RCP-R01-008, "Shell Design Calculation," per request Encl withheld (ref 10CFR2.790(b)(4)).
 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/31. LICITRA, E.A. NRC - No Detailed Affiliation Given. 5pp. 43986.325-43986.329.

8801130141 Forwards fuel surveillance test results for Cycle 2 concerning fuel assembly shoulder gap measurements & control element guide tube wear program.
 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/08. Document Control Branch (Document Control Desk). 46pp. 44000.146-44000.181.

8801260326 Forwards errata to Amends 24 & 13 to License NPF-41 & NPF-51, respectively. Errata revises Tech Specs 3.1.3.1 & 3.1.1.2 re shutdown margin requirements for various modes of operation.
 LICITRA, E.A. Project Directorate V. 88/01/12. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 4pp. 44139.001-44139.008.

-8801260517 Errata to Amends 24 & 13 to Licenses NPF-41 & NPF-51 respectively, revising Spec 3.1.1.2 re shutdown margin requirements.
 * Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/12. 4pp. 44139.005-44139.008.

8801280121 Application for amend to License NPF-41, modifying applicability of Tech Spec Section 3/4.4.8.3 re low temp overpressure protection. Fee paid.
 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/21. Document Control Branch (Document Control Desk). 5pp. 44157.307-44157.312.

-8801280136 Proposed Tech Spec Section 3/4.4.8.3, modifying applicability of temp overpressure protection.
 * Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/21. 1p. 44157.312-44157.312.

Q. Inspection reports, IE Bulletins & correspondence

8712180389 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8801110374 Forwards Insp Repts 50-528/87-39, 50-529/87-38 & 50-530/87-40 on 871101-1205. No violations or deviations noted.
 KIRSCH, D.F. Region 5, Ofc of the Director. 87/12/22. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 43972.255-43972.272.

-8801110387 Insp Repts 50-528/87-39, 50-529/87-38 & 50-530/87-40 on 871101-1205. No violations or deviations noted. Major areas inspected: followup of previously identified items, plant activities, ESF sys walkdowns, maint & surveillance testing.
 BALL, J., FIORELLI, G., IVEY, K. Region 5, Ofc of the Director. 87/12/21. 16pp. 43972.257-43972.272.

8712170118 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8801130083 Advises that completion date for program committed to in utl 861024 ltr in response to violation noted in Insp Rept 50-528/88-28 changed from Fourth Quarter 1987 to 880815.
 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/29. MARTIN, J.B. Region 5, Ofc of the Director. 1p. 44029.300-44029.300.

8801200110 Forwards Insp Repts 50-528/87-44, 50-529/87-43 & 50-530/87-46 on 871214-18. No violations noted.
 PATE, A.J. Region 5, Ofc of the Director. 87/12/30. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 44172.001-44172.006.

-8801200117 Insp Repts 50-528/87-44, 50-529/87-43 & 50-530/87-46 on 871214-18. No violations or deviations noted. Major areas inspected: licensee QA program for startup testing & operations & NRC Insp Procedures 30703.35501 & 35701.
 WAGNER, W.J., RICHARDS, S. Region 5, Ofc of the Director. 87/12/30. 4pp. 44172.003-44172.006.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43996.018.

8712300091 NRC Info Notice 87-067, "Lessons Learned From Regional Insps of License Actions in Response to IE Bulletin 80-11." Svc list encl.
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.286.

8801070457 Responds to NRC 871204 ltr re violations noted in Insp Rept 50-528/87-38. Corrective actions procedure revised to include specific wording that contractors are included in overtime controls for personnel performing safety-related functions.
 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/31. Document Control Branch (Document Control Desk). 8pp. 43991.212-43991.219.

8801200213 Forwards Insp Repts 50-528/87-40, 50-529/87-39 & 50-530/87-41 on 871116-20 & notice of violation.
 SCARANO, R.A. Region 5, Ofc of the Director. 87/12/31. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 44052.142-44052.143.

-8801200217 Notice of violation from Insp on 871116-20. Violation noted, radwaste not correctly posted.
 SCARANO, R.A. Region 5, Ofc of the Director. 87/12/31. 2pp. 44052.142-44052.143.

-8801200226 Insp Repts 50-528/87-40, 50-529/87-39 & 50-530/87-41 on 871116-20. Violation noted. Major areas inspected: low level radwaste storage facilities, accident monitoring instrumentation on & NUREG 0737, Items II B.3 & II F.1.
 NORTH, H.S., CICOTTE, G.R., YUHAS, G.P. Region 5, Ofc of the Director. 87/12/31. 10pp. 44052.144-44052.153.

8801060394 Suppl 1 to NRC Info Notice 86-081, "Broken External Closure Springs on Atwood & Morrill MSIVs." Svc list encl.
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801200042 Forwards final rept re response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures & Improper Switch Settings." Procedures for correct motor operator switch setting determination & maint established.
 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/15. Document Control Branch (Document Control Desk). 4pp. 44134.355-44135.033.

8801200167 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/ Applicable Matl Specs," which requests review of receipt requirements & internal controls for fasteners & mechanical & chemical specs.
 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/15. Document Control Branch (Document Control Desk). 35pp. 44107.182-44107.236.

R. Periodic operating reports & related correspondence

8801200133 Monthly operating repts for Dec 1987 W/880113 ltr.
 HULL, J.L., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/31. 18pp. 44107.326-44107.344.

S. Reportable occurrences, LERs & related correspondence

8712300126 LER 87-025-00 on 871127, mods to turbine-driven auxiliary feedwater pump isolation valves render pump inoperable. Caused by cognitive personnel error. Switches readjusted & operability tests conducted W/871127 ltr.
 MALIK, J.E., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/23. 6pp. 43921.135-43921.140.

8801110406 LER 87-027-00 on 870728, unit entered Mode 4 (not shutdown) w/o meeting surveillance requirements for containment spray sys Train B pump. Caused by personnel error. Train A pump tests verified & procedure revised W/870105 ltr.
 MALIK, J.E., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/05. 5pp. 43985.165-43985.169.

8801120250 LER 87-025-01 on 871127, turbine-driven auxiliary feedwater pump failed operability surveillance test due to m-adjusted ramp up limit switches. Caused by personnel error. Switches readjusted & preventive measures planned W/880107 ltr.
 MALIK, J.E., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/07. 7pp. 44044.240-44044.246.

8801140122 LER 87-016-01 on 870609, both trains of ESF pump room air exhaust cleanup sys inoperable. Caused by personnel error. Operations dept experience rept & night orders developed & issued & warning tags placed on equipment W/880107 ltr.
 MALIK, J.E., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/07. 5pp. 44042.275-44042.279.

8801200134 LER 87-028-00 on 871217, inability to meet Tech Spec requirements encountered due to failure to retain monitor samples. Caused by personnel error. Technician disciplined & chemistry dept w/ receive training W/880115 ltr.
 SHRIVER, T.D., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/15. 4pp. 44107.322-44107.325.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA 87-204.
 GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801220097 Trip rept of 870309-13 visit to observe INPO accreditation team conduct plant site visit to evaluate live training programs, including non-licensed operator training & licensed reactor operator training. Accreditation team roster encl.
 CHEWS, J.L. Region 5, Ofc of the Director. 87/09/08. FAULKENBERRY, B. Region 5, Ofc of the Director. 4pp. 44119.155-44119.158.

301220136 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting
1 INFO ofcs in Atlanta, GA re training programs at two plants Encls include list of
lead member names & attendees & 871105 plant status accreditation table
1BSONA.F.Reg. 2, Ofc of the Director 8711/02. ROE, J. Division of License
Performance & Quality Evaluation (Post 870411). Bpp. 44119.159.44119.166.

CKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

Security, medical, emergency & fire protection plans

1150286 Forwards public version of revised emergency plan implementing
 procedure, including Rev 6 to EPIP-02, "Emergency Classification" & Rev 11 to EPIP-
 3, "Notification of Unusual Event..." W/870113 release memo.
 AN BAUNT.E.E. Arizona Nuclear Power Project (formerly Arizona Public Service
 Co.). 87/12/23. Document Control Branch (Document Control Desk). 4pp. 44047.345-
 4049.022.

10150290 Public version of revised emergency plan implementing procedures, including Rev 6 to EPIP-02, "Emergency Classification" & Rev 11 to EPIP-1, "Notification of Unusual Event Implementing Actions."
WIGGERS, CLYDE M.L.; KIRBY, J.L. Arizona Nuclear Power Project (formerly Arizona Nuclear Energy Project). 8/7/12/23. 30pp. 44047-349-44049-022.

Financial Information

1120335 Notifies Commission of listed transfers of interest for utility sale & leaseback
 transactions effective on 8/12/31.
 JINYANA, R.L. Kelsner & McLeod. 88/01/06. MIRAGLIA, F.J. Office of Nuclear Re-
 gulation, Director (Post 870411). 2pp. 43988-344-43988-345.

1220508 Advises that util is paying, under protest, to NRC by electronic transfer of funds for second quarterly installment of FY88 annual fee, per 10CFR171.
AN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88701/13 NRC - No Detailed Affiliation Given 2pp. 44098-060-44098-061.

operating license stage documents & correspondence

1120090 Forwards into re Resource Technical Svcs, Inc, including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
JLH/CUS/R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/18.
ELSON, E.H. Region 4, Ofc of the Director. 71pp. 43998-230-43998-300.

2300114 Forwards response to SPDS audit findings & NRC 861211,870205 & 0505
inments. Proposed reevaluation of SPDS in simulator will be completed by Second
water 1968 & completion of other open items expected by Dec 1988.
44 BRLNTEE. Arizona Nuclear Power Project (formerly Arizona Public Service
5) 87/12/24. Document Control Branch (Document Control Desk). 7pp. 43921-043-
321.049.

1120276 Forwards proprietary Engineering Calculation 77-RCP-R01-008, "Shaft
Design Calculation," per request. Encl withheld (ref 10CFR2.790(b)(4)).
N BUNTE, E. Arizona Nuclear Power Project (formerly Arizona Public Service
) 87/12/31. LICITRA, E.A. NRC - No Detailed Affiliation Given. 5pp. 43996 325.
1996 329.

1260326 Forwards errata to Amonds 24 & 13 to License NPF-41 & NPF-
respectively. Errata revises Tech Specs 3.1.3.1 & 3.1.1.2 re shutdown margin re-
quirements for various modes of operation.

CITRA.E.A. Project Directorate V. 88/01/12. VAN BRUNT, E.E. Arizona Nuclear
Waste Project (formerly Arizona Public Service Co.) 4pp. 44139.001-44139.008

31260517 Errata to Amends 24 & 13 to Licenses NPF-41 & NPF-51
spectively, revising Spec 3.1.1.2 re shutdown margin requirements.
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/12. App.
.139-005-44139.008.

1200451 Application for amend to License NPF-51, permitting one-time only excep-
tion to Surveillance Requirements 4.4.10 to allow RCS vent valve RCB-HV-105 to be
tested during Mode 3 operations instead of current Mode 5 or 8/6a feed.
IN SAUNTEE Arizona Nuclear Power Project (formerly Arizona Public Service
Co.). 88/01/14 Document Control Branch (Document Control Desk). 7pp. 44057.019-
057.026.

11200457 Proposed Tech Spec 4.4.10, allowing one-time only exception for RCS
 nt valve RCB-IV-105 to be tested during Mode 3.
 Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/14. 1p.
 557 026-44057-026.

20097 Requests withdrawal of 880114 Tech Spec change request for one-time
caption to surveillance requirement 4.4.10 for Valve RCB-HV-105, per 880115
con
N BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service
,) 89/01/18. Document Control Branch (Document Control Desk). 1p. 44106353-
108353.

inspection reports, IÉ Bulletins & correspondence

160369 NRC Info Notice 87-084, "Conviction for Falsification of Security Training cards." See list encl.
 1551.C.E. Division of Operational Events Assessment (Post 870411). 87/12/22.
 consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

110374 Forwards Insp Repts 50-528/87-39,50-529/87-38 & 50-530/87-40 on 1101-1205 No violations or deviations noted.
 1 SCF,D.F. Region 5, Ofc of the Director. 87/12/22. VAN BRUNTE,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 43972-255-43972-272.

110387 Insp Repts 50-528/87-39,50-529/87-38 & 50-530/87-40 on 871101-35 No violations or deviations noted Major areas inspected: followup of previously lifted items, plant activities, ESF sys walkdowns, maint & surveillance testing. Lt. J. FIORELLI, G. IVEY, K. Reg'on 5, Ofc of the Director. 87/12/21. 16pp. 372-257-43972 272.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23.
 Consolidated Edison Co of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Arr Sys Problems at US LWRs." Svc
lst encl
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28.
Consolidated Edison Co. of New York, Inc. 124pp. 43995:138-43995:257

8801200110 Forwards Insp Repts 50-528/87-44,50-529/87-43 & 50-530/87-46 on
871214-18 No violations noted.
PATE,R.J. Region 5, Ofc of the Director. 8712/30. VAN BRUNT,E.E. Arizona Nuclear
Power Project (formerly Arizona Public Service Co.). 2pp. 44172 001:44172.008.

8801200117 Insp Repts 50-528/87-44, 50-529/87-43 & 50-530/87-46 on 871214.
18. No violations or deviations noted. Major areas inspected: licensee QA program for
startup testing & operations & NRC Insp Procedures 30703.35501 & 35701.
WAGNER, W.J., RICHARDS, S., Region 5, Ofc of the Director, 87/12/30, 4pp
44172 003-44172 006.

8712290165 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components," Svc list encl.
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31.
 Consolidated Edison Co. of New York, Inc 120pp 43995, 258-43996, 018.

8712300091 NRC info Not co 87-087, "Lessons Learned From Regional Inps of License Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 87/12/31.
Consolidated Edison Co. of New York, Inc 123pp. 4403B. 184-4403B 286

8801200213 Forwards Insp Repts 50-528/87-40,50-529/87-39 & 50-530/87-41 on 871116-20 & notice of violat on.
SCARANO,R.A. Region 5, Ofc of the Director. 87/12/31. VAN BRUNT,E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co). 2pp. 44052:140-44052:153.

-8601200217 Notice of violation from Insp on 871116-20. Violation noted radiation areas not correctly posted.
SCARANO, R.A. Region 5, Ofc of the Director. 87/12/31. 2pp. 44052.142-44052.143

--8801200226 Insp Repts 50-528/87-40,50-529/87-39 & 50-530/87-41 on 871116.
20.Violation noted.Major areas inspected:low level radioactive storage facilities,acc dent
monitoring instrumentation & NUREG 0737,Items II.B.3 & II.F.1.
NORTH,H.S.,CICOTTE,G.R., YUHAS,G.P. Region 5, Ofc of the Director. 87/12/31.
10pp. 44052.144-44052.153.

0001050394 Suppl 1 to NRC Info Notice 88-081, "Broken External Closure Springs on
Atwood & Morrill MSIVs." Sys list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11.
Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-163.

8801190216 Informs that until 870820 plan for control element assembly guide tube wear insp program acceptable & implementation of program may proceed Rept evaluating final insp results requested.

6801200167 Responses to NRC Compliance Bulletin 87-002, "Fastener Tasting to Determine Conformance W/Applicable Mail Specs," which requests review of receipt requirements & internal controls for fasteners & mechanical & chemical spec tests. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/15. Document Control Branch (Document Control Desk). 55pp. 44107-182-44107-236.

R. Periodic operating reports & related correspondence

8801200133 Monthly operating repts for Dec 1987.W/880113 ltr.
HULL,J.L., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Serv-
ice Co.). 87/12/31. 18pp. 44107:326-44107:344.

8801140060 Forwards 3 amended pages to monthly operating rept for Nov 1987.Changes made to more accurately represent util status during month.
HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co).
88/01/08. Document Control Branch (Document Control Desk). 1p. 44010 052-44010 055.

--8801140067 Amended pages to monthly operating rept for Nov 1987.
COLEVILLE, J.M. Arizona Nuclear Power Project (formerly Arizona Public Service Co.).
87/11/30. 3pp. 44010:053-44010:055.

S. Reportable occurrences, LERs & related correspondence

8712300128 Special Rept 2-SR-87-029 on 871126, high range noble gas monitor (RU-142) found inoperable for more than 72 h. Caused by water in RU-141 sample line. Moisture traps will be installed in sample lines during next refueling outage.

HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/24. Document Control Branch (Document Control Desk). 2pp. 43923:302-43923:303.

8801040584 LER 87-021-00.on 871202.post-accident sampling sys incorrectly declared inoperable.Caused by personnel error contrary to approved procedures.Event remains under investigation.Followup rept will be provided.W/871229 lt.
MALIK,J.E., HAYNES,J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 87/12/29. 5pp. 43961:159.43961:163.

V. Operator Examinations

grants & INPO training accreditation records also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801220097 Trip rept of 870309-13 visit to observe INPO accreditation team conduct plant site visit to evaluate five training programs, including non-licensed operator training & licensed reactor operator training. Accreditation team roster encl.
CREWS, J.L. Region 5, Ofc of the Director. 87/09/08. FAULKENBERRY, B. Region 5, Ofc of the Director. 4pp. 44119.155-44119.158.

-8801220136 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

8801150286 Forwards public version of revised emergency plan implementing procedures, including Rev 6 to EPIP-02, "Emergency Classification" & Rev 11 to EPIP-03, "Notification of Unusual Event..." W/870113 release memo.
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/23. Document Control Branch (Document Control Desk). 4pp. 44047.345-44049.022.

-8801160290 Public version of revised emergency plan implementing procedures, including Rev 6 to EPIP-02, "Emergency Classification" & Rev 11 to EPIP-11, "Notification of Unusual Event Implementing Actions."
PUGH, G.E., CLYDE, M.L., KIRBY, J.L. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/23. 300pp. 44047.349-44049.022.

I. Financial information

8801220508 Advises that util is paying, under protest, to NRC by electronic transfer of funds for second quarterly installment of FY88 annual fee, per 10CFR171.
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/13. NRC - No Detailed Affiliation Given. 2pp. 44098.060-44098.061.

P. Operating license stage documents & correspondence

8801120090 Forwards Info re Resource Technical Svcs, Inc., including summary of NRC contract work, NRC Form 26 for three existing contracts, audit info, work history & lists of expertise available for special insps & of current resource svcs.
FELTHOUS, R.A. Resource Technical Services, Inc. NRC-26-87-417. 87/12/16. JOHNSON, E.H. Region 4, Ofc of the Director. 71pp. 43998.230-43998.300.

8801120279 Forwards proprietary Engineering Calculation 77-RCP-R01-008, "Shaft Design Calculation," per request Encl withheld (ref 10CFR2.760(b)(4)).
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/31. LICITRA, E.A. NRC - No Detailed Affiliation Given. 5pp. 43998.325-43998.329.

Q. Inspection reports, IE Bulletins & correspondence

8712160369 NRC Info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153.001-44153.124.

8801110374 Forwards Insp Repts 50-528/87-39, 50-529/87-38 & 50-530/87-40 on 871101-1205. No violations or deviations noted.
KIRSCH, D.F. Region 5, Ofc of the Director. 87/12/22. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 43972.255-43972.272.

-8801110387 Insp Repts 50-528/87-39, 50-529/87-38 & 50-530/87-40 on 871101-1205. No violations or deviations noted. Major areas inspected, followup of previously identified items, plant activities, ESF sys walkdowns, maint & surveillance testing.
BALL, J., FIORELLI, G., IVEY, K. Region 5, Ofc of the Director. 87/12/21. 16pp. 43972.257-43972.272.

8712170119 NRC Info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44056.008-44056.127.

8712230003 Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995.138-43995.257.

8801200110 Forwards Insp Repts 50-528/87-44, 50-529/87-43 & 50-530/87-46 on 871214-18. No violations noted.
PATE, R.J. Region 5, Ofc of the Director. 87/12/30. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 44172.001-44172.006.

-8801200117 Insp Repts 50-528/87-44, 50-529/87-43 & 50-530/87-46 on 871214-18. No violations or deviations noted. Major areas inspected: licensee QA program for startup testing & operations & NRC Insp Procedures 30703.35501 & 35701.
WAGNER, W.J., RICHARDS, S. Region 5, Ofc of the Director. 87/12/30. 4pp. 44172.003-44172.006.

8712290155 NRC Info Notice 87-066, "Inappropriate Application of Commercial-Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995.258-43995.016.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038.164-44038.288.

8801200213 Forwards Insp Repts 50-528/87-40, 50-529/87-39 & 50-530/87-41 on 871118-20 & notice of violation.
SCARANO, R.A. Region 5, Ofc of the Director. 87/12/31. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 44052.140-44052.153.

-8801200217 Notice of violation from Insp on 871118-20. Violation noted: radiation areas not correctly posted.
SCARANO, R.A. Region 5, Ofc of the Director. 87/12/31. 2pp. 44052.142-44052.143.

-8801200226 Insp Repts 50-528/87-40, 50-529/87-39 & 50-530/87-41 on 871118-20. Violation noted: Major areas inspected: low level radwaste storage facilities, accident monitoring instrumentation & NUREG-0737, Items II.B.3 & II.F.1.
NORTH, H.S., CLOTTE, G.R., YUHAS, G.P. Region 5, Ofc of the Director. 87/12/31. 10pp. 44052.144-44052.153.

8801050394 Suppl 1 to NRC Info Notice 86-001, "Broken External Closure Springs or Atwood & Morrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038.041-44038.163.

8801200187 Responds to NRC Compliance Bulletin 87-002, "Fastener Testing to Determine Conformance W/ Applicable Mat'l Specs," which requests review of receipt requirements & internal controls for fasteners & mechanical & chemical spec tests.
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/15. Document Control Branch (Document Control Desk). 55pp. 44107.182-44107.238.

R. Periodic operating reports & related correspondence

8801200133 Monthly operating repts for Dec 1987. W/880113 ltr.
HULL, J.L., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/12/31. 19pp. 44107.326-44107.344.

8801140060 Forwards 3 amended pages to monthly operating rept for Nov 1987. Changes made to more accurately represent util status during month.
HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/08. Document Control Branch (Document Control Desk). 1p. 44010.022-44010.055.

-8801140067 Amended pages to monthly operating rept for Nov 1987.
COLEVILLE, J.M. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/11/30. 3pp. 44010.053-44010.055.

S. Reportable occurrences, LERs & related correspondence

8801190102 Special Rept 3-SR-87-008, on 871217, containment vessel structural integrity not verified within required time frame. Caused by surveillance test 73ST-32C01 not completed. Containment vessel declared operable on 871218.
HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 87/01/12. Document Control Branch (Document Control Desk). 2pp. 44062.350-44062.361.

8801130351 Special Rept 3-SR-87-009 on 871211, plant vent high range gaseous activity monitor RU-144 inoperable for greater than 72 h. Caused by isolation board malfunction. Board replaced & retested & surveillance tests for monitors completed.
HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/07. Document Control Branch (Document Control Desk). 3pp. 44048.245-44048.247.

8801200197 LER 87-004-00 on 871217, w/reactor at 50% test plateau during power ascension testing, reactor trip occurred. Caused by malfunctioning logic sequencer card in control element drive mechanism control sys. Card replaced. W/880115 ltr.
SHRIVER, T.D., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/01/15. 5pp. 44108.182-44108.188.

V. Operator Examinations

8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents App E & F documents also available in PDR. Add'l records also available in PDR under Bossong FOIA-87-204.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118.001-44118.039.

-8801220097 Trip rept of 870309-13 visit to observe INPO accreditation team conduct plant site visit to evaluate five training programs, including non-licensed operator training & licensed reactor operator training. Accreditation team roster encl.
CREWS, J.L. Region 5, Ofc of the Director. 87/09/08. FAULKENBERRY, B. Region 5, Ofc of the Director. 4pp. 44119.155-44119.158.

-8801220136 Advises of attendance at 870923 Nat'l Nuclear Accrediting Board meeting at INPO offices in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON, A.F. Region 2, Ofc of the Director. 87/11/02. ROE, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 8pp. 44119.159-44119.166.

DOCKET 50-538 MEMPHIS STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

ness of NRC requirements to possession & assembly & parts of reactor. Certification of listed items under oath in-

of IRM (formerly Institute for Resource Management, Inc.). Memphis State Univ., Memphis, TN. 2pp. 43988:154.

steps & precautions planned for disassembly & release of 1 request
State Univ., Memphis, TN. 88/01/06. ADAMS, A. Standard-
Project Directorate. 3pp. 43972:147-43972:149.

'90

stage documents & correspondence

and 2 to RESAR SP/90 PDA Module 1, "Primary Side
1 to RESAR SP/90 PDA Module 13, "Auxiliary Sys."
e withheld from public disclosure (ref 10CFR2.790).
on & Non-Power Reactor Project Directorate. 87/12/29
use Electric Corp. 4pp. 43950:026-43950:029.

rietary mail provided at 871119 meeting re advanced con-
SP/90 will be treated as proprietary info per 10CFR2.790
on & Non-Power Reactor Project Directorate. 87/12/29.
use Electric Corp. 4pp. 43950:036-43950:039.

ary Addendum 1 & Addendum 2 to WAPWR RESAR-SP/
Questions 252.1-252.14 & 220.1-220.9, respectively. Encl.
plication for withholding encl.
use Electric Corp. 88/01/07. RUBENSTEIN, L. Standardiza-
Project Directorate. 2pp. 44140:244-44140:246.

ncf info re response to NRC Questions 252.1-14 & 220.1-
3AR-SP/90 PDA be withheld (ref 10CFR2.790 & 9.5(4)).
use Electric Corp. 88/01/07. RUBENSTEIN, L. Standard-
Project Directorate. 1p. 44140:246-44140:246.

ighouse 871217 request for withholding of Amend 3 to
9, "Instrumentation & Controls & Electric Power," per
103(b) of Atomic Energy Act of 1954 as amended.
on & Non-Power Reactor Project Directorate. 88/01/12.
use Electric Corp. 4pp. 44053:350-44053:353.

Is Report (FSAR) & amends

rietary & proprietary Amend 3 to Westinghouse Ad-
Preliminary Design Approval Module 9, "Instrumentation
& Controls & Electric Power," per 10CFR2.790.
use Electric Corp. 87/12/17. RUBENSTEIN, L. Standardiza-
Project Directorate. 2pp. 43926:326-43926:340.

proprietary Amend 3 to Westinghouse Advanced PWR
esign Approval Module 9, "Instrumentation & Controls &
(ref 10CFR2.790).
use Electric Corp. 87/12/17. RUBENSTEIN, L. Standard-
Project Directorate. 10pp. 43926:326-43926:337.

mend 3 to Westinghouse Advanced PWR RESAR-SP/90
Module 9, "Instrumentation & Controls & Electric Power."
87/11/30. 10pp. 43926:330-43926:348.

& related correspondence

rept on std plant design technical reviews for Jan
ed input dates requested within 1 wk of memo receipt.
on & Non-Power Reactor Project Directorate. 88/01/
Engineering & Systems Technology (Post 870411).
for Inspection & Safeguards (Post 870411). CONGEL, F.
tion & Emergency Preparedness (Post 870411). 14pp.

ENTRIFUGE ENRICHMENT PLANT

stage documents & correspondence

or addl info re applications for CPs & OLs, including info
contamination, decommissioning, radioactive & classified
y Branch. 87/12/28. PFEIFFER, W.A. All Chemical Iso-
344:159-43944:160.

ENTRIFUGE ENRICHMENT PLANT

age documents & correspondence

or addl info re applications for CPs & OLs, including info
contamination, decommissioning, radioactive & classified
y Branch. 87/12/28. PFEIFFER, W.A. All Chemical Iso-

DOCKET STN-50-805 GE ADVANCED BWR DESIGN

A. Application/construction stage documents & correspondence

8801070170 Directs staff to perform audit of GE advanced BWR design & design proc-
ess in early 1988. Special emphasis will be placed on portions of design attributable to
Toshiba & Hitachi for purpose of assuring quality & reliability of advanced BWR.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/
24. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). SNIJEZEK, J.H. Associate
Director for Inspection & Technical Assessment (Post 870411). 4pp. 43953:350-
43953:353.

8801290305 Requests audit of GE advanced BWR design & design process in early
1988 in response to GE 87029 application for design certification per 10CFR50, App
O. Audit team members listed.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (851125-870411). 87/
12/24. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). SNIJEZEK, J.H.
Associate Director for Inspection & Technical Assessment (Post 870411). 2pp.
44180:319-44180:320.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

8801210146 Application for amend to License SNM-42, revoking 871019 application to
change wording re posting nuclear criticality safety limits, labeling of vessels containing
SNM & nuclear criticality safety insps. per 871103 letcon.
BOYD, C.C. Babcock & Wilcox Co. 87/11/05. ROUSE, L.C. Division of Industrial &
Medical Nuclear Safety (Post 870729). 5pp. 44092:197-44092:201.

8801040373 Requests approval to immediately implement shipper-receiver evaluation
requirements similar to proposed requirement in 10CFR74.59(h)(1). Fee paid.
BOYD, C.C. Babcock & Wilcox Co. 87/11/10. BRACHE, E.W. Licensing Branch. 2pp.
43895:339-43895:340.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., WINDSOR, CT

8801040111 Forwards annex example of measurement std error for typical inventory
difference per Comment 65 C-E Hematite 10CFR74 fundamental nuclear control
plan. W/o encl.
ESKRIDGE, H.E. Combustion Engineering, Inc. 87/11/13. GUNDERSON, G. Licensing
Branch. 1p. 43895:132-43895:132.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

8801080012 Forwards Director Decision 88-01 denying petitioner request to institute
proceeding to suspend & subsequently revoke B&W license for Apollo facility & re-
lease grounds for unrestricted use.
THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. 88/01/05.
VIROSTEC, K. Kiski Valley Coalition to Save Our Children. 1p. 43967:328-43967:360.

-8801080014 Director Decision 88-01 denying petitioner request that author institute
proceeding to suspend & subsequently revoke B&W license for Apollo facility & re-
lease grounds for unrestricted use.
THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. 88/01/05.
11pp. 43967:329-43967:360.

8801200102 PNO-1-88-006 on 880114, Region 1 received notification of protest to be
held at facility in Apollo, PA. Kiski Valley Coalition to Save Our Children will be protest-
ing planned operation of supercompactor at facility.
ROTH, J., PASCIAK, W. Region 1, Ofc of the Director. 88/01/14. 1p. 44058:207-
44058:207.

880127:376 PNO-1-88-006 on 880115, Kiski Valley Coalition to Save Our Children held
peaceful demonstration in front of B&W Apollo, PA. Ofc to express concern re radioac-
tive emissions, declassification of classified info & use of supercompactor.
ROTH, J., PASCIAK, W. Region 1, Ofc of the Director. 88/01/15. 1p. 44145:195-
44145:195.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

8801040276 Application for amend to License SNM-124, accepting receiver valve for low
level prostate shipped by NFS to B&W for recovery. Encl withheld (ref
10CFR2.790(d) & 9.5(A)(4)). Fee paid.
HENSLEY, K.D. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/11/05.
BRACE, E.W. Licensing Branch. 1p. 43895:247-43895:247.

8801210087 Forwards groundwater analytical results for Well 12 in Jul 1987.
LONG, J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/11/09. Region 2,
Ofc of the Director. 3pp. 44092:191-44092:193.

8801200420 Forwards Rev 106 to Section 1.0 of fundamental nuclear control plan. Rev
withheld (ref 10CFR2.790).
HENSLEY, K.D. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/11/20.
GRACE, J.N. Region 2, Ofc of the Director. 1p. 44091:099-44091:099.

8801210014 Forwards "Erwin Plant Decommissioning Plan" on proposed decommis-
sioning activities to be undertaken between 880101 & 8801231.
LONG, J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/11/20. ROUSE, L.C.
Fuel Cycle Safety Branch. 3pp. 44091:255-44091:318.

-8801210017 "Erwin Plant Decommissioning Plan."
Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/11/30. 61pp. 44091:258-

192 DOCKETED ITEMS

8801050293 Forwards proprietary Rev 16 to physical safeguards plan. Rev incorporates reporting of safeguards events as defined by 10CFR73.71 & App G Rev withheld (ref 10CFR95).
JOHNSON, S.C. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/12/07.
STOHR, J.P. Region 2, Ofc of the Director. 1p. 43910:360-43910:360.

8801050309 Forwards Rev 11 to s.e. training & qualification plan. Rev reflects addition of sentence inadvertently left out of Rev 10 & change of number of security force personnel. Rev withheld (ref 10CFR95).
JOHNSON, S.C. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/12/07.
STOHR, J.P. Region 2, Ofc of the Director. 1p. 43911:018-43911:018.

8801280311 Application for amend to License SNM-124. Attachment withheld (ref 10CFR2.790(d) & 9.5(a)(4)). Fee paid.
HEINLEY, K.D. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 87/12/17.
BRACH, W.E. Office of Nuclear Material Safety & Safeguards, Director. 1p. 44138:297-44138:297.

8801040186 Ack receipt of 871203 ltr informing NRC of steps taken to correct violations noted in Insp Rept 70-0143/87-36. Notice of violation withdrawn. Concerns expressed re sys of disseminating procedures.
CLINE, W.E. Region 2, Ofc of the Director. 87/12/24. LONG, J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 2pp. 43963:058-43963:059.

8801210114 Forwards revised response to Insp Rept 70-0143/87-33 re Procedure NFS-MS-B-33 requiring vehicle gamma exposure rate survey for all exclusive use shipments.
LONG, J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 88/01/07.
COLLINS, D.M. Region 2, Ofc of the Director. 3pp. 44085:323-44085:325.

8801200114 Forwards draft notice of violation for escalated enforcement action, per Insp Rept 70-0143/87-42.
STOHR, J.P. Region 2, Ofc of the Director. 88/01/11. JENKINS, G.R. NRC - No Detailed Affiliation Given. 3pp. 44052:111-44052:113.

8801190244 Discusses Insp Rept 70-0143/87-42 on 871214-18. Violation noted in rept under consideration for escalated enforcement action. Enforcement conference scheduled for 880119.
GRACE, J.N. Region 2, Ofc of the Director. 88/01/12. LONG, J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 2pp. 44045:014-44045:023.

8801190256 Insp Rept 70-0143/87-42 on 871214-18. Violation noted. Failure to perform adequate personnel contamination surveys. Major areas inspected. Review of previous enforcement matters & status of performance improvement program.
WEDDINGTON, R.E., HOSEY, C.M. Region 2, Ofc of the Director. 88/01/07. 8pp. 44045:016-44045:023.

8801270103 Forwards Insp Rept 70-0143/87-40 on 871102-1204. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 88/01/20. LONG, J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 2pp. 44169:001-44169:008.

8801270104 Insp Rept 70-0143/87-40 on 871102-1204. No violations or deviations noted. Major areas inspected: facility operations, nuclear criticality safety, radiation protection, emergency preparedness, radwaste mgt, mail control & accounting.
LEE, T.D., MCALPINE, E.J. Region 2, Ofc of the Director. 88/01/15. 6pp. 44169:003-44169:008.

8801270109 Forwards Insp Rept 70-0143/87-43 on 871207-31. No violations or deviations noted.
CLINE, W.E. Region 2, Ofc of the Director. 88/01/20. LONG, J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.). 2pp. 44169:108-44169:112.

8801270113 Insp Rept 70-0143/87-43 on 871207-31. No violations or deviations noted. Major areas inspected: facility operations, nuclear criticality safety, radiation protection, emergency preparedness, radwaste mgt, mail control & accounting.
LEE, T.D., MCALPINE, E.J. Region 2, Ofc of the Director. 88/01/15. 5pp. 44169:108-44169:112.

DOCKET 70-0364 BABCOCK & WILCOX CO., APOLLO, PA

8801200102 PNO 1-88-006 on 880114. Region 1 received notification of protest to be held at facility in Apollo, PA. Kiski Valley Coalition to Save Our Children will be protesting planned operation of supercompactor at facility.
ROTH, J., PASCIAK, W. Region 1, Ofc of the Director. 88/01/14. 1p. 44058:207-44058:207.

8801270376 PNO 1-88-006 on 880115. Kiski Valley Coalition to Save Our Children held peaceful demonstration in front of B&W Apollo, PA. Ofcs to express concern re radioactive emissions, declassification of classified info & use of supercompactor.
ROTH, J., PASCIAK, W. Region 1, Ofc of the Director. 88/01/15. 1p. 44145:195-44145:195.

DOCKET 70-0371 UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT

8801130125 Forwards Safeguards Insp Rept 70-0371/87-09 on 871116-17. No violations noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/30. KAUFMAN, N.C. UNC Resources, Inc. 2pp. 44030:154-44030:158.

8801130130 Physical Security Insp Rept 70-0371/87-09 on 871116 & 17. No non-compliance noted. Major areas inspected: night firearms qualification, personnel & package searches & mail access area control.
SMITH, G.C., KEIMIG, R.R. Region 1, Ofc of the Director. 87/12/28. 3pp. 44030:158-44030:159.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

8801080070 Requests exemption per 10CFR74.7 re possession & use of strategic SNM in excess of formula quantity limit. Cintichem ack mail control & accounting program conducted in agreement w/ fundamental nuclear mail control plan per 10CFR70.
MCGOVERN, J.J. Cintichem, Inc. 87/09/23. EMEIGH, C.W. Licensing Branch. 2pp. 43930:306-43930:307.

8801200037 Responds to NRC 871221 ltr re violations noted in Insp Rept 70-0687/27-04. Corrective actions: new procedure for use of raschig rings as nuclear criticality poison for U solutions written & combustible storage in exhaust fan room removed.
MCGOVERN, J.J. Cintichem, Inc. 87/12/21. MARTIN, T.T. Region 1, Ofc of the Director. 8pp. 44060:001-44060:008.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

8801110291 Forwards Safety Insp Rept 70-0754/87-04 on 871202-14. No violations noted.
MONTGOMERY, J.L. Region 5, Ofc of the Director. 87/12/30. DARMITZEL, R.W. General Electric Co. 2pp. 43983:141-43983:152.

8801110296 Safety Insp Rept 70-0754/87-04 on 871202-14. No violations or deviations noted. Major areas inspected: mgt organization & controls, operator training & retraining, criticality safety, radiation protection & emergency preparedness.
BROCK, B.L., THOMAS, R.D. Region 5, Ofc of the Director. 87/12/29. 13pp. 43983:143-43983:152.

DOCKET 70-0893 FLORIDA INSTITUTE OF TECHNOLOGY, MELBOURNE, FL

8801200265 Safety Insp on 871230 of License SNM-844. Insp findings re violations observed.
BROWN, R.A. Region 2, Ofc of the Director. * Florida Institute of Technology, Melbourne, FL. 87/12/30. 1p. 44066:130-44066:130.

DOCKET 70-0925 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

8801060480 Forwards request for addl info re onsite burial & stabilization of waste material generated from past operations by end of Jan 1988, per 870904 appl. for amend to License SNM-928.
SWIFT, J.J. Fuel Cycle Safety Branch. 87/12/29. STAUTER, J.C. Sequoyah Fuel Corp. (subs. of Kerr-McGee Nuclear Corp.). 4pp. 43928:328-43928:330.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

8801200411 Forwards revised pages to licensee 871009 proposed changes to License SNM-1067, per 871210 meeting w/ NRC. Affected pages listed.
SHEERAN, R.E. Combustion Engineering, Inc. 87/12/15. ROUSE, L.C. NRC - No Detailed Affiliation Given. 10pp. 44081:123-44081:132.

8712290104 Ack receipt of 871102 ltr informing NRC of steps taken to correct violations noted in Insp 70-1100/87-03 & 871009 ltr. Notification requested if NRC understanding incorrect re exam of equipment for proper posting, per 871124 telcon.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/18. MCGILL, P. Combustion Engineering, Inc. 1p. 43886:113-43886:116.

8712290110 Responds to NRC 871009 ltr re violations noted in Insp 70-1100/87-03. Corrective actions: each furnace posted w/ nuclear safety sign & positive restraint installed to keep fuel carts away from fuel storage rack.
MCGILL, P.L. Combustion Engineering, Inc. 87/11/02. MARTIN, T.T. Region 1, Ofc of the Director. 3pp. 43886:114-43886:116.

8801130279 Forwards Insp Rept 70-1100/87-06 on 871116-18. Addl example of violation previously identified in Insp Rept 70-1100/87-05 noted.
MARTIN, T.T. Region 1, Ofc of the Director. 87/12/18. MCGILL, P. Combustion Engineering, Inc. 2pp. 44044:005-44044:010.

8801130280 Insp Rept 70-1100/87-06 on 871116-18. Violation noted. Major areas inspected: allegations received in 871029 & 1105 telcons re documentation of exposure to airborne radioactive mists & receipt of radioactive mists, respectively.
GRESICK-CIOFFI, SHANBAKY, M.M. Region 1, Ofc of the Director. 87/12/14. 4pp. 44044:007-44044:010.

8801130281 Discusses 871009 allegation re employees reporting to workplace under influence of drugs & alcohol. Response requested re mgt policy to deter problems & implementation of policy.
PASCIAK, W. Region 1, Ofc of the Director. 87/12/18. MCGILL, P. Combustion Engineering, Inc. 1p. 44039:348-44039:349.

8801140311 Forwards Amend 11 to License SNM-1067, authorizing exemptions to 10CFR20.203(f) & 70.24(a)(1), per 871215 request. Condition 13 deleted.
ROUSE, L.C. Fuel Cycle Safety Branch. 88/01/04. SHEERAN, R.E. Combustion Engineering, Inc. 1p. 44031:157-44031:165.

8801140324 Amend 11 to License SNM-1067 for C.E. authorizing use of listed licensed mists, including 20,500 kg U-235, 10,000 kg U & 5 sources Pu-238.
ROUSE, L.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 88/01/04. 3pp. 44031:158-44031:161.

8801140329 SER recommending approval of licensee 871009 & 1216 applications for amend to License SNM-1067 re exemption to 10CFR20.203(f) & changes to criticality alarm sys.
BIOINGER, G.H., SWIFT, J.J. Fuel Cycle Safety Branch. 88/01/04. 2pp. 44031:162-44031:163.

8801140338 Advises that neither environ assessment nor EIS warranted for proposed action re 871215 request for amend to License SNM-1067 to eliminate labelling requirement for vessels/containers & change number of criticality detectors.
ROUSE, L.C. Fuel Cycle Safety Branch. 88/01/04. Fuel Cycle Safety Branch. 2pp. 44031:164-44031:165.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

8801260094 Requests that allowances be granted to certain SNM licensing requirements, per encl. Encl withheld (ref 10CFR2.790(d)). Fee paid.
WINSLOW, T.P. General Electric Co. 87/11/30. BRACH, E.W. Licensing Branch. 1p. 44139:011-44139:011.

ns be granted to certain requirements as described in
ig Fee will be submitted under separate cover. Encl with-
tric Co. 87/12/01. BRACH, E.W. Licensing Branch 1p.

USE ELECTRIC CORP., COLUMBIA, SC

ling fundamental nuclear mat control plan for commer-
plant located near Columbia, SC. Submittal of plan made
Encl withheld (ref 10CFR2.790).
cric Corp. 88/01/01. STOH, J.P. Region 2, Ofc of the
250.

NUCLEAR FUELS CORP., RICHLAND, WA

amend to License SNM-1227,ack change of
t certain release guidelines, providing latest guideline &
at calbr interval for dose rate instruments. Fee paid.
lear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 87/
Safety Branch. 15pp. 43896.009-43896.023.

33 request, Amend 1 to License SNM-1277. Amend rec-
ership & changes Condition 9 to include date of
y Branch. 88/01/04. MALODY, C.W. Advanced Nuclear
uclear Co., Inc.). 1p. 44049.058-44049.060.

ase SNM-1227 authorizing use of enriched U-235 & Pu
enses application dtd July 1987 & 871112 suppl.
rial & Medical Nuclear Safety (Post 870729). 88/01/04.

rg approval of 871112 application for amend to License
ship.
ety Branch. 88/01/04. 1p. 44049.058-44049.058.

l exclusion for 871203 licensee request for amend to
change in corporation shareholder. Per
essment or EIS not warranted.
ty Branch. 88/01/04. Fuel Cycle Safety Branch. 2pp.

ELECTRIC CO., SAN JOSE, CA

e notifications & correspondence re License SNM-2500
tl manager.
o. 87/11/09. ROBERTS, J. Fuel Cycle Safety Branch.

nnual consolidated SAR update. Future correspondence
gets due to retirement of EE Volland.
Co. 87/11/12. CUNNINGHAM, R.E. Office of Nuclear
Director. 1p. 44091.086-44091.089.

r of annual consolidated SAR update. No new info
r changes made.
ric Co. 87/11/16. CUNNINGHAM, R.E. Office of Nuclear
Director. 3pp. 44091.087-44091.089.

IAN DIEGO, CA

3 request for review of IRT Corp 871117 application for
storage vault at Callan Road facility. Sound basis exists
for requirements of 10CFR70.24.
uclear Material Safety & Safeguards, Director. 87/12/
; - No Detailed Affiliation Given. 2pp. 43929.002-

EAR, INC., FALLS CHURCH, VA

: shipment of SNM consisting of four Model JMF-83Y-
4TR fuel elements containing RQ radioactive mat, to
o. 87/11/08. HILLMAN, C. Division of Safeguards &
3pp. 43896.046-43896.050.

IGHT CO., PITTSBURGH, PA

vent 87 to NELIA Policy NF-226 & Endorsement 76 to
nents set advance premium for CY88.
ociates, Inc. 88/01/06. DINITZ, I. Office of Nuclear Re-
l 870411). 3pp. 44002.275-44002.277.

ALTH EDISON CO., CHICAGO, IL

nd to License SNM-1845, authorizing installation of Ci-
semblies prior to commencement of core loading.
lth Edison Co. 87/11/19. THOMPSON, H.L. Office of
guards, Director. 3pp. 44082.194-44082.196.

nd to License SNM-1945, authorizing installation & use
r, per encl marked-up Amend 1 to license.
lth Edison Co. 87/12/04. THOMPSON, H.L. Office of
guards, Director. 4pp. 44137.286-44137.289.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0481 MONROE X-RAY CO., INC.

8801070487 Advises that QA program approval for radioactive matl package 0481 ex-
pires on 870831. Renewal must be requested within 30 days of expiration. If renewal
not desired, NRC should be notified.
MACDONALD, C.E. Transportation Branch. 87/12/31. HEAD, T.G. Monroe X-Ray Co.,
Inc. 1p. 43945.283-43945.283.

DOCKET 71-0485 WASHINGTON PUBLIC POWER SUPPLY SYSTEM

8801080025 Forwards QA program approval for radioactive matl package: 0485, Rev 2.
MACDONALD, C.E. Transportation Branch. 88/01/05. SORESEN, G.C. Washington
Public Power Supply System. 1p. 43968.012-43968.013.

-8801080027 QA program approval for radioactive matl package: 0485, Rev 2.
MACDONALD, C.E. Transportation Branch. 88/01/05. 1p. 43968.013-43968.013.

DOCKET 71-0486 INTEC INSPECTION, INC.

8801080447 Advises that QA program approval for radioactive matl package: 0486 ex-
pired on 871130 & no longer valid. Company not authorized to transport or deliver li-
censed matl to carrier for transport under 10CFR71 general licenses provisions.
MACDONALD, C.E. Transportation Branch. 87/12/31. BAKER, T. Intec Corp. 1p.
43930.309-43930.309.

DOCKET 71-0487 ARMY, DEPT. OF

8801080022 Forwards QA program approval for radioactive matl package: 0487, Rev 2.
MACDONALD, C.E. Transportation Branch. 88/01/05. TARAS, D.N. Army, Dept. of,
White Sands Missile Range. 1p. 43968.007-43968.008.

-8801080023 QA program approval for radioactive matl package: 0487, Rev 2.
MACDONALD, C.E. Transportation Branch. 88/01/05. 1p. 43968.008-43968.008.

DOCKET 71-0489 SACRAMENTO MUNICIPAL UTILITY DISTRICT

8801200407 Application for renewal to QA program approval for radioactive
matl: 0489. Fee paid.
ANDOGNINI, G.C. Sacramento Municipal Utility District. 87/12/21. THOMPSON, H.L.
Office of Nuclear Material Safety & Safeguards, Director. 2pp. 44091.121-44091.122.

DOCKET 71-0491 MID-CON INSPECTION SERVICES, INC.

8801070148 Advises that QA program approval for radioactive matl package: 0491 ex-
pires on 880131. Renewal must be requested within 30 days of expiration date. NRC
should be notified if renewal not desired. Application fee must be included.
MACDONALD, C.E. Transportation Branch. 87/12/31. Mid-Con Inspection Services,
Inc. 1p. 43950.004-43950.004.

DOCKET 71-0616 MEMPHIS STATE UNIV.

8801080444 Advises that QA program approval for radioactive matl package: 0396 ex-
pired on 871130 & no longer valid. Univ not authorized to transport or deliver licensed
matl to carrier for transport under general licenses provisions.
MACDONALD, C.E. Transportation Branch. 87/12/31. RILEY, B. Memphis State Univ.,
Memphis, TN. 1p. 43930.308-43930.308.

DOCKET 71-0642 RTS TECHNOLOGY, INC.

8801210016 Application for approval of QA program, limiting activities to
procurement, use, maint & repair of Type B packages, per 871201 ltr & 871204
telcon. Revised QA program description re listed items encl. Complete QA program will
be submitted.
MUNRO, J.J. RTS Technology, Inc. 87/12/07. GORDON, L. Transportation Branch.
6pp. 44091.249-44091.254.

DOCKET 71-0643 BOOTH-TWINING, INC.

8801080030 Forwards QA program approval for radioactive matl package: 0643, Rev 0.
MACDONALD, C.E. Transportation Branch. 88/01/05. STOUGH, F. Boothe-Twinning, Inc.
1p. 43968.014-43968.015.

-8801080031 QA program approval for radioactive matl package: 0643, Rev 0.
MACDONALD, C.E. Transportation Branch. 88/01/05. 1p. 43968.015-43968.015.

DOCKET 71-0644 PACIFIC COAST TESTING SERVICE, INC.

8801080035 Forwards QA program approval for radioactive matl package: 0644, Rev 0.
MACDONALD, C.E. Transportation Branch. 88/01/05. ROBBINS, G. Pacific Coast Test-
ing Service, Inc. 1p. 43968.018-43968.019.

-8801080037 QA program approval for radioactive matl package: 0644, Rev 0.
MACDONALD, C.E. Transportation Branch. 88/01/05. 1p. 43968.019-43968.019.

194 DOCKETED ITEMS

DOCKET 71-0846 PLANT INSPECTION CO.

8801080032 Forwards QA program approval for radioactive mail package 0846, Rev 0. MACDONALD, C.E. Transportation Branch. 88/01/05. MCCORMICK, J. Plant Inspection Co. 1p. 43968.016-43968.017.

-8801080034 QA program approval for radioactive mail package 0846, Rev 0. MACDONALD, C.E. Transportation Branch. 88/01/05. 1p. 43968.017-43968.017.

DOCKET 71-0847 NORTHERN INSPECTION SERVICES, INC.

8801200386 Forwards description of QA program for shipping radioactive packages, for review. BAKER, T.P. Northern Inspection Services, Inc. 87/12/08. Office of Nuclear Material Safety & Safeguards, Director. 5pp. 44066.268-44066.271.

-8801200392 Requests fee for 871208 application for approval of QA program for radioactive mail packages. Total fee assessed will be based on actual NRC cost to process application & any contractual costs incurred. JACKSON, G. License Fee Management Branch. 87/12/30. BAKER, T.P. Northern Inspection Services, Inc. 1p. 44066.271-44066.271.

DOCKET 71-4986 MODEL: RA-2, RA-3, RA-J, GENERAL ELECTRIC CO.

8801200419 Requests registration as user of Advanced Nuclear Fuels Corp Model RA-3 fuel shipping containers. SILADY, J.A. Commonwealth Edison Co. 87/12/21. Office of Nuclear Material Safety & Safeguards, Director. 2pp. 44091.134-44091.135.

DOCKET 71-5814 MODEL: NRBK-41, -42 & -43, ENERGY, DEPT. OF

8801080033 Forwards Rev 5 to Certificate of Compliance 5814 for Models NRBK-42 & NRBK-43 shipping packages, per 870818 request. Div of Naval Reactors has been registered as user of shipping packages under 49CFR173.471. MACDONALD, C.E. Transportation Branch. 88/01/06. ENGEL, W.P. Energy, Dept. of. 1p. 43966.312-43966.316.

-8801080038 Certificate of Compliance, Rev 5, for Models NRBK-42 & NRBK-43. Approval record encl. MACDONALD, C.E. Transportation Branch. 88/01/06. 4pp. 43966.313-43966.316.

DOCKET 71-5939 MODEL: GE-1500, GENERAL ELECTRIC CO.

8801040514 Forwards Certificate of Compliance 5939, Rev 14, for Model 1500 shipping package. MACDONALD, C.E. Transportation Branch. 87/12/30. CUNNINGHAM, G.E. General Electric Co. 3pp. 43986.024-43986.030.

-8801040521 Certificate of Compliance 5939, Rev 14, for Model 1500 shipping package. Approval record encl. MACDONALD, C.E. Transportation Branch. 87/12/30. 4pp. 43986.027-43986.030.

8801050667 Notices of registration as user of Certificate of Compliance 5939 in response to 871124 request. MACDONALD, C.E. Transportation Branch. 87/12/30. JARRETT, R.D. Agriculture, Dept. of. 1p. 43911.038-43911.038.

DOCKET 71-5957 MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY

8801200423 Application for rev to Certificate of Compliance 5957, allowing package use for shipments of intact irradiated MTR or BRR-type fuel assemblies containing U enriched to nominal 93 w/o +0.3 in U-235 isotope. Fee paid. STRACK, R.A. Clinchem, Inc. 87/12/14. MACDONALD, C.E. Transportation Branch. 2pp. 44091.090-44091.091.

DOCKET 71-6272 MODEL: 8272, U.S. ECOLOGY, INC.

8801050146 Confirms licensee registration as user of Certificate of Compliance 8272, per 871123 request. MACDONALD, C.E. Transportation Branch. 87/12/30. OLSEN, A.F. Babcock & Wilcox Co. 1p. 43910.352-43910.352.

DOCKET 71-6406 MODEL: NONE, ENERGY, DEPT. OF

8801040374 Forwards Certificate of Compliance 6406, Rev 7, per 871110 request. MACDONALD, C.E. Transportation Branch. 87/12/30. ENGLE, W.P. Energy, Dept. of. 1p. 43895.341-43895.346.

-8801040379 Certificate of Compliance 6406, Rev 7. Approval record encl. MACDONALD, C.E. Transportation Branch. 87/12/30. 5pp. 43895.342-43895.346.

DOCKET 71-6441 MODEL: D2G POWER UNIT, ENERGY, DEPT. OF

8801050282 Forwards Rev 4 to Certificate of Compliance 6441 for Model D2G Power Unit. MACDONALD, C.E. Transportation Branch. 87/12/30. ENGEL, W.P. Energy, Dept. of. 1p. 43911.009-43911.013.

-8801050291 Certificate of Compliance 6441, Rev 4, for Model D2G Power Unit. Approval record encl. MACDONALD, C.E. Transportation Branch. 87/12/30. 4pp. 43911.010-43911.013.

DOCKET 71-6678 MODEL: LP-50, ENERGY, DEPT. OF

8801040430 Requests addl info re 870829 application for renewal of Certificate of Compliance 6678 & amend for Model LP-50. Consolidated application required Schedule for providing info requested within 30 days of ltr date. MACDONALD, C.E. Transportation Branch. 87/12/30. MAUCK, C.J. Energy, Dept. of. 2pp. 43896.005-43896.008.

DOCKET 71-6717 MODEL: 6717-B, GAMMA INDUSTRIES, INC.

8801210096 Application to reissue Certificates of Compliance 6717, 9128, 9127, 9128, 9133, 9135 & 9180 to Amersham Corp. ROUGHAN, C. Amersham Corp. 87/12/15. MACDONALD, C. Office of Nuclear Material Safety & Safeguards, Director. 1p. 44091.327-44091.344.

DOCKET 71-9032 MODEL: 650, TECH/OPS, INC.

8801050040 Registers recipient per 10CFR71.12 as user of Certificates of Compliance 9032 & 9033, per 871120 request. MACDONALD, C.E. Transportation Branch. 87/12/30. BREY, H.L. Public Service Co. of Colorado. 1p. 43910.335-43910.335.

8801050385 Registers recipient as user of Certificates of Compliance 9032 & 9033, per 871127 request. MACDONALD, C.E. Transportation Branch. 87/12/30. HEIKEN, D.S. Ultra Technology, Inc. 1p. 43911.019-43911.019.

DOCKET 71-9033 MODEL: 660 & 660E, TECH/OPS, INC.

8801050040 Registers recipient per 10CFR71.12 as user of Certificates of Compliance 9032 & 9033, per 871120 request. MACDONALD, C.E. Transportation Branch. 87/12/30. BREY, H.L. Public Service Co. of Colorado. 1p. 43910.335-43910.335.

8801050385 Registers recipient as user of Certificates of Compliance 9032 & 9033, per 871127 request. MACDONALD, C.E. Transportation Branch. 87/12/30. HEIKEN, D.S. Ultra Technology, Inc. 1p. 43911.019-43911.019.

DOCKET 71-9044 MODEL: GE-1600, GENERAL ELECTRIC CO.

8712020006 Final response to FOIA request for records App A documents encl App A & B documents available in PDR. GRIMSLEY, D. Division of Rules & Records (Post 870413). 87/11/25. AUDIN, L. Affiliation Not Assigned. 6pp. 43992.102-43992.116.

-8703100050 Informs that Model CNS-1-13C under Certificate of Compliance 9081 can be returned to svc. Rept re Model 1600 packaging (1-13G) should include details of any defects w/safety significance. MACDONALD, C.E. Transportation Certification Branch. 87/02/27. HOUSE, W. Chem-Nuclear Systems, Inc. 1p. 43992.117-43992.117.

DOCKET 71-9073 MODEL: OH-142 SERIES, NUCLEAR PACKAGING, INC.

8801070416 Informs that applications for renewal of listed Certificate of Compliance, including 9073, 9159, 9176, 9177, 9178 & 9179 should be submitted 30 days prior to expiration on 880331. MACDONALD, C.E. Transportation Branch. 87/12/31. FRAZER, W.H. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 1p. 43953.359-43953.359.

8801070478 Advises that Certificates of Compliance 9073, 9159, 9176, 9177, 9178 & 9179 will expire on 880331. Consolidated applications should be submitted at least 30 days prior to expiration date. MACDONALD, C.E. Transportation Branch. 87/12/31. TEMUS, C.J. Nuclear Packaging, Inc. 2pp. 43945.281-43945.282.

DOCKET 71-9074 MODEL: AP-100, ANEFCO, INC.

8801070458 Requests that application for renewal of Certificate of Compliance 9107 for Model AP-100 packaging be submitted 30 days prior to expiration date to ensure continued use of package. MACDONALD, C.E. Transportation Branch. 87/12/31. MURPHY, S.D. Anafco, Inc. 1p. 43953.126-43953.126.

DOCKET 71-9081 MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.

8712020006 Final response to FOIA request for records App A documents encl App A & B documents available in PDR. GRIMSLEY, D. Division of Rules & Records (Post 870413). 87/11/25. AUDIN, L. Affiliation Not Assigned. 6pp. 43992.102-43992.106.

-8703100050 Informs that Model CNS-1-13C under Certificate of Compliance 9081 can be returned to svc. Rept re Model 1600 packaging (1-13G) should include details of any defects w/safety significance. MACDONALD, C.E. Transportation Certification Branch. 87/02/27. HOUSE, W. Chem-Nuclear Systems, Inc. 1p. 43992.117-43992.117.

8801040047 Forwards nonproprietary Drawings C-110-E-0005, Rev D, Sheet 2 of 3 & C-110-E-0005, Rev D, Sheet 3 of 3, "CNS 1-13C Shipping Cask." PAQUIN, P.L. Chem-Nuclear Systems, Inc. 87/12/18. WILLIAMS, C. Office of Nuclear Material Safety & Safeguards, Director. 6pp. 43899.253-43899.260.

8801040391 Forwards Rev 9 to Certificate of Compliance 9081 for Model CNS 1-13C shipping package. MACDONALD, C.E. Transportation Branch. 87/12/30. KINTNER, S. Chem-Nuclear Systems, Inc. 5pp. 43895.347-43895.355.

9081 Rev 9 for Model CNS 1-13C shipping
Approval record encl.
MACDONALD, C.E. Transportation Branch. 87/12/30. 4pp. 43895:352-43895:355.

71-9086 MODEL: HN-100, SERIES 1, HITTMAN NUCLEAR &
MENT

0 Requests that application for renewal of Certificate of Compliance 9086 for
N-100 Series 1 packaging be submitted 30 days prior to expiration date to
continued use of package.
MACDONALD, C.E. Transportation Branch. 87/12/31. WALSH, P. Westinghouse Hitt-
man Corp. Inc. 1p. 43953:124-43953:124.

71-9100 MODEL: KKP-20-4950, KERR-MCGEE NUCLEAR CORP.

4 Application for renewal of Certificate of Compliance 9100 for Model KKP-
20 licensee address as stated. Renewal needed in time for purchase
transport packages. Fee paid.
R.J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 87/11/19.
MACDONALD, C.E. Transportation Branch. 8pp. 44139:259-44139:268.

38 Requests fee for 871110 application for renewal of Certificate of Compli-
ance.
N.G. License Fee Management Branch. 87/12/23. STAUTER, J.C. Sequoyah
Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 87/12/23. 2p. 44139:267-44139:267.

42 Remits fee for application for renewal of Certificate of Compliance
871223 request.
R.J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 88/01/13.
N.G. License Fee Management Branch. 1p. 44139:268-44139:268.

71-9107 MODEL: 771, TECH/OPS, INC.

3 Requests registration as user of Models 770 & 771, Amersham/ Tech/Ops,
T.W.C. General Dynamics Corp. 87/12/10. Office of Nuclear Material Safety
Director. 2pp. 43895:148-43895:160.

71-9119 MODEL: BAPL 5910 BROCQ, ENERGY, DEPT. OF

0 Forwards Rev 5 to Certificate of Compliance 9119 for Model BAPL 5910.
MACDONALD, C.E. Transportation Branch. 87/12/30. ENGEL, W.P. State, Dept. of. 1p.
1. 43928:344.

19 Certificate of Compliance 9119, Rev 5, for Model BAPL 5910. Approval
encl.
MACDONALD, C.E. Transportation Branch. 87/12/30. 3pp. 43928:342-43928:344.

71-9126 MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.

8 Application to reissue Certificates of Compliance 8717, 9126,
89133, 9135 & 9160 to Amersham Corp.
N.C. Amersham Corp. 87/12/15. MACDONALD, C. Office of Nuclear Material
Safety & Safeguards, Director. 1p. 44091:327-44091:344.

71-9127 MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.

6 Application to reissue Certificates of Compliance 8717, 9126,
89133, 9135 & 9160 to Amersham Corp.
N.C. Amersham Corp. 87/12/15. MACDONALD, C. Office of Nuclear Material
Safety & Safeguards, Director. 1p. 44091:327-44091:344.

71-9128 MODEL: C-8, GAMMA INDUSTRIES, INC.

8 Application to reissue Certificates of Compliance 8717, 9126,
89133, 9135 & 9160 to Amersham Corp.
N.C. Amersham Corp. 87/12/15. MACDONALD, C. Office of Nuclear Material
Safety & Safeguards, Director. 1p. 44091:327-44091:344.

71-9133 MODEL: C-10, GAMMA INDUSTRIES, INC.

8 Application to reissue Certificates of Compliance 8717, 9126,
89133, 9135 & 9160 to Amersham Corp.
N.C. Amersham Corp. 87/12/15. MACDONALD, C. Office of Nuclear Material
Safety & Safeguards, Director. 1p. 44091:327-44091:344.

71-9135 MODEL: CENTURY 8 & SA, GAMMA INDUSTRIES, INC.

8 Application to reissue Certificates of Compliance 8717, 9126,
89133, 9135 & 9160 to Amersham Corp.
N.C. Amersham Corp. 87/12/15. MACDONALD, C. Office of Nuclear Material
Safety & Safeguards, Director. 1p. 44091:327-44091:344.

71-9148 MODEL: 770, TECH/OPS, INC.

3 Requests registration as user of Models 770 & 771, Amersham/ Tech/Ops,
T.W.C. General Dynamics Corp. 87/12/10. Office of Nuclear Material Safety
Director. 2pp. 43895:148-43895:160.

71-9159 MODEL: NUPAC 14/190L, M & H, NUCLEAR PACKAGING, INC.

9 Requests registration as user of Chem-Nuclear Sys Inc Model CNS-14-

8801200449 Requests registration as user of Model CNS 14-190L.
KNAPP, W.J. Philadelphia Electric Co. 87/12/21. MACDONALD, C.E. Office of Nuclear
Material Safety & Safeguards, Director. 2pp. 44091:060-44091:061.

8801070415 Informs that applications for renewal of listed Certificate of
Compliance, including 9073, 9159, 9176, 9177, 9178 & 9179 should be submitted 30
days prior to expiration on 880331.
MACDONALD, C.E. Transportation Branch. 87/12/31. FRAZER, W.H. LN Technologies
Corp. (formerly London Nuclear Svcs, Inc.). 1p. 43953:359-43953:360.

8801070478 Advises that Certificates of Compliance 9073, 9159, 9176, 9177, 9178 &
9179 will expire on 880331. Consolidated applications should be submitted at least 30
days prior to expiration date.
MACDONALD, C.E. Transportation Branch. 87/12/31. TEMUS, C.J. Nuclear Packaging,
Inc. 2pp. 43945:281-43945:282.

DOCKET 71-9160 MODEL: 20-VS & 40-VS, GULF NUCLEAR, INC.

8801210098 Application to reissue Certificates of Compliance 8717, 9126,
9127, 9128, 9133, 9135 & 9160 to Amersham Corp.
ROUGHAN, C. Amersham Corp. 87/12/15. MACDONALD, C. Office of Nuclear Material
Safety & Safeguards, Director. 1p. 44091:327-44091:344.

DOCKET 71-9166 MODEL: 884, TECH/OPS, INC.

8801080013 Forwards Rev 2 to Certificate of Compliance 9166 for Model 884 shipping
package.
MACDONALD, C.E. Transportation Branch. 88/01/05. ROUGHAN, C. Amersham Corp.
1p. 43967:168-43967:171.

--8801080017 Certificate of Compliance 9166, Rev 2, for Model 884 shipping
container. Approval record encl.
MACDONALD, C.E. Transportation Branch. 88/01/05. 3pp. 43967:168-43967:171.

DOCKET 71-9167 MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.

8801070179 Informs that application for renewal of Certificate of Compliance 9167 for
Models 3206B, 3227B & 3218 packages should be submitted 30 days prior to expi-
ration on 880331 to ensure continued use of packages.
MACDONALD, C.E. Transportation Branch. 87/12/31. BAGBY, L.A. Amersham Corp.
1p. 43953:354-43953:354.

DOCKET 71-9188 MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.

8801210165 Requests registration as user of Model CNS 8-120B. Future info re package
should be sent to K Hunt at listed address.
KNAPP, W.J. Philadelphia Electric Co. 87/12/11. MACDONALD, C.E. Transportation
Branch. 2pp. 44092:112-44092:113.

8801200427 Requests registration as user of Chem-Nuclear Sys, Inc Model CNS 8-120B
radioactive mail shipping cask.
KNAPP, W.J. Philadelphia Electric Co. 87/12/21. MACDONALD, C.E. Office of Nuclear
Material Safety & Safeguards, Director. 2pp. 44091:078-44091:080.

8801050134 Confirms registration of licensee as user of Certificate of Compliance
9169, per 871202 request.
MACDONALD, C.E. Transportation Branch. 87/12/30. TOY, H.L. Battelle Memorial In-
stitute, Columbus Laboratories. 1p. 43910:351-43910:351.

DOCKET 71-9176 MODEL: NUPAC 14/210L & 14/210H, NUCLEAR PACKAGING,
INC.

8801210041 Requests registration as user of Model CNS 14-215H.
KNAPP, W.J. Philadelphia Electric Co. 87/12/11. MACDONALD, C.E. NRC - No De-
tailed Affiliation Given. 2pp. 44092:091-44092:092.

8801200405 Requests registration as user of Model CNS 14-215H.
KNAPP, W.J. Philadelphia Electric Co. 87/12/21. MACDONALD, C.E. NRC - No De-
tailed Affiliation Given. 2pp. 44091:119-44091:120.

8801070160 Requests that application for renewal of Certificate of Compliance 9176 for
Model CNS 14-215H Series A packaging be submitted 30 days prior to expiration
date to ensure continued use of package.
MACDONALD, C.E. Transportation Branch. 87/12/31. KINTNER, S. Chem-Nuclear Sys-
tems, Inc. 1p. 43953:347-43953:347.

8801070415 Informs that applications for renewal of listed Certificate of
Compliance, including 9073, 9159, 9176, 9177, 9178 & 9179 should be submitted 30
days prior to expiration on 880331.
MACDONALD, C.E. Transportation Branch. 87/12/31. FRAZER, W.H. LN Technologies
Corp. (formerly London Nuclear Svcs, Inc.). 1p. 43963:359-43963:359.

8801070478 Advises that Certificates of Compliance 9073, 9159, 9176, 9177, 9178 &
9179 will expire on 880331. Consolidated applications should be submitted at least 30
days prior to expiration date.
MACDONALD, C.E. Transportation Branch. 87/12/31. TEMUS, C.J. Nuclear Packaging,
Inc. 2pp. 43945:281-43945:282.

DOCKET 71-9177 MODEL: NUPAC 10/140, NUCLEAR PACKAGING, INC.

8801070415 Informs that applications for renewal of listed Certificate of
Compliance, including 9073, 9159, 9176, 9177, 9178 & 9179 should be submitted 30

8801070478 Advises that Certificates of Compliance 9073,9159,9176,9177, 9178 & 9179 will expire on 880331.Consolidated applications should be submitted at least 30 days prior to expiration date.
MACDONALD,C.E. Transportation Branch. 87/12/31. TEMUS,C.J. Nuclear Packaging, Inc. 2pp. 43945 281-43945 282.

DOCKET 71-9178 MODEL: NUPAC 7/100, NUCLEAR PACKAGING, INC.

8801070415 Informs that applications for renewal of listed Certificate of Compliance,including 9073,9159,9176,9177,9178 & 9179 should be submitted 30 days prior to expiration on 880331.
MACDONALD,C.E. Transportation Branch. 87/12/31. FRAZER,W.H. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 1p. 43953 359-43953 359.

8801070478 Advises that Certificates of Compliance 9073,9159,9176,9177, 9178 & 9179 will expire on 880331.Consolidated applications should be submitted at least 30 days prior to expiration date.
MACDONALD,C.E. Transportation Branch. 87/12/31. TEMUS,C.J. Nuclear Packaging, Inc. 2pp. 43945 281-43945 282.

DOCKET 71-9179 MODEL: NUPAC 8/100L & 8/100H, NUCLEAR PACKAGING, INC.

8801070415 Informs that applications for renewal of listed Certificate of Compliance,including 9073,9159,9176,9177,9178 & 9179 should be submitted 30 days prior to expiration on 880331.
MACDONALD,C.E. Transportation Branch. 87/12/31. FRAZER,W.H. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 1p. 43953 359-43953 359.

8801070478 Advises that Certificates of Compliance 9073,9159,9176,9177, 9178 & 9179 will expire on 880331.Consolidated applications should be submitted at least 30 days prior to expiration date.
MACDONALD,C.E. Transportation Branch. 87/12/31. TEMUS,C.J. Nuclear Packaging, Inc. 2pp. 43945 281-43945 282.

DOCKET 71-9193 MODEL: NES-5, NUCLEAR ENERGY SERVICES, INC.

8801260460 Submits supplemental info re 870911 request to revise SAR for NES-5 transport package.
ELY,P. Nuclear Energy Services, Inc. 88/01/11. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 4pp. 44150 014-44150 027.

-8801260493 Revised pages to Rev 7 to "SAR for Model NES-5 Package to 10CFR71 Type B(U) Packaging Requirements."
* Nuclear Energy Services, Inc. 85/03/31. 11pp. 44150 018-44150 027.

DOCKET 71-9200 MODEL: 125-B, ENERGY, DEPT. OF

8712020006 Final response to FOIA request for records App A documents encl.App A & B documents available in PDR.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 87/11/25. AUDIN,L. Affiliation Not Assigned. 6pp. 43992 102-43992 108.

-8807220330 Updates info re fabrication of NUPAC Model 125-B Cask 2.Task force review indicated that 7/16-inch linear indication, previously reported as zone of incomplete penetration,is slag & meets ASME radiographic acceptance stds.
GRIMSLEY,D. Div of QA,Vendor & Technical Training Center Programs,IE (850212-870413). 88/07/16. CUNNINGHAM,R.E. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 43992 112-43992 112.

DOCKET 71-9208 MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.

8801050205 Forwards Rev 3 to Certificate of Compliance 9208 for Model 10-142.
MACDONALD,C.E. Transportation Branch. 87/12/30. TEMUS,C.J. Nuclear Packaging, Inc. 3pp. 43910 290-43910 297.

-8801050209 Certificate of Compliance 9208,Rev 3,for Model 10-142. Approval record encl.
MACDONALD,C.E. Transportation Branch. 87/12/30. 4pp. 43910 294-43910 297.

DOCKET 71-9216 MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.

8801050023 Notification of registration as user of Certificate of Compliance 9216,in response to 871120 request.
MACDONALD,C.E. Transportation Branch. 87/12/30. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 1p. 43910 333-43910 333.

8801050025 Notification of registration as user of Certificate of Compliance 9216,in response to 871124 request.
MACDONALD,C.E. Transportation Branch. 87/12/30. NEAL,T.P. Consumers Power Co. 1p. 43910 334-43910 334.

8801050247 Forwards Rev 1 to Certificate of Compliance 9216 for Model CNS 1-13G shipping package.
MACDONALD,C.E. Transportation Branch. 87/12/30. KINTNER,S. Chem-Nuclear Systems, Inc. 2pp. 43911 001-43911 008.

-8801050258 Certificate of Compliance 9216,Rev 1,for Model CNS 1-13G shipping cask.
MACDONALD,C.E. Transportation Branch. 87/12/30. 6pp. 43911 003-43911 008.

8801060452 Notices of registration as user of Certificate of Compliance 9216,in response to 871124 request.
MACDONALD,C.E. Transportation Branch. 87/12/31. MROCK, J. Nuclear Energy Co. (subs. of Northeast Utilities). 1p. 43930 313-43930 313.

DOCKET 71-9220 MODEL: 884, AMERSHAM CORP.

8801210076 Application for Certificate of Compliance 9220 for Model 884 Type B cask.
encl.Fee paid.
ROUGHAN,C.M. Amersham Corp. 87/09/02. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards,Director. 71pp. 44092 019-44092 039.

-8801210086 Forwards application fee for Model 884 Type B cask.
Check 10923,thought to be submitted w/initial application did not arrive.
ROUGHAN,C.M. Amersham Corp. 87/12/22. JACKSON,G. Liaison Branch. 1p. 44092 090-44092 090.

DOCKET 71-9221 MODEL: NRBK-41, ENERGY, DEPT. OF

8801080041 Forwards Certificate of Compliance,Rev 0 for Model NRBK-41.
package.Certificate expiration date of 910430 provides time to submit application specifically addressing package.
MACDONALD,C.E. Transportation Branch. 88/01/08. ENGEL, J. 1p. 43966 319-43966 325.

-8801080043 Certificate of Compliance 9221,Rev 0,for Model NRBK-41.
record encl.
MACDONALD,C.E. Transportation Branch. 88/01/08. 6pp. 43966 319-43966 325.

DOCKET 71-9783 MODEL: S5W ITR, ENERGY, DEPT. OF

8801050048 Forwards Rev 3 to Certificate of Compliance 9783 for Model S5W ITR.
MACDONALD,C.E. Transportation Branch. 87/12/30. ENGEL, J. 1p. 43910 336-43910 340.

-8801050056 Certificate of Compliance 9783,Rev 3,for Model S5W ITR.
record encl.
MACDONALD,C.E. Transportation Branch. 87/12/30. 4pp. 43910 336-43910 340.

DOCKET 71-9788 MODEL: S5W REACTOR COMPARTMENT,

8801050305 Forwards Rev 2 to Certificate of Compliance 9788 for Model S5W Reactor Compartment.
MACDONALD,C.E. Transportation Branch. 87/12/30. ENGEL, J. 1p. 43911 014-43911 017.

-8801050310 Certificate of Compliance 9788,Rev 2,for Model S5W Reactor Compartment.Approval record encl.
MACDONALD,C.E. Transportation Branch. 87/12/30. 3pp. 43911 014-43911 017.

DOCKET 71-9791 MODEL: PWR-2, ENERGY, DEPT. OF

8801050244 Forwards Rev 2 to Certificate of Compliance 9791 for Model PWR-2.
MACDONALD,C.E. Transportation Branch. 87/12/30. ENGEL, J. 1p. 43910 353-43910 357.

-8801050257 Certificate of Compliance 9791,Rev 2,for Model PWR-2.
encl.
MACDONALD,C.E. Transportation Branch. 87/12/30. 4pp. 43910 353-43910 357.

LICENSING OF INDEPENDENT SPENT FUEL

DOCKET 72-0001 MORRIS OPERATIONS, GENERAL ELECTRIC

8801200436 Requests that future notifications & correspondence be addressed to TE Ingels,plant manager.
KING,C.E. General Electric Co. 87/11/09. ROBERTS,J. Fuel Cycle Branch. 2pp. 44081 092-44081 093.

8801200396 Forwards draft of annual consolidated SAR update for Model PWR-2.
should be addressed to TE Ingels due to retirement of EE Vol.
BORST,G.T. General Electric Co. 87/11/12. CUNNINGHAM,R.E. Office of Nuclear Material Safety & Safeguards,Director. 1p. 44081 086-44081 086.

-8801200409 Discusses review of annual consolidated SAR update for Model PWR-2.
obtained,activities conducted or changes made.
JANECEK,D.L. General Electric Co. 87/11/16. CUNNINGHAM,R.E. Office of Nuclear Material Safety & Safeguards,Director. 3pp. 44081 087-44081 087.

DOCKET 72-0002 VIRGINIA ELECTRIC & POWER CO.

8801110327 Confirms telcon during 871007 meeting re util Interim SAR amendment & proposed Tech Spec change under 10CFR72 that will be made at plant ISFSI Joint meeting w/NRC & GNSI request.
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). Control Branch (Document Control Desk). 2pp. 43971 246-43971 246.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

8801140095 Staff requirements memo re 871217 periodic briefing in Washington, DC on status of operating reactors & fuel facilities.
 CHILK, S.J. Office of the Secretary of the Commission. M871217. 88/01/12.
 STELLO, V. Ofc of the Executive Director for Operations. 2pp. 44033:183-44033:184

8801190045 Transcript of Commission 880107 briefing in Washington, DC re status of main program & policy statement/advance notice of proposed rulemaking Pp 1-75. Viewgraphs encl.
 * Commissioners. 88/01/07. 85pp. 44053:023-44053:107

8801190097 Staff requirements memo re Commission 871119 briefing in Washington, DC re equal employment opportunity (EEO) program. Commission requests info paper outlining EEO training programs & how they fulfill needs of Commission.
 CHILK, S.J. Office of the Secretary of the Commission. M871119. 88/01/05.
 STELLO, V. Ofc of the Executive Director for Operations. 3pp. 44052:349-44052:351.

8801190159 Transcript of 880106 briefing in Washington, DC re status of NRC Internal Drug program Pp 1-49. Supporting documentation encl.
 * Commissioners. 88/01/06. 58pp. 44053:291-44053:349

8801280148 Transcript of 880120 briefing on NRC Technical Training Program in Washington, DC Pp 1-56. Supporting documentation encl.
 * Commissioners. 88/01/20. 179pp. 44174:211-44175:026.

8801280881 Transcript of 880120 briefing on status of plant restart in Washington, DC Pp 1-59. Viewgraphs encl.
 * Commissioners. 88/01/20. 72pp. 44172:288-44172:359

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

712110267 Endorses publication of draft FR notice revising ASB 3-1 of SRP 3.6.1 re arbitrarily postulated jet impingement effects in break exclusion zone, per ES Beckford approval request.
 KERR, W. ACRS - Advisory Committee on Reactor Safeguards. 87/12/08. STELLO, V. Ofc of the Executive Director for Operations. 2pp. 44032:138-44032:138.

712110276 Expresses perplexity re 871007 memo concluding that tanks & support structures do not pose safety problems. Structural steel embrittlement present. Recommends answers to listed questions.
 KERR, W. ACRS - Advisory Committee on Reactor Safeguards. 87/12/08. STELLO, V. Ofc of the Executive Director for Operations. 3pp. 44032:136-44032:137.

712220033 Transcript of ACRS Subcommittee on Generic Items 871216 meeting in Washington, DC Pp 1-128. Related info encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 87/12/16. 166pp. 43792:288-43793:083

801130014 Transcript of ACRS 880105 meeting in Washington, DC re reactor operations Pp 168-192. W/o Pp 130-167 (closed session).
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/05. 27pp. 44030:121-44030:147.

801130016 Transcript of ACRS Subcommittee on Reactor Operations 880105 hearing in Washington, DC Pp 1-129.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/05. 131pp. 44039:213-44039:343.

801140043 Transcript of ACRS 333rd general meeting on 880108 in Washington, DC Pp 192-328. Supporting documentation encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/08. 200pp. 44029:080-44029:261.

801140057 Transcript of ACRS 333rd general meeting on 880107 in Washington, DC Pp 1-150. Supporting documentation encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/07. 225pp. 44042:353-44043:202.

801140063 Transcript of ACRS 333rd general meeting on 880107 in Washington, DC Pp 151-191. Supporting documentation encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/07. 45pp. 44038:350-44039:042.

801190157 Transcript of ACRS 880108 meeting in Washington, DC re advanced reactor designs Pp 1-256.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/08. 250pp. 44064:179-44065:077.

801270036 Transcript of ACRS 880121 meeting in Washington, DC re waste mgmt. Pp 139-229. Supporting documentation encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/21. 149pp. 44169:335-44170:122.

801270046 Transcript of ACRS 880121 meeting in Washington, DC re waste mgmt. Pp 1-138. Related documentation encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/21. 169pp. 44169:113-44169:281.

801270052 Summary of ACRS 330th meeting on 871008-10 in Washington, DC.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 68pp. 44149:140-44149:188.

801270107 Discusses semiannual 203D meeting on 870518-21 in Mannheim, Germany. Meeting attended by representatives from US, Germany & Japan. Upper Plenum test facility completed & ready for use.
 CATTON, I. NRC - No Detailed Affiliation Given. 87/11/08. BOEHNERT, P. NRC - No Detailed Affiliation Given. 5pp. 44154:346-44154:350.

801270119 Requests that encl listing of ACRS documents be forwarded to PDR & that item 12 of list be changed to read ACRS-2630.
 IARNARDE, ACRS - Advisory Committee on Reactor Safeguards. 88/01/22.
 ACKNIGHT, J. NRC - No Detailed Affiliation Given. 2pp. 44153:360-44153:361.

8801270122 Summary of 870817-19 meetings of ACRS Subcommittee on Waste Mgt in Washington, DC re listed topics. Related documents encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 87/10/08. ACRS - Advisory Committee on Reactor Safeguards. 54pp. 44155:029-44155:082.

8801270137 Submits comments on 870804 ACRS thermal hydraulic phenomena subcommittee meeting in Washington, DC. Comments focus on water hammer in nuclear plants & NRC thermal-hydraulic research program.
 TIEN, C. California, Univ. of, Berkeley, CA. 87/09/14. BOEHNERT, P. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 44154:355-44154:356.

8801270177 Summary of ACRS Technical Program Committee 871030 meeting re no-dalization.
 CATTON, I. ACRS - Advisory Committee on Reactor Safeguards. 87/11/30.
 BOEHNERT, P. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 44154:357-44154:358.

8801270180 Summarizes ACRS 333rd meeting on 880107-08 in Washington, DC. Committee provided comments re membership per 871215 request.
 KERR, W. ACRS - Advisory Committee on Reactor Safeguards. 88/01/20. ZECH, L.W. Commissioners. 4pp. 44149:245-44149:248.

8801270187 Summary of ACRS Subcommittee on Generic Items 871216 meeting w/utl in Washington, DC re effectiveness of NRC process that deals w/generic issues & USIs. Viewgraphs & presentation schedule encl.
 * ACRS - Advisory Committee on Reactor Safeguards. IEC-78-08. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 42pp. 44149:249-44149:290.

8801270220 Summary of 871103 meeting of ACRS Subcommittee on Systematic Assessment of Experience in Washington, DC re AEOD role in helping NRC learn from operating experience. List of tentative topics for discussion encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 87/11/24. ACRS - Advisory Committee on Reactor Safeguards. 8pp. 44149:341-44149:348.

8801270222 Minutes of 331st ACRS 871105-07 meetings in Washington, DC. List of attendees, future agenda, subcommittee activities & related documentation encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 30pp. 44149:291-44149:339.

8709020420 Submits description of specific technical safety issues applicable to B&W plants & ongoing reassessment by NRC & B&W Owners Group, per Zech 870803 request. Listing not necessarily complete.
 BASDEKAS, D.L. Reactor & Plant Safety Issues Branch. 87/08/14. KERR, W. ACRS - Advisory Committee on Reactor Safeguards. 20pp. 44149:320-44149:338.

8801270247 Comments on revised corporate nuclear performance plan to suppl Ltr Rept CT-1901.
 BARTON, P.H. ACRS - Advisory Committee on Reactor Safeguards. 87/11/24.
 WYLIE, C.J. ACRS - Advisory Committee on Reactor Safeguards. 3pp. 44155:001-44155:003.

8801270259 Summary of ACRS DHR Sys Subcommittee 871117 meeting in Washington, DC re util decision not to install dedicated b/cdown sys at Davis Bosse & implications of Diablo Canyon loss of shutdown cooling event. Viewgraphs encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 87/12/15. ACRS - Advisory Committee on Reactor Safeguards. 18pp. 44155:118-44155:135.

8801270267 Submits general comments on 871021-23 3rd ICAP specialist meeting in Bethesda, MD. Code development & improvement discussed.
 CATTON, I. ACRS - Advisory Committee on Reactor Safeguards. 87/11/14.
 BOEHNERT, P. NRC - No Detailed Affiliation Given. 5pp. 44149:349-44149:353

8801270284 Proposed summary of ACRS Subcommittee on Advanced Reactor Designs 870825-26 meetings w/NRC, GE, DOE & ANL in Idaho Falls, ID re problems pertaining to design, const & operation of liquid metal reactors.
 * ACRS - Advisory Committee on Reactor Safeguards. 87/09/10. ACRS - Advisory Committee on Reactor Safeguards. 12pp. 44150:001-44150:012.

8801270295 Summary of ACRS Regional Programs Subcommittee 870828 meeting w/ NRC Region V re review of activities under control of NRC Region V. Viewgraphs encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 38pp. 44155:152-44155:189.

8801270457 Summary of ACRS 332nd meeting on 871203-04 in Washington, DC. Items proposed for consideration during ACRS 880107-09 meeting listed.
 KERR, W. ACRS - Advisory Committee on Reactor Safeguards. 87/12/11. ZECH, L.W. Commissioners. 4pp. 44155:214-44155:217.

8801270460 Summary of NUREG-1160 Review Panel 870915-17 meetings in Los Angeles, CA re IDCOR & EPRI programs.
 CATTON, I. ACRS - Advisory Committee on Reactor Safeguards. 87/11/10.
 HOUSTON, D. ACRS - Advisory Committee on Reactor Safeguards. 4pp. 44155:218-44155:221.

8801270480 Provides comments on NRC 871022-23 meeting in Silver Spring, MD re severe fuel damage, containment loads & source term partners. Concentration of comments on technical content of talks.
 CORRADINI, M.L. Wisconsin, Univ. of, Madison, WI. 87/10/27. KERR, W. Michigan, Univ. of, Ann Arbor, MI. 8pp. 44165:301-44165:308.

8801270539 Summary of ACRS Thermal Hydraulic Phenomena Subcommittee 871118-19 meetings in Washington, DC re key elements of NRC-RES 5-yr thermal hydraulic research program. Attendance list & viewgraphs encl.
 * ACRS - Advisory Committee on Reactor Safeguards. 87/12/01. ACRS - Advisory Committee on Reactor Safeguards. 43pp. 44155:300-44155:351.

8801270546 Summary of ACRS Subcommittee on Metal Components & Thermal Hydraulic Phenomena 871215 meeting w/VEPCO & Westinghouse in Washington, DC re steam generator tube rupture failure & DL Johnson comments on criteria for ECCS rule.
 * ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 14pp. 44149:030-44149:039.

8801270602 Summary of 871216 meeting of ACRS Subcommittee on Reliability Assurance in Washington, DC re equipment qualification risk scoping study.
* ACRS - Advisory Committee on Reactor Safeguards 88/01/05. ACRS - Advisory Committee on Reactor Safeguards. 8pp. 44168-012-44168-019.

8801270822 Discusses closure of large break LOCA issue & QA rept. Three important elements necessary to protect public health & safety include proper const. proper maint. & proper operation of nuclear power plant.
PLESSET, M.S. ACRS - Advisory Committee on Reactor Safeguards. 88/01/04.
BOEHNET, P. ACRS - Advisory Committee on Reactor Safeguards. 1p. 44156-020-44156-020

8801280063 Summary of ACRS Subcommittee on Safety Philosophy, Technology, & Criteria 871202 meeting in Washington, DC re NRC proposed implementation plan for safety goal policy statement. Proposed agenda & viewpoints encl.
* ACRS - Advisory Committee on Reactor Safeguards. 87/12/17. ACRS - Advisory Committee on Reactor Safeguards. 18pp. 44173-257-44173-274.

8801280077 Summary of ACRS Subcommittee on Quality & QA in Design & Const 871124 meeting in Washington, DC. Notice of meeting, tentative meeting agenda & list of hardouts encl.
* ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 12pp. 44173-275-44173-286.

8801280241 Transcript of ACRS Subcommittee on Thermal Hydraulic Phenomena 880120 meeting in Los Alamos, NM. Pp 1-312. Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards 88/01/20. 314pp. 44147-303-44148-257.

8801280242 Transcript of ACRS 880121 meeting re thermal hydraulic phenomena in Los Alamos, NM. Pp 313-538.
* ACRS - Advisory Committee on Reactor Safeguards. 88/01/21. 228pp. 44148-027-44148-255.

8801280244 Transcript of ACRS Subcommittee on Waste Mgt 880122 meeting in Washington, DC. Pp 230-404. Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. 174pp. 44146-258-44147-302.

8801280601 Summary of ACRS Subcommittee TVA Organizational Issues 871104 meeting w/ NRC & util in Washington, DC re actions being taken on plant restart issues.
* ACRS - Advisory Committee on Reactor Safeguards. 87/12/03. ACRS - Advisory Committee on Reactor Safeguards. 6pp. 44173-234-44173-239.

ADVCM NRC ADVISORY COMMITTEE

8712180352 Forwards, for review, minutes from High Level Waste Licensing Support Sys Advisory Committee 871119-20 meetings & proposed agenda for 871214-15 meeting in Washington, DC. Encls include attendee list & 870916-17 minutes. W/o 871119-20 minutes.
BELLMAN, H. Conservation Foundation. 87/12/07. High Level Waste Licensing Support System Advisory Committee. 125pp. 43951-282-43952-046.

8801280397 Draft summary of High Level Waste Licensing Support Sys Advisory Committee 871015-16 meetings in Arlington, VA. Viewgraphs & list of attendees encl.
* High Level Waste Licensing Support System Advisory Committee. 87/10/26. High Level Waste Licensing Support System Advisory Committee. 50pp. 44175-040-44175-089.

COMMISSION NRC COMMISSIONERS

8712300261 Responds to 870922 ltr forwarding GAO rept on nuclear safety. NRC regulations & requirements & regulatory programs for insp & enforcement adequate to assure protection of public health & safety.
ZECH, L.W. Commissioners. 87/12/22. D'AMATO, A.M. Senate. 8pp. 44032-119-44032-130.

8801050097 Weekly info rept for wk ending 871224.
REHM, T.A. Oic of the Executive Director for Operations. 87/12/30. 22pp. 43910-311-43910-332.

880110488 Weekly info rept for wk ending 871231.
REHM, T.A. Oic of the Executive Director for Operations. 88/01/08. 13pp. 43978-229-43978-241.

8801130288 Responds to 871014 ltr to DOE forwarding E Wells ltr re concerns about effect of conventional bomb hitting nuclear reactor during war. All reactors required to protect against radiological sabotage, including external assault.
STELLO, V. Oic of the Executive Director for Operations. 87/12/29.
LAGOMARSINO, R. House of Rep. 7pp. 44008-123-44008-133.

8801130394 Responds to 871217 ltr forwarding rept re plant emergency preparedness & expressing concern on number of emergency preparedness & plant-related issues that remain unresolved at plant. Plant will not restart until issues addressed.
ZECH, L.W. Commissioners. 88/01/08. DUKAKIS, M.S. Massachusetts, Commonwealth of. 2pp. 44172-070-44172-114.

8801130406 Forwards CV Barry rept on emergency preparedness at plant. Concern expressed that listed issues, including development of procedures for assisting special needs populations & PRA should be addressed. Adjudicatory hearing suggested.
DUKAKIS, M.S. Massachusetts, Commonwealth of. 87/12/17. ZECH, L.W. Commissioners. 39pp. 44172-078-44172-112.

8801280269 Advises that Commonwealth of MA has determined that exposure plume pathway should be reconfigured. EPZ will include entirety of Carver & Marshfield. Portions of other towns, within 10-mile radius, will also be included.
BOULAY, R.J. Massachusetts, Commonwealth of. 87/07/24. RUSSELL, W.T. Region 1, Oic of the Director. 2pp. 44172-113-44172-114.

8801130414 Advises that reconfiguration of plume exposure EPZ for plant to include towns of Carver & Marshfield deferred to enable priority attention be given to efforts w/ current EPZ communities, per 870724 request.
RUSSELL, W.T. Region 1, Oic of the Director. 87/09/29. BOULAY, R.J. Massachusetts, Commonwealth of. 10pp. 69185-237-69185-246.

8801130417 Advises that due to nature of investigations of nuclear power plants, accompaniment would not be permitted, per 820824 request to accompany NRC regional or resident inspectors on insps of plants in Commonwealth of PA. Related info encl.
HAYNES, R.C. Region 1, Oic of the Director. 87/11/05. GERUSKY, T.M. Pennsylvania, Commonwealth of. 14pp. 44172-125-44172-138.

8801130432 Confirms general agreement reached as result of meetings w/ Berkowitz re surveillance of nuclear power plants operating in State of NJ. State officials may attend as observers, at NRC enforcement conferences & meetings w/ licensees.
RUSSELL, W.T. Region 1, Oic of the Director. 87/07/13. DEWILING, R.T. New Jersey, State of. 17pp. 44172-139-44172-155.

8801140260 Forwards draft bill legislative proposal to amend Section 229.a of 1954 Atomic Energy Act. Bill makes possession of any dangerous weapons or explosives w/o authorization in NRC regulated facilities federal crime.
ZECH, L.W. Commissioners. 87/01/15. BUSH, G.H. House of Rep. 7pp. 44031-250-44031-268.

8801140263 Responds to 871028 request for rept on circumstances surrounding disposition of inside NRC 850607 FOIA request. Error made while processing request. Predecisional mail not routinely made public.
ZECH, L.W. Commissioners. 87/12/23. BREAU, J.B. Senate, Environment & Public Works. 2pp. 44031-257-44031-261.

8801140280 Discusses denial of FOIA request for record already made publicly available. Document Control Sys would have indicated SECY-85-149 was publicly available if accessed by Div of Rules & Records.
PARLER, W.C. Office of the General Counsel. 87/10/28. ZECH, L.W. Commissioners. 3pp. 44031-259-44031-261.

8801140288 Requests that DOE package designs be reviewed & approved through DOE certification process prior to submittal to NRC, due to increased interest in obtaining NRC certification. DOE assignment of priority to package applications requested.
ZECH, L.W. Commissioners. 87/12/18. HERRINGTON, J.S. Energy, Dept. of. 4pp. 44031-209-44031-212.

8801140332 Forwards draft bill to modify Section 236 of Atomic Energy Act of 1954 to make sabotage or attempting to sabotage nuclear production or utilization facility during const when action, if undetected, could threaten health & safety.
ZECH, L.W. Commissioners. 87/01/15. BUSH, G.H. Senate, President of the Senate. 8pp. 44031-167-44031-174.

8801140335 Forwards NRC draft bill to amend Section 206 of Energy Reorganization Act of 1974. Bill makes firm accountable for failure to notify Commission re defect that could create safety hazard. Analysis, comparative text & explanation encl.
ZECH, L.W. Commissioners. 87/01/15. BUSH, G.H. Senate, President of the Senate. 16pp. 44031-175-44031-190.

8801140371 Responds to 871113 ltr expressing concerns re adequacy of util commitment to excellence action plan & info on NRC actions in response to Governor Schaefer 871015 ltr. Revised plan requested from util. NRC response to Schaefer ltr encl.
ZECH, L.W. Commissioners. 87/12/30. MIKULSKI, B.A. Senate. 2pp. 44031-203-44031-207.

8801140373 Responds to comments re util commitment to excellence action plan, submitted in response to NRC 870331 shutdown order. Comments forwarded to util for use in revised plan. Staff level meeting planned near site.
RUSSELL, W.T. Region 1, Oic of the Director. 87/11/17. SCHAEFER, W.D. Maryland, State of. 1p. 44031-205-44031-206.

8801140380 Requests that listed concerns be addressed re plant restart. Util promises to improve operation, mgt changes including guaranteed corporate mgt involvement in operation & development of emergency plan must be demonstrated.
MIKULSKI, B.A. Senate. 87/11/13. ZECH, L.W. Commissioners. 2pp. 44031-206-44031-207.

8801150107 Responds to 871008 ltr expressing strong displeasure at unauthorized disclosure of confidential info about ongoing investigation. Commission shares view that unauthorized disclosures do injustice to individuals under investigation.
ZECH, L.W. Commissioners. 87/12/22. LLOYD, M. House of Rep. 1p. 44048-081-44048-083.

8801150111 Expresses strong displeasure at release of info from incomplete investigation into TVA App B issue. Disciplinary action recommended to be taken to prevent future fairness & ethical problems.
LLOYD, M. House of Rep. 87/10/08. ZECH, L.W. Commissioners. 2pp. 44048-082-44048-083.

8801150110 Forwards NRC legislative proposal in form of draft bill to amend Section 147 of Atomic Energy Act of 1954 as amended. Bill clarifies that Commission authorized to protect from public disclosure certain sensitive generic safeguards info.
ZECH, L.W. Commissioners. 87/01/15. BUSH, G.H. Senate. 11pp. 44049-064-44049-074.

8801190219 Weekly info rept for wk ending 880108.
REHM, T.A. Oic of the Executive Director for Operations. 88/01/13. 18pp. 44055-305-44055-320.

8801200061 Ack receipt of 871124 ltr re need to maintain continuity of competence, institutional memory & versatility on ACRS. Recommendations on extending terms of current committee members will be discussed in upcoming mgt meeting.
ZECH, L.W. Commissioners. 87/12/22. STEINDLER, M.J. Argonne National Laboratory. 1p. 44086-272-44086-274.

8801200085 Discusses need for ACRS to maintain collective experience & expertise. Untimely & compelled retirement of long-time members of ACRS threatens quality of counsel that ACRS can provide.
STEINDLER, M.J. Argonne National Laboratory. 87/11/24. ZECH, L.W. Commissioners. 2pp. 44086-273-44086-274.

8801210234 Partial response to FOIA request for documents re Emergency Response Data Sys. Forwards App G documents. App F & G documents available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/18. SHOLLY, S.C. MHB Technical Associates. 3pp. 44094-001-44094-147.

11210241 Forwards H.R.5652 re State Nuclear Safety Participation Act of 1986, per Markay 881008 Introduction Bill provided for state regulation of radiological hazards production & utilization facilities.
AMERER,C. Office of Congressional Affairs (pre 870413). 88/10/08. ZECH, ROBERTS, ASSELSTINE Commissioners. 7pp. 44094:005-44094:011.

11210270 Notices that Subcommittee on Nuclear Regulation of Committee on Environment & Public Works will conduct hearing on 870508 re Commission authorization request for FY88 & FY89. Listed issues should be addressed in prepared testimony.
EAUX,J. SIMPSON,A.K. Senate, Environment & Public Works. 87/04/29. CH.L.W. Commissioners. 4pp. 44094:014-44094:017.

11210294 Notices that Udell Subcommittee on Energy & Environment marked-up NRC legislative proposals & emergency monitoring bill. H.R.1670, "Nuclear Power Emergency Response Data Sys Act of 1987," encl.
ROBERTS,J.C. NRC - No Detailed Affiliation Given. 87/06/18. ZECH, ROBERTS, ASSELSTINE Commissioners. 7pp. 44094:028-44094:032.

11210307 Notices that on 870701, Committee on Interior & Insular Affairs marked & sorted NRC legislative proposals on safeguards & on reporting defects H.R.2683 related w/o amend info re technical amendments to H.R.1670 encl.
ROBERTS,J.C. Congressional Affairs. 87/07/01. ZECH, ROBERTS, BERNTHAL Commissioners. 12pp. 44094:033-44094:044.

11220166 Advises that House Interior Committee ordered reported H.R.5192, "Nuclear Power Emergency Response Data Sys Act of 1986," on 860917. Three amendments by Harkaby agreed to during markup session. W/o stated encl.
AMERER,C. Office of Congressional Affairs (pre 870413). 86/09/17. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44094:045-44094:147.

220002 Weekly Info rept for wk ending 880115.
H.M.T.A. Ofc of the Executive Director for Operations. 88/01/20. 30pp. 44101:004-01:033.

270141 Final response to FOIA request for documents. Forwards App A documents portion of App B document. App A documents placed in PDR. Portion of App B document withheld (ref FOIA Exemption 6).
IMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR,L. Search Associates. 4pp. 44155:008-44155:028.

1270202 Forwards unexpurgated rept from Ofc of Inspector & Auditor re investigation of regulatory performance of Region II ofc concerning facilities. W/o encl.
AMERER,C. Office of Congressional Affairs (pre 870413). 85/10/25. DINGELL,J.D. House of Rep., Energy & Commerce. 1p. 44155:012-44155:012.

1270633 Forwards SECY-85-304, per B Chafin request. Confidentiality of document will be preserved.
AMERER,C. Office of Congressional Affairs (pre 870413). 88/01/28. DINGELL,J.D. House of Rep., Energy & Commerce. 1p. 44155:025-44155:025.

280074 Forwards investigative rept re NRC investigation into 850702 criticality at facility. Including two internal memos prepared by EDO & Ofc of General Counsel as part of review process.
AMERER,C. Office of Congressional Affairs (pre 870413). 88/03/07. DINGELL,J.D. House of Rep., Energy & Commerce. 1p. 44155:026-44155:026.

280091 Forwards transcripts of Commission closed meeting on 861216 re status JRC investigations at TVA & internal NRC memo requesting investigation at per request. W/o encl.
AMERER,C. Office of Congressional Affairs (pre 870413). 87/01/21. DINGELL,J.D. House of Rep., Energy & Commerce. 1p. 44155:027-44155:027.

80113 Responds to 871210 ltr re NRC staffing levels & extension of cleanup schedule at TMI-2 NRC 871204 press release detailed permanent staffing & support. Advisory Panel on Decontamination of TMI-2 will be briefed at 880113 meeting.
H.L.W. Commissioners. 88/01/12. HEINZ,J. Senate. 1p. 44174:205-44174:207.

280132 Expresses concern over recent NRC decision to reduce onsite staff of ongoing removal activities. NRC failed to notify author of significant changes in rep activities. Full explanation requested.
J.Z. Senate. 87/12/10. ZECH,L. Commissioners. 2pp. 44174:208-44174:207.

10178 Responds to request for NRC views on H.R.3598, "Radioactive Materials Transportation Act of 1987." NRC does not believe act would provide resources needed by DOT to implement proposed requirements. JJ Howard 871118 ltr & 3598 encl.
ERTS,T.M. Commissioners. 88/01/14. HOWARD,J.J. House of Rep. 2pp. 44175:029-44175:035.

280185 Requests views on encl bill H.R.3598, "Radioactive Materials Transportation Act of 1987."
WARD,J.J. House of Rep. 87/11/16. ZECH,L.W. Commissioners. 5pp. 44175:031-035.

0638 Responds to concerns raised in 871202 ltr re stainless steel mat designated as E-Brite 26-1. Actions taken to address allegation that E-Brite 26-1 unsuitable for nuclear power plants listed.
J.L.W. Commissioners. 88/01/20. GLENN,J. Senate, Governmental Affairs. 5pp. 44173:227-44173:233.

080647 Expresses concern re stainless steel mat designated as E-Brite 26-1 show that E-Brite 26-1 defective in nature & has been used in critical parts of reactors in commercial nuclear power plants.
IN,J. Senate, Governmental Affairs. 87/12/02. ZECH,L.W. Commissioners. 2pp. 44173:231-44173:233.

0042 Responds to 871123 request that Commission clarify aspects of recently adopted emergency planning rule. Presumption that state & local officials would follow until emergency plan is rebuttable presumption.
J.L.W. Commissioners. 88/01/06. HUMPHREY,G.J. Senate. 2pp. 44176:228-231.

80046 Requests clarification re 871029 vote in favor of amend to regulations regarding onsite emergency planning for nuclear power plants contained in R50. Presumption that state & local govts will follow until plan debatable.
HREY,G.J. Senate. 87/11/23. ZECH,L.W. Commissioners. 2pp. 44176:230-231.

8801290052 Partial response to FOIA request for records re NRC rule amending 10CFR50.47(c)(1) & 10CFR50. App E re onsite emergency planning w/o state & local govt participation. Forwards App G documents App F documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/28. BELAIR,R.R. Kirkpatrick & Lockhart. 5pp. 44177:014-44177:272.

8707250106 Forwards response to Question 7 of 870515 ltr pertaining to Subcommittee on Energy & Environment 870428 hearing on emergency planning for nuclear power plants. Response to other questions in ltr forwarded on 870619.
ZECH,L.W. Commissioners. 87/07/15. UDALL,M.K. House of Rep., Interior & Insular Affairs. 7pp. 44177:238-44177:252.

8801290124 Forwards responses to prehearing questions requested in 870414 ltr. Commissioner Assestine did not participate in preparation of responses due to official travel.
ZECH,L.W. Commissioners. 87/04/27. UDALL,M.K. House of Rep., Interior & Insular Affairs. 38pp. 44177:069-44177:109.

8801290203 Forwards questions & answers submitted for record of 870508 Subcommittee on Nuclear Regulation hearing.
BRADBURN,J.C. Congressional Affairs. 87/05/07. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44177:237-44177:237.

8801290081 Expresses appreciation for contributions to safety & regulation of nuclear power program in US upon completion of svc as member of ACRS Certificate of appreciation encl.
ZECH,L.W. Commissioners. 88/01/04. MARK,C. Los Alamos National Laboratory. 2pp. 44177:284-44177:285.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

8801050254 Notification of contract execution, Mod 3, to "Ergonomic Chairs for Consolidation into White Flint One & Two." Contractor: Harter Corp.
PAGE,M. Contract Administration Branch. FIN B-2462. NRC-10-87-212. 87/12/30. MONTGOMERY,J.M. Ofc of Consolidation (Post 870413). FOSTER,S. NRC - No Detailed Affiliation Given. 1p. 43910:358-43910:359.

8801050285 Mod 3, adding incremental funding, to "Ergonomic Chairs for Consolidation into White Flint One & Two."
Harter Corp. EDGEWORTH,P.J. Division of Contracts (Post 870413). FIN B-2462. NRC-10-87-212. 87/12/24. 1p. 43910:359-43910:359.

8801050478 Notification of contract execution, Mod 8, to "Radiation Monitoring Program Requirements." Contractor: State of TN, Dept of Health.
DORSEY,M. Contract Administration Branch. FIN B-8701. NRC-20-83-622. 87/12/31. MALEY,R.J. Region 2, Ofc of the Director. KAHLE,J.B. NRC - No Detailed Affiliation Given. 1p. 43930:320-43930:322.

8801060489 Mod 6, clarifying funds previously provided to state w/ respect to cooperative agreement since inception & providing CY 1988 funds to "Radiation Monitoring Program Requirements."
Tennessee, State of. WIGGINS,E.J. Division of Contracts (Post 870413). FIN B-8401. NRC-20-83-622. 87/12/31. 2pp. 43930:321-43930:322.

8801070397 Notification of cooperative agreement: "Maintenance & Operation of LPDR," awarded to Richard Public Library.
SMITH,P. Contract Negotiation Branch-1. NRC-39-88-208. 88/01/04. GRIMSLEY,D. Division of Rules & Records (Post 870413). SOUDER,J. NRC - No Detailed Affiliation Given. 1p. 43952:229-43952:247.

8801070409 Cooperative agreement: "Maintenance & Operation of LPDR," awarded to Richard Public Library.
FOLEY,K. Richard, WA. SMITH,P. Division of Contracts (Post 870413). NRC-39-88-208. 88/01/04. 18pp. 43952:230-43952:247.

8801070416 Notification of contract execution, Mod 8, to "Telecommunications Network Analysis." Contractor: CRC Sys, Inc.
LITTLE,M. Contract Administration Branch. FIN D-1889. NRC-10-86-246. 87/12/23. EYSYMONT,G. Division of Computer & Telecommunications Services (Post 870413). WOODALL,K. NRC - No Detailed Affiliation Given. 1p. 43949:318-43949:318.

8801070427 Mod 8, providing incremental funding, to "Telecommunications Network Analysis."
CRC Systems, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1889. NRC-10-86-246. 87/12/23. 1p. 43949:318-43949:318.

8801070443 Notification of contract execution, Mod 7, to "Development of NRC Reactor Operator Licensing Exam Specs." Contractor: Prof Exam Svc.
BAZIN,J. Contract Administration Branch. NRC-03-85-052. 88/01/04. BAJWA,S. Planning, Program & Management Support Branch (Post 870411). PULSIPHER,K. NRC - No Detailed Affiliation Given. 1p. 43949:323-43949:324.

8801070449 Mod 7, extending period of performance at no addl cost, to "Development of NRC Reactor Operator Licensing Exam Specs."
SCHOOLMAN,W.D. Professional Examination Service. WIGGINS,E.J. Division of Contracts (Post 870413). NRC-03-85-052. 88/01/04. 1p. 43949:324-43949:324.

8801070485 Notification of contract execution, Mod 2, to "Microcomputer," Contractor: Govt Technology Svcs, Inc.
VELEZ,P. Contract Administration Branch. FIN D-1356. NRC-33-87-252. 88/01/04. EYSYMONT,G.P. Division of Computer & Telecommunications Services (Post 870413). MACWILLIAMS,M. NRC - No Detailed Affiliation Given. 1p. 43952:305-43952:310.

8801070472 Mod 2, modifying Sections B.1 & C.2.1 to include addl software programs, to "Microcomputer."
WILLIAMS,G. Government Technology Services, Inc. WIGGINS,E.J. Division of Contracts (Post 870413). FIN D-1356. NRC-33-87-252. 88/01/04. 5pp. 43952:306-43952:310.

200 NONDOCKETED ITEMS

- 8801070482** Notification of contract execution, Mod 8, to "Technical Support Svcs for Data Telecommunication Equipment." Contractor: SBA, Subcontractor: Palen-Johnson Assoc. Inc.
VELEZ, P. Contract Administration Branch. FIN D-1889. NRC-10-85-263. 88/01/04. EYSYMONTT, G. Division of Computer & Telecommunications Services (Post 870413). BROWNELL, B. NRC - No Detailed Affiliation Given. 1p. 43953:129-43953:129.
- 8801070492** Mod 6 providing FY88 funding in stated amount, to "Technical Support Svcs for Data Telecommunication Equipment."
* Small Business Administration. * Palen-Johnson Associates, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1889. NRC-10-85-263. 88/01/04. 1p. 43953:129-43953:129.
- 8801070493** Notification of contract execution, Mod 3, to "Hydrological (Coastal) Reviews of Operating Reactors (I) & Case Reviews." Contractor: Dept of Army, Waterways Experiment Station.
BAZIN, J. Contract Administration Branch. NRC-03-84-064. 88/01/04. BAJWA, S. Planning, Program & Management Support Branch (Post 870411). GRENIER, B.L. NRC - No Detailed Affiliation Given. 1p. 43952:293-43952:294.
- 8801070498** Mod 3, extending period of performance & designating new project officer, to "Hydrological (Coastal) Reviews of Operating Reactors (I) & Case Reviews."
HOUTSON, J.R. Army, Dept. of, Army Engineer Waterways Experiment Station. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-03-84-064. 88/01/04. 1p. 43952:294-43952:294.
- 880110018** Notification of contract execution, Mod 9, to "Technical Assistance in Geophysical Methods for Site Characterization." Contractor: Weston Geophysical Corp.
LITTLE, M. Contract Administration Branch. FIN D-1003-8. NRC-02-84-001. 88/01/04. ROE, J.W. Program Management, Policy Development & Analysis Staff (Post 870413). IBRAHIM, A.B. NRC - No Detailed Affiliation Given. 1p. 43968:242-43968:243.
- 880110021** Mod 9, extending period of performance & providing funds, to "Technical Assistance in Geophysical Methods for Site Characterization."
FANON, M.M. Weston Geophysical Corp. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1003-8. NRC-02-84-001. 88/01/04. 2pp. 43968:242-43968:243.
- 8801120039** Corrected notification of contract execution: "Purchase of Electronic Telephone Instruments," awarded to Tele-Com Products, Inc.
MCLEAREN, T. Contract Negotiation Branch-1. FIN D-1883. NRC-39-88-177. 87/12/23. EYSYMONTT, G. Division of Computer & Telecommunications Services (Post 870413). WOODALL, K. NRC - No Detailed Affiliation Given. 2pp. 44008:134-44008:180.
- 8801130239** Contract: "Purchase of Electronic Telephones," awarded to Tele-Com Products, Inc.
* Tele-Com Products, Inc. HAGAN, T.F. Division of Contracts (Post 870413). FIN D-1883. NRC-39-88-177. 87/12/23. 45pp. 44008:136-44008:180.
- 8801120388** Notification of contract execution, Mod 4, to "Translation Svcs." Contractor: Scitran.
MEEHAN, B. Contract Administration Branch. NRC-10-86-235. 88/01/07. PHILIPS, J.H. Division of Publications Services. SZULMAN, S. NRC - No Detailed Affiliation Given. 1p. 43991:269-43991:269.
- 8801120378** Mod 4, extending period of performance to 880118, to "Translation Svcs." FEITIS, M. SCITRAN. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-10-86-235. 88/01/07. 1p. 43991:269-43991:269.
- 8801130435** Notification of contract execution, Mod 8, to "Technical Assistance in Developing & Implementing QA Initiatives." Contractor: Science Applications Intl Corp.
BAZIN, J.P. Contract Administration Branch. FIN B-8733. NRC-05-86-162. 88/01/08. BAJWA, S. Planning, Program & Management Support Branch (Post 870411). WEST, K.S. NRC - No Detailed Affiliation Given. 1p. 44009:077-44009:078.
- 8801130442** Mod 8, adding incremental funding to "Technical Assistance in Developing & Implementing QA Initiatives."
* Science Applications International Corp. (formerly Science Applications, Inc.). WIGGINS, E.J. Division of Contracts (Post 870413). FIN B-8733. NRC-05-86-162. 88/01/08. 1p. 44009:078-44009:078.
- 8801140103** Notification of contract execution, Mod 1, to "Welding Technology & Codes Course." Contractor: American Welding Inst.
UMBEL, D. Contract Negotiation Branch-2. FIN B-8789. NRC-26-88-317. 88/01/06. SPESSARD, R.L. Division of Operational Assessment (Post 870413). ANDERSON, R.L. NRC - No Detailed Affiliation Given. 1p. 44033:185-44033:188.
- 8801140109** Mod 1, increasing funds for two addl draft copies of lesson plan, to "Welding Technology & Codes Course."
VANDERVELDT, J.H. American Welding Institute. THOMPSON, R.D. Division of Contracts (Post 870413). FIN B-8789. NRC-26-88-317. 88/01/06. 3pp. 44033:186-44033:188.
- 8801140184** Notification of contract execution: "Local Telephone svc for Yankee Rowe, Vermont Yankee, Maine Yankee & Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
DORSEY, M. Contract Administration Branch. FIN C-1012. NRC-28-88-268. 88/01/11. GODY, A.T. Region 1, Ofc of the Director, GIANCIS, C. NRC - No Detailed Affiliation Given. 15pp. 44031:234-44031:249.
- 8801140174** Contract: "Local Telephone Svc for Yankee Rowe, Vermont Yankee, Maine Yankee, Pilgrim & Seabrook Resident Sites," awarded to New England Bell Telephone Co.
GAMMON, S. New England Bell Telephone Co. WIGGINS, E.J. Division of Contracts (Post 870413). FIN C-1012. NRC-28-88-268. 88/01/11. 15pp. 44031:235-44031:249.
- 8801140277** Notification of contract execution, Mod 3, to "Steam Generator & Steam Line Overhaul Issues." Contractor: SBA, Subcontractor: Sciencetech, Inc.
VELEZ, P. Contract Administration Branch. FIN C-1766. NRC-04-87-308. 88/01/13. GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870411). SHAKUAT, S.K. NRC - No Detailed Affiliation Given. 1p. 44031:224-44031:227.
- 8801140290** Mod 3, modifying delivery schedule of Tasks 1, 3 & 4 under Section C.1, to "Steam Generator & Steam Line Overhaul Issues."
BAKER, E.J. Small Business Administration. YBARRONDO, L.J. Sciencetech, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). FIN C-1766. NRC-04-87-308. 88/01/13. 3pp. 44031:226-44031:227.
- 8801140302** Notification of contract execution, Mod 8, to "Lease/Purchase of Westinghouse PWR Simulator." Contractor: Westinghouse.
HAGUE, H. Contract Administration Branch. FIN B-8778. NRC-05-87-116. 88/01/13. JORDAN, E. Office for Analysis & Evaluation of Operational Data, Director. SHOWE, S. NRC - No Detailed Affiliation Given. 1p. 44033:008-44033:009.
- 8801140314** Mod 8, correcting B&R number, to "Lease/Purchase of Westinghouse PWR Simulator."
* General Electric Co. WIGGINS, E.J. Division of Contracts (Post 870413). FIN B-8778. NRC-05-87-116. 88/01/13. 1p. 44033:009-44033:009.
- 8801140341** Notification of contract execution, Mod 3, to "Telecommunication Svcs." Contractor: GTE Telecommunications, Inc.
VELEZ, P. Contract Administration Branch. FIN D-1852. NRC-10-86-280. 88/01/13. EYSYMONTT, G. Division of Computer & Telecommunications Services (Post 870413). RICKERT, H. NRC - No Detailed Affiliation Given. 1p. 44031:191-44031:197.
- 8801140356** Mod 3, extending contract period of performance 1 yr, effective 871001-880930, to "Telecommunications Svcs."
MAXWELL, C.G. GTE Telecommunications, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1852. NRC-10-86-280. 88/01/13. 6pp. 44031:192-44031:197.
- 8801140382** Notification of contract execution, Mod 8, to "Dresden & Perry Simulator." Contractor: GE.
MEEHAN, B. Contract Administration Branch. NRC-05-84-159. 88/01/18. JORDAN, E. Office for Analysis & Evaluation of Operational Data, Director. THURMOND, B.S. NRC - No Detailed Affiliation Given. 1p. 44031:125-44031:128.
- 8801140386** Mod 8, designating new project officer, to "Dresden & Perry Simulator."
* General Electric Co. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-05-84-159. 88/01/18. 1p. 44031:126-44031:128.
- 8801140384** Notification of contract execution, Mod 7, to "Conventional Sys Development." Contractor: Mathtech, Inc.
VELEZ, P. Contract Administration Branch. FIN D-1403. NRC-33-86-283. 88/01/11. EYSYMONTT, G. Division of Computer & Telecommunications Services (Post 870413). DOLLECK, A. NRC - No Detailed Affiliation Given. 1p. 44031:057-44031:058.
- 8801140393** Mod 7, increasing funds, to "Conventional Sys Development."
* Mathtech, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1403. NRC-33-86-283. 88/01/11. 1p. 44031:058-44031:058.
- 8801140412** Notification of contract execution, Mod 15, to "Radionuclide Migration Around U Ore Bodies - Analogue of Radwaste Repositories." Contractor: AAEC.
DORSEY, M. Contract Administration Branch. NRC-04-81-172. 88/01/13. GUSTAVE, R. Program Management, Policy Development & Analysis Staff (Post 870413). BIRCHARD, G. NRC - No Detailed Affiliation Given. 1p. 44031:121-44031:122.
- 8801140414** Mod 15, extending period of performance to 871231, to "Radionuclide Migration Around U Ore Bodies - Analogue of Radwaste Repositories."
RATCLIFF, W.H. Australian Atomic Energy Commission. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-04-81-172. 88/01/13. 1p. 44031:122-44031:122.
- 8801150021** Notification of contract execution, Mod 6, to "Data Entry Support Svcs for Region III." Contractor: NORCOM Intl Corp.
BAZIN, J. Contract Administration Branch. NRC-30-86-360. 88/01/11. ROY, G. Region 3, Ofc of the Director. STAHLAK, M. NRC - No Detailed Affiliation Given. 1p. 44048:093-44048:094.
- 8801150026** Mod 6, increasing funds, to "Data Entry Support Svcs for Region III."
* Norcom International Corp. (formerly Noriega Communications Corp.). WIGGINS, E.J. Division of Contracts (Post 870413). NRC-30-86-360. 88/01/11. 1p. 44048:094-44048:094.
- 8801190079** Notification of contract execution, Mod 12, to "Flow of Groundwater & Transport of Contaminants." Contractor: In-Situ, Inc.
MEEHAN, B. Contract Administration Branch. FIN D-1163. NRC-04-85-114. 88/01/13. GUSTAVE, R. Program Management, Policy Development & Analysis Staff (Post 870413). MCCARTIN, T. NRC - No Detailed Affiliation Given. 1p. 44052:347-44052:348.
- 8801190087** Mod 12, increasing funding, to "Flow of Groundwater & Transport of Contaminants."
* In-Situ, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1163. NRC-04-85-114. 88/01/13. 1p. 44052:348-44052:348.
- 8801200378** Notification of contract execution, Mod 1, to "Regional Admin Support Health Svcs for Region III Employees." Contractor: Health Awareness Ctr, Good Samaritan Hosp.
BAZIN, J. Contract Administration Branch. NRC-30-88-289. 88/01/15. ROY, G.W. Region 3, Ofc of the Director. LITTLE, I. NRC - No Detailed Affiliation Given. 1p. 44091:117-44091:118.
- 8801200387** Mod 1, providing incremental funding, to "Regional Admin Support Health Svcs for Region III Employees."
* Good Samaritan Hosp., Downers Grove, IL. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-30-88-289. 88/01/15. 1p. 44091:118-44091:118.
- 8801200435** Notification of contract execution, Mod 15, to "Support of Continuing Activities of US Natl Committee for Rock Mechanics." Contractor: Bureau of Mines.
KNOWE, Contract Administration Branch. FIN B-8932-8. NRC-02-80-038. 88/01/19. DAVIS, E. Office of Nuclear Material Safety & Safeguards, Director. GUPTA, D. NRC - No Detailed Affiliation Given. 1p. 44091:081-44091:082.
- 8801200447** Mod 15, extending period of performance for one yr, to "Support of Continuing Activities of US National Committee for Rock Mechanics."
WHITTELTON, T.R. Interior, Dept. of, Bureau of Mines. WIGGINS, E.J. Division of Contracts (Post 870413). FIN B-8932-8. NRC-02-80-038. 88/01/19. 1p. 44091:082-44091:082.
- 8801200437** Notification of contract execution, Mod 6, to "Technical Assistance for Emergency Response." Contractor: Comex Corp.
MEEHAN, B. Division of Contracts (Post 870413). NRC-05-86-170. 88/01/16. SPESSARD, R.L. Division of Operational Assessment (Post 870413). PRIEBE, R. NRC - No Detailed Affiliation Given. 1p. 44068:358-44068:360.

-8801200440 Mod 6, revising some reimbursable elements covered under Paragraph G 2, to "Technical Assistance for Emergency Response." BETHKE, G.W. Comex Corp. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-95-88-170. 88/01/15. 2pp. 44088:359-44088:360.

880120025 Notification of contract execution, Mod 3, to "Provision of Seismographic Circuitry Within Kansas." Contractor: Southwestern Bell Telephone Co. YELEZ, P. Contract Administration Branch. FIN D-1851. NRC-33-87-232. 88/01/18. KLOXIN, C. Division of Computer & Telecommunications Services (Post 870413). RCHERT, H. NRC - No Detailed Affiliation Given. 1p. 44081:347-44081:350.

-8801210036 Mod 3, extending period of performance for one add'l yr, incorporating option yr clause & increasing contract ceiling & obligated amounts, to "Provision of Seismographic Circuitry Within Kansas." KLOXIN, C. Southwestern Bell Telephone Co. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1851. NRC-33-87-232. 88/01/19. 3pp. 44081:348-44081:350.

8801210151 Notification of contract execution, Mod 8, to "Ofc Moving Svcs." Contractor: SBA Subcontractor: Alliance Moving & Storage, Inc. HAGEY, H. Contract Administration Branch. NRC-10-88-255. 88/01/15. MATTIA, M.J. Division of Facilities & Operations Support (Post 870413). ESTEP, G. NRC - No Detailed Affiliation Given. 1p. 44092:105-44092:108.

8801210160 Mod 9, increasing contract ceiling amount, to "Ofc Moving Svcs." * Small Business Administration. RILEY, J.A. ASM, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-10-88-255. 88/01/15. 3pp. 44082:106-44082:108.

8801210157 Notification of contract execution, Mod 3, to "Audiovisual Equipment, Purchase & Installation at One White Flint North." Contractor: MD Sound Industries, Inc. PAGE, M. Contract Administration Branch. NRC-10-87-211. 88/01/15. PHILLIPS, J.D. Division of Publications Services. LINDSAY, R. NRC - No Detailed Affiliation Given. 1p. 44092:109-44092:111.

8801210163 Mod 3, authorizing equipment substitutions, to "Audiovisual Equipment, Purchase & Installation at One White Flint North." * Maryland Sound Industries, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-10-87-211. 88/01/15. 2pp. 44092:110-44092:111.

8801210232 Notification of contract execution, Mod 11, to "Technical Assistance for Support of Const Appraisal Team (CAT) Insp." Contractor: Paramotor, Inc. WHELAN, B. Contract Administration Branch. NRC-05-84-152. 88/01/20. EBNETER, S.D. Ofc of Special Projects. CORLEY, D.J. NRC - No Detailed Affiliation Given. 1p. 44093:329-44093:331.

-8801210243 Mod 11, extending period of performance for work, to "Technical Assistance for Support of Const Appraisal Team (CAT) Insp." LOFF, R.A. Paramotor, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-05-84-152. 88/01/20. 2pp. 44093:330-44093:331.

8801210293 Notification of contract execution, Mod 5, to "Assessment of NMSS Financial Assurance Regulation Framework." Contractor: ICF Inc. CITTLE, M. Contract Administration Branch. FIN D-1047-B. NRC-02-87-002. 88/01/20. BURMEIER, J.J. Program Management, Policy Development & Analysis Staff (Post 870413). BYKOSKI, L. NRC - No Detailed Affiliation Given. 1p. 44092:160-44092:168.

8801210308 Mod 5, providing new B&R number, expanding scope of work, increasing contract ceiling amount, providing funding & incorporating new indirect rates, to "Assessment of NMSS Financial Assurance Regulation Framework." AAVIS, K. ICF, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1047-B. NRC-02-87-002. 88/01/20. 6pp. 44092:161-44092:168.

8801210299 Contract: "Review of RETRAN Computer Code & Plant Specific Info on Steam Generator Overfill for Comanche Peak Steam Electric Station, Units 1 & 2," awarded to SBA & Inil Technical Svcs, Inc. ILG, R.G. Small Business Administration. THOMPSON, R.D. Division of Contracts (Post 870413). FIN D-2110. NRC-35-88-342. 88/01/04. 12pp. 44094:148-44094:276.

1220017 Notification of contract execution, Mod 1, to "Assess NRC Policy & Procedures for Work Performed by DOE Natl Labs." Contractor: SBA Subcontractor: Irving Burton Assoc, Inc. MITH, P.A. Division of Contracts (Post 870413). NRC-39-88-229. 87/12/03. ASONE, E. Policy & Program Management Staff (Post 870413). HALMAN, E.L. NRC - No Detailed Affiliation Given. 1p. 44101:034-44101:036.

8801220021 Mod 1, changing project manager, to "Assess NRC Policy & Procedures for Work Performed by DOE Natl Labs." WAILES, M.P. Small Business Administration. BURTON, I. Irving Burton Associates, C. THOMPSON, R.D. Division of Contracts (Post 870413). NRC-39-88-229. 87/12/03. 1p. 44101:035-44101:036.

8801220028 Notification of contract execution, Mod 9, to "Stochastic Analysis of Solute Transport in Unsaturated Soils." Contractor: MIT. ELLS, S. Contract Administration Branch. FIN B-8956. NRC-04-83-174. 88/01/30. JSTAVE, R. Program Management, Policy Development & Analysis Staff (Post 870413). NICHOLSON, T. NRC - No Detailed Affiliation Given. 1p. 44101:037-44101:042.

8801220036 Mod 9, increasing contract ceiling & obligations, extending performance period & making within scope changes, to "Stochastic Analysis of Solute Transport in Unsaturated Soils." WIRGAN, D.J. Massachusetts Institute of Technology, Cambridge, MA. WIGGINS, E.J. Division of Contracts (Post 870413). FIN B-8956. NRC-04-83-174. 88/01/30. 5pp. 44103:44101:042.

220042 Notification of contract execution, Mod 11, to "Scientific & Engineering Assistance & Svcs." Contractor: SBA. Subcontractor: Engineering & Economics Research, Inc. JSTAVE, R. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 44101:050-44101:052.

1220054 Mod 11, extending performance period of basic contract at no add'l cost, to "Scientific & Engineering Assistance & Svcs." ILCON, H.S. Small Business Administration. * Engineering & Economics Research, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1143. NRC-04-84-120. 1p. 44102:2pp. 44101:051-44101:052.

8801220122 Notification of corrected contract execution: "Local Telephone svc for Yankee Rowe, Vermont Yankee, Maine Yankee, Pigrim & Seabrook Resident Svcs" Contractor: New England Bell Telephone Co. DORSEY, M. Contract Administration Branch. FIN C-1012. NRC-28-88-288. 88/01/11. CODY, A.T. Region 1, Ofc of the Director. YATCZILLA, S. NRC - No Detailed Affiliation Given. 1p. 44101:151-44101:151.

8801220190 Notification of contract execution, Mod 23, to "Transport/ Fixed Site Vulnerability Analysis." Contractor: Dept of Army. LITTLE, M. Contract Administration Branch. FIN D-1536. NRC-02-76-311. 88/01/20. BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411). HENDERSON, J.B. NRC - No Detailed Affiliation Given. 1p. 44101:152-44101:153.

-8801220198 Mod 23, authorizing expenditure for consumable materials & supplies to "Transport/Fixed Site Vulnerability Analysis." WEINFURTER, R.J. Army, Dept. of WIGGINS, E.J. Division of Contracts (Post 870413). FIN B-1536. NRC-02-76-311. 88/01/20. 1p. 44101:153-44101:153.

8801220321 Notification of contract execution. "Review of RETRAN Computer Code & Plant Specific Info," awarded to SBA/Inil Technical Svcs, Inc. DEMARCO, D. Contract Administration Branch. FIN D-2210. NRC-35-88-342. 87/12/30. GRIMES, C.I. LYONS, J. Ofc of Special Projects. 1p. 44101:164-44101:165.

-8801220344 Contract: "Review of RETRAN Computer Code & Plant Specific Info," awarded to SBA/Inil Technical Svcs, Inc. * Small Business Administration. * International Technical Services, Inc. ZILG, R.G. Division of Contracts (Post 870413). FIN D-2210. NRC-35-88-342. 87/12/30. 1p. 44101:155-44101:155.

8801260336 Notification of contract execution, Mod 2, to "Security Sys Performance Evaluation Through Security Force Training Exercises." Contractor: BML. EDGEWORTH, P.J. Contract Administration Branch. FIN D-1055-B. NRC-02-87-009. 88/01/21. BURNETT, R.F. Division of Safeguards & Transportation (Post 870413). JAMGOCHEAN, K. NRC - No Detailed Affiliation Given. 1p. 44116:341-44116:342.

-8801260347 Mod 2, adding incremental funding to "Security Sys Performance Evaluation Through Security Force Training Exercises." * Battelle Memorial Institute, Columbus Laboratories. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1055-B. NRC-02-87-009. 88/01/21. 1p. 44116:342-44116:342.

8801260458 Notification of contract execution, Mod 8, to "Thermal Mixing." Contractor: Univ of California. EDGEWORTH, P.J. Contract Administration Branch. FIN D-1834. NRC-04-86-111. 88/01/21. SHEPSON, B.W. Division of Reactor & Plant Systems (Post 870413). TOVMASSIAN, H. NRC - No Detailed Affiliation Given. 1p. 44116:116-44116:117.

-8801260464 Mod 8, adding incremental funding for FY88, to "Thermal Mixing." * California, Univ. of, Santa Barbara, CA. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1834. NRC-04-86-111. 88/01/21. 2pp. 44116:118-44116:117.

8801260574 Notification of contract execution, Mod 3, to "Environ Surveillance for Measuring Concentrations of Radioactivity & Radiation Levels in Environ of Commission Licensed Activities..." Contractor: State of NE, Dept of Health. PAGE, M. Contract Administration Branch. NRC-31-88-330. 88/01/20. MEYER, D.M. Region 4, Ofc of the Director. NICHOLAS, J.B. NRC - No Detailed Affiliation Given. 1p. 44116:137-44116:138.

-8801260580 Mod 3, providing add'l time to submit annual rpt, to "Environ Surveillance for Measuring Concentrations of Radioactivity & Radiation Levels in Environ of Commission Licensed Activities Located Within State of NE & Selected by..." WRIGHT, G.F. Nebraska, State of. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-31-88-330. 88/01/20. 1p. 44116:138-44116:138.

8801260224 Notification of contract execution, Mod 7, to "Radiation Monitoring Program Requirements." Contractor: State of KS. PAGE, M. Contract Administration Branch. NRC-31-84-502. 88/01/22. MEYER, D.M. Region 4, Ofc of the Director. NICHOLAS, J.B. NRC - No Detailed Affiliation Given. 1p. 44139:257-44139:258.

-8801260233 Mod 7, reversing reporting requirements of cooperative agreement to allow state add'l time to submit annual rpt, to "Radiation Monitoring Program Requirements." GRANT, S.C. Kansas, State of. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-31-84-502. 88/01/22. 1p. 44139:258-44139:258.

8801260243 Notification of contract execution, Mod 12, to "Technical Assistance in NRC Insp & Enforcement Operations." Contractor: Paramotor, Inc. BAZIN, J. Contract Administration Branch. NRC-05-85-167-02. 88/01/21. BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411). BEHNSON, H. NRC - No Detailed Affiliation Given. 1p. 44139:269-44139:270.

-8801260260 Mod 12, extending period of performance for completion of Task Orders 31 & 33 at no add'l cost, to "Technical Assistance in NRC Insp & Enforcement Operations." LOFF, R.A. Paramotor, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-05-85-167-02. 88/01/21. 1p. 44139:270-44139:270.

8801260425 Notification of contract execution, Mod 8, to "Radiation Monitoring Program Requirements W/State of TX." Contractor: State of TX. KNOX, E. Contract Administration Branch. NRC-31-83-671. 88/01/22. MEYER, D.M. Region 4, Ofc of the Director. NICHOLAS, J.B. NRC - No Detailed Affiliation Given. 1p. 44139:065-44139:068.

-8801260429 Mod 8, revising reporting requirements of cooperative agreement to allow State of TX add'l time to submit annual rpt, to "Radiation Monitoring Program Requirements W/State of TX." MACLEAN, R.A. Texas, State of. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-31-83-671. 88/01/22. 1p. 44139:066-44139:068.

8801280107 Notification of contract execution, Mod 8, to "Radiation Monitoring Program Requirements." Contractor: State of CO, Dept of Health. PAGE, M. Contract Administration Branch. NRC-31-83-668. 88/01/25. MEYER, D.M. Region 4, Ofc of the Director. NICHOLAS, J.B. NRC - No Detailed Affiliation Given. 1p. 44174:203-44174:204.

- 8801280125 Mod 8, revising reporting requirements of cooperative agreement, to "Radiation Monitoring Program Requirements." Contractor: State of W.G.GINS, E.J. Division of Contracts (Post 870413) TH-ELLEN, L. Colorado, State of W.G.GINS, E.J. Division of Contracts (Post 870413) NRC-31-83-668. 88/01/25. 1p. 44174-204-44174-204.
- 8801280144 Notification of contract execution, Mod 10, to "Review of RETRAN Computer Code & Confirmatory Licensing Calculations." Contractor: SBA, Subcontractor: INU Technical Svcs. DORSEY, M. Contract Administration Branch. FIN D-1350. NRC-03-86-053. 88/01/25. BAWA.S. Planning, Program & Management Support Branch (Post 870411). POSLUSNY, C. NRC - No Detailed Affiliation Given. 1p. 44174-208-44174-210.
- 8801280156 Mod 10, providing add'l funds for task orders issued under Task VIII, to "Review of RETRAN Computer Code & Confirmatory Licensing Calculations." * Small Business Administration. * International Technical Services, Inc. WIGGINS, E.J. Division of Contracts (Post 870413) FIN D-1350. NRC-03-86-053. 88/01/25. 2pp. 44174-209-44174-210.
- 8801280199 Notification of contract execution, Mod 8, to "Radiation Monitoring Program Requirements." Contractor: State of VA Health Dept. DORSEY, M. Division of Contracts (Post 870413). FIN B-8402. NRC-29-83-623. 88/01/25. MALEY, R.J. Region 2, Ofc of the Director. KAHLE, J.B. NRC - No Detailed Affiliation Given. 1p. 44175-036-44175-038.
- 8801280206 Mod 8, clarifying funds previously provided to state re cooperative agreement, to "Radiation Monitoring Program Requirements." * Virginia, Commonwealth of. WIGGINS, E.J. Division of Contracts (Post 870413). FIN B-8402. NRC-29-83-623. 88/01/25. 2pp. 44175-037-44175-038.
- 8801280518 Notification of contract execution, Mod 8, to "Document Distribution Svcs." Contractor: GPO. VELEZ, P. Contract Administration Branch. FIN D-1872. NRC-10-85-264. 88/01/25. SCOTT, S. Division of Information Support Services (Post 870413) BLANTON, J. NRC - No Detailed Affiliation Given. 1p. 44174-006-44174-008.
- 8801280541 Mod 8, increasing obligated funds, to "Document Distribution Svcs." * Government Printing Office. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1872. NRC-10-85-264. 88/01/25. 2pp. 44174-007-44174-008.
- 8801280555 Notification of contract execution, Mod 7, to "Data Entry Support Svcs for Region III." Contractor: NORCOM Int'l Corp. BAZIN, J. Contract Administration Branch. NRC-30-86-360. 88/01/25. ROY, G. Region 3, Ofc of the Director. SHAULAK, M. NRC - No Detailed Affiliation Given. 1p. 44174-009-44174-010.
- 8801280564 Mod 7, providing incremental funding, to "Data Entry Support Svcs for Region III." * Norcom International Corp. (formerly Nonoga Communications Corp.). WIGGINS, E.J. Division of Contracts (Post 870413). NRC-30-86-360. 88/01/25. 1p. 44174-010-44174-010.
- 8801280582 Notification of contract execution, Mod 4, to "Steam Generator & Steam Line Overfill Issues." Contractor: SBA, Subcontractor: Sciencetech, Inc. VELEZ, P. Contract Administration Branch. FIN D-1766. NRC-04-87-398. 88/01/25. GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870413). SHAIKAT, S.K. NRC - No Detailed Affiliation Given. 1p. 44174-011-44174-012.
- 8801280581 Mod 4, providing incremental funding, to "Steam Generator & Steam Line Overfill Issues." * Small Business Administration. * Sciencetech, Inc. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1766. NRC-04-87-398. 88/01/25. 1p. 44174-012-44174-012.
- 8801280606 Notification of contract execution, Mod 4, to "Cooperative Human Reliability Evaluation Program." Contractor: NUS Corp. MEEHAN, B. Contract Administration Branch. FIN D-1612. NRC-04-86-104. 88/01/22. GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870413). RYAN, T. NRC - No Detailed Affiliation Given. 1p. 44173-240-44173-242.
- 8801280623 Mod 4, providing incremental funding, to "Cooperative Human Reliability Evaluation Program." * NUS Corp. WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1612. NRC-04-86-104. 88/01/22. 2pp. 44173-241-44173-242.
- 8801290324 Notification of contract execution, Mod 8, to "Technical Assistance in Support of NRC Licensing Activities." Contractor: Science Applications Int'l Corp. FIELDS, J.A. Contract Administration Branch. FIN D-1313. NRC-03-87-029. 88/01/25. BAWA.S. WEST, S. Office of Nuclear Reactor Regulation, Director (Post 870411). CORLEY, D. Ofc of Special Projects. 1p. 44179-353-44179-357.
- 8801290332 Mod 8, making administrative changes by adding D Corley as project officer for Special Projects Ofc & NRC representative to receive monthly status reports, to "Technical Assistance in Support of NRC Licensing Activities." * Science Applications International Corp. (formerly Science Applications, Inc.). WIGGINS, E.J. Division of Contracts (Post 870413). FIN D-1313. NRC-03-87-029. 88/01/25. 4p. 44179-354-44179-357.
- FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES**
- 8712020006 Final response to FOIA request for records. App A documents encl. App A & B documents available in PDF. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/11/25. AUDIN, L. Affiliation Not Assigned. 6pp. 43992-102-43992-116.
- 8806260142 Discusses Vendor Program Branch issues re adequacy of shipping casks designed & built for shipping damaged TMI-2 core. Followup Insp at cask fabricator will begin on 880821. Insp will focus on issues re NDE of cask. TRAVERS, W.D. TMI-2 Cleanup Project Directorate. 88/06/20. MIRAGLIA, F.J. Division of Pressurized Water Reactor Licensing - B (851125-870411). 3pp. 43992-109-43992-111.
- 8807180020 Summary of 880612 meeting w/ Nuclear Packaging, Inc. DOE, EG&G Idaho & TMI Cleanup Project Directorate in Bethesda, MD re clarification of concerns identified in Insp Rept 8801047/84-01 on 880505-08 re NDT of Model 125-B. ABBATE, C.M. Vendor Program Branch, Div of QA, Vendor & Technical Training Center Programs, IE. 86/07/15. CRAIG, J.W. Vendor Program Branch, Div of QA, Vendor & Technical Training Center Programs, IE. 4pp. 43992-113-43992-116.
- 8807220030 Updates info re fabrication of NUPAC Model 125-B Cask 2 review indicated that 7/10-inch linear indication, previously reported as zirconium penetration, is slag & meets ASME radiographic acceptance stds. GRIMSLEY, D.H. Div of QA, Vendor & Technical Training Center Programs, IE. 87/04/13. 88/07/18. CUNNINGHAM, R.E. Division of Fuel Cycle & Material (Post 870413). 1p. 43992-112-43992-112.
- 8703100050 Informs that Model CNS-1-13C under Certificate of Compliance has been returned to svc. Rept re Model 1600 packaging (1-13G) should include any defects w/ safety significance. MACDONALD, C.E. Transportation Certification Branch. 87/02/27. HOUSE, Nuclear Systems, Inc. 1p. 43992-117-43992-117.
- 8712300088 Final response to FOIA request for documents re B&W. Documented in App A available in PDF. App B documents being made available in PDF. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). FREDERICK, L.L. Rose, Schmidt, Hesley & DiSalle. 3pp. 43910-268-43910-270.
- 8506210065 Insp Findings & Licensee Ack on 850631 of License 37-20 findings no violations observed. OBERG, C. Region 1, Ofc of the Director. * Babcock & Wilcox Co. 85/43910-271-43910-271.
- 8707220278 Forwards Special Insp 30-20883/87-01 on 870415-16 & notification. MARTIN, T.T. Region 1, Ofc of the Director. 87/07/16. DAHLGREN, A.G. Wilcox Co. 2pp. 43910-272-43910-282.
- 8707220282 Notice of violation from Insp on 870415-16. Violations noted: training not provided for assistant radiographers & physical inventory of conducted from Oct 1985 - Sept 1986. * Region 1, Ofc of the Director. 87/07/16. 1p. 43910-274-43910-274.
- 8707220291 Insp Rept 30-20883/87-01 on 870415 & 16. MA inspected organization, licensee internal audits, receipt & transfer of material protection, effluent control & waste disposal, notifications & repts & posting. OBERG, C.T. WHITE, J.R. Region 1, Ofc of the Director. 87/07/10. 8pp. 43910-282.
- 8711130358 Ack receipt of 870803 ltr informing NRC of steps taken to correct actions noted in Insp Rept 30-20883/87-01. Comments on Violation B, App A & citation has been withdrawn. MARTIN, T.T. Region 1, Ofc of the Director. 87/11/10. DAHLGREN, A.G. Wilcox Co. 1p. 43910-283-43910-283.
- 8711130370 Responds to NRC 870715 ltr re violations noted in Special 20883/87-01. Corrective actions: certified radiographers & assistant radiographers & physical inventory allegedly not taken for sealed Co 60 sources encl. BURICK, G.M. Babcock & Wilcox Co. 87/08/03. WHITE, J. Region 1, Ofc of the Director. 6pp. 43910-284-43910-289.
- 8801040528 Final response to FOIA request for documents. Forwarded documents App A documents also available in PDF. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/28. C Doc-Search Associates. 2pp. 43998-031-43998-046.
- 8801040541 Amend 4 to util application for CP, consisting of process data for lamp recombiner charcoal adsorber sys for processing main condenser AEG 720120 Questions 8 & 10. STEIN, J.J. Washington Public Power Supply System. 72/03/10. MORRIS, F. Energy Commission. 12pp. 43986-034-43986-046.
- 8801050237 Partial response to FOIA request for documents re NUREG-1262. App D documents. App C & D documents available in PDF. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/30. Public Citizen's Critical Mass Energy Project. 3pp. 43910-074-43910-265.
- 8707200578 Requests CHOR review of proposed NUREG-1262. "Answers to Public Meetings re Implementation of 10CFR65 on Operators License of General Counsel offers no objection to issuance of document. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/07/14. JORDAN, E. Office for Analysis & Evaluation of Operational Data. 180pp. 43910-078-43910-265.
- 8801050283 Partial response to FOIA request for documents re facility environmental program. Forwarded App E documents App D & E documents available in PDF. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/30. Massachusetts, Commonwealth of. 4pp. 43910-003-43910-073.
- 8801050292 Packages consisting of marked up Rev 0 to Safety Evaluation slides of facility safety enhancement modes. * Boston Edison Co. 87/12/30. 84pp. 43910-008-43910-073.
- 8801060269 Final response to FOIA request for documents re fire protection exemptions. Forwarded App D documents App C & D documents also in PDF. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/31. Massachusetts, Commonwealth of. 4pp. 43929-240-43930-284.
- 8412050217 Requests FR publication of notice of issuance of Amend 84 to DPR-35, changing Tech Specs to reflect replacement of carbon dioxide injection sys w/ Helon sys. VASSALLO, D.B. Operating Reactors Branch 2. 84/11/27. MILLER, J.R. Operating Reactors Branch 3. 2pp. 43930-001-43930-034.
- 8801060279 Forwards Amend 29 to License DPR-35. Amend revises Tech provide limiting conditions for operation & surveillance requirements for fire protection equipment & administrative controls for fire protection. LEAR, G. Operating Reactors Branch 3 (Pre 780625). 78/03/03. ANDO, Boston Edison Co. 3pp. 43920-246-43929-249.
- 8801060286 Amend 29 to License DPR-35, revising Tech Specs to provide limitations for operation & surveillance requirements for existing fire protection & administrative controls for fire protection. LEAR, G. Operating Reactors Branch 3 (Pre 781030). 78/03/03. 23pp. 43929-272.

8801060294 Notice of issuance of Amend 29 to License DPR-35. Amend Incorporates fire protection Tech Specs on existing fire protection equipment & adds administrative controls re fire protection.
LEAR, G. Operating Reactors Branch 3 (Pra 700625). 78/03/03. 3pp. 43929 273-43929:282.

8801060322 Discusses status of installation status. Preliminary plans & schedules for installation currently being reviewed w/vendor selected to install sys. Compensatory fire watch will continue until installation completed.
HOWARD, J.E. Boston Edison Co. BECO 83-24. 83/01/18. STAROSTECKI, R. Region 1, OIC of the Director. 1p. 43929:283-43929:359.

8801060494 Rev 2 to Vol 1 to "Pilgrim Nuclear Power Station Unit 1 Fire Protection Analysis, 10CFR50 App R."
Boston Edison Co. 87/04/30. 200pp. 43930.035-43930:284.

01060319 FOIA request for documents re SECY-77-561 on topic list for SEP review, including all task force reports written between 1076 & 1077.
CONNOR, L. Doc-Search Associates. 87/10/27. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 1p. 43928:164-43928:164.

31060327 Partial response to FOIA request for documents re plant SEP programs. App A documents available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/31. CONNOR, L. Doc-Search Associates. 2pp. 43928:155-43928:158.

31060404 Partial response to FOIA request for post-Sept 1985 cost-benefit or value impact analyses of generic or site-specific backfits. Documents listed in App C withheld re FOIA Exemption 5.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/31. WEISS, E.R. Harmon & Weiss. 3pp. 43928:351-43928:355.

11060409 FOIA request for all documents received in Oct 1987 re proposal to change NRC emergency planning rules.
WEISS, E.R. Harmon & Weiss. 87/12/02. NRC - No Detailed Affiliation Given. 1p. 3928:157-43928:157.

1060442 Partial response to FOIA request for documents, including F Congol memo re R Krimm re development of utility offsite plan evaluation criteria. Forwards App A documents. Documents also available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/31. WEISS, E.R. Harmon & Weiss. 2pp. 43928:158-43928:327.

11170134 Responds to 871028 ltr re assumptions presented in 871021 memo from Congol to R Krimm re FEMA review of offsite plans submitted by utility. Agreed that assumption Number 3 be reworded. Three assumptions listed.
TELLO, V. OIC of the Executive Director for Operations. 87/11/09. MCLOUGHLIN, D. Federal Emergency Management Agency. 2pp. 43928:160-43928:161.

31060460 Draft "Evaluation Criteria for Util Offsite Plans."
NRC - No Detailed Affiliation Given. 87/10/07. 30pp. 43928:182-43928:191.

31060464 Draft "Concept of Util Offsite Planning Evaluation Criteria."
NRC - No Detailed Affiliation Given. 87/10/28. 34pp. 43928:192-43928:225.

31060469 Draft "Concept of Util Offsite Planning Evaluation Criteria."
NRC - No Detailed Affiliation Given. 87/11/08. 34pp. 43928:226-43928:259.

31060473 Draft "Evaluation Criteria for Util Offsite Plans," for comment.
NRC - No Detailed Affiliation Given. 87/11/16. 36pp. 43928:260-43928:294.

31060477 Draft "Criteria for Util Offsite Planning & Preparedness." For NRC/FEMA/NRC 871119 notice re interim-use document: criteria for preparation evaluation of radiological emergency response plans encl.
NRC - No Detailed Affiliation Given. 87/11/10. 32pp. 43928:295-43928:327.

360547 Partial response to FOIA request for documents re issuance of amend to utility App C document available in PDR & at LPDR located in Plymouth, MA.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/30. SORGI, D. Massachusetts, Commonwealth of. 2pp. 43928:337-43928:344.

370001 Final response to FOIA request. App F documents re NRC 870722-23 visit plant encl & being made available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/30. SORGI, D. Massachusetts, Commonwealth of. 2pp. 43944:165-43944:169.

720158 Requests support in initial assessment of util 870708 safety enhancement program describing hardware changes voluntarily implemented at plant. NRC expects spend addl review effort & Region I plans add insps of mod activities.
IGAS, A. Associate Director for Projects (Post 870411). TAC 65356. 87/07/21. CO, L. Division of Engineering & Systems Technology (Post 870411). KANE, W.F. Region 1, OIC of the Director. 14pp. 43944:180-43944:186.

720168 Forwards list of plant enhancements being considered by util for implementation, for upcoming visit. Purpose of visit to understand status of & schedule each enhancement & to identify any significant potential downside.
DANI, A. NRC - No Detailed Affiliation Given. 87/07/20. TINKLER, C., SU, T.M., PRA, O.P. NRC - No Detailed Affiliation Given. 2pp. 43944:183-43944:186.

200109 Trip rept of 870722-23 visit to Braintree, MA to discuss proposed safety enhancement program at plant.
M. Reactor Systems Branch. 87/08/17. HODGES, M.W. Reactor Systems Branch. 3pp. 43944:187-43944:189.

70006 Final response to FOIA request for documents. App B documents encl & available in PDR. App C documents completely withheld (re FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/31. DEVIC, M.M. Libertyville, Inc. 4pp. 43952:047-43952:126.

310204 Forwards proposed manual chapter re insp of large irradiators prior to issuance of license. Comments requested by 850515.
B.L.I. Safeguards & Materials Program Br, Div of Inspection Programs, IE (850212-13). 85/04/25. CHAPPELL, D.R. Division of Fuel Cycle & Material Safety (Pra 13). MILLER, V.L. Materials Licensing Branch. NUSSBAUMER, D.A. Assistant Dir for State Agreements Programs. 6pp. 43952:065-43952:070.

8801070009 Discusses revised Policy & Guidance Directive FC 84-18 re trans of irradiators units not meeting current 10CFR71 requirements. Typical info for from licensees listed incomplete draft reg guide for comment encl.
CUNNINGHAM, R.E. Division of Fuel Cycle & Material Safety (Pra 870413). 8 Division of Fuel Cycle & Material Safety (Pra 870413). 11pp. 43952:052-43952:063.

8801070217 Forwards proposed manual chapter on insp of large irradiators w/ details of thousands of Ci of Co-60. Assistance requested w/ insp of Libertyville reactor facility during const phase re conformance w/CP.
HIND, J.A. Region 3, OIC of the Director. 85/05/16. SPESARD, R.L. Region 1, the Director. 1p. 43952:063-43952:083.

8801070223 Concurs that preliminary insp would provide addl assurance of const of large irradiator facilities. Proposed insp plan w/ assistance of regional personnel presents reasonable approach to licensing.
AXELSON, W.L. Region 3, OIC of the Director. 85/05/14. COBB, L.I. Safeguards Materials Program Br, Div of Inspection Programs, IE (850212-870413). 1p. 43952:084.

8801070242 Lists info for inclusion in reviews for licensing of pool irradiators than 10,000 Ci learned from prelicensing insp/site visit at Isomedia 19 Libertyville, IL. Application of techniques to all licenses suggested.
AXELSON, W.L. Region 3, OIC of the Director. 85/11/26. MALLET, B.S. Mail coning Branch. 2pp. 43952:071-43952:072.

8801070257 Forwards insp guidance for use in conducting insp of pool irr greater than 10,000 Ci. NRC should be notified of program deficiencies data result of new procedures for development of licensee corrective action plan.
AXELSON, W.L. Region 3, OIC of the Director. 85/12/18. SRENIANS WIEDEMAN, D.G. Region 3, OIC of the Director. 6pp. 43952:073-43952:077.

8801070261 Forwards insp reports documenting program for prelicensing insp irradiator facility in Libertyville, IL. Proposed recommendations for future pool insps also encl.
AXELSON, W.L. Region 3, OIC of the Director. 86/03/13. COBB, L.I. Safeguards Materials Program Br, Div of Inspection Programs, IE (850212-870413). 1p. 43952:085.

8801070272 Discusses 851108, 18.22 & 25 site visits to Isomedia, Inc to evaluate conditions of panoramic wet source-storage irradiator during const phase.
MALLET, B.S. Region 3, OIC of the Director. 85/12/18. Region 3, OIC of the D 10pp. 43952:088-43952:105.

8801070332 Summary of 870127 meeting w/Radiation Sterilizers, Inc, re m safety sys for irradiator facilities.
MALLET, B.S. Region 3, OIC of the Director. 87/02/03. Region 3, OIC of the D 2pp. 43952:106-43952:107.

8801070345 Provides results of two water samples for Radiation Sterilizers, Inc case 04-10844-011 taken on 870120 & 0203.
GOLCHERT, N.W. Argonne National Laboratory. 87/03/11. JANUSKA, A. Region 3, OIC of the Director. 1p. 43952:108-43952:108.

8801070363 Forwards notification of significant enforcement action against Ra Sterilizers, Inc based on violations noted at gamma irradiators in States of OH. Similar facilities operated in States of TX, CA & GA.
LICKUS, R. Region 3, OIC of the Director. 87/03/18. WOODRUFF, R. Region 2, the Director. DODD, R. Region 4, OIC of the Director. HORNER, J. Region 5, OIC of the Director. 17pp. 43952:109-43952:126.

8801070037 FOIA request for records re incidents, accidents, radio contamination, unexpected events, excursions & problems w/ experimentation, testing, production &/or deployment of nuclear powered aircraft engines at GE jet engine factory.
CARPENTER, T.E. Government Accountability Project. 87/12/01. NRC - No Detailed Affiliation Given. 2pp. 43953:344-43953:345.

8801070047 Final response to FOIA request for records re incl accidents, radiological contamination, unexpected events, excursions &/or other items w/ nuclear powered aircraft engines. No agency records located.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/11 CARPENTER, T.E. Government Accountability Project. 1p. 43953:346-43953:346.

8801070167 FOIA request for NRC internal correspondence dtd after 861126 re Inspector & Auditor investigation of allegations of misconduct by Region IV mg centering plant.
CONNOR, L. Doc-Search Associates. 87/12/23. Division of Rules & Records (Post 870413). 1p. 43953:348-43953:348.

8801070171 Partial response to FOIA request for documents re Region IV investig & allegations concerning licensee. Info that requested documents available in under files FOIA-87-508, FOIA-87-677 & FOIA-87-A-14.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/05. CONNOR, L. Doc-Search Associates. 1p. 43953:349-43953:349.

8801070190 Final response to FOIA request for records re degradation of svc piling at facility. No addl agency records located.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/31. SORGI, D. Massachusetts, Commonwealth of. 1p. 43953:356-43953:357.

8801070208 FOIA request for documents re encls to 871015 ltr to util transmitt to safety evaluation & environ assessment.
GRABER, L. NUS Corp. CD-US-87-849. 87/12/14. Division of Rules & Records (Post 870413). 1p. 43948:031-43948:031.

8801070285 Partial response to FOIA request for documents re 871015 ltr to transmitting suppl to safety evaluation & environ assessment.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/05. (NUS Corp. 2pp. 43948:032-43948:048.

8801080029 FOIA request for NRC memos or documents showing calculation studies which support denial of deviations from containment sump water level parameter in Reg Guide 1.97.
CONNOR, L. Doc-Search Associates. 87/10/02. NRC - No Detailed Affiliation Given. 1p. 43966:326-43966:326.

- 8801108039 Partial response to FOIA request for documents App A documents already available in PDR Documents filed in PDR Folder FOIA-87-213 under L. Conner. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/31. CONNOR, L. Doc-Search Associates. 2pp. 43966-327-43966-328.
- 8801110032 FOIA request for all documents re agreement of Cajun Electric Power Cooperative, Inc./Gulf States Util Integrated transmission sys or any antitrust review of Gulf States or River Bend station from 880101 to present. RUDEBUSCH, T. Duncan, Weinberg & Miller. RUDEBUSCH, T. Cajun Electric Power Cooperative, Inc. 87/11/12. BURNS, A.I. Justice, Dept. of, Attorney General, Office of. 3pp. 43972-284-43972-288.
- 8801110055 Responds to FOIA request for documents re Gulf States Util Co, River Bend Station, Units 1 & 2. Forwards App A documents. App A documents also available in PDR One add record undergoing review for disclosure determination. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/05. PEMBROKE, J.D. Duncan, Weinberg & Miller. 2pp. 43972-287-43972-307.
- 8801110077 Expresses understanding that Gulf States Util Co intends to apply for CP. Forwards listing of smaller municipal & investor-owned utls that purchase bulk power from or may be affected by operations of prospective applicant. RUTBERG, J. Atomic Energy Commission. 72/06/30. SAUNDERS, J.J. Justice, Dept. of. 3pp. 43972-289-43972-291.
- 8801110085 Forwards application for CP for River Bend Station, Units 1 & 2 and info for antitrust review. Application submitted on 730605 not accepted & under review per AEC rules to determine if filing requirements met. W/O encls. SHAPAR, H.K. Atomic Energy Commission. 73/06/13. RICHARDSON, E.L., SAUNDERS, J.J. Justice, Dept. of, Attorney General, Office of. 1p. 43972-292-43972-292.
- 8801110100 Advises that utl application for CP formally accepted info requested by atty general for antitrust review encl W/O encl. SHAPAR, H.K. Atomic Energy Commission. A. 73/09/27. RICHARDSON, E.L., SAUNDERS, J.J. Justice, Dept. of, Attorney General, Office of. 1p. 43972-293-43972-293.
- 8801110154 Forwards CP for Unit 2 w/same antitrust conditions as for Unit 1. RUTBERG, J. Antitrust Division. 77/04/06. SAUNDERS, J.J. Justice, Dept. of. 1p. 43972-295-43972-295.
- 8801110170 CP for facility, authorizing const of plant. BOYD, R.S. Division of Project Management. 77/03/25. 3pp. 43972-296-43972-304.
- 8801110184 Notice of issuance of CPPR-145 & CPPR-146 to Gulf States Util Co for const of two BWR in West Feliciana Parish, LA. VALGA, S.A. Light Water Reactors Branch 4. 77/03/25. 3pp. 43972-305-43972-307.
- 8801110338 Forwards current application for CP for River Bend Station, Units 1 & 2 and info requested by atty general for antitrust review W/O encls. SHAPAR, H.K. Atomic Energy Commission. A. 73/12/28. BORK, R.H. Justice, Dept. of, Attorney General, Office of. SAUNDERS, J.J. Justice, Dept. of. 1p. 43972-294-43972-294.
- 8801110447 FOIA request for documents re formulation of 800 topics referred to in SECY-77-561 & documents that describe how original topics reduced to SEP 137 topics. CONNOR, L. Doc-Search Associates. 87/12/07. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 1p. 43978-225-43978-225.
- 8801110457 Final response to FOIA request for documents re SECY-77-561. No agency records subj to request located. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/06. CONNOR, L. Doc-Search Associates. 1p. 43978-226-43978-228.
- 8801110468 FOIA request for documentation of technical basis for NRC denial of deviations from containment sump water instrumentation guidelines of Reg Guide 1.97. CONNOR, L. Doc-Search Associates. 87/08/13. NRC - No Detailed Affirmation Given. 1p. 43978-227-43978-227.
- 8801110475 Final response to FOIA request for documents No addl agency records have been located. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/06. CONNOR, L. Doc-Search Associates. 1p. 43978-228-43978-228.
- 8801110528 FOIA request for four categories of documents re recent NRC rule amending 10CFR50.47 & 10CFR50. App E concerning adequacy of offsite emergency planning when state &/or local govts decline to participate. BELAIR, R.R. Kirkpatrick & Lockhart. 87/11/25. Federal Emergency Management Agency. 3pp. 43978-281-43978-283.
- 8801110534 Responds to FOIA requests for documents re recent NRC rule amending 10CFR50.47 & 10CFR50. App E. Forwards documents listed in App B. App A documents already available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. BELAIR, R.R. Kirkpatrick & Lockhart. 3pp. 43978-284-43978-305.
- 8703190467 Requests FEMA review of encl final rule revising exercise timing prior to licensing. Only last two sentences of proposed rule revised for clarity. Response requested by 870327. JORDAN, E.L. Div. of Emergency Preparedness & Engineering Response, IE(850212-670413). 87/03/17. KRIMM, R.W. Federal Emergency Management Agency. 15pp. 43978-287-43978-303.
- 8712030207 Forwards Rev O to "Seabrook Plan for Massachusetts Communities," consisting of 16 vols, effective 870321. FEMA findings re whether encl meets criteria of Suppl 1 to NUREG-0654/FEMA REP-1, Rev 1 requested W/O encl. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870413). 87/11/27. KRIMM, R.W. Federal Emergency Management Agency. 2pp. 43978-304-43978-305.
- 8801120027 FOIA request for name & phone number of contracting officer, winning bidder, contract amount, contract, including amends, abstract of bids & winning bidders proposal re IFB ARM-88-170. THOMPSON, S. Telos Corp. TFE 87-1694. 87/12/10. Division of Contracts (Post 870413). 2pp. 43992-118-43992-119.
- 8801120042 Final response to FOIA request for documents Documents re Contract NRC-39-88-170 already available in PDR App B document re abstract of bids for Contract NRC-39-88-170 encl & placed in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). NRC-39-88-170 68/01/07. THOMPSON, S. Telos Corp. App. 43992-120-43992-129.
- 8801120173 Abstract of bids for Contract NRC-39-88-170. DEMARCO, D. Division of Contracts (Post 870413). NRC-39-88-170 87/10/28 6pp. 43992-124-43992-129.
- 8801120045 Partial response to FOIA request for documents. Forwards App C documents. App D documents being made available in PDR. App E documents withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. SHOLLY, S.C. MHB Technical Associates. App. 43991-327-43992-101.
- 8801120084 Advises that Subcommittee on Energy & Environ heard testimony re 860811 re H.R. 5192, "Nuclear Power Emergency Response Data Sys Act of 1986." Statements encl. KAYMERER, C. Office of Congressional Affairs (pro 870413). 86/08/13. ZECH, ROBERTS, BERNTHAL Commissioners. 1p. 43991-332-43991-354.
- 8801120171 Informs that author unable to attend subcommittee hearing scheduled re 870507 re various legislative proposals. ASSELSTINE, J.K. Commissioners. 87/05/06. UDALL, M.K. House of Rep., Interior & Insular Affairs. 2pp. 43991-355-43991-356.
- 8801120186 Testimony of LW Zech before House Subcommittee on Energy & Environ on 870507 re NRC legislative proposals, Nuclear Power Emergency Response Data Sys Act of 1987 & western low-level radioactive disposal compact. ZECH, LW. Commissioners. 87/05/07. 32pp. 43991-357-43992-027.
- 8801120210 Discusses House Subcommittee on Energy & Environ 870507 hearings on four NRC legislative proposals, Arizona-South Dakota compact & nuclear emergency response data sys bill. Wilness list encl. BRADBURN, J. Congressional Affairs. 87/05/11. ZECH, ASSELSTINE, BERNTHAL Commissioners. 6pp. 43992-028-43992-033.
- 8801120307 "Report of Special Committee Established for Purpose of Making Investigation & Study re Pilgrim Nuclear Generating Facility as Plymouth Under Provisions of Senate Order 2044 Adopted in 1986." Massachusetts, Commonwealth of. 87/07/31. 23pp. 43992-034-43992-064.
- 8801120345 Testimony of LW Zech before House Subcommittee on Energy & Power on 871001 re H.R. 2683 (NRC Legislative Proposal), H.R. 1570 (Nuclear Power Emergency Response Data Sys Act of 1987) & H.R. 3025 (Appalachian Low Level Radioactive Waste...). ZECH, LW. Commissioners. 87/10/01. 18pp. 43992-065-43992-082.
- 8801130088 Discusses Subcommittee on Energy & Power 871001 hearings on H.R. 1570 to establish emergency response data sys for nuclear reactors & H.R. 2683 re NRC legislative proposals. NRC urged approval of legislative proposals & endorsed compact. BRADBURN, J. Congressional Affairs. 87/10/02. ZECH, ROBERTS, BERNTHAL Commissioners. 18pp. 43992-083-43992-101.
- 8801120075 Further response to FOIA request for documents re Gulf States Util Co & facility App B documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. PEMBROKE, J.D. Duncan, Weinberg & Miller. 2pp. 43992-133-43992-137.
- 8801120092 Final response to FOIA request for documents Requested records re: mat upon which SECY-77-581 formulated. Due to numerous reorganizations & passage of time, per 880108 telcon, no addl agency records subj to request located. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/08. CONNOR, L. Doc-Search Associates. 1p. 43992-136-43992-139.
- 8801120203 Responds to FOIA request for documents No documents subj to request located. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/08. DEVIC, M.M. Radiation Sterilizers, Inc. 1p. 43992-145-43992-146.
- 8801120291 FOIA request for documents re all agency records & info concerning Insp Rept 99900403/87-03 on 871020. Requests response within 10 working days. BAUMAN, L. Government Accountability Project. 87/12/08. NRC - No Detailed Affirmation Given. 2pp. 43992-143-43992-144.
- 8801120309 Partial response to FOIA request for documents re Insp Rept 99900403/87-03. App A documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. BAUMAN, L. Government Accountability Project. 2pp. 43992-140-43992-142.
- 8801130089 Thirteenth partial response to FOIA request for documents re plant. Forwards App R documents App R & S documents available in PDR & LPDR located in San Luis Obispo, CA. App T documents may be purchased from ANSI. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/29. GARDE, B.P. Government Accountability Project. 20pp. 44012-001-44027-278.
- 8801130102 Rev 2 to "Procedure for Establishing Acceptance Criteria for Anchor Installations, Diablo Canyon Power Plant." NIEMI, T.E. Kollig Co. 76/12/10. 16pp. 44012-023-44012-039.
- 8801130111 Rev 1 to Reg Guide 1.8, "Personnel Selection & Training." Office of Standards Development, Director. 75/09/30. 2pp. 44012-040-44012-041.
- 8801130117 Forwards guidelines which should serve to support licensing activities, technical positions & other actions requiring firm technical basis. Staff expected to adapt guidelines to nonlicensing work as appropriate. MARTIN, J.B. Region 5, Otc of the Director. 83/07/16. Region 5, Otc of the Director. 35pp. 44012-042-44012-076.
- 8801130122 Rev 1 to Procedure QAI-88, "Procedure for Insp of Existing Concrete Expansion Anchors in Hanger Installations." Pacific Gas & Electric Co. 77/02/14. 16pp. 44012-077-44012-092.
- 8801130137 Rev O to W-806, "Procedure for Operating Nuclear Plant Mod." Pacific Gas & Electric Co. 82/05/07. 13pp. 44012-095-44012-107.

8801130147 Procedure Change Notices 1-13 to Rev 1 to QCP-17, "Quality Procedure for Initiation of Work."
* Howard P. Foley Co. 83/11/09. 48pp. 44012:108-44012:155.

8801130159 Procedure Change Notice 1 to Rev 1 to HPF-E2, "Procedure for Installation & Documentation of Fire Alarms, Cardex Sys, Deluge Sys & Smoke Detectors," revising conduit installation. Related info encl.
* Howard P. Foley Co. 83/04/08. 35pp. 44012:156-44012:180.

8801130165 Rev 0 to Project Instruction PI-11, Plant Mod Follow-on."
* Pacific Gas & Electric Co. 82/07/29. 9pp. 44012:191-44012:199.

8801130169 Rev 2 to Procedure III-8, "Procedure for Operating Nuclear Plant Mod (Quality)."
* Pacific Gas & Electric Co. 83/11/02. 21pp. 44012:200-44012:220.

8801130179 Rev 2 to Procedure 3.6 ON, "Operating Nuclear Power Plant Design Changes."
* Pacific Gas & Electric Co. 83/05/14. 31pp. 44012:221-44012:251.

8801130191 Rev 3 to Design Criteria Memo C-15, "Design Criteria for Seismic Review of Class 1E Electrical Raceway Supports at Diablo Canyon Power Plant."
YAN M.K., MCCALL J.K., BETTINGER, R.V. Pacific Gas & Electric Co. 83/03/23. 37pp. 44012:285-44012:321.

8801130210 Requests that OIC of Investigation followup on allegation of falsification of welder certifications at plant. Arrangements for stand'n alleged to be made through R Barry. No details available from C Noborger at present.
MENDONCA, M.M. NRC - No Detailed Affiliation Given. 83/10/06. KIRSCH, D.F. NRC - No Detailed Affiliation Given. 4pp. 44012:322-44012:332.

8801130222 Rev 1 to Instruction I-29, "Temporary Instructions for Review of Welds Associated w/ Pipe Attachments on PG&E Code Class B, C, E, & G."
* Pacific Gas & Electric Co. 83/09/14. 3pp. 44012:333-44012:335.

8801130227 Forwards util response to SSER 21, Item 23 re qualification of Pullman Power Products QC welding inspectors.
SCHUYLER, J.O. Pacific Gas & Electric Co. DCL-84-082. 84/02/29. MARTIN, J.B. Region 5, OIC of the Director. 4pp. 44012:338-44012:339.

8801130232 Forwards drafts of mail responding to SSER 21 allegations. Required review process complete.
HOCH, J.B. Pacific Gas & Electric Co. 84/01/12. Region 5, OIC of the Director. 18pp. 44012:340-44012:357.

8801130241 Requests errata to encl SSER 21, Page 2-186, Allegation 82. Review of SSER 21 indicated some factual errors on markup of Page 2-186.
SCHUYLER, J.O. Pacific Gas & Electric Co. DCL-84-022. 84/01/20. MARTIN, J.B. Region 5, OIC of the Director. 2pp. 44012:358-44012:359.

8801130257 Submits design & const status of Design Change Notice DCO-EE-446 re control room ventilation & pressurization sys. Design & const complete. Repair, testing activities & resolution scheduled to be completed by 840215.
SCHUYLER, J.O. Pacific Gas & Electric Co. DCL-84-045. 84/02/07. MARTIN, J.B. Region 5, OIC of the Director. 1p. 44012:360-44012:360.

8801130303 Requests that util evaluate & resolve issues re SSER 21, Allegations 92 & 93 & welding symbology. Written response documenting evaluations & findings, including relnsps or corrective actions, required as soon as possible.
KIRSCH, D.F. NRC - No Detailed Affiliation Given. 84/02/08. HOCH, J.B. Pacific Gas & Electric Co. 15pp. 44013:001-44013:016.

8801130342 Forwards partial response to questions on SSER 21, Items 81 & 102 re design control process for plant. Encls 2 & 3 describe method for closure of completed work & responses to questions raised at 840119 exit interview, respectively.
SCHUYLER, J.O. Pacific Gas & Electric Co. DCL-84-088. 84/02/17. MARTIN, J.B. Region 5, OIC of the Director. 6pp. 44013:018-44013:035.

8801130364 Forwards suppl to 840215 response to SECY-84-81, Items 71, 73 & 103 re ale & use of drugs at plant.
SCHUYLER, J.O. Pacific Gas & Electric Co. DCL-84-074. 84/02/24. MARTIN, J.B. Region 5, OIC of the Director. 7pp. 44013:036-44013:042.

8801130380 Forwards program description for HP Foley Co quality records review & answer, in response to questions raised by NRC at 840119 exit interview.
SCHUYLER, J.O. Pacific Gas & Electric Co. DCL-84-080. 84/02/29. MARTIN, J.B. Region 5, OIC of the Director. 12pp. 44013:043-44013:054.

8801130411 Forwards info re circumstances surrounding documentation of Insp of 677 Nuclear Svcs Corp audit of Pullman Power Products Co. Including draft insp ltrls 60-276/83-37 & 60-323/83-25. Related info also encl.
IRCKS, W.J. OIC of the Executive Director for Operations. 84/03/01. Commissioners. 600pp. 44013:055-44027:278.

8801140138 Rev 2 to Reg Guide 1.98, "Collection, Storage & Maint of Nuclear Power Plant QA Records."
Office of Standards Development, Director. 76/10/31. 2pp. 44012:093-44012:094.

8801140169 Rev TR-19 to Procedure 3.6 ON, "Operating Nuclear Power Plant Changes."
Pacific Gas & Electric Co. 83/08/15. 33pp. 44012:262-44012:284.

1130120 Responds to 871117 appeal re denial of three documents in 871109 response to FOIA request. Agency view that documents should be withheld. Reported Documents withheld (ref FOIA Exemption 5).
HILK, S.J. OIC of the Secretary of the Commission. 88/01/08. BAUMAN, L. Government Accountability Project. 1p. 44005:321-44005:331.

1130354 FOIA request for documents re agreement for cooperation between US & South Africa, Contract E 4914 3085 between ERDA & South African Atomic Energy Board & bilateral safeguard agreement between US, IAEA & South Africa.
KOEKNA, K. Fund for Peace (National Security Archive). 87-0705-NRC-002. 87/12/1. ROBINSON, L.L. Freedom of Information & Privacy Acts Branch. 3pp. 44008:181-44008:183.

1130358 Final response to FOIA request for documents. No agency records subj to quest located. Contact w/ listed agencies requested re search for documents.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. MOKOENA, K. Fund for Peace (National Security Archive). 1p. 44008:184-44008:184.

8801130375 FOIA request for documents re design, installation & administrative controls for analog trip sys installed at plant.
SORGI, D. Massachusetts, Commonwealth of. 87/09/28. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 2pp. 44008:276-44008:277.

8801130385 Final response to FOIA request. App D documents re proposed Tech Spec changes associated w/ addition of analog trip sys, encl & being made available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. SORGI, D. Massachusetts, Commonwealth of. 2pp. 44008:278-44008:283.

8805150161 Forwards SER on proposed Tech Spec changes associated w/ addition of analog trip sys. Proposed changes to Tech Specs acceptable. SALP input also encl. SER changes action on TAC 80938 W/o encls.
LAINAS, G.C. Assistant Director for Technical Support (BWR). TAC 60938. 86/05/07. ZWOLINSKI, J. BWR Project Directorate 1. 4pp. 44008:280-44008:283.

8801130402 Partial response to FOIA request for documents re mail false statements. App F documents withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. RADER, R.M. Connor & Wettorhahn. 7pp. 44008:284-44008:291.

8801130440 FOIA request for FEMA mails re recently promulgated NRC rule amending 10CFR50.47(c) & 10CFR50 App E.
INGEBRETSON, C. Hunton & Williams. 87/12/15. KEENER, L. Federal Emergency Management Agency. 2pp. 44008:114-44008:116.

8801130445 Partial response to FOIA request for documents. Documents re NRC rule amending 10CFR50.47 & 10CFR50 App E available in PDR in Folder FOIA 87-823 under name of Bolat. W/o stated encls.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. INGBRETSON, C. Hunton & Williams. 1p. 44008:116-44008:116.

8801140053 FOIA request for two hearing transcripts.
WILLIAMS, O.G. JRA Associates. OGW-87-123-00. 87/12/11. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 2pp. 44033:120-44033:121.

8801140058 Partial response to FOIA request for hearing transcript. App A documents encl & also available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. WILLIAMS, O.G. JRA Associates. 3pp. 44033:122-44033:144.

8801140064 Transcript of 840321 hearing in Fort Worth, TX. Pp 11, 318-11, 336.
* Atomic Safety and Licensing Board Panel. 84/03/21. 20pp. 44033:125-44033:144.

8801140069 Partial response to FOIA request for documents, including evaluation criteria for util offsite. Forwards App D documents. App D documents also available in PDR. App E document totally withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. BELAIR, R.R. Kirkpatrick & Lockhart. 5pp. 44031:278-44032:118.

8711100420 Advises that NRR would like to brief CRGR on encl proposed evaluation criteria for util based offsite emergency plans. Confirms proposed meeting on 871112.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/11/05. JORDAN, E.L. Committee to Review Generic Requirements. 2pp. 44031:283-44031:319.

8711100506 Submits modified agenda for CRGR Meeting 124 on 871112 in Bethesda, MD re review of proposed amendments to 10CFR21 & proposed evaluation criteria for review of offsite to response organizational emergency plans. W/o encl.
JORDAN, E.L. Committee to Review Generic Requirements. 87/11/06. BERNER, R.M. Office of Nuclear Material Safety & Safeguards, Director. 2pp. 89072:182-60072:217.

8711100514 Forwards FEMA/NRC task group subj evaluation criteria for util offsite plans & informs of request for publication in FR for comment as proposed App 6 to NUREG-0654/FEMA-REP-1, Rev 1.
CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 87/11/02. STELLO, V. OIC of the Executive Director for Operations. MURLEY, T.E., SNIJEK, J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 44031:320-44031:354.

8801140097 Forwards NRR "Evaluation Criteria for Util Offsite Plans" a'ong w/ concept piece by FEMA/NRC task group. Notice of availability for comment & interim use should be in FR by 871120 EDO daily highlight & task force info encl. W/o place.
CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 87/11/16. Region 1, OIC of the Director. 5pp. 44031:355-44032:033.

8801140108 Advises that draft "Concept of Util Offsite Planning Evaluation Criteria," & "Evaluation Criteria for Util Offsite Plans" reviewed. Comments provided on encl marked-up copies. Criteria must address response organization.
BORES, B. NRC - No Detailed Affiliation Given. 87/11/17. BELLAMY, R. NRC - No Detailed Affiliation Given. 1p. 44032:034-44032:118.

8801140074 FOIA request for all records of correspondence between Dept of Labor & NRC re implementing, modifying or amending agreement in 821203 FR, Vol 47, Number 233 concerning MOU between NRC & Dept of Labor on employee protection. FR encl.
BAUMAN, L. Government Accountability Project. 87/11/25. NRC - No Detailed Affiliation Given. 3pp. 44032:282-44032:284.

8801140084 Partial response to FOIA request re MOU between NRC & Dept of Labor. Forwards App B documents. App A & B documents available in PDR. App C documents totally withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. BAUMAN, L. Government Accountability Project. 5pp. 44032:285-44032:358.

8203120370 Notices of status of 820222 draft memo of understanding w/ Dept of Labor re employee protection. No problems anticipated.
DEYOUNG, R.C. OIC of Inspection & Enforcement, Director (820201-870413). 82/02/25. DIRCKS, W.J. OIC of the Executive Director for Operations. 2pp. 44032:290-44032:291.

8801140090 Forwards MOU between Dept of Labor & NRC re employee protection. Agreements become effective on date signed by both parties. Documents should be transmitted to W OIC of Dept of Labor.
LIEBERMAN, J. OIC of Inspection & Enforcement, Director (820201-870413). 82/07/30. DONOGHUE, C.S. Labor, Dept. of. 3pp. 44032:292-44032:294.

-8801140100 Forwards draft working arrangements for implementation of MOU between NRC & Dept of Labor for signature & comments.
SNIJEZEK, J.H. Ofc of Inspection & Enforcement, Director (820201-870413). 83/03/31. OTTER, W.M. Labor, Dept. of. 12pp. 44032:295-44032:321.

-8801140116 Advises that meeting called to discuss Ofc of Inspector & Auditor review of agency handling of Parks allegations of discrimination at plant FR not call to all licensees, permittees, applicants & vendors encl Comments due 840810.
AXELRAD, J.A. Enforcement Staff, IE (Pre 870413). 84/07/31. LIEBERMAN, J. Ofc of the Executive Legal Director (Pre 860701). LEV, R. Ofc of the General Counsel. HAYES, B. Ofc of Investigations. 17pp. 44032:322-44032:338.

-8801140120 Forwards memo defining specific changes in Dept of Labor whistleblower procedure. Author believes there will be no major effect upon relationship w/Dept of Labor & NRC.
HAYES, D.B. Ofc of Investigations. 85/08/08. Ofc of Investigations. 1p. 44032:339-44032:339.

-8801140124 Summary of 870112 meeting w/Dept of Labor re NRC measures to prevent unauthorized disclosures of info from Dept of Labor repts. Related info encl HOLLE, E. Enforcement Staff, IE (Pre 870413). 87/02/10. Enforcement Staff, IE (Pre 870413). 19pp. 44032:340-44032:358.

8801140104 FOIA request for documents re 10CFR50 App B requirements.
CONNOR, L. Doc-Search Associates. 87/10/23. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 3pp. 44091:319-44091:320.

8801140118 Partial response to FOIA request for documents. Forwards App E document re Alchison Investigation App E document placed in PDR. Records sub j to request referred to another Federal agency. App F documents withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. BAUMAN, L. Government Accountability Project. 5pp. 44033:018-44033:025.

-8801140127 Responds to K Udall 830313 ltr requesting documents re Alchison Investigation. Responds only available rept resulting from Region IV investigation conducted by D Driskill & ltrs received for Dept of Labor. W/o encls.
HERR, R.K. Ofc of Investigations. 83/09/21. HAYES, B.B. Ofc of Investigations. 1p. 44033:025-44033:025.

8801140153 Partial response to FOIA request for documents re 10CFR50, App B requirements. App A & C documents available in PDR. App B document withheld (ref FOIA Exemption 7).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. CONNOR, L. Doc-Search Associates. 5pp. 44091:321-44091:326.

-8801140155 Package consisting of chronology of TVA meetings & ltrs to NRC.
* Doc-Search Associates. 88/01/11. 1p. 44091:326-44091:326.

8801140159 FOIA request for documents re RF Warnick 870803 ltr to WG Council re Council 870605 & 0713 ltrs & reasons addl info needed on Items B & C of notice of deviation from Insp Repts 50-445/86-26 & 50-448/86-22.
BAUMAN, L. Government Accountability Project. 87/09/18. NRC - No Detailed Affiliation Given. 2pp. 44033:215-44033:216.

8801140161 Appeals denial of FOIA request for documents re RF Warnick 870903 ltr to WG Council, WG Council 870605 & 0713 ltrs & reasons addl info needed on Items B & C of notice of deviation from Insp Repts 50-445/86-26 & 50-448/86-22.
BAUMAN, L. Government Accountability Project. 87/12/10. STELLO, V. Ofc of the Executive Director for Operations. 1p. 44033:214-44033:214.

8801140172 Final response to FOIA request & appeal for documents re items from Insp Repts 50-445/86-26 & 50-448/86-22 App A documents available in PDR. No further action being taken on 871210 appeal ltr.
GRIMSLEY, D. Division of Rules & Records (Post 870413). 88/01/11. BAUMAN, L. Government Accountability Project. 2pp. 44033:217-44033:219.

-8801140180 Forwards appeal for lack of response to FOIA-87-633 due to FOIA Branch awaiting action by ofc. Response to request should be provided within five days.
ROBINSON, L. Freedom of Information & Privacy Acts Branch. 87/12/16. SIMMS, M. Ofc of Special Projects. 1p. 44033:219-44033:219.

8801140278 FOIA request for documents re NRC senior mgt team 860418 meeting on TVA.
CONNOR, L. Doc-Search Associates. 87/11/12. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 44031:228-44031:228.

8801140282 Final response to FOIA request for plant ATWS documents. Forwards Apps F & G documents. Documents also available in PDR & being placed in LPDR in Plymouth, MA. App G documents partially withheld (ref FOIA Exemption 6).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. SORGI, D. Massachusetts, Commonwealth of. 8pp. 44032:139-44032:279.

-8801140298 416-4208-HK1 "Proposal ATWS Recirculation Pump Trip (ATWS-RPT), Pilgrim."
* General Electric Co. 76/03/31. 14pp. 44032:146-44032:159.

-8801140397 Revised Nuclear Operations Procedure Manual NOP8301, "Conduct of Operations." Related info encl.
HOWARD, J.E., HARRINGTON, W.D. Boston Edison Co. 83/06/17. 23pp. 44032:175-44032:279.

8801140285 Final response to FOIA request for documents. Records re request being addressed in response to previous request under FOIA-87-744.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. CONNOR, L. Doc-Search Associates. 1p. 44031:229-44031:229.

8801140303 FOIA request for documents re requests for compensation from Delmarva Power & Light Co or other public utility in connection w/shutdown of Peach Bottom power plant.
LEWIS, D.B. Lewis, D.B. 87/12/16. NRC - No Detailed Affiliation Given. 1p. 44033:006-44033:006.

8801140309 Final response to FOIA request for documents. No agency records sub j to request located.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. LEWIS, D.B. Lewis, D.B. 1p. 44033:007-44033:007.

8801140318 FOIA request for documents re NRC senior mgt team 860418 meeting re TVA.
CONNOR, L. Doc-Search Associates. 87/12/16. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 44031:123-44031:123.

8801140327 Final response to FOIA request for documents. Records re request being addressed in response to previous request under FOIA-87-744.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. CONNOR, L. Doc-Search Associates. 1p. 44031:124-44031:124.

8801140394 FOIA request for documents re H Myers 860410 correspondence w/NRC Ofc of Investigation.
CONNOR, L. Doc-Search Associates. 87/12/16. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 1p. 44031:059-44031:059.

8801140398 Final response to FOIA request for documents. No agency records subject to request located.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. CONNOR, L. Doc-Search Associates. 1p. 44031:060-44031:060.

8801150047 Appeals denial of FOIA request for documents re RF Warnick 870903 ltr to WG Council forwarding Insp Repts 50-445/87-11 & 50-448/87-09 on 870605 0707.
BAUMAN, L. Government Accountability Project. 87/12/10. STELLO, V. Ofc of the Executive Director for Operations. 1p. 44049:088-44049:088.

8801150070 Final response to appeal of denial of FOIA request for documents re plant App A documents available in PDR. No further action being taken on appeal ltr dtd 871210.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. BAUMAN, L. Government Accountability Project. 2pp. 44049:088-44049:090.

-8801150083 Forwards appeal for lack of response to FOIA 87-634 Response request ed within 5 days of memo receipt.
ROBINSON, L. Freedom of Information & Privacy Acts Branch. 87/12/16. SIMMS, M. Ofc of Special Projects. 1p. 44049:090-44049:090.

8801150094 FOIA request for all agency records & info in connection w/RF Warnick 870903 ltr to WG Council forwarding Insp Repts 50-445/87-11 & 50-448/87-09 on 870605 0707.
BAUMAN, L. Government Accountability Project. 87/09/18. NRC - No Detailed Affiliation Given. 2pp. 44048:091-44048:092.

8801150225 Final response to FOIA request App H documents re correction to Ofc of Inspector & Auditor report encl & being made available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/13. BAUMAN, L. Government Accountability Project. 2pp. 44038:001-44038:007.

-8801150239 Forwards corrections to Ofc of Inspector & Auditor rept, "Allegations of Misconduct by Region IV W/Respect to Comanche Peak Steam Electric Station," forwarded by Chairman Zach 861210 ltr. Changes do not affect rept conclusions.
KAMMERER, C. Ofc of Congressional Affairs (pro 870413). 87/01/09. MARKEY, E.J. House of Rep., Energy & Commerce. 3pp. 44038:005-44038:007.

8801190052 Final response to FOIA request for documents re SAFETEM program. Forwards App I & J documents App H & I documents available in PDR. Other records available in PDR. App J documents partially withheld (ref FOIA Exemption 6).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. MAXWELL, B. Cosmos Broadcasting Corp. 5pp. 44053:108-44053:272.

-8801190059 Informs that ofc unable to respond to 860505 request for investigative assistance re review of Comanche Peak SAFETEM program due to resource limitations.
HERR, R.K. Region 4, Ofc of the Director. 86/05/08. MARTIN, R. Region 4, Ofc of the Director. 1p. 44053:115-44053:115.

-8801190073 "SAFETEM Program Instruction Manual." W/870128 ltr & related info.
GUTHRIE, J.L. Houston Lighting & Power Co. 87/01/28. 131pp. 44053:116-44053:245.

-8801190099 Rev 4 to "SAFETEM Program Instruction Manual." including Rev 3 to table of contents & Rev 1 to Pages 2-5 of ST-11, "Preliminary Concern Review (PCR) Program." W/870223 ltr & related info.
GUTHRIE, J.L. Houston Lighting & Power Co. 87/02/23. 12pp. 44053:246-44053:257.

-8801190107 Marked-up review of plant SAFETEM insp activities Region IV expects to execute at Comanche Peak. Related info re Hope Creek SAFETEM program encl.
DENISE, R.P. Region 4, Ofc of the Director. 88/01/12. TAYLOR, J.M., NOONAN, V. NRC - No Detailed Affiliation Given. 15pp. 44053:258-44053:272.

8801190170 FOIA request for documents re US supply of enriched U to South African Selen 1 nuclear research reactor between 1979 & 1982.
MOKOENA, K. Fund for Peace (National Security Archive). 87-1069-NRC-003. 87/12/14. ROBINSON, L.L. Freedom of Information & Privacy Acts Branch. 3pp. 44086:258-44086:260.

8801190171 Partial response to FOIA request for documents App B documents encl & available in PDR. App A documents already available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. MOKOENA, K. Fund for Peace (National Security Archive). 3pp. 44086:261-44086:265.

-8801190295 Package consisting of handwritten note re conversation w/ S Weaver & handwritten note re application on file from S Weaver.
* Affiliation Not Assigned. 79/12/20. 2pp. 44086:264-44086:265.

8801190176 FOIA request for documents re impact of nitrate in groundwater near plant as discussed in NUREG-1157, "Environmental Assessment," for renewal of license SUB-1010 dtd Aug 1985.
DEERINWATER Native Americans for a Clean Environment. 87/11/25. ROBINSON, L. NRC - No Detailed Affiliation Given. 1p. 44055:321-44055:321.

8801190190 Partial response to FOIA request for documents re facility. Forwards App B documents App A & B documents available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/13. DEERINWATER Native Americans for a Clean Environment. 4pp. 44055:322-44055:362.

190213 Forwards assessment of NRC rept. "Groundwater Review for Sequoyah Facility," per Amend 15 to License SUB-1010. Current monitoring program is Amend to NRC program unnecessary. Figure 1 re raffinate fertilizer program

JTER, J.C. Sequoyah Fuels Corp. (subs of Kerr-McGee Nuclear Corp.). 8784, 87/3, HOUSE, L.C. Office of Nuclear Material Safety & Safeguards, Director. 27pp. 5-328-44055:352

0195 FOIA request for all documents re plant, including items/ mats discovered leaked from Coffey County, KS landfill. HENS, S. Nuclear Awareness Network. 87/12/09 GRIMSLEY, D. NRC - No Detailed Affiliation Given. 2pp. 44055:292-44055:293.

0200 Partial response to FOIA request for documents re plant. Forwards App B items A & B documents available in PDR. SLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. STEPHENS, S. Nuclear Awareness Network. 3pp. 44055:294-44055:300.

90211 Press release discussing discovery of approx 0.41 uCi of radioactive mail home smoke detector at Coffey County, KS landfill. Release of trash mail stopped investigation. Related articles encl. H.R. Wolf Creek Nuclear Operating Corp. 87/11/16. 4pp. 44055:297-44055:300.

0239 FOIA request for all documents re S McNally, B Weatherford, J Ragster, ST ter & L Price. NEY, C.W. Troutman, Sanders, Lockerman & Ashmore. 86/02/14. SLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 44055:170-44055:170.

3280 Final response to FOIA request. Addl records subj to request identified in cases to FOIA-88-43 & FOIA-86-A-140 under name of Fowler. Forwards App A items A & B also available in PDR. App B documents withheld (rel FOIA Exemption 5). SLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. NEY, C.W. Troutman, Sanders, Lockerman & Ashmore. 4pp. 44055:180-44055:180.

90285 Forwards index of documents re FOIA-88-43. E.J. Y. Region 2, Ofc of the Director. 86/04/03 SCHOFIELD, P. Office of Investigations. 7pp. 44055:184-44055:180.

1274 Partial response to FOIA request for documents re Ofc of Inspector & re 881203 rept review. Forwards App A document. Document also available in PDR. SLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. CONNOR, L. Search Associates. 3pp. 44053:354-44053:358.

10292 Forwards Ofc of Inspector & Auditor rept. Recipient should review & con- v/V Stello when prepared to discuss conclusions & evaluation of need for corrections. W/o encl. I.T.A. Ofc of the Executive Director for Operations. 88/12/03. MARTIN, R. 14, Ofc of the Director. 1p. 44053:358-44053:358.

017 FOIA request for documents re NRC Senior Mgt Team rpt in Commission 2 meeting briefing on TVA in Washington, DC. Info includes all documents lead- ing to formation of Team & documents received or prepared up to & including OR, L. Doc-Search Associates. 87/10/20. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 44081:290-44081:290.

021 Partial response to FOIA request for documents. Forwards App A & B items A & B documents also available in PDR. App B documents partially with- held (FOIA Exemption 5) & App C documents completely withheld (rel FOIA Ex- emptions 5 & 7). SLEY, D.H. Division of Rules & Records (Post 870413). 88/01/13. CONNOR, L. Search Associates. 7pp. 44081:291-44081:321.

0027 Recommends assessing NRC activities re TVA lessons learned through eval of Ofc of Inspector & Auditor audits, Senior Mgt Team input & Con- v/V D'Angel investigation by 881031. Related info encl. L.W. Commissioners. 88/09/04. STELLO, V. Ofc of the Executive Director for Operations. 4pp. 44081:298-44081:301.

0033 Partially deleted memo re summary of Senior Mgt Team meetings on 3 & 22 added on 860912 & 1003, respectively, to TVA briefing book behind Tab 3. M.A. NRC - No Detailed Affiliation Given. 86/10/03. ZECH, ROBERTS, BERNTAL Commissioners. 3p. 44081:302-44081:302.

0036 Partially deleted memo re summary of 881006 & 16 Senior Mgt Team ggs added to TVA status notebook behind Tab A. Proposed agenda for 881006 ggs, partially withheld viewgraphs & 880410, 0522 & 0808 meeting agendas encl. M.A. NRC - No Detailed Affiliation Given. 88/10/21. ZECH, ROBERTS, BERNTAL Commissioners. 14081:303-44081:321.

351 FOIA request for documents explaining, clarifying or interpreting phrase "und- er safety question," particularly guidance prepared by NRC, EDO of Ofc of Gen- eral. RSKI, J. Troutman, Sanders, Lockerman & Ashmore. 87/11/10. SLEY, D.H. Division of Rules & Records (Post 870413). 2pp. 44081:322-44081:323.

155 Partial response to FOIA request for documents re interpretation of 50.59(c). Forwards App B document. App A & B documents available in repts attention to 10CFR50.53. SLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. RSKI, J. Troutman, Sanders, Lockerman & Ashmore. 3pp. 44081:324-44081:333.

1059 Package consisting of draft 10CFR60.59, "Changes to s.Procedures & Tests (or Experiments)," - No Detailed Affiliation Given. 76/08/01. 7pp. 44081:327-44081:333.

64 Partial response to FOIA request for documents. Forwards App I & J items App H & I documents available in PDR. App J documents partially withheld (A Exemption 5). SLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Printing Co. 5pp. 44081:130-44081:217.

-8801200088 Advises that SECY-88-1A, "Status of Staff Actions on TVA," forwarded to H Myers of House Interior Committee Staff. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/02/06. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:137-44081:137.

-8801200091 Forwards SECY-88-1A on NRC actions re TVA per Interior Committee staff request. Withholding of document from public re: case requested W/o encl. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/02/06. UDALL, M.K. House of Rep., Interior & Insular Affairs. 1p. 44081:138-44081:138.

-8801200095 Advises that Ofc of Congressional Affairs plans to forward transcript of 880207 closed Commission meeting on TVA to Interior Committee on 880213, per H Myers request, unless otherwise advised by Commission. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/02/10. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:139-44081:139.

-8801200099 Advises that Ofc of Congressional Affairs plans to forward transcript of 880206 closed Commission meeting on TVA to Interior Committee staff on 880210, per H Myers request. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/02/09. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:140-44081:140.

-8801200106 Forwards TVA employee concerns special program rept. "Heat Code as Re Mat Control." Info provided by House Interior Committee staff. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/09/28. ZECH, ROBERTS, ASSELSTINE Commissioners. 27pp. 44081:141-44081:167.

-8801200119 Requests encl H Thompson 860926 memo to Assestline, consisting of NRC proposed response to Dingell 860708 ltr, be transmitted to H Meyer as soon as possible, per 860928 ltr con W/o encl. AUSTIN, J. Commissioners. 88/09/29. COMBS, F. Commissioners. 1p. 44081:168-44081:168.

-8801200122 Advises that encl TVA memo provided by House Interior Committee majority staff for NRC consideration W/o encl. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/09/30. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:169-44081:169.

-8801200129 Advises that H Denton & J Taylor will meet w/H Myers (Interior Committee) & B Chapin & P Stockton (Energy & Commerce Committee) on 881104 to hear Committee staff views on TVA compliance w/10CFR50, App B criteria. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/10/31. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:170-44081:170.

-8801200131 Summary of 881104 meeting w/majority staffs of Committee on Interior & Insular Affairs & Subcommittee on Oversight & Investigations of Committee on Energy & Commerce re Congressional staff views on TVA compliance w/10CFR50, App B. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/11/12. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:171-44081:171.

-8801200140 Notification of 881216 meeting w/TVA, H Myers of House Interior Committee staff & members of Subcommittee on Oversight & Investigations of Committee on Energy & Commerce re TVA issues as continuation of 881104 meeting. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/12/12. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:172-44081:172.

-8801200154 Forwards Congressional staff rept re TVA QA program at plant. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/12/18. ZECH, ROBERTS, ASSELSTINE Commissioners. 3pp. 44081:173-44081:208.

-8801200161 Requests Commission consider on of House Interior Committee request for Ofc of Investigations (OI) rept re investigation of statements made by Sanger of TVA on 880311. Rept recently received & not reviewed by OI mgt. BRADBURN, J. Congressional Affairs. 87/05/00. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:209-44081:209.

-8801200166 Advises that House Interior Committee & Subcommittee on Oversight & Investigations of Energy & Commerce Committee staffs requested briefing by Ofc of Investigations on status of investigation of TVA. Briefing will be held on 870717. BRADBURN, J.C. Congressional Affairs. 87/07/01. ZECH, ROBERTS, BERNTAL Commissioners. 1p. 44081:210-44081:210.

-8801200171 Summary of 870717 meeting w/House Interior Committee & Subcommittee on Oversight & Investigations of House Energy & Commerce Committee staffs re status of Ofc of Investigations investigation of TVA. BRADBURN, J. Congressional Affairs. 87/07/20. ZECH, ROBERTS, BERNTAL Commissioners. 2pp. 44081:211-44081:212.

-8801200183 Summarizes 871020 meeting w/H Myers & House Energy & Commerce Committee Subcommittee on Oversight & Investigation staffs to brief participants on status of restart plans for facility. BRADBURN, J.C. Congressional Affairs. 87/11/02. ZECH, ROBERTS, BERNTAL Commissioners. 2pp. 44081:213-44081:214.

-8801200189 Partially withheld memo advising that Ofc of Congressional Affairs plans to forward transcript of 881216 closed Commission meeting re status of TVA on 881224 w/encl cover, per House Interior Committee request W/o encl. KAMMERER, C. Office of Congressional Affairs (pre 870413). 88/12/22. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:215-44081:215.

-8801200196 Partially withheld memo re plan to transmit request for investigation to Oversight Subcommittee w/881216 transcripts of closed Commission meetings on status of NRC investigation at TVA. Ltr of transmittal encl W/o ltr. KAMMERER, C. Office of Congressional Affairs (pre 870413). 87/01/21. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:216-44081:216.

-8801200207 Partially withheld memo advising that Ofc of Congressional Affairs plans to transmit transcript of 870312 Commission meeting re pending Ofc of Investigation investigation to House Interior Committee on 870319 per request. BRADBURN, J. Congressional Affairs (pre 870413). 87/03/17. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44081:217-44081:217.

208 NONDOCKETED ITEMS

- 8801200078 Partial response to FOIA request for documents. Forwards App D documents App D & E documents available in PDR App F document completely withheld (ref FOIA Exemption 7) App G document partially withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. WANN, L. Times Printing Co. 8pp. 44081:216-44081:289.
- 8801200079 Summarizes NRC activities involving TVA from 860203-07. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). IE8-85-002. 86/02/12. STELO, V. Ofc of the Executive Director for Operations. 3pp. 44081:279-44081:281.
- 8803030169 Forwards 860131 memo describing 860203 telcon w/ TVA. Franklin Inst printout on Myers concerns not available in response to 860211 request for info for House of Representatives Interior Committee. REHM, T. Ofc of the Executive Director for Operations. 86/02/24. COMBS, F. Office of Congressional Affairs (pre 870413). 1p. 44081:273-44081:278.
- 8801200116 Discusses F Combs 860110 memo addressing H Myers inquiry as to status of Unresolved Items 360/84-07-01, 391/84-07-01, 436/84-02-01 & 439/84-02-01. OLSHINSKI, J.A. Region 2, Ofc of the Director. 85/03/13. REHM, T.A. Region 2, Ofc of the Director. 1p. 44081:226-44081:258.
- 8801200125 Forwards documents re 850613 meeting between Region II & TVA re Nonconformance Repts WBN-CEB 85-01 & WBN-SWP 82-30 per 861031 request. ZECH, G.G. Region 2, Ofc of the Director. 86/11/10. COMBS, F. Office of Congressional Affairs (pre 870413). 1p. 44081:259-44081:260.
- 8801200138 Forwards draft Ofc of Investigations (OI) rept of Investigation Number 2-88-015 entitled, "Alleged Mail False Statement by Two Senior TVA Managers." Rept does not contain results of OI headquarters review. W/o encl. SINCLAIR, J. Office of Investigations. 87/05/11. COMBS, F. Office of Governmental & Public Affairs (Post 870413). 1p. 44081:260-44081:260.
- 8801200143 Responds to 870127 note to H Denton re Criterion 3 of Sequoyah Restart Criteria. Answers to questions encl. KEPLER, J.G. Ofc of Special Projects. 87/05/26. MYERS, H. House of Rep., Interior & Insular Affairs. 5pp. 44081:261-44081:265.
- 8801210010 Responds to inquiries contained in 870127 note to H Denton re Criterion 3 of Sequoyah restart criteria. Answers to questions identified in review of info encl. W/related documentation. KEPLER, J.G. Ofc of Special Projects. 87/04/22. MYERS, H. House of Rep., Interior & Insular Affairs. 5pp. 44081:266-44081:272.
- 8801210021 Responds to NRC 870305 ltr re Sequoyah design calculation review. Actions required to respond to Insp findings identified & being implemented. WHITE, S.A. Tennessee Valley Authority. 87/03/13. KEPLER, J.G. Ofc of Special Projects. 5pp. 44081:282-44081:286.
- 8801210026 Forwards 860319 memo re NRC staff review of TVA files concerning harassment & intimidation. Requests preservation of confidentiality of document & restriction of use of document to members & staff of Committee. Encl withheld. KAMMERER, C. Office of Congressional Affairs (pre 870413). 86/05/30. UDALL, M.X. House of Rep., Interior & Insular Affairs. 1p. 44081:287-44081:287.
- 8801210034 Forwards note summarizing staff recollection re item noted by Udall staff concerning info on TVA. REHM, T.A. Ofc of the Executive Director for Operations. 86/02/14. KAMMERER, C. Office of Congressional Affairs (pre 870413). 1p. 44081:288-44081:288.
- 8801210037 Discusses congressional request for info on TVA re recent allegations involving harassment & intimidation at Sequoyah noted in Region II 860106 ltr to Util. response to ltr expected in mid-Feb. OLSHINSKI, J.A. Region 2, Ofc of the Director. 86/02/13. REHM, T. Ofc of the Executive Director for Operations. 1p. 44081:289-44081:289.
- 8801210118 Forwards info re missing & incomplete vendor records noted in 50-390/84-07-01.
* NRC - No Detailed Affiliation Given. 86/03/19. NRC - No Detailed Affiliation Given. 1p. 44081:225-44081:225.
- 8801200172 Final response to 870828 FOIA request for rept entitled, "Visit to Mohave Generating Station to Review Steam Line Rupture." Forwards App B document. Portions of App B document withheld (ref FOIA Exemption 4). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. SEPE, L.K. Haight, Dickson, Brown & Bonesteel. 2pp. 44081:334-44081:338.
- 8801200216 Partially deleted memo forwarding replacement to 850709 memo re visit to Mohave Generating Station to review steam line rupture. Replacement memo changes designation from "Official Use Only" to "Proprietary Info." SHAO, J., VOLLMER, R. Piping Review Committee. 85/08/15. NRC - No Detailed Affiliation Given. 1p. 44081:338-44081:338.
- 8801200182 Partial response to FOIA request for documents. Forwards App B documents. Documents also available in PDR. Portions of App B documents withheld (ref FOIA Exemptions 5 & 7). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/08. WEISS, E.R. Union of Concerned Scientists. 5pp. 44087:013-44089:293.
- 8804110320 Rev 0 to 1000-ADM-7317.01 (EP-031), "Equipment Environ Qualification."
* General Public Utilities Corp. - GPU Service Corp. 84/01/20. 52pp. 44087:258-44087:307.
- 8801200190 Confirms 850124 telcon & approves investigation re UCS supplemental 2-208 petition on TMI-1 emergency feedwater sys. DIRCKS, W.J. Ofc of the Executive Director for Operations. 2.206. 85/01/24. HAYES, S.B. Office of Investigations. 1p. 44087:019-44087:019.
- 8801200206 Provides info identifying electrical equipment important to safety already qualified within scope of 10CFR50.49(g). Schedules for qualification of post-accident instrumentation encl. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. IE8-79-018. 83/05/12. DENTON, H.A. Office of Nuclear Reactor Regulation, Director (pre-851125). 3pp. 44087:020-44087:022.
- 8801200233 Partially deleted investigation Rept 1-84-021. No matl false statements willfully made w/intent to deceive. Major areas investigated. 830520 & 840210 matl false statements submitted re facility environ qualification program. MATAKAS, R.A., CHRISTOPHER, R. Region 1, Ofc of the Director. HAYES, S.B. Ofc of Investigations. IE8-79-018. 85/08/26. 48pp. 44087:023-44087:068.
- 8801210042 Audit on 810326, 27, 30, 31 & 0401 to assess technical function home ofc activities for compliance to requirements of IE Bulletin 79-01B. Nonconformance repts & related info also encl. GUIMOND, R.J. General Public Utilities Corp. - GPU Service Corp. IE8-79-018. 81/06/26. 122pp. 44087:069-44087:200.
- 8801210046 Rev 7 to Procedure 7-18-01, "QA Audits." Related info encl. STROMBERG, M.J. General Public Utilities Corp. - GPU Service Corp. 81/11/30. 43pp. 44087:201-44087:243.
- 8801210057 Rev 0 to Procedure EP-031, "Equipment Environ Qualification." BOUCHER, P.E., MAUS, F.G. General Public Utilities Corp. - GPU Service Corp. 81/11/02. 12pp. 44087:244-44087:255.
- 8801210079 1-84-021 Rept of interview w/RG Lagrange to discuss GPU 830520 & 840210 ltrs re environ qualification equipment. Marked-up 850409 statement from H Hukill also encl. MATAKAS, R.A. Region 1, Ofc of the Director. 88/01/06. 16pp. 44087:308-44087:323.
- 8801210102 Q-1-84-021 Rept of interview w/RG Lagrange on 841208 & 14 to discuss info contained in H Hayes 841017 memo identifying series of submittals received from util between 1980 & 1984. MATAKAS, R.A. Region 1, Ofc of the Director. 88/01/06. 5pp. 44087:324-44087:328.
- 8801210105 1-84-021 Rept of interview w/PA Levine on 850510. Levine advised that he reviewed util 840210 submittal & had no knowledge that document contained false statements. MATAKAS, R.A. Region 1, Ofc of the Director. 85/06/20. 1p. 44087:329-44087:329.
- 8801210115 1-84-021 Rept of interview w/CW Smyth on 850510. Smyth advised of unfamiliarity w/environ qualification program in technical sense & w/documentation needed to qualify individual components. Marked-up LW Harding statement encl. MATAKAS, R.A. Region 1, Ofc of the Director. 85/06/20. 7pp. 44087:330-44087:338.
- 8801210142 Transcript of 850502 investigative interview of BW Alatory in Parsippany, NJ. Pp 1-15. Marked-up 841107 & 18 press releases also encl.
* Commissioners. 85/05/02. 22pp. 44087:337-44087:358.
- 8801210147 Transcript of 850424 investigative interview of TG Broughton in Parsippany, NJ. Pp 1-8.
* Commissioners. IE8-79-01B. 85/04/24. 10pp. 44087:359-44088:008.
- 8801210150 Transcript of 850508 investigative interview of PR Clark in Parsippany, NJ. Pp 1-26.
* Commissioners. 85/05/08. 28pp. 44088:009-44088:038.
- 8801210156 Transcript of 850425 investigative interview of JS Wetmore in Parsippany, NJ. Pp 1-17.
* Commissioners. 85/04/25. 19pp. 44088:037-44088:055.
- 8801210172 Transcript of 850502 investigative interview of PB Magitz in Parsippany, NJ. Pp 1-40.
* Commissioners. 85/05/02. 42pp. 44088:056-44088:087.
- 8801210178 Transcript of 850508 investigative interview of RL Long in Parsippany, NJ. Pp 1-20.
* Commissioners. 85/05/08. 22pp. 44088:088-44088:119.
- 8801210183 Transcript of 850424 investigative interview of P Boucher in Parsippany, NJ. Pp 1-52.
* Commissioners. 85/04/24. 54pp. 44088:120-44088:173.
- 8801210190 Partially deleted transcript of 850502 investigative interview of BA Bader. Pp 1-45.
* Commissioners. 85/05/02. 48pp. 44088:174-44088:221.
- 8801210195 Partially deleted transcript of 850501 investigative interview of RF Wilson in Parsippany, NJ. Pp 1-44.
* Commissioners. 85/05/01. 46pp. 44088:222-44088:268.
- 8801210203 Partially deleted transcript of 850404 investigative interview of RJ Guimond in Parsippany, NJ. Pp 1-48.
* Commissioners. 85/04/24. 49pp. 44088:269-44088:317.
- 8801210205 Partially deleted transcript of 850508 investigative interview of MJ Stromberg in Parsippany, NJ. Pp 1-23.
* Commissioners. 85/05/08. 25pp. 44088:318-44088:342.
- 8801210209 Partially deleted transcript of 850508 investigative interview of NC Kazanas in Parsippany, NJ. Pp 1-45.
* Commissioners. 85/05/08. 48pp. 44088:343-44089:030.
- 8801210213 Partially deleted transcript of 850425 investigative interview of FG Maus. Pp 1-31.
* Commissioners. 85/04/25. 84pp. 44089:031-44089:114.
- 8801210225 Partially deleted transcript of 850425 investigative interview of RJ Chisolm in Parsippany, NJ. Pp 1-45.
* Commissioners. 85/04/25. 45pp. 44089:115-44089:159.
- 8801210229 Partially deleted transcript of 850501 investigative interview of DK Cronsberger in Parsippany, NJ. Pp 1-44.
* Commissioners. 85/05/01. 46pp. 44089:160-44089:226.
- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Add records also available in PDR under Bossong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:171.

- 69 Submits objectives for INPO accreditation team 831107-11 site visit.
L.S. Licensee Qualifications Branch 83/10/28. PERSENSKY, J.J. Licensee Qualifications Branch. 2pp. 44118.041-44118.042.
- 30 Submits results of accreditation team visit followup. Four utility peer team are strong balancers in accreditation program.
L. Licensee Qualifications Branch. 84/02/21. PERSENSKY, J. Licensee Qualifications Branch. 1p. 44118.040-44118.040.
- 17 Advises that INPO accreditation process offers utility mechanism to meet proposed training rule w/o separate set of reporting requirements. Final accreditation report to detail observations required.
CN.H.L. Division of Human Factors Safety (800428-851124). 84/03/01. K.A. Institute of Nuclear Power Operations. 2pp. 44118.048-44118.050.
- 34 Trip report of 840323 visit to INPO to respond to INPO concerns re training actions rulemaking package (SECY-84-76). Accreditation team report on McGuire and questions answered.
A.H., PERSENSKY, J.J. Licensee Qualifications Branch. 84/03/20. H.R. Licensee Qualifications Branch. 2pp. 44118.051-44118.052.
- 71 Responds to 840820 letter re NRC participation in INPO accreditation will be discussed at next coordination meeting scheduled for 840917.
CN.H.L. Division of Human Factors Safety (800428-851124). 84/08/30. K.A. Institute of Nuclear Power Operations. 1p. 44118.076-44118.076.
- 12 Summary of 840917 INPO/NRC Coordination meeting in Atlanta, procedure guidance program, human performance evaluation, station program & training system manual discussed. Agenda, attendees list & attachments.
B. Division of Human Factors Safety (800428-851124). 84/09/26. CN.H.L. Division of Human Factors Safety (800428-851124). NORBERG, J.A. Closure & Safeguards Branch. 24pp. 44118.077-44118.100.
- 1 Forwards B. Dirks 841001 memo establishing policy that only NRC will evaluate INPO programs, for review & identification of programs planning to Atlanta. Response requested by 841028. W/o encl.
CN.H.L. Division of Human Factors Safety (800428-851124). 84/10/16. H. Licensee Qualifications Branch. ZIEMANN, D. Procedures & Systems Branch. WEISS, S. Human Factors Engineering Branch. 1p. 44118.109.
- 0 Forwards DJ. Shea 850108 letter re adequacy of INPO job task PO plans to compare, change or validate existing generic job task analysis & analysis data generated for Suppl 1 to NUREG-0737 activities.
CN.H.L. Division of Human Factors Safety (800428-851124). 85/01/24. K.A. Institute of Nuclear Power Operations. 1p. 44118.117-44118.133.
- 3 Discusses RFP re licensing exam development. Task data should be dictated by review of power plant design in various failure modes w/ emphasis on operational requirements.
Human Engineering Associates, Inc. FIN D-1315. 85/01/08. N.H.L. Division of Human Factors Safety (800428-851124). 1p. 44118.118.
- 5 Responds to Solicitation AS-NHR-85-052 w/ "No Bid at This Time." Re-task analytic approach not amenable to integration w/ other safety-related or objectives of NUREG-0737, Suppl 1.
Human Engineering Associates, Inc. 85/01/07. HAGEY, H. Technical Abstracts Branch (Pre 860421). 1p. 44118.119-44118.133.
- 3 Trip report of visit to INPO accreditation board 850924-26 meetings. Board plant visits well conceived & executed. NRC participation in all accreditation meetings unnecessary.
I.R. Licensee Qualifications Branch. 85/10/17. RUSSELL, W.T. Division of Human Factors Safety (800428-851124). 3pp. 44118.197-44118.199.
- 1 Summary of INPO Accreditation Board 851023-24 meetings in Atlanta, GA programs for listed facilities, performance indicators, NRC exam failure rate qualifications.
J.L. Division of Human Factors Safety (800428-851124). 85/11/04. W.T. Division of Human Factors Safety (800428-851124). 4pp. 44118.200.
- Responds to request to review INPO 851016 letter re concern that NRC act be counterproductive to industry training & accreditation. NUREG/CR on qualification should be published. Detailed comments encl.
R. Office of Nuclear Reactor Regulation, Director (pre-851125). 85/11/05. J. Office of the Executive Director for Operations. 8pp. 44118.217-44118.224.
- Provides status of training data evaluation activities & revised scope for next be reviewed & summarized. Summary & reporting format may require moderate type of info available. Training evaluation plan encl.
BLUMER, A. Maintenance & Training Branch. 85/12/23. PERSENSKY, J.J. 3 & Training Branch. 18pp. 44118.228-44118.243.
- Summarizes 851115 meeting w/ INPO in Atlanta, GA re Dresden accreditation & NRC training review criteria & procedures. INPO unclear on objective views.
V.J.J. Maintenance & Training Branch. 85/12/23. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 3pp. 44118.225-44118.227.
- Submits observations of INPO accreditation board 851114 meeting w/ training programs. Salem electrical & mechanical maint training programs reviewed & should not have been accredited.
R. Maintenance & Training Branch. ZWOLINSKI, J.A. BWR Project Director. 12/30. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). WILSON, M.L. Division of Boiling Water Reactor (BWR) Licensing Branch. 13pp. 44118.204-44118.218.
- Responds to 851118 letter re 850812 trip report on observations made during startup of 850221 high startup rate & subsequent power range change team observation visit protocol for use by NRC encl.
R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/1/0. W. South Carolina Electric & Gas Co. 18pp. 44118.248-44118.266.
- 860310180 Forwards results of post-accreditation reviews at Susquehanna on 851021-23, Dresden on 851118-21 & Oconee on 851216-18. Significant progress observed in improving training.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/01/28. PATE, Z. Institute of Nuclear Power Operations. 38pp. 44118.287-44118.315.
- 8602030451 Submits observations of INPO 851218 accreditation board meeting & accreditation process. NRC activity in board reviews & participation in INPO team visit & post-accreditation visits requested.
BOGER, B.A. Operator Licensing Branch. 86/01/14. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 4pp. 44118.244-44118.247.
- 8604150629 Forwards final reports from staff post-accreditation audits & comparison of revised NRC review questions w/ INPO accreditation objectives & criteria. Recommends INPO consider adding appropriate accreditation criteria.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/04/03. PATE, Z. Institute of Nuclear Power Operations. 32pp. 44118.318-44118.357.
- 8606100176 Provides update of past & current status of NRC involvement in facility requalification program evaluations re Feb 1985 rev to NUREG-021, Std ES-601 concerning NRC procedures for requalification programs. FY84 & FY85 results encl.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/04/04. STELLO, V. Office of the Executive Director for Operations. 3pp. 44118.117-44118.119.
- 8607090559 Discusses attendance at 860520 & 29 INPO Accreditation Board meetings. Board attendees listed & major facility-specific issues & utility responses discussed. Evaluation method appears effective overall. NRC involvement should be maintained.
BOGER, B.A. Operator Licensing Branch. 86/06/20. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44118.358-44118.010.
- 8608190210 Forwards final report on post-accreditation audit of training programs conducted on 860824-26. Strong management commitment to training improvement exists at facilities. Issuance of INPO guidance will help to improve job incumbent training.
RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/08/08. STRAHM, K. Institute of Nuclear Power Operations. 10pp. 44118.045-44118.054.
- 8608200452 Discusses INPO Accreditation Team 860728-0801 visit to plant to evaluate four listed training programs. Programs evaluated against Rev 1 to INPO Criterion 85-002. Info sheet encl.
MORISSEAU, D.S. Maintenance & Training Branch. 86/08/08. CWALINA, G.C. Maintenance & Training Branch. 5pp. 44118.011-44118.016.
- 8610070188 Forwards final report from Aug 1986 NRC post-accreditation audit. Plant has not performed task analysis to identify knowledge, skills & abilities for all job tasks. Radiological protection training warrants specific attention.
RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 86/09/10. STRAHM, K. Institute of Nuclear Power Operations. 16pp. 44118.025-44118.040.
- 8611040020 Corrects error in 860808 report on post-accreditation audit of training programs at plant.
RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 86/10/24. STRAHM, K. Institute of Nuclear Power Operations. 1p. 44118.044-44118.044.
- 8611170042 Summary of INPO training accreditation board 860723 & 24 meetings re programs for non-licensed operator, reactor operator & senior reactor operator positions for facilities. Agenda, notes on issues & other related documentation encl.
ROWSOME, F.H. Human Factors Issues Branch. 86/11/07. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). PERSENSKY, J.J. Maintenance & Training Branch. 22pp. 44118.055-44118.076.
- 8612080547 Trip report of 861029-30 visit to Natl Nuclear Accrediting Board meeting to review selected training for plants. Board reviewed four sites & 24 programs.
MCKEE, P.F. Operating Reactor Program Br. Div of Inspection Programs, IE (850212-870413). 86/12/02. PERSENSKY, J.J. Maintenance & Training Branch. 2pp. 44118.077-44118.078.
- 8612090030 Summary of INPO Accreditation Board 861016 & 16 meetings re encl list of facility programs.
GIBSON, A.F. Region 2, Office of the Director. 86/10/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 3pp. 44118.041-44118.043.
- 8612090057 Trip report of INPO Accreditation Board 850523 meeting re plant training programs.
PERSENSKY, J.J. Licensee Qualifications Branch. 85/06/10. BOOHER, H.R. Licensee Qualifications Branch. 3pp. 44118.136-44118.195.
- 8612100113 Forwards final reports from NRC post-accreditation audits using Training & Review Criteria & Procedures published as NUREG-1220 in Jul 1988. Both job & task analyses necessary for full implementation of performance-based training.
RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 86/12/03. STRAHM, K. Institute of Nuclear Power Operations. 33pp. 44118.078-44118.111.
- 8612230330 Submits observations on INPO Accreditation Team 860908-12 evaluation of six listed plant training programs against Rev 1 of INPO Criteria 85-002. Team evaluators appropriately qualified. List of team members encl.
ROE, M.L. Maintenance & Training Branch. 86/12/18. PERSENSKY, J.J. Maintenance & Training Branch. 6pp. 44118.112-44118.116.
- 8703280578 Trip report of attendance at 870225-26 Natl Nuclear Accrediting Board meeting in Atlanta, GA re utility training programs. Meeting agenda encl.
BOGER, B.A. Division of Human Factors Technology (851125-870411). 87/03/17. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 8pp. 44118.120-44118.128.
- 8704080019 Summary of INPO Accreditation Board 870325 & 26 meetings in Atlanta, GA re programs considered for accreditation. Attendees list & meeting agenda encl.
HANNON, J.N. Operator Licensing Branch. 87/04/01. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 7pp. 44118.129-44118.135.

developed from task analysis identified skills & for learning objectives.
RUSSELL,W.T. Division of Human Factors Technology (851125-870411). 87/04/08.
STRAHM,K. Institute of Nuclear Power Operations. 18pp. 44119.135-44119.153.

-8709010052 Requests certification prior to FSAR rev that reactor operator training program accredited & based upon sys approach to training, per Generic Ltr 87-07.
HOOD,D. Project Directorate II-3. GL 87-07. 87/08/28. TUCKER,H.B. Duke Power Co. 1p. 44119.154-44119.154.

-8711020491 Discusses attendance at INPO Accreditation Board meeting on 871022 & 23 in Atlanta, GA re accreditation of licensee training programs on maint & technical support areas. Future NRC observers should be given info prior to meeting.
LAINAS,G.C. Assistant Director for Region II Reactors. 87/10/28. ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 4pp. 44119.167-44119.171.

-8801200259 Forwards outline of INPO 830819 Arkansas accreditation team training workshop for preparing industry peer teams to conduct accreditation team visits info will aid NRC in formulating position on INPO program w/related encls.
GENDER,L. Licensee Qualifications Branch. 83/08/22. THOMPSON,H.L. Division of Human Factors Safety (800428-851124). 24pp. 44118.011-44118.039.

-8801200428 Forwards draft plan for NRC activities to monitor effectiveness of accreditation of industry training programs aimed at nuclear power plant personnel. NRC activities will follow schedule for INPO unit accreditation.
BOOHER,H.R. Licensee Qualifications Branch. FIN D-1301. 84/10/17. THOMPSON,H.L. Division of Human Factors Safety (800428-851124). 6pp. 44118.101-44118.108.

-8801200458 Responds to 841015 memo re use of contractors to evaluate INPO programs & advises that Licensee Qualifications Branch has no contracts for such evaluations. Contract 88700 can be used to develop review protocols for unit training programs.
BOOHER,H.R. Licensee Qualifications Branch. FIN B-8700. 84/10/24. THOMPSON,H.L. Division of Human Factors Safety (800428-851124). 1p. 44118.112-44118.112.

-8801200483 Trip rept of 850330-1004 observation of INPO accreditation team evaluation of plant training programs including licensed reactor operator, nonlicensed operator & shift technical adviser. INPO evaluation team member list encl.
GOODMAN,C. NRC - No Detailed Affiliation Given. 85/01/10. BOOHER,H.R. NRC - No Detailed Affiliation Given. 4pp. 44118.113-44118.116.

-8801210046 Trip rept of 850420-22 visit to Port Gibson, Ms, to participate in field test of draft training review criteria & procedures at plant. NRC teams observed licensed operator & nonlicensed operator training.
BLUMER,A.H. Licensee Qualifications Branch. 85/06/03. PERSENSKY,J.J. Licensee Qualifications Branch. 2pp. 44118.134-44118.135.

-8801210066 Forwards Denton 850814 memo re NRC approach to evaluate effectiveness of INPO accreditation program on improved training in nuclear power industry. W/ o encl.
PERSENSKY,J.J. Licensee Qualifications Branch. 85/08/23. COAKLEY,W. Institute of Nuclear Power Operations. 1p. 44118.196-44118.196.

-8801210236 Trip rept of 850721-25 visit to plant to observe INPO accreditation team evaluation of six training programs including instrumentation & control technician, mechanical maint & electrical maint. List of team members encl.
FALCONER,D.P. Region 2, Ofc of the Director. 86/08/20. GIBSON,A.F. Region 2, Ofc of the Director. 4pp. 44119.016-44119.024.

-8801210097 Trip rept of 870309-13 visit to observe INPO accreditation team conduct plant site visit to evaluate five training programs including non-licensed operator training & licensed reactor operator training. Accreditation team roster encl.
CREWS,J.L. Region 5, Ofc of the Director. 87/09/08. FAULKENBERRY,B. Region 5, Ofc of the Director. 4pp. 44119.155-44119.158.

-8801220138 Advises of attendance at 870923 Natl Nuclear Accrediting Board meeting at INPO sites in Atlanta, GA re training programs at two plants. Encls include list of Board member names & attendees & 871105 plant status accreditation table.
GIBSON,A.F. Region 2, Ofc of the Director. 87/11/02. ROE,J. Division of Licensee Performance & Quality Evaluation (Post 870411). 6pp. 44119.159-44119.166.

8801200248 Final response to FOIA request for documents re plant. App B documents completely withheld (ref FOIA Exemption 7).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/14. CONNOR,L. Doc-Search Associates. 3pp. 44066.275-44066.278.

8801210053 Partial response to FOIA request for documents re environ qualification at facility. Forwards documents listed in App C. Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/15. WEISS,E.R. Union of Concerned Scientists. 2pp. 44091.147-44091.248.

-8801210252 TER-C5257-492 V01 Sanitized proprietary "Review of Licensee Resolution of Outstanding Issues From NRC Equipment Environ Qualification SERs (F-11 & B-60)," technical evaluation repts, Vol 1.
PANDEY,S. Franklin Institute. NRC-03-79-118. TAC 42513. 82/11/05. SHERANSKI,P. NRC - No Detailed Affiliation Given. 8pp. 44091.159-44091.248.

8801210174 FOIA request for documents that provide info on levels of education attained by persons holding position of unlicensed operator for each & every commercial nuclear generating facility.
BOLEY,K. Public Citizen's Critical Mass Energy Project. 87/12/31. GRIMSLEY,D. Division of Rules & Records (Post 870413). 2pp. 44094.332-44094.333.

8801210175 Final response to FOIA request for documents. No agency records re request located.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/18. BOLEY,K. Public Citizen's Critical Mass Energy Project. 1p. 44094.334-44094.334.

8801210184 FOIA request for documents re design, testing & certification of plutonium air transport or PAT-3 container.
RESNIKOFF,M. Radioactive Waste Management Associates. 87/10/24. NRC - No Detailed Affiliation Given. 1p. 44092.114-44092.114.

GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/20.
RESNIKOFF,M. Radioactive Waste Management Associates. 2pp. 44092.115-44092.121.

-8801210196 Lists chronology summarizing principal events, correspondence & NRC involvement re transport packaging issues per US-Japan bilateral agreement for cooperation which appeared in Nuclear Fuel 870618 issue. Related into encl.
BURNETT,R.F. Division of Safeguards & Transportation (Post 870413). 87/08/05. THOMPSON,H.L. NRC - No Detailed Affiliation Given. 3pp. 44092.117-44092.118.

-8801210210 Proposes informal meeting w/Japanese regulatory members during 870608-12 visit to Sandia to exchange views on regulatory criteria for packaging of plutonium air transport.
OMORI,K. Japan, Govt. of. 87/05/14. BURNETT,R.F. Office of Nuclear Material Safety & Safeguards, Director. 1p. 44092.120-44092.120.

-8801220116 Discusses Ofc of Intl Programs daily item of interest re air shipments of plutonium through State of AK.
PETERSON,M. Office of International Programs, Director (Pre 870413). 87/03/19. BECKER,J. MACDONALD,C. KENT,S. NRC - No Detailed Affiliation Given. 1p. 44092.121-44092.121.

8801210194 Partial response to FOIA request App G documents already available in PDR. App H documents re INPO accreditation training, encl & available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/19. BOLEY,K. Public Citizen's Critical Mass Energy Project. 4pp. 44095.001-44095.086.

-8410120121 Advises that NRC should evaluate INPO programs & not contractors in cases where special expertise not available within NRC, specifics should be reviewed w/J. Sniezek.
DIRCKS,W.J. Ofc of the Executive Director for Operations. 84/10/01. NRC - No Detailed Affiliation Given. 3pp. 44095.023-44095.025.

-8507030045 Summary of branch attendance at INPO accreditation training on 850522. Three phases in accreditation method discussed, including development of objectives & criteria for performance-based training programs by INPO.
PERSENSKY,J.J. Licensee Qualifications Branch. 85/06/25. RUSSELL,W.J. Division of Human Factors Safety (800428-851124). 40pp. 44095.037-44095.076.

-8812040318 Summary of attendance at INPO Accreditation Board 881119 & 20 meetings in Atlanta, GA re training programs. Agenda encl.
ZERBE,J.E. Regional Operations & Generic Requirements, EDO (Pre 870413). 88/11/24. SNEIZEK,J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 4pp. 44095.077-44095.080.

-8801210198 Forwards comments on unit industry proposals in response to proposed rulemaking on training & qualifications, discussed in recent NRC telcon.
REMICK,F.J. Affiliation Not Assigned. 84/04/27. THOMPSON,H.L. Division of Human Factors Safety (800428-851124). 3pp. 44095.009-44095.011.

-8801210214 Forwards "INPO Accreditation Board Members Perspective," presented at ANS 1984 annual meeting in New Orleans. Proposed rule should contain min requirements to avoid discouraging INPO initiatives.
REMICK,F.J. Affiliation Not Assigned. 84/09/24. THOMPSON,H.L. Division of Human Factors Safety (800428-851124). 11pp. 44095.012-44095.022.

-8801210237 Repts on NRC 851118-22 observation of INPO Accreditation Team evaluation of unit training programs for reactor operators, senior reactor operators, nonlicensed operators & shift technical advisers.
MORRISSEAU,D.S. Office of Nuclear Reactor Regulation, Director (pre-851125). CREWS,J.L. Region 5, Ofc of the Director. 85/01/06. BOOHER,H.R. Office of Nuclear Reactor Regulation, Director (pre-851125). FAULKENBERRY,B. Region 5, Ofc of the Director. 4pp. 44095.026-44095.029.

-8801210247 Nominates L. Clark & F. Fogarty as candidates for consideration as addl INPO Accrediting Board members.
DIRCKS,W.J. Ofc of the Executive Director for Operations. 85/03/07. PATE,Z.T. Institute of Nuclear Power Operations. 1p. 44095.030-44095.030.

-8801210264 Expresses thanks for nomination of L. Clark & F. Fogarty for consideration as addl INPO Accrediting Board members. Valuable contributions to proceedings by F. Remick & G. Robinson ack.
PATE,Z.T. Institute of Nuclear Power Operations. 85/03/28. DIRCKS,W.J. Ofc of the Executive Director for Operations. 4pp. 44095.031-44095.034.

-8801210283 Provides list of participants for INPO 850522 training session.
PERSENSKY,J.J. Licensee Qualifications Branch. 85/05/20. RUSSELL,W.T. Division of Human Factors Safety (800428-851124). 2pp. 44095.035-44095.036.

-8801210328 Informs of unit decision to substitute accredited training program for previously approved programs for reactor & senior reactor operator certification & licensed operator recertification training courses.
PAPANIC,G. Yankee Atomic Electric Co. FYR 87-76. 86/07/23. Records Services Branch (Document Control Branch) (Pre 870120). 1p. 44095.078-44095.078.

-8801210349 Forwards comments on licensee training performance during period of INPO accreditation effort. Certification of licensed operator training program encl.
GRACE,J.N. Region 2, Ofc of the Director. 87/02/25. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 4pp. 44095.081-44095.084.

-8801210371 Discusses INPO Accreditation Board 870428 meeting & observation of INPO evaluation of unit training programs during wk of 870801. Author favorably impressed w/both Board & Accreditation Team.
GAGLIARDO,J.E. Region 4, Ofc of the Director. 87/07/28. PERSENSKY,J.J. Region 4, Ofc of the Director. 2pp. 44095.085-44095.088.

8801210202 Partial response to FOIA request for documents. Forwards App K documents. Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/19. WANN,L. Times Printing Co. 2pp. 44092.122-44092.152.

- 8603050398 Identifies actions being taken to address H Myers 860128 concerns on NRC intent to answer congressional staff questions.
DENTON,H.R. Office of Nuclear Reactor Regulation, Director (861125-870411). 86/02/24. STELLQ,V. Ofc of the Executive Director for Operations. 86/02/26. 44092:126-44092:128.
- 8601210208 Forwards explanation of how staff intends to address issue raised in H Myers 860128 memo w/o encl.
REHM,T.A. Ofc of the Executive Director for Operations. 86/02/26. KAMMERER,C.C. Office of Congressional Affairs (pro 870413). 1p. 44092:126-44092:125.
- 8601210212 Forwards Youngblood 860718 & 24 ltrs to SA White requesting addl info re project mgt plan for DOE weld evaluation project for plant, in response to inquiry.
KENT,S. NRC - No Detailed Affiliation Given. 86/07/25. MYERS,H. House of Rep., Interior & Insular Affairs. 1p. 44092:127-44092:147.
- 8601210218 Forwards listing of 10CFR50.55e repts submitted by util re plant for 860101-0418. Rept re HVAC seismic deficiencies will be forwarded upon receipt.
WEISE,S.P. Region 2, Ofc of the Director. 86/08/12. REHM,T.A. Ofc of the Executive Director for Operations. 5pp. 44092:148-44092:162.
- 8601210215 FOIA request for documents re senior executive svc rank awards announcements through 1987.
CONNOR,L. Doc-Search Associates. 87/12/29. NRC - No Detailed Affiliation Given. 2pp. 44094:335-44094:336.
- 8601210217 FOIA request for documents re evaluation of bldg products containing asbestos for bldgs constructed between 1940-75. List of mfgs & products & related info encl.
ENGEL,D.G. Crowell & Moring. 87/12/11. GRIMSLEY,D. NRC - No Detailed Affiliation Given. 60pp. 44094:277-44094:328.
- 8601210221 Final response to FOIA request for documents Forwards App A documents/Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 86/01/19. CONNOR,L. Doc-Search Associates. 2pp. 44094:337-44094:350.
- 8601210226 Announcement 102 listing senior executive svc rank & bonus awards nominees Addl announcements did 841221,851220,861210 & 860112 listing nominees.
NORRY,P.G. NRC - No Detailed Affiliation Given. 83/01/04. 12pp. 44094:339-44094:350.
- 8601210222 FOIA request for small purchase contract that was executed w/Appalachian Computer Svcs for keying of exposure data.
STEVENSON,P. Information Control Systems Corp. 87/12/08. MEARSE,S. Division of Contracts (Post 870413). 1p. 44137:265-44137:265.
- 8601210223 Final response to FOIA request for documents.No agency records subj to request located.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 86/01/19. ENGEL,D.G. Crowell & Moring. 1p. 44094:327-44094:327.
- 8601210230 Final response to FOIA request for documents.Documents available in PDR.Final response to Kirkpatrick & Lockhart, filed under Belfair 87-823,also encl.W/O encl.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 86/01/19. INGEBRETSON,C. Hunton & Williams. 1p. 44094:328-44094:330.
- 8601210231 Final response to FOIA request for purchase order issued to Appalachian Computer Svcs for keying of exposure data. Forwards App A document/Document also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 86/01/19. STEVENSON,P. Information Control Systems Corp. 3pp. 44137:278-44137:284.
- 8601210251 NRC Purchase Order DR87-0475 for data entry svcs by Appalachian Computer Svcs Statement of work, "Keying of Occupational Radiation Exposure Info," encl.
HAGEY,H. Administrative Contracts Branch (Pro 860421). FIN D-1735. 87/01/16. 3pp. 44137:282-44137:284.
- 8601210234 Partial response to FOIA request for documents re Emergency Response Data Sys.Forwards App G documents.App F & G documents available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 86/01/19. SHOLLY,S.C. MHB Technical Associates. 3pp. 44094:001-44094:147.
- 8601210241 Forwards H.R.5652 re State Nuclear Safety Participation Act of 1986,per E Markey 861008 Introduction Bill provided for state regulation of radiological hazards of production & utilization facilities.
KAMMERER,C. Office of Congressional Affairs (pro 870413). 86/10/08. ZECH, ROBERTS, ASSELSTINE Commissioners. 7pp. 44094:006-44094:011.
- 8601210260 Discusses Emergency Response Data Sys (ERDS) concept.ERDS consists of electronic data line to electronic data sys of nuclear power facilities for use during emergencies.
HICKMAN,J. NRC - No Detailed Affiliation Given. 87/01/28. MARTIN,T. Region 1, Ofc of the Director. 2pp. 44094:012-44094:013.
- 8601210270 Notifies that Subcommittee on Nuclear Regulation of Committee on Environment & Public Works will conduct hearing on 870508 re Commission authorization request for FY88 & FY89. Listed issues should be addressed in prepared testimony.
BREAUX,J., SIMPSON,A.K. Senate, Environment & Public Works. 87/04/29. ZECH,L.W. Commissioners. 4pp. 44094:014-44094:017.
- 8601210275 Forwards status rept on NRC program to establish Nuclear Data Link/Emergency Response Data Sys for FY88-89 budget hearing,per request.
PERKINS,K.E. Incident Response Branch. 87/05/04. REHM,T.A. Ofc of the Executive Director for Operations. 7pp. 44094:018-44094:024.
- 8601210282 Forwards author 870522 directive to Ofc of Admin & Resources Mgt & AEOB in response to 870526 memo re Emergency Response Data Sys implementation.W/O encl.
STELLQ,V. Ofc of the Executive Director for Operations. 87/06/11. ZECH Commissioners. 1p. 44094:025-44094:025.
- 8601210294 Notifies that Udell Subcommittee on Energy & Environ marked up NRC legislative proposals & emergency monitoring bill. H.R.1570, "Nuclear Power Emergency Response Data Sys Act of 1987," encl.
BRADBURN,J.C. NRC - No Detailed Affiliation Given. 87/06/18. ZECH, ROBERTS, ASSELSTINE Commissioners. 7pp. 44094:026-44094:032.
- 8601210307 Notifies that on 870701,Committee on Interior & Insular Affairs marked & reported NRC legislative proposals on safeguards & on reporting defects H.R.2883 reported w/o amend,info re technical amends to H.R.1570 encl.
BRADBURN,J.C. Congressional Affairs. 87/07/01. ZECH, ROBERTS, BERNTHAL Commissioners. 12pp. 44094:033-44094:044.
- 8601220166 Advises that House Interior Committee ordered reported H.R.5192, "Nuclear Power Emergency Response Data Sys Act of 1986," on 860917.Three amends offered by Hucksby agreed to during markup session W/O stated encl.
KAMMERER,C. Office of Congressional Affairs (pro 870413). 86/09/17. ZECH, ROBERTS, ASSELSTINE Commissioners. 1p. 44094:045-44094:147.
- 8601210290 FOIA request for listings of all large open pool irradiation facilities 100,00 Ci or more, of all Agreement States & all large open pool irradiation facilities in Agreement States.
PETERSEN,T.C. Kline & Co., Inc. 87/12/22. ROBINSON,L. Freedom of Information & Privacy Acts Branch. 1p. 44093:349-44093:349.
- 8601210316 Final response to FOIA request for computer listing of active NRC irradiator licenses greater than 10,000 Ci, listing of Agreement States & listing of Agreement States pool-type irradiators Forwards listed documents.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 86/01/19. PETERSEN,T.C. Kline & Co., Inc. 1p. 44093:350-44093:360.
- 8601210334 Listings of active NRC irradiator licenses greater than 10,000 Ci, Agreement States & Agreement States pool-type megacurie irradiators.
* NRC - No Detailed Affiliation Given. 86/01/19. 10pp. 44093:351-44093:360.
- 8601220109 Partial response to FOIA request for documents,including Myers 870721 objection to Ofc of Inspector & Auditor use of word "lrs" in briefing on TVA.Forwards App L documents. Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 86/01/20. WANN,L. Times Printing Co. 2pp. 44114:046-44114:122.
- 8706040254 Requests that Commission state position re validity of encl D Hicks 870328 concerns on TVA nuclear project items presented by Hicks have potentially significant implications w/respect to whether facility complies w/NRC regulations.
UDALL,M.K. House of Rep., Interior & Insular Affairs. DINGELL,J.D. House of Rep., Energy & Commerce. 87/04/09. ZECH,L. Commissioners. 27pp. 44114:092-44114:122.
- 8601220124 Discusses H Myers objection to Ofc of Inspector & Auditor use of word "lrs" in briefing on TVA. Myers asked that Commission be notified that "lrs" inappropriate term for expressing concerns re regulation of TVA.
CONNELLY,S.R. Office of Inspector & Auditor. 87/02/25. ZECH, ROBERTS, ASSELSTINE Commissioners. 2pp. 44114:049-44114:050.
- 8601220146 Advises that all questions in attached memo to H Denton re Insp Rept 60-380/85-57 relevant to licensing decisions affecting TVA nuclear facilities.Commission & NRC should require that bulk of questions be answered.
* Affiliation Not Assigned. 86/01/28. NRC - No Detailed Affiliation Given. 1p. 44114:051-44114:051.
- 8601220164 Submits comments & questions re Insp Rept 60-380/85-57. Insp rept contains no summary statements indicating findings of areas of noncompliance/deviations or unresolved items.
MYERS,H. Affiliation Not Assigned. 85/01/28. DENTON,H., KAMMERER,C. NRC - No Detailed Affiliation Given. 4pp. 44114:052-44114:085.
- 8601220172 Discusses NRC problems in regulating TVA.
HICKS,D.R. Affiliation Not Assigned. 86/03/20. PALLADINO, ASSELSTINE, BERNTHAL Commissioners. 4pp. 44114:086-44114:089.
- 8601220182 Submits list of questions which should be addressed prior to & after re-start of plant.
KING,R., MYERS,H. Affiliation Not Assigned. 87/04/08. KEPPLER,J. NRC - No Detailed Affiliation Given. 2pp. 44114:090-44114:091.
- 8601220134 Final response to FOIA request for documents re recent NRC rule amending 10CFR50.47 & 10CFR50,App E.Forwards App C documents/Documents also available in PDR.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 86/01/19. BELAIR,R.R. Kirkpatrick & Lockhart. 2pp. 44101:043-44101:044.
- 8702270289 Informs of inaccuracies in minutes of CRGR Meeting 107 re emergency planning rule changes FEMA informally advised that change less desirable from emergency planning standpoint & might diminish incentives to state & local cooperation.
MALSCHE,M.G. Deputy General Counsel for Licensing & Regulation. 87/02/18. SNEZEK,J.H. Committee to Review Generic Requirements. 2pp. 44101:045-44101:049.
- 8601260113 FOIA request for all documents provided & to be provided in response to Kirkpatrick & Lockhart request for mails re rule amending 10CFR50.47(c) & 10CFR50,App E.
INGEBRETSON,C. Hunton & Williams. 87/12/15. GRIMSLEY,D. Division of Rules & Records (Post 870413). 2pp. 44139:130-44139:131.
- 8601260116 Partial response to FOIA request.Partial responses to Kirkpatrick & Lockhart request for records re recent rule on offsite emergency planning for nuclear power plants encl & available in PDR in Folder FOIA-87-794 under name of Belfair.
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 86/01/22. INGEBRETSON,C. Hunton & Williams. 1p. 44139:132-44139:132.
- 8601260120 FOIA request for documents re plant,including all info within Ofc of Investigations cases concerning investigations which have occurred &/or closed on 860508.
STEPHENS,S. Nuclear Awareness Network. 87/10/01. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp. 44139:133-44139:134.
- 8601260132 Final response to FOIA request for info re facility allegations.Forwards App B documents.App A,B & C documents available in PDR.App C documents partially withheld (re FOIA Exemptions 5 & 7).
GRIMSLEY,D. Division of Rules & Records (Post 870413). 86/01/21. STEPHENS,S. Nuclear Awareness Network. 5pp. 44139:135-44139:164.

212 NONDOCKETED ITEMS

- 8801260147 Requests response to listed questions re allegations made by V Hill in encl 860516 W/o and ASSELSTINE, J.K. Commissioners. 86/05/20. HAYES, B.D. Office of Investigations. 1p. 44139:140-44139:140.
- 8801260177 Responds to 860520 memo re facility allegations made by former uil employee, V Hill. Ofc of Investigations completed investigation but rept withheld from public disclosure for listed reasons. HAYES, B.D. Office of Investigations. 86/06/10. ASSELSTINE Commissioners. 1p. 44139:141-44139:141.
- 8801260186 Ack receipt of 860313 ltr re concerns presented to Ofc of Investigations, Region IV on 850114. Review of matts initiated. CONNELLY, S.R. Office of Inspector & Auditor. 86/08/16. HILL, V. Affiliation Not Assigned. 1p. 44139:142-44139:142.
- 8801260194 Forwards Allegation 4-84-A-019/O:4-84-026 as FOIA request, per advice of regional counsel. EMERSON, M. Region 4, Ofc of the Director. 87/01/06. NRC - No Detailed Affiliation Given. 1p. 44139:143-44139:143.
- 8801260209 Advises that on 870121, synopsis portion of Investigations 4-85-011, 4-85-012 & 4-85-013 & narrative portion of Ofc of Investigations assist to Insp A4-85-005 forwarded to VJ Hill in response to request. DRISKILL, D.D. Office of Investigations. 87/01/22. SMITH, L. Office of Inspector & Auditor. 1p. 44139:144-44139:144.
- 8801260215 Discusses nonresponsiveness by Ofc of Investigations, Region IV re V Hill ltr concerning alleged wrongdoing by uil mgt at plant. Ofc of Investigations responded to request on 860610. Recommends that inquiry be closed. SMITH, L.B. Office of Inspector & Auditor. 87/03/13. CONNELLY, S.R. Office of Inspector & Auditor. 1p. 44139:145-44139:145.
- 8801260227 Responds to 860313 ltr indicating that allegations provided to NRC on 850114 were not handled appropriately. On 870122, Ofc of Investigations informed Ofc of Inspector & Auditor that listed repts have been sent in response to request. CONNELLY, S.R. Office of Inspector & Auditor. 87/03/20. HILL, V. Affiliation Not Assigned. 3pp. 44139:146-44139:148.
- 8801260239 Partially withheld response to 860513 ltr. Allegations raised have been investigated by Ofc of Investigations & documented. Package of documents prepared but not sent due to lack of authorization for public release. WARD, W. Office of Investigations. 88/08/10. HILL, V. Affiliation Not Assigned. 1p. 44139:149-44139:149.
- 8801260258 Partially withheld ltr requesting investigatory documents re client concerns for lawsuit against Daniel Hill. WULZ, D.L. Bryan, Lykins, Hejmanek & Wulz. 88/12/12. Region 4, Ofc of the Director. 2pp. 44139:150-44139:151.
- 8801260279 Partially withheld FOIA request for all records re investigation of deficiencies in const & procedures at facility. WULZ, D.L. Bryan, Lykins, Hejmanek & Wulz. 87/01/06. NRC - No Detailed Affiliation Given. 2pp. 44139:152-44139:153.
- 8801260286 Partially withheld ltr addressing concerns re plant & Daniels Const Copr. Allegation 4-84-A-018. NRC continuing efforts re concerns. Resultant findings will be forwarded upon completion. EMERSON, M. Region 4, Ofc of the Director. 87/01/12. Affiliation Not Assigned. 1p. 44139:154-44139:154.
- 8801260165 Appeals denial of FOIA request for documents listed in encl App B. Response to appeal expected within 20 working days of ltr receipt. BAUMAN, L. Government Accountability Project. 87/11/06. CHILK, S. Office of the Secretary of the Commission. 1p. 44139:174-44139:174.
- 8801260173 FOIA request for documents re vendor liabs for facility as compiled by uil or any contractors between 1975 & 1978, including documentation re use of "E-BRITE". PALAST, G.A. Union Associates. 87/12/14. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 2pp. 44139:253-44139:254.
- 8801260184 Partial response to FOIA request for documents. App A documents re equipment qualification package available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. PALAST, G.A. Union Associates. 2pp. 44139:255-44139:258.
- 8801260195 Responds to appeal re denial of FOIA request for 14 documents listed in App B. Portions of encl Documents B1, B4, B8, B9, B11 & B14 withheld (re FOIA Exemption 5). Document B5 in PDR under Contract NRC-02-87-003. CHILK, S.J. Office of the Secretary of the Commission. NRC-02-87-003. 88/01/20. BAUMAN, L. Government Accountability Project. 2pp. 44139:175-44139:252.
- 8801260220 Partially withheld Technical & Cost Proposals 87-NRC-01, "Support for Regulatory Negotiation Under Nuclear Waste Policy Act." * Conservation Foundation. 87-NRC-01. 87/01/22. 3pp. 44139:177-44139:209.
- 8801260228 Partially withheld Technical & Cost Proposals 87-NRC-01, "Support for Regulatory Negotiation Under Nuclear Waste Policy Act." * Conservation Foundation. 87-NRC-01. 86/12/22. 3pp. 44139:210-44139:239.
- 8801260262 Partially withheld memo discussing various alternatives for procuring necessary contractor support for negotiated rulemaking on high level waste. CAMERON, C. Office of the General Counsel. KALMAN, K. Office of Nuclear Material Safety & Safeguards, Director. PHILLIPS, J. Office of Administration (Pre 870413). 88/07/03. BUNTING, J. Office of Nuclear Material Safety & Safeguards, Director. 1p. 44139:240-44139:241.
- 8801260280 Partially withheld memo discussing implementation status for high level waste negotiated rulemaking. CAMERON, C. Office of the Executive Legal Director (Pre 860701). 88/01/26. KALMAN, K. Office of Nuclear Material Safety & Safeguards, Director. PHILLIPS, J., BEESON, N. Office of Administration (Pre 870413). 3pp. 44139:242-44139:244.
- 8801260294 Partially withheld summary of 861125 meeting w/ Federal Trade Commission re negotiated rulemaking on informal dispute settlement procedures & use of Conservation Foundation as prime contractor in rulemaking. KALMAN, K.L. NRC - No Detailed Affiliation Given. 88/12/10. BUNTING, J.O. NRC - No Detailed Affiliation Given. 3pp. 44139:245-44139:252.
- 8801260258 FOIA request for documents re internal &/or external correspondence/communications to & from NRC & H Myers during 1984-1987. Recipient & author of documents should be listed. CONNOR, L. Doc-Search Associates. 87/10/23. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 44139:288-44139:288.
- 8801260267 FOIA request for documents re internal &/or external correspondence/communications to & from NRC & H Myers during 1984-1987. Recipient & author of documents should be listed. Request updates FOIA Request 87-728. CONNOR, L. Doc-Search Associates. 87/12/07. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 44139:289-44139:289.
- 8801260278 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR Only files in NRC Ofc of Governmental & Public Affairs searched for documents responsive to request. per 871028 telcon. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, L. Doc-Search Associates. 3pp. 44139:290-44139:299.
- 8807240195 Forwards comments on NRC 850510 ltr to Congressman Udall on pressure transmitters used at facilities. COMBS, F. NRC - No Detailed Affiliation Given. 85/05/15. REHM, T. NRC - No Detailed Affiliation Given. 1p. 44139:335-44139:335.
- 8808070143 Requests response to listed items. In support of NRC 850710 response to Congressman Udall 850426 ltr re NRC's failure to plant. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/07/12. REHM, T. Ofc of the Executive Director for Operations. 1p. 44139:338-44139:339.
- 8801260288 Forwards listed insp repts re plant per request. Copy of results of CE reinsp effort & ASLB decision will be forwarded. W/o encl. KENT, S. NRC - No Detailed Affiliation Given. 84/01/17. MYERS, H. Affiliation Not Assigned. 1p. 44139:283-44139:283.
- 8801260295 Forwards memo received from Region III providing chronology of events re development of reinsp program at plant. Rept on results of reinsp did 840112 being produced & will be forwarded. W/o encl. KENT, S. Office of Congressional Affairs (pre 870413). 84/01/23. MYERS, H. Affiliation Not Assigned. 1p. 44139:284-44139:284.
- 8801260300 Forwards list of items listed in chronology of events re reinsp of plant. KENT, S. Office of Congressional Affairs (pre 870413). 84/01/23. MYERS, H. Affiliation Not Assigned. 1p. 44139:285-44139:285.
- 8801260308 Submits listed questions re findings on TMI-2 cleanup allegations. Chronology of crane statements, contentions & allegations encl. MYERS, H. Affiliation Not Assigned. 84/02/16. KAMMERER, C. NRC - No Detailed Affiliation Given. 3pp. 44139:296-44139:298.
- 8801260327 Comments on mail false statement associated w/ stated person requalification exam. per NRC request. List of TMI integrity issues (I) provided. Author 830801 memo & comments re Ofc of Investigations on mail false statements at plant encl. MYERS, H. Affiliation Not Assigned. 84/02/20. KAMMERER, C. NRC - No Detailed Affiliation Given. 11pp. 44139:299-44139:309.
- 8801260340 Comments on list of TMI Integrity Issues (II) re item III-E of Keelen rept. per NRC request. MYERS, H. Affiliation Not Assigned. 84/02/21. KAMMERER, C. NRC - No Detailed Affiliation Given. 6pp. 44139:310-44139:315.
- 8801260346 Provides list of questions re NRC comments on Commission 840120 list of integrity issues in TMI-1 restart proceeding. MYERS, H., SIMPSON, J. Affiliation Not Assigned. 84/03/21. KAMMERER, C. NRC - No Detailed Affiliation Given. 2pp. 44139:316-44139:317.
- 8801260354 Forwards Attachments 5-8 to R Wischow affidavit submitted by uil on 840921 & Wischow affidavit giving appropriate rels. W/o encl. KENT, S. NRC - No Detailed Affiliation Given. 84/03/30. MYERS, H. Affiliation Not Assigned. 1p. 44139:318-44139:318.
- 8801260378 Forwards listed documents on Pullman Power Products, per H Myers request. W/o encl. COMBS, F. Office of Congressional Affairs (pre 870413). 84/04/06. ANKRU, G. Ofc of Inspection & Enforcement, Director (820201-870413). 1p. 44139:319-44139:319.
- 8801260466 Requests document obtained from Ofc of Investigations which appears to be "punch list" ref to by W Marshall during 830512 discussion. Pages 33-35 of transcript of 830512 interview encl. MYERS, H. House of Rep., Interior & Insular Affairs. 84/08/25. KAMMERER, C. NRC - No Detailed Affiliation Given. 5pp. 44139:320-44139:324.

- 8801260470 Forwards draft briefing notes that Eiserhut & O'Reilly plan to use at 840724 hearing W/o encl.
COMBS.F. Office of Congressional Affairs (pre 870413). 84/07/23. MYERS,H. House of Rep., Interior & Insular Affairs. 1p. 44139.325-44139.328.
- 8801260481 Forwards update of status of plant project info suppls Commission 840531 ltr to Udall.
COMBS.F. Office of Congressional Affairs (pre 870413). 84/08/21. MYERS,H. House of Rep., Interior & Insular Affairs. 3pp. 44139.327-44139.329.
- 8801260491 Forwards transcript of Commission 840601 meeting re plant that Plains promised Seabaring W/o encl.
COMBS.F. Office of Congressional Affairs (pre 870413). 84/09/20. MYERS,H. House of Rep., Interior & Insular Affairs. 1p. 44139.330-44139.331.
- 8801260501 Forwards 1 Calton draft memo to A Igno re Basdekas transient for PTS per request. Document should be protected from public disclosure W/o encl.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/03/13. MYERS,H. House of Rep., Interior & Insular Affairs. 1p. 44139.332-44139.332.
- 8801260518 Interprets Snyder statement during 850307 meeting that cause of change in NRC position re adherence to procedures due to new info provided by OIC of Investigations. Author requests to be informed if interpretation erroneous.
MYERS,H. Affiliation Not Assigned. 85/03/15. KAMMERER,C. NRC - No Detailed Affiliation Given. 1p. 44139.333-44139.333.
- 8801260524 Forwards TVA rept, per Subcommittee on Energy & Environ request W/o encl.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/03/27. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (pre-851125). TAYLOR,J.M. OIC of Inspection & Enforcement, Director (820201-870413). HAYES,B.B. Office of Investigations. 1p. 44139.334-44139.334.
- 8801260540 Comments on Palladino 850510 ltr to Udall re plant pressure transmitter matter.
MYERS,H. Affiliation Not Assigned. 85/05/14. KAMMERER,C. NRC - No Detailed Affiliation Given. 3pp. 44139.336-44139.338.
- 8801260547 Forwards OIC of Inspector & Auditor Inquiry 85-29 re allegations & wrongdoing by Region II personnel following OA Insp of TVA & requests that encl documents be restricted to Interior Committee members & staff W/o encl.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/07/28. MYERS,H. House of Rep., Interior & Insular Affairs. 1p. 44139.340-44139.345.
- 8801260551 Advises that Committee on Interior & Insular Affairs has provided encl info on TVA wild issues.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/10/17. DIRCKS,W. OIC of the Executive Director for Operations. 23pp. 44139.346-44140.008.
- 8801260556 Requests list of current estimates of values of nil ductility transition temp for all PWRs based on method required by PTS rule & method recommended by NRC as described in proposed rev to Reg Guide 1.99.
MYERS,H. Affiliation Not Assigned. 85/12/04. KAMMERER,C. NRC - No Detailed Affiliation Given. 1p. 44140.009-44140.009.
- 8801260572 Forwards comments on NRC 850510 ltr to Congressman Udall on pressure transmitters used at facilities.
COMBS.F. NRC - No Detailed Affiliation Given. 85/05/15. REHM,T. NRC - No Detailed Affiliation Given. 1p. 44139.335-44139.335.
- 88012607143 Requests response to listed items, in support of NRC 850710 response to Congressman Udall 850428 ltr re HPCI failures at plant.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/07/12. REHM,T. OIC of the Executive Director for Operations. 1p. 44139.339-44139.339.
- 8801260828 Forwards listed insp repts re plant, per request. Copy of results of C-E reinsp effort & ASLB decision will be forwarded W/o encl.
KENT,S. NRC - No Detailed Affiliation Given. 84/01/17. MYERS,H. Affiliation Not Assigned. 1p. 44139.293-44139.293.
- 88012608295 Forwards memo received from Region III providing chronology of events re development of reinsp program at plant. Rept on results of reinsp did 840112 being produced & will be forwarded W/o encl.
KENT,S. Office of Congressional Affairs (pre 870413). 84/01/23. MYERS,H. Affiliation Not Assigned. 1p. 44139.294-44139.294.
- 88012609300 Forwards list of items listed in chronology of events re reinsp of plant.
KENT,S. Office of Congressional Affairs (pre 870413). 84/01/23. MYERS,H. Affiliation Not Assigned. 1p. 44139.295-44139.295.
- 88012609306 Submits listed questions re findings on TMI-2 cleanup allegations. Chronology of crane statements, contentions & allegations encl.
MYERS,H. Affiliation Not Assigned. 84/02/18. KAMMERER,C. NRC - No Detailed Affiliation Given. 3pp. 44139.296-44139.298.
- 88012609327 Comments on mail false statement associated w/ stated person requalification exam, per NRC request. List of TMI integrity issues (i) provided Author 830801 memo & comments re OIC of Investigations on mail false statements at plant encl.
MYERS,H. Affiliation Not Assigned. 84/02/20. KAMMERER,C. NRC - No Detailed Affiliation Given. 11pp. 44139.299-44139.309.
- 88012609340 Comments on list of TMI Integrity Issues (II) re Item III-E of Keaton rept, per NRC request.
MYERS,H. Affiliation Not Assigned. 84/02/21. KAMMERER,C. NRC - No Detailed Affiliation Given. 6pp. 44139.310-44139.315.
- 88012609346 Provides list of questions re NRC comments on Commission 840120 list of integrity issues in TMI-1 restart proceeding.
MYERS,H. SIMPSON,J. Affiliation Not Assigned. 84/03/21. KAMMERER,C. NRC - No Detailed Affiliation Given. 2pp. 44139.316-44139.317.
- 88012609354 Forwards Attachments 5-8 to A Wischow affidavit submitted by util on 840921 & Wischow affidavit giving appropriate info. W/o encl.
KENT,S. NRC - No Detailed Affiliation Given. 84/03/30. MYERS,H. Affiliation Not Assigned. 1p. 44139.318-44139.318.
- 88012609378 Forwards listed documents on Pullman Power Products, per H Myers request W/o encl.
COMBS.F. Office of Congressional Affairs (pre 870413). 84/04/08. ANKRUM,G. OIC of Inspection & Enforcement, Director (820201-870413). 1p. 44139.319-44139.319.
- 8801260486 Requests document obtained from OIC of Investigations which appears to be "punch list" ref to by W Marshall during 830512 discussion. Pages 33-35 of transcript of 830512 interview encl.
MYERS,H. House of Rep., Interior & Insular Affairs. 84/06/25. KAMMERER,C. NRC - No Detailed Affiliation Given. 5pp. 44139.320-44139.324.
- 8801260470 Forwards draft briefing notes that Eiserhut & O'Reilly plan to use at 840724 hearing W/o encl.
COMBS.F. Office of Congressional Affairs (pre 870413). 84/07/23. MYERS,H. House of Rep., Interior & Insular Affairs. 1p. 44139.325-44139.328.
- 8801260481 Forwards update of status of plant project info suppls Commission 840531 ltr to Udall.
COMBS.F. Office of Congressional Affairs (pre 870413). 84/08/21. MYERS,H. House of Rep., Interior & Insular Affairs. 3pp. 44139.327-44139.329.
- 8801260491 Forwards transcript of Commission 840601 meeting re plant that Plains promised Seabaring W/o encl.
COMBS.F. Office of Congressional Affairs (pre 870413). 84/09/20. MYERS,H. House of Rep., Interior & Insular Affairs. 1p. 44139.330-44139.331.
- 8801260501 Forwards 1 Calton draft memo to A Igno re Basdekas transient for PTS per request. Document should be protected from public disclosure W/o encl.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/03/13. MYERS,H. House of Rep., Interior & Insular Affairs. 1p. 44139.332-44139.332.
- 8801260518 Interprets Snyder statement during 850307 meeting that cause of change in NRC position re adherence to procedures due to new info provided by OIC of Investigations. Author requests to be informed if interpretation erroneous.
MYERS,H. Affiliation Not Assigned. 85/03/16. KAMMERER,C. NRC - No Detailed Affiliation Given. 1p. 44139.333-44139.333.
- 8801260524 Forwards TVA rept, per Subcommittee on Energy & Environ request W/o encl.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/03/27. DENTON,H.R. Office of Nuclear Reactor Regulation, Director (pre-851125). TAYLOR,J.M. OIC of Inspection & Enforcement, Director (820201-870413). HAYES,B.B. Office of Investigations. 1p. 44139.334-44139.334.
- 8801260540 Comments on Palladino 850510 ltr to Udall re plant pressure transmitter matter.
MYERS,H. Affiliation Not Assigned. 85/05/14. KAMMERER,C. NRC - No Detailed Affiliation Given. 3pp. 44139.336-44139.338.
- 8801260547 Forwards OIC of Inspector & Auditor Inquiry 85-29 re allegations & wrongdoing by Region II personnel following OA Insp of TVA & requests that encl documents be restricted to Interior Committee members & staff W/o encl.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/07/28. MYERS,H. House of Rep., Interior & Insular Affairs. 1p. 44139.340-44139.345.
- 8801260551 Advises that Committee on Interior & Insular Affairs has provided encl info on TVA wild issues.
KAMMERER,C. Office of Congressional Affairs (pre 870413). 85/10/17. DIRCKS,W. OIC of the Executive Director for Operations. 23pp. 44139.346-44140.008.
- 8801260556 Requests list of current estimates of values of nil ductility transition temp for all PWRs based on method required by PTS rule & method recommended by NRC as described in proposed rev to Reg Guide 1.99.
MYERS,H. Affiliation Not Assigned. 85/12/04. KAMMERER,C. NRC - No Detailed Affiliation Given. 1p. 44140.009-44140.009.
- 8801260298 Partial response to FOIA request. App B documents completely withheld (ref FOIA Exemption 5).
GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 88/01/22. AIROZO,D. McGraw-Hill Publications Co. 3pp. 44139.285-44139.289.
- 8801260302 FOIA request that all documents re NRC Senior Mgt Team, including documents leading up to team formation through 1987 be placed in PDF.
CONNOR,L. Doc-Search Associates. 87/12/07. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 1p. 44139.295-44139.295.
- 8801260308 Final response to FOIA request. No agency records subj to request located.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 88/01/21. CONNOR,L. Doc-Search Associates. 1p. 44139.296-44139.296.
- 8801260316 Final response to FOIA request. NRC not in possession of Item 1 of request. Request submitted to Comm Edison for subj encl. Record will be placed in PDF upon receipt.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 88/01/21. GRABER,L. NUS Corp. 1p. 44139.298-44139.299.
- 8801260317 FOIA request for OIC of Investigations Rept 1-85-019, including all exhibits.
STAFFORD,T.A. Affiliation Not Assigned. 87/12/31. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 1p. 44139.300-44139.300.
- 8801260320 Final response to FOIA request re alleged threats to employees at plant. Document identified in App A available in PDF.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 88/01/21. STAFFORD,T.A. Affiliation Not Assigned. 2pp. 44139.301-44139.302.
- 8801260353 FOIA request for any & all documents associated w/ Jan 1987 memo from V Sello to B Hayes, ref in 871109 issue of Inside NRC for placement in PDF.
CONNOR,L. Doc-Search Associates. 87/12/16. GRIMSLEY,D.H. Division of Rules & Records (Post 870413). 1p. 44139.355-44139.355.
- 8801260383 Final response to FOIA request for documents re US supply of enriched U to South African Seleni 1 nuclear research reactor between 1978 & 1982. Forwards App C documents. Documents also in PDF.
GRIMSLEY,D. Division of Rules & Records (Post 870413). 88/01/21. MOKOENA,K. Fund for Peace (National Security Archive). 2pp. 44139.055-44139.060.
- 8801260410 Summary of 870923 meeting w/ Embassy of South Africa, political counselor re status of South African nuclear exports & overall nuclear cooperation between US & South Africa. Status of pending export applications also reviewed.
SHEA,J.R. NRC - No Detailed Affiliation Given. 88/01/21. AHEARNE, GILINSKY, HENDRIE Commissioners. 1p. 44139.060-44139.060.

- 8801260380 Final response to FOIA request for documents re memo from V Steto to B Hyman App A document withheld (ref FOIA Exemption 7). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22 CONNOR, L. Doc-Search Associates. 3pp. 44138:356-44138:358
- 8801260450 FOIA request for all documents re proposed rule entitled, "Completeness & Accuracy of Info." RADER, R.M. Conner & Wetterhahn 87/08/28. NOBRY, P.G. Office of Administration & Resources Management. Director (Post 870413). 1p. 44138:239-44138:239.
- 8801260492 FOIA request for all documents in connection w/871208 ltr from TE Murley to Garde & Condit in response to 780507 2 206 petition on behalf of Safe Energy Coalition of Michigan & Sister Servants of Immaculate Heart of Mary Congregation. BAUMAN, L. Government Accountability Project. 2.06. 87/12/22. NRC - No Detailed Affiliation Given. 2pp. 44138:111-44138:112.
- 8801260455 Partial response to FOIA request for documents re 2.06 petition submitted by GAP alleging deficiencies re Detroit Edison Co. safe/atom program. Forwards App B document Apps A & B documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 2.06. 88/01/22. BAUMAN, L. Government Accountability Project. 3pp. 44138:001-44138:110.
- 8801260463 Partial response to FOIA request for documents re proposed rule entitled, "Completeness & Accuracy of Info." App G documents already available in PDR App H documents withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. RADER, R.M. Conner & Wetterhahn 7pp. 44138:240-44138:248.
- 8801260523 Fourteenth partial response to FOIA request for documents on allegations re plant operation Encl App U & V documents also available in PDR & LDR located in San Luis Obispo, CA App V documents partially withheld (ref FOIA Exemption 6). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. GARDE, B.P. Government Accountability Project. 4pp. 44138:001-44138:238.
- 8801260542 Forwards re Insp Rept 50-275/78-07 on 780227-0303. No items of non-compliance noted. BOOK, H.E. Fuel Facility & Materials Safety Branch, R5. 78/05/26. CHAFFIN, P.A. Pacific Gas & Electric Co. 2pp. 44138:007-44138:008.
- 8801260549 IE Insp Rept 50-275/78-07 on 780227-0303. No deviations or items of non-compliance noted. Major areas inspected emergency planning. Related encs include various allegations, QA mail & I Yin notes. Partially withheld interviews & notes also encl. NORTH, H.S. BOOK, H.E. Fuel Facility & Materials Safety Branch, R5. 78/05/26. 206pp. 44138:009-44138:238.
- 8801260528 FOIA request for documents re 660103, 0320, 0516 & 0805 ltrs between NRC/TVA concerning TVA corporate position on 10CFR50, App B. CONNOR, L. Doc-Search Associates. 87/12/07. GRIMSLEY, D.H. Division of Contracts (Post 870413). 2pp. 44138:247-44138:248.
- 8801260534 Final response to FOIA request for documents. No records subj to request located. GRIMSLEY, D. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, L. Doc-Search Associates. 1p. 44138:249-44138:249.
- 8801270056 FOIA request for documents associated w/correspondence between NRC & P Stockett & B Chafin. CONNOR, L. Doc-Search Associates. 87/11/12. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 44155:006-44155:006.
- 8801270059 FOIA request for documents associated w/correspondence between NRC & P Stockett & B Chafin, updating FOIA Request 87-783. CONNOR, L. Doc-Search Associates. 87/12/16. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 44155:007-44155:007.
- 8801270141 Final response to FOIA request for documents. Forwards App A documents & portion of App B document. App A documents placed in PDR. Portion of App B document withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/21. CONNOR, L. Doc-Search Associates. 4pp. 44155:008-44155:028.
- 8801270202 Forwards unexpurgated rept from OIC of Inspector & Auditor re investigation of regulatory performance of Region II o/c concerning facilities. W/o encl. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/25. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 44155:012-44155:012.
- 8801270227 Informs that Subcommittee on Oversight & Investigations of House Committee on Energy & Commerce requested 841019 rept of OIC of Inspector & Auditor re Region II regulatory performance at plant. Documents will be forwarded. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/25. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 1p. 44155:013-44155:013.
- 8801270280 Informs that members of Subcommittee on Oversight & Investigations intend to visit Region II on 851218 to interview NRC employees on matters re TVA. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/12/06. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 1p. 44155:014-44155:014.
- 8801270400 Discusses interviews of Region II personnel by Subcommittee on Oversight & Investigations re TVA facilities. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/12/13. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 2pp. 44155:015-44155:023.
- 8801270630 Advises that B Chafin of Dingell Subcommittee requested listed info re training & testing of Region II inspectors. Requests assistance in obtaining info for subcommittee. DELMEDICO, J. NRC - No Detailed Affiliation Given. 86/01/09. REHM, T. NRC - No Detailed Affiliation Given. 1p. 44155:024-44155:024.
- 8801270633 Forwards SECY-85-304, per B Chafin request. Confidentiality of document should be preserved. KAMMERER, C. Office of Congressional Affairs (pre 870413). 86/01/28. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 44155:025-44155:025.
- 8801280074 Forwards investigative rept re NRC investigation into 850702 criticality event at facility including two internal memos prepared by EDO & OIC of General Counsel as part of review process. KAMMERER, C. Office of Congressional Affairs (pre 870413). 86/03/07. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 44155:026-44155:026.
- 8801280091 Forwards transcripts of Commission closed meeting of NRC investigations at TVA & internal NRC memo request. W/o encl. KAMMERER, C. Office of Congressional Affairs (pre 870413). 87/01/09. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 44155:027-44155:027.
- 8801280109 Partially withheld memo, informing that o/c received Subcommittee on Oversight & Investigations & Subcommittee on Energy & Power for transcript of 860107 closed Commission meeting. KAMMERER, C. Office of Congressional Affairs (pre 870413). 86/01/09. ROBERTS, ASSELSTINE Commissioners. 1p. 44155:028-44155:028.
- 8801270202 Forwards unexpurgated rept from OIC of Inspector & Auditor re investigation of regulatory performance of Region II o/c concerning facilities. W/o encl. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/25. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 44155:012-44155:012.
- 8801270227 Informs that Subcommittee on Oversight & Investigations of House Committee on Energy & Commerce requested 841019 rept of OIC of Inspector & Auditor re Region II regulatory performance at plant. Documents will be forwarded. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/10/25. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 1p. 44155:013-44155:013.
- 8801270280 Informs that members of Subcommittee on Oversight & Investigations intend to visit Region II on 851218 to interview NRC employees on matters re TVA. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/12/06. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 1p. 44155:014-44155:014.
- 8801270400 Discusses interviews of Region II personnel by Subcommittee on Oversight & Investigations re TVA facilities. KAMMERER, C. Office of Congressional Affairs (pre 870413). 85/12/13. PALLADINO, ROBERTS, ASSELSTINE Commissioners. 2pp. 44155:015-44155:023.
- 8801270630 Advises that B Chafin of Dingell Subcommittee requested listed info re training & testing of Region II inspectors. Requests assistance in obtaining info for subcommittee. DELMEDICO, J. NRC - No Detailed Affiliation Given. 86/01/09. REHM, T. NRC - No Detailed Affiliation Given. 1p. 44155:024-44155:024.
- 8801270633 Forwards SECY-85-304, per B Chafin request. Confidentiality of document should be preserved. KAMMERER, C. Office of Congressional Affairs (pre 870413). 86/01/28. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 44155:025-44155:025.
- 8801280074 Forwards investigative rept re NRC investigation into 850702 criticality event at facility including two internal memos prepared by EDO & OIC of General Counsel as part of review process. KAMMERER, C. Office of Congressional Affairs (pre 870413). 86/03/07. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 44155:026-44155:026.
- 8801280091 Forwards transcripts of Commission closed meeting of NRC investigations at TVA & internal NRC memo request. W/o encl. KAMMERER, C. Office of Congressional Affairs (pre 870413). 87/01/09. DINGELL, J.D. House of Rep., Energy & Commerce. 1p. 44155:027-44155:027.
- 8801280109 Partially withheld memo, informing that o/c received Subcommittee on Oversight & Investigations & Subcommittee on Energy & Power for transcript of 860107 closed Commission meeting. KAMMERER, C. Office of Congressional Affairs (pre 870413). 86/01/09. ROBERTS, ASSELSTINE Commissioners. 1p. 44155:028-44155:028.
- 8801270178 Ninth partial response to FOIA request for documents re 0675. Forwards App R documents App U & App R documents available & T documents partially & totally withheld (ref FOIA Exemptions 6 & 7). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/21. DIXON, Government Accountability Project. 7pp. 44154:001-44154:301.
- 8801270287 Forwards description of contractor record turn results. Partially withheld related documents encl. SCHUYLER, J.O. Pacific Gas & Electric Co. DCL-84-221. 84/08/01. Region 5, OIC of the Director. 250pp. 44154:040-44154:301.
- 8801270338 Summarizes 840319 meeting re Allegation RV-84-A-0043 concerning QC procedures & intimidation & threats. Ltr to allegations recommendations. DODDS, B. Region 5, OIC of the Director. 84/03/21.

NONDOCKETED ITEMS

- 8801270338 Summarizes 840319 meeting re Allegation RV-84-A-0043 concerning circumvention of QC procedures & intimidation & threats. Ltr to allegors discussing panel actions recommended. 000DS, B. Region 5, Ofc of the Director. 84/03/21. Region 5, Ofc of the Director. 1p. 44154:302-44154:302.
- 8801270422 Partially withheld ltr re Allegation RV-84-A-0043 concerning circumvention of QC procedures. Inquiry initiated. BISHOP, T.W. Region 5, Ofc of the Director. 83/03/21. Affiliation Not Assigned. 1p. 44154:304-44154:304.
- 8801270436 Partially withheld ltr re 840308 meeting concerning Allegation RV-84-A-0043 on circumvention of QC procedures. Inquiry initiated. Intimidation concern referred to Ofc of Investigation. BISHOP, T.W. Region 5, Ofc of the Director. 83/03/21. Affiliation Not Assigned. 1p. 44154:305-44154:305.
- 8801270439 Partially withheld ltr re meeting concerning Allegation RV-84-A-0037 re discharge from Bachtel work force at plant. Partially withheld related documents encl. SCARANO, R.A. Region 5, Ofc of the Director. 84/03/23. Affiliation Not Assigned. 6pp. 44154:306-44154:310.
- 8801280048 FOIA request for list of applications that have been made to AEC/NRC to build replicate nuclear power plants, list of plant names & list of replication & standardized plant policies procedures & guidelines issued by AEC/NRC. FREEMAN, G.W. Freeman, Freeman & Salzman, P.C. 87/11/30. NRC - No Detailed Affiliation Given. 1p. 44173:001-44173:001.
- 8801280064 Final response to FOIA request for documents re listing of specific info concerning standardized/replicate nuclear power plants. List encl. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/28. FREEMAN, G.W. Freeman, Freeman & Salzman, P.C. 1p. 44173:002-44173:003.
- 8801280075 List of standardized/replicate nuclear power plants & NRC policies & guidance. NRC - No Detailed Affiliation Given. 88/01/28. 1p. 44173:003-44173:003.
- 8801280351 Partial response to FOIA request for documents re 10CFR50.59 reviews. Forwards App D documents. App C & D documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/28. LAMBERSKI, J. Troutman, Sanders, Lockerman & Ashmore. 3pp. 44173:008-44173:008.
- 8706160115 Expresses staff concern re improvements in 10CFR50.59 reviews. Lack of specific aids for licensee performed reviews responsible for misinterpretations concerning changes, tests & experiments that can be accomplished w/o NRC approval. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/06/08. RUSSELL, W.T. Region 1, Ofc of the Director. GRACE, J.N. Region 2, Ofc of the Director. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 44173:013-44173:014.
- 8708100147 Requests regional assistance for improving licensee 10CFR50.59 reviews. NRC 10CFR50.59 Working Group (WG) met on 870730 to begin work towards achieving better reviews. Each region should identify member to interact w/ WG. STAROSTECKI, R. Associate Director for Inspection & Technical Assessment (Post 870411). 87/08/05. RUSSELL, W.T. Region 1, Ofc of the Director. GRACE, J.N. Region 2, Ofc of the Director. DAVIS, A.B. Region 3, Ofc of the Director. 3pp. 44173:015-44173:016.
- 8710260408 Provides update on status of NRC/industry effort to develop guidelines for 10CFR50.59 reviews. Working group met on 870823 w/ Nuclear Safety Analysts Ctr & NUMARC Working Group to discuss NRC comments on initial draft of guidelines. BRYAN, S.E. Technical Specifications Branch. 87/10/20. MURLEY, T.E., SNEZEK, J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). STAROSTECKI, R. Associate Director for Inspection & Technical Assessment (Post 870411). 2pp. 44173:011-44173:012.
- 8801280420 FOIA request for CRC Sys Contract NRC-10-86-246, including all mode & delivery orders. HEWITT, T.L. Federal Sources, Inc. NRC-10-86-246. 88/01/18. NRC - No Detailed Affiliation Given. 1p. 44173:004-44173:004.
- 8801280431 Final response to FOIA request for Contract NRC-10-86-246 & mode documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). NRC-10-86-246. 88/01/26. HEWITT, T.L. Federal Sources, Inc. 1p. 44173:005-44173:005.
- 8801280443 FOIA request for documents re impact of groundwater nitrate near Sequoyah Fuels Corp Sequoyah Facility at Gore, OK. DEERINWATER, J. Native Americans for a Clean Environment. 87/11/26. ROBINSON, L. Freedom of Information & Privacy Acts Branch. 1p. 44173:068-44173:068.
- 8801280505 Final response to FOIA request. App C documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/28. DEERINWATER, J. Native Americans for a Clean Environment. 2pp. 44173:068-44173:067.
- 8801280579 FOIA request for all documents re JC Haynes case, including case rept, insp rept, Ofc of Investigations investigative rept & witness statements. EPSTEIN, K.C. Plain Dealer, Cleveland, OH. 87/11/12. ROBINSON, L. NRC - No Detailed Affiliation Given. App. 44174:013-44174:017.
- 8801280595 Responds to FOIA request for documents re JC Haynes case, App A & B documents available in PDR. Releaseable portions of App C documents encl & available in PDR. App C documents partially & completely withheld (FOIA Exemption 7). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/27. EPSTEIN, K.C. Plain Dealer, Cleveland, OH. 5pp. 44174:018-44174:023.
- 8801280625 Amend 7 to license 34-13774-01 for John C Haynes Co., amending license in entirety. Record of 811118 telcon encl. BASSIN, N. Radioisotopes Licensing Branch (Pre 790501). 78/04/25. 5pp. 44174:022-44174:026.
- 8801280634 Forwards memos re FBI seizure of unauthorized quantities of Am-241, per request. Attachments describe interviews w/ Haynes on 850326. Memo to Haynes file re findings concerning Shofwell Svcs, Inc. allegation also encl. W/o allegation memo. AXELSON, W.L. Region 3, Ofc of the Director. 85/04/08. WALKER, H. Office of Investigations. 1p. 44174:027-44174:027.
- 8801280654 Discusses interviews w/ JC Haynes & others during 850326 arrest sure of Am-241. AXELSON, W.L. Region 3, Ofc of the Director. 85/04/08. Region 3, Ofc of the Director. 10p. 44174:028-44174:032.
- 8801280669 "Phase II Decontamination Rept of JC Haynes Site, Newark, OH, rept. MURPHY, G.L. Oak Ridge Associated Univs. 85/10/31. 77pp. 44174:033-44174:033.
- 8801280676 Partially deleted investigation Rept 3-85-005 re alleged unauthorized session of Am-241 in amount exceeding limit of license 34-13774-01, alleged i Am-241 in violation of license & alleged mail false statements made to NRC. WALKER, H.G., PAWLICK, E. Region 3, Ofc of the Director. HAYES, B.B. Office investigations. 88/08/04. 24pp. 44174:108-44174:132.
- 8801280678 Partially deleted memo submitting final NRC estimation of Am-241 c dated at JC Haynes Co site of Newark, OH. Decontamination activities yielded f1. Am-241 in addition to 10.56 Ci confiscated on 850326. AXELSON, W.L. Region 3, Ofc of the Director. 85/07/05. Federal Bureau of Investigation. 1p. 44174:133-44174:133.
- 8801280686 FOIA request for NRC registration & safety evaluation for AECL G& Gemma Cell 1000 Irradiator, NR-169-D-160-S, did 030722 & JL Shepherd & Assoc 143 serial reactor CA-588-D-103-U, did 800228 & Mark I Series CA-588-D-104-S, did 850308. MALAMUD, H. CIS-US, Inc. (formerly CIS Pharmaceuticals, Inc.). 88/01/07. NRC Detailed Affiliation Given. 1p. 44173:212-44173:212.
- 8801280688 Response to FOIA request for documents re NRC registration & s. evaluation of listed irradiators. Forwards App A documents. Encl also available in f GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/26. MALAMUD, H. CIS-US, Inc. (formerly CIS Pharmaceuticals, Inc.). 2pp. 44173:213-44173:226.
- 8801280613 Package consisting of NRC registration & safety evaluation for A Gemma Cell 1000 Irradiator, NR-169-D-160-S & JL Shepherd & Assoc Mark I & Irradiator CA-588-D-104-S. NRC - No Detailed Affiliation Given. 88/01/26. 12pp. 44173:215-44173:226.
- 8801290052 Partial response to FOIA request for records re NRC rule amend 10CFR50.47(c)(1) & 10CFR50. App E re offsite emergency planning w/o state & f govt participation. Forwards App G documents. App F documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/26. BELAIR, J. Kirkpatrick & Lockhart. 5pp. 44177:014-44177:272.
- 8708100293 Forwards responses to questions listed in questionnaire encl in 87051; re communication w/ public during nuclear emergency. FEMA appropriate agency to respond to majority of questionnaire. Final response to questionnaire requested. STELLO, V. Ofc of the Executive Director for Operations. 87/08/02. VAUGHAN, J. Energy, Dept. of. 12pp. 44177:253-44177:264.
- 8707250106 Forwards response to Question 7 of 870515 ltr pertaining to Subcommittee on Energy & Environ 870428 hearing on emergency planning for nuclear power plants. Response to other questions in ltr forwarded on 870819. ZECH, L.W. Commissioners. 87/07/15. UDALL, M.K. House of Rep., Interior & Ins. Affairs. 7pp. 44177:238-44177:262.
- 8707250121 Responds to 870430 request for opinion on two aspects of LILCO request for NRC authorization to operate plant at 25% capacity. Util claims re immediate power needs & continuing need to reduce dependence on foreign oil assessed. ROSSIN, A.D. Energy, Dept. of. 87/05/29. VARGA, S.A. Division of Reactor Project 1/11 (Post 870411). 3pp. 44177:248-44177:250.
- 8707250131 Requests that applicable portions of encl questionnaire re communications & public info arrangements in event of major nuclear emergency involving Federal Govt response be completed & returned by 870801. VAUGHAN, J.W. Energy, Dept. of. 87/05/12. STELLO, V. Ofc of the Executive Director for Operations. 2pp. 44177:265-44177:262.
- 8801290072 Forwards responses to questions for record of Subcommittee on Energy & Water Development 870318 hearing. Commissioner Assestine did not participate review of responses due to official travel. BRADBURN, J.C. Office of Congressional Affairs (pre 870413). 87/03/25. BEVILL, J. House of Rep., Appropriations. 31pp. 44177:035-44177:068.
- 8801290099 Testimony of LW Zech on 870428 to Subcommittee on Energy & Environ. Committee on Interior & Insular Affairs, House of Representatives re emergency preparedness rule change. ZECH, L.W. Commissioners. 87/04/28. 101pp. 44177:110-44177:214.
- 8801290124 Forwards responses to prehearing questions requested in 870411 ltr. Commissioner Assestine did not participate in preparation of responses due to official travel. ZECH, L.W. Commissioners. 87/04/27. UDALL, M.K. House of Rep., Interior & Insular Affairs. 38pp. 44177:089-44177:108.
- 8801290144 Testimony of JK Assestine on 870428 to Subcommittee on Energy & Environ. House Committee on Interior & Insular Affairs re proposed emergency planning rule. ASSESTINE, J.K. Commissioners. 87/04/28. 7pp. 44177:215-44177:227.
- 8801290165 Testimony of JK Assestine on 870506 to Subcommittee on Nuclear Regulation, Senate Committee on Environ & Public Works re proposed change to emergency planning rule. ASSESTINE, J.K. Commissioners. 87/05/06. 8pp. 44177:228-44177:236.
- 8801290203 Forwards questions & answers submitted for record of 870506 Subcommittee on Nuclear Regulation hearing. BRADBURN, J.C. Congressional Affairs. 87/05/07. ZECH, ROBERTS, ASSESTINE Commissioners. 1p. 44177:237-44177:237.
- 8801290241 Forwards analysis of comments resulting from publication of proposed rule re emergency planning. HOUSTON, R.W. Division of Reactor Accident Analysis (Post 870413). 87/08/31. MALSCH, M.G. Office of the General Counsel. 7pp. 44177:265-44177:271.

-8801290252 Advises of incorrect ref on SECY-87-257 to 870422 hearing before Subcommittee on Energy R&D of Senate Committee on Energy & Natural Resources. Correct ref should be to 870506 hearing before Subcommittee on Nuclear Regulation. OELMEDICQ, J. Congressional Affairs. 88/01/07. Congressional Affairs. 1p. 44177-272-44177-272.

8801290140 Final response to FOIA request for documents. Forwards App D & E documents. App D documents available in PDR. App E documents partially withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/28. BAUMAN, L. Government Accountability Project. App. 44178-291-44178-327.

-8801290147 Discusses actions taken in response to Ahearne 820721 memo making suggestions re MOU between NRC & Dept of Labor (DOL). Author signed MOU on 820729 & forwarded document to DOL on 820730 for signature. DIRCKS, W.J. Ofc of the Executive Director for Operations. 82/09/08. AHEARNE Commissioners. App. 44178-298-44178-305.

-8801290155 SECY-83-261 Provides status report on development of working arrangements implementing 821025 MOU w/Dept of Labor for info. DIRCKS, W.J. Ofc of the Executive Director for Operations. 83/05/24. 14pp. 44178-306-44178-319.

-8801290171 Requests Dept of Labor (DOL) contact other DOL regions overlapping w/ Region IV to inform of agreement to be point of contact overseeing activities per MOU effective 851025. COLLINS, J.T. Region 4, Ofc of the Director. 83/09/13. RAMSEY, A.A. Labor, Dept. of. App. 44178-320-44178-322.

-8801290174 Partially withheld memo forwarding MOU w/Dept of Labor developed as companion piece to SECY-81-618/82-133 on employee protection. Author proposes to sign MOU on 820807 subj to any comment received by Commission. DIRCKS, W.J. Ofc of the Executive Director for Operations. 82/08/01. PALLADINO Commissioners. App. 44178-323-44178-326.

-8801290182 Forwards MOU w/Dept of Labor (DOL) re employee protection. MOU acceptable to DOL & ready for signature. Development of implementing procedures will be necessary within 10 days of signing MOU by both parties. DEYOUNG, R.C. Ofc of Inspection & Enforcement, Director (820201-870413). 82/05/21. DIRCKS, W.J. Ofc of the Executive Director for Operations. 1p. 44178-327-44178-327.

8801290271 FOIA request for records of info on scores received by reactor operators & senior reactor operators on license qualification & requalification exam at every commercial nuclear generating facility. BOLEY, K. Public Citizen's Critical Mass Energy Project. 87/12/10. GRIMSLEY, D. Division of Rules & Records (Post 870413). 2pp. 44178-001-44178-002.

8801290289 Final response to FOIA request for exam results of reactor operators & senior reactor operators. Forwards App A printout. Printout available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. BOLEY, K. Public Citizen's Critical Mass Energy Project. 2pp. 44178-003-44178-280.

-8802010044 "Operator Licensing Tracking Sys Exam Results as Performance Indicator for 1984-87."
* NRC - No Detailed Affiliation Given. 87/12/23. 238pp. 44178-005-44178-290.

GEN TEC IS GENERIC TECHNICAL ISSUES

8712290361 Forwards Insp Rept 60-271/87-14 on 871005-07 & 08-09. No violations noted. JOHNSTON, W.V. Region 1, Ofc of the Director. 87/12/18. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 2pp. 43886-027-43886-058.

-8712290369 Insp Rept 60-271/87-14 on 871005-09. No violations noted. Major areas inspected: licensee response to USI A-7 re Mark I Containment Program, including review of design analyses & work plans for mods to torus suppression chamber. VARELA, A.A., CHAUDHARY, S.K., STROSNIDER, J.R. Region 1, Ofc of the Director. 87/12/18. 30pp. 43886-029-43886-058.

8801110261 Forwards Insp Rept 99900403/87-05 on 871020-21. No failures to meet NRC requirements identified. STONE, J.C. Vendor Inspection Branch. 87/12/24. FELMUS, N.L. General Electric Co. 4pp. 43985-313-43985-326.

8801270187 Summary of ACRS Subcommittee on Generic Items 871216 meeting w/uttl in Washington, DC re effectiveness of NRC process that deals w/generic issues & USIs. Viewgraphs & presentation schedule encl.
* ACRS - Advisory Committee on Reactor Safeguards. IEIN-87-035. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 42pp. 44149-249-44149-280.

8801270222 Minutes of 331st ACRS 871105-07 meetings in Washington, DC. List of attendees, future agenda, subcommittee activities & related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 88/01/22. ACRS - Advisory Committee on Reactor Safeguards. 30pp. 44149-281-44149-319.

-8709020420 Submits description of specific technical safety issues applicable to B&W plants & ongoing reassessment by NRC & B&W Owners Group per Zach 870803 request. Listing not necessarily complete. BASDEKAS, D.L. Reactor & Plant Safety Issues Branch. 87/08/14. KERR, W. ACRS - Advisory Committee on Reactor Safeguards. 20pp. 44149-320-44149-339.

IAE INSPECTION AND ENFORCEMENT

8712010271 Undated memo forwarding documents to be placed in PDR & Central Files re Regulatory History AC65-1 of proposed rule 10CFR35, "Basic QA in Radiation Therapy."
MCELFROY, N.L. Medical, Academic & Commercial Use Safety Branch. AC65-1.01. 87/12/01. Document Control Branch (Document Control Desk). 3pp. 43663-229-43664-084.

8712160369 NRC info Notice 87-064, "Conviction for Falsification of Security Training Records." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). IEIN-85-097. 87/12/22. Consolidated Edison Co. of New York, Inc. 120pp. 44153-001-44153-124.

8712170119 NRC info Notice 87-065, "Plant Operation Beyond Analyzed Conditions." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/23. Consolidated Edison Co. of New York, Inc. 120pp. 44058-008-44058-127.

8712230003 Suppl 1 to NRC info Notice 87-028, "Air Sys Problems at US LWRs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). AEQD/C701. 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43995-138-43995-257.

8712290155 NRC info Notice 87-066, "Inappropriate Application of Commercial Grade Components." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 87/12/31. Consolidated Edison Co. of New York, Inc. 120pp. 43995-258-43995-268.

8712300064 PNO-I-87-118: on 871221, reactor tripped due to loss of load. Caused by opening of generator output breaker due to ground fault on permanent magnet generator (PMG) stator winding. Replacement PMG will be procured.
TRIPP, L. Region 1, Ofc of the Director. 87/12/22. 1p. 43988-258-43988-258.

8712300081 NRC info Notice 87-087, "Lessons Learned From Regional Insp of Licensee Actions in Response to IE Bulletin 80-11." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). IE-80-11. 87/12/31. Consolidated Edison Co. of New York, Inc. 123pp. 44038-164-44038-288.

8712310021 PNO-I-87-119: on 871223, reactor scrambled due to leak from intermediate waterbox manway. Caused by failure of manway gasket. Waterbox C isolated & spill terminated. Water in condenser bay area measured 43 inches.
BLOUGH, R. Region 1, Ofc of the Director. 87/12/24. 1p. 43808-228-43808-229.

8801050341 PNO-III-87-156: on 871208, three containers of radwaste opened by licensee & contractor. Caused by illegibly labeled or unmarked containers. Radwaste & chemical waste shipped from licensee on 871221. Surveys show area now decontaminated.
SRENIAWSKI, MALLETT, B.S. Region 3, Ofc of the Director. 87/12/21. 2pp. 43962-076-43962-077.

8801050394 Suppl 1 to NRC info Notice 86-061, "Broken External Closure Springs on Atwood & Merrill MSIVs." Svc list encl.
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/01/11. Consolidated Edison Co. of New York, Inc. 123pp. 44038-041-44038-183.

8801060160 PNO-IV-87-064: on 871220, oil drilling platform fire endangered Cs-137 sealed sources. Reentry procedure purportedly in place. Licensee personnel w/survey instruments standing by to assist in reentry.
SPITZBERG, D.B. Region 4, Ofc of the Director. 87/12/28. 2pp. 43960-308-43960-309.

8801060169 PNO-III-87-158: discovered that badge worn by radiographer during Oct 1987 showed whole body radiation dose of 5.5 rads. NRC whole body limit equals 1.25 rads/calendar quarter. Supplier re-examining badge.
SRENIAWSKI, D.J., MALLETT, B.S. Region 3, Ofc of the Director. 87/12/30. 1p. 43962-019-43962-019.

8801060380 PNO-I-87-120: on 871226, reactor scram occurred from approx 25% power due to turbine trip on low condenser vacuum caused by crack in condenser pipe penetration. Penetration seal weld repaired.
COOK, W., JOHNSON, J. Region 1, Ofc of the Director. 87/12/29. 1p. 43991-247-43991-247.

8801060487 PNS-V-87-009: on 871209, Region V reported licensee investigating rept of card playing in security alarm station. Disciplinary action: three supervisors terminated & nine security officers suspended.
SCHAEFER, D., SCHUSTER, M. Region 5, Ofc of the Director. 87/12/28. 1p. 43979-045-43979-045.

8801110203 EN-87-108: on 880104, notice of proposed imposition of civil penalty in amount of \$100,000 will be issued to licensee. Action based on inadequacies in the licensee QA program.
WONG, H., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-87-211. 87/12/29. 1p. 44000-043-44000-043.

8801110210 PNO-IV-88-001: on 880102, two Tc-99m generators reported stolen from warehouse in Houston, TX. Texas Bureau of Radiation Control (BRC) & Region III notified BRC Insp of Mercury Delivery Svc warehouse & vicinity verified theft.
DODAR, J. Region 4, Ofc of the Director. 88/01/04. 1p. 43999-360-43999-360.

8801110214 PNO-IV-87-064: oil drilling platform fire endangering Cs-137 sealed sources. Fire extinguished. Sources found intact & placed in disaster boxes for shipment to mfg for exam. Personnel exposures minimal.
SPITZBERG, D.B. Region 4, Ofc of the Director. 87/12/28. 1p. 43999-338-43999-338.

8801110220 PNO-I-88-001: on 880104, realignment of nuclear mgmt updated. Action provides for corporate officer at each plant to elevate level of plant in corporate mgmt structure.
LINVILLE, J., WENZINGER, E. Region 1, Ofc of the Director. 88/01/04. 1p. 43999-337-43999-337.

8801110400 PNO-II-88-001: on 880102, primary containment isolation valves drywell equipment & floor drains failed to close automatically after receipt of valid Group 2 isolation signal. Cause under investigation. Insp team dispatched.
FREDRICKSON, P. Region 2, Ofc of the Director. 88/01/04. 1p. 43971-150-43971-160.

8801120292 PNO-III-87-157: on 880105, licensee reported missing Mo-99/Tc-99m generator found. Generator mixed w/used generators returned to licensee facility in State of MO. Generator dismantled on 871222.
CANIANO, R., MALLETT, B. Region 3, Ofc of the Director. 88/01/05. 1p. 43998-055-43998-055.

8801130003 PNO-I-88-003: on 880101, steam generator (SG) 23 boiled dry during plant heatup. Cause not stated. On 880104, station mgmt started evaluating safety significance of event & heat method to refill generator. SG 23 refilled on 880105.
SWETLAND, P., SUMMERS, R. Region 1, Ofc of the Director. 88/01/07. 1p. 44028-301-44028-301.

- 8801130011** PNO-I-88-004: on 880107, Region I learned from radio news rept that 41 of 42 exit signs containing tritium missing from parking garage in State College, PA. Remaining sign damaged. No radioactive contamination detected. COSTELLO, F., KINNEMAN, J. Region 1, Ofc of the Director. 88/01/07. 1p. 44040:002-44040:002.
- 8801130018** PNO-IV-88-002: on 880105, transportation accident involving Associated Coaches truck/trailer carrying 84 spent molybdenum-technetium generators occurred. Caused by car crossing median. Generators undamaged. Shipment continued. FISHER, W.L. Region 4, Ofc of the Director. 88/01/06. 1p. 44039:167-44039:167.
- 8801130029** PNO-V-87-085A: on 880104, State of WA reported that contamination caused by vehicle accident cleaned up & Stevens Highway reopened on 87/12/31. Contaminated debris & irradiated hardware being repackaged by US Ecology, Inc. THOMAS, R.D. Region 5, Ofc of the Director. 88/01/05. 1p. 44039:166-44039:166.
- 8801130054** PNO-I-88-002: on 880106, damage to shielding of irradiator resulting in small radiation beam (8 m/h) occurred. Caused by personnel error. Radiation beam blocked w/ lead brick. JOHANSEN, GLENN Region 1, Ofc of the Director. 88/01/07. 1p. 44039:151-44039:151.
- 8801130081** PNO-III-87-139C: on 87/12/08, licensee authorized to begin lifting suspension of licensed activities suspended on 87/11/25. Suspension due to contamination of diabetes research labs. Personnel trained in radiation safety. MULLAUER, J., WIEDEMAN, D., MALLETT, B. Region 3, Ofc of the Director. 88/01/06. 1p. 44030:001-44030:001.
- 8801140040** PNO-IV-88-003: on 880109, derailment of railroad car carrying empty spent fuel shipping cask occurred. Caused by track switch in wrong position. Railroad car remained in upright position. No personnel injuries reported. HOLLER, E.J. Region 4, Ofc of the Director. 88/01/11. 1p. 44030:047-44030:047.
- 8801150243** PNO-III-88-002: on 880111, reactor tripped & HPCI & RCIC sys triggered automatically due to trip of one reactor feedwater pump. Caused by feedwater control sys power supply failure. Power supply replaced. PELKEP, GREENMAN, E. Region 3, Ofc of the Director. 88/01/11. 1p. 44084:169-44084:159.
- 8801190120** PNO-V-88-001: on 880106, reactor trip/turbine trip occurred & plant shutdown for greater than 48 h. Caused by dirty contact in cable connection to pre-amplifier. Containment leakage also discovered. Manway cover bolts torqued. MENDONCA, M. Region 5, Ofc of the Director. 88/01/12. 1p. 44085:142-44085:142.
- 8801200019** PNO-I-88-005: on 880113, contractor within radiological waste bldg injured. Caused when contractor slipped & hydro-lase cut leg. Contractor transported to hosp & slight contamination found near area of injury. Worker decontaminated at hosp. YOUNG, F., BLOUGH, R. Region 1, Ofc of the Director. 88/01/13. 1p. 44082:289-44082:288.
- 8801200102** PNO-I-88-006: on 880114, Region 1 received notification of protest to be held at facility in Apollo, PA. Kiski Valley Coalition to Save Our Children will be protesting planned operation of supercompactor at facility. ROTH, J., PASCIAK, W. Region 1, Ofc of the Director. 88/01/14. 1p. 44056:207-44056:207.
- 8801220308** EN-88-002: on 880120, order modifying license issued requiring licensee to suspend licensed activities until assessment of mgt controls & personnel exposures from Aug 1987 incident & review of listed procedures completed. FLACK, E., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/01/20. 1p. 44188:076-44188:076.
- 8801220416** EN-88-001: on 880119, notice of violation & proposed imposition of civil penalties in amount of \$75,000 issued. Action based on listed violations including failure to lock doors to high radiation areas & to follow listed procedures. FLACK, E., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-87-200. 88/01/13. 1p. 44168:074-44168:074.
- 8801250581** PNO-IV-88-004: on 87/11/16, two radiographers received radiation burn to skin of one ankle. Caused by careless use of radiation survey instrument during film exposure run. Texas Bureau of Radiation Control continuing enforcement action. DODAR, J. Region 4, Ofc of the Director. 88/01/20. 1p. 44110:321-44110:321.
- 8801280486** PNO-I-88-009: on 880120, unusual event declared as result of worker injured after stepping through hole in grating between reactor vessel flange & refueling cavity floor. No contamination involved. COOK, W., JOHNSON, J. Region 1, Ofc of the Director. 88/01/21. 1p. 44125:325-44125:325.
- 8801270010** PNO-I-87-108A: on 87/11/18, FBI arrested four licensee & two contractor employees accused of drug distribution at plant & surrounding area. One util & contractor employees found guilty & remaining two util defendants suspended. WILLIAMS, H., WENZINGER, E. Region 1, Ofc of the Director. 88/01/20. 1p. 44137:360-44137:380.
- 8801270073** PNO-I-88-010: on 880120, reactor scrambled from 42% power based on low reactor vessel water level. Caused by equipment operator error. NRC dispatched Augmented Insp Team to site to review generic safety implications of event. COOK, W., JOHNSON, J. Region 1, Ofc of the Director. 88/01/21. 2pp. 44141:046-44141:047.
- 8801270130** PNO-III-88-004: on 880120, package containing two vials of liquid P-32 disappeared after purchasing dept staff member placed package in hosp purchasing & receiving area. Region III investigating incident. Licensee will submit loss rept. WIEDEMAN, D., MALLETT, B. Region 3, Ofc of the Director. 88/01/21. 1p. 44168:020-44168:020.
- 8801270138** PNO-IV-88-006: on 880105, licensee determined that reactor vessel flange inner O-ring leaking. Inner leakoff monitor tube isolated to contain leakage. Outage of approx 21 days expected in order to replace O-ring seals. APPRA, J. Region 4, Ofc of the Director. 88/01/22. 2pp. 44168:365-44168:358.
- 8801270146** PNO-IV-88-005: on 880120, Wright-Patterson Air Force Base received notification from Chem-Nuclear Sys that Am-241 found in samples of trout taken from Bass Lake in Dec 1987. Base closed access to lake as precaution. BAIRD, J.B. Region 4, Ofc of the Director. 88/01/22. 2pp. 44169:025-44169:026.

- 8801270246** PNO-I-88-007: on 880116, present unplanned outage to inspect & repair feedwater sys components & supports extended for approx 3 wks to perform insp of bushings in reactor vessel flange which hold 6-inch diameter reactor vessel head studs. COOK, W., JOHNSON, J. Region 1, Ofc of the Director. 88/01/19. 1p. 44145:308-44145:308.
- 8801270376** PNO-I-88-008: on 880115, Kiski Valley Coalition to Save Our Children held peaceful demonstration in front of B&W Apollo, PA. Ofcs to express concern re radioactive emissions, declassification of classified info & use of supercompactor. ROTH, J., PASCIAK, W. Region 1, Ofc of the Director. 88/01/15. 1p. 44145:195-44145:195.
- 8801270591** PNO-V-88-002: on 880116, reactor shutdown commenced for more than 48 h due to alarms on main generator hydrogen detaining unit. Caused by hydrogen leak into stator cooling water sys in main generator. Visual & sonic insps performed. JOHNSON, P. Region 5, Ofc of the Director. 88/01/19. 1p. 44145:107-44145:107.
- 8801280154** PNO-I-88-003A: on 880112, Region I conducted augmented insp team insp to review circumstances surrounding licensee's boiling of steam generator 23 dry on 880103. Corrective action plan developed. Criticality achieved on 880119. SWETLAND, P., SUMMERS, R. Region 1, Ofc of the Director. CAL-88-01. 88/01/20. 1p. 44156:273-44156:273.
- 8801280193** EN-87-044C: on 880128, order imposing civil penalty in amount of \$25,000 issued. Under term of order, licensee may within 30 days of date of order, pay penalty or request hearing. Action based on violation involving inoperable pressurizer valve. LUJERMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-87-062. 88/01/28. 1p. 44167:243-44167:243.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

- 8801070243** Responds to 871030 invitation to present paper at 881114-17 Third Intl Topical Meeting on Nuclear Power Plant Thermal Hydraulics & Operations. Invitation declined due to budgetary constraints. ROBERTS, J.P. Fuel Cycle Safety Branch. 87/12/23. CHUN, M.H. Korea, Republic of (South Korea). 2pp. 43945:349-43945:350.
- 8801070307** Responds to 871116 ltr re transportation & storage cask licensing. Answers previously provided in documentation forwarded on 871023. ROBERTS, J.P. Fuel Cycle Safety Branch. 87/12/26. ALBISU, F. Spain, Govt. of. 2pp. 43946:049-43946:050.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

- 8712230003** Suppl 1 to NRC Info Notice 87-028, "Air Sys Problems at US LWRs." Svc ltr incl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). AEOD/C701. 87/12/28. Consolidated Edison Co. of New York, Inc. 124pp. 43985:138-43985:267.
- 8712300107** Forwards results of addl studies re NUREG-0737, item 1.D.1, concerning CANDU & schedules for completion of remainder of studies, per 881228 commitment. McDONALD, R.P. Alabama Power Co. 87/12/23. Document Control Branch (Document Control Desk). 6pp. 43964:127-43964:132.
- 8712300113** Forwards application for amend to License DPR-84, revising Tech Spec Section 3.13 re safety-related snubbers affected by mod to pressurizer safety & relief valves discharge piping & steam generator blowdown sys upgrade. Fees paid. BRONSON, J.C. New York Power Authority (formerly Power Authority of the State of New York). IPN-87-80. 87/12/21. Document Control Branch (Document Control Desk). 2pp. 43920:269-43920:281.
- 8801040158** Motion. "Requests that operator licensing process be revised to include professional review & validation of exam questions & implementation of QA techniques & criteria specified in NUREG 1021. MORABITO, A.J. Morabito, A.J. #188 5166. SP. 87/07/20. BECHHOEFER, C. Atomic Safety and Licensing Board Panel. 2pp. 43887:048-43887:049.
- 8801050005** Forwards portion of NUREG-0895, "FES re Operation of Seabrook Station Units 1 & 2," addressing recipient 871208 request for identification of NRC requirements for evaluating impact of potential exposure to electric fields. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/28. WQJTAUK, T.A. Tennessee Valley Authority. 12pp. 43910:298-43910:310.
- 8801050237** Partial response to FOIA request for documents re NUREG-1262. Forwards App D documents. App C & D documents available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/30. BOLEY, K. Public Citizen's Critical Mass Energy Project. 3pp. 43910:074-43910:285.
- 8707200578** Requests CHGR review of proposed NUREG-1262, "Answers to Questions at Public Meetings re Implementation of 10CFR55 on Operator Licenses." Ofc of General Counsel offers no objection to issuance of document. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-87-07. 87/07/14. JORDAN, E. Office for Analysis & Evaluation of Operational Data, Director. 180pp. 43910:079-43910:285.
- 8801050340** Notifies that util reevaluated position re Generic Ltr 83-02, "NUREG-0737 Tech Specs, Items I.K.3.13 & I.K.3.22," concerning RCIC restart & suction Util position re Items I.A.1.3 & I.K.3.3 unchanged. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. FVY 87-122. 87/12/28. ROONEY, V.L. Project Directorate I-3. 2pp. 43960:353-43960:354.
- 8801060120** Requests that program be revised to correct two listed items re delay of design verification & conditional release of unqualified items. Revised operations QA manual should be submitted for review. MILLER, H.J. Region 3, Ofc of the Director. 87/12/30. GERSTNER, W.C. Illinois Power Co. 2pp. 43960:132-43960:133.
- 8801060261** Forwards nonproprietary & proprietary accepted versions of Rev 1 & supps to CEN-203 re TMI Action Plan Item I.K.3.00 concerning justification of small break LOCA methods. Repts close out item. Proprietary repts withheld (ref 10CFR2.780). GASPER, J.K. C-B Operating Plants Owners Group. CEOG-87-758. 87/12/18. NONBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 7pp. 43924:289-43924:325.

-8801060293 CEN-203-NP R01-NP-A Nonproprietary Rev 1-NP-A to "Response to NRC Action Plan Item II.K.3.30, Justification of Small Break LOCA Methods."
* Combustion Engineering, Inc. 8/2/03/31. 139pp. 43924-276-43925-052.

-8801060320 CEN-203-NP S01NP-A R1 Nonproprietary Suppl 1-NP-A to Rev 1-NP-A to "Response to NRC Request Number 1 for Addl Info on C-E Rept CEN-203-P Rev 1-P (Response to NRC Action Plan Item II.K.3.30, Justification of Small Break LOCA Methods)."
* Combustion Engineering, Inc. 8/4/02/29. 338pp. 43925-053-43926-027.

-8801060331 CEN-203-NP S02NP-A R1 Nonproprietary Suppl 2-NP-A to Rev 1-NP-A to "Response to NRC Request Number 1 for Addl Info on C-E Rept CEN-203-P Rev 1-P (Response to NRC Action Plan Item II.K.3.30, Justification of Small Break LOCA Methods)."
* Combustion Engineering, Inc. 8/4/11/30. 99pp. 43926-028-43926-325.

8801060284 NUREG-0652 S03 SAFETY EVALUATION REPORT RELATED TO THE FINAL DESIGN OF THE STANDARD NUCLEAR STEAM SUPPLY REFERENCE SYSTEM CESSAR
Engineering, Incorporated
* Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 87/12/31. 78pp. 43940-284-43941-011.

8801060291 Forwards listed documents w/ Certificate of Svc for filing in proceeding D'GIAN, T.G. Ropes & Gray, #188 5290. OL-1. 88/01/04. Docketing & Services Branch. 2pp. 43908-085-43908-283.

-8801060348 Affidavit of WB Leland. * Discusses function of chemistry dept to insp circulating & svc water systems for effectiveness of b'olouting control & ensure compliance w/ NPDES restrictions. Related info encl.
LELAND, W.B. Public Service Co. of New Hampshire, OL-1. 87/12/31. 138pp. 43908-111-43908-247.

8801060431 NUREG-125B EVALUATION PROCEDURE FOR SIMULATION FACILITIES CERTIFIED UNDER 10 CFR 55 Final Report
WACHTEL, J., PLOTT, C., LAUGHERY, K.R. Division of Licensee Performance & Quality Evaluation (Post 870411). 87/12/31. 141pp. 43929-099-43929-239.

8801060466 Comments on SSERs 1-4 (NUREG-1002), for info. Items discussed previously w/ NRC
HUNSADER, S.C. Commonwealth Edison Co. 3860K. 87/12/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43979-067-43979-068.

8801070031 NUREG/CR-4405 PROBABILISTIC RISK ASSESSMENT (PHA) INSIGHTS.
FITZPATRICK, R., ARRIETA, L., TEICHMANN, T. Brookhaven National Laboratory. FIN A-3786. BNL-NUREG-51931. 87/12/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 142pp. 43944-018-43944-158.

8801070052 NUREG/CR-4856 DEVELOPMENT AND APPLICATION OF A COMPUTER MODEL FOR LARGE SCALE FLAME ACCELERATION EXPERIMENTS.
MARK, K.D. Sandia National Laboratories. FIN A-1246. SAND87-8203. 87/07/31. Division of Reactor Accident Analysis (Post 870411). 80pp. 43943-297-43944-016.

8801070069 NUREG-1275 V02 OPERATING EXPERIENCE FEEDBACK REPORT - AIR SYSTEMS PROBLEMS. Commercial Power Reactors.
ORNSTEIN, H.L. Office for Analysis & Evaluation of Operational Data, Director. 87/12/31. 128pp. 43943-154-43943-261.

8801070150 NUREG/CR-5041 V01 RECOMMENDATIONS TO THE NRC FOR REVIEW CRITERIA FOR ALTERNATIVE METHODS OF LOW-LEVEL RADIOACTIVE WASTE DISPOSAL. Task 2a: Below Ground Vaults.
DENSON, R.H., BENNETT, R.D., WAMSLLEY, R.M. Army, Dept. of Army Engineer Waterways Experiment Station. FIN D-1071. 87/12/31. Division of Low Level Waste Management & Decommissioning (Post 870411). 162pp. 43944-190-43944-350.

8801070169 Application for amend to License DPR-3, modifying Tech Spec re control rod position indication in accordance w/ Rev 4 to NUREG-0452 & to provide needed operational flexibility.
HEIDER, L.H. Yankee Atomic Electric Co. FYR 87-124. 87/12/23. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 44040-249-44040-258.

-8801070174 Proposed Tech Specs, modifying control rod position indication in accordance w/ Rev 4 to NUREG-0452.
* Yankee Atomic Electric Co. 87/12/23. 4pp. 44040-255-44040-258.

8801070254 Requests listed addl info re meteorological data tape & evacuation time estimates, within 60 days of fir receipt. Rev 2 to Section 2.3.3 of SRP encl.
ZECH, G.G. Ofc of Special Projects. 88/01/04. WHITE, S.A. Tennessee Valley Authority. 12pp. 43946-019-43946-030.

8801070285 NUREG/CR-3495 CALCULATION OF FAILURE IMPORTANCE MEASURES FOR BASIC EVENTS AND PLANT SYSTEMS IN NUCLEAR POWER PLANTS.
WHEELER, T.A., SPULAK, R.G. Sandia National Laboratories. FIN A-1288. SAND83-0329. 87/12/31. Office of Nuclear Reactor Regulation, Director (Post 870411). 450pp. 43941-292-43943-063.

8801070270 NUREG/CR-4687 V03 ENVIRONMENTALLY ASSISTED CRACKING IN LIGHT WATER REACTORS. Semiannual Report April-September 1986.
KASSNER, T.F., MAYA, P.S. Argonne National Laboratory. FIN A-2212. 87/10/31. Division of Engineering (Post 870411). 89pp. 43944-351-

NUREG-0090 V10 N02 REPORT TO CONGRESS ON ABNORMAL
* 15 April-June 1987.
* Analysis & Evaluation of Operational Data, Director. 87/11/30. 53pp.

post-accident trips of reactor coolant pumps, per
* 11/12/30. MROCZKA, E.J. Northeast
pp. 43945-266-43945-270.

Section 3.8.3, "Leak-Before-Break Eval-
* formerly Texas Utilities Generating Co.,
Rules & Procedures Branch. 3pp.

8801070504 Forwards description of overall validation & verification program
schedule for completion of SPDS program, in response to NRC 86101.
SER (NUREG-0737, Suppl 1)
HINTZ, D.C. Wisconsin Public Service Corp. TAC 51250. 87/12/30. Document
Branch (Document Control Desk). 9pp. 43989-285-43989-293.

8801080028 Informs that acoustic monitoring & containment hydrogen analysis
instruments for completion of equipment qualification program similar to commercial
other Reg Guide 1.97 mods.
JOHNSON, I.M. Commonwealth Edison Co. 3134K. 87/05/29. MURLEY, T.E.
Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43955-284-43955-285.

880110206 NUREG/CR-5080 AN APPROACH TO THE MATHEMATICAL MODELING
OF THE URANIUM SERIES REDISTRIBUTION WITHIN ORE BODIES
AIREY, P.L., GOLIAN, C., LEVER, D.A. Australian Atomic Energy Commission.
8661. AAE/C49. 87/12/31. Division of Engineering (Post 870411).
43975-041-43975-156.

880110207 NUREG/CR-4744 V02 N1 LONG-TERM EMBRITTLEMENT
DUPLEX STAINLESS STEELS IN LWR SYSTEMS Semiannual Report, October
March 1987.
CHOPRA, O.K., CHUNG, H.M. Argonne National Laboratory. FIN A-2243.
87/11/30. Division of Engineering (Post 870411). 52pp. 43975-157-43975-224.

880110217 NUREG-1002 S05 SAFETY EVALUATION REPORT RELATED
OPERATION OF BRAIDWOOD STATION, UNITS 1 AND 2 Docket Nos. 50-457, 50-458
50-457, (Commonwealth Edison Company)
* Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 87/12/31.
21pp. 43975-207-43975-229.

880110221 NUREG/CR-2000 V06N11 LICENSEE EVENT REPORT
COMPILATION For Month Of November 1987.
* Oak Ridge National Laboratory. FIN A-9135. ORNL/NSC-200. 87/12/31. Chemical & Nuclear
Analysis & Evaluation of Operational Data, Director. 86pp. 43975-230-43975-314.

880110224 NUREG-0540 V09 N10 TITLE LIST OF DOCUMENTS MADE PUBLIC
AVAILABLE. October 1-31, 1987.
* Division of Publications Services. 87/12/31. 434pp. 43975-315-43977-023.

880110233 NUREG-0020 V11 N11 LICENSED OPERATING REACTORS SUMMARY
SUMMARY REPORT, Data As Of October 31, 1987. (Gray Book I)
SCHWARTZ, J. Division of Computer & Telecommunications Services (Post 870411).
87/12/31. 426pp. 43973-167-43974-305.

880110242 NUREG-1250 R01 REPORT ON THE ACCIDENT AT THE CHESTER
NUCLEAR POWER STATION.
* NRC - No Detailed Attribution Given. * Energy, Dept. of. * Electric Power Research
Institute. 87/12/31. 400pp. 43977-121-43977-342.

880110264 Forwards rept evaluating risk significance of loss of HVAC sys scenarios
control room, switchgear room & auxiliary feedwater pump cubicles per 87/12/31
commitment loss of room cooling not significant core damage frequency issue
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs of Northeast Utilities)
MROCZKA, E.J. Northeast Utilities. 812776. 88/01/07. Document Control Branch.
(Document Control Desk). 7pp. 43970-185-43970-201.

880110268 NUREG-0837 V07 N03 NRC TLD DIRECT RADIATION MONITORING
NETWORK Progress Report. 4y September 1987.
STRUCKMEYER, R., MCNAMARA, N., COHEN, L. Region 1, Ofc of the Director. 87/12/31.
228pp. 43977-343-43978-209.

880110274 NUREG-0940 V06 N03 ENFORCEMENT ACTIONS SIGNIFICANT
TIONS RESOLVED Quarterly Progress Report, July-September 1987.
* Ofc of Enforcement (Post 870411). 87/12/31. 218pp. 43972-308-43973-166.

880110534 Responds to FOIA requests for documents re recent NRC rule amendments
10CFR50.47 & 10CFR50.49. App E. Forwards documents listed in App B App A documents
already available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870411). 88/01/07. BELAIR, R.F.
Kirkpatrick & Lockhart. 3pp. 43978-284-43978-286.

-8712030207 Forwards Rev 0 to "Seabrook Plan for Massachusetts Communities."
consisting of 10 vols, effective 870921. FEMA findings re whether and meets criteria
Suppl 1 to NUREG-0654/FEMA-REP-1, Rev 1 requested w/o encl.
CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post
870411). 87/11/27. KRIMM, R.W. Federal Emergency Management Agency. 2pp.
43978-304-43978-305.

8801120191 Forwards FEMA 871207 ltr discussing evaluation of alert & notification sys
for plant. Evaluation determined that alert & notification sys satisfies criteria
NUREG-0654/FEMA-REP-1, Rev 1 & FEMA-REP-10.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/05. HINTZ, D.C. Wisconsin Public
Service Corp. 2pp. 43997-304-43998-167.

8801120223 Forwards response to NRC 870708 request for addl info needed for com-
pletion of NRC review of performance testing of relief & safety valves per NUREG
0737 Item II.D.1.
MEDFORD, M.O. Southern California Edison Co. 88/01/07. Document Control Branch
(Document Control Desk). 28pp. 43990-306-43990-334.

8801130080 Forwards FEMA 871207 ltr discussing evaluation of alert & notification sys
for plant. Alert & notification sys satisfies criteria of NUREG-0654/FEMA-REP-1, Rev
& FEMA-REP-10.
SHAFFER, W.D. Region 3, Ofc of the Director. 88/01/05. FAY, C.W. Wisconsin Electric
Power Co. 2pp. 44001-016-44001-017.

8801130089 Thirteenth partial response to FOIA request for documents re
plant. Forwards App R documents App R & S documents available in PDR & LPO
located in San Luis Obispo, CA. App T documents may be purchased from ANSI.
GRIMSLEY, D.H. Division of Rules & Records (Post 870411). 87/12/29. GARDE, B.F.
Government Accountability Project. 20pp. 44012-001-44012-251.

- 8801100317** Reiterates fundamental design philosophy of SPDS. In response to NRC 870013:1 Design philosophy has been foundation for compliance to NUREG-0737, Suppl 1 for SPDS. Graphic display sys not same as SPDS & never intended to be. SORENSEN, G.C. Washington Public Power Supply System. GO2-88-003. 88/01/07. Document Control Branch (Document Control Desk). 5pp. 44000:115-44000:118.
- 8801100384** Forwards SSEF 5 to NUREG-1002. MILLER, D.R. Project Directorate II-2. 88/01/05. BUTTERFIELD, L. Commonwealth Edison Co. 24pp. 44005:287-44005:320.
- 8801100669** Partial response to FOIA request for documents, including evaluation criteria for off-site. Forwards App D documents. App D documents also available in PDR. App E document totally withheld (ref FOIA Exemption 6). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. BELAIR, R.R. Kripplack & Lockhart. 6pp. 44031:278-44032:118.
- 8801100914** Forwards FEMA/NRC task group sub evaluation criteria for off-site plans & informs of request for publication in FR for comment as proposed App 6 to NUREG-0854/FEMA-REP-1. Rev 1. COUGHEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870413). 87/11/02. STELLO, V. Ofc of the Executive Director for Operations. MURLEY, T.E., SNIEZEK, J.H. Office of Nuclear Reactor Regulation, Director (Post 870413). 1p. 44031:320-44031:354.
- 8801100994** Forwards safety evaluation accepting until 870417 proposal to implement surveillance procedures re automatic bus transfer feature of auxiliary feedwater sys. NUREG-0737, Open Item II.E.1.2. ECCLESTON, K.T. Project Directorate II-1. TAC 64896. 88/01/06. UTLEY, E.E. Carolina Power & Light Co. 6pp. 44033:177-44033:182.
- 8801102422** Forwards revised Pages 8, 14, 31 & 46 to until 870928 comments on draft NUREG-1150, correcting editorial errors. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 52FR7950 00031. 88/01/12. Document Control Branch (Document Control Desk) 7pp. 44038:183-44038:189.
- 8801102445** Forwards final seismic analysis rept., "Crane Seismic Rept. Crack Handling Crane 160/20 Ton Capacity, S/N 12115," Vols I & II. Analysis for new auxiliary bldg crane to meet single failure proof requirements of NUREG-0554. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). AEP NRC-09804. 88/01/12. MURLEY, T.E. Document Control Branch (Document Control Desk). 2pp. 44036:189-44037:224.
- 8801100938** Comment on NUREG-0782 re rev to std format & content for emergency plans for fuel cycle & waste facilities. Approach being taken in preparing for radiological emergencies at melt licensee facilities inappropriate. Ltr dtd 870716 encl. WISSIN, R.G. Minnesota, Mining & Manufacturing Co., 3M Co. 52FR45035 00001. 87/12/18. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 44051:166-44051:176.
- 8801100131** Forwards request for addl info re safety injection Pump B auto transfer scheme. Response requested within 30 days of ltr receipt. Concern expressed that existence of configuration may compromise independence of power sources. ECCLESTON, K.T. Project Directorate II-1. 88/01/14. UTLEY, E.E. Carolina Power & Light Co. 4pp. 44053:001-44053:004.
- 8801100176** FOIA request for documents re impact of nitrate in groundwater near plant as discussed in NUREG-1157, "Environ Assessment," for renewal of License SUB-1010 dtd Aug 1985. ODEH, W.A. Native Americans for a Clean Environment. 87/11/25. ROBINSON, L. NRC - No Detailed Affiliation Given. 1p. 44055:321-44055:321.
- 8801100180** Comment opposing SRP Section 3.6.3 of NUREG-0800. Utilities endorse comments by Nuclear Util Group on Equipment Qualification. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 52FR32828 00028. 88/01/08. Document Control Branch (Document Control Desk). 5pp. 44052:001-44052:005.
- 8801100214** Forwards NUREG-0852, Suppl 3, SER re final design of NSSS for CESSAR Sys 870401 encl. VISSING, D.S. Standardization & Non-Power Reactor Project Directorate. 88/01/11. SCHERER, A.E. Combustion Engineering, Inc. 3pp. 44066:253-44066:255.
- 8801100330** Comments on NUREG-1150 re recalculation of health effects upon which nuclear regulation depends. New estimate of radiation effects predict that radiation causes 16 times more fatalities than previously used in calculations. LEVINS, M.I. Lewis, M. 52FR7950 00051. 87/12/30. RYDER, C. NRC - No Detailed Affiliation Given. 1p. 44045:013-44045:013.
- 8801200037** Responds to NRC 871221 ltr re violations noted in Insp Rept 70-0687/87. 04. Corrective actions new procedure for use of rasching rings as nuclear criticality poison for U solutions written & combustible storage in exhaust fan room removed. MCGOVERN, J.J. Clintchem, Inc. 87/12/21. MARTIN, T.T. Region 1, Ofc of the Director. 9pp. 44080:001-44080:008.
- 8801200182** Partial response to FOIA request for documents. Forwards App B documents. Documents also available in PDR. Portions of App B documents withheld (ref FOIA Exemptions 6 & 7). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/06. WEISS, E.R. Union of Concerned Scientists. 5pp. 44087:013-44087:255.
- 8801200233** Partially deleted investigation Rept. 1-84-021. No mail false statements willfully made w/intent to deceive. Major areas investigated: 830520 & 840210 mail false statements submitted re facility environ qualification program. MATYKAS, R.A., CHRISTOPHER, R. Region 1, Ofc of the Director. HAYES, B.B. Office of Investigations. IES-79-01B. 85/09/26. 48pp. 44087:023-44087:068.
- 8801200206** Provides info identifying electrical equipment important to safety already qualified within scope of 10CFR50.49(g). Schedules for qualification of post-accident instrumentation encl. HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. IES-79-01B. 83/05/12. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (pre-851126). 3pp. 44067:020-44067:022.
- 8801200213** Forwards Insp Repts 50-528/87-40, 50-529/87-39 & 50-530/87-41 on 871118-20. Violation noted Major areas inspected low level radwaste storage facilities, accident monitoring instrumentation & NUREG-0737, Items II B 3 & II F 1. NORTH, H.S. Region 5, Ofc of the Director. 50-530/87-41. 87/12/31. 10pp. 44052:144-44052:163.
- 8801200231** Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Borsong FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.
- 8802060010** Forwards DJ Shea 850108 ltr re adequacy of INPO job task analysis. INPO plans to complete change or validate existing generic job task analysis against task analysis data generated for Suppl 1 to NUREG-0737 activities. THOMPSON, H.L. Division of Human Factors Safety (880428-851124). 85/01/24. STRAHM, K. Institute of Nuclear Power Operations. 1p. 44118:117-44118:133.
- 8802060013** Discusses RFP re licensing exam development. Task data should be directly generated by review of power plant design in various failure modes w/emphasis on real-time operational requirements. SHEA, D.J. Human Engineering Associates, Inc. FIN D-1315. 85/01/08. THOMPSON, H.L. Division of Human Factors Safety (880428-851124). 1p. 44118:118-44118:133.
- 8802060015** Responds to Solicitation NS-NRR-85-052 w/"No Bid at This Time." Required job task analytic approach not amenable to integration w/other safety-related human factors objectives of NUREG-0737, Suppl 1. SHEA, D.J. Human Engineering Associates, Inc. 85/01/07. HAGEY, H. Technical Assistance Contracts Branch (Pre 880421). 1p. 44118:119-44118:133.
- 8806100175** Provides update of past & current status of NRC involvement in facility requalification program evaluations re Feb 1985 rev to NUREG-1021, Std ES-601 concerning NRC procedures for requalification programs. FY84 & FY85 results encl. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 88/01/04. STELLO, V. Ofc of the Executive Director for Operations. 3pp. 44119:117-44119:119.
- 88010070188** Forwards final rept from Aug 1988 NRC post-accreditation audit. Plant has not performed task analysis to identify knowledge, skills & abilities for all job tasks. Radiological protection training warrants specific attention. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 88/09/10. STRAHM, K. Institute of Nuclear Power Operations. 18pp. 44119:026-44119:040.
- 8801200113** Forwards final rept from NRC post-accreditation audits using Training & Review Criteria & Procedures published as NUREG-1220 in Jul 1988. Both job & task analysis necessary for full implementation of performance-based training. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 88/12/03. STRAHM, K. Institute of Nuclear Power Operations. 33pp. 44119:036-44119:111.
- 8804080295** Forwards final rept re post-accreditation audit of training programs at plant conducted in Mar 1987. Nonlicensed & licensed operator training programs developed from task analysis identified skills & for learning objectives. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 87/04/08. STRAHM, K. Institute of Nuclear Power Operations. 18pp. 44119:138-44119:163.
- 8801200309** Forwards "DCRDR Supplemental Rept." per NRC 870410 request. Rept provides responses to all of NRC concerns noted in technical evaluation rept. Surveys noted in Section 2.4 of rept will be completed after sixth refueling outage. SIEBER, J.D. Duquesne Light Co. GL-82-33. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44060:009-44060:011.
- 880120001** Application for amendments to Licenses DPR-38, DPR-47 & DPR-55, revising Tech Specs 3.15 re control room pressurization & filtering sys & 4.12 on testing of sys. per Generic Ly 83-37 re NUREG-0737. Fee paid. TUCKER, H.B. Duke Power Co. OL-83-37. 88/01/08. Document Control Branch (Document Control Desk). 3pp. 44086:286-44086:284.
- 8801200003** Proposed Tech Specs, revising Section 3.15-1 re limiting conditions for operations for control room pressurization & filtering sys & Section 4.12-1, providing for addl testing of sys & clarification of Tech Specs. * Duke Power Co. 88/01/08. 18pp. 44086:269-44086:284.
- 8801200033** Forwards response to 871123 request for addl info re until 871027 submittal on NUREG-0737, Item II.D.1 concerning safety & relief valves. Design differences that could explain differences in required closing torque discovered. PAPANIC, G. Yankee Atomic Electric Co. FYR 88-07. 88/01/08. FAIRFAX, M.B. Project Directorate I-3. 5pp. 44097:097-44097:101.
- 8801200519** Clarifies 871113 & 1224 ltrs re post-LOCA cooling variables & hydrogen concentration for SPDS license condition. MROCZKA, E.J., SEARS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 812789. 88/01/14. Document Control Branch (Document Control Desk). 3pp. 44159:118-44159:118.
- 8801200540** Forwards response to NUREG-1275, "Operating Experience Feedback Rept - New Plants." NUREG-1275 recommendations have been reviewed for relevance to plant restart & post-restart activities. FIRLIT, J.F. Sacramento Municipal Utility District. AGM/NPP 88-037. 88/01/19. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 21pp. 44159:138-44159:156.
- 8801200223** NUREG/CR-5046 REVIEW OF THE NATURAL CIRCULATION EFFECT IN THE VERMONT YANKEE SPENT-FUEL POOL. Docket No. 50-271. (Vermont Yankee Nuclear Power Corp). WHEELER, C.L. Battelle Memorial Institute, Pacific Northwest Laboratories. FIN I-2003. FINL-6369. 88/01/31. Division of Engineering & Systems Technology (Post 870411). 148pp. 44113:158-44113:301.

-8711170134 Responds to 871028 ltr re assumptions presented in F Congel to R Kimm for FEMA review of offsite plans submitted assumption Number 3 be reworded. Three assumptions listed. STELLO,V. Ofc of the Executive Director for Operations. 87/11/01. Federal Emergency Management Agency. Doc 43928:160-43928:1

- 8801070164 Forwards NRR Ofc Ltr 801 re procedures & responsibilities for safeguards reviews to ensure that NRR overall responsibilities are carried out effectively & consistently. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/29. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 43952:280-43952:290.
- 8801070400 NRR Ofc Ltr 800 discussing procedures for handling requests under 10CFR2.206, per director's decisions. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2.206. 88/01/04. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 43952:248-43952:275.
- 880110540 Informs that DM Collins designated as NRC representative to Regional Interagency Steering Committee for Earthquakes & will be attending 880112 meeting. GRACE, J.N. Region 2, Ofc of the Director. 87/12/30. MAY, M.P. Federal Emergency Management Agency. 1p. 43988:053-43988:053.
- 880120191 Forwards FEMA 871207 ltr discussing evaluation of alert & notification sys for plant. Evaluation determined that alert & notification sys satisfies criteria of NUREG-0664/FEMA-REP-1, Rev 1 & FEMA-REP-10. SHAFER, W.D. Region 3, Ofc of the Director. 88/01/05. HINTZ, D.C. Wisconsin Public Service Corp. 2pp. 43997:304-43998:167.
- 880130080 Forwards FEMA 871207 ltr discussing evaluation of alert & notification sys for plant. Alert & notification sys satisfies criteria of NUREG-0664/FEMA-REP-1, Rev 1 & FEMA-REP-10. SHAFER, W.D. Region 3, Ofc of the Director. 88/01/05. FAY, C.W. Wisconsin Electric Power Co. 2pp. 44001:016-44001:017.
- 8712310282 Forwards FEMA 871207 ltr re evaluation of alert & notification sys to be transmitted to licensee. MATTHEWS, D.B. Emergency Preparedness Branch. 87/12/22. HIND, J.A. Region 3, Ofc of the Director. 1p. 44001:018-44001:242.
- 8801140061 Comments on Public Law 97-415 amended S1610n 189 of Atomic Energy Act of 1954 authorizing NRC to issue & make immediately effective any amend to OL as determined by the Commission. FR notice encl. W/o encl. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/12/30. BREAU, J.B. Senate, Environment & Public Works. UDALL, M.K. House of Rep., Interior & Insular Affairs. SHARP, P.R. House of Rep., Energy & Commerce. 2pp. 44033:112-44033:113.
- 8801140266 Summary of Operating Reactors Events Meeting 88-01 on 870105 re events that occurred since 871222. List of attendees & viewpoints encl. LANNING, W. Events Assessment Branch. OREM-88-01. 88/01/07. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 2pp. 44033:033-44033:066.
- 8801200231 Partial response to FOIA request for documents re worker training programs & INPO training accreditation. Forwards App F documents. App E & F documents also available in PDR. Addl records also available in PDR under Bessing FOIA-87-204. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/12. BOLEY, K. Public Citizen's Critical Mass Energy Project. 8pp. 44118:001-44118:039.
- 8803180117 Advises that INPO accreditation process offers utila mechanism to meet intent of proposed training rule w/o separate set of reporting requirements. Final accreditation report to detail observations required. THOMPSON, H.L. Division of Human Factors Safety (800428-851124). 84/03/01. STRAHM, K. Institute of Nuclear Power Operations. 1p. 44118:049-44118:050.
- 8804090271 Responds to 840820 ltr re NRC participation in INPO accreditation visits. Item will be discussed at next coordination meeting scheduled for 840917. THOMPSON, H.L. Division of Human Factors Safety (800428-851124). 84/08/30. STRAHM, K. Institute of Nuclear Power Operations. 1p. 44118:078-44118:078.
- 8802060010 Forwards DJ Shea 850108 ltr re adequacy of INPO job task analysis. INPO plans to compare, change or validate existing generic job task analysis against task analysis data generated for Suppl 1 to NUREG-0737 activities. THOMPSON, H.L. Division of Human Factors Safety (800428-851124). 85/01/24. STRAHM, K. Institute of Nuclear Power Operations. 1p. 44118:117-44118:133.
- 8801310180 Forwards results of post-accreditation reviews at Susquehanna on 851021-23, Dresden on 851118-21 & Oconee on 851216-18. Significant progress observed in improving training. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/01/28. PATE, Z. Institute of Nuclear Power Operations. 38pp. 44118:267-44118:315.
- 8804180629 Forwards final repts from staff post-accreditation audits & comparison of revised NRC review questions w/ INPO accreditation objectives & criteria. Recommends INPO consider adding appropriate accreditation criteria. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/04/03. PATE, Z. Institute of Nuclear Power Operations. 32pp. 44118:316-44118:357.
- 8804190210 Forwards final rept on post-accreditation audit of training programs conducted on 880624-26. Strong mgt commitment to training improvement exists at facilities. Issuance of INPO guidance will help to improve job incumbent training. RUSSELL, W.T. Office of Nuclear Reactor Regulation, Director (851125-870411). 86/08/08. STRAHM, K. Institute of Nuclear Power Operations. 10pp. 44118:045-44118:054.
- 8810070188 Forwards final rept from Aug 1986 NRC post-accreditation audit. Plant has not performed task analysis to identify knowledge, skills & abilities for all job tasks. Radiological protection training warrants specific attention. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 86/09/10. STRAHM, K. Institute of Nuclear Power Operations. 16pp. 44118:025-44118:040.
- 8811040030 Corrects error in 880808 rept on post-accreditation audit of training programs at plant. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 86/10/24. STRAHM, K. Institute of Nuclear Power Operations. 1p. 44118:044-44118:044.
- 8812100113 Forwards final repts from NRC post-accreditation audits using Training & Review Criteria & Procedures published as NUREG-1220 in Jul 1988. Both job & task analyses necessary for full implementation of performance-based training. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 86/12/03. STRAHM, K. Institute of Nuclear Power Operations. 33pp. 44118:079-44118:111.
- 8704080295 Forwards final rept re post-accreditation audit of training programs at plant conducted in Mar 1987. Nonlicensed & licensed operator training programs developed from task analysis identified skills & for learning objectives. RUSSELL, W.T. Division of Human Factors Technology (851125-870411). 87/04/08. STRAHM, K. Institute of Nuclear Power Operations. 18pp. 44118:136-44118:163.
- 8801210068 Forwards Denton 850814 memo re NRC approach to evaluate effectiveness of INPO accreditation program on improved training in nuclear power industry. W/o encl. PERSENSKY, J.J. Licensee Qualifications Branch. 85/03/23. COAKLEY, W. Institute of Nuclear Power Operations. 1p. 44118:196-44118:196.
- 880120194 Partial response to FOIA request. App G documents already available in PDR. App H documents re INPO accreditation training encl. & available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/18. BOLEY, K. Public Citizen's Critical Mass Energy Project. 4pp. 44095:001-44095:022.
- 8801210247 Nominates L Clark & F Fogarty as candidates for consideration as addl INPO Accrediting Board members. DIRCKS, W.J. Ofc of the Executive Director for Operations. 85/03/07. PATE, Z.T. Institute of Nuclear Power Operations. 1p. 44095:030-44095:030.
- 8801210264 Expresses thanks for nomination of L Clark & F Fogarty for consideration as addl INPO Accrediting Board members. Valuable contributions to proceedings by F Remick & G Robinson ack. PATE, Z.T. Institute of Nuclear Power Operations. 85/03/28. DIRCKS, W.J. Ofc of the Executive Director for Operations. 4pp. 44095:031-44095:034.
- 8801280143 Forwards lead project manager summary re Multipoint Actions MPA B-91, MPA B-92 & MPA B-93 concerning Salem ATWS, per 871030 request. Closure of MPA B-91 recommended MPA B-92 & MPA B-93 almost complete. ADENSA, E. Project Directorate II-1. NEWBERRY, S. LASHER, D. Instrumentation & Control Systems Branch. GL-83-28. 88/01/20. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 8pp. 44139:159-44139:167.
- 8801280521 Forwards 870420 final exercise rept for exercise of offsite radiological emergency preparedness plans site-specific to facility. No deficiencies identified. Outstanding deficiency identified at last exercise corrected. KRIMM, R.W. Federal Emergency Management Agency. 87/12/29. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 44161:168-44161:267.
- 8801280458 "FEMA & Regional Assistance Committee Exercise Evaluation Rept," of 870429 exercise. Federal Emergency Management Agency. 87/09/14. 101pp. 44161:167-44161:267.
- 8801270097 NRR Ofc Ltr 802 re procedures for reviewing FSAR amends prior to OL issuance. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 44149:001-44149:004.
- 8801270275 Summary of Operating Reactors Events Meeting 88-02 on 880112 re events which occurred since last meeting on 880105. List of attendees, significant elements of events & tabulation of long-term followup assignments to be completed encl. LANNING, W. Events Assessment Branch. OREM-88-02. 88/01/16. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 16pp. 44165:136-44165:151.
- 8801270344 Motion for leave to file supplemental testimony out of time. FEMA response to ASLP 880113 order re filing of proposed supplemental testimony submitted on 880125 rather than 880122 as ordered. FLYNN, H.J. Federal Emergency Management Agency. #188 5431. OL 88/01/25. Atomic Safety and Licensing Board Panel. 1p. 44126:164-44126:171.
- 8801270372 Supplemental testimony of D McLoughlin, EA Thomas & WR Cumming on behalf of FEMA on sheltering/beach population issues. Addl info on D McLoughlin, EA Thomas & withdrawal of appearance of WR Cumming encl. W/Certificate of Sve. MCLOUGHLIN, D. Federal Emergency Management Agency. OL 88/01/25. 17pp. 44126:165-44126:171.
- 8801280596 Forwards FEMA 871231 memo re plant-specific offsite medical svc capabilities for state & local govt, reviewed by FEMA on 871203. Requirements of Guidance Memo MS-1, "Medical Svcs," satisfied by State of IL. KRIMM, R.W. Federal Emergency Management Agency. 88/01/21. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 3pp. 44180:243-44180:245.
- 8801280319 Summary of Operating Reactors Events Meeting 88-03 on 880119. List of events & summaries of presented events & 1988 scrams encl. LANNING, W. Events Assessment Branch. OREM-88-03. 88/01/21. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 18pp. 44180:269-44180:286.

PR PROPOSED RULE

- 8712010271 Updated memo forwarding documents to be placed in PDR & Central Files re Regulatory History AC65-1 of proposed rule 10CFR35, "Basic QA in Radiation Therapy." MCELROY, N.L. Medical, Academic & Commercial Use Safety Branch. AC65-1 01. 87/12/01. Document Control Branch (Document Control Desk). 3pp. 43663:229-43664:084.
- 8801040257 Comment opposing proposed rule 10CFR60 re implementation of integrated schedules of plant mods. NRC should be concerned w/enforcing safety regulations of licensees instead of financial affairs. HIOTT, S.L. Ohio Citizens for Responsible Energy. 52FR46344 00001. 87/12/16. NRC - No Detailed Affiliation Given. 1p. 43894:091-43894:091.
- 8801040275 Comment on proposed rules 10CFR41.11, 25.30, 31.32, 34.35, 40.60, 80.61, 70.71, 73.74, 75.95 & 110 re retention period for records. Formal Tech Spec amends should not be required to implement changes & no 10CFR170 fees should be incurred. SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 52FR41442 00007. 87/12/22. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 43894:092-43894:093.

- 8801040295** Comment on proposed rules 10CFR4.11,25,30,31,32,34,35,40,50, 60,61,70,71,73,74,75,95 & 110 re retention period for records. Retention not addressed in proposed rule.
TUCKER, H.B. Duke Power Co. 52FR41442 00005. 87/12/16. Docketing & Services Branch. 1p. 43894.094-43894.094.
- 8801040358** Comment on proposed rules 10CFR4.11,25,30,31,32,34,35,40,50, 60,61,70,71,73,74,75,95 & 110 re retention period for records. Longer retention periods needed.
LEWIS, M.P. Lewis, M. 52FR41442 00006. 87/12/20. Office of the Secretary of the Commission. 1p. 43892.302-43892.302.
- 8801040439** Comment on proposed rules 10CFR4.11,25,30,31,32,34,35,40,50, 60,61,70,71,73,74,75,95 & 110 re retention period for records. Recordkeeping by electronic media should be permitted.
WETTERHAHN, M.J. Conner & Wetterhahn. 52FR41442 00008. 87/12/28. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 43892.311-43892.312.
- 8801040469** Comment supporting proposed rules 10CFR4.11,25,30,31,32,34,35,40,50,60,61,70,71,73,74,75,95 & 110 re retention periods for records.
EDWARDS, D.W. Yankee Atomic Electric Co. 52FR41442 00004. 87/12/23. Docketing & Services Branch. 1p. 43892.313-43892.313.
- 8801040612** Comments on NRC notice of intent to establish LPDR for records re potential high level waste geologic repository site located in Deaf Smith County, TX.
NIEDZIELSKI, E.C. Waste Deposit Impact Committee, Deaf Smith County, TX. 52FR41638 00001. 87/12/10. MEYER, D.L. Rules & Procedures Branch. 4pp. 43897.213-43897.216.
- 8801060106** Comment on proposed rules 10CFR4.11,25,30,31,32,34,35,40,50, 60,61,70,71,73,74,75,95 & 110 re retention period for records. Listed items suggested for final rule.
BERRY, K.W. Consumers Power Co. 52FR41442 00009. 87/12/22. Docketing & Services Branch. 2pp. 43926.351-43926.352.
- 8801060126** Comment on proposed rules 10CFR4.11,25,30,31,32,34,35,40,50, 60,61,70,71,73,74,75,95 & 110 re retention period for records. Final rule should contain language clarifying that use of electronic storage for records will meet requirement.
REYNOLDS, N.S. Bishop, Cook, Purcell & Reynolds. REYNOLDS, N.S. Arkansas Power & Light Co. REYNOLDS, N.S. Commonwealth Edison Co. 52FR41442 00010. 87/12/28. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 43926.353-43926.355.
- 8801060170** Comment opposing proposed rule 10CFR35 re basic QA in radiation therapy. W/exception of wedge factor measurements, variety & infrequency of errors does not justify regulation of such magnitude.
GOLDBERG, J. Monticello Hosp. Assoc. of Western Pa., Pittsburgh, PA. 52FR36942 00067. 87/12/21. Docketing & Services Branch. 5pp. 43927.026-43927.030.
- 8801060197** Comment opposing proposed rule 10CFR35 re NRC involvement in QA. NRC should immediately discontinue efforts that involve QA.
HENRY, L.W. Affiliation Not Assigned. 52FR36942 00068. 87/12/15. MCCLROY, N.L. NRC - No Detailed Affiliation Given. 1p. 43926.360-43926.360.
- 8801060207** Comment supporting proposed rules 10CFR4.11,25,30,31,32,34,35,40,50,60,61,70,71,73,74,75,95 & 110 re retention period for records.
BALLENGER, V.W. Air Transport Association. 52FR41442 00011. 87/12/29. Docketing & Services Branch. 1p. 43927.128-43927.128.
- 8801060254** Comment opposing proposed rule 10CFR35 re reporting on misadministration of brachytherapy treatments. Suggests criteria for reporting misadministration of brachytherapy be different from that for teletherapy.
RUSTGI, S.N. Affiliation Not Assigned. 52FR36949 00011. 87/12/28. CHILK, S.J. Office of the Secretary of the Commission. 1p. 43918.122-43918.122.
- 8801060270** Comment opposing proposed rule 10CFR35 re add comprehensive QA program requirements for medical use of byproduct materials. NRC urged against attempting to regulate perfection as incidence of human error & sys failure cannot be reduced.
WOODBURY, D.H. American College of Nuclear Physicians. WOODBURY, D.H., HOLMAN, B.L. Society of Nuclear Medicine. 52FR36949 00014. 87/12/29. Docketing & Services Branch. 75pp. 43927.144-43927.219.
- 8801060438** Comment opposing proposed rule 10CFR35 re basic & comprehensive QA in radiation therapy. Costs should be kept consistent w/potential benefits. Rule will result in increased documentation & administrative costs.
WURK, K. Eastern Virginia Medical School, Norfolk, VA. 52FR36949 00010. 87/12/24. Docketing & Services Branch. 3pp. 43928.130-43928.132.
- 8801070021** Comment opposing proposed rule 10CFR35 re QA programs to license requirements for medical uses of byproduct materials. NRC urged against attempting to regulate perfection as incidence of human error & sys failure cannot be reduced.
LINTON, D.W. American College of Radiology. 52FR36949 00013. 87/12/31. Docketing & Services Branch. 15pp. 43938.331-43938.345.
- 8801070057** Comment opposing proposed rule 10CFR35 re comprehensive QA. Believes NRC should not be associated w/clinical care. NRC should adopt already recommended aids for radiation oncology QA set forth by American College of Radiology.
CRAWFORD, J.S. Olympia Radiological Associates, Ltd., Olympia, WA. 52FR36949 00012. 87/12/14. MCCLROY, N.L. NRC - No Detailed Affiliation Given. 1p. 43938.358-43938.359.
- 8801070355** PNL-5397 "Hanford Wells." Related documents encl.
MCGHAN, V.L., MITCHELL, P.J., ARGO, R.S. Battelle Memorial Institute, Pacific Northwest Laboratories, UC-11. 85/02/28. 316pp. 43948.051-43949.171.
- 8807080427** Draft "Variable Thickness Transient Groundwater Flow Model, Vol 1, Formulation." Related documentation encl.
REISENAUER, A.E. Battelle Memorial Institute, Pacific Northwest Laboratories. II-556. 79/12/31. 100pp. 43949.064-43949.171.
- 8801070455** Comment on NRC technical position paper, "Environmental Monitoring of Low Level Radwaste Disposal Facilities."
ADAMS, S.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 52FR42486 00001. 87/12/16. MYERS, D. NRC - No Detailed Affiliation Given. 9pp. 43938.264-43938.272.
- 8801280318** Comment supporting NRC branch technical position paper for environmental monitoring of low level radwaste disposal facilities. Paper needs to address potential application of Resource Conservation & Recovery Act.
SANDERSON, R.E. Environmental Protection Agency. 52FR42486 00002. 88/01/11. Rules & Procedures Branch. 4pp. 44157.256-44157.259.

PROJ. PROJECTS - PREDOCKET LICENSING

- 8801040031** Advises that date of 871030 DOE operational readiness review board meeting rescheduled for Jan 1988 due to delay in completion of listed key prerequisite. Further info re meeting date will be provided.
MAESTAS, E. Energy, Dept. of. 28785. 87/11/10. CLARK, D., DAVIDSON, N., SHADLEY, D. Energy, Dept. of. 2pp. 43895.151-43895.152.
- 8801040611** Informs that Project Number 677 assigned to Arkansas Tech Univ. research reactor project acquisition. Project number should be used on all correspondence to NRC unit docket number issued.
ADAMS, A. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 87/12/29. KERSH, K. Arkansas Tech Univ., Russellville, AR. 2pp. 43896.051-43896.052.
- 8801060049** Forwards revised Calculations 17/5 & 17/5a which are part of proprietary App A4.6.8 to Rev 1 to Sept 1988. Typical Rept 08-27164 for modular vault dry store. Calculations withheld.
AGARWAL, B.K. FW Energy Applications, Inc. 27164-87-26. 87/11/30. ROBERTS, J.P. Office of Nuclear Material Safety & Safeguards, Director. 1p. 43930.305-43930.305.
- 8801120031** Rev 1 to "Topical Rept for Foster Wheeler Modular Vault Dry Store (MVDS) for Irradiated Nuclear Fuel."
* FW Energy Applications, Inc. 28778. 87/10/31. 450pp. 43994.038-43995.137.
- 8801120188** 08-27164. R01 Rev 1 to nonproprietary Vol II. "Topical Rept for Foster Wheeler Modular Vault Dry Store (MVDS) for Irradiated Nuclear Fuel," Chapter 5 through 11 included.
* FW Energy Applications, Inc. 28778. 87/11/12. 600pp. 43992.147-43994.037.
- 8801130357** Notices of 870527 & 28 meetings w/DOE & contractors to discuss NRC comments on conceptual design for modular HTGR. Reviewers for listed chapters should plan to meet in author office on 870526 to discuss planned comments. Agenda encl.
KING, T.L. Advanced Reactors Generic Issues Branch. 87/05/20. BECKJORD, E., SPEIS, T., MORRIS, B. NRC - No Detailed Affiliation Given. 6pp. 44009.115-44009.120.
- 8801140229** Notification of 880119 meeting w/EPRI in Bethesda, MD to discuss Advanced LWR Requirements Document Chapter 5, "Engineered Safety Sys."
LEECH, P.H. Standardization & Non-Power Reactor Project Directorate. 88/01/06. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 3pp. 44033.107-44033.109.
- 8801190065** Forwards latest schedule for C-E Sys 80+ Project 675 & identification of numbers to be used for info request. Many reviewers of 870816 Amend 12, Chapter 1 have not submitted requests for add'l info by 871215 due date.
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/01/11. MARSH, T., CHENG, C.Y., HUM, M. NRC - No Detailed Affiliation Given. 8pp. 44053.275-44053.284.
- 8801190214** Forwards NUREG-0852, Suppl 3, SER re final design of NSSS for CESSAR Sys 80.W/o encl.
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/01/11. SCHERER, A.E. Combustion Engineering, Inc. 3pp. 44068.253-44068.255.
- 8801190233** Advises that whether Sys 80+ considered extension to FDA-2 or approved as separate FDA for design certification, sub to full cost recovery payable in 20% increments no later than 10 yrs from certification issuance date.
HOLLOWAY, C.J. License Fee Management Branch. 88/01/13. SCHERER, A.E. Combustion Engineering, Inc. 2pp. 44055.171-44055.172.
- 8801200445** Informs of 880202-03 technical exchange meetings in West Valley, NY to discuss progress in West Valley Demonstration Project high-level waste vitrification program. Preliminary agenda encl.
DIXBY, W.W. Energy, Dept. of. 28841. 87/12/10. HURT, D. NRC - No Detailed Affiliation Given. 6pp. 44081.358-44081.360.
- 8801210002** Forwards revised Chapter 11, "QA" for Rev 1 to "Topical Rept for Modular Vault Dry Store."
AGARWAL, B.K. FW Energy Applications, Inc. 27164-87-27. 87/12/14. ROBERTS, J.P. Office of Nuclear Material Safety & Safeguards, Director. 18pp. 44092.001-44092.019.
- 8801210039** Lists changes that will be made to Rev 2 to SAR on use of Nuclear Assurance cask at ISFSI. Per M Schwartz of LLL 871123 question re criterion to determine if interstitial pressure of cask dropped enough to require changing.
WELLS, A.H. Nuclear Assurance Corp. 28846. 87/11/25. ROBERTS, J. NRC - No Detailed Affiliation Given. 3pp. 44091.358-44091.361.
- 8801210117** Lists responses to W Lloyd of LLL 871208 questions re Rev 2 to SAR for use of Nuclear Assurance Corp storage/transport cask at ISFSI.
WELLS, A.H. Nuclear Assurance Corp. 28857. 87/12/17. ROBERTS, J. NRC - No Detailed Affiliation Given. 4pp. 44092.101-44092.104.
- 8801250272** Notification of 880126 meeting w/C-E in Bethesda, MD to discuss base-line PRA for Sys 80+ design, CESSAR-DC. Portions of meeting will be proprietary.
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/01/13. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 3pp. 44118.172-44118.174.
- 8801250289** Forwards status report on std plant design technical reviews for Jan 1988. Problems w/meeting listed. Input dates requested within 1 wk of memo receipt.
RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 88/01/19. SHAOL, L. Division of Engineering & Systems Technology (Post 870411). PARTLOW, J. Division of Reactor Inspection & Safeguards (Post 870411). CONGEL, F. Division of Radiation Protection & Emergency Preparedness (Post 870411). 14pp. 44118.326-44118.338.

8801290161 Summary of 871216 meeting w/Int'l Technology Corp in Bethesda,MD re DOE advanced reactor severe accident program. Attendance list & related documentation encl.
YESSING, S. Standardization & Non-Power Reactor Project Directorate. 88/01/15. Standardization & Non-Power Reactor Project Directorate. 72pp. 44180:129-44180:158.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

8801040462 Part 21 & Interim deficiency report re potential failure of operator-to-valve engagement on Xomox supplied valves. Initially reported on 871204.Final report will be submitted on or about 881216.
GR DLEY, R. Tennessee Valley Authority. 88/12/29. Document Control Branch (Document Control Desk). 3pp. 43963:267-43963:269.

8801080070 Part 21 & Interim deficiency report re failure to consider reactor core decay heat in determining most severe time dependent accident temp profile.Initially reported on 871201.Evaluation being performed.Next report by 880830.
GR DLEY, R. Tennessee Valley Authority. 88/01/05. Document Control Branch (Document Control Desk). 3pp. 43965:288-43965:288.

880110222 Part 21 report re defect in charcoal filter electrical heater panel supplied by NUTHERM Int'l,Inc.Initially reported on 870808.No corrective action issued.
DEDDENS, J.C. Gulf States Utilities Co. RBG-27199. 87/12/23. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 44006:221-44006:223.

8801120154 Amended Part 21 report re add damage to Div III diesel generator discovered during implementation of corrective actions.Initial damage reported on 870729.Reworking of diesel generator complete.Damaged exciter leads replaced.
HALL, D.P. Illinois Power Co. U-801100. 87/12/16. DAVIS, A.B. Region 3, Ofc of the Director. 4pp. 43998:218-43998:221.

8801130072 Part 21 report re reactor protective sys breaker trip. Initially reported in utl LEA 87-023.Caused by misoperation of 27N undervoltage relay when control undervoltage reappeared after having been off.
KA'SER, A.F. Brown Boveri Corp. (subs. of Brown Boveri & Co., Ltd.). 87/12/22. BERLINGER, C. General Communications Branch. 3pp. 44001:244-44001:248.

8801140108 Interim Deficiency & Part 21 Rept CAOR BLF870201 re disengaged Xomox Corp operators for 90 degree Tulline plug valves.Initially reported on 871127.Mod kits will be provided by Xomox for valve repair.
GR DLEY, R. Tennessee Valley Authority. CAOR BLF870201. 88/01/08. Document Control Branch (Document Control Desk). 4pp. 44038:349-44038:352.

8801160201 Part 21 report re Bolott Power Sys HPCS Div III diesel generator rear bearing & rotor shaft damage.Shaft repaired & bearings replaced.
HALL, D.P. Illinois Power Co. U-801113. 88/01/04. DAVIS, A.B. Region 3, Ofc of the Director. 3pp. 44064:146-44064:147.

8801220545 Part 21 report re deficiency identified in design of interface between limit-torque actuators & butterfly valves.Initially reported on 871026.Potentially affected valves have been closed & tagged out-of-svc.
MANGAN, C.V. Niagara Mohawk Power Corp. NMP1L 0186. 87/11/02. Region 1, Ofc of the Director. 3pp. 44158:077-44158:078.

8801280128 Part 21 report re design deficiency in interlocking arrangement for emergency power supplies to 4150 volt safeguards switchgear.Application of coil switches examined in response to IE Info Notice 87-081.
FAY, C.W. Wisconsin Electric Power Co. VPND-88-026. 88/01/13. DAVIS, A.B. Region 3, Ofc of the Director. 4pp. 44158:123-44158:128.

8801290004 Final Part 21 deficiency report re potential problem w/ silicone rubber-insulated cables based on encl three test results.TVA concludes that mfg.shipping, receipt & installation practices did not reduce cable insulation thickness.
GR DLEY, R. Tennessee Valley Authority. 88/01/25. Document Control Branch (Document Control Desk). 7pp. 44171:227-44171:300.

QA999 QUALITY ASSURANCE INSPECTIONS

8712020006 Final response to FOIA request for records.App A documents encl App A & B documents available in PDR.
GRIMSLEY, D. Division of Rules & Records (Post 870413). 87/11/25. AUDIN, L. Affiliation Not Assigned. 6pp. 43992:102-43992:108.

8801180020 Summary of 880612 meeting w/Nuclear Packaging, Inc., DOE, EG&G Idaho & TMI Cleanup Project Directorate in Bethesda,MD re clarification of concerns identified in Insp Rept 99901047/88-01 on 860505-08 re NDT of Model 125-B.
ABBATE, C.M. Vendor Program Br.Div of QA, Vendor & Technical Training Center Programs, IE. 86/07/15. CHAIG, J.W. Vendor Program Br.Div of QA, Vendor & Technical Training Center Programs, IE. 4pp. 43992:113-43992:118.

8801040088 Confirms 871223 telcon w/JT Conway re QA Insp on 880104-08. Insp re implementation of QA program & E-Brite 28-1 tubing for shutdown cooling HXs.
STONE, J.C. Vendor Inspection Branch. 87/12/30. PEPIN, J. Allegheny Ludlum Corp. 3pp. 43962:276-43962:278.

8801040108 Ack receipt of 871218 ltr informing NRC of steps taken to correct violations noted in Insp Rept 99900064/87-01.
STONE, J.C. Vendor Inspection Branch. 87/12/30. COTE, D.M. Ingersoll-Rand Co. 3pp. 43923:047-43923:049.

8801040151 Confirms 871229 telcon re Insp 99901075/88-01 on 880111-15. Insp being performed per request of Australian govt re implementation of QA program during fabrication of LHRL-120 spent fuel transportation cask.
STONE, J.C. Vendor Inspection Branch. 87/12/30. RIDDLEBARGER, J. Circleville Metal Works. 3pp. 43963:224-43963:228.

8801040152 Responds to notices of violation & nonconformance noted in Insp Rept 99900064/87-01 on 870814-18.Corrective actions: procedures revised to ensure notification of officer re defects in safety-related components.
YOUNG, G. Ingersoll-Rand Co. 87/12/18. MERSCHOFF, E.W. Vendor Inspection Branch. 4pp. 43963:146-43963:149.

8801070189 Advises that proposed Rev 10 to ANF-1A, "QA Program for Nuclear Fuels" continues to meet criteria of 10CFR50, App B & acceptable.Rept encl.
WEISS, S.H. Quality Assurance Branch. 87/12/29. VOLMER, C.J. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 2pp. 44028:164-44028:239.

8801130291 ANF-1A R10 Rev 10 to "QA Program for Nuclear Fuels."
MCCULLUGH, R.W., PERRY, D.R. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 88/01/06. 82pp. 44028:168-44028:239.

8801110261 Forwards Insp Rept 99900403/87-05 on 871020-21.No failures to meet NRC requirements identified.
STONE, J.C. Vendor Inspection Branch. 87/12/24. FELMUS, N.L. General Electric Co. 4pp. 43985:313-43985:326.

8801110265 Insp Rept 99900403/87-05 on 871020-21.No violations, nonconformances or unresolved items noted.Major areas inspected: seismic qualification data for safety-related parts & components supplied by GE & purchase order process.
HAASS, W.P., POTAPOVS, U. Vendor Inspection Branch. 87/12/24. 10pp. 43985:317-43985:326.

8801110392 Confirms 880104 telcon between JJ Petrosino & C McVicker re Insp scheduled for 880125-29 concerning implementation of QA program & inverter problems w/ Elgar supplied hardware at Palo Verde Nuclear Plant.
STONE, J.C. Vendor Inspection Branch. 88/01/05. ZECOS, P.A. Elgar Corp. 3pp. 43985:144-43985:146.

8801120291 FOIA request for documents re all agency records & info concerning Insp Rept 99900403/87-03 on 871020.Requests response within 10 working days.
BAUMAN, L. Government Accountability Project. 87/12/08. NRC - No Detailed Affiliation Given. 2pp. 43992:143-43992:144.

8801120309 Partial response to FOIA request for documents re Insp Rept 99900403/87-03 App A documents available in PDR.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/07. BAUMAN, L. Government Accountability Project. 2pp. 43992:140-43992:142.

8801130235 Forwards revised Interim memo per agreement & NRC 871204 ltr.Memo replaces original engineering response ltr dtd 871021.
SWANSON, N.E. Natick Controls. 88/01/04. STONE, J.C. Vendor Inspection Branch. 3pp. 44000:108-44000:111.

8801130365 Ack receipt of 871118 ltr informing NRC of steps taken to correct nonconformance noted in QA Program Insp Rept 99900403/87-03.Implementation of corrective action reviewed during Insp conducted in Aug 1987.
STONE, J.C. Division of Reactor Inspection & Safeguards (Post 870411). 88/01/11. FELMUS, N.L. General Electric Co. 3pp. 44000:121-44000:123.

8801160097 Provides info re organization changes within nuclear power div to be incorporated into Rev 4 to BAW 10098A.
ARMONTROUT, C.A. Babcock & Wilcox Co. 88/01/04. Quality Assurance Branch. 2pp. 44062:281-44062:282.

8801260212 Informs that ASME Subcommittee on Boiler & Pressure Vessel Accreditation reviewed previous action re WH Stewart Co at 871207-08 meeting.WH Stewart continuing to locate U stamped U6 shipping containers mfg during use of A308 GR 76 mtl.
MANCINI, G.P. American Society of Mechanical Engineers. 88/01/12. GRIMES, B. Division of Reactor Inspection & Safeguards (Post 870411). 1p. 44109:355-44109:356.

8801260218 Ack receipt of 870918 ltr informing NRC of steps taken to correct violations noted in Insp Rept 99901094/87-01.
STONE, J.C. Vendor Inspection Branch. 88/01/22. SATIN, J. Satin American Corp. 2pp. 44158:368-44158:380.

8801270937 Advises that B&W 880104 proposed organization changes acceptable, per commitment that B&W Fuel Co will operate in compliance w/Rev 4 to QA Topical Rept BAW 10098A.Issuance of changes to holders of QA rept requested.
WEISS, S.H. Quality Assurance Branch. 88/01/25. ARMONTROUT, C.A. Babcock & Wilcox Co. 2pp. 44146:161-44146:152.

8801280329 Forwards Insp Rept 99900779/87-01 on 871116-20 & notice of nonconformance.
STONE, J.C. Vendor Inspection Branch. 88/01/26. HINSON, L. Nutherm International, Inc. 5pp. 44167:260-44167:284.

8801280337 Notice of nonconformance from Insp on 871116-20. Nonconformance noted: inadequate translation of App B into QA program & inadequate translation of design requirements into testing parameter requirements.
* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/25. 6pp. 44167:285-44167:290.

8801280346 Insp Rept 99900779/87-01 on 871116-20.Nonconformances noted. Major areas inspected: App B to 10CFR50 & 10CFR21 & followup to allegations re vendor disregard of NRC QA program requirements in execution of quality activities.
PETROSINO, J.J. Division of Reactor Inspection & Safeguards (Post 870411). BAKER, E.T. Vendor Inspection Branch. 88/01/08. 24pp. 44157:271-44157:294.

8801280345 Requests tutorial presentation by Allegheny Ludlum technical staff on alloy E-Brite 28-1, per 880126 & 27 telcons.NRC mgt requests info on characteristics, potential problems & performance attributes of alloy in all potential forms.
PARTLOW, J.G. Division of Reactor Inspection & Safeguards (Post 870411). 88/01/27. BOSCO, J. Allegheny Ludlum Industries, Inc. 3pp. 44160:026-44160:030.

REGGD REGULATORY GUIDES

8801050227 Requests completion of review of author 870901 ltr to TE Murley re Reg Guide 1.97 compliance final rept.
HUNSADER, S.G. Commonwealth Edison Co. 87/12/28. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43962:079-43962:080.

8801050558 Responds to 871029 request to relocate three seismic monitors.Rationale presented for relocation & proposed new locations reasonable & comply w/Reg Guide 1.12 requirements. Tech Spec Tables 3.3.7 & 4.3.4 changed to reflect locations.
NERSES, V. Project Directorate I-3. TAC 68037. 87/12/28. HARRISON, R.J. Public Service Co. of New Hampshire. 1p. 43911:020-43911:020.

8801070095 Application for amend to License DPR-72, consisting of Tech Spec Change Request 158, revising surveillance & operability requirements for post-accident monitoring instrumentation, per util commitments to Reg Guide 1.97 Fee paid.
WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 3FL287-27. 87/12/31. Document Control Branch (Document Control Desk). 21pp. 43938-301-43938-330.

8801070105 Proposed Tech Spec Change Request 159, revising surveillance & operability requirements for post-accident monitoring instrumentation, per util commitments to Reg Guide 1.97.
Florida Power Corp. (subs. of Florida Progress Corp.). 87/12/31. 9pp. 43938-322-43938-330.

8801070318 Informs of necessary changes to DCRDR & Reg Guide 1.97 programs discussed in 841231 & 860923 submittals, respectively.
RICHEY, R.B. Carolina Power & Light Co. NLS-87-282. 87/12/29. Document Control Branch (Document Control Desk). 2pp. 43999-189-43999-190.

8801080028 Informs that acoustic monitoring & containment hydrogen analyzers commitments for completion of equipment qualification program similar to commitments of other Reg Guide 1.97 mods.
JOHNSON, J.M. Commonwealth Edison Co. 3134K. 87/05/29. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 43965-284-43965-285.

8801080029 FOIA request for NRC memos or documents showing calculations or other studies which support denial of deviations from containment sump water instrumentation parameter in Reg Guide 1.97.
CONNER, L. Doc-Search Associates. 87/10/02. NRC - No Detailed Affiliation Given. 1p. 43966-326-43966-326.

880110262 Responds to 870616 ltr re conformance to Reg Guide 1.97, Rev 3. All items scheduled to be completed on or before Refuel VI complete. Remaining open items listed. Util plans to submit revised set of variable sheets on 880229.
SIMPSON, E.C. Florida Power Corp. (subs. of Florida Progress Corp.). 3F0188-03. 88/01/06. Document Control Branch (Document Control Desk). 2pp. 43985-260-43985-261.

880110370 Forwards "Startup Test Results Final Summary Repl." for period from 860320-871118 per Reg Guide 1.16 & plant Tech Spec Section 6.9.
KAPLAN, A. Cleveland Electric Illuminating Co. PY-CEI/NRR-0764. 88/01/08. Document Control Branch (Document Control Desk). 1p. 43982-103-43982-347.

880110398 Discusses util 870219 ltr to NRC re Wyle Lab Test Rept 53575 identifying numerous electrical wiring & cable configurations tested. Util intends to incorporate listed arrangements into plant design criteria for installation.
WISENBURG, M.R. Houston Lighting & Power Co. ST-HLAE-2428. 87/12/21. Document Control Branch (Document Control Desk). 3pp. 43969-085-43969-087.

8801120010 Responds to NRC 871125 requests for util confirmation that certain outstanding mods re Reg Guide 1.97 would be implemented during fifth & sixth refueling outages. Current schedule for outstanding mods listed.
SHELTON, D.C. Toledo Edison Co. TAC 51084. 87/12/31. Document Control Branch (Document Control Desk). 2pp. 43987-291-43987-292.

8801130089 Thirteenth partial response to FOIA request for documents re plant. Forwards App A documents. App R & S documents available in PDR & LPDR located in San Luis Obispo, CA. App T documents may be purchased from ANSI.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 87/12/28. GARDE, B.P. Government Accountability Project. 20pp. 44012-001-44012-251.

8801130111 Rev 1 to Reg Guide 1.8, "Personnel Selection & Training."
Office of Standards Development, Director. 75/09/30. 2pp. 44012-040-44012-041.

8801140136 Rev 2 to Reg Guide 1.88, "Collection, Storage & Maint of Nuclear Power Plant QA Records."
Office of Standards Development, Director. 78/10/31. 2pp. 44012-093-44012-094.

8801130172 Special rept on 871209, Div 2 diesel generator tripped on incomplete starting sequence. Caused by failure of Woodward electric governor to operate. New Woodward electric governor installed.
LEMPGES, T.E. Niagara Mohawk Power Corp. 88/01/08. RUSSELL, W.T. Region 1, Ofc of the Director. 2pp. 44038-075-44038-076.

8801130206 Application for amend to License NPF-21 to implement requirements of Rev 2 to Reg Guide 1.97 for flux monitoring prior to startup following fourth refueling outage. Fee paid.
SORENSEN, G.C. Washington Public Power Supply System. GO2-87-293. 87/12/23. Document Control Branch (Document Control Desk). 9pp. 44000-192-44000-200.

8801130236 Application for amend to License DPR-54, consisting of proposed Amend 159 incorporating accident monitoring instrumentation recently installed or upgraded per Rev 3 to Reg Guide 1.97. Supersedes Amendments 131 & 132 Fee paid.
FIRLIT, J.F. Sacramento Municipal Utility District. AGM/NPP 87-457. 87/12/23. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 2pp. 44002-278-44002-294.

8801190206 Interim Deficiency Rept CP-88-07 re reactor coolant pump wiring. Cause not stated. Electrical separation design criteria have been established & documented in design basis document. Next repl will be submitted by 880411.
COUNSILL, W.G. TU Electric (formerly Texas Utilities Generating Co.). CP-88-07. 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44061-257-44061-258.

8801200182 Partial response to FOIA request for documents. Forwards App B documents. Documents also available in PDR. Portions of App B documents withheld (ref FOIA Exemptions 8 & 7).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/06. WEISS, E.R. Union of Concerned Scientists. 6pp. 44087-013-44087-255.

8801200206 Provides info identifying electrical equipment important to safety already qualified within scope of 10CFR50.49(g). Schedules for qualification of post-accident instrumentation encl.
HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. IEIN-79-22. 83/05/12. DENTON, H.A. Office of Nuclear Reactor Regulation, Director (pre-851125). 3pp. 44087-020-44087-022.

8801200276 Reg Guide 8.13, Rev 2, "Instruction Concerning Prenatal Radiation Exposure."
Office of Nuclear Regulatory Research, Director (Post 880720). 87/12/31. 1440091-069-44091-078.

8801200309 Forwards "DCRDR Supplemental Repl." per NRC 870410 request. Provides responses to all of NRC concerns noted in technical evaluation repl. Survey noted in Section 2.4 of repl will be completed after sixth refueling outage.
SIEBER, J.D. Duquesne Light Co. GL-82-33. 88/01/05. Document Control Branch (Document Control Desk). 2pp. 44060-008-44061-011.

8801260066 Forwards SER accepting util 840116, 0927 & 850805 responses to Gen. Ltr 82-33, item 6 re compliance w/post-accident monitoring instrumentation guidelines of Reg Guide 1.97 concerning emergency response facilities.
MARTIN, R.E. Project Directorate 1-2, GL-82-33. 88/01/18. BAUER, E.G. Philadelphia Electric Co. 3pp. 44130-124-44130-151.

8801260074 SER accepting util 840116, 0927 & 850805 responses to Gen. Ltr 82-33, item 6 re compliance w/post-accident monitoring instrumentation guidelines of Reg Guide 1.97 concerning emergency response facilities.
Project Directorate 1-1. 88/01/16. 3pp. 44130-127-44130-129.

8801300467 EGG-88-878 "Conformance to Reg Guide 1.97, Peach Bottom Atomic Power Station, Units 2 & 3," informal repl.
UDY, A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.). UDY, A.C. Idaho National Engineering Laboratory. FIN A-6483, TAC 51117. 86/02/28. NRC - No Detailed Affiliation Given. 22pp. 44130-130-44130-151.

8801260276 Partial response to FOIA requests. Forwards App A documents. Documents being placed in PDR. Only files in NRC Ofc of Governmental & Public Affairs search for documents responsive to request, per 871028 telcon.
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/22. CONNOR, Doc-Search Associates. 3pp. 44139-290-44139-334.

8801260556 Requests list of current estimates of values of nil ductility transition for all PWRs based on method required by PTS rule & method recommended by NRC as described in proposed rev to Reg Guide 1.89.
MYERS, H. Affiliation Not Assigned. 85/12/04. KAMMERER, C. NRC - No Detailed Affiliation Given. 1p. 44140-009-44140-009.

8801270248 Forwards "Reactor Internals Vibration Testing at Perry Unit 1," preliminary repl, per Reg Guide 1.20.
KAPLAN, A. Cleveland Electric Illuminating Co. PY-CEI/NRR-0771. 88/01/16. Document Control Branch (Document Control Desk). 1p. 44145-278-44145-307.

8801270406 Forwards Reg Guide 4.2, Rev 2, per 871231 request. Inquiry to DOE & closed that contact person for Interagency Advisory Committee on Electric Field Gyuk W/o encl.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/19. WJUTALIK, T.A. Tennessee Valley Authority. 2pp. 44165-190-44165-191.

8801270574 Forwards response to SER on util response to Gen. Ltr 82-33 re conformance to Reg Guide 1.97, justifying deviation from Reg Guide 1.97 guidance & providing proposed implementation schedule.
BERRY, K.W. Consumers Power Co. GL-82-33. 88/01/22. Document Control Branch (Document Control Desk). 8pp. 44145-081-44145-086.

8801280182 Requests relief from certain ASME Code Section XI requirements for plant second inspection insp plan and encl detailed requests. Southwest Research Inst "Program Plan for Second Insp Interval for..." also encl Fee paid.
TIERMAN, J.A. Baltimore Gas & Electric Co. 88/01/14. Document Control Branch (Document Control Desk). 31pp. 44158-104-44158-248.

RES RESEARCH AND TECHNICAL ASSISTANCE REPORTS

8801200066 ORNL/NRC/LTR-87-10 "Review of Channel Thermohydraulic Stability Methodology Proposed by Westinghouse/MAZDA-NF Code," technical evaluation re MARCH-LEUBA, J. Oak Ridge National Laboratory. FIN A-8478. 87/11/11. HUANG, T.L. Office of Nuclear Reactor Regulation, Director (Post 870411). 1744068-279-44068-285.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

8801110020 Summary of 871221 meeting w/NUMARC at NRC Headquarters of re materialization of NRC/NUMARC interactions. Attendees listed.
TAYLOR, J.M. Deputy Executive Director for Regional Operations, EDO (Post 870413). 87/12/31. Deputy Executive Director for Regional Operations, EDO (Post 870413). 2pp. 43975-007-43975-008.

8801110242 NUREG-1250 R01 REPORT ON THE ACCIDENT AT THE CHERNOBYL NUCLEAR POWER STATION.
NRC - No Detailed Affiliation Given. Energy, Dept. of Electric Power Research Institute. 87/12/31. 400pp. 43977-121-43977-342.

8801140069 Partial response to FOIA request for documents, including evaluation criteria for util offsite. Forwards App D documents. App D documents also available in PDR. App E document totally withheld (ref FOIA Exemption 5).
GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/11. BELAIR, P. Kirkpatrick & Lockhart. 6pp. 44031-278-44032-118.

8711100420 Advises that NRR would like to brief CRGR on encl proposed evaluation criteria for util based offsite emergency plans. Confirms proposed meeting on 871110.
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 87/05/05. JORDAN, E.L. Committee to Review Generic Requirements. 2pp. 44031-244031-318.

8711100506 Submits modified agenda for CRGR Meeting 124 on 871112 Bethesda, MD re review of proposed amendments to 10CFR21 & proposed evaluation criteria for review of offsite response organization emergency plans. W/o encl.
JORDAN, E.L. Committee to Review Generic Requirements. 87/11/11. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards, Director. 288072-182-88072-217.

8801190041 Informs that time for Commission to act to review Director's Decision DD-87-21 expired. Decision became final agency action on 880111. Served on 880114. CHILKES, J. Office of the Secretary of the Commission. #188 5349. 2.206. 88/01/13. CARPENTER, T. Government Accountability Project. 1p. 44035:127-44035:127.

8801200172 Final response to 870928 FOIA request for rept entitled, "Visit to Mohave Generating Station to Review Steam Line Rupture." Forwards App B document. Portions of App B document withheld (ref FOIA Exemption 4). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/14. SEPE, L.K. Haight, Dickson, Brown & Bonesteel. 2pp. 44081:334-44081:338.

-8801200218 Partially deleted memo forwarding replacement to 850709 memo re visit to Mohave Generating Station to review steam line rupture. Replacement memo changes designation from "Official Use Only" to "Proprietary Info." SHAOL, L. VOLLMEYER, R. Piping Review Committee. 85/08/15. NRC - No Detailed Affiliation Given. 1p. 44081:338-44081:338.

8801220134 Final response to FOIA request for documents re recent NRC rule amending 10CFR50.47 & 10CFR50. App E. Forwards App C documents. Documents also available in PDR. GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/18. BELAIR, R.R. Kirkpatrick & Lockhart. 2pp. 44101:043-44101:044.

-8702270289 Informs of inaccuracies in minutes of CRGR Meeting 107 re emergency planning rule changes. FEMA Informally advised that change loss desirable from emergency planning standpoint & might diminish incentives to state & local cooperation. MALSCH, M.G. Deputy General Counsel for Licensing & Regulation. 87/02/18. SNEZEK, J.H. Committee to Review Generic Requirements. 2pp. 44101:045-44101:049.

8801270352 Notification of 880209-11 meetings w/NUMARC in Bethesda, MD to discuss NRR positions re owner groups application of Tech Spec screening criteria & risk insights for defining context of new STS Agenda encl. BUTCHER, E.J. Technical Specifications Branch. 88/01/15. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 2pp. 44174:201-44174:202.

8801290295 Concurs that NRC & NUMARC efforts to establish NUMARC fitness for duty working group should be coordinated. per 871221 ltr. TAYLOR, J.M. Ofc of the Executive Director for Operations. 88/01/19. COLVIN, J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manager. 4pp. 44180:314-44180:318.

-8801290299 Ack appreciation for opportunity to make fitness for duty presentation to Commission on 871201. Commission will be notified when Fitness for Duty Working Group chairman selected. COLVIN, J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manager. 87/12/21. TAYLOR, J.M. Ofc of the Executive Director for Operations. 1p. 44180:318-44180:318.

8801290338 Notification of 880120 meeting w/NUMARC in Bethesda, MD to discuss industry fitness for duty programs. PARTLOW, J.G. Division of Reactor Inspection & Safeguards (Post 870411). 88/01/19. SNEZEK, J.H. Associate Director for Inspection & Technical Assessment (Post 870411). 2pp. 44180:003-44180:004.

SECY POSITION PAPERS BEFORE THE COMMISSION

8801130350 SECY-87-314 Recommends Commission approval of interim policy statement on maint for 60-day FR comment period. Statement developed to assure full integration of rules & requirements within all organizations. STELLOV, O. Ofc of the Executive Director for Operations. 87/12/30. 11pp. 44038:030-44038:040.

8801290140 Final response to FOIA request for documents. Forwards App D & E documents. App D documents available in PDR. App E documents partially withheld (ref FOIA Exemption 5). GRIMSLEY, D.H. Division of Rules & Records (Post 870413). 88/01/28. BAUMAN, L. Government Accountability Project. 4pp. 44179:291-44179:327.

-8801290155 SECY-83-251 Provides status rept on development of working arrangements implementing 821025 MOU w/Dept of Labor for Info. DIRCKS, W.J. Ofc of the Executive Director for Operations. 83/08/24. 14pp. 44178:308-44178:319.

8801290160 SECY-88-011 Provides status of issues required to be resolved prior to restart of Sequoyah Unit 2. Related documentation encl. STELLOV, O. Ofc of the Executive Director for Operations. 88/01/13. 43pp. 44177:312-44177:352.

8801290345 SECY-85-348 Provides Commission w/evaluation of results of managing plant-specific backfit requirements derived from revised Backfit Rule 10CFR 50.109 & approval of Manual Chapter 0514. Summary of backfit issues encl. STELLOV, O. Ofc of the Executive Director for Operations. 88/11/21. 5pp. 44178:358-44178:362.

STATE PROG STATE PROGRAMS

8801090054 Informs of results of gamma isotopic analysis of special soil samples collected at Richland facility. Samples reaffirm compliance w/agreed upon criteria. Sketch & results table encl. ADAMS, S.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 87/12/21. THOMAS, R. Region 5, Ofc of the Director. SHAFFNER, J. NRC - No Detailed Affiliation Given. INGERSOLL, C.E. Washington, State of. 6pp. 43967:175-43967:179.

8801110008 Forwards State of NM, environ improvement div, comments on review site reclamation plan as submitted by Canonic Environ. Groundwater issues constitute major concerns. METZGER-KEELE New Mexico, State of. 87/11/04. PETTINGILL, H. Uranium Recovery Field Ofc. Ark. 10pp. 43974:362-43974:360.

8801110508 Ack receipt of 871022 ltr re review & evaluation of State of GA radiation control program conducted by RL Woodruff on 870902. TE Hill will respond to technical comments in ltr within 30 days. LEDBETTER, J.G. Georgia, State of. 87/12/03. KAMMERER, C. State, Local & Indian Tribes Programs. 1p. 43986:069-43986:073.

-8801110518 Responds to author 871022 ltr to JG Ledbetter commenting on technical aspects of State of GA radiation control program. HILL, T.E. Georgia, State of. 87/12/17. KAMMERER, C. State, Local & Indian Tribes Programs. 4pp. 43986:070-43986:073.

8801130029 PNO-V-87-085A on 880104. State of WA reported that contamination caused by vehicle accident cleaned up & Stevens Highway reopened on 871231. Contaminated debris & irradiated hardware being repackaged by US Ecology, Inc. THOMAS, R. Region 6, Ofc of the Director. 88/01/05. 1p. 44039:156-44039:156.

8801130209 Confirms 871120 discussion between RL Woodruff, NRC state agreement representative & J. Soria, D. Wikerson & DH Brown re radiation control program. Program for regulation of agreement math adequate. Comments & recommendations encl. KAMMERER, C. State, Local & Indian Tribes Programs. 88/01/04. KIRKP, J. North Carolina, State of. 5pp. 44000:257-44000:281.

8801130288 Forwards revs to discharge monitoring repts for NPDES TN0028450, Discharge Serial 112 for Nov 1988 & Jul 1987 & NPDES TN002168, Discharge Serial 101 for Aug & Sept 1987. BROOKS, R.H. Tennessee Valley Authority. 88/01/04. LUNN, D.E. Tennessee, State of. 1p. 44000:228-44000:233.

8801140371 Responds to 871113 ltr expressing concerns re adequacy of util commitment to excellence action plan & info on NRC actions in response to Governor Schaefer 871015 ltr. Revised plan requested from util. NRC response to Schaefer ltr encl. ZECH, L.W. Commissioners. 87/12/30. MIKULSKI, B.A. Senate. 2pp. 44031:203-44031:207.

-8801140373 Responds to comments re util commitment to excellence action plan submitted in response to NRC 870331 shutdown order. Comments forwarded to util for use in revised plan. Staff level meeting planned near site. RUSSELL, W.T. Region 1, Ofc of the Director. 87/11/17. SCHAEFER, W.D. Maryland, State of. 1p. 44031:205-44031:205.

8801200085 Responds to technical comments included in C Kammerer 871020 ltr re technical quality of licensing actions. Ambiguities re possession limits for certain radionuclides on Louisiana State Univ license resolved. SPELL, W.H. Louisiana, State of. 88/01/08. MARTIN, R.D. Region 4, Ofc of the Director. 3pp. 44107:001-44107:003.

8801210067 Confirms 871218 discussion between J. Lubanar & D. Nussbaumer & state personnel re State of IL radiation control program. NRC commends State of IL for successful implementation of Agreement State program. KAMMERER, C. State, Local & Indian Tribes Programs. 88/01/20. LASH, T.R. Illinois, State of, Dept. of Nuclear Safety. 2pp. 44133:060-44133:061.

8801250587 PNO-IV-88-004 on 871118 two radiographers received radiation burn to skin of one ankle. Caused by careless use of radiation survey instrument during film exposure run. Texas Bureau of Radiation Control continuing enforcement action. DODD, R.J. Region 4, Ofc of the Director. 88/01/20. 1p. 44110:321-44110:321.

8801250574 Notification of contract execution, Mod 3, to "Environ Surveillance for Measuring Concentrations of Radioactivity & Radiation Levels in Environ of Commission Licensed Activities..." Contractor: State of NE, Dept of Health. PAGE, M. Contract Administration Branch. NRC-31-86-330. 88/01/20. MEYER, D.M. Region 4, Ofc of the Director. NICHOLAS, J.B. NRC - No Detailed Affiliation Given. 1p. 44116:137-44116:138.

-8801250580 Mod 3, providing addl time to submit annual rept, to "Environ Surveillance for Measuring Concentrations of Radioactivity & Radiation Levels in Environ of Commission Licensed Activities Located Within State of NE & Selected by..." WRIGHT, G.F. Nebraska, State of. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-31-86-330. 88/01/20. 1p. 44116:138-44116:138.

8801260224 Notification of contract execution, Mod 7, to "Radiation Monitoring Program Requirements..." Contractor: State of KS. PAGE, M. Contract Administration Branch. NRC-31-84-502. 88/01/22. MEYER, D.M. Region 4, Ofc of the Director. NICHOLAS, J.B. NRC - No Detailed Affiliation Given. 1p. 44139:267-44139:268.

-8801260233 Mod 7, reversing reporting requirements of cooperative agreement to allow state addl time to submit annual rept, to "Radiation Monitoring Program Requirements..." GRANT, S.C. Kansas, State of. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-31-84-502. 88/01/22. 1p. 44139:268-44139:268.

8801260425 Notification of contract execution, Mod 8, to "Radiation Monitoring Program Requirements W/State of TX." Contractor: State of TX. KNOX, E. Contract Administration Branch. NRC-31-83-871. 88/01/22. MEYER, D.M. Region 4, Ofc of the Director. NICHOLAS, J.B. NRC - No Detailed Affiliation Given. 1p. 44139:065-44139:066.

-8801260429 Mod 8, revising reporting requirements of cooperative agreement to allow State of TX addl time to submit annual rept, to "Radiation Monitoring Program Requirements W/State of TX." MACLEAN, R.A. Texas, State of. WIGGINS, E.J. Division of Contracts (Post 870413). NRC-31-83-871. 88/01/22. 1p. 44139:066-44139:066.

8801270221 Forwards objectives for 1988 Radiological Emergency Exercise REX-88 scheduled for 880323. Joint scenario committee meeting scheduled for 880114 to discuss objectives & scope of exercise. DICUS, G.J. Arkansas, State of. 88-028. 88/01/05. MARTIN, R.D. Region 4, Ofc of the Director. 7p. 44168:001-44168:007.

8801270570 Informs that during 880111 meeting, State of WA Energy Facility Site Evaluation Council reviewed & adopted motions indicating that Council has no comments re util 880321 & 870901 requests to amend license NPP-21. ESCHEL, C. Washington, State of. 88/01/20. KNIGHTON, G.W. Project Directorate V. 1p. 44145:087-44145:087.

8801280107 Notification of contract execution, Mod 8, to "Radiation Monitoring Program Requirements..." Contractor: State of CO, Dept of Health. PAGE, M. Contract Administration Branch. NRC-31-83-868. 88/01/26. MEYER, D.M. Region 4, Ofc of the Director. NICHOLAS, J.B. NRC - No Detailed Affiliation Given. 1p. 44174:203-44174:204.

8801280199 Notification of contract execution, Mod 8, to "Radiation Monitoring Program Requirements." Contractor: State of VA Health Dept.
DOHSEY, M. Division of Contracts (Post 870413). FIN B-8402. NRC-29-83-623. 88/01/25. MALEY, R.J. Region 2. Ofc of the Director. KAHLE, J.B. NRC - No Detailed Affiliation Given. 1p. 44175-038-44175-038.

-8801280206 Mod 8, clarifying funds previously provided to state re cooperative agreement to "Radiation Monitoring Program Requirements."
* Virginia. Commonwealth of. WIGGINS, E.J. Division of Contracts (Post 870413). FIN B-8402. NRC-29-83-623. 88/01/25. 2pp. 44175-037-44175-038.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

8801050669 Forwards B&W Owners Group responses to request for addl info re BAW-1918, "Safety & Performance Improvement Program, App R." Response to Item 4 will be submitted by 880108.
ROGERS, R.P. Babcock & Wilcox Operating Plants Owners Group. OG-050. 87/12/22. CALVO, J.A. Project Directorate IV. 2pp. 43919-051-43919-078.

8801060151 Forwards proprietary BAW-10164P, "RELAP5/MOD2-B&W Advanced Program for LWR LOCA & Non-LOCA Transient Analysis." Rept describes computer code used to analyze RCS behavior during blowdown phase of LOCA transient. Rept withheld.
TAYLOR, J.H. Babcock & Wilcox Co. JHT/87-271. 87/12/28. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 1p. 43917-013-43917-013.

8801060258 Forwards proprietary Rev 2-P-A to WCAP-10266-P-A & nonproprietary Rev 2-A to WCAP-11524-A versions of Addendum 1 to "1981 Version of Westinghouse ECCS Evaluation Model Using BASH Code Addendum 1: Power Shape Sensitivity Studies."
JOHNSON, W.J. Westinghouse Electric Corp. NS-NRC-87-3295. 87/12/08. HODGES, M.W. Reactor Systems Branch. 5pp. 43917-147-43917-185.

-8801060275 WCAP 11524-AADD01R2A Nonproprietary Rev 2-A Addendum 1 of "1981 Version of Westinghouse ECCS Evaluation Model Using BASH Code Addendum 1: Power Shape Sensitivity Studies."
BESSIATA, J.J., KABADI, N., YOUNG, M.Y. Westinghouse Electric Corp. 87/12/15. 31pp. 43917-156-43917-185.

8801060281 Forwards nonproprietary & proprietary accepted versions of Rev 1 & suppls to CEN-203 re TMI Action Plan Item II.K.3.30 concerning justification of small break LOCA methods. Repts close out item. Proprietary repts withheld (ref 10CFR2.790).
GASPER, J.K. C-E Operating Plants Owners Group. CEGG-87-758. 87/12/18. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 7pp. 43924-269-43924-325.

-8801060283 CEN-203-NP R01-NP-A Nonproprietary Rev 1-NP-A to "Response to NRC Action Plan Item II.K.3.30, Justification of Small Break LOCA Methods."
* Combustion Engineering, Inc. 82/03/31. 139pp. 43924-278-43925-052.

-8801060320 CEN-203-NP S01NPA R1 Nonproprietary Suppl 1-NP-A to Rev 1-NP-A to "Response to NRC Request Number 1 for Addl Info on C-E Rept CEN-203-P, Rev 1-P (Response to NRC Action Plan Item II.K.3.30, Justification of Small Break LOCA Methods)."
* Combustion Engineering, Inc. 84/02/29. 338pp. 43925-053-43926-027.

-8801060331 CEN-203-NP S02NPA R1 Nonproprietary Suppl 2-NP-A to Rev 1-NP to "Further Response to NRC Request Number 1 for Addl Info on C-E Rept CEN-203-P, Rev 1-P (Response to NRC Action Plan Item II.K.3.30, Justification of Small Break LOCA Methods)."
* Combustion Engineering, Inc. 84/11/30. 98pp. 43926-028-43926-325.

8801060455 Forwards proprietary BAW-10171P, "REFLOD38 Model for Multinode Core Reflood Analysis." Rept describes computer code that B&W will be using to analyze RCS behavior during refill of LOCA transient. Rept withheld.
TAYLOR, J.H. Babcock & Wilcox Co. JHT/87-268. 87/12/14. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 1p. 43916-274-43916-274.

8801070036 Forwards proprietary WCAP-11668 & nonproprietary WCAP-11678, "LOFTTR2 Analysis of Potential Radiological Consequences Following Steam Generator Tube Rupture at RE Ginna Nuclear Power Plant." WCAP-11668 withheld (ref 10CFR2.790).
KOBER, R.W. Rochester Gas & Electric Corp. 87/12/24. STAHL, C. NRC - No Detailed Affiliation Given. 6pp. 43939-306-43940-021.

-8801070058 WCAP-11678 Nonproprietary version of "LOFTTR2 Analysis of Potential Radiological Consequences Following Steam Generator Tube Rupture at RE Ginna Nuclear Power Plant."
MENDLER, O.J., RUBIN, K. Westinghouse Electric Corp. 87/11/30. 62pp. 43939-322-43940-021.

8801070064 Forwards listed S&W & Failure Analysis Assoc repts re vibration on TDI emergency diesel engines, in response to M Hertzman 871215 request for addl info.
COWARD, G. Sacramento Municipal Utility District. AGM/TA 87-293. 87/12/29. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 2pp. 43940-039-43940-293.

-8801070072 14850.35-AV1 "Baseline Vibration Survey Emergency Diesel Generator 'A' Rancho Seco Nuclear Power Plant."
BERCEL, E. Stone & Webster Engineering Corp. 86/12/31. 90pp. 43940-041-43940-130.

-8801070109 14850.35-AV2 "Pipe Vibration Survey Emergency Diesel Generator 'A' Rancho Seco Nuclear Power Plant."
BERCEL, E. Stone & Webster Engineering Corp. 86/12/31. 34pp. 43940-131-43940-164.

-8801070121 14850.35-AV3 "Crankshaft Torsional Vibration Measurements Emergency Diesel Generator 'A' Rancho Seco Nuclear Power Plant."
BERCEL, E. Stone & Webster Engineering Corp. ERPT-M0020. 87/01/31. 29pp. 43940-165-43940-193.

-8801070135 FAAA-PA-R-87-02-11 "Evaluation of DSR-48 Emergency Diesel Generator Crankshafts at Rancho Seco Nuclear Generating Station."
* Failure Analysis Associates. ERPT M0021. 87/02/28. 100pp. 43940-194-43940-293.

8801070189 Advises that proposed Rev 10 to ANF-1A, "QA Program continues to meet criteria of 10CFR60, App B & acceptable. Rept and WEISS, S.H. Quality Assurance Branch. 87/12/29. VOLMER, C.J. Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 2pp. 44028-164-44028-164.

-8801130291 ANF-1A R10 Rev 10 to "QA Program for Nuclear Fuel MCCULLUGH, R.W., PERRY, D.R. Advanced Nuclear Fuels Corp. Clear Co., Inc.). 88/01/08. 62pp. 44028-168-44028-239.

8801070205 Notification of 880106 meeting w/Westinghouse Owner & Analysis Subcommittees in Bethesda, MD to discuss subcommittee analysis area re Generic Ltr 87-12.
TRAMMELL, C.M. Project Directorate V. GL-87-12. 87/12/30. Project Directorate V. App. 43945-344-43945-347.

8801120321 Forwards "B&W Owners Group Steering Committee Tracking Sys Rept" re safety & performance improvement program.
ROGERS, R.P. B&W Owners Group. OG-055. 88/01/05. CRUTCH, Detailed Affiliation Given. 1p. 43996-077-43996-324.

-8801120327 47-1163743-13 "B&W Owners Group Steering Committee Tracking Sys Rept."
* Babcock & Wilcox Co. * B&W Owners Group. 87/11/30. 43996-324.

8801120363 Notification of 880111 meeting w/C-E & C-E Bethesda, MD to discuss ATWS moderator temp coefficients for C-FIENO, D. Reactor Systems Branch. 88/01/05. HODGES, M.W. Branch. 2pp. 43991-266-43991-267.

8801130068 Forwards engineering summary repts for 18 TDI Phase components, containing detailed info on design review/program. Vibration problems w/turbobarger support bracket resolved.
COWARD, G. Sacramento Municipal Utility District. AGM/TA MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 44001-344.

8801130262 Forwards B&W Owners Group response to Question 4 addl info re App R to BAW-1918, "Safety & Improvement Program."
ROGERS, R.P. Babcock & Wilcox Operating Plants Owners Group. CALVO, J.A. Project Directorate IV. 21pp. 44003-181-44003-201.

8801130378 Forwards BNL request for addl info re 870331 PL-NI B&W steady-state core physics methods, including bases for dep mesh, energy groups & other parameters used in production calc MICBURN.
THADANI, M.C. Project Directorate I-2. 88/01/11. KEISER, H.W. Fe Light Co. 5pp. 44008-244-44008-248.

8801140047 Forwards Endorsements 116 & 103 to NELIA Policy 151, respectively. Endorsements 104 & 90 to MAELU Policies M-5 & M-6, respectively & Endorsements 9 to NELIA Certificates N-15 & N-16 & MA 15 & M-16.
VIETEN, M.J. Marsh & McLennan, Inc. 88/01/05. DINITZ, J. Office Regulation, Director (Post 870411). 13pp. 44010-082-44010-094.

8801140187 Application for amendments to Licenses DPR-39 & DPR-48, reactor tube repair utilizing Westinghouse or C-E methodology. Proprietary WCAP-11669 & nonproprietary WCAP-11678.
LEBLOND, P.C. Commonwealth Edison Co. 3985K. 87/12/24. Branch (Document Control Desk). 3pp. 44028-240-44028-063.

-8801140171 Requests proprietary WCAP-11669, "Steam Generator (Mechanical Stresses)," be withheld (ref 10CFR2.790), from public.
WIESEMANN, R.A. Westinghouse Electric Corp. CAW-87-128. 87/12/24. Office of Nuclear Reactor Regulation, Director (Post 870411). 44028-249.

-8801140182 WCAP-11670 "Steam Generator Slewing Rept (Mechanical Stresses)." Westinghouse Electric Corp. SG-87-12-016. 87/12/31. 1p. 44029-063.

8801150097 Provides info re organization changes within nuclear power plant into Rev 4 to BAW 10096A.
ARMONTROUT, C.A. Babcock & Wilcox Co. 88/01/04. Quality Assurance Branch. 2pp. 44062-281-44062-282.

8801150190 Forwards proprietary WCAP-11701 & nonproprietary WCAP-11702 responses to NRC Questions re Fast Response, Narrow Range, Thermistance Temp Detector," per NRC 871218 request for addl info.
WISENBURG, M.R. Houston Lighting & Power Co. ST-HL-AE-2466. Document Control Branch (Document Control Desk). 3pp. 44041-216-44041-216.

-8801150193 WCAP-11702 "Responses to NRC Questions re Fast Response, Thermistance Mounted Resistance Temp Detectors."
TULEY, C.R., RICE, W.R. Westinghouse Electric Corp. 87/12/31. 44041-237.

8801150203 Forwards proprietary WCAP-11685, "Rod Drop Acceptance Test," & application for withholding proprietary info from public.
JOHNSON, W.J. Westinghouse Electric Corp. NS-NRC-88. HODGES, M.W. Reactor Systems Branch. 2pp. 44048-001-44048-001.

-8801150205 Requests that proprietary WCAP-11685, "Rod Drop Acceptance Test," be withheld from public disclosure per 10CFR2.5(4).
WIESEMANN, R.A. Westinghouse Electric Corp. AW-88. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Projects Branch. 44045-003-44045-003.

8801150227 Forwards info re bottom mounted instrumentation including Topical Repts WCAP-11683, "Responses to NRC Questions, 'Meeting Slides...'" Proprietary Topical Rept WCAP-11710 withheld.
WISENBURG, M.R. Houston Lighting & Power Co. ST-HL-AE-2466. Document Control Branch (Document Control Desk). 6pp. 44033-274-44033-274.

-8801150310 WCAP-11683 Partially deleted "Responses to NRC Questions re Bottom Mounted Instrumentation Thimble Wear." GALEYBUSH, J.S., MERVOSKY, D. Westinghouse Electric Corp. 87/12/31. 14pp. 44033.297-44033.310.

-8801160316 WCAP-11711 Partially deleted "Meeting Slides & Responses to NRC Questions from 871214 Meeting." GALEYBUSH, J.S. Westinghouse Electric Corp. 87/12/31. 35pp. 44033.311-44033.345.

8801150255 Forwards proprietary WCAP-11686, "Seismic Evaluation of Westinghouse QUAD + BWR Fuel Assembly," for review & approval. Wiesemann 880111 request that rept be withheld, per 10CFR2.790(a), also encl. Rept withheld (ref 10CFR2.790(a)). JOHNSON, W.J. Westinghouse Electric Corp. NS-NRC-88-3303. 88/01/11. HODGES, M.W. Reactor Systems Branch. 2pp. 44041.044-44041.046.

-8801150266 Requests that encl. proprietary WCAP-11686, "Seismic Evaluation of Westinghouse QUAD + BWR Fuel Assembly," be withheld from public disclosure (ref 10CFR2.790 & 9.644). WESEMANN, R.A. Westinghouse Electric Corp. AW-88-004. 88/01/11. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 1p. 44041.046-44041.046.

8801150294 Forwards proprietary Suppl 2 to Topical Rept WCAP-18041, "Qualification of PHOENIX/POLCA Nuclear Design & Analysis Programs for BWRs." Rept withheld (ref 10CFR2.790(a)). Application for withholding rept encl. JOHNSON, W.J. Westinghouse Electric Corp. NS-NRC-87-3299. 87/12/29. HODGES, M. Reactor Systems Branch. 2pp. 44041.041-44041.043.

-8801150300 Advises that encl. mail not intended to be employed as part of license application & requests that mail be withheld from public disclosure (ref 10CFR2.790(a)). WESEMANN, R.A. Westinghouse Electric Corp. AW-87-134. 87/12/29. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 1p. 44041.043-44041.043.

8801150315 Forwards proprietary WCAP-11684, "NUFREQ-NPW Westinghouse Computer Code for Core Stability Analysis of BWRs," & Wiesemann 880111 request to withhold rept. Rept withheld (ref 10CFR2.790(a)). JOHNSON, W.J. Westinghouse Electric Corp. NS-NRC-88-3301. 88/01/11. HODGES, M.W. Reactor Systems Branch. 2pp. 44041.213-44041.215.

-8801150319 Requests that proprietary WCAP-11684, "NUFREQ-NPW Westinghouse Computer Code for Core Stability Analysis of BWRs," be withheld from public disclosure, per 10CFR2.790(a). WESEMANN, R.A. Westinghouse Electric Corp. AW-88-002. 88/01/11. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 1p. 44041.216-44041.215.

8801190297 Forwards WCAP-11687 & proprietary WCAP-11166, "Point Beach Unit 2 Evaluation for Tube Vibration Induced Fatigue" & Westinghouse authorization for proprietary rept withheld (ref 10CFR2.790). FAY, C.W. Wisconsin Electric Power Co. VNPDP-88-018. 88/01/11. Document Control Branch (Document Control Desk). 2pp. 44047.109-44047.254.

-8801190309 Requests that "Point Beach Unit 2 Evaluation for Vibration Induced Fatigue" be withheld from public disclosure (ref 10CFR2.790). WESEMANN, R.A. Westinghouse Electric Corp. CAW-87-121. 87/12/18. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 44047.111-44047.120.

-8801190326 WCAP-11667 Nonproprietary WCAP-11667, "Point Beach Unit 2 Evaluation for Tube Vibration Induced Fatigue." Withheld. * Westinghouse Electric Corp. 87/12/31. 134pp. 44047.121-44047.254.

8801200345 Forwards Rev 5A to PCC-QAPD, "QA Program Description" & 880105 acceptance ltr. ANDREWS, R.R. Babcock & Wilcox Co. 88/01/15. Document Control Branch (Document Control Desk). 1p. 44066.154-44066.211.

-8801190215 Informs that PCC-QAPD, "QA Program Description," dtd Jan 1988 meets criteria of 10CFR50, App B & acceptable. WEISS, S.H. Quality Assurance Branch. 88/01/08. ANDREWS, R.R. Power Computing Co. 2pp. 44066.155-44066.155.

-8801200349 PCC-QAPD R05A Rev 5A to "QA Program Description." * Babcock & Wilcox Co. 88/01/30. 80pp. 44066.158-44066.211.

8801200395 Forwards proprietary response to request for add'l info re 871027 request for Tech Spec change to increase steam generator tube plugging limit assumed in ref reload safety analysis. Response withheld (ref 10CFR2.790). KOBER, R.W. Rochester Gas & Electric Corp. 88/01/11. STAHL, C. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 44185.114-44185.114.

-8801200398 Requests that encl. util. proprietary response to request for add'l info re 871027 request for Tech Spec change to increase steam generator tube plugging limit assumed in ref reload safety analysis be withheld (ref 10CFR2.790). WESEMANN, R.A. Westinghouse Electric Corp. CAW-88-005. 88/01/08. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 44159.194-44159.203.

8801200402 Forwards slides to be presented at 880113 meeting w/NRC, Westinghouse Owners Group & BNL re ESFAS Instrumentation. JOHNSON, W.J. Westinghouse Electric Corp. NS-NRC-88-3306. 88/01/11. BARRETT, R.J. Risk Applications Branch. 2pp. 87213.100-87213.101.

-8801200409 Requests that slides to be presented at 880113 meeting be withheld from public disclosure (ref 10CFR2.790(b)). WESEMANN, R.A. Westinghouse Electric Corp. AW-88-007. 88/01/11. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 1p. 44108.173-44108.173.

8801200500 Forwards sub j ltr mailed to util. executives in Regions IV & V re ANS/NRC Util Workshop. Each ltr identical w/exception of name of util. participants. List indicating each util. & executive encl. MATTHEWS, J.K. Southern California Edison Co. 88/01/07. MARTIN, J.B. Region 6, Ofc of the Director. MARTIN, R.D. Region 4, Ofc of the Director. 5pp. 44142.208-44142.212.

880120188 Ack receipt of J. Roe 871229 ltr stating that magnetic media acceptable for storage of QA records w/specific guidelines. EPSTEIN, S.S. General Electric Co. 88/01/11. SPRAUL, J. Division of Licensee Performance & Quality Evaluation (Post 870411). 1p. 44169.105-44169.105.

880120255 Notification of 880128 meeting w/Westinghouse, Sandia Natl Lab & util. to discuss Westinghouse ECCS evaluation model using SECY 83-472 approach for analysis of Westinghouse two-loop upper plenum injection plants. HSH, Y.G. Reactor Systems Branch. 88/01/21. HODGES, M.W. Reactor Systems Branch. 3pp. 44148.005-44148.008.

880120258 Notification of 880128 meeting w/B&W in Bethesda, MD to discuss criteria permitting 10CFR50.59 provisions of refueling & reload analysis for B&W plants. WU, S.L. Reactor Systems Branch. 88/01/13. HODGES, M.W. Reactor Systems Branch. 2pp. 44155.004-44155.005.

880120406 Forwards Reg Guide 4.2, Rev 2, per 871231 request inquiry to DOE disclosed that contact person for Interagency Advisory Committee on Electric Field is Gvuk, W. & encl. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/01/19. WQUITALIK, T.A. Tennessee Valley Authority. 2pp. 44155.180-44155.191.

880120485 Forwards SER re first 10-yr inservice testing program plan & requests for relief from requirements. Program as modified by SER provides reasonable assurance of operational readiness of safety-related pumps. Technical evaluation rept also encl. CALVO, J.A. Project Directorate IV, TAC 57359. 88/01/15. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp. 44155.222-44155.300.

-880120490 EGG-NTA-7911 "Technical Evaluation Rept, Pump & Valve Inservice Testing Program, Wolf Creek Generating Station." RANSOM, C.B., ROCKHOLD, H.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.). BONNEY, R. Idaho National Engineering Laboratory. FIN A-6812. 87/12/31. NRC - No Detailed Affiliation Given. 6pp. 44155.237-44155.300.

8801280559 Forwards proprietary CEN-330-P-A & nonproprietary CEN-330-NP-A, "Core Protection Calculator (CPC)/CEA Calculator Software Models for CPC Improvement Program Reload Data Block." Proprietary rept withheld (ref 10CFR2.790). SCHERER, R.A. Combustion Engineering, Inc. 1-68-008. 88/01/20. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 6pp. 44164.016-44164.042.

-8801280594 CEN-330-NP-A Nonproprietary "Core Protection Calculator (CPC)/CEA Calculator Software Models for CPC Improvement Program Reload Data Block." * Combustion Engineering, Inc. 87/10/31. 20pp. 44164.022-44164.042.

8801280821 Requests payment of fee for review of WCAP-11618, "Methodically Engineered, Restructured & Improved Tech Specs, MERITS Program - Phase II Task 6, Criteria Application," per 871112 submittal. DIGGS, R.M. License Fee Management Branch. 88/01/21. NEWTON, R.A. Westinghouse Operating Plants Owners Group. NEWTON, R.A. Wisconsin Electric Power Co. 1p. 44173.251-44173.251.

8801290089 Requests submittal of fee for review of EAS-48-0487, "Revised Reactivity Control Sys Tech Specs," forwarded by BWR Owners Group 870917 ltr. DIGGS, R.M. License Fee Management Branch. 88/01/19. STARKS, J. General Electric Co. 1p. 44177.311-44177.311.

8801290110 Notification of 880128 meeting w/C/E Owners Group in Bethesda, MD to discuss important safety & technical issues which require NRC review. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/01/19. MURLEY, T., SNEZEK, J., ROE, J. NRC - No Detailed Affiliation Given. 4pp. 44178.248-44178.255.

8801290351 Forwards Endorsement 71 to MAELU Policy MF-59 & Endorsement 39 to NELIA Policy NF-34. SAMUELS, J.L. Marsh & McLennan, Inc. 88/01/14. DINITZ, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 44182.173-44182.175.

WASTE MGT NUCLEAR WASTE MANAGEMENT

8801060282 Recommends that concurrence be granted for application of supplemental aids for commercial Vicinity Properties LK-0045 & LK-0095 DOE 870710 & 0918 submittals justifying implementation of aids, per 40CFR192.21, Criterion C. HEYER, R.S., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 87/11/20. Uranium Recovery Field Ofc, R4. 3pp. 43928.346-43928.350.

8801060309 Concurs w/proposed remedial action for commercial Vicinity Properties LK-0045 & LK-0095, per review of 870604 & 15 radiological & engineering assessments. Action includes application of supplemental aids to retrofitted right-of-way. SMITH, R.D. Uranium Recovery Field Ofc, R4. 87/11/20. D'ANTONIO, J.R. Energy, Dept. of. 1p. 43929.001-43929.001.

8801060413 Forwards "Final Technical Evaluation Rept for Proposed Remedial Action at Durango Tailings Site, Durango, CO" & summary of rept. Several issues need resolution prior to NRC final concurrence. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/11/27. ARTHUR, W.J. Energy, Dept. of. 1p. 43932.045-43932.080.

-8801060421 Forwards "Technical Evaluation Rept for Proposed Remedial Action at Durango Tailings Site, Durango, CO." Radon barrier design must be estimated by DOE & groundwater contamination cannot be evaluated until EPA aids finalized. GRACE, S.R., HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/11/16. Uranium Recovery Field Ofc, R4. 2pp. 43932.046-43932.080.

-8801060426 "Final Technical Evaluation Rept for Proposed Remedial Action at Durango Tailings Site, Durango, CO." Uranium Recovery Field Ofc, R4. 87/11/16. 33pp. 43932.047-43932.080.

8801060507 Comments on 871118 ltr transmitting conceptual closure plan for Panna Maria facility operated by Chevron Resources Co. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 87/12/11. SNELL, W.D. Texas, State of. 2pp. 43928.331-43928.332.

8801070605 Trip rept of 870708-09 visit to Denver, CO w/US Geological
review & discuss ongoing & planned studies at NNWSI site in area of unse-
saturated flow.
FORD, W. Technical Review Branch. 87/07/24. STABLEIN, K. Operations Branch
43952-291-43952-292.

- 4301070522 Documents R Johnson Tolcon w/G Appel re plans to send staff to Salt Repository Project O/O to perform selected activities normally performed by onsite representative.
LINEHAN,J.J. Repository Projects Branch (831001-870413). 155p. 87/01/30. NEFF,J.O. Energy, Dept. of. 1p. 43945-287-43945-287.
- 8801070526 Forwards notice of upcoming meetings re high level waste mgt program,por 840827 FR notice. Tentative & firmly established meetings will be listed. Announcement of upcoming meetings will be updated weekly.
BUNTING,J.O. Systems Engineering & Evaluation Branch. 87/08/10. Affiliation Not Assigned. 5pp. 43945-288-43945-292.
- 8801070536 Forwards review plan for scenario development & screening.
BONANVOE,E.J. Sandia National Laboratories. FIN A-1165. 87/11/25. BROOKS,P. NRC - No Detailed Affiliation Given. 21pp. 43945-129-43945-150.
- 8801340001 Forwards "DOE/BWIP Westinghouse Hanford Co QA Audit 8704. Selected QA Program Elements for 870831-0911." Audit team concludes BWIP QA program incomplete in several areas & not effective in others. Three findings & 12 concerns issued.
SAGET,R.P. Energy, Dept. of. 87-OSD-316. 87/12/03. Westinghouse Hanford Co. 3pp. 43967-195-43967-300.
- 4301080018 "DOE BWIP Westinghouse Hanford Co QA Audit 8704, Selected QA Program Elements for 870831-0911."
SUBRAMANIAN,T., SAGET,R.P. Energy, Dept. of. 87/12/03. 102pp. 43967-188-43967-300.
- 8801080005 Trip rpt of 871109-10 visit to Tectonic Workshop in Reno,NV re seismic-tectonic problems in area.
CHUNG,G.D.H. Lawrence Livermore National Laboratory. FIN A-0297. L-186. 87/12/22. BLACKFORD,M.E. Division of High Level Waste Management (Post 870413). 18pp. 43967-301-43967-310.
- 8801080007 Requests guidance re 10CFR61 concrete testing qualification. Std SAKRETE formulation should be prescriptive enough to satisfy requirements.
GLENN,J. Associated Technologies, Inc. CH-004-010-073. 87/12/04. TOKAR,M. Technical Branch. 2pp. 43967-186-43967-187.
- 8801080008 Informs that DOE/RL/VHC Audit 8707 canceled based on current BWIP status. Recipient assistance in preparation for audit both timely & prof.
SAGET,R.P. Energy, Dept. of. 87-OSD-332. 87/12/23. LARVIE,F.C. Morrison-Knudsen Co., Inc. 2pp. 43968-226-43968-226.
- 8801080016 Summarizes svcs rendered on high level waste repository performance assessment development for 870614-30 under FIN A-4165. Discusses repts on uniform corrosion of low carbon steel in anaerobic moderate temp conditions.
MCLEER,R.B. Systems Support, Inc. FIN A-4165. 87/06/21. CHANG,K.C. NRC - No Detailed Affiliation Given. 5pp. 43968-001-43968-005.
- 8801080016 Summary of effort for 870622-30 under FIN A-4165. Tasks addressed include coding, debugging & integration of Aerospace pitting corrosion model & development of efficient algorithm.
FULLER,G.H. Fuller, G.H. FIN A-4165. 87/06/30. CHANG,K.C. NRC - No Detailed Affiliation Given. 1p. 43968-006-43968-006.
- 8801080047 Forwards Rept 22, "UMTRAP Integrated Site & Vicinity Property Progress Rept" for Oct 1987.
HOLDENESS,J.W. Jacobs Engineering Group, Inc. 87/11/30. ARTHUR,W.J., FISKE,W. Energy, Dept. of. 2pp. 43968-020-43968-070.
- 8801080050 Rept 22, "UMTRAP Integrated Monthly Vicinity Property Progress Rept" for Oct 1987.
Energy, Dept. of. 87/10/31. 58pp. 43968-022-43968-070.
- 8801080051 Informs that responsibility for coordinating O/O of Civilian Radwaste Mgt meetings transferred from MJ Byrne to J Leahy. Now meeting scheduling form and KALE,S.H. Energy, Dept. of. 87/12/21. TANA,E. NRC - No Detailed Affiliation Given. ALEXANDER,D., ANTONEN,J. Energy, Dept. of. 3pp. 43967-172-43967-174.
- 8801080057 Requests complete info demonstrating that high density polyethylene (HDPE) high integrity container (HIC) design will ensure long-term structural stability required by 10CFR61 & in manner consistent w/BNL/NRC findings.
TOKAR,M. Technical Branch. 87/10/16. EGENHACK,D. Chem-Nuclear Systems, Inc. 2pp. 43968-080-43968-081.
- 8801080059 Describes personnel of Nuclear Waste Consultants project team & qualifications. Resumes encl.
LOGSDON,M.J. Nuclear Waste Consultants, Inc. FIN D-1020. 195. 87/09/03. POHLE,J. NRC - No Detailed Affiliation Given. 160pp. 43968-082-43968-215.
- 8801080060 Forwards, for info, recently issued Project Interface Document (PID) 16-S-07 for Ambrosia Lake Mill site. PID considered Class III change per Section 8.11 of remedial action plan.
ARTHUR,W.J. Energy, Dept. of. 87/11/10. HAWKINS,E.F. Uranium Recovery Field O/O, R4. 34pp. 43966-329-43967-002.
- 8801080061 Forwards comments on preliminary final "Comparative Analysis of Disposal Site Alternatives Rept (CADSAR)" for Lowman, ID site. Comments identify potential issue areas & omissions that should be raised in final CADSAR or draft RAP.
LOHAUS,P.H. Operations Branch. 87/11/20. ARTHUR,J. Energy, Dept. of. 5pp. 43967-003-43967-007.
- 8801080062 Forwards Rev 2 to VRS-002, "10CFR61 Waste Form Conformance Program for Solidified Process Waste Products Produced by WasteChem Corp Vol Reduction & Solidification (VRS) Sys." Rev contains info responding to K Chang request.
KLEIN,W.J. WasteChem Corp. 87/12/18. TOKAR,M. Technical Branch. 2pp. 43967-008-43967-020.
- 4301080063 VRS-002 R02 Rev 2 to VRS-002, "10CFR61 Waste Form Conformance Program for Solidified Process Waste Products Produced by WasteChem Corp Vol Reduction & Solidification (VRS) Sys."
WasteChem Corp. 87/12/31. 11pp. 43967-010-43967-020.
- 8801080071 Forwards Rev 1 to "Waste Form Qualification Testing Program for Bituminized NS-1 Decontamination Waste." Rev incorporates 870830 comments & verbal comments. Stability testing of product samples scheduled to begin on 871221.
SIMPSON,S. Associated Technologies, Inc. CH-909-118. 87/12/18. TOKAR,M. Technical Branch. 1p. 43967-139-43967-143.
- 8801080072 Rev 1 to "Waste Form Qualification Testing Program for Bituminized NS-1 Decontamination Waste."
Associated Technologies, Inc. 87/12/10. 4pp. 43967-140-43967-143.
- 8801080083 Forwards "Exam of Use of Continuum & Discontinuum Numerical Models for Thermomechanical Analysis of Basalt." final rpt.
HART,R.O. ITASCA Consulting Group, Inc. FIN D-1016. 87/12/10. TIKTINSKY,D. NRC - No Detailed Affiliation Given. 2pp. 43954-067-43954-131.
- 8801070404 "Exam of Use of Continuum & Discontinuum Numerical Models for Thermomechanical Analysis of Basalt." final rpt.
BOARD,M., BRADY,B.H. ITASCA Consulting Group, Inc. FIN D-1016. 87/12/31. NRC - No Detailed Affiliation Given. 64pp. 43954-068-43954-131.
- 8801110005 Forwards facts file of T Husseman 871207 ltr to J Antonen proposing consultation meeting w/affected Indian tribes, NRC & State of WA during first week of Jan 1988 to address proposed changes to 1-128 monitoring.
HUSSEMAN,T. Washington, State of. 87/12/07. BROWNING,B. NRC - No Detailed Affiliation Given. 4pp. 43974-348-43974-351.
- 8801110006 Forwards NRC comments on preliminary design for Green River UT U mill tailings site. Draft version of comments provided on 871027 for 871103 on-board review meeting in San Francisco, CA. Potential problem w/review schedules noted.
LOHAUS,P.H. Operations Branch. 87/11/20. ARTHUR,W.J. Energy, Dept. of. 3pp. 43968-216-43968-224.
- 8801110011 Forwards RAC responses to NRC comments on Green River preliminary design documents. TAC will provide parts or all of responses for comments GW/1, GW/3 & GW/4. TAC infiltration study results for cover mail needed for comment GW/4.
OLDHAM,J.G. MK-Forquison Co. 87-NRC-018. 87/12/11. LOHAUS,P.H., BILKORN,S. NRC - No Detailed Affiliation Given. 14pp. 43968-227-43968-240.
- 8801110013 Forwards BWIP weekly highlights rpt for wk ending 870528.
ANTONEN,J.H. Energy, Dept. of. 87/05/28. KALE,S.H. Energy, Dept. of. 32pp. 43976-008-43976-040.
- 8801110024 Forwards listed attachments in response to NRC comments on BWIP documents re restart of drilling boreholes DC-24, et al, for review. Next major activity in pre-ES geohydrology program will be installation of piezometers.
THOMPSON,O.O. Energy, Dept. of. 87/11/17. LINEHAN,J. Operations Branch. 51pp. 43968-244-43968-340.
- 8801110044 Rev 0 to Test & Operations Procedure GT-ES-104, "Chip Sample Collection & Preparation of Borahole Geologic Log for Cable Tool Drilling."
SKURLA,S.J., LEDGERWOOD,R.K., BJORADSTAD,B.M. Energy, Dept. of. 87/08/12. 14pp. 43968-327-43968-340.
- 8801110041 Forwards draft ltr to vendors re NRC concerns on structural stability of high density polyethylene high integrity containers.
MCDANIEL,K. Technical Branch. 87/10/28. LOWENBERG Lowenberg Associates, Inc. 3pp. 43968-353-43968-355.
- 8801110048 WHC-EP-0089-1 S03 "BWIP Accessions List Issuance Notice," for period ending 871125.
Westinghouse Hanford Co. 87/12/17. 11pp. 43972-273-43972-283.
- 8801110051 Comments on final comparative analysis of disposal site alternatives rpt (CADSAR) for Maybell, CO site & DOE responses to NRC comments on draft CADSAR. NRC geotechnical engineering comments on draft not addressed in final CADSAR.
LOHAUS,P.H. Operations Branch. 87/12/08. ARTHUR,J. Energy, Dept. of. 2pp. 43977-032-43977-033.
- 8801110068 Forwards BWIP current Level 1 master schedule for line break on and functions requested at 870804 consultation meeting. Schedule approved for use & sub to change control requirements of project mgt plan. W/one overlay drawing.
ANTONEN,J.H. Energy, Dept. of. 87-ECB-180. 87/10/07. LINEHAN,J.J. Operations Branch. 4pp. 43974-308-43974-312.
- 8801110151 Trip rpt of 870420-24 visit to Salt Repository Project O/O re discussions w/personnel, review of draft technical documents & review of SCP storyboard (narrative outline) & performance allocation scheme.
KELLY,W.R. Technical Review Branch. 87/07/24. BROWNING,R.E. Division of High Level Waste Management (Post 870413). 4pp. 43977-040-43977-043.
- 8801110161 Forwards Geology-Geophysics Section review of DOE documents supporting expedited special case restart of DC-23, DC-24, DC-25, DC-32 & DC-33. Review consists of general comments & specific comments on geology & geophysics items.
BALLARD,R.L. Technical Review Branch. 87/12/27. LINEHAN,J.J. Operations Branch. 15pp. 43977-044-43977-058.
- 8801110169 Agenda for State of NV, Commission on Nuclear Projects 871215 meeting in Las Vegas, NV to discuss final program status rpt & Nevada program status rpt.
Nevada, State of. 87/12/15. Nevada, State of. 3pp. 43977-059-43977-061.
- 8801110182 Monthly progress rpt for June 1987 under Contract NRC-02-85-008 re Nevada test site, BWIP site & Palo Duro Basin.
WILLIAMS,R.E. Williams & Associates. FIN D-1020. NRC-02-85-008. 87/07/07. POHLE,J. NRC - No Detailed Affiliation Given. 9pp. 43977-062-43977-070.
- 8801110192 Summary of efforts under FIN A-4165 for 871130-1204.
FULLER,G.H. Fuller, G.H. FIN A-4165. 87/12/05. CHANG,K.C. NRC - No Detailed Affiliation Given. 1p. 43977-071-43977-072.
- 8801110197 Progress rpt for prof svcs on 871130-1209.
STEPHENS,K.W. Stephens & Associates. FIN A-4165. 87/12/09. CHANG,K.C. NRC - No Detailed Affiliation Given. 12pp. 43977-073-43977-085.
- 8801110209 Forwards DOE weekly rpt for wk ending 871127. USGS site characterization plan & core sample mgt discussed.
PRESTHOLT,P.T. NRC - No Detailed Affiliation Given. 87/12/08. BROWNING,R.E. NRC - No Detailed Affiliation Given. 4pp. 43977-027-43977-031.

- 880110219** Lists data required to conduct Task 2 (Communication 126), including photographs of core obtained from J Friemel, descriptions of core & name of logging company that conducted geophysical logging.
WINTER, G.V. Williams & Associates. FIN D-1020. NRC-02-85-008. 87/06/30. POHLE, J. NRC - No Detailed Affiliation Given. 3pp. 43977.024-43977.026.
- 880110246** Package consisting of AMC incoming correspondence logs for 871109-13, 1005-09 & 19-23 & 0920-1002.
* Energy, Dept. of. 87/11/16. 35pp. 43977.086-43977.120.
- 880110500** Forwards 23rd issues of "UMTRAP Integrated Monthly Site Progress Rept (SPRI)" & "UMTRAP Integrated Monthly Vicinity Property Progress Rept (VPPR)". Repts reflect status against FY88 performance measurement baseline w/o UMTRAP SPR.
HOLDENESS, J.W. Jacobs Engineering Group, Inc. 87/12/30. ARTHUR, W.J. Energy, Dept. of. 2pp. 43978.242-43978.278.
- 880110515** "UMTRAP Integrated Monthly Vicinity Property Progress Rept (VPPR)". Rept 23 for Nov 1987.
GARCIA, J. Energy, Dept. of. 87/12/30. 35pp. 43978.244-43978.278.
- 8801120420** Forwards revised "Remedial Action Insp Plan (RAIP) UMTRAP - Clive."
ARTHUR, W.J. Energy, Dept. of. 87/12/28. WEBER, M. NRC - No Detailed Affiliation Given. 1p. 43991.270-43991.316.
- 8801120426** Revised "Remedial Action Insp Plan (RAIP) UMTRAP - Clive."
* Energy, Dept. of. 87/12/28. 48pp. 43991.271-43991.316.
- 8801280641** Forwards conceptual hydrogeologic model definition using expert sys for consideration NRC should investigate use of expert sys in defining conceptual hydrogeologic models.
WINTER, G.V. Williams & Associates. FIN D-1020. 163. 87/01/07. POHLE, J. NRC - No Detailed Affiliation Given. 6pp. 44173.207-44173.211.
- 8801280676** Forwards minutes of QA Coordinating Group 871021-22 meeting in Hereford, TX. Next meeting scheduled for 880120-21 in Las Vegas, NV.
KNIGHT, J.P. Energy, Dept. of. 87/11/25. GERTZ, C. NEFF, J. ANTONEN, J. Energy, Dept. of. 81pp. 44173.071-44173.151.
- 8801290053** Forwards DOE weekly highlights rept for wk ending 880108 re NNWSI.
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 88/01/15. BROWNING, R.E. NRC - No Detailed Affiliation Given. 6pp. 44177.273-44177.283.
- 8801290061** Forwards newspaper clips re storage of nuclear waste.
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 88/01/15. BROWNING, R.E. NRC - No Detailed Affiliation Given. 6pp. 44177.278-44177.283.
- 8801290082** Forwards SA Schumm rept entitled "Geomorphic Analysis - Gunnison U Mill Tailings Site." Rept concludes site vulnerable due to elevation & location near adjacent river & supports county position to relocate site.
LEINSDORF, D. Gunnison County, CO. 88/01/19. JOHNSON, T. NRC - No Detailed Affiliation Given. 4pp. 44177.286-44177.310.
- 8801290090** "Geomorphic Analysis - Gunnison U Mill Tailings Site."
SCHUMM, S.A. Water Engineering & Technology, Inc. 88/01/19. 21pp. 44177.290-44177.310.
- 8801290101** "Technical Assistance in Hydrogeology - Project B - Analysis." monthly progress rept for Dec 1987.
LOGSDON, M.J. Nuclear Waste Consultants, Inc. FIN D-1021. 238. 88/01/15. POHLE, J. Office of Nuclear Material Safety & Safeguards, Director. 17pp. 44176.232-44176.248.
- 8801290116** Informs of plans for DOE RL QA Audit 8707 on 871221-23 re BWIP. Description of scope of Audit 8707 & schedule of audit activities encl.
SAGET, R.P. Energy, Dept. of. 87-QSD-317. 87/12/07. LARVIE, F.C. Morrison-Knudsen Engineers, Inc. 4pp. 44176.256-44176.259.
- 8801290134** Discusses QA concerns re implementation of records mgmt sys & handling of records. Recommends assembly of records in package form that contains quality-related documents associated w/activity/task.
* Energy, Dept. of. 88/01/19. CERNY, B. Energy, Dept. of. 2pp. 44177.353-44177.354.
- 8801290210** Forwards Slick Rock water supply evaluation of potential decontamination of Well 2134F. Water sample analysis of well indicates no contamination. Meeting should be scheduled to resolve NRC concerns re issue.
ARTHUR, W.J. Energy, Dept. of. 88/01/05. LOHAUS, P. NRC - No Detailed Affiliation Given. 6pp. 44180.238-44180.242.
- 8801290330** Responds to NRC 870709 ltr providing concurrence w/proposed remedial action for Riverton, WY site. Issuance of license amend to Umetco & increase of surety bond closes out conditional concurrence for item 2. Item 2 remains open.
ARTHUR, W.J. Energy, Dept. of. 87/12/31. LOHAUS, P. NRC - No Detailed Affiliation Given. 2pp. 44180.001-44180.002.
- 8801080005** Trip rept of 871109-10 visit to Tectonic Workshop in Reno, NV re seismotectonic problems in area.
CHUNG, B.H. Lawrence Livermore National Laboratory. FIN A-0297 L-196. 87/12/22. BLACKFORD, M.E. Division of High Level Waste Management (Post 870413) 18pp. 43967.301-43967.319.
- 8801080016** Summarizes avcs rendered on high level waste repository performance assessment development for 870614-30 under FIN A-4165. Discusses rept on uniform corrosion of low carbon steel in anaerobic moderate temp conditions.
MOLER, R.B. Systems Support, Inc. FIN A-4165. 87/06/21. CHANG, K.C. NRC - No Detailed Affiliation Given. 5pp. 43968.001-43968.005.
- 8801080018** Summary of effort for 870622-30 under FIN A-4165. Tasks addressed include coding, debugging & integration of Aerospace pitting corrosion model & development of efficient algorithm.
FULLER, G.H. Fuller, G.H. FIN A-4165. 87/06/30. CHANG, K.C. NRC - No Detailed Affiliation Given. 1p. 43968.006-43968.006.
- 8801080059** Describes personnel of Nuclear Waste Consultants project team & qualifications. Resumes encl.
LOGSDON, M.J. Nuclear Waste Consultants, Inc. FIN D-1020. 195. 87/09/03. POHLE, J. NRC - No Detailed Affiliation Given. 15pp. 43968.082-43968.215.
- 8801080083** Forwards "Exam of Use of Continuum & Discontinuum Numerical Models for Thermomechanical Analysis of Basalt." final rept.
HART, R.D. ITASCA Consulting Group, Inc. FIN D-1016. 87/12/10. TIKTINSKY, D. NRC - No Detailed Affiliation Given. 2pp. 43954.087-43954.131.
- 8801070404** "Exam of Use of Continuum & Discontinuum Numerical Models for Thermomechanical Analysis of Basalt." final rept.
BOARD, M. BRADY, B.H. ITASCA Consulting Group, Inc. FIN D-1016. 87/12/31. NRC - No Detailed Affiliation Given. 6pp. 43954.088-43954.131.
- 8801110182** Monthly progress rept for June 1987 under Contract NRC-02-85-008 re Nevada test site, BWIP site & Palo Duro Basin.
WILLIAMS, R.E. Williams & Associates. FIN D-1020. NRC-02-85-008. 87/07/07. POHLE, J. NRC - No Detailed Affiliation Given. 9pp. 43977.062-43977.070.
- 8801110192** Summary of efforts under FIN A-4165 for 871130-1204.
FULLER, G.H. Fuller, G.H. FIN A-4165. 87/12/05. CHANG, K.C. NRC - No Detailed Affiliation Given. 1p. 43977.071-43977.072.
- 8801110197** Progress rept for proj svcs on 871130-1209.
STEPHENS, K.W. Stephens & Associates. FIN A-4165. 87/12/09. CHANG, K.C. NRC - No Detailed Affiliation Given. 12pp. 43977.073-43977.085.
- 880110219** Lists data required to conduct Task 2 (Communication 126), including photographs of core obtained from J Friemel, descriptions of core & name of logging company that conducted geophysical logging.
WINTER, G.V. Williams & Associates. FIN D-1020. NRC-02-85-008. 87/06/30. POHLE, J. NRC - No Detailed Affiliation Given. 3pp. 43977.024-43977.026.
- 8801280641** Forwards conceptual hydrogeologic model definition using expert sys for consideration NRC should investigate use of expert sys in defining conceptual hydrogeologic models.
WINTER, G.V. Williams & Associates. FIN D-1020. 163. 87/01/07. POHLE, J. NRC - No Detailed Affiliation Given. 6pp. 44173.207-44173.211.
- 8801290101** "Technical Assistance in Hydrogeology - Project B - Analysis." monthly progress rept for Dec 1987.
LOGSDON, M.J. Nuclear Waste Consultants, Inc. FIN D-1021. 238. 88/01/15. POHLE, J. Office of Nuclear Material Safety & Safeguards, Director. 17pp. 44176.232-44176.248.
- 8801040125** Requests revalidation of Portsmouth Marine Terminal to Savannah River Plant approved spent reactor fuel route through 881231. Requested route unchanged from 1987. Mail license amend classification encl.
MANGUSI, J. Transnuclear, Inc. 28883. 87/12/03. HILLMAN, C. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 43895.129-43895.131.
- 8801040292** Requests revalidation of Newport News, VA to Savannah River Plant approved spent reactor fuel route through 881231. Requested route not changed from 1987. Mail license amend classification encl.
MANGUSI, J. Transnuclear, Inc. 28882. 87/12/03. HILLMAN, C. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 43895.308-43895.310.
- 8801070509** License for Mitsui & Co to export 451 g U, containing 135.9 g U-235, to Japan.
PETERSON, M.R. Assistant Director for International Security. 87/12/28. 2pp. 43945.285-43945.286.
- 8801140232** Inquires about status of application for export License XSNM-1900, amended on 870806. License should be issued by 880115 to meet reserved periods of time for shipments & to provide NRC required advance notice.
MANGUSI, J. Transnuclear, Inc. 88/01/07. WRIGHT, B. NRC - No Detailed Affiliation Given. 2pp. 44033.110-44033.111.
- 8801140287** Application for license to export 50 zirconium alloy tubes to Japan for testing purposes.
HUDEG, W.S. Westinghouse Electric Corp. WSH-012-88. 88/01/12. 1p. 44031.208-44031.208.
- 8801140279** Forwards application for license to export natural & enriched UO₂ as powder to Japan for use in Reload Batch 8, Tokyo Electric Power Co., Fukushima I, Unit 6.
FLOWERS, F.D. General Electric Co. 88/01/08. WRIGHT, B.L. NRC - No Detailed Affiliation Given. 1p. 44032.280-44032.281.
- 8801140291** Application for license to export 1,075 kg U-235, containing 36,122 kg U, to Japan.
FLOWERS, F.D. General Electric Co. FDF-88-02. 88/01/08. 1p. 44032.281-44032.281.

XPORTLIC EXPORT AND IMPORT LICENSES

WASTE RES WASTE MANAGEMENT RESEARCH REPORTS

- 8801070328** Forwards M Galloway 870608 ltr forwarding Terra Thermo, Inc update of numerical evaluation rept for BWIP Subtask 2.5, including Technical Repts 11, 13 & 14. Technical Repts 10, 12, 15, 16 & 17 will be completed in next 2 months.
LOGSDON, M.J. Nuclear Waste Consultants, Inc. FIN D-1021. 165. 87/06/12. POHLE, J. NRC - No Detailed Affiliation Given. 6pp. 43949.178-43949.317.
- 8801070361** 11 Technical Rept 11, "Evaluation of Large-Scale Tracer Test Conducted in Grande Ronde Basalt."
* Terra Thermo, Inc. FIN D-1021. 87/05/31. 68pp. 43949.184-43949.252.
- 8801070374** 13 Technical Rept 13, "Effect of Repository Heat on Groundwater Flux. One-Dimensional Numerical Analysis."
* Terra Thermo, Inc. FIN D-1021. 87/05/31. 46pp. 43949.253-43949.298.
- 8801070386** 14 Technical Rept 14, "Significance of Lateral Boundaries on Hydraulic Heads at BWIP."
* Terra Thermo, Inc. FIN D-1021. 87/05/31. 13pp. 43949.299-43949.317.
- 8801070538** Forwards review plan for scenario development & screening.
BONANO, E.J. Sandia National Laboratories. FIN A-1165. 87/11/25. BROOKS, P. NRC - No Detailed Affiliation Given. 21pp. 43945.129-43945.160.

8801140289 License for ISOTEC, Inc. to export 50 kg deuterium oxide & 180 kg deuterium to Denmark, Finland, France, West Germany, Italy, Japan, Netherlands, Spain, Sweden, Switzerland & United Kingdom. PETERSON, M.R. Assistant Director for International Security. 88/01/12. 1p. 44033:001-44033:001.

8801140297 Application for license to export 10,000 kg depleted U metal solid shield assemblies to UK. FOGARTY, K.P. Nuclear Metals, Inc. 88/01/08. 1p. 44032:350-44032:360.

-8801140307 Forwards application for export license. FOGARTY, K.P. Nuclear Metals, Inc. 88/01/08. WRIGHT, B.L. NRC - No Detailed Affiliation Given. 1p. 44032:360-44032:360.

8801140310 Forwards application for amend to export license for low enriched U for use in EURATOM. Ltr of assurance required w/o encl. PETERSON, M.R. Assistant Director for International Security. 88/01/11. ROONEY, J. Energy, Dept. of. 1p. 44031:156-44031:156.

8801140322 Executive Branch position re Isotec, Inc. application to export 50 kg deuterium oxide & 180 kg deuterium gas to Denmark, Finland, Federal Republic of Germany, France, Italy, Japan, Netherlands, Spain, Sweden & Switzerland. STRATFORD, R.J. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 88/01/08. SHEA, J.R. International Programs. 1p. 44031:188-44031:188.

8801140357 Forwards, for transmission to Div of FR for filing & publication, FR notice of application for licenses to export nuclear facilities or mats. PETERSON, M.R. Assistant Director for International Security. 88/01/11. MEYER, D. Rules & Procedures Branch. 1p. 44031:108-44031:200.

-8801140360 Notice of application for licenses to export nuclear facilities or mats. PETERSON, M.R. Assistant Director for International Security. 88/01/11. 2pp. 44031:188-44031:200.

8801150323 Forwards Transnuclear, Inc. 880107 ltr re application for export license XSNM-1900 for export of HEU to Canada. Encl should be considered w/NRC 81230820818 & 870811 ltr to Dept of State. PETERSON, M.R. Assistant Director for International Security. 88/01/13. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 1p. 44349:084-44049:086.

8801150182 License for Westinghouse to export 50 Zirconium alloy tubes to Japan for testing purposes only. PETERSON, M.R. Assistant Director for International Security. WSH-012-88. 88/01/13. 1p. 44066:256-44066:257.

-8801190225 Informs that license to export 50 Zirconium alloy tubes to Japan issued to Westinghouse w/o normal 15-day waiting period, per 880112 application Proposed license meets requirements of Atomic Energy Act. PETERSON, M.R. Assistant Director for International Security. 88/01/13. Assistant Director for International Security. 1p. 44066:257-44066:257.

8801190232 Forwards GE 871211 request for amend to export license XSNM-0463 Request should be considered in conjunction w/ request forwarded on 871102. PETERSON, M.R. Assistant Director for International Security. 88/01/13. ROONEY, J. Energy, Dept. of. 1p. 44055:170-44055:170.

8801190236 Forwards application to renew license to export mail to West Germany. BONDURANT, B.M. Babcock & Wilcox Co. BMB-87-023. 87/11/18. NRC - No Detailed Affiliation Given. 1p. 44055:173-44055:178.

-8801190238 Application to renew license to export mail to West Germany. BONDURANT, B.M. Babcock & Wilcox Co. XRB-118. 87/11/18. 2pp. 44055:174-44055:175.

-8801190246 License for B&W to export listed items to West Germany. SHEA, J.R. Office of International Programs, Director (Pie 870413). 77/08/28. 3pp. 44055:176-44055:178.

8801190312 Application to amend license to export 27,687 kg U-235 contained in 783,001 kg U to West Germany. PETERSON, M.R. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.). 87/12/28. 2pp. 44054:001-44054:002.

8801190354 Forwards 880108 application for export license for low enriched U for use in Fukushima 1 in Japan. Ltr of assurance required w/o encl. PETERSON, M.R. Assistant Director for International Security. 88/01/13. ROONEY, J. Energy, Dept. of. 1p. 44055:160-44055:160.

8801210110 Requests current approved route plans from east coast ports of Portsmouth, VA, Wilmington, NC & Garden City, GA. RAVENSCROFT, N. Edlow International Co. 28882. 87/12/08. HILLMAN, C. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 44002:098-44002:100.

8801210287 Responds to 871208 request for approval of route for transport of spent fuel Rojito from Garden City, GA to Aikon. SC meets requirements of 10CFR73.37 & acceptable through Dec 1988. MACDONALD, C.E. Transportation Branch. 88/01/20. RAVENSCROFT, N. Edlow International Co. 7pp. 44002:153-44002:160.

8801220001 Executive Branch position re Mitsubishi Intl Corp application to export 68,000 kg of natural U in form of UF6 to Japan. License should be granted. STRATFORD, R.J. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs. 88/01/14. SHEA, J.R. NRC - No Detailed Affiliation Given. 3pp. 44101:001-44101:003.

PERSONAL AUTHOR INDEX

Subject category column in this index gives the number and the symbol for the category of item within that docket; for example, 50-320 P. Subject categories are defined in Appen-

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

Subject categories for nondocketed items are also listed in this column by symbol; for example, W. These categories are defined in Appendix B and in the Contents.

FOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
L. J.	8807180020*	50-320	P	ANDREWS, R.K.	8801130175	40-8904	AYALA, C.	8712300082	50-498	S	
	8801180129	50-220	F	ANDREWS, R.L.	8801040583	50-285	P	AYALA, C.	8712300088	50-498	S
	8801200352*	50-446	A	ANDREWS, R.L.	8801050072	50-285	F	AYALA, C.	8712300095	50-498	S
	8801040611	PROJ		ANDREWS, R.L.	8801050154	50-285	S	AYALA, C.	8712300099	50-498	S
	8801130367	50-274	P	ANDREWS, R.L.	8801060152	50-285	S	AYALA, C.	8712310031	50-498	S
	8801130379	50-106	P	ANDREWS, R.L.	8801070424	50-285	S	AYALA, C.	8801120232*	50-498	S
	8801150131	50-6	P	ANDREWS, R.L.	8801120275	50-285	F	AYALA, C.	8801120368	50-498	S
	8801260017	50-6	W	ANDREWS, R.L.	8801180112	50-285	R	AYALA, C.	8801120370	50-498	S
	8801260134	50-182	P	ANDREWS, R.L.	8801210129	50-285	S	AYALA, C.	8801130053	50-498	S
	8801270250	50-208	J	ANDREWS, R.L.	8801220488	50-285	Q	AYALA, C.	8801140082	50-498	S
	8801070431	27-48		ANDREWS, R.L.	8801260416	50-265	Q	AYALA, C.	8801150249	50-498	S
	8801070455	PR		ANDREWS, R.L.	8801200345	TOPREP		AYALA, C.	8801260279	50-498	S
	8801080054	27-48		ANG, W.P.	8712310209*	50-344	Q	AYALA, C.	8801270484*	50-498	S
	8801260143	ORG		ANG, W.P.	8712310214*	50-312	Q	AZAB, B.A.	8801280166*	50-316	Q
	8801070210*	50-416	P	ANG, W.P.	8801260276*	50-312	Q	BACHMANN, R.G.	8801190036	50-322	Q
G.	8801070277	50-416	Q	ANTHONY, P.	8712290124	50-341	S	BACHMANN, R.G.	8801250356*	50-322	G
G.	8801140162*	50-416	P	ANTHONY, P.	8801080123	50-341	S	BACKES, P.	8801040042*	50-382	P
G.	8801280684*	50-324	P	ANTHONY, P.	8801140081	50-341	S	BACKUS, R.A.	8801060061	50-443	G
	8801270310*	50-443	T	ANTHONY, P.	8801200288	50-341	S	BACKUS, R.A.	8801060061	50-443	G
	8801060049	PROJ		ANTHONY, P.M.	8801200348	50-341	R	BACKUS, R.A.	8801060073*	50-443	G
K.	8801210002	PROJ		ANTHONY, R.L.	8801040129	50-352	G	BACKUS, R.A.	8801060073*	50-443	G
D.L.	8801130221	50-454	P	ANTTONEN, J.H.	8801070488	WASTE MGT		BACKUS, R.A.	8801130082	50-443	G
	8801130372	50-454	P	ANTTONEN, J.H.	8801110013	WASTE MGT		BACKUS, R.A.	8801130082	50-443	G
	8801070150	NUREG		ANTTONEN, J.H.	8801110068	WASTE MGT		BACKUS, R.A.	8801130082	50-443	G
	8801110208	NUREG		ARCHITZEL, R.E.	8801110230*	50-302	Q	BACKUS, R.A.	8801200234	50-443	G
	8801120065	50-278	S	ARGO, R.S.	8801070355	WASTE MGT		BACKUS, R.A.	8801200234	50-443	G
	8801140006	50-352	R	ARMONTROUT, C.A.	8801150097	TOPREP		BACKUS, W.H.	8801060249	50-244	S
	8801220218	50-352	R	ARRIETA, L.	8801070031	NUREG		BACKUS, W.H.	8801280254	50-244	S
	8801250122	50-277	Q	ARROS, J.K.	8801210158*	50-446	G	BAER, J.W.	8801130010	50-443	T
	8801250232	50-277	R	ARROW, A.	8801060068	50-320	Q	BAER, R.E.	8801070077*	50-315	Q
	8712310055	50-277	S	ARTHUR, W.J.	8801070369	WASTE MGT		BAER, R.E.	8801110047*	50-482	Q
	8801130230	50-316	P	ARTHUR, W.J.	8801070389	WASTE MGT		BAER, R.E.	8801130020*	50-298	Q
	8801150245	50-316	P	ARTHUR, W.J.	8801080060	WASTE MGT		BAER, R.E.	8801130181*	50-298	Q
	8801190035	50-316	Q	ARTHUR, W.J.	8801120420	WASTE MGT		BAILEY, J.A.	8712310215	50-482	S
	8801280089	50-315	P	ARTHUR, W.J.	8801290210	WASTE MGT		BAILEY, J.A.	8801050302	50-482	P
	8801280585	50-316	P	ARTHUR, W.J.	8801290330	WASTE MGT		BAILEY, J.A.	8801120245	50-482	P
	8801270534	50-316	H	ASHBURN, D.J.	8801270133	50-397	J	BAILEY, J.A.	8801190322	50-482	Q
	8801070213	50-483	P	ASSELSTINE, J.K.	8801120171*	FOIA		BAILEY, J.A.	8801270006	50-482	F
	8801260377	50-483	P	ASSELSTINE, J.K.	8801260446*	50-208	H	BAILEY, J.A.	8801270072	50-425	A
	8801130334	50-373	P	ASSELSTINE, J.K.	8801260461*	50-208	H	BAILEY, J.A.	8801270072	50-425	A
	8801060132	50-249	S	ASSELSTINE, J.K.	8801250471*	50-208	H	BAILEY, J.R.	8801040091	50-445	Q
A.	8801060138	50-249	S	ASSELSTINE, J.K.	8801280147*	50-482	P	BAIRD, J.B.	8801270145	I&E	
J.	8712290346*	50-244	Q	ASSELSTINE, J.K.	8801290144*	FOIA		BAKER, D.E.	8801040052	50-382	S
J.	8801050418*	50-277	Q	ASSELSTINE, J.K.	8801290195*	FOIA		BAKER, E.T.	8801280348*	Q&R	
J.	8801050509*	50-412	Q	AULT, T.D.	8801070637*	WASTE MGT		BAKER, J.W.	8801060215	50-397	F
J.	8801120299*	50-286	Q	AULUCK, R.	8801250133	50-269	P	BAKER, L.J.	8801140290*	CONTRACT	
J.	8801110292	50-286	S	AULUCK, R.	8801290032	50-438	A	BAKER, R.	8801200280	50-333	S
J.	8801050398	50-456	S	AULUCK, R.	8801290328	50-327	P	BAKER, R.D.	8801210065	50-321	S
J.	8712290128	50-312	S	AUSTIN, G.	8801150308	50-265	R	BAKER, R.D.	8801260285	50-388	S
J.	8801070201	50-312	Q	AUSTIN, G.	8801260569*	50-296	R	BAKER, R.D.	8801260292	50-388	S
J.	8801110474	50-312	P	AUSTIN, J.	8801200119*	FOIA		BAKER, S.J.	8801070094	40-1182	
J.	8801120197	50-312	Q	AUSTIN, J.H.	8801070499	50-277	P	BAKER, S.J.	8801210383	40-1182	
J.	8801120213	50-312	P	AXELRAD, J.A.	8801140115*	50-320	P	BAKER, T.P.	8801200386	71-647	
J.	8801130108	50-312	Q	AXELSON, W.L.	8801070223*	FOIA		BALL, J.	8801110387*	50-528	Q
J.	8801130278	50-312	P	AXELSON, W.L.	8801070242*	FOIA		BALL, J.R.	8712310209*	50-344	Q
J.	8801200138	50-312	F	AXELSON, W.L.	8801070267*	FOIA		BALLARD, R.L.	8801110161	WASTE MGT	
J.	8801200407	71-489		AXELSON, W.L.	8801070281*	FOIA		BALLENGER, V.W.	8801060207	PR	
J.	8801220496	50-312	Q	AXELSON, W.L.	8801280634*	FOIA		BANGART, R.L.	8801130293	40-8027	
J.	8801260206	50-312	P	AXELSON, W.L.	8801280654*	FOIA		BANNER, C.W.	8801270016	50-272	F
J.	8801260456	50-312	P	AXELSON, W.L.	8801280678*	FOIA		BARAN, R.	8801040483	50-219	R
J.	8801270008*	50-482	F	AXLINE, J.S.	8712310049	50-331	S	BARAN, R.	8801280106	50-219	R
J.	8801070525	40-8904		AYALA, C.	8712290131	50-498	S	BARKHURST, R.P.	8801260456	50-382	P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BARNARD,E.	8801270119	ACRS	BERATTA,J.P.	8801280012	50-220 F	BLOSSER,J.D.	8801190078	50-483
BARNES,I.	8801200077*	50-313 Q	BERCELE.	8801070072*	50-312 S	BLOUGH,A.R.	8801120137	50-293
BARNETT,J.E.	8801130242	70-1621	BERCELE.	8801070109*	50-312 S	BLOUGH,A.R.	8801270083*	50-322
BARNETT,J.E.	8801190006	50-334 J	BERCELE.	8801070121*	50-312 S	BLOUGH,R.	8712310021	50-387
BARR,K.P.	8801040130	50-259 V	BERGMANN,J.W.	8801280147	50-305 S	BLOUGH,R.	8801110323*	50-293
BARR,K.P.	8801040136	50-259 V	BERGSTROM,P.D.	8801070229	40-8802	BLOUGH,R.	8801200019	50-387
BARR,K.P.	8801040153	50-259 V	BERKOW,H.N.	8801140123	50-280 H	BLUBAUGH,R.E.	8801070316	40-3453
BARR,K.P.	8801110287	50-259 Q	BERKOW,H.N.	8801140126	50-280 P	BLUMBERG,N.	8712280358*	50-333
BARR,K.P.	8801120026	50-259 Q	BERKOW,H.N.	8801260103*	50-280 P	BLUMBERG,N.	8801120301*	50-423
BARR,K.P.	8801150101	50-259 Q	BERRY,G.A.	8801040203	50-443 G	BLUMBERG,N.	8801130276*	50-289
BARR,K.P.	8801190282	50-259 Q	BERRY,G.A.	8801180016	50-443 G	BLUMBERG,N.	8801130277*	50-272
BARR,K.P.	8801260496	50-327 V	BERRY,G.A.	8801190019	40-3453	BLUMBERG,N.	8801200382*	50-244
BARR,K.P.	8801260504	50-259 Q	BERRY,G.A.	8801190034*	40-3453	BLUMBERG,N.J.	8712300045*	50-277
BARRROW,J.H.	8801200465	50-335 F	BERRY,G.A.	8801250303	50-443 G	BLUMER,A.	8801020485*	FOIA
BARTLETT,B.L.	8712300072*	50-482 Q	BERRY,G.A.	8801250305	50-443 G	BLUMER,A.H.	8404170634*	50-369
BARTON,J.J.	8801060395	50-219 F	BERRY,G.A.	8801250307	50-443 G	BLUMER,A.H.	8801210048*	50-418
BARTON,P.H.	8801270247	ACRS	BERRY,G.A.	8801250313	50-443 G	BOARD,M.	8801070404*	WASTE RES
BASDEKAS,D.L.	8709020420*	ACRS	BERRY,G.A.	8801250320	40-3453	BOARDMAN,J.R.	8801080084*	50-313
BASKIN,K.P.	8801050533	50-206 F	BERRY,G.A.	8801250321	50-443 G	BOGER,B.A.	8802030451*	50-206
BASSIN,N.	8801280625*	FOIA	BERRY,G.A.	8801250333	40-3453	BOGER,B.A.	8807080559*	50-250
BATES,R.W.	8801200315	50-338 S	BERRY,G.A.	8801250400	50-443 G	BOGER,B.A.	8703260578*	50-244
BAUMAN,L.	8801120291	FOIA	BERRY,K.W.	8712230045	50-255 F	BOHL,R.J.	8801070114	50-267
BAUMAN,L.	8801140074	FOIA	BERRY,K.W.	8801080106	PR	BOLEY,K.	8801210174	FOIA
BAUMAN,L.	8801140159	50-445 Q	BERRY,K.W.	8801110286	50-155 H	BOLEY,K.	8801280271	FOIA
BAUMAN,L.	8801140161	50-445 Q	BERRY,K.W.	8801120212	50-155 Q	BONANO,E.J.	8801070536	WASTE RES
BAUMAN,L.	8801150047	50-445 Q	BERRY,K.W.	8801120346	50-155 Q	BONDS,J.D.	8801130010	50-443
BAUMAN,L.	8801150094	50-445 Q	BERRY,K.W.	8801150163	50-155 Q	BONDURANT,B.M.	8801180235	XPORTLIC
BAUMAN,L.	8801280155	FOIA	BERRY,K.W.	8801180061	50-255 Q	BONDURANT,B.M.	8801180238*	XPORTLIC
BAUMAN,L.	8801280452	50-341 P	BERRY,K.W.	8801200074	50-155 P	BONNEY,R.	8801270490*	50-482
BAX,R.L.	8801050415	50-254 S	BERRY,K.W.	8801210100	50-155 P	BOOHER,H.R.	8510260509*	50-254
BAX,R.L.	8801050419	50-254 S	BERRY,K.W.	8801210206	50-255 Q	BOOHER,H.R.	8801140591*	50-272
BAX,R.L.	8801050424	50-254 S	BERRY,K.W.	8801210207	50-255 Q	BOOHER,H.R.	8801200428*	FOIA
BAX,R.L.	8801270541	50-254 S	BERRY,K.W.	8801250047	50-255 P	BOOHER,H.R.	8801200468*	FOIA
BAX,R.L.	8801270544	50-254 S	BERRY,K.W.	8801260013	50-255 Q	BOOK,H.E.	8801260542*	50-275
BAX,R.L.	8801280098	50-254 S	BERRY,K.W.	8801270574	50-255 P	BOOK,H.E.	8801260549*	50-275
BAXTER,T.A.	8801200236	50-320 G	BESSPIATA,J.J.	8801080275*	TOPREP	BOOKER,J.E.	8801040580	50-458
BAXTER,T.A.	8801200236	50-320 G	BETHKE,G.W.	8801200440*	CONTRACT	BOOKER,J.E.	8801050184	50-458
BAXTER,T.A.	8801250396	50-320 G	BETTENHAUSEN,L.	8801120265	50-289 Q	BOOKER,J.E.	8801180101	50-468
BAXTER,T.A.	8801250396	50-320 G	BETTENHAUSEN,L.	8801120272	50-219 Q	BOOKER,J.E.	8801260508	50-458
BAZIN,J.	8801070443	CONTRACT	BETTENHAUSEN,L.	8801120280	50-213 Q	BOOKER,J.E.	8801280142	50-458
BAZIN,J.	8801070490	CONTRACT	BETTENHAUSEN,L.	8801120315	50-244 Q	BOOKER,J.E.	8801280473	50-458
BAZIN,J.	8801150021	CONTRACT	BETTENHAUSEN,L.	8801130057	50-219 Q	BOOKER,J.E.	8801270071	50-458
BAZIN,J.	8801200378	CONTRACT	BETTENHAUSEN,L.	8801130092	50-423 Q	BORDINE,T.C.	8801280588	50-255
BAZIN,J.	8801260243	CONTRACT	BETTENHAUSEN,L.	8801210188	50-246 Q	BORES,B.	8801140108*	FOIA
BAZIN,J.	8801280555	CONTRACT	BETTINGER,R.V.	8801130191*	50-276 P	BORST,G.T.	8801200398	70-1308
BAZIN,J.P.	8801130435	CONTRACT	BICEHOUSE,H.	8801130091*	50-317 Q	BOSAKOWSKI,P.	8801040519	50-312
BEAN,D.L.	8801070150	NUREG	BIDDLECOMBE,L.B.	8801110384*	50-440 P	BOSAKOWSKI,P.	8801110216	50-312
BEARD,R.M.	8801210026	50-321 R	BIDINGER,G.H.	8801140329*	70-1100	BOSAKOWSKI,P.	8801270021	50-312
BEARD,T.N.	8801060083	50-443 G	BIDINGER,G.H.	8801150090*	70-1267	BOUCHER,P.E.	8801210057*	FOIA
BEAVER,J.R.	8801260485	50-289 F	BIRD,P.E.	8801280353	NUREG	BOULAY,R.J.	8801280269*	50-293
BECK,J.W.	8801070429*	50-445 A	BIRD,R.G.	8712280071	50-293 S	BOYCE,T.	8801140073	50-295
BECK,J.W.	8801070442*	50-445 A	BIRD,R.G.	8712280074	50-293 S	BOYD,C.C.	8801040373	70-27
BECK,J.W.	8801120216	50-445 S	BIRD,R.G.	8801050338	50-293 S	BOYD,C.C.	8801210148	70-27
BECK,J.W.	8801120324	50-445 S	BIRD,R.G.	8801070330	50-293 Q	BOYD,R.S.	8801110170*	50-459
BECK,J.W.	8801120351	50-445 Q	BIRD,R.G.	8801070463	50-293 Q	BRADBURN,J.	8801120210*	FOIA
BECK,J.W.	8801120361	50-445 S	BIRD,R.G.	8801110498	50-293 S	BRADBURN,J.	8801130088*	FOIA
BECK,J.W.	8801120429	50-445 S	BIRD,R.G.	8801120284	50-293 H	BRADBURN,J.	8801200161*	FOIA
BECK,J.W.	8801130166	50-445 S	BIRD,R.G.	8801180338	50-293 Q	BRADBURN,J.	8801200171*	FOIA
BECK,J.W.	8801130196	50-445 S	BIRD,R.G.	8801200318	50-293 S	BRADBURN,J.	8801200207*	FOIA
BECK,J.W.	8801140049	50-445 A	BIRD,R.G.	8801200367	50-293 R	BRADBURN,J.	8801210307*	FOIA
BECK,J.W.	8801260554*	50-445 A	BIRD,R.G.	8801210119	50-293 P	BRADBURN,J.C.	8801140241	50-327
BECK,J.W.	8801260557*	50-445 A	BIRD,R.G.	8801210138	50-293 P	BRADBURN,J.C.	8801200166*	FOIA
BEDESEM,P.	8801270131	50-275 R	BIRD,R.G.	8801220101	50-293 S	BRADBURN,J.C.	8801200183*	50-327
BEHNKE,C.	8801250267	50-317 R	BIRD,R.G.	8801250288	50-293 S	BRADBURN,J.C.	8801210284*	FOIA
BEILMAN,T.P.	8801070280	50-315 S	BIRD,R.G.	8801260393	50-293 F	BRADBURN,J.C.	8801280072*	FOIA
BEILMAN,T.P.	8801210061	50-316 S	BIRD,R.G.	8801270139	50-293 F	BRADBURN,J.C.	8801290203*	FOIA
BEILMAN,T.P.	8801270277	50-315 S	BIRELY,W.C.	8801050570	50-278 S	BRADFORD,W.H.	8801110349	50-348
BELAIR,R.R.	8801110528	FOIA	BIRELY,W.C.	8801080012	50-277 S	BRADHAM,O.S.	8801180276*	50-395
BELL,D.W.	8801130010	50-443 T	BIRELY,W.C.	8801120033	50-277 S	BRADHAM,O.S.	8801180280*	50-395
BELLS.	8801220028	CONTRACT	BIRELY,W.C.	8801200553	50-277 S	BRADLEY,E.J.	8801270088	50-352
BELL,S.	8801220042	CONTRACT	BIRELY,W.C.	8801120085	50-278 S	BRADLEY,E.J.	8801270214	50-171
BELLMAN,H.	8712180352	ADVCN	BIRELY,W.C.	8801180234	50-277 S	BRADY,B.H.	8801070404*	WASTE RES
BENDER,L.	8402280130*	50-327 P	BISHOP,M.O.	8801140077*	50-461 V	BRAM,S.	8712290021	50-247
BENDER,L.	8801200269*	FOIA	BISHOP,T.W.	8801270422*	50-275 P	BRAM,S.	8712310046	50-247
BENDER,L.S.	8311140069*	50-327 P	BISHOP,T.W.	8801270422*	50-323 P	BRAM,S.	8801040126	50-247
BENEDICT,R.A.	8801140135	50-220 P	BISHOP,T.W.	8801270436*	50-275 P	BRAM,S.	8801070235	50-247
BENNETT,G.L.	8801070380*	WASTE MGT	BIXBY,W.W.	8801200454	PROJ	BRAM,S.	8801120251	50-247
BENNETT,G.L.	8801070364*	WASTE MGT	BJORADSTAD,B.N.	8801110044*	WASTE MGT	BRAM,S.	8801130082	50-247
BENNETT,R.D.	8801070150	NUREG	BLAKE,J.J.	8801040119*	50-424 Q	BRAM,S.	8801140070	50-247
BENNETT,W.R.	8801130448*	50-298 Q	BLAKE,J.J.	8801110345*	50-269 Q	BRAM,S.	8801260516	50-247
BENNETT,W.R.	8801140020*	50-298 Q	BLAKE,J.J.	8801110367*	50-335 Q	BRAM,S.	8801270215	50-247
BENSON,D.L.	8712290119	50-280 S	BLAKE,J.J.	8801110394*	50-281 Q	BRAM,S.B.	8801150252	50-247
BENSON,D.L.	8712310213	50-280 S	BLAKE,J.J.	8801200304*	50-338 Q	BRAM,S.B.	8801260467	50-247
BENSON,D.L.	8712310232	50-280 S	BLASS,J.	8801250351*	50-322 G	BREAUX,J.	8801210270*	FOIA
BENSON,D.L.	8801120190	50-280 S	BLAYLOCK,J.	8801070460	WASTE MGT	BREY,H.L.	8801270080	50-267
BENSON,D.L.	8801120257	50-280 S	BLESSIE,W.J.	8801190112	50-286 R	BRIENT,J.R.	8801040082	50-253
BENSON,D.L.	8801120430	50-280 S	BLOSSER,J.D.	8712290014	50-483 S	BRIGHT,G.O.	8801130187	50-320
BENSON,D.L.	8801190092	50-280 S	BLOSSER,J.D.	8712310034	50-483 S	BRINDLE,D.	8801060324	50-455

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
BRINDLE, D.	8801280578	50-454	S	BYRD, R.W.	8801160215	50-416	S	CHAMBERLAIN, D.	8801290031*	50-458	Q
BROCK, B.L.	8801110298*	70-754		CALDWELL, J.L.	8801120172*	50-338	Q	CHAN, T.L.	8801040048	50-344	P
BROCKMAN, K.E.	8801040145*	50-259	V	CALDWELL, R.A.	8712310181*	50-498	Q	CHAN, T.L.	8801190308	50-344	P
BROWS, J.C.	8712300113	50-286	P	CALDWELL, R.A.	8801070106*	50-298	Q	CHANEY, H.D.	8801060094*	50-313	Q
BROWS, J.C.	8712300117*	50-286	P	CALLAN, L.J.	8712230266	50-498	Q	CHANG, E.	8801070246*	40-2258	
BROWS, J.C.	8801050491	50-333	F	CALLAN, L.J.	8712300065	50-482	Q	CHANG, E.	8801110014*	40-8622	
BROWS, J.C.	8801130127	50-286	P	CALLAN, L.J.	8712310056	50-488	Q	CHAUBARD, M.A.	8801050624	50-266	F
BROWS, J.C.	8801150242	50-286	H	CALLAN, L.J.	8712310062	50-498	Q	CHAUDHARY, S.K.	8712280359*	50-271	Q
BROOKS, C.F.	8801160106*	50-259	Q	CALLAN, L.J.	8712310174	50-498	Q	CHAUDHARY, S.K.	8801130182*	50-218	Q
BROOKS, R.H.	8712310028	50-260	R	CALLAN, L.J.	8712310179	50-498	Q	CHEA, K.	8801210093*	50-269	P
BROOKS, R.H.	8801130208	50-327	R	CALLAN, L.J.	8801060055	50-313	Q	CHENG, C.Y.	8801060316	50-416	Q
BROOKS, R.H.	8801130208*	50-327	R	CALLAN, L.J.	8801060090	50-313	Q	CHESTNUT, P.C.	8801130123	40-8904	
BROOKS, R.H.	8801130308*	50-327	R	CALLAN, L.J.	8801060097	50-382	Q	CHESTNUT, P.C.	8801130249	40-8904	
BROOKS, R.H.	8801130315*	50-327	R	CALLAN, L.J.	8801060104	50-458	V	CHILDRES, W.H.	8801280010*	50-327	S
BROOKS, R.H.	8801130327*	50-327	R	CALLAN, L.J.	8801060194	50-408	Q	CHILDRES, W.H.	8801280016*	50-327	S
BROWN, H.H.	8801040080	50-322	Q	CALLAN, L.J.	8801060485	50-382	Q	CHILK, S.	8801130151	50-341	G
BROWN, H.H.	8801040080	50-322	G	CALLAN, L.J.	8801060500	50-450	Q	CHILK, S.J.	8801040284	50-443	G
BROWN, H.H.	8801040080	50-322	Q	CALLAN, L.J.	8801070102	50-208	Q	CHILK, S.J.	8801130120	FOIA	
BROWN, J.	8801270298	60-320	G	CALLAN, L.J.	8801070126	50-482	Q	CHILK, S.J.	8801140095	10CFR	
BROWN, J.	8801280037	50-289	F	CALLAN, L.J.	8801080055	50-458	Q	CHILK, S.J.	8801150001	60-443	G
BROWN, N.H.	8801060478	50-320	F	CALLAN, L.J.	8801110034	50-482	Q	CHILK, S.J.	8801150013	50-443	G
BROWN, R.A.	8801200265	70-893		CALLAN, L.J.	8801110099	60-382	Q	CHILK, S.J.	8801150084	50-271	G
BROWN, S.	8801270114	50-322	P	CALLAN, L.J.	8801130017	50-298	Q	CHILK, S.J.	8801180033	50-488	G
BROWNLEE, V.L.	8801040161	60-369	Q	CALLAN, L.J.	8801130110	50-287	Q	CHILK, S.J.	8801180041	REVIEW GR	P
BROWNLEE, V.L.	8801040181*	60-369	Q	CALLAN, L.J.	8801130126	50-313	Q	CHILK, S.J.	8801180087	10CFR	
BROWNLEE, V.L.	8801150114	50-269	Q	CALLAN, L.J.	8801130140	50-288	Q	CHILK, S.J.	8801260309	50-440	G
BROWNLEE, V.L.	8801150119	50-269	Q	CALLAN, L.J.	8801130155	50-288	Q	CHILK, S.J.	8801260185	FOIA	
BROWNLEE, V.L.	8801200031	50-413	Q	CALLAN, L.J.	8801130210	50-498	Q	CHILK, S.J.	8801280093	60-277	P
BROWNLEE, V.L.	8801200038*	50-413	Q	CALLAN, L.J.	8801130220	50-382	Q	CHOPRA, O.K.	8801110207	NUREG	
BROWNLEE, V.L.	8801120277	50-255	F	CALLAN, L.J.	8801130444	50-206	Q	CHOU, R.C.	8801110367*	60-335	Q
BYRAN, S.E.	8710260408*	FOIA		CALLAN, L.J.	8801140008	50-287	Q	CHOULES, N.C.	8801070077*	50-315	Q
BYRANT, A.H.	8801040065	50-445	Q	CALLAN, L.J.	8801140009	50-382	Q	CHRISTMAN, J.N.	8801200223	50-322	G
BYRANT, J.C.	8801110415*	50-269	Q	CALLAN, L.J.	8801140010	50-285	F	CHRISTMAN, J.N.	8801200223	50-322	G
BYRANT, J.C.	8801160120*	50-289	Q	CALLAN, L.J.	8801140017	50-208	Q	CHRISTMAN, J.N.	8801200228	50-322	G
BUCKLES, J.A.	8801130412	50-344	J	CALLAN, L.J.	8801160106	50-382	P	CHRISTMAN, J.N.	8801200228	50-322	G
BUCKLEY, B.	8801140141	50-400	P	CALLAN, L.J.	8801160180	50-285	Q	CHRISTMAN, J.N.	8801210162	50-322	G
BUCKLEY, B.C.	8801200275*	50-324	P	CALLAN, L.J.	8801160187	50-498	F	CHRISTMAN, J.N.	8801210162	50-322	G
BUCKMAN, F.W.	8801260058*	50-255	P	CALLAN, L.J.	8801190228	50-458	Q	CHRISTNOT, E.F.	8801160106*	60-259	Q
BUCKMAN, F.W.	8801270047	50-165	Q	CALLAN, L.J.	8801200076	50-313	Q	CHRISTOPHER, R.	8801120224*	60-373	Q
BUCH, D.F.	8801040440	40-8820		CALLAN, L.J.	8801200118	50-498	Q	CHRISTOPHER, R.	8801200233*	50-289	Q
BUNTING, J.O.	8801070528	WASTE MGT		CALLAN, L.J.	8801200124	50-313	Q	CHUNG, D.H.	8801080305	WASTE RES	
BURD, C.K.T.	8801190152*	50-348	V	CALLAN, L.J.	8801200148	50-382	Q	CHUNG, H.M.	8801110207	NUREG	
BURD, C.K.T.M.	8801040075*	50-237	Q	CALLAN, L.J.	8801200153	50-498	Q	CICOTTE, G.R.	8801130024*	50-344	Q
BURD, C.K.T.M.	8801140077*	50-481	V	CALLAN, L.J.	8801200142	50-287	Q	CICOTTE, G.R.	8801200226*	50-528	Q
BURDSON, J.F.	8712310197*	50-276	Q	CALLAN, L.J.	8801250470	50-285	Q	CIPRIANI, J.	8801200443	50-348	R
BURGESS, B.L.	8801200063*	50-315	Q	CALLAN, L.J.	8801250518	50-458	Q	CLARK, A.T.	8801070029	50-603	A
BURGIN, D.	8801120312	50-272	F	CALLAN, L.J.	8801260116	50-445	V	CLARK, C.	8801120141*	50-344	Q
BURICK, G.M.	8711130370*	FOIA		CALLAN, L.J.	8801280128	50-313	V	CLARK, G.R.	8801280251*	50-327	P
BURLING, M.L.	8801200432	50-338	F	CALLAN, L.J.	8801280135	50-313	Q	CLARK, P.R.	8801080015	50-289	H
BURNETT, R.F.	8801210180*	FOIA		CALLAN, L.J.	8801260381	50-458	Q	CLEMONS, T.R.	8801180078	50-483	R
BURNS, S.G.	8801130048	50-445	G	CALLAN, L.J.	8801270174	50-498	Q	CLEVELAND, J.E.	8801110001	40-8805	
BURNS, W.E.	8801200267	50-424	S	CALLAN, L.J.	8801270518	50-298	Q	CLIFF, W.C.	8801290189*	50-259	P
BURNS, W.E.	8801190081	50-424	S	CALLAN, L.J.	8801280026	50-498	Q	CLINE, W.E.	8801040188	70-143	
BURNS, W.E.	8801250350	50-424	S	CALLAN, L.J.	8801280040	50-298	Q	CLINE, W.E.	8801110413	50-280	F
BURNS, W.F.	8801120113	50-424	S	CALLAN, L.J.	8801290016	50-458	Q	CLINE, W.E.	8801110481	60-400	Q
BURSKI, R.F.	8801190210	50-382	R	CALLENDRIELLO, A.	8801130010	50-443	T	CLINE, W.E.	8801110511	50-280	Q
BURSKI, R.F.	8801190258	50-382	F	CALVO, J.A.	8801140148*	50-392	P	CLINE, W.E.	8801110523	50-416	Q
BURSKI, R.F.	8801190259	50-382	F	CALVO, J.A.	8801270465	50-482	P	CLINE, W.E.	8801110538	50-289	F
BURSKI, R.F.	8801210304	50-382	Q	CAMERON, C.	8801260262*	FOIA		CLINE, W.E.	8801120189	50-348	Q
BURSKI, R.F.	8801270282	50-382	P	CAMERON, C.	8801260280*	FOIA		CLINE, W.E.	8801200103	50-395	Q
BURST, R.A.	8801040042*	50-382	P	CAMILLERI, T.J.	8712290133	50-481	S	CLINE, W.E.	8801200112	50-416	F
BUTON, J.	8801220021*	CONTRACT		CANADY, J.	8801210153	50-320	Q	CLINE, W.E.	8801250587	50-302	F
BUSH, L.L.	8801190255*	50-327	Q	CANIANO, R.	8801120292	1&E		CLINE, W.E.	8801270103	70-143	
BUTCHER, E.J.	8801270352	REVIEW GR	P	CANTLIN, J.G.	8801110384*	50-440	P	CLINE, W.E.	8801270109	70-143	
BUTCHER, R.C.	8801270237*	50-416	Q	CANTLIN, J.G.	8801270258*	50-440	P	CLYDE, M.L.	8801160290*	50-528	F
BUTLER, D.S.	8801060140*	50-440	Q	CANTRELL, F.	8801120172*	50-338	Q	COBB, L.I.	8505010204*	FOIA	
BUTLER, W.R.	8801070307	50-416	P	CANTRELL, F.S.	8801040188*	50-280	Q	COCKFIELD, D.W.	8712310182	50-344	Q
BUTLER, W.R.	8801040437	50-259	P	CAPRA, R.A.	8801040245	50-247	P	COCKFIELD, D.W.	8801050443	50-344	Q
BUTLER, W.R.	8801130385*	50-354	P	CAPRA, R.A.	8801110128	50-247	P	COCKFIELD, D.W.	8801200188	50-344	P
BUTLER, W.R.	8801270079	50-220	P	CAPRA, R.A.	8801250195	50-220	F	COCKFIELD, D.W.	8801200174*	50-344	P
BUTLER, W.R.	8801290195*	50-354	P	CAPSTICK, R.W.	8801110248	50-271	P	COCKFIELD, D.W.	8801200388	50-344	P
BUTTERFIELD, L.	8801200339	50-454	Q	CAPSTICK, R.W.	8801260581	50-271	P	COCKFIELD, D.W.	8801200391*	50-344	P
BUTTERFIELD, L.	8801050242	50-456	Q	CAREY, J.J.	8712300108	50-412	Q	COCKFIELD, D.W.	8801200464	50-344	Q
BUTTERFIELD, L.	8801110372*	50-373	Q	CAREY, J.J.	8801200267	50-412	R	COCKFIELD, D.W.	8801270610	50-344	F
BUTTERFIELD, L.	8801160080	50-457	Q	CARNS, N.S.	8801040021	50-382	S	COHEN, L.	8801102688	NUREG	
BUTTERFIELD, L.	8801190330	50-456	Q	CARNS, N.S.	8801040042*	50-382	P	COLBURN, T.G.	8801210254	50-440	P
BUTTERFIELD, L.	8801210125	50-205	F	CARNS, N.S.	8801040052	50-382	S	COLE, C.R.	8801070447*	WASTE MGT	
BUTTERFIELD, L.	8801210145	50-264	F	CARNS, N.S.	8801200424	50-382	S	COLE, R.E.	8801260473	50-458	R
BUTTERFIELD, L.	8801210168	50-373	F	CARPENTER, T.E.	8801070037	FOIA		COLEMAN, C.	8801280688	27-48	
BUTTERFIELD, L.	8801210187	50-456	F	CARR, K.M.	8801270342	50-322	Q	COLEMAN, M.S.	8801040486*	50-320	V
BUTTERFIELD, L.	8801210204	50-454	F	CARSON, K.A.	8801110458	50-410	F	COLEVILLE, J.M.	8801140067*	50-528	R
BUTTERFIELD, L.	8801210331	50-10	F	CASSIDY, T.J.	8801120295	50-266	F	COLLINGS, S.P.	8801070051	40-8829	
BUTTERFIELD, L.	8801260586	50-264	Q	CASTO, C.A.	8801270037*	50-261	V	COLLINS, D.M.	8801120071	50-321	Q
BUTTERFIELD, L.	8801260053	50-373									

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR
COLLINS,D.M.	8801270127	50-280 H	COUNCIL,W.G.	8801110227	50-445 S	COUNCIL,W.G.
COLLINS,D.M.	8801270167	50-368 H	COUNCIL,W.G.	8801110229	50-445 S	COUNCIL,W.G.
COLLINS,J.T.	8801260444	40-8027	COUNCIL,W.G.	8801110231	50-445 S	COUNCIL,W.G.
COLLINS,J.T.	8801260171*	FOIA	COUNCIL,W.G.	8801110236	50-445 S	COUNTS,M.
COLVIN,J.F.	8801290299*	REVIEW GN P	COUNCIL,W.G.	8801110269	50-445 S	COWARD,G.
COMBS,F.	8507240195*	50-327 P	COUNCIL,W.G.	8801110288	50-445 S	COWARD,G.
COMBS,F.	8801260378*	FOIA	COUNCIL,W.G.	8801110293	50-445 S	COWARD,G.A.
COMBS,F.	8801260470*	FOIA	COUNCIL,W.G.	8801120201	50-445 S	COWGILL,C.
COMBS,F.	8801260481*	50-382 U	COUNCIL,W.G.	8801120208	50-446 S	COWGILL,C.J.
COMBS,F.	8801260491*	50-416 U	COUNCIL,W.G.	8801120218	50-445 S	COWGILL,C.J.
CONGEL,F.J.	8711110014*	FOIA	COUNCIL,W.G.	8801120221	50-445 S	COWGILL,C.J.
CONGEL,F.J.	8712030207*	50-443 F	COUNCIL,W.G.	8801120324	50-445 S	COWLES,R.B.
CONGEL,F.J.	8801140097*	FOIA	COUNCIL,W.G.	8801120329	50-445 S	COWLES,R.B.
CONKLIN,C.	8801050441*	50-443 Q	COUNCIL,W.G.	8801120360	50-445 S	COWLES,R.B.
CONKLIN,C.	8801130292*	50-271 Q	COUNCIL,W.G.	8801120409	50-445 S	COX,T.
CONKLIN,C.	8801140061*	50-283 Q	COUNCIL,W.G.	8801120432	50-445 S	CRANSTON,A.
CONLON,T.E.	8801110300*	50-425 Q	COUNCIL,W.G.	8801130124	50-445 S	CRAWFORD,J.D.
CONLON,T.E.	8801150317*	50-338 Q	COUNCIL,W.G.	8801130181	50-445 S	CRAWFORD,J.S.
CONLON,T.E.	8801200205*	50-302 Q	COUNCIL,W.G.	8801130186	50-445 S	CREED,J.R.
CONNELLY,S.R.	8801220124*	FOIA	COUNCIL,W.G.	8801130198	50-445 S	CREED,J.R.
CONNELLY,S.R.	8801260186*	FOIA	COUNCIL,W.G.	8801130240	50-445 S	CREED,J.R.
CONNELLY,S.R.	8801260227*	50-482 P	COUNCIL,W.G.	8801130307	50-445 S	CREED,J.R.
CONNER,L.	8801060029	FOIA	COUNCIL,W.G.	8801130311	50-445 S	CREWS,J.L.
CONNER,L.	8801060319	FOIA	COUNCIL,W.G.	8801130316	50-445 S	CREWS,J.L.
CONNOR,L.	8801070167	50-445 A	COUNCIL,W.G.	8801130323	50-445 S	CROCKER,L.P.
CONNOR,L.	8801110447	FOIA	COUNCIL,W.G.	8801130326	50-445 S	CROCKER,L.P.
CONNOR,L.	8801110468	FOIA	COUNCIL,W.G.	8801130330	50-445 S	CROCKER,L.P.
CONNOR,L.	8801140104	FOIA	COUNCIL,W.G.	8801140128	50-445 S	CROLEY,B.G.
CONNOR,L.	8801140278	FOIA	COUNCIL,W.G.	8801190181	50-445 S	CROLEY,B.G.
CONNOR,L.	8801140316	FOIA	COUNCIL,W.G.	8801190206	50-445 S	CROLEY,B.G.
CONNOR,L.	8801140394	FOIA	COUNCIL,W.G.	8801190220	50-445 S	CROSS,J.A.
CONNOR,L.	8801200017	FOIA	COUNCIL,W.G.	8801200026	50-445 S	CROSS,J.A.
CONNOR,L.	8801210216	FOIA	COUNCIL,W.G.	8801200032	50-445 S	CRUTCHFIELD,D.
CONNOR,L.	8801260266	FOIA	COUNCIL,W.G.	8801200147	50-445 S	CRUTCHFIELD,D.
CONNOR,L.	8801260267	FOIA	COUNCIL,W.G.	8801200186	50-445 S	CRUTCHFIELD,D.
CONNOR,L.	8801260302	FOIA	COUNCIL,W.G.	8801200241	50-445 S	CRUTCHFIELD,D.
CONNOR,L.	8801260353	FOIA	COUNCIL,W.G.	8801200248	50-445 S	CRUTCHFIELD,D.
CONNOR,L.	8801260528	FOIA	COUNCIL,W.G.	8801200274	50-445 S	CRUTCHFIELD,D.
CONNOR,L.	8801270056	FOIA	COUNCIL,W.G.	8801200294	50-445 Q	CULLEN,J.F.
CONNOR,L.	8801270069	FOIA	COUNCIL,W.G.	8801200306	50-445 K	CUMMING,W.R.
CONRAD,H.F.	8801180031*	50-443 G	COUNCIL,W.G.	8801200311	50-445 S	CUMMING,W.R.
CONSTABLE,G.L.	8712230275*	50-498 Q	COUNCIL,W.G.	8801200324	50-445 S	CUMMINS,J.E.
CONSTABLE,G.L.	8712300048	50-498 Q	COUNCIL,W.G.	8801200344	50-445 A	CUNNINGHAM,R.E.
CONVERSE,R.	8801140111	50-333 S	COUNCIL,W.G.	8801200351	50-445 S	CURRAN,D.
CONVERSE,R.J.	8801070474	50-333 R	COUNCIL,W.G.	8801200356	50-445 S	CYRULEWSKI,J.D.
CONVERSE,R.J.	8801120209	50-333 R	COUNCIL,W.G.	8801200357	50-445 S	CYRULEWSKI,J.D.
CONVERSE,R.J.	8801120288	50-333 S	COUNCIL,W.G.	8801200382	50-445 S	CYRULEWSKI,J.D.
CONVERSE,R.J.	8801140319	50-333 R	COUNCIL,W.G.	8801200373	50-445 S	CYRULEWSKI,J.D.
CONVERSE,R.J.	8801200289	50-333 S	COUNCIL,W.G.	8801200410	50-445 A	LAFT,C.T.
CONVERSE,R.J.	8801200290	50-333 S	COUNCIL,W.G.	8801200414	50-445 S	DAMPF,J.O.
CONVERSE,R.J.	8801200381	50-333 Q	COUNCIL,W.G.	8801200421	50-445 S	DANCE,H.C.
COOK,J.	8801140319	50-333 R	COUNCIL,W.G.	8801200428	50-445 S	DANCE,H.C.
COOK,K.W.	8801040005	50-382 Q	COUNCIL,W.G.	8801200455	50-445 S	DANIELSON,D.H.
COOK,K.W.	8801040006	50-382 Q	COUNCIL,W.G.	8801200456	50-445 Q	DANIELSON,D.H.
COOK,K.W.	8801040022	50-382 P	COUNCIL,W.G.	8801200468	50-445 S	DANIELSON,D.H.
COOK,K.W.	8801040049	50-382 F	COUNCIL,W.G.	8801210012	50-445 S	DANIELSON,D.H.
COOK,K.W.	8801050303	50-382 P	COUNCIL,W.G.	8801210013	50-445 S	DAVERIO,C.A.
COOK,K.W.	8801070422	50-382 P	COUNCIL,W.G.	8801210015	50-445 S	DAVIDSON,B.S.
COOK,T.L.	8712040169*	50-296 P	COUNCIL,W.G.	8801210019	50-445 S	DAVIS,A.B.
COOK,T.L.	8712040169*	50-296 P	COUNCIL,W.G.	8801210058	50-445 S	DAVIS,A.B.
COOK,T.L.	8801190349*	50-458 P	COUNCIL,W.G.	8801210089	50-445 S	DAVIS,A.B.
COOK,T.L.	8801190349*	50-458 P	COUNCIL,W.G.	8801210108	50-445 Q	DAVIS,A.B.
COOK,W.	8801060380	50-410 S	COUNCIL,W.G.	8801210109	50-445 Q	DAVIS,A.B.
COOK,W.	8801260486	50-220 S	COUNCIL,W.G.	8801210135	50-445 K	DAVIS,A.B.
COOK,W.	8801270073	50-410 S	COUNCIL,W.G.	8801210139	50-445 S	DAVIS,A.B.
COOK,W.	8801270246	50-220 S	COUNCIL,W.G.	8801210144	50-445 S	DAVIS,A.B.
COOPER,T.A.	8801070077*	50-315 Q	COUNCIL,W.G.	8801210180	50-445 Q	DAVIS,A.B.
CORRADINI,M.L.	8801270480	ACRS	COUNCIL,W.G.	8801210181	50-445 S	DAVIS,D.
CORREIA,R.P.	8801070077*	50-315 Q	COUNCIL,W.G.	8801250395	50-445 S	DAVIS,K.
COSTELLO,F.	8801130011	1&E	COUNCIL,W.G.	8801250418	50-445 S	DAVIS,P.
COTTER,B.P.	8801060111	50-322 G	COUNCIL,W.G.	8801250506	50-445 S	DAVISON,W.S.
COUNCIL,W.G.	8712290130	50-445 S	COUNCIL,W.G.	8801250533	50-445 S	DAVISON,W.S.
COUNCIL,W.G.	8712290137	50-445 S	COUNCIL,W.G.	8801250583	50-445 S	DAWSON,M.
COUNCIL,W.G.	8712290144	50-446 S	COUNCIL,W.G.	8801260098	50-445 S	DE AGAZIO,A.W.
COUNCIL,W.G.	8712290145	50-445 S	COUNCIL,W.G.	8801260119	50-445 F	DE AGAZIO,A.W.
COUNCIL,W.G.	8712310206	50-445 S	COUNCIL,W.G.	8801260137	50-445 S	DE AGAZIO,A.W.
COUNCIL,W.G.	8801040448	50-445 S	COUNCIL,W.G.	8801260185	50-445 S	DE AGAZIO,A.W.
COUNCIL,W.G.	8801040458	50-445 S	COUNCIL,W.G.	8801260305	50-445 S	DE AGAZIO,A.W.
COUNCIL,W.G.	8801040463	50-445 S	COUNCIL,W.G.	8801260373	50-445 S	DE AGAZIO,A.W.
COUNCIL,W.G.	8801040581	50-445 Q	COUNCIL,W.G.	8801260392	50-445 S	DE AGAZIO,A.W.
COUNCIL,W.G.	8801050016	50-445 Q	COUNCIL,W.G.	8801260403	50-445 S	DEAN,G.B.
COUNCIL,W.G.	8801050063	50-445 Q	COUNCIL,W.G.	8801260425	50-445 S	DECKER,T.R.
COUNCIL,W.G.	8801050278	50-446 Q	COUNCIL,W.G.	8801260441	50-445 S	DECKER,T.R.
COUNCIL,W.G.	8801060065	50-445 Q	COUNCIL,W.G.	8801260467	50-445 S	DEDDENS,J.C.
COUNCIL,W.G.	8801060430	50-445 A	COUNCIL,W.G.	8801260478	50-445 S	DEDDENS,J.C.
COUNCIL,W.G.	8801070138	50-445 A	COUNCIL,W.G.	8801260479	50-445 S	DEDDENS,J.C.
COUNCIL,W.G.	8801070418	50-445 A	COUNCIL,W.G.	8801260487	50-445 S	DEELSNYDER,L.
COUNCIL,W.G.	8801070445	NUREG	COUNCIL,W.G.	8801260507	50-445 A	DEERINWATER

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DEERINWATER,J.	8801280443	40-8027	DIRCKS,W.J.	8410120121*	FOIA	EENIGENBURG,E.	8801060132	50-249 S
DEFAYETTE,R.	8801110272*	50-282 Q	DIRCKS,W.J.	8801130411*	50-275 Q	EENIGENBURG,E.	8801060138	50-249 S
DEFAYETTE,R.	8801200069*	50-286 Q	DIRCKS,W.J.	8801200180*	50-299 P	EENIGENBURG,E.	8801070338	50-249 S
DEL PERCIO,J.	8712290021	50-247 S	DIRCKS,W.J.	8801210247*	FOIA	EENIGENBURG,E.	8801200358	50-237 S
DEL PERCIO,J.	8712310046	50-247 S	DIRCKS,W.J.	8801290147*	FOIA	ELDOST,A.E.	8801290007*	50-327 S
DEL PERCIO,J.G.	8801160252	50-247 S	DIRCKS,W.J.	8801290155*	FOIA	ELIN,J.O.	8801110424*	50-89 V
DEL PERCIO,J.	8801120251	50-247 S	DIRCKS,W.J.	8801290174*	FOIA	ELIN,J.O.	8801120418*	50-206 V
DELA,Y.	8801080004*	50-498 P	DODA,R.J.	8801110210	I&E	ELLERSHAW,L.E.	8801040267*	50-445 Q
DELL,C.J.	8801040569	50-320 S	DODA,R.J.	8801250587	I&E	ELLIS,D.W.	8712290074	50-293 S
DELLA RATTA,A.	8712310017*	50-387 Q	DODDS,B.	8801270338*	50-275 P	ELLIS,D.W.	8801200319	50-293 S
DELMEDICO,J.	8801270830*	FOIA	DONOHEW,J.N.	8801260277*	50-327 P	ELUS,D.W.	8801250288	50-293 S
DELMEDICO,J.	8801200252*	FOIA	DORSEY,M.	8801060478	CONTRACT	ELUS,J.	8801200255	50-445 G
DEMARCO,D.	8801120173*	FOIA	DORSEY,M.	8801140184	50-29 P	ELMS,A.L.	8801140330	50-423 R
DEMARCO,D.	8801220321	CONTRACT	DORSEY,M.	8801140412	CONTRACT	ELWARD,T.W.	8801120391	50-155 R
DEMERCHANT,B.	8801060273	50-219 S	DORSEY,M.	8801220122	CONTRACT	ELY,P.	8801260460	71-9183
DENDER,W.M.	8801200390*	50-267 F	DORSEY,M.	8801280144	CONTRACT	EMERSON,M.	8801260184*	FOIA
DENISE,R.P.	8801280107*	50-354 P	DORSEY,M.	8801280189	CONTRACT	EMERSON,M.	8801260268*	50-482 P
DENSON,R.H.	8801070150	NUREG	DOVE,F.H.	8801070447*	WASTE MGT	ENGEL,D.G.	8801210217	FOIA
DENTON,H.R.	8511190205*	FOIA	DOW,K.W.	8801080337*	50-443 G	ENGEN,M.	8801200586	50-456 S
DENTON,H.R.	8801240367*	50-395 P	DOYLE,J.	8801120067	50-456 S	ENNIS,J.D.	8801120179*	50-348 Q
DENTON,H.R.	8801310180*	50-10 V	DRAGOUN,T.F.	8712290317*	50-293 Q	ENOS,J.T.	8801110341	50-313 F
DENTON,H.R.	8801280252*	50-259 R	DRASKILL,D.D.	8801260209*	FOIA	ENOS,J.T.	8801120040	50-313 R
DENTON,H.R.	8803050398*	FOIA	DROMERICK,A.W.	8801260520	50-219 P	ENOS,J.T.	8801140333	50-388 R
DENTON,H.R.	8804150620*	50-10 V	DROMERICK,A.W.	8801280118	50-219 P	ENOS,J.T.	8801220458	50-313 F
DENTON,H.R.	8806100175*	50-250 V	DROUIN,B.	8712310036*	50-481 Q	ENOS,J.T.	8801220471	50-313 P
DEV,M.	8801130275*	50-289 Q	DRUGA,R.J.	8801060114	50-334 R	ENOS,J.T.	8801260051	50-313 Q
DEWEASE,J.G.	8801060133	50-382 F	DRUMMOND,F.J.	8801040000*	50-382 Q	EPSTEIN,K.C.	8801260268*	FOIA
DEWEASE,J.G.	8801070209	50-382 P	DRUMMOND,F.J.	8801040009	50-382 Q	EPSTEIN,S.S.	8801270186	TOPREP
DEWEASE,J.G.	8801070434	50-382 P	DUDLEY,N.	8801200382*	50-244 Q	ERICKSON,J.	8801110079	40-289
DEWEASE,J.G.	8801200160	50-382 P	DUGSTAD,D.	8801160266	50-282 R	ERICKSON,P.B.	8801130335	50-409 P
DEYOUNG,R.C.	8203120370*	FOIA	DUKAKIS,M.S.	8801130408*	50-293 F	ERVIN,A.M.	8712290060	50-354 S
DEYOUNG,R.C.	8801280182*	FOIA	DUNDAS,W.J.	8801280200	50-268 J	ERVIN,A.M.	8801120048	50-354 S
DHILLON,H.S.	8801220054*	CONTRACT	DUNN,G.A.	8712310234	50-440 S	ERVIN,A.M.	8801180083	50-354 S
DICK,G.F.	8801110033	50-368 P	DUNN,G.A.	8801200368	50-440 R	ERVIN,A.M.	8801180089	50-354 S
DICK,G.F.	8801110038*	50-368 P	DUNN,G.A.	8801260188	50-440 S	ESCHEL,C.	8801270570	50-397 P
DICK,G.F.	8801200184	50-313 P	DUNN,G.A.	8801280230	50-440 S	ESKRIDGE,H.E.	8801040111	70-38
DICK,G.F.	8801200208*	50-313 P	DUPONT,E.J.	8801270045*	50-287 P	ESPOSITO,J.N.	8801060351*	50-443 G
DICK,G.F.	8801200264	50-368 P	DUPREE,D.C.	8801260059	50-327 R	ESPOSITO,J.N.	8801080364*	50-443 G
DICK,G.F.	8801200283*	50-368 P	DURY,J.	8801060509*	50-412 Q	EURY,L.W.	8801060116	50-400 P
DICUS,G.J.	8801270221	50-313 F	DYER,J.E.	8801260886*	50-312 Q	EURY,L.W.	8801110533	50-400 P
DIEDERICH,G.J.	8801120157	50-372 R	EARL,C.J.	8801200239*	50-443 T	EURY,L.W.	8801260807	50-261 P
DIEDERICH,G.J.	8801120350	50-373 S	EARNEST,A.B.	8712310177*	50-498 Q	EVANS,M.	8801060529*	50-293 Q
DIEDERICH,G.J.	8801190128	50-373 S	EARNEST,A.B.	8712310181*	50-498 Q	EVERETT,R.J.	8712310859*	40-8027
DIEDERICH,G.J.	8801200314	50-373 S	EARNEST,A.B.	8801070130*	50-482 Q	EVERETT,W.G.	8801040033	71-9148
DIEDERICH,G.J.	8801270105	50-373 S	EARNEST,A.B.	8801130121*	50-287 Q	EVOLA,J.H.	8712220032	50-213 S
DIETZ,C.R.	8801040545	50-324 R	EARNEST,A.B.	8801130131*	50-313 Q	EYE,R.V.	8801250337*	50-482 H
DIETZ,C.R.	8801110185	50-324 F	EBENHACK,D.G.	8801070480	WASTE MGT	FALCONER,D.P.	8801210238*	50-348 P
DIETZ,C.R.	8801130105	50-324 F	EBNETER,S.D.	8801070187	50-327 P	FALEVITS,Z.	8801060104*	50-265 Q
DIETZ,C.R.	8801150299	50-324 F	EBNETER,S.D.	8801110368	50-327 Q	FALEVITS,Z.	8801220284*	50-464 Q
DIETZ,C.R.	8801190084	50-325 S	EBNETER,S.D.	8801180248	50-325 Q	FAMON,M.M.	8801110021*	CONTRACT
DIETZ,C.R.	8801200285	50-324 Q	EBNETER,S.D.	8801250281	50-327 Q	FARRELLE,E.	8801120325	50-395 J
DIETZ,C.R.	8801280322	50-324 S	EBNETER,S.D.	8801250419*	50-327 P	FARRELL,R.E.	8801200450*	50-287 Q
DIFFERENT,P.M.	8801120035	50-418 S	EBNETER,S.D.	8801280094	50-327 P	FAWCETT,D.	8801110237	50-354 F
DIFFERENT,P.M.	8801220175	50-416 S	EBRAHIMI,F.	8801270205	NUREG	FAY,C.W.	8712290043	50-301 S
DIGGS,R.M.	8801200176	50-327 P	ECCLESTON,K.T.	8801140044	50-261 P	FAY,C.W.	8712290045	50-260 S
DIGGS,R.M.	8801200271	50-338 F	ECCLESTON,K.T.	8801140084	50-281 P	FAY,C.W.	8801040426	50-268 P
DIGGS,R.M.	8801200292	50-456 F	ECCLESTON,K.T.	8801190131	50-281 P	FAY,C.W.	8801070469	50-268 P
DIGGS,R.M.	8801200330	50-313 F	ECCLESTON,K.T.	8801180230	50-261 P	FAY,C.W.	8801110280	50-268 P
DIGGS,R.M.	8801200333	50-443 P	ECONOMOS,N.	8801200304*	50-338 Q	FAY,C.W.	8801120337	50-268 P
DIGGS,R.M.	8801210083	50-322 Q	ECONOMOS,N.	8801110345*	50-289 Q	FAY,C.W.	8801120381	50-268 P
DIGGS,R.M.	8801270196	50-293 P	EDGAR,G.L.	8801040085	50-445 G	FAY,C.W.	8801140340	50-288 R
DIGGS,R.M.	8801270573	50-423 P	EDGAR,G.L.	8801040085	50-445 G	FAY,C.W.	8801190294	50-268 Q
DIGGS,R.M.	8801280821	TOPREP	EDGAR,G.L.	8801060063	50-446 G	FAY,C.W.	8801190297	50-301 P
DIGGS,R.M.	8801290089	TOPREP	EDGAR,G.L.	8801060063	50-445 G	FAY,C.W.	8801200043	50-268 Q
DIGGS,R.M.	8801290355	50-498 P	EDGAR,G.L.	8801060289	50-445 G	FAY,C.W.	8801260489	50-268 P
DIGNAN,T.G.	8801060291	50-443 G	EDGAR,G.L.	8801060289	50-445 G	FAY,C.W.	8801280128	50-268 S
DIGNAN,T.G.	8801060305*	50-443 G	EDGAR,G.L.	8801130015	50-445 G	FECHT,K.R.	8801070468*	WASTE MGT
DIGNAN,T.G.	8801060305*	50-443 G	EDGAR,G.L.	8801130015	50-445 G	FEIGENBAUM,J.C.	8801200340	50-443 G
DIGNAN,T.G.	8801130052	50-443 G	EDGAR,G.L.	8801150062	50-445 G	FEITIS,M.	8801120376*	CONTRACT
DIGNAN,T.G.	8801200247	50-443 G	EDGAR,G.L.	8801150062	50-445 G	FELTHOUS,R.A.	8801120000	50-171 P
DIGNAN,T.G.	8801200247	50-443 G	EDGAR,G.L.	8801190020	50-445 G	FENN,K.W.	8801060218	50-327 S
DIGNAN,T.G.	8801200270	50-443 G	EDGAR,G.L.	8801190020	50-445 G	FENN,K.W.	8801280192	50-327 S
DIGNAN,T.G.	8801200270	50-443 G	EDGAR,G.L.	8801210149	50-445 G	FERGUSON,R.B.	8801200338	50-276 H
DIGNAN,T.G.	8801200305	50-443 G	EDGAR,G.L.	8801210149	50-445 G	FERGUSON,R.L.	8801280101	50-423 G
DIGNAN,T.G.	8801200317	50-443 G	EDGAR,G.L.	8801250301	50-445 G	FERSTER,A.	8801040066	50-443 G
DIGNAN,T.G.	8801270322	50-443 G	EDGAR,G.L.	8801250301	50-445 G	FERSTER,A.	8801040066	50-443 G
DIGNAN,T.G.	8801270322	50-443 G	EDGAR,G.L.	8801250316	50-445 G	FERSTER,A.	8801130042	50-443 G
DIGNAN,T.G.	8801270328	50-443 G	EDGAR,G.L.	8801250316	50-445 G	FERSTER,A.	8801130042	50-443 G
DIGNAN,T.G.	8801270328	50-443 G	EDGAR,G.L.	8801270330	50-445 G	FERSTER,A.	8801200220	50-443 G
DIGNAN,T.G.	8801270380	50-443 G	EDGAR,G.L.	8801270330	50-445 G	FERSTER,A.	8801200220	50-443 G
DIGNAN,T.G.	8801270380	50-443 G	EDGEWORTH,P.	8801260336	CONTRACT	FERSTER,A.	8801200235*	50-443 G
DIANNI,D.C.	8801070389	50-263 P	EDGEWORTH,P.J.	8801050265*	CONTRACT	FERSTER,A.	8801200235*	50-443 G
DIANNI,D.C.	8801190231	50-263 P	EDGEWORTH,P.J.	8801250458	CONTRACT	FERSTER,A.	8801200287	50-443 G
DIANNI,D.C.	8801260056	50-263 P	EDISON,G.E.	8801250641	50-250 P	FERSTER,A.	8801270305	50-443 G
DILLON,P.	8801210193*	50-286 P	EDISON,G.E.	8801290152	50-289 P	FERSTER,A.	8801270305	50-443 G
DILWORTH,S.C.	8801260351	50-424 R	EDWARDS,D.W.	8801040469	PR	FERSTER,A.	8801270311*	50-443 G
DINGAN,T.G.	8801130052	50-443 G	EENIGENBURG,E.	8712290080	50-249 S	FERSTER,A.	8801270311*	50-443 G
DINGELL,J.D.	8706040264*	50-327 U	EENIGENBURG,E.	8712300025	50-237 S	FERSTER,A.	8801270321*	50-443 G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR		
FERSTER,A.	8801270321*	50-443	G	GAGLIARDO,J.E.	8801210371*	50-285	P	GRACE,J.N.
FEY,F.L.	88011110186	50-282	F	GALANTO,J.	8801070216	50-210	S	GRACE,J.N.
FIEDLER,P.B.	8801040493	50-219	R	GALANTO,J.	8801270140	50-219	S	GRACE,J.N.
FIEDLER,P.B.	8801060273	50-219	S	GALEMBUSH,J.S.	8801150310*	50-498	P	GRACE,J.N.
FIEDLER,P.B.	8801070216	50-219	S	GALEMBUSH,J.S.	8801150316*	50-498	P	GRACE,J.N.
FIEDLER,P.B.	8801100198*	50-219	V	GALLAGHER,J.W.	8801050041	50-277	P	GRACE,J.N.
FIEDLER,P.B.	8801200024	50-219	S	GALLAGHER,J.W.	8801150044	50-277	F	GRACE,J.N.
FIEDLER,P.B.	8801200109	50-219	R	GALLAGHER,J.W.	8801200384	50-277	O	GRACE,J.N.
FIEDLER,P.B.	8801200126	50-219	R	GALLAGHER,J.W.	8801210154	50-277	Q	GRACE,J.N.
FIEDLER,P.B.	8801260253	50-219	R	GALLAGHER,J.W.	8801260168	50-277	P	GRACE,J.N.
FIEDLER,P.B.	8801270140	50-219	S	GALLAGHER,J.W.	8801270053	50-277	F	GRACE,J.N.
FIEDLER,P.B.	8801280106	50-219	R	GALLAGHER,J.W.	8801280417	50-277	F	GRACE,J.N.
FIEDLER,P.B.	8801280384	50-219	P	GALLO,R.M.	8712290374	50-272	O	GRACE,J.N.
FIELDS,J.A.	8801290324	CONTRACT		GALLO,R.M.	8712310000	50-277	V	GRACE,S.
FIEQ,D.	8801120363	TOPREP		GALLO,R.M.	8801120246	50-219	V	GRACE,S.R.
FILLION,P.J.	8801110300*	50-425	Q	GALLO,R.M.	8801150137	50-334	Q	GRACE,S.R.
FILLION,P.J.	8801200205*	50-302	Q	GAMBLE,R.L.	8801200250*	50-341	Q	GRACE,S.R.
FILLMORE,R.M.	8801200230	50-445	G	GAMBLE,R.L.	8801200257*	50-341	Q	GRAHAM,M.J.
FILLMORE,R.M.	8801200230	50-445	G	GAMBLE,R.L.	8801200261*	50-341	Q	GRAHAM,M.J.
FILLMORE,R.M.	8801200288	50-445	G	GAMBLE,R.L.	8801200266*	50-341	Q	GRAHAM,M.J.
FILLMORE,R.M.	8801200286	50-445	G	GAMMON,S.	8801140174*	50-28	P	GRAMLING,J.M.
FINKEL,A.	880120301*	50-423	Q	GANNON,W.C.	8801200481	40-6840		GRAMM,P.
FINKEL,A.	8801130277*	50-272	Q	GARCIA,J.	8801110515	WASTE MGT		GRANT,E.R.
FIORELLI,G.	8801110387*	50-528	Q	GARCIA,P.J.	8801140370*	40-8907		GRANT,E.R.
FIRLIT,J.F.	8801070045	50-312	S	GARDNER,R.N.	8712310007*	50-237	Q	GRANT,E.R.
FIRLIT,J.F.	8801110529	50-312	Q	GARDNER,R.N.	8801120280*	50-341	Q	GRANT,E.R.
FIRLIT,J.F.	88011130238	50-312	P	GARDNER,R.N.	8801140016*	50-295	Q	GRANT,N.W.
FIRLIT,J.F.	8801130377	50-312	P	GARDNER,R.N.	8801220264*	50-454	Q	GRANT,N.W.
FIRLIT,J.F.	8801130398	50-312	P	GARNER,L.W.	8801120003*	50-324	Q	GRANT,N.W.
FIRLIT,J.F.	8801140032	50-312	P	GARRISON,D.L.	8712230275*	50-488	Q	GRANT,N.W.
FIRLIT,J.F.	8801210081	50-312	P	GASPER,J.K.	8801060261	TOPREP		GRANT,S.C.
FIRLIT,J.F.	8801210279	50-312	P	GATES,W.G.	8801190112	50-265	R	GRANT,W.B.
FIRLIT,J.F.	8801220540	50-312	P	GEARS,G.E.	8801140132	50-259	F	GRAVES,D.N.
FIRLIT,J.F.	8801270411	50-312	P	GEISMAR,B.	8304080305*	50-206	H	GREEN,W.C.
FIRLIT,J.F.	8801280017	50-312	S	GEISMAR,B.	8801250427*	50-206	H	GREEN,W.C.
FISH,R.	8712310236*	50-312	Q	GEISMAR,B.	8801250436*	50-206	H	GREENE,K.L.
FISH,R.	8801060091*	50-312	Q	GEISMAR,B.	8801260440*	50-206	H	GREENMAN,E.
FISH,R.F.	8801200050	50-312	F	GEISMAR,B.	8801250468*	50-206	H	GREGER,L.R.
FISH,R.F.	8801260230	50-206	F	GEORGIEV,G.B.	8801270170*	50-259	Q	GREGER,L.R.
FISHER,B.O.	8801070407	40-6688		GERBER,G.H.	8801260462	50-440	F	GREGER,L.R.
FISHER,W.L.	8712310057	40-8027		GIARDINA,R.J.	8801040307	50-445	A	GREGER,L.R.
FISHER,W.L.	8801110315*	50-382	Q	GIBBS,D.C.	8801070516*	WASTE MGT		GREGER,L.R.
FISHER,W.L.	8801130018	I&E		GIBBS,D.C.	8801070533*	WASTE MGT		GREGOR,CIOFFI
FITZPATRICK,E.	8801050398	50-466	S	GIBSON,A.F.	8812080030	50-171	P	GRIDLEY,R.
FITZPATRICK,E.	8801120067	50-466	S	GIBSON,A.F.	8801220136*	50-10	V	GRIDLEY,R.
FITZPATRICK,E.	8801190109	50-466	R	GIBSON,J.	8801140349	50-336	R	GRIDLEY,R.
FITZPATRICK,E.	8801220568	50-466	S	GIBSON,J.C.	8801200310	50-275	H	GRIDLEY,R.
FITZPATRICK,R.	8801070031	NUREG		GILBERT,L.D.	8801200121*	50-498	O	GRIDLEY,R.
FLACK,E.	8801220308	50-180	Q	GILL,C.F.	8801120388*	50-265	Q	GRIDLEY,R.
FLACK,E.	8801220415	50-285	Q	GILMAN,B.A.	8801260055*	50-247	U	GRIDLEY,R.
FLECKENSTEIN,M.	8801060330	ORG		GIURGEVICH,B.	8801110069	40-8783		GRIDLEY,R.
FLOWERS,F.D.	8801140279	XPORTLIC		GLEASON,J.P.	8801040074	50-322	G	GRIDLEY,R.
FLOWERS,F.D.	8801140291*	XPORTLIC		GLEASON,J.P.	8801060113	50-322	G	GRIDLEY,R.
FLYNN,H.J.	8801270344	50-443	G	GLEASON,J.P.	8801130030	50-322	G	GRIDLEY,R.
FOGARTY,K.P.	8801140297	XPORTLIC		GLEASON,J.P.	8801130050	50-322	G	GRIDLEY,R.
FOGARTY,K.P.	8801140307*	XPORTLIC		GLENN	8801130054	I&E		GRIDLEY,R.
FOLEY,K.	8801070409*	CONTRACT		GLENN,J.	8801080007	WASTE MGT		GRIDLEY,R.
FORD,W.	8801070505	WASTE MGT		GLENN,J.	8801280647*	COMMISSION		GRIDLEY,R.
FORD,W.L.	8801040082	50-253	F	GUDEWELL,R.	8801210193*	50-286	P	GRIDLEY,R.
FORNEY,W.L.	8712290361	50-440	Q	GOBELL,J.N.	880120040	50-313	R	GRIDLEY,R.
FORNEY,W.L.	8712290361*	50-440	Q	GOLCHERT,N.W.	8801070345*	FOIA		GRIDLEY,R.
FORNEY,W.L.	8801110425	50-483	O	GOLDBERG,J.	8801060170	PR		GRIDLEY,R.
FORNEY,W.L.	8801190194	50-454	O	GOLDBERG,J.H.	8801050628	50-498	Q	GRIDLEY,R.
FOSTER,J.	8712310025*	50-155	Q	GOLDBERG,J.H.	8801140023	50-499	Q	GRIDLEY,R.
FOSTER,J.E.	8801120317*	50-2	Q	GOLDBERG,J.H.	8801200401	50-499	O	GRIDLEY,R.
FOX,J.H.	8801050221*	50-280	Q	GOLDBERG,J.H.	8801200412	50-498	Q	GRIDLEY,R.
FRANCESCHI,P.	8801140070	50-247	S	GOLDEN,M.P.	8801070437	50-220	J	GRIDLEY,R.
FRANTZ,S.P.	8801060899	50-250	G	GOLIAN,C.	8801110206	NUREG		GRIDLEY,R.
FRANTZ,S.P.	8801060099	50-250	G	GONZALES,R.O.	8801070137*	40-8828		GRIDLEY,R.
FRASIER,L.	8801200076	50-341	F	GOOD,G.M.	8801060091*	50-312	Q	GRIDLEY,R.
FRAZIER,V.E.	8801150219	50-261	R	GOODMAN,C.	8801200463*	50-271	V	GRIDLEY,R.
FRECHETTE,P.R.	8801130910	50-443	T	GORDON,A.W.	8801070230	50-259	S	GRIDLEY,R.
FREDRICKSON,P.	8801110400	50-324	S	GORDON,A.W.	8801120269	50-268	S	GRIDLEY,R.
FREDRICKSON,P.	8801120003*	50-324	Q	GORDON,C.	8801150146*	50-277	Q	GRIDLEY,R.
FREEMAN,G.W.	8801280048	FOIA		GORDON,C.Z.	8801120349	50-317	Q	GRIDLEY,R.
FREEMAN,M.D.	8801070313	40-8788		GORE,B.F.	8801060431	NUREG		GRIDLEY,R.
FRISCH,R.R.	8801060026	50-155	F	GRABER,L.	8801070208	50-275	P	GRIDLEY,R.
FRISCH,R.R.	8801130068	50-156	J	GRACE,J.N.	8801040096	50-302	P	GRIDLEY,R.
FROUNFELKER,R.	8801260516	50-255	J	GRACE,J.N.	8801040207	50-395	Q	GRIDLEY,R.
FROUNFELKER,R.	8801270034	50-255	J	GRACE,J.N.	8801110275	50-250	Q	GRIDLEY,R.
FROUNFELKER,R.	8801270458	50-155	J	GRACE,J.N.	8801110290	50-366	P	GRIDLEY,R.
FRYE,J.H.	8801130136	40-2061	F	GRACE,J.N.	8801110540	ORG		GRIDLEY,R.L.
FUGERE,D.L.	8801110201	50-255	F	GRACE,J.N.	8801120005	50-280	Q	GRIDLEY,R.L.
FULLER,G.H.	8801060018	WASTE RES		GRACE,J.N.	8801120007*	50-280	Q	GRIDLEY,R.L.
FULLER,G.H.	8801110192	WASTE RES		GRACE,J.N.	8801120034	50-269	Q	GRIDLEY,R.L.
FUNK,D.E.	8801060053*	50-315	Q	GRACE,J.N.	8801120143	50-338	Q	GRIDLEY,R.L.
FURIO,P.	8801270054	50-318	S	GRACE,J.N.	8801120153*	50-338	Q	GRIMES,B.K.
GADDIE,K.	8801040082	50-253	F	GRACE,J.N.	8801140352	50-289	Q	GRIMES,C.I.

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
GRIMES,C.I.	8801200361	50-445	A	GRIMSLEY,D.H.	8801260523	50-275	P	HALL,D.P.	8801260057	50-481	Q
GRIMES,C.I.	8801250558	50-445	A	GRIMSLEY,D.H.	8801270141	50-416	P	HALL,M.D.	8801070433*	WASTE MGT	
GRIMES,C.I.	8801270149	50-445	A	GRIMSLEY,D.H.	8801270176	50-275	P	HALL,M.D.	8801270008*	50-482	F
GRIMSLEY,D.	8712020006	50-320	P	GRIMSLEY,D.H.	8801280064	FOIA		HALLER,W.A.	8801280130	50-413	S
GRIMSLEY,D.	8801140172	50-445	O	GRIMSLEY,D.H.	8801280351	FOIA		HALLSTROM,G.A.	8801040119*	50-424	Q
GRIMSLEY,D.	8801260132	50-482	P	GRIMSLEY,D.H.	8801280431	FOIA		HALTIWANGER,J.	8801180130	50-395	R
GRIMSLEY,D.	8801260308	FOIA		GRIMSLEY,D.H.	8801280505	40-8027		HALVORSON,C.M.	8801120270	50-397	I
GRIMSLEY,D.	8801260316	FOIA		GRIMSLEY,D.H.	8801282595	FOIA		HAMILTON,P.	8801200367	60-293	P
GRIMSLEY,D.	8801260320	50-171	P	GRIMSLEY,D.H.	8801282638	FOIA		HAMILTON,P.J.	8712290071	60-293	S
GRIMSLEY,D.	8801260383	FOIA		GRIMSLEY,D.H.	8801290352	50-322	P	HAMILTON,P.J.	8801110488	50-293	S
GRIMSLEY,D.	8801260534	FOIA		GRIMSLEY,D.H.	8801290340	FOIA		HAMILTON,P.J.	8801220101	50-293	S
GRIMSLEY,D.H.	8712300086	FOIA		GRIMSLEY,D.H.	8801290389	FOIA		HAMMOND,J.G.	8801120427*	50-261	P
GRIMSLEY,D.H.	8801040528	50-397	P	GRISAK,G.E.	8801110102	40-8804		HAMRICK,J.S.	8801070401	40-8801	
GRIMSLEY,D.H.	8801050237	FOIA		GROPP,R.W.	8801220218	50-352	R	HANEK,J.F.	8801140077*	50-481	V
GRIMSLEY,D.H.	8801050283	50-293	P	GROTENHUIS,M.	8801140107	50-237	P	HANNEN,R.L.	8712310049	50-331	S
GRIMSLEY,D.H.	8801080269	50-293	F	GRUNSEICH,R.W.	8712310347*	50-322	S	HANNEN,R.L.	8801200350	50-331	R
GRIMSLEY,D.H.	8801080327	FOIA		GRUNSEICH,R.W.	8712310097*	50-322	S	HANNON,J.N.	8704050018*	50-269	P
GRIMSLEY,D.H.	8801080404	FOIA		GRUNSEICH,R.W.	8801270031	50-322	S	HARDGROVE,T.W.	8801110076	40-2259	
GRIMSLEY,D.H.	8801080442	FOIA		GUCWA,L.T.	8712300332	50-424	Q	HARDGROVE,T.W.	8801202353	40-2259	
GRIMSLEY,D.H.	8801080547	50-293	P	GUCWA,L.T.	8712310155	50-368	Q	HARDGROVE,T.W.	8801130244	40-2259	
GRIMSLEY,D.H.	8801070001	50-293	P	GUCWA,L.T.	8712310105	50-321	F	HARLIN,C.L.	8801130310*	60-269	F
GRIMSLEY,D.H.	8801070006	FOIA		GUCWA,L.T.	8801050009	50-321	P	HARLOW,D.S.	8801250318	50-322	G
GRIMSLEY,D.H.	8801070047	FOIA		GUCWA,L.T.	8801050081	50-321	P	HARPER,J.C.	8801250686*	50-312	Q
GRIMSLEY,D.H.	8801070171	50-445	A	GUCWA,L.T.	8801050275	50-424	P	HARRELL,E.W.	8801260212	50-339	S
GRIMSLEY,D.H.	8801070190	50-293	P	GUCWA,L.T.	8801050578	50-321	P	HARRELL,E.W.	8801260421	50-338	S
GRIMSLEY,D.H.	8801070285	50-275	P	GUCWA,L.T.	8801110441	50-424	F	HARRELL,E.W.	8801270032	60-339	S
GRIMSLEY,D.H.	8801080039	FOIA		GUCWA,L.T.	8801110479	50-321	P	HARRELL,E.W.	8801260177	50-338	S
GRIMSLEY,D.H.	8801110055	50-458	P	GUCWA,L.T.	8801120009	50-368	P	HARRIGAN,O.J.	8801220036*	CONTRACT	
GRIMSLEY,D.H.	8801110457	FOIA		GUCWA,L.T.	8801120021	50-424	O	HARRINGTON,W.D.	8801140397*	FOIA	
GRIMSLEY,D.H.	8801110475	FOIA		GUCWA,L.T.	8801120113	50-424	S	HARR,S.R.E.	8801130360*	60-269	F
GRIMSLEY,D.H.	8801110534	50-443	F	GUCWA,L.T.	8801120287	50-424	S	HARRISON,D.F.	8801140333	60-368	R
GRIMSLEY,D.H.	8801120042	FOIA		GUCWA,L.T.	8801120303	50-424	P	HARRISON,F.	8801040545	60-324	R
GRIMSLEY,D.H.	8801120045	50-293	P	GUCWA,L.T.	8801120318	50-368	P	HARRISON,J.J.	8712290312	50-456	Q
GRIMSLEY,D.H.	8801120075	50-458	P	GUCWA,L.T.	8801120431	60-424	F	HARRISON,J.J.	8712310605	50-237	Q
GRIMSLEY,D.H.	8801120092	FOIA		GUCWA,L.T.	8801130370	50-424	S	HARRISON,J.J.	8801110357	60-373	Q
GRIMSLEY,D.H.	8801120203	FOIA		GUCWA,L.T.	8801190081	50-424	S	HARRISON,J.J.	8801110396	50-457	Q
GRIMSLEY,D.H.	8801120300	FOIA		GUCWA,L.T.	8801193334	50-424	O	HARRISON,J.J.	8801120248	50-341	Q
GRIMSLEY,D.H.	8801130080	50-275	P	GUCWA,L.T.	8801200383	50-321	P	HARRISON,J.J.	8801120263*	50-341	Q
GRIMSLEY,D.H.	8801130358	FOIA		GUCWA,L.T.	8801210028	50-321	R	HARRISON,J.J.	8801110913	50-295	Q
GRIMSLEY,D.H.	8801130385	50-293	P	GUCWA,L.T.	8801210085	50-321	S	HARRISON,J.J.	8801140315*	50-295	Q
GRIMSLEY,D.H.	8801130402	FOIA		GUCWA,L.T.	8801250285	60-366	S	HARRISON,J.J.	8801200168	50-263	Q
GRIMSLEY,D.H.	8801130445	FOIA		GUCWA,L.T.	8801250282	60-368	S	HARRISON,J.J.	8801220244	60-454	Q
GRIMSLEY,D.H.	8801140058	50-445	T	GUCWA,L.T.	8801250350	60-424	S	HARRISON,J.J.	8801220260*	60-454	Q
GRIMSLEY,D.H.	8801140069	FOIA		GUCWA,L.T.	8801260351	60-424	R	HARRISON,J.J.	8801260335	50-456	Q
GRIMSLEY,D.H.	8801140084	50-320	P	GUCWA,L.T.	8801260358	60-424	P	HARRISON,J.J.	8801280248	50-165	Q
GRIMSLEY,D.H.	8801140118	FOIA		GUCWA,L.T.	8801260525	60-424	F	HART,R.D.	8801080069	WASTE RES	
GRIMSLEY,D.H.	8801140153	FOIA		GUCWA,L.T.	8801260548	50-321	P	HART,R.D.	8801260077	60-251	S
GRIMSLEY,D.H.	8801140282	50-293	P	GUCWA,L.T.	8801260550	60-321	F	HASSE,R.A.	8801060140*	50-440	Q
GRIMSLEY,D.H.	8801140285	FOIA		GUCWA,L.T.	8801270219	60-321	O	HAUGHEY,M.F.	8801140135	50-220	P
GRIMSLEY,D.H.	8801140309	FOIA		GUCWA,L.T.	8801270488	50-424	F	HAUGHEY,M.F.	8801180064	50-410	P
GRIMSLEY,D.H.	8801140327	FOIA		GUCWA,L.T.	8801290156	50-424	F	HAUGHEY,M.F.	8801260207	50-410	P
GRIMSLEY,D.H.	8801140398	FOIA		GUENTHER,S.	8801040185*	50-368	O	HAUGHEY,M.F.	8801260325	50-410	P
GRIMSLEY,D.H.	8801160076	50-445	Q	GUILLAUMIN,J.C.	8801200250*	50-341	Q	HAUGHEY,C.J.	8801110230*	50-302	Q
GRIMSLEY,D.H.	8801150225	60-446	A	GUILLAUMIN,J.C.	8801200257*	50-341	Q	HAUGHEY,C.J.	8801260688*	50-312	Q
GRIMSLEY,D.H.	8801190052	60-364	P	GUILLAUMIN,J.C.	8801200281*	50-341	Q	HAVERKAMP,D.R.	8801150199*	50-443	Q
GRIMSLEY,D.H.	8801190171	FOIA		GUILLAUMIN,J.C.	8801200286*	50-341	Q	HAVERKAMP,D.R.	8801190303*	50-271	Q
GRIMSLEY,D.H.	8801190190	40-8027		GUILLLOT,J.M.	8801040044*	50-382	P	HAWKINS,E.F.	8801060413	WASTE MGT	
GRIMSLEY,D.H.	8801190200	60-482	P	GUIMOND,R.J.	8801210042*	FOIA		HAWKINS,E.F.	8801060421*	WASTE MGT	
GRIMSLEY,D.H.	8801190280	50-424	P	GUOIR,D.C.	8801070368*	50-271	Q	HAWKINS,E.F.	8801060448	40-8884	
GRIMSLEY,D.H.	8801190274	FOIA		GULDEMOND,W.G.	8712310099	50-305	Q	HAWKINS,E.F.	8801060454	40-8502	
GRIMSLEY,D.H.	8801200021	FOIA		GULDEMOND,W.G.	8801080483	60-409	Q	HAWKINS,E.F.	8801060457	40-8907	
GRIMSLEY,D.H.	8801200055	FOIA		GULDEMOND,W.G.	8801110255	50-331	Q	HAWKINS,E.F.	8801080462	40-1341	
GRIMSLEY,D.H.	8801200084	60-327	P	GULDEMOND,W.G.	8801110267	50-202	Q	HAWKINS,E.F.	8801080470	40-6943	
GRIMSLEY,D.H.	8801200079	50-327	P	GULDEMOND,W.G.	8801110271*	50-282	Q	HAWKINS,E.F.	8801080502	40-6768	
GRIMSLEY,D.H.	8801200172	FOIA		GULDEMOND,W.G.	8801110430	50-263	Q	HAWKINS,E.F.	8801060503	40-8064	
GRIMSLEY,D.H.	8801200182	50-210	P	GULDEMOND,W.G.	8801110436*	50-263	Q	HAWKINS,E.F.	8801060507	WASTE MGT	
GRIMSLEY,D.H.	8801200231	50-10	P	GULDEMOND,W.G.	8801110520*	50-346	Q	HAWKINS,E.F.	8801060544*	40-6911	
GRIMSLEY,D.H.	8801200246	50-390	A	GULDEMOND,W.G.	8801200018	60-260	Q	HAWKINS,E.F.	8801070032*	40-8714	
GRIMSLEY,D.H.	8801210053	50-288	P	GULDEMOND,W.G.	8801200048	50-315	Q	HAWKINS,E.F.	8801070065	WASTE MGT	
GRIMSLEY,D.H.	8801210176	FOIA		GUJINSKI,R.G.	8801160263*	50-316	P	HAWKINS,E.F.	8801070061	40-6768	
GRIMSLEY,D.H.	8801210189	FOIA		GUPTA,S.K.	8801070447*	WASTE MGT		HAWKINS,E.F.	8801070062	40-6659	
GRIMSLEY,D.H.	8801210194	50-29	P	GUTHRIE,I.L.	8801180307*	50-498	P	HAWKINS,E.F.	8801070071*	40-6768	
GRIMSLEY,D.H.	8801210202	50-390	A	GUTHRIE,I.L.	8801183089*	50-498	P	HAWKINS,E.F.	8801070142*	40-8502	
GRIMSLEY,D.H.	8801210221	FOIA		HAAG,R.C.	8712300372*	50-482	Q	HAWKINS,E.F.	8801070186	WASTE MGT	
GRIMSLEY,D.H.	8801210223	FOIA		HAAG,R.C.	8801260077*	50-313	Q	HAWKINS,E.F.	8801070228	40-2259	
GRIMSLEY,D.H.	8801210230	FOIA		HAAG,R.C.	8801200121*	50-498	Q	HAWKINS,E.F.	8801070339	40-8502	
GRIMSLEY,D.H.	8801210231	FOIA		HAASS,W.P.	8801110285*	Q4899		HAWKINS,E.F.	8801070378	40-8904	
GRIMSLEY,D.H.	8801210234	FOIA		HACKNEY,C.A.	8801110315*	50-382	Q	HAWKINS,E.F.	8801070425	40-6659	
GRIMSLEY,D.H.	8801210316	FOIA		HAERER,H.A.	8801070438*	WASTE MGT		HAWKINS,E.F.	8801080079	40-6622	
GRIMSLEY,D.H.	8801220109	50-327	H	HAGAN,A.T.	8801130239*	CONTRACT		HAWKINS,E.F.	8801080081	40-8502	
GRIMSLEY,D.H.	8801220134	FOIA		HAGEY,H.	8801140302	CONTRACT		HAWKINS,E.F.	8801110146	40-8452	
GRIMSLEY,D.H.	8801260116	FOIA		HAGEY,H.	8801210161	FOIA		HAWKINS,F.C.	8801070077*	50-316	Q
GRIMSLEY,D.H.	8801280184	FOIA		HAGEY,H.	8801210251*	FOIA		HAYES,B.B.	8801140120*	FOIA	
GRIMSLEY,D.H.	8801280276	50-259	Q	HAGUE,R.L.	8801200069*	60-266	Q	HAYES,B.B.	8801200233*	50-289	Q
GRIMSLEY,D.H.	8801280298	FOIA		HALE,M.W.	8801190060	60-400	R	HAYES,B.B.	8801260177*	60-482	P
GRIMSLEY,D.H.	8801280389	FOIA		HALL,D.P.	8801120164	50-461	S	HAYES,B.B.	8801280675*	FOIA	
GRIMSLEY,D.H.	8801280458	FOIA		HALL,D.P.	8801150201	50-461	S	HAYNES,J.G.	8712300125	60-528	S
GRIMSLEY,D.H.	8801280463	FOIA		HALL,D.P.	8801190289	50-461	P	HAYNES,J.G.	8712300128	50-529	S

240 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR
HAYNES, J.G.	8801040584	50-529 S	HINTZ, D.C.	8801280147	50-305 S	IRWIN, D.P.
HAYNES, J.G.	8801110406	50-528 S	HIOIT, S.L.	8801040257	PR	IRWIN, D.P.
HAYNES, J.G.	8801120250	50-528 S	HIRT, J.A.	8801060145	50-387 S	IRWIN, D.P.
HAYNES, J.G.	8801130361	50-530 S	HIRT, J.A.	8801150185	50-387 R	IRWIN, D.P.
HAYNES, J.G.	8801140060	50-529 R	HOBBS, S.H.	8801150232	50-418 R	IRWIN, D.P.
HAYNES, J.G.	8801140122	50-528 S	HOBBS, M.A.	8712310180	50-155 F	IRWIN, D.P.
HAYNES, J.G.	8801180102	50-530 S	HOCH, J.B.	8801130232*	50-275 E	IRWIN, D.P.
HAYNES, J.G.	8801200133	50-528 R	HODGES, M.W.	8801270124	50-413 P	IRWIN, D.P.
HAYNES, J.G.	8801200134	50-528 S	HOELZER, D.T.	8801270208	NUREG	IRWIN, D.P.
HAYNES, J.G.	8801200167	50-530 S	HOGGE, A.J.	8801260172*	50-289 Q	ISOM, J.A.
HAYNES, R.C.	8801130417*	50-293 F	HOLAHAN, G.M.	8801190298	50-312 P	IVERSON, O.N.
HEARN, P.	8801270170*	50-259 Q	HOLAHAN, G.M.	8801250253*	50-341 P	IVEY, K.
HEIDER, L.H.	8801070189	50-29 P	HOLDER, A.L.	8801040021	50-382 S	JABBOUR, K.N.
HEIDER, L.H.	8801130284	50-29 P	HOLDERNESS, J.W.	8801080047	WASTE MGT	JABBOUR, K.N.
HEIDER, L.H.	8801140038	50-29 P	HOLDERNESS, J.W.	8801110500	WASTE MGT	JABLONSKI, F.J.
HEIDER, L.H.	8801150187	50-29 R	HOLLAND, W.E.	8801040198*	50-280 Q	JABLONSKI, F.J.
HEIDER, L.H.	8801200058	50-29 Q	HOLLER, E.	8801140081	50-298 Q	JABLONSKI, F.J.
HEIDER, L.H.	8801210121	50-29 P	HOLLER, E.	8801140124*	FOIA	JACKW, I.N.
HEIDER, L.H.	8801270025	50-29 Q	HOLLER, E.	8801270081	50-298 F	JACKW, I.N.
HEIDER, L.H.	8801270086	50-29 S	HOLLER, E.J.	8801140020*	50-298 Q	JACKW, I.N.
HEINE, W.F.	8801070436*	WASTE MGT	HOLLER, E.J.	8801140040	50-298 S	JACKSON, G.
HEINZ, J.	8801280132*	50-320 P	HOLLER, E.J.	8801280031*	50-458 Q	JACKSON, G.
HEITNER, K.L.	8401120175	50-336 P	HOLLEY, W.L.	8712310059*	40-8027	JACOBSON, J.M.
HEITNER, K.L.	8801070284	50-267 P	HOLLOWAY, C.J.	8801190233	PROJ	JAFFE, D.H.
HEITNER, K.L.	8801180119	50-267 P	HOLMAN, B.L.	8801060270	PR	JAFFE, D.H.
HEITNER, K.L.	8801200348	50-267 P	HOLTZMAN, R.B.	8801120200*	50-458 Q	JAFFE, D.H.
HEITNER, K.L.	8801210084	50-267 S	HOMSI, R.	8801070246*	40-2259	JAFFE, D.H.
HEITNER, K.L.	8801260028	50-267 V	HOMSI, R.	8801070253*	40-2259	JAFFE, D.H.
HEITNER, K.L.	8801260532	50-267 P	HOMSI, R.	8801110014*	40-6622	JAFFE, D.H.
HELLNER, R.L.	8801270045*	50-267 P	HOMSI, R.	8801110016*	40-6622	JAFFE, D.H.
HENRY, L.W.	8801060197	PR	HON, A.L.	8801110253*	50-208 Q	JAFFE, D.H.
HENSLEY, K.D.	8801040278	70-143	HOOD, D.	8801140306	50-389 P	JAFFE, D.H.
HENSLEY, K.D.	8801200420	70-143	HOOD, D.	8709010052*	50-289 V	JAFFE, D.H.
HENSLEY, K.D.	8801280311	70-143	HOOD, D.S.	8801140328*	50-389 P	JAFFE, D.H.
HERDT, A.R.	8801040106	50-288 Q	HOOKER, C.A.	8712310101*	50-275 Q	JAMISON, J.D.
HERDT, A.R.	8801040116	50-424 Q	HOOKER, C.A.	8801130024*	50-344 Q	JAMISON, J.D.
HERDT, A.R.	8801110296	50-425 Q	HOOKS, K.R.	8801070077*	50-315 Q	JAMISON, J.D.
HERDT, A.R.	8801110330	50-302 Q	HOOPES, J.	8801070451	WASTE MGT	JANECECK, D.L.
HERDT, A.R.	8801110337	50-269 Q	HOOPES, J.	8801070487	WASTE MGT	JANG, J.
HERDT, A.R.	8801110362	50-335 Q	HOPKINS, R.J.	8801080011	40-6822	JANG, J.
HERDT, A.R.	8801110379	50-261 Q	HORN, G.R.	8801120342	50-288 R	JANUSKA, A.
HERDT, A.R.	8801120017	50-385 Q	HOSEY, C.M.	8801190256*	70-143	JAPE, F.
HERDT, A.R.	8801150283	50-338 Q	HOUSE, W.B.	8801070220	27-47	JAUDON, J.P.
HERDT, A.R.	8801160307*	50-338 Q	HOUSTON, J.R.	8801070498*	CONTRACT	JAUDON, J.P.
HERDT, A.R.	8801180358	50-385 Q	HOUSTON, R.W.	8801290241*	FOIA	JENKINS, R.E.
HERDT, A.R.	8801200139	50-280 Q	HOWARD, J.E.	8801080322*	50-293 F	JENKINS, R.E.
HERDT, A.R.	8801200300	50-338 Q	HOWARD, J.E.	8801140397*	FOIA	JENKINS, R.E.
HERR, R.K.	8801140127*	FOIA	HOWARD, J.J.	8801280185*	COMMISSION	JENKINS, R.E.
HERR, R.K.	8801190059*	50-445 A	HOWE, A.G.	8712310011*	50-277 V	JENKINS, R.E.
HESS, R.J.	8801210128	50-344 S	HOWELL, A.T.	8801280686*	50-312 Q	JENKINS, R.E.
HESS, R.J.	8801220086*	50-344 S	HSI, Y.G.	8801270255	TOPREP	JENNINGS, G.C.
HEWARD, R.W.	8801050287	50-219 P	HUANG, G.	8801060408*	50-443 G	JENSEN, C.
HEWITT, T.L.	8801280420	FOIA	HUDEK, W.S.	8801140287	XPORTLIC	JENSEN, H.
HEYER, R.S.	8801060286	40-289 Q	HUEY, F.R.	8801110253*	50-208 Q	JENSEN, R.T.
HEYER, R.S.	8801060282	WASTE MGT	HUG, M.T.	8801270131	50-275 R	JOHANSEN
HEYER, R.S.	8801060522	40-3453	HUG, M.T.	8801280126	50-275 S	JOHNSON, A.B.
HEYER, R.S.	8801060530	40-2269	HUGHES, L.	8801250051*	50-255 P	JOHNSON, A.H.
HEYER, R.S.	8801070302	40-289	HUKILL, H.D.	8801050657	50-289 P	JOHNSON, B.D.
HEYER, R.S.	8801290062*	40-8902	HUKILL, H.D.	8801180242	50-289 P	JOHNSON, B.D.
HEYER, R.S.	8801200137*	40-8904	HUKILL, H.D.	8801190250*	50-289 P	JOHNSON, B.D.
HEYMAN, I.M.	8801200288	50-224 P	HUKILL, H.D.	8801200206*	50-289 P	JOHNSON, B.D.
HIATT, S.L.	8801210321	50-440 H	HUKILL, H.D.	8801280003	50-289 P	JOHNSON, C.E.
HIATT, S.L.	8801250314*	50-440 G	HULL, J.L.	8801200133	50-528 R	JOHNSON, D.S.
HIATT, S.L.	8801250317*	50-440 G	HUMPHREY, G.J.	8801290048*	COMMISSION	JOHNSON, G.E.
HICKMAN, J.	8801210260*	FOIA	HUNSADER, S.C.	8801050227	50-454 P	JOHNSON, G.E.
HICKS, D.R.	8801220172*	FOIA	HUNSADER, S.C.	8801080089	50-454 P	JOHNSON, G.E.
HIGGINS, W.R.	8801080033	50-385 S	HUNSADER, S.C.	8801080486	50-456 E	JOHNSON, G.E.
HIGGINS, W.R.	8801270077	50-385 S	HUNSADER, S.C.	8801080474	50-457 P	JOHNSON, I.M.
HILL, C.Z.	8801130359	40-8584	HUNSADER, S.C.	8801080481	50-454 P	JOHNSON, I.M.
HILL, E.Z.	8801080088	40-8584	HUNSADER, S.C.	8801150229	50-457 F	JOHNSON, I.M.
HILL, K.J.	8801270541	50-264 S	HUNSADER, S.C.	8801200417	50-454 P	JOHNSON, I.M.
HILL, K.J.	8801280088	50-264 S	HUNSADER, S.C.	8801210005	50-454 P	JOHNSON, J.
HILL, T.E.	8801110516*	STATE PROJ	HUNSADER, S.C.	8801210011	70-3013	JOHNSON, J.
HILLMAN, C.T.	8801260226*	50-255 P	HUNSADER, S.C.	8801210091	70-3013	JOHNSON, J.
HILLIER, D.W.	8801200331	50-481 S	HUNSTAD, A.	8801120084	50-282 S	JOHNSON, J.
HIND, J.A.	8801050341	I&E	HUNT, W.D.	8801040041*	50-277 H	JOHNSON, J.N.
HIND, J.A.	8712310053	50-295 F	HURLEY, J.	8801120326	50-416 F	JOHNSON, J.R.
HIND, J.A.	8801070217*	FOIA	HUSSEMAN, T.	8801110005	WASTE MGT	JOHNSON, J.R.
HIND, J.A.	8801140026	50-316 Q	HUTCHISON, L.	8801040529	50-397 R	JOHNSON, J.R.
HIND, J.A.	8801140033	50-263 Q	HUTSEBAUT, J.	8801050170	50-295 S	JOHNSON, O.H.
HIND, J.A.	8801200347	50-341 Q	IGNATONIS, A.J.	8801150106*	50-259 Q	JOHNSON, P.
HINDS, J.M.	8712170133	50-341 Q	INGEBRETSON, C.	8801130440	FOIA	JOHNSON, P.H.
HINDS, J.M.	8801110432*	50-483 Q	INGEBRETSON, C.	8801260113	FOIA	JOHNSON, R.T.
HINDS, J.M.	8801180202*	50-454 Q	INGLES, J.M.	8801190012	50-280 J	JOHNSON, S.C.
HINTZ, D.C.	8801070504	50-305 P	INGRAM, F.	8801260328*	50-482 H	JOHNSON, S.C.
HINTZ, D.C.	8801110306	50-305 Q	IRWIN, O.P.	8801040090	50-322 G	JOHNSON, W.J.
HINTZ, D.C.	8801110355	50-305 P	IRWIN, D.P.	8801040090	50-322 G	JOHNSON, W.J.
HINTZ, D.C.	8801130085	50-305 R	IRWIN, D.P.	8801060128	50-322 G	JOHNSON, W.J.

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JOHNSON, W.J.	8801150255	TOPREP	KAMMERER, C.	8801200180*	FOIA	KERSHUL, B.	8801050403	50-344 S
JOHNSON, W.J.	8801150284	TOPREP	KAMMERER, C.	8801200190*	FOIA	KERSHUL, B.	8801120350	50-344 S
JOHNSON, W.J.	8801150315	TOPREP	KAMMERER, C.	8801210026*	FOIA	KERSHUL, B.	8801140065	50-344 S
JOHNSON, W.J.	8801200402	TOPREP	KAMMERER, C.	8801210067	STATE PRO G	KERSHUL, B.	8801140087	50-344 S
JOHNSON, W.J.	8801270076	50-601 A	KAMMERER, C.	8801210241*	FOIA	KILGORE, B.E.	8712300037	50-328 S
JOHNSTON, G.W.	8801110424*	50-89 V	KAMMERER, C.	8801220166*	FOIA	KILGORE, B.E.	8801060246	50-328 S
JOHNSTON, G.W.	8801120410*	50-208 V	KAMMERER, C.	8801260501*	FOIA	KILGORE, B.E.	8801060277	50-328 S
JOHNSTON, J.R.	8801120301	50-165 R	KAMMERER, C.	8801260521*	FOIA	KILGORE, B.E.	8801190077	50-327 S
JOHNSTON, K.E.	8801130038*	50-275 Q	KAMMERER, C.	8801260547*	FOIA	KILGORE, B.E.	8801200289	50-328 S
JOHNSTON, W.V.	8712290337	50-244 Q	KAMMERER, C.	8801260551*	50-390 Q	KILGORE, O.W.	8801040044*	50-382 P
JOHNSTON, W.V.	8712290351	50-271 Q	KAMMERER, C.	8801270202*	FOIA	KING, C.E.	8801200436	70-1309
JOHNSTON, W.V.	8712290353	50-333 Q	KAMMERER, C.	8801270227*	50-416 P	KING, L.P.	8801120172*	50-338 O
JOHNSTON, W.V.	8712300009	50-219 Q	KAMMERER, C.	8801270280*	50-416 P	KING, R.	8801220162*	50-327 H
JOHNSTON, W.V.	8712300043	50-277 Q	KAMMERER, C.	8801270833*	FOIA	KING, T.L.	8801130357	PROJ
JOHNSTON, W.V.	8801050413	50-277 Q	KAMMERER, C.	8801280074*	50-341 U	KINGSLEY, O.D.	8712300057	50-416 S
JOHNSTON, W.V.	8801050450	50-247 Q	KAMMERER, C.	8801280091*	FOIA	KINGSLEY, O.D.	8801040522	50-416 P
JOHNSTON, W.V.	8801050498	50-412 Q	KAMMERER, C.	8801280103*	FOIA	KINGSLEY, O.D.	8801050261	50-416 P
JOHNSTON, W.V.	8801050520	50-293 Q	KAMMERER, C.C.	8801270400*	50-438 A	KINGSLEY, O.D.	8801060086	50-416 S
JOHNSTON, W.V.	8801120266	50-266 Q	KANE, W.	8801110310	50-283 Q	KINGSLEY, O.D.	8801110414	50-416 P
JOHNSTON, W.V.	8801120297	50-423 Q	KANE, W.F.	8712290013	50-277 H	KINGSLEY, O.D.	8801120010	50-416 P
JOHNSTON, W.V.	8801120310	50-362 Q	KANE, W.F.	8801190332	50-277 Q	KINGSLEY, O.D.	8801120036	50-416 S
JOHNSTON, W.V.	8801130041	50-218 Q	KANE, W.F.	8801200096	50-247 S	KINGSLEY, O.D.	8801120036	50-416 S
JOHNSTON, W.V.	8801130177	50-219 Q	KANE, W.F.	8801200224	50-410 Q	KINGSLEY, O.D.	8801120122	50-416 S
JOHNSTON, W.V.	8801130272	50-289 Q	KAPLAN, A.	8712310180	50-440 P	KINGSLEY, O.D.	8801120326	50-416 F
JOHNSTON, W.V.	8801130276	50-272 Q	KAPLAN, A.	8712310234	50-440 S	KINGSLEY, O.D.	8801140121	50-416 Q
JOHNSTON, W.V.	8801190337	50-412 Q	KAPLAN, A.	8801070446	50-440 H	KINGSLEY, O.D.	8801150134	50-416 F
JOHNSTON, W.V.	8801200066	50-317 Q	KAPLAN, A.	8801110350	50-440 P	KINGSLEY, O.D.	8801150216	50-416 S
JOHNSTON, W.V.	8801200163	50-277 Q	KAPLAN, A.	8801110370	50-440 P	KINGSLEY, O.D.	8801160232	50-416 R
JOHNSTON, W.V.	8801200202	50-272 Q	KAPLAN, A.	8801110384*	50-440 P	KINGSLEY, O.D.	8801160247	50-416 P
JOHNSTON, W.V.	8801200251	50-387 Q	KAPLAN, A.	8801130248	50-440 Q	KINGSLEY, O.D.	8801210227	50-416 Q
JOHNSTON, W.V.	8801200388	50-244 Q	KAPLAN, A.	8801200389	50-440 R	KINGSLEY, O.D.	8801220176	50-416 S
JOHNSTON, W.V.	8801270080	50-245 Q	KAPLAN, A.	8801210380	50-440 Q	KINGSLEY, O.D.	8801260206	50-416 P
JOLLY, F.F.	8712310209*	50-344 Q	KAPLAN, A.	8801250457	50-440 Q	KINGSTON, G.	8801050437	50-443 S
JONAS, S.A.	8801060296	50-443 G	KAPLAN, A.	8801260199	50-440 S	KINNEAN, J.	8801130011	18E
JONAS, S.A.	8801060304*	50-443 G	KAPLAN, A.	8801260462	50-440 F	KINTNER, F.J.	8801150033	50-320 G
JONAS, S.A.	8801130081	50-443 G	KAPLAN, A.	8801270248	50-440 P	KINTNER, L.L.	8801070203	50-416 P
JONES, D.B.	8410100012*	FOIA	KAPLAN, A.	8801280230	50-440 S	KINTNER, L.L.	8801070319	50-416 P
JONES, D.E.	8712290322*	50-456 Q	KASSNER, T.F.	8801070270	NUREG	KINTNER, L.L.	8801130431	50-416 P
JONES, D.E.	8801200199*	50-263 Q	KEIMIG, R.R.	8712310017*	50-387 Q	KINTNER, L.L.	8801140149	50-416 P
JONES, F.R.	8801250376*	50-322 G	KEIMIG, R.R.	8801130075*	50-218 Q	KINTNER, L.L.	8801140272	50-416 Q
JONES, F.R.	8801250376*	50-322 G	KEIMIG, R.R.	8801130130*	70-371 Q	KINTNER, L.L.	8801250348	50-416 Q
JONES, W.B.	8801200031*	50-458 P	KEIMIG, R.R.	8801130271*	50-247 P	KINTNER, L.L.	8801270558	50-416 P
JONES, W.C.	8801260100	50-285 P	KEISER, H.W.	8712300077	50-388 P	KINTNER, L.L.	8801270564*	50-416 P
JONES, W.G.	8801290023*	50-327 S	KEISER, H.W.	8712300087*	50-388 P	KIRBY, J.L.	8801150280*	60-528 F
JORDAN, E.L.	8703190407*	FOIA	KEISER, H.W.	8801060463	50-387 F	KIRKWOOD, A.	8801140248*	50-354 O
JORDAN, E.L.	8711100506*	FOIA	KEISER, H.W.	8801110098	50-387 P	KIRSCH, D.F.	8712310202	50-344 Q
JOSEPH, M.A.	8801120043	50-267 S	KEISER, H.W.	8801160173	50-387 P	KIRSCH, D.F.	8712310205*	50-344 Q
JOSEPH, M.A.	8801120063	50-267 S	KEISER, H.W.	8801160177	50-387 Q	KIRSCH, D.F.	8712310207*	50-344 Q
JOSEPH, M.A.	8801190241	50-267 S	KEISER, H.W.	8801150195	50-387 R	KIRSCH, D.F.	8801070028	50-344 P
JOSEPH, V.R.	8801270118	50-423 S	KEISER, H.W.	8801150250	50-387 Q	KIRSCH, D.F.	8801110312	50-344 S
JOSIGER, W.A.	8801060032	50-286 Q	KEISER, H.W.	8801160257	50-387 Q	KIRSCH, D.F.	8801110374	50-528 Q
JOSIGER, W.A.	8801110292	50-286 S	KEISER, H.W.	8801260111	50-387 F	KIRSCH, D.F.	8801110409	50-344 Q
JOSIGER, W.A.	8801200422	50-286 Q	KEITH, H.N.	8801140111	50-333 S	KIRSCH, D.F.	8801130303*	50-275 E
JOSIGER, W.A.	8801210185	50-286 P	KELLEY, C.D.	8801130078	40-8914 Q	KIRSCH, D.F.	8801270051	50-312 F
JOSIGER, W.A.	8801250383	50-286 R	KELLEY, D.	8801200459*	50-445 Q	KIRSCH, D.F.	8801270450	50-344 P
JOSIGER, W.A.	8801260087	50-286 Q	KELLEY, D.I.	8801270553*	50-445 Q	KIRSCH, D.F.	8801270640	50-344 Q
JOSIGER, W.A.	8801270100	50-286 S	KELLY, J.A.	8712310081*	50-498 Q	KLEIN, W.J.	8801080062	WASTE MGT
JULIAN, C.A.	8801120012	50-413 Q	KELLY, J.A.	8801060509*	50-458 Q	KLEINSORGE, W.P.	8801110394*	50-261 Q
JULIAN, C.A.	8801120412	50-395 Q	KELLY, J.A.	8801130131*	50-313 Q	KLINE, J.R.	8801130030	50-322 G
JULIAN, C.A.	8801250520	50-400 Q	KELLY, J.A.	8801130226*	50-498 Q	KLINE, J.R.	8801270434	50-322 G
JULIAN, C.A.	8801250536*	50-400 Q	KELLY, J.A.	8801250474*	50-285 Q	KLOXIN, C.	8801210035*	CONTRACT
JULIAN, C.A.	8801270028	50-261 V	KELLY, J.L.	8801190124	50-259 P	KNAPP, W.J.	8801200405	71-9178
JULIAN, E.L.	8801150055	50-458 P	KELLY, J.L.	8801260422	50-259 R	KNAPP, W.J.	8801200427	71-9188
KABADI, J.N.	8801060275*	TOPREP	KELLY, J.L.	8801260418	50-259 R	KNAPP, W.J.	8801200449	71-9159
KAGAN, C.	8801280457	50-259 P	KELLY, L.	8801250393	50-286 R	KNAPP, W.J.	8801210009	71-9159
KAHLE, J.B.	8801200320*	50-416 Q	KELLY, W.R.	8801110151	WASTE MGT	KNAPP, W.J.	8801210041	71-9178
KAHN, G.A.	8801060353*	50-443 S	KEMPER, J.S.	8801140093	50-353 Q	KNAPP, W.J.	8801210165	71-9168
KAISER, A.F.	8801130072	50-352 S	KEMPER, J.S.	8801270129	50-277 Q	KNICELEY, J.R.	8801140066*	50-263 Q
KALE, S.H.	8801080051	WASTE MGT	KENNEDY, E.E.	8801070301	40-8903 Q	KNIGHT, J.P.	8801280676	WASTE MGT
KALMAN, G.	8712280286*	50-312 P	KENNEDY, E.E.	8801130273	40-8903 Q	KNIGHTON, G.	8801260081	50-312 P
KALMAN, G.	8801190246	50-312 P	KENT, S.	8801210212*	50-390 A	KNIGHTON, G.W.	8801040301*	50-397 P
KALMAN, G.	8801250228	50-312 P	KENT, S.	8801260268*	50-454 Q	KNIGHTON, G.W.	8801250241*	50-312 P
KALMAN, K.	8801260262*	FOIA	KENT, S.	8801260295*	50-454 Q	KNIGHTON, G.W.	8801250444*	50-275 P
KALMAN, K.L.	8801260294*	FOIA	KENT, S.	8801280300*	50-454 Q	KNIGHTON, G.W.	8801260281	50-397 F
KAMMERER, C.	8508070143*	50-259 Q	KENT, S.	8801280354*	FOIA	KNIGHTON, G.W.	8801270135	50-275 P
KAMMERER, C.	8801120084*	FOIA	KENYON, B.O.	8712310143	50-388 P	KNIGHTON, G.W.	8801270185	50-206 P
KAMMERER, C.	8801130209	STATE PRO G	KENYON, B.O.	8712301018*	50-388 P	KNOP, R.C.	8712290385*	50-440 Q
KAMMERER, C.	8801150239*	50-445 A	KENYON, T.J.	8801070385	50-601 A	KNOX, E.	8801200435	CONTRACT
KAMMERER, C.	8801200088*	FOIA	KENYON, T.J.	8801070381	50-601 A	KNOX, E.	8801260426	CONTRACT
KAMMERER, C.	8801200091*	FOIA	KENYON, T.J.	8801190160	50-601 A	KOBER, R.W.	8801040478	50-244 R
KAMMERER, C.	8801200095*	FOIA	KEPPLER, J.G.	8801200143*	50-327 P	KOBER, R.W.	8801060117	50-244 P
KAMMERER, C.	8801200099*	FOIA	KEPPLER, J.G.	8801210010*	50-327 P	KOBER, R.W.	8801060134*	50-244 P
KAMMERER, C.	8801200106*	50-327 P	KEPPLER, P.	8801200434	40-8820 Q	KOBER, R.W.	8801060189	50-244 R
KAMMERER, C.	8801200122*	FOIA	KERR, W.	8712110287	ACRS	KOBER, R.W.	8801060249	50-244 S
KAMMERER, C.	8801200129*	FOIA	KERR, W.	8712110276	ACRS	KOBER, R.W.	8801070036	50-244 P
KAMMERER, C.	8801200131*	FOIA	KERR, W.	8801210051	50-2 F	KOBER, R.W.	8801200078	50-244 Q
KAMMERER, C.	8801200140*	FOIA	KERR, W.	8801270180	ACRS	KOBER, R.W.	8801200395	50-244 P
KAMMERER, C.	8801200154*	50-390 A	KERR, W.	8801270457	ACRS	KONWINSKI, G.R.	8801060426	40-8698

	NUMBER	CATEGORY		NUMBER	CATEGORY		NUMBER	CATEGORY		
KONWINSKI, G.R.	8801060454	40-8502	LAZARUS, W.J.	8801120349*	50-317	Q	LIEBERMAN, E.	8801130094	60-443	T
KONWINSKI, G.R.	8801070032*	40-8714	LAZARUS, W.J.	8801130292*	50-271	Q	LIEBERMAN, J.	8801110203	50-295	Q
KONWINSKI, G.R.	8801070082	40-8859	LAZARUS, W.J.	8801140061*	50-293	Q	LIEBERMAN, J.	8801130229	50-281	Q
KONWINSKI, G.R.	8801070142*	40-8502	LAZARUS, W.J.	8801150145*	50-277	Q	LIEBERMAN, J.	8801130253	50-424	Q
KOONTZ, J.	8601020495*	FOIA	LEAR, G.	8801060279*	50-293	P	LIEBERMAN, J.	8801140090*	FOIA	
KORBIN, P.	8801270638*	50-320	LEAR, G.	8801060286*	50-293	P	LIEBERMAN, J.	8801220277	60-301	Q
KOSHY, T.	8712290346*	50-244	LEAR, G.	8801060294*	50-293	P	LIEBERMAN, J.	8801220281	50-155	Q
KOTTAN, J.	8801140249*	50-354	LEBLOND, P.C.	8712280218	50-295	P	LIEBERMAN, J.	8801220308	50-160	Q
KOWALSKI, S.J.	8801110532	60-353	LEBLOND, P.C.	8801050448	50-295	P	LIEBERMAN, J.	8801220415	50-285	Q
KOWALSKI, S.J.	8801200416	50-353	LEBLOND, P.C.	8801110421	50-237	P	LIEBERMAN, J.	8801280193	50-313	Q
KOZUP, C.S.	8712290115	50-255	LEBLOND, P.C.	8801140167	50-295	P	LIMROTH, D.F.	8712210023*	50-317	Q
KOZUP, C.S.	8801120403	50-255	LEDBETTER, J.G.	8801110508	STATE PRO G		LINDSEY, D.J.	8801200289	50-333	S
KOZUP, C.S.	8801280281	50-255	LEDBETTER, J.L.	8801050901*	50-321	P	LINERAN, J.J.	8801070522	WASTE MGT	
KRAUSE, C.W.	8801140340	50-268	LEDGERWOOD, R.K.	8801110044*	WASTE MGT		LINTON, O.W.	8801070021	PR	
KREH, J.L.	8801190212*	50-335	LEE, T.D.	8801270104*	70-143		LINVILLE, J.	8801110220	50-277	S
KRIEGER, K.	8801270215	50-247	LEE, T.D.	8801270113*	70-143		LINVILLE, J.	8801190359*	50-352	Q
KRIMM, R.W.	8712290521	50-387	LEECH, P.H.	8801060294*	PROJ		LINVILLE, J.C.	8801190336*	50-277	Q
KRIMM, R.W.	8801280506	50-456	LEEMON, R.J.	8801200069*	50-268	Q	LINVILLE, J.C.	8801200012*	60-353	Q
KRISHNAMOORTHY	8801270208	NUREG	LEFEVRE, H.E.	8801070331	WASTE MGT		LINVILLE, J.C.	8801200148	50-277	R
KROPP, W.	8801060184*	50-255	LEHMAN, L.	8801050154	50-285	S	LITTLE, M.	8801070416	CONTRACT	
KUEMIN, J.L.	8801130133	50-255	LEINSDORF, D.	8801290082	WASTE MGT		LITTLE, M.	8801110018	CONTRACT	
KULICK, J.M.	8712310151*	50-388	LELAND, W.B.	8801060348*	50-443	G	LITTLE, M.	8801210293	CONTRACT	
KUNCL, L.G.	8801200242	50-298	LEMONS, J.R.	8801203336	50-317	S	LITTLE, M.	8801220190	CONTRACT	
KUNKEL, W.P.	8801070436*	WASTE MGT	LEMONS, J.R.	8801250287	50-317	R	LITTLEFIELD, P.	8801060370*	50-443	G
KUZEL, N.E.	8801202568	50-336	LEMONS, J.R.	8801260352	50-317	F	LIU, W.C.	8712290322*	50-456	Q
LABONTE, W.	8801040049	50-382	LEMONS, J.R.	8801270054	50-318	S	LIU, W.C.	8801110418*	50-457	Q
LABONTE, W.	8801040051*	50-382	LEMPGES, T.E.	8712290378	50-410	S	LIVERMORE, H.H.	8801040287*	50-445	Q
LABRUNA, S.	8712290060	50-354	LEMPGES, T.E.	8712290386	50-220	S	LIVERMORE, H.H.	8801270212*	50-445	Q
LABRUNA, S.	8801050053	50-354	LEMPGES, T.E.	8801120343	50-220	S	LLOYD, M.	8801150111*	COMM SS/OH	
LABRUNA, S.	8801120076	50-354	LEMPGES, T.E.	8801130163	50-410	S	LOESCH, R.	8801130065*	50-247	Q
LABRUNA, S.	8801120094	50-354	LEMPGES, T.E.	8801130172	50-410	S	LOESCH, R.	8801130173*	50-20	Q
LABRUNA, S.	8801190080	50-354	LEMPGES, T.E.	8801130174	50-410	S	LOFY, R.A.	8801210243*	CONTRACT	
LABRUNA, S.	8801190083	50-354	LEMPGES, T.E.	8801130203	50-220	S	LOFY, R.A.	8801260280*	CONTRACT	
LABRUNA, S.	8801190089	50-354	LEMPGES, T.E.	8801140113	50-220	S	LOGSDON, M.J.	8801070328	WASTE RES	
LABRUNA, S.	8801210050	50-354	LEMPGES, T.E.	8801140116	50-220	S	LOGSDON, M.J.	8801090059	WASTE RES	
LACEY, W.S.	8801130101	60-334	LEMPGES, T.E.	8801190261	60-220	P	LOGSDON, M.J.	8801290101	WASTE RES	
LACEY, W.S.	8801190058	60-334	LEMPGES, T.E.	8801190267*	50-220	P	LOGUE, R.H.	8712310041	50-352	S
LACEY, W.S.	8801190078	60-334	LEMPGES, T.E.	8801200292	50-410	S	LOGUE, R.H.	8801050570	50-278	S
LACEY, W.S.	8801260183	60-334	LEMPGES, T.E.	8801200321	50-410	S	LOGUE, R.H.	8801060012	50-277	S
LACK, J.J.	8801210366	50-322	LEMPGES, T.E.	8801250250	50-410	S	LOGUE, R.H.	8801120033	50-277	S
LAFAVER, C.W.	8801280272*	50-327	LEMPGES, T.E.	8801250269	60-220	S	LOGUE, R.H.	8801120053	50-277	S
LAFAVER, R.L.	8801120266*	50-481	LEMPGES, T.E.	8801280493	50-410	S	LOGUE, R.H.	8801120089	50-352	S
LAINAS, G.C.	8605150161*	50-293	LEMPGES, T.E.	8801280236	50-410	Q	LOGUE, R.H.	8801210104	50-352	S
LAINAS, G.C.	8711020491*	50-258	LEMPGES, T.E.	8801270121	50-410	S	LOGUE, R.H.	8801190134	60-352	S
LAINAS, G.C.	8801130441*	50-416	LEMPGES, T.E.	8801290167	50-410	S	LOGUE, R.H.	8801190234	60-277	S
LAINAS, G.C.	8801140283*	50-416	LENTINE, F.G.	8801280560	50-295	F	LOHAUS, P.H.	8801070353	WASTE MGT	
LAMBERSKI, J.	8801200051	FOIA	LEONARD, B.E.	8801110451	50-538	F	LOHAUS, P.H.	8801070476	WASTE MGT	
LANCASTER, W.K.	8801130075*	60-219	LEONARD, J.D.	8801280365	60-322	F	LOHAUS, P.H.	8801070484	WASTE MGT	
LANCASTER, W.K.	8801130271*	50-247	LEONARD, J.D.	8801290051	60-322	F	LOHAUS, P.H.	8801080061	WASTE MGT	
LANGE, D.	8801050529*	50-293	LEROY, S.E.	8801060115	60-389	S	LOHAUS, P.H.	8801110006	WASTE MGT	
LANGE, D.J.	8712310011*	50-277	LEROY, S.E.	8801060118	50-389	S	LOHAUS, P.H.	8801110051	WASTE MGT	
LANGE, D.J.	8801120252*	50-219	LEROY, S.E.	8801130331	50-389	S	LOMBARDO, J.J.	8801070360*	WASTE MGT	
LANGE, D.J.	8801120308	50-277	LEROY, S.E.	8801140089	50-370	S	LOMBARDO, J.J.	8801070364*	WASTE MGT	
LANNING, W.	8801140256	50-244	LEROY, S.E.	8801150210	50-369	S	LONG, J.A.	8801210014	70-143	
LANNING, W.	8801270275	50-416	LEROY, S.E.	8801190095	50-370	S	LONG, J.A.	8801210087	70-143	
LANNING, W.	8801280319	50-247	LESSER, M.S.	8801200056*	50-413	Q	LONG, J.A.	8801210114	70-143	
LANPHER, L.C.	8801040084	50-322	LETSCH, K.J.	8801040068	50-322	G	LONG, J.L.	8712300028	50-327	S
LANPHER, L.C.	8801040084	50-322	LETSCH, K.J.	8801040068	50-322	G	LONG, W.O.	8801050073	50-298	P
LANPHER, L.C.	8801060062	50-322	LETSCH, K.J.	8801040122	50-322	G	LONG, W.O.	8801260294	50-268	P
LANPHER, L.C.	8801250311	50-322	LETSCH, K.J.	8801040122	50-322	G	LOOMIS, L.E.	8801200303	50-423	S
LANPHER, L.C.	8801250311	50-322	LETSCH, K.J.	8801210161	50-322	G	LOUNDERBACK, T.E.	8801070471	40-8714	
LANPHER, L.C.	8801250311	50-322	LETSCH, K.J.	8801210161	50-322	G	LOUNDERBACK, T.E.	8801130452	40-8714	
LANPHER, L.C.	8801250311	50-322	LETSCH, K.J.	8801270334	50-322	G	LOVE, R.S.	8801040076*	50-237	Q
LANPHER, L.C.	8801280322*	50-322	LETSCH, K.J.	8801270334	50-322	G	LUHMANN, J.	8801280193	60-313	Q
LANPHER, L.C.	8801250322*	50-322	LETSCH, K.J.	8801270434	50-322	G	LUMB, T.	8801120252*	60-219	V
LANPHER, L.C.	8801250335*	50-322	LEUGERS, M.	8801130031	50-322	G	LYON, D.M.	8801120359	50-373	S
LANPHER, L.C.	8801250335*	50-322	LEUGERS, M.	8801130031	50-322	G	LYON, D.M.	8801190128	50-373	S
LANPHER, L.C.	8801270365	50-322	LEUGERS, M.J.	8801040113	50-322	G	LYONS, P.J.	8801130259	40-299	
LARSON, C.F.	8801060187	50-263	LEUGERS, M.J.	8801040113	50-322	G	MACDONALD, C.E.	8703100050*	71-9044	
LASHER, D.	8801260143	ORG	LEVER, D.A.	8801110206	NUREG		MACDONALD, C.E.	8801040374	71-8406	
LAST, G.V.	8801070486*	WASTE MGT	LEVIN, H.A.	8801040077	50-445	G	MACDONALD, C.E.	8801040379*	71-6406	
LATHAM, S.B.	8801040068	50-322	LEVIN, H.A.	8801210156*	50-445	G	MACDONALD, C.E.	8801040391	71-9081	
LATHAM, S.B.	8801040068	50-322	LEVINE, J.M.	8801050229	50-313	F	MACDONALD, C.E.	8801040396*	71-9081	
LATHAM, S.B.	8801040122	50-322	LEVINE, J.M.	8801190281	50-368	V	MACDONALD, C.E.	8801040430	71-6678	
LATHAM, S.B.	8801040122	50-322	LEVINE, J.M.	8801260144*	50-313	Q	MACDONALD, C.E.	8801040514	71-5939	
LATHAM, S.B.	8801200273	50-322	LEVINE, J.M.	8801270182	50-313	Q	MACDONALD, C.E.	8801040521*	71-5939	
LATHAM, S.B.	8801200273	50-322	LEVINE, J.M.	8801270307	50-313	R	MACDONALD, C.E.	8801050023	71-9216	
LATHAM, S.B.	8801210161	50-322	LEWALD, G.H.	8801200305	50-443	G	MACDONALD, C.E.	8801050025	71-9216	
LATHAM, S.B.	8801210161	50-322	LEWALD, G.H.	8801200317	50-443	G	MACDONALD, C.E.	8801050040	71-9032	
LATHAM, S.B.	8801250322*	50-322	LEWIS, D.B.	8801140303	50-171	P	MACDONALD, C.E.	8801050048	71-9783	
LATHAM, S.B.	8801250322*	50-322	LEWIS, M.I.	8801040368	PR		MACDONALD, C.E.	8801050055*	71-9783	
LATHAM, S.B.	8801270334	50-322	LEWIS, M.I.	8801190330	NUREG		MACDONALD, C.E.	8801050134	71-9188	
LATHAM, S.B.	8801270334	50-322	LEWIS, R.L.	8801280272*	50-327	P	MACDONALD, C.E.	8801050146	71-6272	
LAUGHERY, K.R.	8801060431	NUREG	LEWIS, S.H.	8801190115	50-320	G	MACDONALD, C.E.	8801050205	71-9208	
LAVALLE, K.P.	8801210356	50-322	LIAM, B.D.	8801270170*	50-259	Q	MACDONALD, C.E.	8801050209*	71-9208	
LAVALLE, T.A.	8712310239	50-263	LICITRA, E.A.	8801190216	50-529	Q	MACDONALD, C.E.	8801050244	71-9781	
LAVELY, P.	8712280128	60-312	LICITRA, E.A.	8801260326	50-528	P	MACDONALD, C.E.	8801050247	71-9216	
LAZARUS, W.J.	8801050441*	50-443	LICKUS, R.	8801070383*	FOIA		MACDONALD, C.E.	8801050257*	71-9781	

MCDONALD,C.E.	8801050258*	71-9216	MARSHALL,J.S.	8801040443	50-445	S	MATAKAS,R.A.	8801200233*	50-289	Q
MCDONALD,C.E.	8801050282	71-6441	MARSHALL,J.S.	8801040456	50-445	S	MATAKAS,R.A.	8801210079*	50-289	P
MCDONALD,C.E.	8801050291*	71-6441	MARSHALL,J.S.	8801040463	50-445	S	MATAKAS,R.A.	8801210102*	FOIA	
MCDONALD,C.E.	8801050305	71-9788	MARSHALL,J.S.	8801040561	50-445	Q	MATAKAS,R.A.	8801210105*	FOIA	
MCDONALD,C.E.	8801050310*	71-9788	MARSHALL,J.S.	8801050016	50-446	Q	MATAKAS,R.A.	8801210115*	FOIA	
MCDONALD,C.E.	8801050365	71-9032	MARSHALL,J.S.	8801050063	50-445	Q	MATCHETT,S.D.	8801250299	50-322	G
MCDONALD,C.E.	8801050687	71-5939	MARSHALL,J.S.	8801050279	50-446	Q	MATCHETT,S.D.	8801250299	50-322	G
MCDONALD,C.E.	8801060110	71-9118	MARSHALL,J.S.	8801060065	50-445	Q	MATHIS,J.L.	8801270237*	50-416	Q
MCDONALD,C.E.	8801060119*	71-9119	MARSHALL,J.S.	8801060430	50-445	A	MATTHEWS,D.B.	8712310282*	50-266	F
MCDONALD,C.E.	8801060444	71-618	MARSHALL,J.S.	8801070138	50-445	A	MATTHEWS,J.K.	8801270020	TOPREP	
MCDONALD,C.E.	8801060447	71-486	MARSHALL,J.S.	8801110227	50-445	S	MATTHEWS,P.J.	8801060300*	50-443	G
MCDONALD,C.E.	8801060452	71-9216	MARSHALL,J.S.	8801110229	50-445	S	MATTSON,R.J.	8305060139*	50-208	H
MCDONALD,C.E.	8801070148	71-491	MARSHALL,J.S.	8801110231	50-445	S	MATTSON,R.J.	8403050264*	50-208	H
MCDONALD,C.E.	8801070180	71-9176	MARSHALL,J.S.	8801110235	50-446	S	MAUS,F.G.	8801210057*	FOIA	
MCDONALD,C.E.	8801070179	71-9167	MARSHALL,J.S.	8801110288	50-445	S	MAXWELL,C.G.	8801140358*	CONTRACT	
MCDONALD,C.E.	8801070415	71-9073	MARSHALL,J.S.	8801110293	50-445	S	MAY,E.L.	8801050481*	50-28	S
MCDONALD,C.E.	8801070440	71-9086	MARSHALL,J.S.	8801120201	50-445	S	MAYER,E.L.	8801270035*	50-267	P
MCDONALD,C.E.	8801070458	71-9074	MARSHALL,J.S.	8801120208	50-445	S	MAZUR,D.W.	8801120270	50-397	I
MCDONALD,C.E.	8801070478	71-9159	MARSHALL,J.S.	8801120221	50-445	S	MAZZAFERRO,P.A.	8712290385	50-220	S
MCDONALD,C.E.	8801070487	71-481	MARSHALL,J.S.	8801120329	50-445	S	MAZZAFERRO,P.A.	8801120343	50-220	S
MCDONALD,C.E.	8801080013	71-9186	MARSHALL,J.S.	8801120360	50-445	S	MAZZAFERRO,P.A.	8801130203	50-220	S
MCDONALD,C.E.	8801080017*	71-9186	MARSHALL,J.S.	8801120409	50-445	S	MAZZAFERRO,P.A.	8801140113	50-220	S
MCDONALD,C.E.	8801080022	71-487	MARSHALL,J.S.	8801120432	50-445	S	MAZZAFERRO,P.A.	8801140116	50-220	S
MCDONALD,C.E.	8801080023*	71-487	MARSHALL,J.S.	8801130124	50-445	S	MAZZAFERRO,P.A.	8801250269	50-220	S
MCDONALD,C.E.	8801080025	71-485	MARSHALL,J.S.	8801130181	50-445	S	MCALPINE,E.J.	8801270104*	70-143	
MCDONALD,C.E.	8801080027*	71-485	MARSHALL,J.S.	8801130240	50-445	S	MCALPINE,E.J.	8801270113*	70-143	
MCDONALD,C.E.	8801080030	71-643	MARSHALL,J.S.	8801140128	50-445	S	MCBREARY,R.A.	8712300012*	50-219	Q
MCDONALD,C.E.	8801080031*	71-643	MARSHALL,J.S.	8801200356	50-445	S	MCBREARY,R.A.	8801270062*	50-245	Q
MCDONALD,C.E.	8801080032	71-646	MARSHALL,J.S.	8801210013	50-445	S	MCCABE,E.C.	8801120268*	50-213	Q
MCDONALD,C.E.	8801080033	71-5814	MARSHALL,J.S.	8801210015	50-445	S	MCCABE,E.C.	8801130098*	50-423	Q
MCDONALD,C.E.	8801080034*	71-646	MARSHALL,J.S.	8801210058	50-445	S	MCCABE,E.C.	8801210211*	50-245	Q
MCDONALD,C.E.	8801080035	71-644	MARSHALL,J.S.	8801210089	50-445	S	MCCALL,J.K.	8801130191*	50-275	P
MCDONALD,C.E.	8801080036*	71-5814	MARSHALL,J.S.	8801210108	50-445	Q	MCCANCE,W.T.	8801110351	50-213	F
MCDONALD,C.E.	8801080037*	71-644	MARSHALL,J.S.	8801210109	50-445	Q	MCCANCE,W.T.	8801120304	50-213	F
MCDONALD,C.E.	8801080041	71-9221	MARSHALL,J.S.	8801210135	50-445	K	MCCARTY,B.E.	8801070451	WASTE MGT	
MCDONALD,C.E.	8801080043*	71-9221	MARSHALL,J.S.	8801210181	50-445	S	MCCARTY,B.E.	8801070461	WASTE MGT	
MCDONALD,C.E.	8801210287	XPORTLIC	MARSHALL,W.	8712300116	50-302	F	MCCAUGHY,D.A.	8801060358	70-1359	
MCDONALD,J.A.	8801130010	50-443	MARSHALL,W.	8712300131	50-302	F	MCCONNELL,K.	8801070331	WASTE MGT	
MCCOY,R.D.	8801110496*	50-400	MARSHALL,W.	8712300133	50-302	F	MCCORKLE,K.E.	8801130255	40-8906	
MCCOY,R.D.	8801260429*	CONTRACT	MARSHALL,W.	8712300134	50-302	F	MCCOY,R.D.	8801260251*	50-327	P
MAGMAHON,J.F.	8801120142	50-293	MARSHALL,W.	8712300137	50-302	F	MCCULLOUGH,R.W.	8801130281*	TOPREP	
MAGMAHON,J.F.	8801080034*	50-315	MARSHALL,W.	8712300139	50-302	F	MCDANIEL,D.T.	8801120239	50-423	S
MADSEN,G.L.	8801130448*	50-298	MARSHALL,W.	8801150202	50-302	F	MCDANIEL,K.	8801110041	WASTE MGT	
MAESTAS,E.	8801040031	PROJ	MARSHALL,W.J.	8801280037	50-289	F	MCDONALD,D.G.	8801070199	50-250	P
MAIYA,P.S.	8801070270	NUREG	MARTIN,D.W.	8801260481*	50-312	P	MCDONALD,D.G.	8801280618	50-289	P
MALAMUD,H.	8801280605	FOIA	MARTIN,J.B.	8801130117*	FOIA		MCDONALD,R.P.	8712290383	50-364	S
MALIK,J.E.	8712300125	50-528	MARTIN,R.D.	8801080188	50-267	R	MCDONALD,R.P.	8712290402	50-364	S
MALIK,J.E.	8801040584	50-528	MARTIN,R.D.	8801200132	50-382	P	MCDONALD,R.P.	8712300107	50-346	P
MALIK,J.E.	8801110406	50-528	MARTIN,R.E.	8801070166	50-277	P	MCDONALD,R.P.	8801080440	50-349	Q
MALIK,J.E.	8801120250	50-528	MARTIN,R.E.	8801130428	50-277	P	MCDONALD,R.P.	8801140114	50-384	S
MALIK,J.E.	8801140122	50-528	MARTIN,R.E.	8801250280	50-277	F	MCDONALD,R.P.	8801200327	50-348	P
MALLET,B.	8801050341	I&E	MARTIN,R.E.	8801250510	50-277	F	MCDONALD,R.P.	8801200384	50-348	R
MALLET,B.	8801120292	I&E	MARTIN,R.E.	8801260068	50-277	F	MCDONALD,R.P.	8801200386	50-384	R
MALLET,B.	8801130381	I&E	MARTIN,R.E.	8801270005	50-277	P	MCDOWELL,W.H.	8801150260	50-269	S
MALLET,B.	8801270130	I&E	MARTIN,R.E.	8801280683	50-277	P	MCELROY,N.L.	8712010271	PR	
MALLET,B.S.	8712310032	50-461	MARTIN,T.T.	8707220278*	FOIA		MCFARLAND,T.H.	8712280014	50-483	S
MALLET,B.S.	8801080044	50-315	MARTIN,T.T.	8711130358*	FOIA		MCFARLAND,T.H.	8712310024	50-483	S
MALLET,B.S.	8801090198	I&E	MARTIN,T.T.	8712280104	70-1100		MCGHAN,V.L.	8801070355	WASTE MGT	
MALLET,B.S.	8801070272*	FOIA	MARTIN,T.T.	8712280341	50-322	Q	MCGHEE,J.M.	8801140077*	50-481	V
MALLET,B.S.	8801070332*	FOIA	MARTIN,T.T.	8712280347	50-272	Q	MCGILL,P.L.	8712290110*	70-1100	
MALLET,B.S.	8801140086*	50-283	MARTIN,T.T.	8712310013	50-387	Q	MCGONAGILL,B.	8801040265	50-275	G
MALLET,B.S.	8801200039	50-283	MARTIN,T.T.	8801050429	50-443	Q	MCGOVERN,J.	8801060070	70-887	
MALLET,B.S.	8801200353*	50-341	MARTIN,T.T.	8801060180	50-334	F	MCGOVERN,J.J.	8801200037	70-887	
MALLET,B.S.	8801270059	50-264	MARTIN,T.T.	8801120255	50-354	Q	MCGRANE,J.P.	8801200024	50-219	S
MALLOY,M.	8801190165	50-445	MARTIN,T.T.	8801120314	50-317	Q	MCGUIRE,D.R.	8801110517*	50-280	Q
MALODY,C.W.	8801040502	70-1267	MARTIN,T.T.	8801120355	50-423	Q	MCGUIRE,D.R.	8801110525*	50-416	Q
MALONE,D.D.	8801260483	50-275	MARTIN,T.T.	8801203362	50-246	Q	MCGUIRE,D.R.	8801120046*	50-269	Q
MALSCH,M.G.	8702270289*	FOIA	MARTIN,T.T.	8801130063	50-247	Q	MCGUIRE,D.R.	8801201178*	50-348	Q
MANCINI,G.P.	8801250212	QA999	MARTIN,T.T.	8801130069	50-219	Q	MCGUIRE,D.R.	8801140383*	50-289	Q
MANGAN,C.V.	8801130078	50-220	MARTIN,T.T.	8801130073*	50-219	Q	MCGUIRE,D.R.	8801200438	50-276	G
MANGAN,C.V.	8801140004	50-410	MARTIN,T.T.	8801130085	50-317	Q	MCIVOR,T.J.	8801060152	50-285	S
MANGAN,C.V.	8801150251	50-410	MARTIN,T.T.	8801130108	50-219	Q	MCKEE,P.F.	8812080547*	50-171	P
MANGAN,C.V.	8801190129	50-220	MARTIN,T.T.	8801130125	70-371	F	MCKEE,P.F.	8801200453	50-445	Q
MANGAN,C.V.	8801200225	50-410	MARTIN,T.T.	8801130167	50-20	Q	MCKEE,P.F.	8801200458*	50-445	Q
MANGAN,C.V.	8801200376	50-410	MARTIN,T.T.	8801130289	50-309	Q	MCKENNA,E.	8801250517	50-327	P
MANGAN,C.V.	8801220545	50-220	MARTIN,T.T.	8801130270	50-247	Q	MCLEAREN,T.	8801120039	CONTRACT	
MANGAN,C.V.	8801270213	50-410	MARTIN,T.T.	8801130279	70-1100		MCLOUGHLIN,D.	8801270372*	50-443	G
MANGUSI,J.	8801040125	XPORTLIC	MARTIN,T.T.	8801130283	50-353	F	MCMAHON,M.	8801110263	50-316	P
MANGUSI,J.	8801040292	XPORTLIC	MARTIN,T.T.	8801130287	50-412	F	MCMAHON,A.E.	8801040478	50-244	R
MANGUSI,J.	8801140232	XPORTLIC	MARTIN,T.T.	8801130290	50-271	Q	MCNAMARA,N.	8801110268	NUREG	
MARCH-LEUBA,J.	8801200068	RES	MARTIN,T.T.	8801130324	50-246	Q	MCNEILL,C.A.	8801040511	50-272	P
MARINO,R.J.	8801210356	50-322	MARTIN,T.T.	8801140054	50-293	Q	MCNEILL,C.A.	8801060354	50-272	Q
MARKLEY,M.	8801130065*	50-247	MARTIN,T.T.	8801140243	50-354	Q	MCNEILL,C.A.	8801070450	50-272	R
MARSHALL,J.S.	8712280130	50-445	MARTIN,T.T.	8801140354	50-272	Q	MCNEILL,C.A.	8801130171	50-272	Q
MARSHALL,J.S.	8712280137	50-445	MARTIN,T.T.	8801150135	50-277	Q	MCNEILL,C.A.	8801130183	50-272	P
MARSHALL,J.S.	8712290144	50-446	MARX,K.D.	8801070052	NUREG		MCNEILL,C.A.	8801200238	50-354	P
MARSHALL,J.S.	8712290145	50-445	MASNIK,M.T.	8801190028*	50-443	Q	MCNEILL,C.A.	8801210235	50-354	Q
MARSHALL,J.S.	8712310206	50-445	MASNYK,O.	8801110496*	50-400	Q	MCNEILL,C.A.	8801270164	50-272	P

244 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
MCPECK,E.W.	8801180255*	50-327	Q	MILLER,W.H.	8801110349*	50-348	Q	MROCZKA,E.J.	8801150272	50-336	Q
MEACHAM,J.	8712310195	50-298	F	MILLING,M.E.	8801070286	WASTE MGT		MROCZKA,E.J.	8801150272	50-336	Q
MEADE,K.E.	8801080308	50-327	S	MILTENBERGER,S.	8801180055	50-272	Q	MROCZKA,E.J.	8801180180	50-213	P
MEADE,K.E.	8801190071	50-327	S	MIRAGLIA,F.J.	8801290110	TOPREP		MROCZKA,E.J.	8801180180	50-213	P
MEADE,K.E.	8801200295	50-327	S	MITCHELL,P.J.	8801070355	WASTE MGT		MROCZKA,E.J.	8801180180	50-213	P
MEADE,K.E.	8801200323	50-327	S	MITTINBRIDGE,S.	8801280338	50-272	Q	MROCZKA,E.J.	8801180182	50-423	P
MEADE,K.E.	8801200326	50-327	S	MOFFATT,L.W.	8801080355	50-302	S	MROCZKA,E.J.	8801180182	50-423	P
MEADE,K.E.	8801280180	50-327	S	MOFFATT,L.W.	8801110541	50-302	S	MROCZKA,E.J.	8801180279	50-213	S
MEDFORD,M.O.	8712300106	50-208	P	MOFFATT,L.W.	8801270325	50-302	S	MROCZKA,E.J.	8801180279	50-213	S
MEDFORD,M.O.	8801060149	50-361	P	MOORENA,K.	8801130354	FOIA		MROCZKA,E.J.	8801210173	50-336	P
MEDFORD,M.O.	8801070441	50-206	P	MOORENA,K.	8801190170	FOIA		MROCZKA,E.J.	8801210173	50-336	P
MEDFORD,M.O.	8801120023	50-206	P	MOLER,R.B.	8801080016	WASTE RES		MROCZKA,E.J.	8801220512	50-213	P
MEDFORD,M.O.	8801150007	50-206	P	MONTGOMERY,J.L.	8801110291	70-754		MROCZKA,E.J.	8801220519	50-423	P
MEDFORD,M.O.	8801150052	50-361	P	MONTGOMERY,J.L.	8801200145	50-206	F	MROCZKA,E.J.	8801220519	50-423	P
MEDFORD,M.O.	8801210024	50-361	P	MOON,S.	8801260462	50-440	F	MROCZKA,E.J.	8801270151	50-213	P
MEDFORD,M.O.	8801260419	50-361	F	MOONEY,G.	8801110062	40-8502		MROCZKA,E.J.	8801270151	50-213	P
MEDFORD,M.O.	8801270123	50-206	Q	MOORE,B.A.	8801070436*	WASTE MGT		MROCZKA,E.J.	8801270151	50-213	P
MEDFORD,M.O.	8801280333	50-361	P	MOORE,J.E.	8801190039	50-445	Q	MROCZKA,E.J.	8801270173	50-423	P
MEEHAN,B.	8801120368	CONTRACT		MORMAN,J.H.	8801260519*	50-327	V	MROCZKA,E.J.	8801270173	50-423	P
MEEHAN,B.	8801140382	CONTRACT		MORABITO,A.J.	8801040158	Docket 65		MROCZKA,E.J.	8801270236	50-423	P
MEEHAN,B.	8801190079	CONTRACT		MORAN,D.M.	8801270297	50-443	Q	MROCZKA,E.J.	8801270236	50-423	P
MEEHAN,B.	8801200437	CONTRACT		MORGAN,H.E.	8712280016	50-361	S	MROCZKA,E.J.	8801270592	50-423	P
MEEHAN,B.	8801210232	CONTRACT		MORGAN,H.E.	8712280087	50-361	S	MROCZKA,E.J.	8801270592	50-423	P
MEEHAN,B.	8801280606	CONTRACT		MORGAN,H.E.	8801050523	50-206	S	MROCZKA,E.J.	8801280630	50-423	P
MELF,J.J.F.	8712310208*	50-344	Q	MORGAN,H.E.	8801050589	50-362	S	MROCZKA,E.J.	8801280630	50-423	P
MELLEN,L.S.	8801280551*	50-400	Q	MORGAN,H.E.	8801050676	50-206	S	MROCZKA,E.J.	8801280685	50-213	P
MENDELE,D.J.	8801110188	50-282	F	MORGAN,H.E.	8801060357	50-361	S	MROCZKA,E.J.	8801280685	50-423	P
MENDEZ,R.	8801060173*	50-254	Q	MORGAN,H.E.	8801080381	50-206	S	MROCZKA,E.J.	8801280685	50-423	P
MENDLER,O.J.	8801070058*	50-244	P	MORGAN,H.E.	8801070172	50-361	S	MULDER,R.U.	8801130309	50-62	P
MENDONCA,M.	8801190120	50-344	S	MORGAN,H.E.	8801070241	50-361	S	MULDER,R.U.	8801130374	50-396	P
MENDONCA,M.M.	8712310197*	50-275	Q	MORGAN,H.E.	8801070304	50-361	S	MULDER,R.U.	8801140028	50-62	P
MENDONCA,M.M.	8801110427*	50-344	Q	MORGAN,H.E.	8801070314	50-361	S	MULLAUER,J.	8801130381	18E	P
MENDONCA,M.M.	8801120141*	50-344	Q	MORGAN,H.E.	8801110353	50-206	S	MULLER,D.R.	8801070236*	50-454	P
MENDONCA,M.M.	8801130038*	50-275	Q	MORGAN,H.E.	8801130163	50-361	S	MULLER,D.R.	8801130384	50-456	E
MENDONCA,M.M.	8801130210*	50-275	P	MORGAN,H.E.	8801190123	50-361	S	MULLER,D.R.	8801140266*	50-454	P
MENGERS,C.A.	8712310041	50-352	S	MORGAN,H.E.	8801200355	50-361	R	MULLER,D.R.	8801140305	50-254	P
MENGERS,C.A.	8801120069	50-352	S	MORGAN,H.E.	8801200431	50-206	F	MULLER,D.R.	8801140315*	50-254	P
MENGERS,C.A.	8801120104	50-352	S	MORGAN,H.E.	8801210038*	50-361	P	MULLER,D.R.	8801200229*	50-264	F
MERCER,R.B.	8801070491*	WASTE MGT		MORGAN,H.E.	8801210071	50-206	R	MULLER,D.R.	8801270003*	50-294	P
MERRILL,C.	8712310195	50-298	F	MORGAN,H.E.	8801220050	50-206	R	MULLER,D.R.	8801270146*	50-454	P
MERVOSKY,D.	8801160310*	50-498	P	MORGAN,H.E.	8801250555	50-361	S	MUNRO,J.F.	8801260519*	50-327	V
METZGER-KEELE	8801110008	40-8907		MORGAN,H.E.	8801280165	50-361	S	MUNRO,J.F.	8801270037*	50-261	V
MEYER,K.A.	8801040519	50-312	R	MORGAN,H.E.	8801110261	50-261	F	MUNRO,J.J.	8801280168	71-642	P
MEYER,K.A.	8801110216	50-312	R	MORGAN,R.E.	8801150219	50-261	R	MUNSON,S.C.	8801080358	40-8788	P
MEYER,K.A.	8801130099	50-312	P	MORGAN,W.E.	8801070484	50-10	P	MURDOCK,S.	8801070538	40-6622	P
MEYERS,H.	8801180342	50-327	P	MORGAN,W.E.	8801140387	50-237	Q	MURLEY,T.E.	8708150115*	FOIA	
MICHAELS,T.S.	8801180138	50-73	V	MORGAN,W.E.	8801150258	50-237	Q	MURLEY,T.E.	8707200578*	FOIA	
MICHAELS,T.S.	8801250178	50-183	P	MORGAN,W.E.	8801210030	50-237	Q	MURLEY,T.E.	8711100420*	FOIA	
MICHAELS,T.S.	8801280019	50-2	F	MORGAN,W.M.	8801040044*	50-382	P	MURLEY,T.E.	8801050005	50-443	P
MICHAELS,T.S.	8801290290	50-134	P	MORISSEAU,D.S.	8808200452*	50-309	V	MURLEY,T.E.	8801070184	ORG	
MICHAELSON	8801040557	50-315	R	MORISSEAU,D.S.	8801210237*	50-275	P	MURLEY,T.E.	8801070170	50-805	A
MICHAELSON	8801040558	50-316	R	MORLEY,R.P.	8801290023*	50-327	S	MURLEY,T.E.	8801070400	ORG	
MICHAUD,P.W.	8801200450*	50-267	Q	MORTGAT,C.P.	8801040077	50-445	Q	MURLEY,T.E.	8801114001	ORG	
MIDDLETON,L.L.	8801250232	50-277	R	MOUGHAN,T.F.	8801270306*	50-443	T	MURLEY,T.E.	8801250324	50-482	H
MIKULSKI,B.A.	8801140380*	50-171	U	MOXLEY,J.C.	8801120427*	50-261	P	MURLEY,T.E.	8801270097	ORG	
MILETI,D.	8801130010	50-443	T	MOZAFARI,B.	8801280143	ORG		MURLEY,T.E.	8801270408	TOPREP	
MILHOAN,J.	8801270179	50-313	P	MROCZKA,E.J.	8712280230	50-245	Q	MURLEY,T.E.	8801290180	50-3	F
MILL,A.	8801040498*	50-320	V	MROCZKA,E.J.	8712280230	50-245	Q	MURLEY,T.E.	8801290305	50-605	A
MILLARD,H.T.	8801140005	50-274	Q	MROCZKA,E.J.	8801040547	50-423	P	MURPHY,G.A.	8801180186*	50-327	Q
MILLER,D.B.	8712220032	50-213	S	MROCZKA,E.J.	8801040547	50-423	P	MURPHY,G.L.	8801280689*	FOIA	
MILLER,D.B.	8801200334	50-213	R	MROCZKA,E.J.	8801050002	50-336	P	MURPHY,K.	8801200212*	50-272	Q
MILLER,D.E.	8801060015*	50-440	Q	MROCZKA,E.J.	8801050002	50-336	P	MURPHY,K.G.	8801190341*	50-412	Q
MILLER,F.L.	8801210033	40-7465	Q	MROCZKA,E.J.	8801050012	50-336	P	MURPHY,K.G.	8801200280*	50-387	Q
MILLER,G.	8801190210	50-382	R	MROCZKA,E.J.	8801050012	50-336	P	MURPHY,P.	8801260461*	50-312	Q
MILLER,H.J.	8801060098	50-461	Q	MROCZKA,E.J.	8801050189	50-246	P	MURPHY,W.P.	8712210142	50-271	Q
MILLER,H.J.	8801060103*	50-461	Q	MROCZKA,E.J.	8801050189	50-245	P	MURPHY,W.P.	8801050276	50-271	Q
MILLER,H.J.	8801060120	50-461	P	MROCZKA,E.J.	8801050219	50-423	P	MURPHY,W.P.	8801050340	50-271	Q
MILLER,H.J.	8801060177	50-255	Q	MROCZKA,E.J.	8801050219	50-423	P	MURPHY,W.P.	8801070354	50-271	Q
MILLER,H.J.	8801060181*	50-255	Q	MROCZKA,E.J.	8801050241	50-423	P	MURPHY,W.P.	8801120360	50-271	F
MILLER,H.J.	8801260533	50-458	Q	MROCZKA,E.J.	8801050241	50-423	P	MURPHY,W.P.	8801150221	50-271	R
MILLER,J.R.	8801130194*	50-338	P	MROCZKA,E.J.	8801110264	50-423	P	MURPHY,W.P.	8801200135	50-271	Q
MILLER,L.	8712310214*	50-312	Q	MROCZKA,E.J.	8801110264	50-423	P	MURRAY,B.	8801110047*	50-482	Q
MILLER,L.	8801200350	50-331	R	MROCZKA,E.J.	8801110351	50-213	F	MURRAY,B.	8801130020*	50-298	Q
MILLER,L.	8801260275*	50-312	Q	MROCZKA,E.J.	8801120248	50-338	P	MURRAY,B.	8801130161*	50-298	Q
MILLER,L.	8801270095*	50-312	F	MROCZKA,E.J.	8801120248	50-338	P	MURRAY,J.P.	8801130040	50-443	G
MILLER,L.	8801270115*	50-312	F	MROCZKA,E.J.	8801120304	50-213	F	MUSOLF,D.	8712280067	50-263	S
MILLER,M.A.	8801200033*	FOIA		MROCZKA,E.J.	8801120369	50-336	P	MUSOLF,D.	8712290093	50-263	S
MILLER,M.A.	8801200036*	FOIA		MROCZKA,E.J.	8801120369	50-336	P	MUSOLF,D.	8712290098	50-263	S
MILLER,M.S.	8801080287	50-322	G	MROCZKA,E.J.	8801120384	50-213	F	MUSOLF,D.	8712310163	50-282	P
MILLER,M.S.	8801080287	50-322	G	MROCZKA,E.J.	8801120384	50-213	F	MUSOLF,D.	8712310166*	50-282	P
MILLER,M.S.	8801080290	50-322	G	MROCZKA,E.J.	8801130113	50-336	P	MUSOLF,D.	8712310239	50-263	S
MILLER,M.S.	8801080290	50-322	G	MROCZKA,E.J.	8801130113	50-336	P	MUSOLF,D.	8801070420	50-282	S
MILLER,M.S.	8801190040	50-322	G	MROCZKA,E.J.	8801130260	50-213	P	MUSOLF,D.	8801120064	50-282	S
MILLER,M.S.	8801190042*	50-322	G	MROCZKA,E.J.	8801130260	50-213	P	MUSOLF,D.	8801120115	50-263	P
MILLER,M.S.	8801200273	50-322	G	MROCZKA,E.J.	8801130260	50-213	P	MUSOLF,D.	8801120124*	50-263	P
MILLER,M.S.	8801200273	50-322	G	MROCZKA,E.J.	8801150178	50-245	Q	MUSOLF,D.	8801130195	50-282	P
MILLER,M.S.	8801200281*	50-322	G	MROCZKA,E.J.	8801150178	50-245	Q	MUSOLF,D.	8801130202*	50-282	P
MILLER,M.S.	8801200281*	50-322	G	MROCZKA,E.J.	8801150178	50-213	Q	MUSOLF,D.	8801150286	50-282	R

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
MYERS.H.	8801220184*	50-390	Q	OLMSTEAD,C.A.	8801260506	50-344	S	PATTISON,R.S.	8801070421	40-8084	
MYERS.H.	8801220182*	50-327	H	OLSEN,T.T.	8801060503	40-8084		PAUL,R.A.	8801144004*	50-341	Q
MYERS.H.	8801280306*	50-320	P	OLSEN,T.T.	8801060544*	40-8911		PAUL,K.G.L.	8801120024*	50-259	Q
MYERS.H.	8801280327*	50-320	V	OLSHAN,L.	8801070222	50-454	P	PAUL,K.G.L.	8801160106*	50-259	Q
MYERS.H.	8801280340*	50-320	P	OLSHAN,L.	8801140217	50-454	P	PAULSON,W.A.	8801190344	50-458	P
MYERS.H.	8801260346*	50-289	P	OLSHAN,L.N.	8801270132	50-454	P	PAULSON,W.A.	8801250384	50-458	P
MYERS.H.	8801280466*	50-320	U	OLSHINSKI,J.A.	8801200116*	50-380	Q	PAWLK,E.T.	8801280676*	FOIA	
MYERS.H.	8801280518*	50-320	U	OLSHINSKI,J.A.	8801210037*	50-327	P	PAYNE,D.C.	8801040146*	50-259	V
MYERS.H.	8801280540*	50-327	P	OMORI,K.	8801210210*	FOIA		PEEBLES,T.A.	8801040185*	50-369	Q
MYERS.H.	8801280556*	FOIA		ORDERS,W.	8801040185*	50-389	Q	PEEBLES,T.A.	8801110415*	50-269	Q
MYERS,L.B.	8801280189*	50-259	P	ORNSTEIN,H.L.	8801070089	NUREG		PEEBLES,T.A.	8801150120*	50-269	Q
NAIK,J.A.	8801200287	50-327	S	ORSER,W.S.	8712290124	60-341	S	PEEBLES,T.A.	8801200056*	50-413	Q
NAIK,J.A.	8801200302	50-327	S	ORSER,W.S.	8712300140	50-341	Q	PELIZZA,M.S.	8801080024	40-8768	
NAPUDA,G.	8712290358*	50-333	Q	ORSER,W.S.	8801060123	50-341	S	PELIZZA,M.S.	8801080028*	40-8768	
NARBUT,P.P.	8801130038*	50-275	Q	ORSER,W.S.	8801140091	50-341	S	PELKE,P.	8801150243	50-341	S
NARDELLI,A.L.	8801060080	50-322	G	ORSER,W.S.	8801200286	50-341	S	PELLET,J.L.	8801080108*	50-458	V
NARDI,J.A.	8801280495	70-1161		ORSER,W.S.	8801200349	50-341	R	PELLET,J.L.	8801280123*	50-445	V
NARDONE,P.	8801190114	50-443	R	OSGOOD,S.	8801040537	70-1426		PEREIRA,D.B.	8801110427*	50-344	Q
NAUMAN,D.A.	8712230037	50-395	F	OSTER,J.	8801120207	50-373	J	PEREIRA,D.B.	8801120141*	50-344	Q
NAUMAN,D.A.	8801050093	50-395	P	OSTER,J.	8801220699	50-10	J	PERKINS,K.E.	8801040002*	50-316	P
NAUMAN,D.A.	8801050272	50-395	P	OSTER,J.	8801220620	50-10	J	PERKINS,K.E.	8801070182*	50-316	P
NAUMAN,D.A.	8801060033	50-395	S	OSTER,J.	8801270232	50-458	J	PERKINS,K.E.	8801120422*	50-268	P
NAUMAN,D.A.	8801060406	50-395	P	PACKARD,G.C.	8801130008	50-255	R	PERKINS,K.E.	8801140223	50-305	P
NAUMAN,D.A.	8801110283	50-395	S	PACKARD,G.C.	8801190066	50-255	R	PERKINS,K.E.	8801210275*	FOIA	
NAUMAN,D.A.	8801120231	50-395	P	PADOVAN,L.M.	8712310209*	50-344	Q	PERKINS,K.E.	8801260390*	50-315	P
NAUMAN,D.A.	8801120422	50-395	F	PADOVAN,L.M.	8801130038*	50-275	Q	PERKINS,K.E.	8801260389*	50-483	P
NAUMAN,D.A.	8801130213	50-395	P	PAGE,M.	8801050264	CONTRACT		PEROTTI,D.	8801060091*	50-312	Q
NAUMAN,D.A.	8801140024	50-395	P	PAGE,M.	8801210157	CONTRACT		PERRY,D.R.	8801130291*	TOPREP	
NAUMAN,D.A.	8801180130	50-396	R	PAGE,M.	8801260574	CONTRACT		PERRY,J.A.	8801220148	50-220	P
NAUMAN,D.A.	8801180288	50-395	F	PAGE,M.	8801260224	CONTRACT		PERRY,J.A.	8801220188*	50-220	P
NAUMAN,D.A.	8801200022	50-395	P	PAGE,M.	8801280107	CONTRACT		PERSENSKY,J.J.	8804170634*	50-369	P
NAUMAN,D.A.	8801270077	50-395	S	PAIRITZ,J.P.	8801050424	50-254	S	PERSENSKY,J.J.	8507030045*	FOIA	
NEISLER,J.H.	8801140016*	50-296	Q	PALAST,G.A.	8801280173	50-220	P	PERSENSKY,J.J.	8801020828*	50-10	P
NERSES,V.	8801040266	50-443	F	PALOMINO,F.	8801200273	50-322	G	PERSENSKY,J.J.	8812080057*	50-10	V
NERSES,V.	8801040279	50-443	T	PALOMINO,F.G.	8801040068	50-322	G	PERSENSKY,J.J.	8801210086*	50-220	V
NERSES,V.	8801050558	50-443	P	PALOMINO,F.G.	8801040122	50-322	G	PERSENSKY,J.J.	8801210283*	FOIA	
NEVULIS,R.	8801070385*	WASTE MGT		PALOMINO,F.G.	8801210161	50-322	G	PETERSEN,F.M.	8801270175	50-285	P
NEWBERRY,S.	8801280143	ORG		PALOMINO,F.G.	8801260322*	50-322	G	PETERSEN,T.C.	8801210290	FOIA	
NEWBROUGH,G.	8801130110	50-245	R	PALOMINO,F.G.	8801250385*	50-322	G	PETERSON,M.	8801220116*	FOIA	
NEWSOME,R.W.	8801110394*	50-261	Q	PALOMINO,F.G.	8801270334	50-322	G	PETERSON,M.R.	8801070509	XPORTLIC	
NEWTON,T.H.	8801120331	50-134	R	PALOMINO,F.G.	8801270434	50-322	G	PETERSON,M.R.	8801140289	XPORTLIC	
NICHOLAS,J.B.	8801060094*	50-313	Q	PANDEY,S.	8801210252*	50-289	P	PETERSON,M.R.	8801140310	XPORTLIC	
NICHOLS,J.	8801120312	50-272	F	PANETTA,L.E.	8801070185*	50-275	H	PETERSON,M.R.	8801140357	XPORTLIC	
NICHOLS,J.	8801270015	50-272	F	PAOLINO,R.J.	8801120299*	50-286	Q	PETERSON,M.R.	8801140380*	XPORTLIC	
NICHOLSON,L.E.	8801040198*	50-280	Q	PAPANIC,G.	8801110314	50-29	P	PETERSON,M.R.	8801150323	XPORTLIC	
NIEDZIELSKI,EIC	8801040612	PR		PAPANIC,G.	8801150196	50-29	P	PETERSON,M.R.	8801190182	XPORTLIC	
NIEMETI,E.	8801130102*	50-275	Q	PAPANIC,G.	8801210328*	50-29	P	PETERSON,M.R.	8801100226*	XPORTLIC	
NIMITZ,R.L.	8712280317*	50-293	Q	PAPANIC,G.	8801220033	50-29	P	PETERSON,M.R.	8801190232	XPORTLIC	
NIMITZ,R.L.	8801120262*	50-354	Q	PAPANIC,G.	8801260511	50-354	P	PETERSON,M.R.	8801190312	XPORTLIC	
NOLAN,L.M.	8801110007	27-48		PAPANIC,G.	8801270117	50-29	F	PETERSON,M.R.	8801190354	XPORTLIC	
NORDERHAUG,L.	8801060091*	50-312	Q	PAPANIC,G.	8801270567	50-29	F	PETERSON,M.W.	8801190109	50-456	R
NORELIUS,C.E.	8712290329	50-10	S	PAPANIC,G.	8801280347	50-29	P	PETROSINO,J.J.	8801280346*	QA999	
NORELIUS,C.E.	8801040083	50-346	Q	PAQUIN,P.L.	8801040047	71-0081		PETTENGILL,H.J.	8801080266	40-289	
NORELIUS,C.E.	8801060203	50-10	Q	PARIS,O.H.	8801130187	50-320	G	PETTENGILL,H.J.	8801060282	WASTE MGT	
NORELIUS,C.E.	8801110382	50-282	Q	PARK,J.Y.	8801070270	NUREG		PETTENGILL,H.J.	8801060471	40-8698	
NORELIUS,C.E.	8801110507	50-346	Q	PARKER,D.	8801040051*	50-382	P	PETTENGILL,H.J.	8801060482	40-2258	
NORELIUS,C.E.	8801280173	50-373	P	PARKEY,S.L.	8801200343	50-498	R	PETTENGILL,H.J.	8801060484*	40-8698	
NORRHOLM,L.J.	8801280686*	50-312	Q	PARKS,J.	8801210056*	50-208	P	PETTENGILL,H.J.	8801080522	40-3453	
NORRY,P.G.	8801210226*	FOIA		PARKS,J.	8801280382	50-412	P	PETTENGILL,H.J.	8801060530	40-2258	
NORTH,H.S.	8712310181*	50-275	Q	PARLER,W.C.	8801140280*	COMMISSION		PETTENGILL,H.J.	8801070085	40-4482	
NORTH,H.S.	8801200226*	50-528	Q	PARTLOW,J.G.	8801280345	QA999		PETTENGILL,H.J.	8801070111	40-3453	
NORTH,H.S.	8801280546*	50-275	Q	PARTLOW,J.G.	8801290336	REVIEW GR P		PETTENGILL,H.J.	8801110010	40-6822	
NORTH,P.J.	8801190013	50-287	S	PASCIAK,W.	8801130281	70-1100		PETTENGILL,H.J.	8801140350	40-8907	
NORTH,P.J.	8801260485	50-269	S	PASCIAK,W.	8801200102	70-135		PETTENGILL,H.J.	8801140361*	40-8907	
NOTIGAN,D.V.	8801280106	50-218	R	PASCIAK,W.	8801270376	70-135		PETTENGILL,H.J.	8801140370*	40-8907	
NOVACHEK,F.J.	8801200383	50-267	R	PASCIAK,W.J.	8801120358*	50-423	Q	PETTENGILL,H.J.	8801200053	40-8902	
O'REILLY,J.P.	8712300126	50-321	P	PASCIAK,W.J.	8801130081*	50-317	Q	PETTENGILL,H.J.	8801200062*	40-8902	
O'REILLY,J.P.	8801070182	50-424	P	PASCIAK,W.J.	8801130328*	50-245	Q	PETTENGILL,H.J.	8801200127	40-8904	
O'REILLY,J.P.	8801120216	50-366	P	PASCIAK,W.J.	8801140249*	50-354	Q	PETTENGILL,H.J.	8801200130*	40-8904	
O'REILLY,J.P.	8801270385	50-321	Q	PASCIAK,W.J.	8801140362*	50-272	Q	PETTENGILL,H.J.	8801200137*	40-8904	
OBERRG,C.	8506210085*	FOIA		PASSWATER,A.C.	8801210201	50-483	F	PAFF,S.J.	8801130306	40-6859	
OBERRG,C.	8707220291*	FOIA		PASTVA,M.J.	8801130105	50-324	S	PAFFER,E.	8712280088	50-263	S
OLDHAM,J.G.	8801070341	WASTE MGT		PASTVA,M.J.	8801190084	60-325	S	PHILLIPS,M.	8801040049	50-382	F
OLDHAM,J.G.	8801070432	WASTE MGT		PATE,R.J.	8801060098	50-275	Q	PHILLIPS,J.	8801280262*	FOIA	
OLDHAM,J.G.	8801110011	WASTE MGT		PATE,R.J.	8801110180*	50-275	Q	PHILLIPS,M.P.	8801080173*	50-254	Q
OLIPHANT,V.N.	8801110439	50-538	P	PATER,J.	8801110347	60-312	Q	PHILLIPS,M.P.	8801280073*	50-348	Q
OLIVERA,W.	8801200382*	50-244	P	PATER,J.	8801110403	60-89	V	PHILLIPS,M.P.	8801260166*	50-315	Q
OLIVER,J.E.	8801120427*	50-261	P	PATER,J.	8801120416	50-206	V	PICKERL,H.D.	8801140119	50-260	J
OLIVERA,E.J.	8801270300	50-443	T	PATER,J.	8801150244	50-344	V	PINKOWITZ,B.M.	8801120099	50-423	S
OLIVERA,E.J.	8801270300	50-443	T	PATER,J.	8801190133	50-228	V	PIRTLE,G.L.	8801140066*	50-260	Q
OLMSTEAD,C.A.	8801050403	50-344	S	PATER,J.	8801200110	50-528	Q	PIRTLE,G.L.	8801200353*	50-341	Q
OLMSTEAD,C.A.	8801070002	50-344	S	PATE,Z.T.	8801210264*	FOIA		PLESSET,M.S.	8801270622	ACRS	
OLMSTEAD,C.A.	8801120350	50-344	S	PATEL,O.P.	8801140162	50-280	P	PLETTNER,E.A.	8801130448*	50-288	Q
OLMSTEAD,C.A.	8801130158	50-344	S	PATEL,C.P.	8801280095	50-280	P	PLETTNER,E.A.	8801140020*	50-288	Q
OLMSTEAD,C.A.	8801140068	50-344	S	PATTERSON,A.A.	8801070442*	50-445	A	PLIML,C.J.	8801260006	50-285	R
OLMSTEAD,C.A.	8801140085	50-344	S	PATTERSON,C.A.	8801150106*	50-259	Q	PLIML,G.J.	8801050170	50-285	S
OLMSTEAD,C.A.	8801140087	50-344	S	PATTERSON,J.	8712310025*	50-155	Q	PLIML,G.J.	8801140073	50-285	S
OLMSTEAD,C.A.	8801140321	50-344	R	PATTERSON,J.P.	8801120317*	60-2	Q	PLIML,G.J.	8801150306	50-285	R

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PLOSKI,T.	8801120224*	50-373 Q	RICE,W.R.	8801150193*	50-498 P	RUBENSTEIN,L.S.	8801130429	50-193
PLOTT,C.	8801060431	NUREG	RICH,G.	8801150027	50-335 G	RUBENSTEIN,L.S.	8801140204	50-409
POLLACK,M.J.	8801040578	50-311 S	RICH,C.	8801210181	50-335 G	RUBENSTEIN,L.S.	8801150012*	50-409
POLLACK,M.J.	8801040591	50-311 S	RICH,C.	8801250304	50-335 G	RUBENSTEIN,L.S.	8801150024*	50-409
POLLACK,M.J.	8801120028	50-311 S	RICHARDS,S.	8801110361*	50-312 Q	RUBENSTEIN,L.S.	8801250182*	50-183
POLLACK,M.J.	8801120068	50-311 S	RICHARDS,S.	8801110387*	50-528 Q	RUBENSTEIN,L.S.	8801250289	50-601
POLLACK,M.J.	8801140076	50-272 S	RICHARDS,S.	8801200117*	50-528 Q	RUBIN,K.	8801080414*	50-443
PORTER,S.R.	8712290093	50-263 S	RICHARDS,S.A.	8712310209	50-344 Q	RUBIN,K.	8801070058*	50-244
POTAPOV,S.U.	8801110265*	0A999	RICHARDSON,S.D.	8801070053	50-327 Q	RUDEBUSCH,T.	8801110032	50-458
POTTS,R.D.	8801190634*	40-3453	RICHARDSON,S.D.	8801120023	50-259 Q	RUDEBUSCH,T.	8801110032	50-458
POTTS,W.E.	8801280037	50-289 F	RICHARDSON,S.D.	8801270161	50-259 Q	RUITER,G.H.	8801130095	50-305
POWERS,C.M.	8712300103	50-397 R	RICHEY,R.B.	8801070316	50-261 P	RULANO,W.H.	8801120003	50-324
POWERS,C.M.	8801040529	50-397 R	RICHEY,R.B.	8801270009	50-325 Q	RUSSELL,J.	8801260223*	50-89
POWERS,C.M.	8801200325	50-397 S	RIGNEY,P.E.	8712220128	50-133 S	RUSSELL,J.R.	8801280237	50-321
POWERS,C.M.	8801220161	50-397 S	RIGNEY,P.E.	8801200130	50-133 S	RUSSELL,J.R.	8801280258	50-321
PRELL,J.	8801130277*	50-272 Q	RILEY,J.A.	8801210160*	CONTRACT	RUSSELL,W.T.	8801190210*	50-272
PRENDERGAST,K.	8712310236	50-312 Q	RINER,G.L.	8801280010	50-327 S	RUSSELL,W.T.	8610070186*	50-206
PRENDERGAST,K.	8801060091*	50-312 Q	RIVER,G.L.	8801280018*	50-327 S	RUSSELL,W.T.	8811040020*	50-272
PRESTHOLT,P.T.	8801110209	WASTE MGT	RITTENBERG,R.B.	8801070410	27-48	RUSSELL,W.T.	8612100113*	50-319
PRESTHOLT,P.T.	8801290053	WASTE MGT	RITZMAN,R.	8801210050	50-354 R	RUSSELL,W.T.	8704080295*	50-397
PRESTHOLT,P.T.	8801290061*	WASTE MGT	RIVARD,D.A.	8801040483	50-309 R	RUSSELL,W.T.	8712290309	50-293
PRESTON,B.A.	8801040188	50-272 Q	RIVENBARK,G.	8801150348	50-354 P	RUSSELL,W.T.	8801040020*	50-293
PRICE,W.H.	8801070436*	WASTE MGT	RIVENBARK,G.	8801280192	50-354 P	RUSSELL,W.T.	8801110301	50-352
PUGGIO,M.	8801150290	50-528 F	ROBERTS,J.P.	8801070243	MISC	RUSSELL,W.T.	8801110311*	50-352
PULIS,A.S.	8801040557	50-316 R	ROBERTS,J.P.	8801070307	MISC	RUSSELL,W.T.	8801110443	50-245
PULIS,A.S.	8801040559	50-316 R	ROBERTS,T.M.	8801280178	COMMISSION	RUSSELL,W.T.	8801110454*	50-245
PUYAT,T.R.	8801280159	50-341 P	ROBEY,R.A.	8712280072	50-234 R	RUSSELL,W.T.	8801130267	50-277
QUERIO,R.E.	8801280578	50-454 S	ROBEY,R.A.	8801220061	50-254 P	RUSSELL,W.T.	8801130414*	50-283
QUERIO,R.E.	8801040560	50-454 S	ROBEY,R.A.	8801220234	50-254 P	RUSSELL,W.T.	8801130432*	50-293
QUERIO,R.E.	8801060324	50-455 S	ROBINSON,L.	8801140180*	FOIA	RUSSELL,W.T.	8801140373*	50-171
QUERIO,R.E.	8801190070	50-454 R	ROBINSON,L.	8801150083	FOIA	RUSSELL,W.T.	8801200080	50-387
QUINN,M.F.	8801270100	50-288 S	ROBINSON,M.A.	8801220212	50-139 P	RUSTGI,S.N.	8801080254	PR
QUINTANA,R.L.	8801120335	50-528 I	ROCKIE,M.B.	8801050150	50-219 F	RUTBERG,J.	8801110077*	50-458
RADER,R.M.	8801280450	FOIA	ROCKHOLD,H.C.	8801270490	50-482 F	RUTBERG,J.	8801110154*	50-459
RAGSDALE,J.B.	8801290023*	50-327 S	RODGERS,R.	8801120384	50-213 F	RUTHER,W.E.	8801070270	NUREG
RAMSEY,C.	8801110361*	50-312 Q	ROE,M.L.	8812230330*	50-302 P	SAGET,R.P.	8801080001	WASTE
RAMSEY,C.	8801070516*	WASTE MGT	ROECK,F.V.	8801070537*	WASTE MGT	SAGET,R.P.	8801080009	WASTE
RANDALL,R.G.	8712290379	50-410 S	ROGERS,R.P.	8801050869	TOPREP	SAGET,R.P.	8801080019*	WASTE
RANDAZZA,J.B.	8801120389	50-309 P	ROGERS,R.P.	8801120321	TOPREP	SAGET,R.P.	8801280116	WASTE
RANGE,D.M.	8801070373	40-8064	ROGERS,R.P.	8801130282	TOPREP	SALAMON,G.	8712290088	50-261
RANSOM,C.B.	8712040169*	50-288 P	ROHDE,K.G.	8801210093*	50-269 P	SALAMON,G.	8801120356	50-250
RANSOM,C.B.	8801270490*	50-482 P	ROHMANO,F.R.	8801130043	50-352 S	SALAMON,G.	8801190084	50-261
RATCLIFF,W.H.	8801140414	CONTRACT	ROOD,H.	8801130455	50-361 F	SALAMON,G.	8801270030	50-250
RAVENSCROFT,N.	8801210110	XPORTLIC	ROONEY,V.L.	8801040358	50-271 P	SAMOLINSKI,S.J.	8801270120	50-373
RAY,M.J.	8801050180	50-280 Q	ROONEY,V.L.	8801040364*	50-271 P	SAMPSON,P.	8801200314	50-373
RAY,M.J.	8801130223	50-327 P	ROONEY,V.L.	8801050664	50-271 P	SAMUELS,J.L.	8801270148	50-331
RAY,M.J.	8801140218	50-327 P	ROONEY,V.L.	8801050668*	50-271 P	SAMUELS,J.L.	8801280065	50-313
RAY,M.J.	8801280682	50-327 Q	ROONEY,V.L.	8801270412	50-271 P	SAMUELS,J.L.	8801290361	TOPREP
REAVIS,J.A.	8712280216*	50-369 R	ROSE,H.D.	8801070065	40-4492	SAMWORTH,R.B.	8801180175	50-397
REAVIS,J.A.	8801040342*	50-369 R	ROSE,H.D.	8801200062*	40-8902	SAMWORTH,R.B.	8801040296	50-397
REAVIS,J.A.	8801210032	50-269 R	ROSE,H.D.	8801200137*	40-8904	SANDERSON,R.E.	8801280318	PR
REAVIS,J.A.	8801210038	50-413 R	ROSENTHAL,A.S.	8801060311	50-322 G	SANDS,S.P.	8801270132	50-454
REAVIS,J.A.	8801210045	50-369 R	ROSENTHAL,A.S.	8801190023	50-443 G	SANNA,L.J.	8801070357	50-259
REBELOWSKI,T.	8712300045*	50-277 Q	ROSENTHAL,A.S.	8801190027	50-322 G	SANNA,L.J.	8801270120	50-321
REEVES,E.A.	8801070417	50-348 P	ROSS,C.A.	8801210055	50-316 S	SARTOR,W.M.	8801110320*	50-259
REEVES,E.A.	8801200011	50-348 P	ROSS,M.T.	8801270002	50-254 P	SCACE,S.E.	8801110174	50-423
REHM,T.A.	8803030169*	FOIA	ROSS,T.	8801210049	50-254 P	SCACE,S.E.	8801110174	50-423
REHM,T.A.	8801050007	COMMISSION	ROSS,T.M.	8801200214	50-254 F	SCACE,S.E.	8801110303	50-336
REHM,T.A.	8801110486	COMMISSION	ROSS,W.J.	8712310191*	50-275 Q	SCACE,S.E.	8801110303	50-336
REHM,T.A.	8801190219	COMMISSION	ROSS,W.J.	8801200320*	50-416 Q	SCACE,S.E.	8801120089	50-423
REHM,T.A.	8801190292*	FOIA	ROSSI,C.E.	8712160389	50-3 Q	SCACE,S.E.	8801120099	50-423
REHM,T.A.	8801210034*	FOIA	ROSSI,C.E.	8712170119	50-3 Q	SCACE,S.E.	8801120239	50-423
REHM,T.A.	8801210208*	FOIA	ROSSI,C.E.	8712230003	50-3 Q	SCACE,S.E.	8801120239	50-423
REHM,T.A.	8801220002	COMMISSION	ROSSI,C.E.	8712280155	50-3 Q	SCACE,S.E.	8801120258	50-336
REIDINGER,T.D.	8801190152*	50-346 V	ROSSI,C.E.	8712300091	50-3 Q	SCACE,S.E.	8801120258	50-336
REISE,E.J.	8801190017	50-443 G	ROSSI,C.E.	8801050384	50-3 Q	SCACE,S.E.	8801130110	50-245
REISENAUER,A.E.	88007080427*	WASTE MGT	ROSSIN,A.D.	8707250121*	50-322 P	SCACE,S.E.	8801130110	50-245
REMIC,K.F.J.	8801210198*	FOIA	ROSSON,H.F.	8801270314	50-148 R	SCACE,S.E.	8801140330	50-423
REMIC,K.F.J.	8801210214*	FOIA	ROTH,J.	8801200102	70-135	SCACE,S.E.	8801140330	50-423
RESCHESKE,P.R.	8801060140*	50-440 Q	ROTH,J.	8801270376	70-135	SCACE,S.E.	8801140349	50-336
RESNIKOFF,M.	8801210184	FOIA	ROTHERT,W.C.	8712310152	50-331 Q	SCACE,S.E.	8801140349	50-336
REYES,L.A.	8801110373	50-269 Q	ROTHERT,W.C.	8801080135	50-331 P	SCACE,S.E.	8801190328	50-336
REYES,L.A.	8801110408*	50-269 Q	ROTHERT,W.C.	8801210095	50-331 Q	SCACE,S.E.	8801190328	50-336
REYES,L.A.	8801120011	50-424 P	ROUGHAN,C.M.	8801210098	71-6717	SCACE,S.E.	8801200303	50-423
REYNOLDS,N.S.	8801060126	PR	ROUGHAN,C.M.	8801210075	71-9220	SCACE,S.E.	8801200303	50-423
REYNOLDS,N.S.	8801060126	PR	ROUGHAN,C.M.	8801210086*	71-9220	SCACE,S.E.	8801200315	50-336
REYNOLDS,N.S.	8801060126	PR	ROUSE,L.C.	8801140311	70-1100	SCACE,S.E.	8801200316	50-336
REYNOLDS,N.S.	8801060126	PR	ROUSE,L.C.	8801140324*	70-1100	SCACE,S.E.	8801270118	50-423
REYNOLDS,N.S.	8801060126	PR	ROUSE,L.C.	8801140338*	70-1100	SCACE,S.E.	8801270118	50-423
REYNOLDS,N.S.	8801060126	PR	ROUSE,L.C.	8801150059	70-1257	SCARANO,R.A.	8712310186	50-275
REYNOLDS,N.S.	8801060126	PR	ROUSE,L.C.	8801150077*	70-1257	SCARANO,R.A.	8801200213	50-528
REYNOLDS,N.S.	8801060126	PR	ROUSE,L.C.	8801160100	70-1257	SCARANO,R.A.	8801200217*	50-528
REYNOLDS,N.S.	8801060126	PR	ROUSE,L.C.	8801160257	40-2061	SCARANO,R.A.	8801250401	50-206
REYNOLDS,N.S.	8801060303	50-480 G	ROUSE,L.C.	8801290232	40-8027	SCARANO,R.A.	8801270439*	50-375
REYNOLDS,S.A.	8801070077*	50-316 Q	ROWSOME,F.H.	8611170042*	50-302 V	SCHAEFER,D.	8801080487	50-206
REYNOLDS,S.A.	8801260338*	50-456 Q	ROWSOME,F.H.	8708040086*	50-3 F	SCHALLER,R.F.	8801050444	50-461
RICE,D.A.	8801050487	50-29 P	RUBENSTEIN,L.S.	8801050077*	50-298 P	SCHALLER,R.F.	8801200149	50-461
RICE,R.M.	8801250081*	50-255 S	RUBENSTEIN,L.S.	8801130371*	50-274 P	SCHAPKER,J.F.	8712290322*	50-458

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
SCHERER, A.E.	8801140093	50-395	P	SHELTON, D.C.	8801130205*	50-340	P	SINCLAIR, J.	8801200136*	FOIA	
SCHERER, A.E.	8801250367	50-470	A	SHELTON, D.C.	8801150234	50-346	P	SINGH, A.	8801200459*	50-445	Q
SCHERER, A.E.	8801280263	50-470	A	SHELTON, D.C.	8801150237*	50-346	P	SINGLETON, K.M.	8801200537*	WASTE MGT	S
SCHERER, A.E.	8801280559	TOPREP		SHELTON, D.C.	8801200144	50-346	V	SISK, D.P.	8801200389	50-275	S
SCHUEMAN, J.T.	8801120342	50-298	R	SHELTON, D.C.	8801200157	50-346	P	SISK, D.P.	8801200438	50-275	S
SCHMIDT, K.	8712280072	50-254	R	SHELTON, D.C.	8801250545	50-346	P	SKINNER, P.H.	8801110415*	50-269	Q
SCHWITZ, T.A.	8801210152	50-445	G	SHELTON, D.C.	8801250547*	50-346	P	SKINNER, P.H.	8801150120*	50-269	Q
SCHWITZ, T.A.	8801210152	50-445	G	SHELTON, D.C.	8801270271	50-346	P	SKOLNICK, F.	8801130183*	50-320	G
SCHELL, D.F.	8801130243	50-483	F	SHELTON, D.C.	8801270416	50-346	P	SKOLNICK, F.	8801130183*	50-320	G
SCHELL, D.F.	8801130297	50-483	P	SHELTON, D.C.	8801270440*	50-346	P	SKURIA, S.J.	8801110044*	WASTE MGT	
SCHNUR, R.F.	8801280272*	50-327	P	SHEMANSKI, P.C.	8801140391	50-373	P	SLOSSON, M.	8801180340	50-247	S
SCHNOLMAN, W.D.	8801070449*	CONTRACT		SHEMANSKI, P.C.	8801260494	50-373	P	SLOSSON, M.M.	8801070405	50-247	P
SCHUMACHER, M.C.	8801120200*	50-456	Q	SHEPPARD, W.H.	8712310034	50-483	S	SLOSSON, M.M.	8801140368	50-247	P
SCHUMACHER, M.C.	8801140022*	50-155	Q	SHERANKO, R.G.	8712300017	50-387	S	SMEDELEY, R.W.	8801270039	50-255	P
SCHUMM, S.A.	8801280080*	WASTE MGT		SHERANKO, R.G.	8801060116*	50-387	S	SMEDELEY, R.W.	8801270510	50-255	P
SCHUSTER, M.	8801060487	50-206	S	SHERBINI, S.	8801130114*	50-219	Q	SMITH, G.C.	8801130075*	50-218	Q
SCHUYLER, J.O.	8801130227*	50-275	E	SHIFFER, J.D.	8712220128	50-133	S	SMITH, G.C.	8801130130*	70-371	
SCHUYLER, J.O.	8801130241*	50-275	E	SHIFFER, J.D.	8801050675	50-275	P	SMITH, G.C.	8801130271*	50-247	Q
SCHUYLER, J.O.	8801130257*	50-275	P	SHIFFER, J.D.	8801080278	50-133	Q	SMITH, J.W.	8801210159	50-443	G
SCHUYLER, J.O.	8801130342*	50-275	E	SHIFFER, J.D.	8801120130	50-133	S	SMITH, J.W.	8801270288	50-443	G
SCHUYLER, J.O.	8801130364*	50-275	P	SHIFFER, J.D.	8801120390	50-275	P	SMITH, J.W.	8801270328	50-443	G
SCHUYLER, J.O.	8801130380*	50-275	P	SHIFFER, J.D.	8801200389	50-275	S	SMITH, J.	8801110195	50-324	F
SCHUYLER, J.O.	8801270287*	50-275	P	SHIFFER, J.D.	8801200439	50-275	S	SMITH, J.	8801150289	50-244	F
SCHWABENBAUER	8712280008	50-400	S	SHIFFER, J.D.	8801210259	50-275	Q	SMITH, J.F.	8712280322*	50-458	Q
SCHWABENBAUER	8801200123	50-400	S	SHIFFER, J.D.	8801260344	50-275	S	SMITH, J.N.	8801040050*	50-382	P
SCHWARTZ, J.	8801110233	NUREG		SHIFFER, J.D.	8801260445	50-275	S	SMITH, L.B.	8801260216*	50-482	P
SEARS, C.F.	8801040547	50-423	P	SHIFFER, J.D.	8801260483	50-275	S	SMITH, M.	8801120224*	50-373	Q
SEARS, C.F.	8801050012	50-336	P	SHIFFER, J.D.	8801260492	50-275	P	SMITH, N.P.	8801150268	50-254	Q
SEARS, C.F.	8801050219	50-423	P	SHIFFER, J.D.	8801260558	50-275	Q	SMITH, P.	8801070397	CONTRACT	
SEARS, C.F.	8801050241	50-423	P	SHIFFER, J.D.	8801270013	50-275	P	SMITH, P.	8801070409*	CONTRACT	
SEARS, C.F.	8801130280	50-213	P	SHIFFER, J.D.	8801270016*	50-275	P	SMITH, P.A.	8801040538	50-334	R
SEARS, C.F.	8801180180	50-336	P	SHIFFER, J.D.	8801270021	50-275	P	SMITH, P.A.	8801220017	CONTRACT	
SEARS, C.F.	8801190180	50-336	P	SHIFFER, J.D.	8801270024	50-275	P	SMITH, R.	8801180211*	50-482	P
SEARS, C.F.	8801180180	NUREG		SHIFFER, J.D.	8801270027*	50-275	P	SMITH, R.C.	8801210167*	50-443	G
SEARS, C.F.	8801220519	50-423	P	SHIFFER, J.D.	8801280128	50-275	S	SMITH, R.D.	8801080309	WASTE MGT	
SEARS, C.F.	8801270238	50-423	P	SHOEMAKER, C.J.	8801040064	50-443	G	SMITH, R.D.	8801080498*	40-8608	
SEARS, C.F.	8801290193	50-423	Q	SHOEMAKER, C.J.	8801060071	50-289	Q	SMITH, R.D.	8801080535	40-8911	
SEARS, P.	8801260380	50-309	P	SHOEMAKER, C.J.	8801060285	50-322	G	SMITH, R.D.	8801060540*	40-8911	
SEDAR, J.H.	8801040483	50-219	R	SHOEMAKER, C.J.	8801130055	50-443	G	SMITH, R.D.	8801070324	40-8714	
SEIDLE, W.C.	8801060884*	50-313	Q	SHOEMAKER, C.J.	8801160015	50-443	G	SMITH, R.D.	8801070076	40-6659	
SEIDLE, W.C.	8801200121*	50-498	Q	SHOEMAKER, C.J.	8801180018	50-443	G	SMITH, R.D.	8801070078	40-6622	
SELLECK, K.A.	8801200305	50-443	G	SHOEMAKER, C.J.	8801190028	50-322	G	SMITH, R.D.	8801070081	40-6659	
SELLECK, K.A.	8801200317	50-443	G	SHOEMAKER, C.J.	8801250298	50-443	G	SMITH, R.D.	8801070098	40-1182	
SHACK, W.J.	8801070270	NUREG		SHOEMAKER, C.J.	8801250309	50-322	G	SMITH, R.D.	8801070104*	40-6622	
SHAFER, W.D.	8712310018	50-155	Q	SHOEMAKER, C.J.	8801270378	50-443	G	SMITH, R.D.	8801070112	40-8829	
SHAFER, W.D.	8712310027	50-263	Q	SHON, F.J.	8801130030	50-322	G	SMITH, R.D.	8801070125*	40-8829	
SHAFER, W.D.	8801060010	50-440	Q	SHOPENN, N.M.	8801140370*	40-8907		SMITH, R.D.	8801070136	40-8502	
SHAFER, W.D.	8801060017	50-237	F	SHRIVER, T.D.	8801200134	50-528	S	SMITH, R.D.	8801070147*	40-8502	
SHAFER, W.D.	8801080023	50-155	F	SHRIVER, T.D.	8801200197	50-530	S	SMITH, R.D.	8801070151	40-2259	
SHAFER, W.D.	8801120191	50-305	F	SHYLOCK, M.	8801130056*	50-395	Q	SMITH, R.D.	8801070153	40-8698	
SHAFER, W.D.	8801120194	50-456	Q	SIACOR, E.R.	8801200355	50-361	R	SMITH, R.D.	8801070157*	40-8698	
SHAFER, W.D.	8801120220	50-373	Q	SIACOR, E.R.	8801220050	50-208	R	SMITH, R.D.	8801070168*	40-2259	
SHAFER, W.D.	8801120259	50-461	Q	SIEBER, J.D.	8801040538	50-334	R	SMITH, R.D.	8801070428	40-8913	
SHAFER, W.D.	8801120302	50-2	Q	SIEBER, J.D.	8801080021	50-412	F	SMITH, R.D.	8801070438*	40-8913	
SHAFER, W.D.	8801120385	50-255	Q	SIEBER, J.D.	8801180105	50-334	S	SMITH, R.D.	8801070501	40-8913	
SHAFER, W.D.	8801120392*	50-255	Q	SIEBER, J.D.	8801180298	50-334	Q	SMITH, R.D.	8801080088	40-1182	
SHAFER, W.D.	8801130080	50-266	F	SIEBER, J.D.	8801200309	50-334	P	SMITH, R.D.	8801110157*	40-8452	
SHAFER, W.D.	8801140019	50-155	Q	SIEBER, J.D.	8801250011	50-412	P	SMITH, S.J.	8712280030	50-327	S
SHAFER, W.D.	8801140025	50-454	Q	SIEBER, J.D.	8801250014*	50-412	P	SMITH, S.J.	8712300028	50-327	S
SHAFER, W.D.	8801140035	50-341	Q	SILADY, J.A.	8801050469	50-237	P	SMITH, S.J.	8712300037	50-328	S
SHAFER, W.D.	8801140037*	50-341	Q	SILADY, J.A.	8801050476*	50-237	P	SMITH, S.J.	8801060216	50-327	S
SHANBAY, M.	8801120367*	50-245	Q	SILADY, J.A.	8801200419	71-4986		SMITH, S.J.	8801060248	50-328	S
SHANBAY, M.	8801130066*	50-247	Q	SILADY, J.A.	8801210276	50-249	P	SMITH, S.J.	8801060277	50-328	S
SHANBAY, M.M.	8712290317*	50-293	Q	SILBERG, J.E.	8801260202	50-412	I	SMITH, S.J.	8801060398	50-327	S
SHANBAY, M.M.	8801120262*	50-354	Q	SILBERG, J.E.	8801270339	50-440	G	SMITH, S.J.	8801180071	50-327	S
SHANBAY, M.M.	8801130114*	50-219	Q	SILBERG, J.E.	8801270339	50-440	G	SMITH, S.J.	8801180077	50-327	S
SHANBAY, M.M.	8801130173*	50-20	Q	SILK, D.	8801130277*	50-272	Q	SMITH, S.J.	8801200285	50-327	S
SHANBAY, M.M.	8801130280*	70-1100		SILVER, S.A.	8801200415	50-275	G	SMITH, S.J.	8801200287	50-327	S
SHANNON, J.M.	8801130081	50-443	G	SILVER, S.A.	8801200448*	50-275	G	SMITH, S.J.	8801200289	50-328	S
SHANNON, J.M.	8801250551*	50-400	Q	SIMPSON, A.K.	8801210270*	FOIA		SMITH, S.J.	8801200302	50-327	S
SHAO, L.	8801200216*	FOIA		SIMPSON, E.C.	8801040275	PR		SMITH, S.J.	8801200323	50-327	S
SHAPAR, H.J.	8801110100*	50-458	P	SIMPSON, E.C.	8801050407	50-302	Q	SMITH, S.J.	8801200328	50-327	S
SHAPAR, H.K.	8801110085*	50-458	M	SIMPSON, E.C.	8801060236	50-302	Q	SMITH, S.J.	8801280059	50-327	R
SHAPAR, H.K.	8801110338*	50-458	M	SIMPSON, E.C.	8801060355	50-302	S	SMITH, S.J.	8801280190	50-327	S
SHARKEY, J.M.	8801280686*	50-312	Q	SIMPSON, E.C.	8801060434	50-302	S	SMITH, S.J.	8801280182	50-327	S
SHARMA, N.	8801280264*	50-327	P	SIMPSON, E.C.	8801110252	50-302	P	SMITH, W.F.	8801060486*	50-382	Q
SHEA, D.J.	8502060013*	FOIA		SIMPSON, E.C.	8801110527	50-302	P	SMITH, W.G.	8801040557	50-315	R
SHEA, D.J.	8502060015*	FOIA		SIMPSON, E.C.	8801110539	50-302	P	SMITH, W.G.	8801040559	50-315	R
SHEA, J.R.	8801180245*	XPORTLIC		SIMPSON, E.C.	8801110541	50-302	S	SMITH, W.G.	8801070280	50-315	R
SHEA, J.R.	8801260410*	FOIA		SIMPSON, E.C.	8801120022	50-302	P	SMITH, W.G.	8801210055	50-316	S
SHEAR, G.L.	8801120266*	50-461	Q	SIMPSON, E.C.	8801130138	50-302	Q	SMITH, W.G.	8801210061	50-316	S
SHEERAN, R.E.	8801200411	70-1100		SIMPSON, E.C.	8801180076	50-302	R	SMITH, W.G.	8801270277	50-315	S
SHELTON, D.C.	8801110343	50-346	P	SIMPSON, E.C.	8801180272	50-302	Q	SMYTH, C.W.			

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
SNELL, W.	8801260021	50-483	F	STELLO, V.	8801130350	SECY	SYLVIA, B.R.	8801070358	60-341	Q
SNIEZEK, J.H.	8801140100*	FOIA		STELLO, V.	8801180333	40-8027	SYLVIA, B.R.	8801070370	60-341	P
SNOW, B.A.	8801130219	50-244	F	STELLO, V.	8801210282*	FOIA	SYLVIA, B.R.	8801110431	50-341	P
SNOW, B.A.	8801210132	50-244	Q	STELLO, V.	8801250185	50-255	SYLVIA, B.R.	8801120155	50-341	P
SNOW, B.A.	8801210137	50-244	Q	STELLO, V.	8801250394	50-206	SYLVIA, B.R.	8801130145	50-341	Q
SNOW, B.A.	8801250358	50-244	S	STELLO, V.	8801260049	50-247	SYLVIA, B.R.	8801150264	50-341	Q
SNOW, B.A.	8801260406	50-244	P	STELLO, V.	8801260357	50-220	SYLVIA, B.R.	8801200049	50-341	Q
SNOW, B.A.	8801260411*	50-244	P	STELLO, V.	8801280160	50-328	SYLVIA, B.R.	8801200052	50-341	Q
SNOW, B.A.	8801260512	50-244	P	STELLO, V.	8801290346	SECY	SYLVIA, B.R.	8801200240	50-341	Q
SNOW, B.A.	8801260531*	50-244	P	STELLO, V.	8801290362*	NUREG	SYLVIA, B.R.	8801220260	50-341	Q
SNOW, B.A.	8801280254	50-244	S	STELLO, V.	8801290363*	NUREG	SYLVIA, B.R.	8801260084	50-341	H
SOMMER, K.G.	8801070350	WASTE MGT		STEPHENS, K.W.	8801110197	WASTE RES	SYLVIA, B.R.	8801290337	50-341	P
SOMMER, K.G.	8801070380*	WASTE MGT		STEPHENS, S.	8801180185	50-482	SYLVIA, B.R.	8801290341	50-341	P
SOMMER, K.G.	8801070364*	WASTE MGT		STEPHENS, S.	8801260120	50-482	SYLVIA, B.R.	8801290352	50-341	P
SORENSEN, C.	8801110387*	50-528	Q	STEPHENSON, J.B.	8712300118	50-302	TAGATZ, G.	8801060416	50-264	S
SORENSEN, G.C.	8801040534	50-397	P	STEPHENSON, J.D.	8801210133	50-302	TAGATZ, G.	8801270544	50-264	S
SORENSEN, G.C.	8801070148	50-397	P	STEPTOE, P.P.	8801130028	50-466	TAM, P.S.	8801070394	50-334	P
SORENSEN, G.C.	8801070161	50-460	Q	STEPTOE, P.P.	8801250355	50-466	TAM, P.S.	8801130383	50-334	P
SORENSEN, G.C.	8801070333	50-397	Q	STEVENS, D.B.	8801040051*	50-382	TAM, P.S.	8801130370*	50-334	P
SORENSEN, G.C.	8801120270	50-397	I	STEVENS, J.A.	8801280152	50-481	TAM, P.S.	8801140138	50-334	P
SORENSEN, G.C.	8801120344	50-397	P	STEVENSON, P.	8801210222	FOIA	TAM, P.S.	8801140140*	50-334	P
SORENSEN, G.C.	8801130093	50-397	Q	STEWART, R.C.	8801200077*	50-313	TAM, P.S.	8801290135	50-334	Q
SORENSEN, G.C.	8801130208	50-397	P	STEWART, S.	8801190075	50-302	TAPIO, J.I.	8801140012*	50-382	Q
SORENSEN, G.C.	8801130212	50-397	P	STEWART, W.L.	8801050298	50-280	TAPIO, J.I.	8801270138	50-382	S
SORENSEN, G.C.	8801130304	50-397	F	STEWART, W.L.	8801110258	50-280	TATUM, J.E.	8712310209*	50-344	Q
SORENSEN, G.C.	8801130317	50-397	P	STEWART, W.L.	8801110278	50-338	TATUM, J.E.	8801110253*	50-208	Q
SORENSEN, G.C.	8801150042	50-397	Q	STEWART, W.L.	8801110327	50-280	TAYLOR, J.H.	8801080161	50-369	P
SORENSEN, G.C.	8801260448	50-397	F	STEWART, W.L.	8801140002	50-280	TAYLOR, J.H.	8801080456	50-369	P
SORENSEN, G.C.	8801270066	50-397	F	STEWART, W.L.	8801190278	50-338	TAYLOR, J.L.	8801250381	50-322	Q
SORENSEN, G.C.	8801270116	50-397	O	STEWART, W.L.	8801200280	50-280	TAYLOR, J.L.	8801250381	50-322	Q
SORENSEN, G.C.	8801270293	50-397	Q	STEWART, W.L.	8801200432	50-338	TAYLOR, J.M.	8801110020	REVIEW GR	P
SORGI, D.	8801130375	50-293	P	STEWART, W.L.	8801210218	50-280	TAYLOR, J.M.	8801210287	50-180	P
SORROOSHIAN, S.	8801070385*	WASTE MGT		STEWART, W.L.	8801260380	50-338	TAYLOR, J.M.	8801210280*	50-180	P
SPADARO, J.P.	8712310151*	50-388	P	STEWART, W.L.	8801280402	50-280	TAYLOR, J.M.	8801290139	50-313	Q
SPAN, F.A.	8801070395*	WASTE MGT		STOHR, J.P.	8801200114	70-143	TAYLOR, J.M.	8801290146*	50-313	Q
SPANGENBERG, F.	8712290133	50-461	S	STOLZ, J.F.	8801250438*	50-338	TAYLOR, J.M.	8801290295	REVIEW GR	P
SPANGENBERG, F.	8801040414	50-461	P	STOLZ, J.F.	8801260104*	50-423	TAYLOR, J.W.	8801080200	50-409	P
SPANGENBERG, F.	8801050444	50-461	S	STOLZ, J.F.	8801260257*	50-213	TAYLOR, J.W.	8801080211*	50-409	P
SPANGENBERG, F.	8801180104	50-461	R	STOLZ, J.F.	8801290157*	50-289	TAYLOR, J.W.	8801150072	50-409	P
SPANGENBERG, F.	8801200149	50-461	S	STONE, J.C.	8801040088	QA999	TAYLOR, R.G.	871230275*	50-408	Q
SPANGENBERG, F.	8801200331	50-461	S	STONE, J.C.	8801040108	QA999	TEFFT, J.G.	8801120060	50-443	S
SPELL, W.H.	8801200085	STATE PROG		STONE, J.C.	8801040151	QA999	TEICHMANN, T.	8801070031	NUREG	
SPENGBERG, F.A.	8801130421	50-461	P	STONE, J.C.	8801110281	QA999	TENBROOK, W.	8712310181*	50-276	Q
SPIELBERG, A.	8801200235*	50-443	G	STONE, J.C.	8801110392	QA999	THADANI, A.	8707240188*	50-293	P
SPIELBERG, A.	8801200244*	50-443	G	STONE, J.C.	8801130355	QA999	THADANI, M.	8801270070	50-387	P
SPIELBERG, A.	8801200244*	50-443	G	STONE, J.C.	8801250218	QA999	THADANI, M.C.	8801130376	50-387	P
SPITZBERG, D.B.	8801060160	I&E		STONE, J.C.	8801280329	QA999	THIELEN, J.	8801280125*	CONTRACT	
SPITZBERG, D.B.	8801110214	I&E		STORY, H.	8801260461*	50-312	THOMAS, C.	8712310180	50-155	F
SPITZER, D.J.	8801180070	50-454	R	STORZ, L.F.	8801040575	50-346	THOMAS, E.A.	8801270372*	50-443	Q
SPULAK, R.G.	8801070265	NUREG		STORZ, L.F.	8801120036	50-346	THOMAS, G.S.	8801050437	50-443	S
SRENIAWSKI	8801050341	I&E		STORZ, L.F.	8801200443	50-346	THOMAS, G.S.	8801120080	50-443	S
SRENIAWSKI, D.J.	8801060169	I&E		STOTZ, J.	8801040575	50-346	THOMAS, G.S.	8801180058	50-443	Q
ST LAURENT, N.N.	8801050481	50-29	S	STRACK, R.A.	8801200423	71-5957	THOMAS, G.S.	8801180114*	50-443	R
ST LAURENT, N.N.	8801050487	50-29	S	STRAIT, S.R.	8801070433*	WASTE MGT	THOMAS, R.D.	8801110288*	70-764	
STADLER, S.D.	8801130056*	50-395	Q	STRAIT, S.R.	8801070436*	WASTE MGT	THOMAS, R.D.	8801130029	I&E	
STAFFORD, T.A.	8801260317	FOIA		STRAIT, S.R.	8801070491*	WASTE MGT	THOMAS, W.	8801120367*	50-246	Q
STAKER, T.R.	8801060496*	50-382	Q	STRATFORD, R.J.	8801140322	XPORLIC	THOMPSON, D.H.	8801120046*	50-268	Q
STANDERFER, F.R.	8801040210	50-320	P	STRATFORD, R.J.	8801220001	XPORLIC	THOMPSON, H.L.	8403180117*	50-369	V
STANDERFER, F.R.	8801040223	50-320	V	STRINGER, D.K.	8801120328	50-416	THOMPSON, H.L.	8408070271*	FOIA	
STANDERFER, F.R.	8801040491	50-320	V	STROMBERG, M.J.	8801210046*	FOIA	THOMPSON, H.L.	8410230511*	FOIA	
STANDERFER, F.R.	8801040569	50-320	S	STROME, R.H.	8801130010	50-443	THOMPSON, H.L.	8502080010*	50-269	P
STANDERFER, F.R.	8801120168	50-320	P	STROSNIER, J.	8801050474*	50-247	THOMPSON, H.L.	8801080012*	70-135	
STANDERFER, F.R.	8801220236	50-320	R	STROSNIER, J.R.	8712290359*	50-271	THOMPSON, H.L.	8801080014*	70-136	
STANDERFER, F.R.	8801270634	50-320	P	STROSNIER, J.R.	8712300012*	50-219	THOMPSON, O.O.	8801110024	WASTE MGT	
STAPELFELDT, K.	8801060314*	50-443	G	STROSNIER, J.R.	8801130182*	50-219	THOMPSON, R.D.	8801140109*	CONTRACT	
STAPELFELDT, K.	8801060314*	50-443	G	STROSNIER, J.R.	8801270082*	50-245	THOMPSON, R.D.	8801210289	50-445	A
STARMER, R.J.	8801070338	WASTE MGT		STRUCKMEYER, R.	8801110268	NUREG	THOMPSON, R.D.	8801220021*	CONTRACT	
STAROSTECKI, R.	8708100147*	FOIA		STUART, C.L.	8801180129	50-220	THOMPSON, S.	8801120027	FOIA	
STASEK, S.	8801060184*	50-255	Q	SUT, M.	8708200109*	50-283	THORNTON, A.R.	8801280202*	50-317	Q
STAUTER, J.C.	8801130162	40-8905		SUBRAMANIAN, T.	8801080019*	WASTE MGT	TIEN, C.	8801270137	ACRS	
STAUTER, J.C.	8801130388	40-8905		SUMMERS, J.	8801120122	50-416	TIERNAN, H.A.	8801130245	50-317	P
STAUTER, J.C.	8801180213*	40-8027		SUMMERS, R.	8801130003	50-247	TIERNAN, J.A.	8712310144	50-317	F
STAUTER, J.C.	8801200452	40-8027		SUMMERS, R.	8801280154	50-247	TIERNAN, J.A.	8801120318	50-317	R
STAUTER, J.C.	8801260234	71-9100		SWALES, M.P.	8801220021*	CONTRACT	TIERNAN, J.A.	8801130118	50-317	P
STAUTER, J.C.	8801260242*	71-9100		SWALES, S.L.	8801050673	50-331	TIERNAN, J.A.	8801130250	50-317	Q
STEFANKO, J.S.	8712310151*	50-388	P	SWANSON, N.E.	8801130235	QA999	TIERNAN, J.A.	8801130349	50-317	P
STEFANO, J.J.	8801250239	50-341	P	SWETLAND, P.	8801130003	50-247	TIERNAN, J.A.	8801200268	50-317	P
STEFANO, J.J.	8801250369	50-341	P	SWETLAND, P.	8801200429*	50-247	TIERNAN, J.A.	8801270189	50-317	Q
STEIGER, W.E.	8712310094	50-322	S	SWETLAND, P.	8801280154	50-247	TIERNAN, J.A.	8801280182	50-317	Q
STEIGER, W.E.	8801270631	50-322	S	SWIFT, J.J.	8801060450	70-925	TILLMAN, J.A.	8801110525*	50-416	Q
STEIN, J.J.	8801040541*	50-397	P	SWIFT, J.J.	8801070141	40-8027	TOBIN, W.J.	8801110517*	50-280	Q
STEINDLER, M.J.	8801200065*	FOIA		SWIFT, J.J.	8801140329*	70-1100	TOBIN, W.J.	8801140363*	50-280	Q
STELLO, V.	8706100293*	FOIA		SYLVESTER, E.	8801280681*	50-324	TOBIN, W.J.	8801180255*	50-327	Q
STELLO, V.	8711170134*	FOIA		SYLVESTER, E.D.	8801140293	50-324	TOKAR, M.	8801080057	WASTE MGT	
STELLO, V.	8801040013	50-277	H	SYLVESTER, E.D.	8801200268	50-324	TORRE, J.G.	8801060417	50-413	S
STELLO, V.	8801070193	50-275	H	SYLVESTER, E.D.	8801270276	50-324	TORRE, J.G.	8801080513	50-413	S
STELLO, V.	8801080003	50-498	P	SYLVIA, B.R.	8801040007	50-341	TORRE, J.G.	8801140096	50-413	S
STELLO, V.	8801130286	COMMISSION		SYLVIA, B.R.	8801070329	50-341	TORRE, J.G.	8801140117	50-413	S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TORRE,J.G.	8801150253	50-413	TUCKMAN,M.S.	8801130325*	50-269	VIRGLIO,M.J.	8801140143	50-341
TOTH,A.D.	8801070077*	50-316	TULEY,C.R.	8801150193*	50-498	VIRGLIO,M.J.	8801210258*	50-440
TOURIGNY,E.G.	8801190184	50-335	TURBAK,M.S.	8801130397	50-254	VIRGLIO,M.J.	8801250379*	50-341
TOWNSEND,J.D.	8801270081	50-275	TURBAK,M.S.	8801130407	50-254	VIRGLIO,M.J.	8801270110	50-282
TOWNSEND,J.D.	8801270131	50-275	TURBAK,M.S.	8801150281	50-373	VIRGLIO,M.J.	8801270447	50-315
TRAFICANTE,J.	8801200329	50-443	TURK,S.E.	8801040124	50-443	VIRGLIO,M.J.	8801270535	50-341
TRAMMELL,C.C.	8801200432	50-338	TURNER,C.L.	8712300122	50-461	VIRGLIO,M.J.	8801270588	50-263
TRAMMELL,C.M.	8801040628	50-275	TURNER,D.W.	8801270836*	50-320	VIRGLIO,M.J.	8801270597	50-155
TRAMMELL,C.M.	8801070205	50-3	UDALL,M.K.	8706040254*	50-327	VISSING,G.S.	8801190065	PROJ
TRAMMELL,C.M.	8801190153	50-275	UDY,A.C.	8811030467*	50-277	VISSING,G.S.	8801190201	50-470
TRAMMELL,C.M.	8801250429	50-275	UDY,A.C.	8611030467*	50-277	VISSING,G.S.	8801190214	50-470
TRAVERS,W.D.	8806260142*	50-320	ULIE,J.M.	8801120260*	50-341	VISSING,G.S.	8801250272	50-470
TRAVERS,W.D.	8801130373	50-320	ULMER,F.J.	8801140321	50-344	VISSING,G.S.	8801260161	PROJ
TRAVERS,W.D.	8801200014	50-320	UMBEL,D.	8801140103	CONTRACT	VOLLMER,R.	8801260216*	FOIA
TRAVERS,W.D.	8801200328	50-320	URBANIK,T.	8801250385*	50-322	VONRUDE,J.A.	8801260342*	50-275
TREVORS,G.A.	8712310195	50-298	URBANIK,T.	8801250385*	50-322	VORSE,J.Y.	8801190285*	50-424
TREVORS,G.A.	8801120241	50-298	VALGA,S.A.	8801110184*	50-458	WACHTEL,J.	8801060431	NUREG
TREVORS,G.A.	8801120375	50-298	VAN BRUNT,E.E.	8712300114	50-528	WAGNER,D.H.	881130415	50-266
TREVORS,G.A.	8801130343	50-298	VAN BRUNT,E.E.	8801070457	50-528	WAGNER,D.H.	8801140376	50-286
TREVORS,G.A.	8801260536	50-298	VAN BRUNT,E.E.	8801110472	50-528	WAGNER,M.	8801200358	50-237
TREVORS,G.A.	8801260582	50-298	VAN BRUNT,E.E.	8801120279	50-528	WAGNER,N.	8801190024*	50-443
TREVORS,G.A.	8801270028	50-298	VAN BRUNT,E.E.	8801300083	50-528	WAGNER,P.C.	8801270212*	50-445
TREVORS,G.A.	8801270467	50-298	VAN BRUNT,E.E.	8801301041	50-528	WAGNER,W.J.	8801200117*	50-528
TRIPPL	8712300064	50-318	VAN BRUNT,E.E.	8801150288	50-528	WALKER,H.	8801060184*	50-255
TRIPPL,E.	8712210023*	50-317	VAN BRUNT,E.E.	8801200042	50-528	WALKER,H.A.	8801080107*	50-461
TRIPPL,E.	8712210036*	50-309	VAN BRUNT,E.E.	8801200097	50-528	WALKER,H.G.	8801280675*	FOIA
TRIPPL,E.	8712300055*	50-334	VAN BRUNT,E.E.	8801200167	50-528	WALKER,J.G.	8801070230	50-259
TRIPPL,E.	8801280008*	50-309	VAN BRUNT,E.E.	8801200451	50-529	WALKER,J.G.	8801120269	50-259
TRUNZO,C.	8801210356	50-322	VAN BRUNT,E.E.	8801220508	50-528	WALKER,J.G.	8801250572	50-259
TUCKER,H.B.	8801040295	PR	VAN BRUNT,E.E.	8801280121	50-528	WALKER,R.S.	8801040339*	50-277
TUCKER,H.B.	8801040340	50-369	VAN DOORN,P.K.	8801200058*	50-413	WALL,K.C.	8801200334	50-213
TUCKER,H.B.	8801050284	50-413	VANDENBERG,D.	8801130009	50-255	WALLACE,W.T.	8801130010	50-443
TUCKER,H.B.	8801050317	50-369	VANDENBERG,D.	8801190068	50-255	WALLIN,G.A.	8801160221	50-271
TUCKER,H.B.	8801050320	50-269	VANDERVELDT,H.	8801140108*	CONTRACT	WAMSLEY,R.M.	8801070150	NUREG
TUCKER,H.B.	8801050321	50-370	VANKESSEL,H.F.	8801200212*	50-272	WANG,A.B.	8801260247	50-213
TUCKER,H.B.	8801050330	50-413	VARELA,A.A.	8712290359*	50-271	WARD,K.D.	8801040016*	50-446
TUCKER,H.B.	8801060115	50-369	VARGA,S.A.	8707240168*	50-293	WARD,W.	8801260239*	50-482
TUCKER,H.B.	8801060118	50-369	VARGA,S.A.	8801110225	50-302	WAREMBOURG,D.W.	8801120205	50-267
TUCKER,H.B.	8801060160	50-413	VARGA,S.A.	8801250210	50-250	WAREMBOURG,D.W.	8801120320	50-267
TUCKER,H.B.	8801060154	50-413	VARGA,S.A.	8801250300	50-261	WAREMBOURG,D.W.	8801260424	50-267
TUCKER,H.B.	8801060417	50-413	VARGA,S.A.	8801250476	50-387	WAREMBOURG,D.W.	8801270035*	50-267
TUCKER,H.B.	8801060513	50-413	VARGO,G.J.	8801120268	50-333	WARNICK,R.	8801040014	50-446
TUCKER,H.B.	8801070180	50-413	VASSALLO,D.B.	8412050217*	50-293	WARNICK,R.F.	8801040046	50-445
TUCKER,H.B.	8801070290	50-269	VASSELLO,J.V.	8801280369*	50-412	WARNICK,R.F.	8801040239	50-445
TUCKER,H.B.	8801070295*	50-269	VAUGHAN,J.W.	8707250131*	FOIA	WARNICK,R.F.	8801040250*	50-445
TUCKER,H.B.	8801130134	50-370	VAUGHN,G.E.	8712290131	50-498	WARNICK,R.F.	8801040258*	50-445
TUCKER,H.B.	8801130215	50-413	VAUGHN,G.E.	8712300082	50-498	WARNICK,R.F.	8801040407	50-445
TUCKER,H.B.	8801130300	50-269	VAUGHN,G.E.	8712300089	50-498	WARNICK,R.F.	8801140066*	50-445
TUCKER,H.B.	8801130319	50-269	VAUGHN,G.E.	8712300095	50-498	WARNICK,R.F.	8801200400	50-445
TUCKER,H.B.	8801130331	50-369	VAUGHN,G.E.	8712300099	50-498	WARNICK,R.F.	8801270548	50-445
TUCKER,H.B.	8801130433	50-413	VAUGHN,G.E.	8712310031	50-498	WARNICK,R.F.	8801270553*	50-445
TUCKER,H.B.	8801140088	50-413	VAUGHN,G.E.	8801060453	50-498	WASHINGTON,S.L.	8801200325	50-397
TUCKER,H.B.	8801140098	50-370	VAUGHN,G.E.	8801120225	50-498	WATFORD,P.S.	8801270105	50-373
TUCKER,H.B.	8801140101	50-269	VAUGHN,G.E.	8801120366	50-498	WATSON,R.A.	8712280008	50-400
TUCKER,H.B.	8801140110	50-413	VAUGHN,G.E.	8801120370	50-498	WATSON,R.A.	8801040441	50-400
TUCKER,H.B.	8801140117	50-413	VAUGHN,G.E.	8801130053	50-498	WATSON,R.A.	8801130154	50-400
TUCKER,H.B.	8801140236	50-269	VAUGHN,G.E.	8801140082	50-498	WATSON,R.A.	8801130337	50-400
TUCKER,H.B.	8801150058	50-369	VAUGHN,G.E.	8801150249	50-498	WATSON,R.A.	8801130341	50-400
TUCKER,H.B.	8801150080	50-269	VAUGHN,G.E.	8801200343	50-498	WATSON,R.A.	8801190080	50-400
TUCKER,H.B.	8801150186	50-269	VAUGHN,G.E.	8801210130	50-498	WATSON,R.A.	8801200123	50-400
TUCKER,H.B.	8801150210	50-369	VAUGHN,G.E.	8801250279	50-498	WATSON,R.A.	8801270023	50-400
TUCKER,H.B.	8801150217	50-413	VAUGHN,G.E.	8801270172	50-498	WAWRZENIAK,J.	8801140051*	50-445
TUCKER,H.B.	8801150238	50-413	VAUGHN,G.E.	8801270461	50-498	WEADOCK,A.	8801120367*	50-245
TUCKER,H.B.	8801150253	50-413	VELASQUEZ,J.R.	8801130132	40-8913	WEBER,M.F.	8801070379	WASTE MGT
TUCKER,H.B.	8801150260	50-269	VELEZ,P.	8801070465	CONTRACT	WEDDINGTON,R.E.	8801190256*	70-143
TUCKER,H.B.	8801150303	50-413	VELEZ,P.	8801070482	CONTRACT	WEINFURTER,R.J.	8801220198*	CONTRACT
TUCKER,H.B.	8801150309	50-369	VELEZ,P.	8801140277	CONTRACT	WEISE,S.P.	8801210218*	50-390
TUCKER,H.B.	8801190013	50-287	VELEZ,P.	8801140341	CONTRACT	WEISEMAN,R.A.	8801150319*	TOPREP
TUCKER,H.B.	8801190032	50-413	VELEZ,P.	8801140384	CONTRACT	WEISS,E.R.	8801040088	50-443
TUCKER,H.B.	8801190095	50-370	VELEZ,P.	8801210026	CONTRACT	WEISS,E.R.	8801040099	50-443
TUCKER,H.B.	8801190150	50-413	VELEZ,P.	8801280518	CONTRACT	WEISS,E.R.	8801060285	50-271
TUCKER,H.B.	8801190277	50-413	VELEZ,P.	8801280562	CONTRACT	WEISS,E.R.	8801060285	50-271
TUCKER,H.B.	8801200360	50-413	VENABLES,D.	8801270208	NUREG	WEISS,E.R.	8801060409	FOIA
TUCKER,H.B.	8801210001	50-269	VERRELLI,D.M.	8801040123	50-324	WEISS,E.R.	8801110211	50-271
TUCKER,H.B.	8801210032	50-269	VERRELLI,D.M.	8801110305	50-348	WEISS,S.H.	8801070077*	50-315
TUCKER,H.B.	8801210038	50-413	VERRELLI,D.M.	8801110342*	50-348	WEISS,S.H.	8801070189	TOPREP
TUCKER,H.B.	8801210045	50-369	VERRELLI,D.M.	8801110356	50-416	WEISS,S.H.	8801190215*	TOPREP
TUCKER,H.B.	8801210090	50-269	VERRELLI,D.M.	8801120001	50-324	WEISS,S.H.	8801270637	QA899
TUCKER,H.B.	8801250412	50-413	VERRELLI,D.M.	8801120002*	50-324	WELCH,J.	8801070336	50-249
TUCKER,H.B.	8801250495	50-289	VERRELLI,D.M.	8801250501	50-416	WELLS	8801270636*	50-320
TUCKER,H.B.	8801250529	50-269	VERRELLI,D.M.	8801270225	50-416	WELLS,A.H.	8801210039	PROJ
TUCKER,H.B.	8801250540	50-269	VERRELLI,D.M.	8801270233*	50-416	WELLS,A.H.	8801210117	PROJ
TUCKER,H.B.	8801260156	50-269	VICKREY,R.B.	8801200121*	50-498	WEN,P.C.	8801190341*	50-412
TUCKER,H.B.	8801260541	50-289	VIETEN,M.J.	8801130443	50-309	WEN,P.C.	8801200260*	50-387
TUCKER,H.B.	8801270091	50-369	VIETEN,M.J.	8801140047	TOPREP	WENSLAWSKI,F.	8712310233	50-312
TUCKER,H.B.	8801280022	50-369	VIETEN,M.J.	8801270111	50-293	WENSLAWSKI,F.A.	8801060085	50-312
TUCKER,H.B.	8801280027	50-369	VIETEN,M.J.	8801270128	50-29	WENSLAWSKI,F.A.	8801130201	50-344
TUCKER,H.B.	8801280210	50-269	VINCI,D.W.	8801200424	50-382	WENSLAWSKI,F.A.	8801260217	50-89

250 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WENZINGER,E.	8801110220	50-277 S	WIGGINS,E.J.	8801140393*	CONTRACT	WISENBURG,M.R.	8801260368	50-498 S
WENZINGER,E.	8801270010	50-277 S	WIGGINS,E.J.	8801140414*	CONTRACT	WISENBURG,M.R.	8801290359*	50-498 P
WENZINGER,E.C.	8801130176	50-333 Q	WIGGINS,E.J.	8801160026*	CONTRACT	WISSINK,R.G.	8801180038	NUREG
WENZINGER,E.C.	8801180314	50-352 Q	WIGGINS,E.J.	8801180087*	CONTRACT	WITHERS,B.	8801270008*	50-482 F
WENZINGER,E.C.	8801200005	50-353 Q	WIGGINS,E.J.	8801200387*	CONTRACT	WITHERS,B.D.	8712290099	50-482 S
WENZINGER,E.C.	8801200067	50-266 Q	WIGGINS,E.J.	8801200440*	CONTRACT	WITHERS,B.D.	8712290139	50-482 S
WENZINGER,E.C.	8801200406	50-247 Q	WIGGINS,E.J.	8801200447*	CONTRACT	WITHERS,B.D.	8712310210	50-482 S
WENZINGER,E.C.	8801210101	50-220 Q	WIGGINS,E.J.	8801210035*	CONTRACT	WITHERS,B.D.	8801110331	50-482 Q
WERNER,R.P.	8801050002	50-236 P	WIGGINS,E.J.	8801210160*	CONTRACT	WITHERS,B.D.	8801140353	50-482 S
WERT,L.D.	8801110415*	50-269 Q	WIGGINS,E.J.	8801210243*	CONTRACT	WITHERS,B.D.	8801150165	50-482 F
WERT,L.D.	8801150120*	50-269 Q	WIGGINS,E.J.	8801210309*	CONTRACT	WITHERS,B.D.	8801180100	50-482 S
WETTERHAHN,R.H.	8801270431*	50-271 P	WIGGINS,E.J.	8801220198*	CONTRACT	WITHERS,B.D.	8801180301	50-482 Q
WESSMAN,R.H.	8801280516	50-293 P	WIGGINS,E.J.	8801250347*	CONTRACT	WITHERS,B.D.	8801200371	50-482 F
WESSMAN,R.H.	8801280531*	50-293 P	WIGGINS,E.J.	8801250484*	CONTRACT	WITHERS,B.D.	8801220209	50-482 R
WESTBERG,R.A.	8712310007*	50-237 Q	WIGGINS,E.J.	8801250580*	CONTRACT	WITHERS,B.D.	8801220530	50-482 S
WESTERMAN,T.F.	8801200450*	50-267 Q	WIGGINS,E.J.	8801260233*	CONTRACT	WITTMAN,R.	8712300142	50-302 F
WETTERHAHN,M.J.	8801040086	50-352 G	WIGGINS,E.J.	8801260260*	CONTRACT	WITTMAN,R.	8801150081	50-302 F
WETTERHAHN,M.J.	8801040086	50-352 G	WIGGINS,E.J.	8801260429*	CONTRACT	WITTMAN,R.	8801150067	50-302 F
WETTERHAHN,M.J.	8801040439	PR	WIGGINS,E.J.	8801280125*	CONTRACT	WITTMAN,R.	8801210133	50-302 F
WETTERHAHN,M.J.	8801130045	50-352 G	WIGGINS,E.J.	8801280156*	CONTRACT	WOHL,D.P.R.	8801260073*	50-346 Q
WETTERHAHN,M.J.	8801130045	50-352 G	WIGGINS,E.J.	8801280206*	CONTRACT	WOJTALEK,T.A.	8801050010*	50-443 P
WETTERHAHN,M.J.	8801200222	50-352 G	WIGGINS,E.J.	8801280541*	CONTRACT	WOLFE,S.J.	8801130187	50-320 Q
WETTERHAHN,M.J.	8801200222	50-352 G	WIGGINS,E.J.	8801280564*	CONTRACT	WOLFE,S.J.	8801150005	50-443 Q
WHALEN,R.J.	8712290080	50-249 S	WIGGINS,E.J.	8801280581*	CONTRACT	WOLFE,S.J.	8801160046	50-352 G
WHARTON,M.A.	8801050878	50-206 S	WIGGINS,E.J.	8801280623*	CONTRACT	WOLFE,S.S.	8801250434	50-352 G
WHEELER,C.L.	8801250223	50-271 P	WIGGINS,J.	8801270044	50-322 Q	WONG,H.	8801110203	50-295 S
WHEELER,T.A.	8801070265	NUREG	WIGGINS,J.T.	8712210018	50-317 Q	WONG,S.	8801070253*	50-2259 S
WHIPPLE,S.	8801150187	50-29 R	WIGGINS,J.T.	8712210019	50-309 Q	WONG,S.	8801110016*	50-6622 Q
WHITE,A.E.	8801200209	50-483 F	WIGGINS,J.T.	8712300050	50-334 Q	WOODARD,C.H.	8801050418*	50-277 Q
WHITE,J.A.	8712310156*	50-388 P	WIGGINS,J.T.	8801150198	50-443 Q	WOODARD,J.D.	8712290393	50-364 S
WHITE,J.A.	8712310156*	50-388 P	WIGGINS,J.T.	8801180290	50-271 Q	WOODARD,J.D.	8712290402	50-354 S
WHITE,J.R.	8707220291*	FOIA	WIGGINS,J.T.	8801280001	50-309 Q	WOODARD,J.D.	8801140114	50-364 S
WHITE,P.	8801260284	50-272 R	WIGGINTON,D.L.	8801040001	50-315 P	WOODARD,J.D.	8801200364	50-346 R
WHITE,P.	8801270015	50-272 F	WIGGINTON,D.L.	8801040034	50-316 P	WOODARD,J.D.	8801200368	50-364 R
WHITE,S.A.	8801060445	50-327 P	WIGGINTON,D.L.	8801040038*	50-316 P	WOODBURY,D.H.	8801060270	PR
WHITE,S.A.	8801210021*	50-327 Q	WIGGINTON,D.L.	8801260371	50-315 P	WOODBURY,D.H.	8801060270	PR
WHITE,S.K.	8801270605	50-155 F	WIGGUS,W.S.	8801060182	50-302 P	WOODHEAD,C.P.	8801250411	50-440 G
WHITENER,H.L.	8801110332*	50-302 Q	WILGUS,W.S.	8801070095	50-302 P	WOODLAN,D.R.	8801070445	NUREG
WHITKER,C.	8801280251*	50-327 P	WILGUS,W.S.	8801110270	50-302 P	WOODLAN,D.R.	8801130307	50-442 S
WHITNEY,C.W.	8801190239	50-424 P	WILGUS,W.S.	8801220576	50-302 S	WOODLAN,D.R.	8801130311	50-445 S
WHITT,M.	8801120040	50-313 R	WILGUS,W.S.	8801220576	50-302 S	WOODLAN,D.R.	8801130316	50-445 S
WHITTMORE,J.E.	8801260123*	50-445 V	WILGUS,W.S.	8801250273	50-302 Q	WOODLAN,D.R.	8801130323	50-445 S
WHITTIER,G.D.	8801040483	50-309 R	WILGUS,W.S.	8801260404	50-302 P	WOODLAN,D.R.	8801130326	50-445 S
WHITTIER,G.D.	8801060424	50-309 O	WILGUS,W.S.	8801260539	50-302 P	WOODLAN,D.R.	8801250395	50-445 S
WHITTLETON,T.R.	8801200447*	CONTRACT	WILKINSON,R.	8801130224	50-294 P	WOODLAN,D.R.	8801250418	50-445 S
WICHES,D.L.	8801070247	40-8684	WILLIAMS,G.	8801070472*	CONTRACT	WOODLAN,D.R.	8801250583	50-445 S
WICHES,D.L.	8801070292	40-8502	WILLIAMS,G.	8801270010	50-277 S	WOODLAN,D.R.	8801260098	50-445 F
WICHES,D.L.	8801070310	40-8502	WILLIAMS,J.H.	8801180338*	50-277 Q	WOODLAN,D.R.	8801260119	50-445 S
WICHES,D.L.	8801070428	40-8684	WILLIAMS,J.H.	8801190359*	50-352 Q	WOODLAN,D.R.	8801260137	50-445 S
WICHES,D.L.	8801110028	40-8502	WILLIAMS,J.H.	8801200012*	50-353 Q	WOODLAN,D.R.	8801260185	50-445 S
WICHES,D.L.	8801110031	40-8502	WILLIAMS,M.G.	8712290139	50-482 S	WOODLAN,D.R.	8801260305	50-445 S
WICHES,D.L.	8801130071	40-8684	WILLIAMS,M.G.	8712310210	50-482 S	WOODLAN,D.R.	8801260373	50-445 S
WICKSTROM,B.J.	8801210170	50-320 G	WILLIAMS,M.G.	8801220209	50-482 R	WOODLAN,D.R.	8801260392	50-445 S
WIDAY,J.A.	8801250358	50-244 S	WILLIAMS,O.G.	8801140053	50-445 A	WOODLAN,D.R.	8801260403	50-445 S
WIEDEMAN,O.	8801130381	I&E	WILLIAMS,R.E.	8801110182	WASTE RES	WOODLAN,D.R.	8801260441	50-445 S
WIEDEMAN,O.	8801270130	I&E	WILLIAMS,R.O.	8801120043	50-267 S	WOODLAN,D.R.	8801270181	50-445 A
WIESEMAN,R.A.	8801060245*	50-601 K	WILLIAMS,R.O.	8801200683	50-267 S	WOODY,C.O.	8712280112	50-250 R
WIESEMAN,R.A.	8801070048*	50-244 P	WILLIAMS,R.O.	8801120417	50-267 Q	WOODY,C.O.	8712290086	50-251 S
WIESEMAN,R.A.	8801110171*	50-295 P	WILLIAMS,R.O.	8801130001	50-267 F	WOODY,C.O.	8712300074	50-389 P
WIESEMAN,R.A.	8801150191*	50-498 P	WILLIAMS,R.O.	8801130129	50-267 S	WOODY,C.O.	8712300085	50-335 P
WIESEMAN,R.A.	8801160205*	TOPREP	WILLIAMS,R.O.	8801130206	50-267 Q	WOODY,C.O.	8712310052	50-389 S
WIESEMAN,R.A.	8801150258*	50-498 P	WILLIAMS,R.O.	8801190241	50-267 R	WOODY,C.O.	8801040220	50-250 R
WIESEMAN,R.A.	8801150285*	TOPREP	WILLIAMS,R.O.	8801200383	50-267 F	WOODY,C.O.	8801040566	50-251 Q
WIESEMAN,R.A.	8801150294*	50-498 P	WILLIAMS,R.O.	8801200379	50-267 F	WOODY,C.O.	8801060221	50-250 P
WIESEMAN,R.A.	8801150300*	TOPREP	WILLIAMS,R.O.	8801270028	50-267 P	WOODY,C.O.	8801070344	50-335 P
WIESEMAN,R.A.	8801180309*	50-301 P	WILLIAMS,R.O.	8801270355	50-267 S	WOODY,C.O.	8801070349	50-335 Q
WIESEMAN,R.A.	8801200389*	50-244 P	WILLIS,L.J.	8801040441	50-400 F	WOODY,C.O.	8801110254	50-250 S
WIESEMAN,R.A.	8801200408*	TOPREP	WILSON,B.	8801040194	50-280 Q	WOODY,C.O.	8801120147	50-250 F
WIESEMAN,R.A.	8801270082*	50-601 A	WILSON,J.H.	8801140145	50-382 P	WOODY,C.O.	8801120264	50-335 S
WIGGINTON,D.L.	8801070177	50-316 P	WILSON,R.F.	8801110241	50-219 P	WOODY,C.O.	8801120358	50-250 S
WIGGINS,E.	8801210163*	CONTRACT	WILSON,S.D.	8801260445	50-276 S	WOODY,C.O.	8801160220	50-250 Q
WIGGINS,E.	8801220038*	CONTRACT	WINGER,M.A.	8801040538	50-334 R	WOODY,C.O.	8801190094	50-261 S
WIGGINS,E.	8801220054*	CONTRACT	WINSLOW,T.P.	8801260094	70-1113 F	WOODY,C.O.	8801190167	50-250 F
WIGGINS,E.	8801290332*	CONTRACT	WINSLOW,T.P.	8801260331	70-1113 F	WOODY,C.O.	8801190310	50-260 R
WIGGINS,E.J.	8801060489*	CONTRACT	WINTER,G.V.	8801110219	WASTE RES	WOODY,C.O.	8801200070	50-260 R
WIGGINS,E.J.	8801070427*	CONTRACT	WINTER,G.V.	8801280841	WASTE RES	WOODY,C.O.	8801200370	50-260 Q
WIGGINS,E.J.	8801070448*	CONTRACT	WINTERS,R.W.	8801050474*	50-247 Q	WOODY,C.O.	8801200372	50-336 Q
WIGGINS,E.J.	8801070472*	CONTRACT	WISE,R.	8801060094*	50-313 Q	WOODY,C.O.	8801200465	50-335 F
WIGGINS,E.J.	8801070492*	CONTRACT	WISEMAN,G.R.	8801150317*	50-338 Q	WOODY,C.O.	8801260051	50-250 R
WIGGINS,E.J.	8801070496*	CONTRACT	WISENBURG,M.R.	8801050042	50-498 P	WOODY,C.O.	8801260077	50-251 S
WIGGINS,E.J.	8801110021*	CONTRACT	WISENBURG,M.R.	8801070334	50-498 P	WOODY,C.O.	8801260110	50-250 Q
WIGGINS,E.J.	8801120376*	CONTRACT	WISENBURG,M.R.	8801070470	50-498 P	WOODY,C.O.	8801260221	50-335 S
WIGGINS,E.J.	8801130042*	CONTRACT	WISENBURG,M.R.	8801110398	50-498 P	WOODY,C.O.	8801260314	50-250 R
WIGGINS,E.J.	8801140174*	50-29 P	WISENBURG,M.R.	8801110521	50-498 P	WOODY,C.O.	8801270011	50-335 S
WIGGINS,E.J.	8801140290*	CONTRACT	WISENBURG,M.R.	8801120395	50-498 P	WOODY,C.O.	8801270030	50-250 S
WIGGINS,E.J.	8801140314*	CONTRACT	WISENBURG,M.R.	8801140007	50-498 Q	WOODY,C.O.	8801270238	50-335 R
WIGGINS,E.J.	8801140356*	CONTRACT	WISENBURG,M.R.	8801150190	50-498 P	WOODY,C.O.	8801280184	50-335 P
WIGGINS,E.J.	8801140386*	CONTRACT	WISENBURG,M.R.	8801150227	50-498 P	WOOLDRIDGE,R.A.	8801130023	50-445 G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WOOLDRIDGE, R.A.	8801130023	50-445 G	YOUNG, J.E.	8801260554*	50-445 A	ZECH, L.W.	8801140268	COMMISSION
WOOLDRIDGE, R.A.	8801200221	50-445 G	YOUNG, M.A.	8801040237	50-250 G	ZECH, L.W.	8801140332	COMMISSION
WOOLDRIDGE, R.A.	8801210143	50-445 G	YOUNG, M.A.	8801040255*	50-250 G	ZECH, L.W.	8801140335	COMMISSION
WOOLDRIDGE, R.A.	8801250319	50-445 G	YOUNG, M.Y.	8801060275*	TOPREP	ZECH, L.W.	8801140371	50-171 U
WOOLDRIDGE, R.A.	8801250319	50-445 G	YUHAS, G.P.	8712310191*	50-275 Q	ZECH, L.W.	8801150107	COMMISSION
WRIGHT, G.C.	8801040072	50-237 Q	YUHAS, G.P.	8801130024*	50-344 Q	ZECH, L.W.	8801150110	COMMISSION
WRIGHT, G.C.	8801060129	50-440 Q	YUHAS, G.P.	8801200226*	50-528 Q	ZECH, L.W.	8801200061	COMMISSION
WRIGHT, G.C.	8801060136*	50-440 Q	YUHAS, G.P.	8801260223*	50-69 Q	ZECH, L.W.	8801280113	50-320 P
WRIGHT, G.C.	8801060184	50-254 Q	ZACHARJASZ, A.S.	8801150263*	50-316 P	ZECH, L.W.	8801280638	50-313 U
WRIGHT, G.C.	8801140011	50-263 V	ZAHNLEUTER, R.J.	8801040071	50-322 G	ZECH, L.W.	8801290042	COMMISSION
WRIGHT, G.C.	8801140075	50-461 V	ZAHNLEUTER, R.J.	8801270304	50-322 G	ZECH, L.W.	8801290081	COMMISSION
WRIGHT, G.C.	8801150318	50-346 V	ZAHNLEUTER, R.J.	8801270315	50-322 G	ZECH, L.W.	8801290099*	FOIA
WRIGHT, G.C.	8801190151	50-346 V	ZAHNLEUTER, R.J.	8801270320	50-322 G	ZERBE, J.E.	8801290124*	FOIA
WRIGHT, G.C.	8801280065	50-346 Q	ZECH, G.G.	8801070254	50-327 P		8612040318*	50-267 P
WRIGHT, G.C.	8801260146	50-315 Q	ZECH, G.G.	8801130403	50-259 P	ZIBULSKY, H.	8712310191*	50-275 Q
WRIGHT, G.C.	8801260153*	50-315 Q	ZECH, G.G.	8801130418*	50-259 P	ZIBULSKY, H.	8801130328*	50-245 Q
WRIGHT, G.C.	8801260350	50-150 V	ZECH, G.G.	8801130439*	50-259 P	ZIBULSKY, H.	8801140382*	50-272 Q
WRIGHT, G.C.	8801260453	50-373 V	ZECH, G.G.	8801140410	50-327 P	ZIEMANN, D.L.	8511070480*	50-338 V
WRIGHT, G.C.	8801260458	50-10 P	ZECH, G.G.	8801140411*	50-327 P	ZILG, R.G.	8801210289	50-446 A
WRIGHT, G.F.	8801250580*	CONTRACT	ZECH, G.G.	8801200125*	50-390 Q	ZILG, R.G.	8801220344*	CONTRACT
WRIGHT, W.	8801250551*	50-400 Q	ZECH, G.G.	8801210023	50-327 P	ZIMMERMAN, R.	8712310212	50-312 Q
WJ, P.C.	8712310181*	50-275 Q	ZECH, G.G.	8801210029*	50-327 P	ZIMMERMAN, R.	8801120136	50-344 Q
WJ, R.K.	8801060436	PR	ZECH, G.G.	8801250154	50-327 P	ZIMMERMAN, R.P.	8801260261	50-312 Q
WJ, S.L.	8801270256	TOPREP	ZECH, G.G.	8801250270	50-327 P	ZIMMERMAN, R.P.	8712310183	50-276 Q
WJLZ, D.L.	8801260268*	50-482 P	ZECH, G.G.	8801250338	50-259 Q	ZIMMERMAN, R.P.	8801110246	50-206 Q
WU, Z.D.L.	8801260279*	50-482 P	ZECH, G.G.	8801260416	50-327 P	ZIMMERMAN, R.P.	8801130025	50-275 Q
YAN, M.K.	8801130181*	50-275 P	ZECH, G.G.	8801260002	50-259 P	ZIMMERMAN, R.P.	8801130034*	50-275 Q
YANDELL, L.A.	8712310061*	50-498 Q	ZECH, G.G.	8801260005*	50-259 P	ZIMMERMAN, R.P.	8801130036*	50-275 Q
YANDELL, L.A.	8712310177*	50-498 Q	ZECH, G.G.	8801260012*	50-259 P	ZIMMERMAN, S.R.	8801050136	50-324 Q
YANDELL, L.A.	8712310181*	50-498 Q	ZECH, G.G.	8801280628	50-259 P	ZIMMERMAN, S.R.	8801070324	50-324 P
YANDELL, L.A.	8801060509*	50-458 Q	ZECH, G.G.	8801290088	50-259 P	ZIMMERMAN, S.R.	8801070489	50-324 P
YANDELL, L.A.	8801070106*	50-298 Q	ZECH, G.G.	8801290158	50-259 P	ZIMMERMAN, S.R.	8801120421	50-281 P
YANDELL, L.A.	8801070130*	50-482 Q	ZECH, G.G.	8801290209	50-259 P	ZIMMERMAN, S.R.	8801130247	50-324 P
YANDELL, L.A.	8801130121*	50-267 Q	ZECH, G.G.	8801290285	50-259 P	ZIMMERMAN, S.R.	8801140155	50-324 P
YANDELL, L.A.	8801130131*	50-313 Q	ZECH, L.W.	8707250106*	FOIA	ZIMMERMAN, S.R.	8801200120	50-400 P
YANDELL, L.A.	8801210063	50-274 Q	ZECH, L.W.	8712300261	COMMISSION	ZIMMERMAN, S.R.	8801260440	50-324 P
YANDELL, L.A.	8801250474*	50-285 Q	ZECH, L.W.	8801120188*	FOIA	ZUPKO, J.M.	8801040578	50-311 S
YANDELL, L.A.	8801130226*	50-498 Q	ZECH, L.W.	8801120345*	50-293 T	ZUPKO, J.M.	8801040581	50-311 S
YBARRONDO, L.J.	8801140200	CONTRACT	ZECH, L.W.	8801130394	50-293 F	ZUPKO, J.M.	8801070035	50-311 S
YOUNG, F.	8801200019	50-387 S	ZECH, L.W.	8801140260	COMMISSION	ZWOLINSKI, J.A.	8801140591*	50-272 P
YOUNG, G.	8801040162	QA999	ZECH, L.W.	8801140263	COMMISSION			

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
AMAX, Inc.	8801200434	40-8820		8801200133	50-528 R
ASU, Inc.	8801210180*	CONTRACT		8801200134	50-528 S
Academy of IRM (formerly Institute for Resource Management, Inc.)	8801110451	50-538 P		8801200187	50-528 Q
Advanced Medical Systems, Inc.	8712310158*	50-388 P		8801200187	50-528 Q
	8712310158*	50-388 P		8801200187	50-528 Q
Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.)	8801040502	70-1267		8801200197	50-530 S
	8801130291*	TOPREP		8801200451	50-529 P
	8801190312	XPORTLIC		8801200457*	50-529 P
	8801270017*	50-375 P		8801220508	50-528 I
	8801060207	PR		8801280121	50-528 P
Air Transport Association	8801130043	50-352 G	Arizona, Univ. of, Tucson, AZ	8801280135*	50-528 P
Air and Water Pollution Patrol	8712290393	50-364 S	Arkansas Power & Light Co.	8801070385*	WASTE MGT
Alabama Power Co.	8712280402	50-364 S		8801050229	50-313 F
	8712300107	50-348 P		8801050229	50-313 F
	8712300107	50-348 P		8801060126	PR
	8801060440	50-348 Q		8801110341	50-313 F
	8801140114	50-364 S		8801120040	50-313 R
	8801200327	50-348 P		8801140333	50-368 R
	8801200384	50-348 R		8801190281	50-368 V
	8801200386	50-364 R		8801190299*	50-368 V
American College of Nuclear Physicians	8801060270	PR		8801190305*	50-368 V
American College of Radiology	8801070021	PR		8801200380	50-313 F
American Society of Mechanical Engineers	8801250212	QA999		8801220458	50-313 F
American Welding Institute	8801140109*	CONTRACT		8801220458	50-313 F
Amersham Corp.	8801210075	71-9220		8801220471	50-313 P
	8801210086*	71-9220		8801260144*	50-313 Q
Anaconda Co. (div. of Atlantic Richfield Co.)	8801210098	71-8717		8801260144*	50-313 Q
	8801070229	40-8902		8801270182	50-313 Q
Anthony, R. L.	8801040129	50-352 G		8801270307	50-313 R
Argonne National Laboratory	8801070270	NUREG		8801280039	50-313 F
	8801070345*	FOIA	Arkansas, State of	8801280051	50-313 Q
	8801110207	NUREG	Army, Dept. of	8801270221	50-313 F
	8801200085*	COMMISSIO	Army, Dept. of, Army Engineer Waterways Experiment Station	8801220188*	CONTRACT
	8712300114	50-528 P		8801070150	NUREG
	8712300114	50-528 P	Associated Technologies, Inc.	8801070498*	CONTRACT
	8712300125	50-528 S		8801080007	WASTE MGT
	8712300128	50-529 S		8801080071	WASTE MGT
	8801040584	50-529 S		8801080072*	WASTE MGT
	8801070457	50-528 Q		8801070315	40-3453
	8801110406	50-528 S	Atlas Corp.	8801180034*	40-3453
	8801110472	50-528 P		8801110206	NUREG
	8801120250	50-528 S	Australian Atomic Energy Commission	8801140414*	CONTRACT
	8801120278	50-528 P		8801120321	TOPREP
	8801120278	50-528 P	BWR Owners Group	8801120327*	TOPREP
	8801120278	50-528 P		8806210065*	FOIA
	8801130083	50-528 Q	Babcock & Wilcox Co.	8711130370*	FOIA
	8801130141	50-528 P		8801040373	70-27
	8801130351	50-530 S		8801080151	50-368 P
	8801140060	50-529 R		8801080455	50-368 P
	8801140067*	50-529 R		8801120327*	TOPREP
	8801140122	50-528 S		8801150097	TOPREP
	8801150286	50-528 F		8801190235	XPORTLIC
	8801150286	50-528 F		8801190238*	XPORTLIC
	8801150286	50-528 F		8801200345	TOPREP
	8801150290*	50-528 F		8801200349*	TOPREP
	8801150290*	50-528 F		8801210146	70-27
	8801150290*	50-528 F	Babcock & Wilcox Operating Plants Owners Group	8801050669	TOPREP
	8801150290*	50-528 F		8801130262	TOPREP
	8801150290*	50-528 F		8801080061	50-443 G
	8801180102	50-530 S	Backus, Meyer & Solomon	8801080073*	50-443 G
	8801200042	50-528 Q		8801130062	50-443 Q
	8801200042	50-528 Q		8801200234	50-443 G
	8801200042	50-528 Q	Baltimore Gas & Electric Co.	8712310144	50-317 F
	8801200097	50-528 P		8712310144	50-317 F
	8801200133	50-528 R		8801120318	50-317 R
	8801200133	50-528 R		8801120318	50-317 R

254 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8801120338	50-317		8801110251	50-261
	8801130118	50-317		8801110533	50-400
	8801130118	50-317		8801120421	50-281
	8801130233	50-317		8801120427*	50-261
	8801130233	50-317		8801130105	50-324
	8801130245	50-317		8801130154	50-400
	8801130250	50-317		8801130247	50-324
	8801130266	50-316		8801130337	50-400
	8801130266	50-316		8801130341	50-400
	8801130349	50-317		8801140165	50-324
	8801130349	50-317		8801140165	50-324
	8801130352*	50-317		8801150219	50-261
	8801130352*	50-317		8801150299	50-324
	8801200268	50-317		8801150299	50-324
	8801200268	50-317		8801190060	50-400
	8801250267	50-317		8801190084	50-325
	8801260352	50-317		8801200120	50-400
	8801270054	50-316		8801200123	50-400
	8801270189	50-317		8801200285	50-324
	8801270189	50-317		8801260007	50-261
	8801280182	50-317		8801260322	50-324
Banque Nationale de Paris	8801070246*	40-2259		8801260440	50-324
	8801070253*	40-2259		8801270009	50-325
	8801110014*	40-6622	Chom-Nuclear Systems, Inc.	8801270023	50-400
	8801110016*	40-6622		8801040047	71-8081
Battelle Memorial Institute, Columbus Laboratories	8801250347*	CONTRACT		8801070220	27-47
Battelle Memorial Institute, Pacific Northwest Laboratories	8007080427*	WASTE MGT		8801070224*	27-47
	8801070355	WASTE MGT		8801070233*	27-47
	8801070447*	WASTE MGT		8801070237*	27-47
	8801110322	50-416		8801070240*	27-47
	8801110458	50-269		8801070248*	27-47
	8801200185	50-281		8801070480	WASTE MGT
	8801250223	50-271	Chestnut, P.C.	8801130123	40-8904
	8801290189*	50-259		8801130249	40-8904
Bishop, Cook, Purcell & Reynolds	8801060126	PR	Citichem, Inc.	8801080070	70-687
	8801060303	50-460		8801200037	70-687
Bokum Resources Corp.	8801130265	40-8906		8801200423	71-5957
Boston Edison Co.	8712290071	50-293	Citizens Association for Sound Energy	8801200255	50-445
	8712290074	50-293		8801200310	50-275
	8801050282*	50-293	Citizens for Adequate Energy	8712310180	50-440
	8801050338	50-293	Cleveland Electric Illuminating Co.	8712310234	50-440
	8801060322*	50-293		8801070446	50-440
	8801060494*	50-293		8801110350	50-440
	8801070330	50-293		8801110370	50-440
	8801070483	50-293		8801110384*	50-440
	8801110180	50-293		8801130248	50-440
	8801110498	50-293		8801200368	50-440
	8801120294	50-293		8801210380	50-440
	8801130027*	50-293		8801250457	50-440
	8801140397*	FOIA		8801260199	50-440
	8801190338	50-293		8801260462	50-440
	8801200319	50-293		8801260462	50-440
	8801200367	50-293		8801270248	50-440
	8801210119	50-293		8801270339	50-440
	8801210122*	50-293		8801280230	50-440
	8801210138	50-293		8801070471	40-8714
	8801220101	50-293		8801130452	40-8714
	8801250288	50-293	Colorado, State of	8801280125*	CONTRACT
	8801260393	50-293		8712290110*	70-1100
	8801270139	50-293		8801040111	70-36
Brookhaven National Laboratory	8801070031	NUREG		8801060283*	TOPREP
Brown Boveri Corp. (subs. of Brown Boveri & Co., Ltd.)	8801130072	50-352		8801080320*	TOPREP
	8801260258*	50-482		8801080331*	TOPREP
Bryan, Lykins, Hejtmanek & Wulz	8801260279*	50-482		8801140093	50-395
C-E Operating Plants Owners Group	8801080261	TOPREP		8801200411	70-1100
CIS-US, Inc. (formerly CIS Pharmaceuticals, Inc.)	8801260605	FOIA		8801250367	50-470
	8801070427*	CONTRACT		8801250377*	50-470
CYGNA Energy Services	8801110321*	50-29		8801260263	50-470
Cabot Corp.	8801200461	40-8940		8801280559	TOPREP
Cajun Electric Power Cooperative, Inc.	8801110032	50-458	Comex Corp.	8801280594*	TOPREP
California, Univ. of, Berkeley, CA	8801200288	50-224	Commonwealth Edison Co.	8801200440*	CONTRACT
	8801270137	ACRS		8712280072	60-254
California, Univ. of, Santa Barbara, CA	8801250464*	CONTRACT		8712280218	60-295
Carolina Power & Light Co.	8712290008	50-400		8712280080	60-249
	8801040441	50-400		8712300025	50-237
	8801040545	50-324		8712300098	50-254
	8801050116	50-400		8712300098	50-254
	8801050136	50-324		8712300100*	50-254
	8801050144*	50-400		8712300100*	50-254
	8801070318	50-261		8801040219	50-237
	8801070324	50-324		8801040219	50-237
	8801070324	50-324		8801040219	50-237
	8801070498	50-324		8801040580	50-454
	8801070511*	50-324		8801050170	50-295
	8801110195	50-324			

AUTHOR AFFILIATION

[illegible]

AUTHOR AFFILIATION

[illegible]

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Connecticut Yankee Atomic Power Co.	8801270232	50-456		8801260022*	50-255 Q
	8801270541	50-254		8801260025*	50-255 Q
	8801270544	50-254		8801260029*	50-255 Q
	8801280098	50-254		8801260032*	50-255 Q
	8801280578	50-454		8801260034*	50-255 Q
	8712220032	50-213		8801260515	50-255 J
	8801110351	50-213		8801270034	50-255 J
	8801120304	50-213		8801270039	50-255 P
	8801130280	50-213		8801270047	50-155 Q
	8801130280	50-213		8801270458	50-155 J
	8801130280	50-213		8801270510	50-255 P
	8801130280	50-213		8801270574	50-255 P
	8801130280	50-213		8801270605	50-155 F
	8801150179	50-213		8801280261	50-255 S
	8801190180	50-213		8801280588	50-255 Q
	8801190180	50-213	Crowell & Moring Dairyland Power Cooperative	8801210217	FOIA
	8801190180	50-213		8801060200	50-409 P
	8801190180	50-336		8801060211*	50-409 P
	8801190180	50-336		8801150072	50-409 P
	8801190279	50-213		8801150078*	50-409 P
	8801200334	50-213		8801150113*	50-409 P
	8801220512	50-213		8801070250*	40-8902
	8801270161	50-213	Dames & Moore	8801070258*	40-8902
	8801280685	50-213		8801070260*	40-8902
	8801280672*	50-213	Detroit Edison Co.	8712260124	50-341 S
Connecticut, Univ. of, Storrs, CT Conner & Watterhahn	8801280007*	50-327		8712300140	50-341 Q
	8801040088	50-352		8801040007	50-341 Q
	8801040439	PR		8801060123	50-341 S
	8801130045	50-352		8801070329	50-341 P
	8801200222	50-352		8801070356	50-341 Q
Conover & Associates, Inc.	8801260450	FOIA		8801070370	50-341 P
	8801130242	70-1821		8801110431	50-341 P
	8801190006	50-334	J	8801110438*	50-341 P
	8712160352	ADVCN		8801120165	50-341 R
	8801260220*	FOIA		8801130145	50-341 Q
Conservation Foundation	8801260228*	FOIA		8801140091	50-341 S
	8712290021	50-247		8801150284	50-341 Q
	8712310048	50-247		8801200049	50-341 Q
	8801040126	50-247		8801200052	50-341 P
	8801070235	50-247		8801200078	50-341 F
	8801120251	50-247		8801200240	50-341 Q
	8801130082	50-247		8801200250*	50-341 Q
	8801130087*	50-247		8801200257*	50-341 Q
	8801140070	50-247		8801200261*	50-341 Q
	8801150252	50-247		8801200266*	50-341 Q
Consumers Power Co.	8801260467	50-247		8801200296	50-341 S
	8801260516	50-247		8801200348	50-341 R
	8801270215	50-247		8801220250	50-341 P
	8712230045	50-255		8801220258*	50-341 P
	8712290115	50-255		8801260084	50-341 H
	8712310180	50-155		8801290337	50-341 P
	8801040082	50-253		8801290338*	50-341 P
	8801040148	50-255		8801290341	50-341 P
	8801040155	50-255		8801290345*	50-341 P
	8801060026	50-155		8801290352	50-341 P
	8801060106	PR		8801290354*	50-341 P
	8801110201	50-255		8801060319	FOIA
	8801110286	50-155	Doc-Search Associates	8801070187	50-445 A
	8801110288	50-155		8801080029	FOIA
	8801120204	50-255		8801110447	FOIA
	8801120212	50-155		8801110468	FOIA
	8801120277	50-255		8801140104	FOIA
	8801120348	50-155		8801140278	FOIA
	8801120377	50-255		8801140318	FOIA
	8801120391	50-155		8801140394	FOIA
	8801120403	50-255		8801140415*	FOIA
	8801130009	50-255		8801200017	FOIA
	8801130068	50-155		8801210215	FOIA
	8801130115	50-255		8801260256	FOIA
	8801130133	50-255		8801260267	FOIA
	8801150163	50-155		8801280302	FOIA
	8801190061	50-255		8801280353	FOIA
	8801190068	50-255		8801280528	FOIA
	8801200074	50-155		8801270050	FOIA
	8801210088	50-155		8801270089	FOIA
	8801210088	50-155	Duke Power Co.	8712280218*	50-389 R
	8801210088	50-155		8801040295	PR
	8801210092*	50-155		8801040340	50-389 R
	8801210092*	50-155		8801040342*	50-389 R
	8801210092*	50-155		8801050284	50-413 Q
	8801210100	50-155		8801050317	50-389 S
	8801210208	50-255		8801050317	50-389 S
	8801210207	50-255		8801050320	50-289 Q
	8801250047	50-255		8801050321	50-370 S
	8801250056*	50-255		8801050330	50-413 P
	8801250083*	50-255		8801060115	50-389 S
	8801250081*	50-255		8801060118	50-389 S
	8801250226*	50-255		8801060126	PR
	8801260013	50-255		8801060150	50-413 S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8801080154	50-413		8801250528	50-269
	8801060417	50-413		8801250529	50-269
	8801060513	50-413		8801250529	50-269
	8801070180	50-413		8801250540	50-269
	8801070180	50-413		8801260156	50-269
	8801070181*	50-413		8801260172*	50-269
	8801070181*	50-413		8801260541	50-269
	8801070290	50-269		8801270091	50-369
	8801070295*	50-269		8801270091	50-369
	8801130134	50-370		8801280022	50-369
	8801130216	50-413		8801280027	50-369
	8801130300	50-269		8801280130	50-413
	8801130310*	50-269		8801280210	50-269
	8801130310*	50-269	Duncan, Weinberg & Miller Duquesne Light Co.	8801110032	50-458
	8801130310*	50-269		8712300108	50-412
	8801130318	50-269		8801040538	50-334
	8801130319	50-269		8801040538	50-334
	8801130319	50-269		8801060114	50-334
	8801130319	50-269		8801080021	50-412
	8801130325*	50-269		8801130101	50-334
	8801130325*	50-269		8801190058	50-334
	8801130325*	50-269		8801190078	50-334
	8801130331	50-369		8801190105	50-334
	8801130360*	50-269		8801190298	50-334
	8801130433	50-413		8801200267	50-412
	8801140096	50-413		8801200309	50-334
	8801140099	50-370		8801200336*	50-334
	8801140101	50-269		8801250011*	50-412
	8801140101	50-269		8801250014*	50-412
	8801140101	50-269		8801250021*	50-412
	8801140110	50-413		8801260163	50-334
	8801140110	50-413		8801280389*	50-412
	8801140117	50-413	EG&G Idaho, Inc. (subs. of EG&G, Inc.)	8811030467*	50-277
	8801140236	50-269		8712040169*	50-298
	8801140238	50-269		8801190349*	50-458
	8801160056	50-369		8801270490*	50-482
	8801160056	50-369	Eastern Virginia Medical School, Norfolk VA	8801060436	PR
	8801160056	50-369		8801210193*	50-286
	8801160060	50-269	Ebasco Services, Inc. (subs. of Enserch Corp.)	8801210110	XPORTLIC
	8801160186	50-269		8801110242	NUREG
	8801160210	50-369	Edlow International Co.	8801080230*	50-250
	8801160217	50-413	Electric Power Research Institute	8707250121*	50-322
	8801160236	50-413	Enercon Services	8707250131*	FOIA
	8801160253	50-413	Energy, Dept. of	8801040031	PROJ
	8801160260	50-269		8801040440	40-8820
	8801160303	50-413		8801070350	WASTE MGT
	8801160303	50-413		8801070360*	WASTE MGT
	8801160309	50-369		8801070364*	WASTE MGT
	8801160309	50-369		8801070369	WASTE MGT
	8801160309	50-369		8801070399	WASTE MGT
	8801160311*	50-369		8801070410*	WASTE MGT
	8801160311*	50-369		8801070451	WASTE MGT
	8801160311*	50-369		8801070480	WASTE MGT
	8801160311*	50-369		8801070486	WASTE MGT
	8801160311*	50-369		8801070487	WASTE MGT
	8801160313	50-287		8801080001*	WASTE MGT
	8801160032	50-413		8801080008	WASTE MGT
	8801160032	50-413		8801080019*	WASTE MGT
	8801180095	50-370		8801080050*	WASTE MGT
	8801180150	50-413		8801080051	WASTE MGT
	8801190160	50-413		8801080060	WASTE MGT
	8801190277	50-413		8801110013	WASTE MGT
	8801200360	50-413		8801110024	WASTE MGT
	8801210001	50-269		8801110044*	WASTE MGT
	8801210001	50-269		8801110066	WASTE MGT
	8801210001	50-269		8801110242	NUREG
	8801210003*	50-269		8801110245	WASTE MGT
	8801210003*	50-269		8801110515*	WASTE MGT
	8801210003*	50-269		8801120420	WASTE MGT
	8801210032	50-269		8801120426*	WASTE MGT
	8801210032	50-269		8801200454	PROJ
	8801210032	50-269		8801280676	WASTE MGT
	8801210038	50-413		8801290116	WASTE MGT
	8801210045	50-369		8801290134	WASTE MGT
	8801210090	50-269		8801290210	WASTE MGT
	8801210090	50-269		8801290330	WASTE MGT
	8801210090	50-269	Engineering & Economics Research, Inc.	8801220054*	CONTRACT
	8801210093*	50-269	Environmental Protection Agency	8801110242	NUREG
	8801210093*	50-269		8801280318	PR
	8801210093*	50-269	Erin Engineering & Research, Inc.	8801210103*	50-361
	8801210239	50-413	Exxon Corp.	8801070373	40-8064
	8801210239	50-413	FW Energy Applications, Inc.	8801060049	PROJ
	8801250412	50-413		8801120031	PROJ
	8801260495	50-269		8801120188	PROJ
	8801260529	50-269		8801210002	PROJ
	8801260529	50-269	Failure Analysis Associates	8801070135*	50-312
	8801260529	50-269	Federal Emergency Management Agency	8801040107	50-322

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8801110242	NUREG		8801060355	50-302 S
	8801260521	50-387 F		8801060434	50-302 S
	8801270344	50-443 G		8801070095	50-302 P
	8801270344	50-443 G		8801070105*	50-302 P
	8801270372*	50-443 G		8801110252	50-302 P
	8801270372*	50-443 G		8801110270	50-302 P
	8801280468*	50-387 F		8801110527	50-302 P
	8801280596	50-456 F		8801110530*	50-302 P
Federal Sources, Inc.	8801280420	FOIA		8801110539	50-302 P
Fenix & Scisson, Inc.	8801070265	WASTE MGT		8801110541	50-302 S
	8801070321	WASTE MGT		8801120022	50-302 P
Ferret Exploration Company of Nebraska, Inc.	8801070051	40-8829		8801130138	50-302 Q
Florida Institute of Technology, Melbourne, FL	8801200265	70-893		8801150061	50-302 F
				8801150067	50-302 F
				8801150202	50-302 F
Florida Power & Light Co.	8712280083*	50-250 R		8801190075	50-302 R
	8712280083*	50-250 R		8801190272	50-302 P
	8712280112	50-250 R		8801200264	50-302 Q
	8712280164*	50-250 R		8801210133	50-302 F
	8712290086	50-251 S		8801220575	50-302 Q
	8712300074	50-389 P		8801220576	50-302 S
	8712300081*	50-389 P		8801250273	50-302 Q
	8712300085	50-335 P		8801260048	50-302 P
	8712300085	50-335 P		8801260054*	50-302 P
	8712300089*	50-335 P		8801260539	50-302 P
	8712300089*	50-335 P		8801260546	50-302 P
	8712310062	50-389 S		8801270325	50-302 S
	8801040220	50-250 R	Florida, Univ. of, Gainesville, FL	8801270208	NUREG
	8801040586	50-251 Q	Franklin Institute	8801210252*	50-289 P
	8801060089	50-250 G	Freeman, Freeman & Salzman, P.C.	8801280048	FOIA
	8801060089	50-250 G	Friends Peace Exchange (formerly Mothers for Peace)	8801200415	50-275 G
	8801060221	50-250 P	Fuller, G.H.	8801080018	WASTE RES
	8801060221	50-250 P	Fund for Peace (National Security	8801110192	WASTE RES
	8801070344	50-335 P	Archive)	8801130354	FOIA
	8801070349	50-335 Q		8801190170	FOIA
	8801070349	50-335 Q		8801140356*	CONTRACT
	8801110254	50-250 R	GTE Telecommunications, Inc.	8801040033	71-8148
	8801110254	50-250 R	General Dynamics Corp.	8801140279	XPORTLIC
	8801120147	50-250 S	General Electric Co.	8801140281*	XPORTLIC
	8801120147	50-250 S		8801140288*	50-293 P
	8801120284	50-335 S		8801140314*	CONTRACT
	8801120356	50-250 Q		8801140366*	CONTRACT
	8801150220	50-250 Q		8801200396	70-1308
	8801150220	50-250 Q		8801200409*	70-1308
	8801150220	50-250 Q		8801200436	70-1308
	8801190084	50-251 S		8801280094	70-1113
	8801190187	50-250 F		8801280331	70-1113
	8801190310	50-250 P		8801270188	TOPREP
	8801200070	50-250 R		8801270258*	50-440 P
	8801200070	50-250 Q	General Motors Corp.	8801060330	ORG
	8801200370	50-335 Q	General Physics Corp.	8801270285*	50-29 F
	8801200465	50-335 F	General Public Utilities Corp. - GPU	8404110320*	50-219 P
	8801200465	50-335 F	Service Corp.		
	8801210018*	50-250 R		8712310198	50-289 F
	8801210018*	50-250 R		8712310199	50-289 F
	8801210018*	50-250 R		8801040210	50-320 P
	8801260051	50-250 R		8801040223	50-320 V
	8801260077	50-251 S		8801040491	50-320 V
	8801260110	50-250 Q		8801040483	50-219 R
	8801260110	50-250 Q		8801040496*	50-320 V
	8801260221	50-335 S		8801040569	50-320 S
	8801260314	50-250 R		8801050150	50-219 F
	8801260321*	50-250 R		8801050150	50-219 F
	8801260321*	50-250 R		8801050180*	50-219 F
	8801270011	50-335 P		8801050287	50-219 P
	8801270014*	50-335 P		8801050657	50-289 R
	8801270030	50-250 P		8801050680*	50-289 R
	8801270238	50-336 R		8801060273	50-219 S
	8801280184	50-335 P		8801060395	50-219 F
	8801280188*	50-335 P		8801060476	50-320 F
	8801280202*	50-335 P		8801070218	50-219 S
Florida Power Corp. (subs. of Florida Progress Corp.)	8712300116	50-302 F		8801080015	50-289 H
				8801110241	50-219 P
	8712300118	50-302 F		8801120188	50-320 P
	8712300131	50-302 F		8801190196*	50-219 V
	8712300133	50-302 F		8801190242	50-289 P
	8712300134	50-302 F		8801190250*	50-289 P
	8712300137	50-302 F		8801190254*	50-289 P
	8712300139	50-302 F		8801200024	50-219 S
	8712300142	50-302 F		8801200109	50-219 R
	8801040275	PR		8801200113*	50-219 R
	8801050407	50-302 Q		8801200126	50-219 R
	8801050451*	50-302 Q		8801200206*	50-289 P
	8801060126	PR		8801200238	50-320 G
	8801060162	50-302 P		8801210042*	FOIA
	8801060174*	50-302 P		8801210046*	FOIA
	8801060236	50-302 Q		8801210057*	FOIA

	8801110059	50-289	P		8801110222	50-458	
	8801220171	50-219	P		8801190101	50-458	
	8801220236	50-320	R		8801210148	50-458	
	8801250396	50-320	G		8801250508	50-458	
	8801260003	50-289	R		8801260142	50-458	
	8801260010*	50-261	P		8801260473	50-458	
	8801260253	50-219	R		8801270071	50-458	
	8801260485	50-289	F	Gunnison County, CO	8801290082	WASTE MGT	
	8801270140	50-219	S	Hampton, NH	8801130082	50-443	
	8801270634	50-320	P	Harmon & Weiss	8801040066	50-443	
	8801270638*	50-320	P		8801040089	50-443	
	8801280037	50-289	F		8801660285	50-271	
	8801280037	50-289	F		8801080408	FOIA	
	8801280106	50-219	R		8801110211	50-271	
	8801280384	50-219	P		8801130042	50-443	
Georgia Power Co.	8801280388*	50-219	P		8801200220	50-443	
	8712300032	50-424	Q		8801200220	50-443	
	8712300126	50-321	P		8801200227	50-443	
	8712300127*	50-321	P		8801200227	50-443	
	8712310155	50-366	Q		8801200235*	50-443	
	8712310185	50-321	F		8801200235*	50-443	
	8801050006	50-321	P		8801200244*	50-443	
	8801050008	50-321	P		8801200244*	50-443	
	8801050081	50-321	P		8801200287	50-443	
	8801050081	50-321	P		8801200287	50-443	
	8801050108*	50-321	P		8801270305	50-443	
	8801050108*	50-321	P		8801270305	50-443	
	8801050275	50-424	P		8801270311*	50-443	
	8801050578	50-321	P		8801270311*	50-443	
	8801050584*	50-321	P		8801270321*	50-443	
	8801070182	50-424	P		8801270321*	50-443	
	8801070185*	50-424	P		8801050285*	CONTRACT	
	8801110441	50-424	F	Harter Corp.	8801130079	40-8914	
	8801110441	50-424	F	Hecia Mining Co.	8801070301	40-8903	
	8801110479	50-321	P	Homestake Mining Co.	8801130273	40-8903	
	8801120009	50-366	P		8801040039*	50-277	
	8801120021	50-424	Q	House of Rep	8801070195*	50-275	
	8801120113	50-424	S		8801080004*	50-498	
	8801120215	50-366	P		8801150111*	COMMISSIO	
	8801120229*	50-366	P		8801210167*	50-443	
	8801120267	50-424	S		8801260055*	50-247	
	8801120303	50-424	P		8801280185*	COMMISSIO	
	8801120318	50-366	P	House of Rep., Energy & Commerce	8706040254*	50-327	
	8801120431	50-424	F	House of Rep., Interior & Insular Affairs	8706040254*	50-327	
	8801130070	50-424	S		8801260486*	50-320	
	8801190081	50-424	S		8712290131	50-498	
	8801190304	50-424	Q	Houston Lighting & Power Co.	8712300082	50-498	
	8801200383	50-321	P		8712300088	50-498	
	8801210026	50-321	R		8712300085	50-498	
	8801210065	50-321	S		8712300089	50-498	
	8801250285	50-366	S		8712310031	50-498	
	8801250292	50-366	S		8801050042	50-498	
	8801250350	50-424	S		8801050054*	50-498	
	8801260351	50-424	R		8801050054*	50-498	
	8801260358	50-424	P		8801050628	50-498	
	8801260535	50-424	F		8801050628	50-498	
	8801260548	50-321	P		8801060453	50-498	
	8801260550	50-321	F		8801060453	50-498	
	8801270072	50-425	A		8801070334	50-498	
	8801270219	50-321	Q		8801070334	50-498	
	8801270219	50-321	Q		8801070470	50-498	
	8801270385	50-321	Q		8801110388	50-498	
	8801270385	50-321	Q		8801110521	50-498	
	8801270385	50-321	Q		8801120225	50-498	
	8801270488	50-424	F		8801120232*	50-498	
Georgia, State of	8801270488	50-424	F		8801120240*	50-498	
	8801290156	50-424	F		8801120366	50-498	
	8801050091*	50-321	P		8801120370	50-498	
	8801110508	STATE PRO	Q		8801120395	50-498	
	8801110518*	STATE PRO	G		8801130053	50-498	
Good Samaritan Hosp., Downers Grove, IL	8801200387*	CONTRACT			8801140007	50-498	
Government Accountability Project	8801070037	FOIA			8801140007	50-498	
	8801120281	FOIA			8801140023	50-498	
	8801140074	FOIA			8801140062	50-498	
	8801140159	50-445	Q		8801150190	50-498	
	8801140159	50-445	Q		8801150227	50-498	
	8801140161	50-445	Q		8801150227	50-498	
	8801140161	50-445	Q		8801150249	50-498	
	8801150047	50-445	Q		8801190073*	50-498	
	8801150047	50-445	Q		8801190099*	50-498	
	8801150094	50-445	Q		8801200343	50-498	
	8801150094	50-445	Q		8801200401	50-498	
	8801260155	FOIA			8801200412	50-498	
Government Printing Office	8801260452	50-341	P		8801200412	50-498	
	8801280541*	CONTRACT			8801210130	50-498	
Government Technology Services, Inc.	8801070472*	CONTRACT			8801250279	50-498	
Gulf States Utilities Co.	8801040590	50-458	S		8801260368	50-498	
	8801050164	50-458	Q		8801280376*	50-498	
	8801050259	50-458	Q		8801270172	50-498	

	8801270451	50-498	S	Kennecott Corp.	8801070525	40-8904	
	8801270484*	50-498	S		8801130175	40-8904	
	8801280359*	50-498	P	Kerr-McGee Nuclear Corp.	8801200452	40-8027	
Howard P. Foley Co.	8801130147*	50-275	P	Kirkpatrick & Lockhart	8801040068	50-322	G
	8801130159*	50-275	P		8801040080	50-322	G
Human Engineering Associates, Inc.	8502060013*	FOIA			8801040084	50-322	G
	8502060015*	FOIA			8801040094	50-322	G
Hunt & Williams	8801040090	50-322	G		8801040122	50-322	G
	8801040113	50-322	G		8801060062	50-322	G
	8801060128	50-322	G		8801060287	50-322	G
	8801130031	50-322	G		8801060280	50-322	G
	8801130037	50-322	G		8801110528	FOIA	
	8801130044	50-322	G		8801180040	50-322	G
	8801130440	FOIA			8801180042*	50-322	G
	8801200223	50-322	G		8801200273	50-322	G
	8801200228	50-322	G		8801200281*	50-322	G
	8801210162	50-322	G		8801210161	50-322	G
	8801210166	50-322	G		8801250311	50-322	G
	8801250299	50-322	G		8801260322*	50-322	G
	8801260113	FOIA			8801250335*	50-322	G
ICF, Inc.	8801270316	50-322	G		8801250381	50-322	G
INTERA Technologies, Inc.	8801210308*	CONTRACT			8801270334	50-322	G
	8801110102	40-8904			8801270365	50-322	G
ITASCA Consulting Group, Inc.	8801110108*	40-8904			8801270434	50-322	G
	8801070404*	WASTE RES		Kline & Co., Inc.	8801210290	FOIA	
Idaho National Engineering Laboratory	8801080083	WASTE RES		Lawrence Livermore National Laboratory	8801080005	WASTE RES	P
	8801030467*	50-277	F	Lewis, D.B.	8801140303	50-171	
	8712040189*	50-298	P	Lewis, M.	8801040368	PR	
	8801190349*	50-458	P	Long Island Lighting Co.	8801190330	NUREG	
	8801270490*	50-482	P		8712310047*	50-322	S
Illinois Power Co.	8712290133	50-461	S		8712310094	50-322	S
	8712300122	50-461	J		8712310097*	50-322	S
	8801040414	50-461	P		8801040090	50-322	G
	8801050444	50-461	S		8801040113	50-322	G
	8801120154	50-461	S		8801060128	50-322	G
	8801130421	50-461	P		8801130031	50-322	G
	8801150201	50-461	S		8801130037	50-322	G
	8801190104	50-461	R		8801130044	50-322	G
	8801190289	50-461	P		8801130080*	50-322	G
	8801200149	50-461	S		8801200223	50-322	G
	8801200331	50-461	S		8801200228	50-322	G
	8801260057	50-461	O		8801210162	50-322	G
Impell Corp.	8801140051*	50-445	A		8801210166	50-322	G
In-Situ, Inc.	8801190087*	CONTRACT			8801250299	50-322	G
Indiana Michigan Power Co.	8801210055	50-316	S		8801250318	50-322	G
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	8801040557	50-316	R		8801270316	50-322	G
	8801040559	50-316	R		8801270631	50-322	S
	8801070280	50-316	S		8801280365	50-322	F
	8801130230	50-316	P	Los Alamos National Laboratory	8801280051	50-322	R
	8801130231*	50-316	P		8801070114	50-267	F
	8801150245	50-316	P	Louisiana Power & Light Co.	8801040003	50-382	O
	8801190035	50-315	O		8801040005	50-382	O
	8801190035	50-315	O		8801040006	50-382	O
	8801210055	50-316	S		8801040009	50-382	S
	8801210061	50-316	S		8801040021	50-382	S
	8801260069	50-315	P		8801040022	50-382	P
	8801260069	50-316	P		8801040042*	50-382	P
	8801270092	50-316	F		8801040044*	50-382	P
	8801270277	50-316	S		8801040049	50-382	F
	8801270534	50-315	H		8801040050*	50-382	P
Information Control Systems Corp.	8801210222	FOIA			8801040051*	50-382	P
Ingersoll-Rand Co.	8801040152	QA999			8801040052	50-382	S
Institute of Nuclear Power Operations	8801110242	NUREG			8801050303	50-382	P
	8801210264*	FOIA			8801050314*	50-382	P
	8801210264*	FOIA			8801060133	50-382	F
Interior, Dept. of, Bureau of Mines	8801200447*	CONTRACT			8801070209	50-382	P
Interior, Dept. of, Geological Survey	8801140005	50-274	Q		8801070422	50-382	P
Intermountain Technologies, Inc.	8801150200*	50-29	P		8801070434	50-382	P
International Technical Services, Inc.	8801220344*	CONTRACT			8801110017*	50-382	P
	8801280156*	CONTRACT			8801190210	50-382	R
Iowa Electric Light & Power Co.	8712310049	50-331	S		8801190258	50-382	F
	8712310152	50-331	Q		8801190259	50-382	F
	8801050673	50-331	Q		8801200160	50-382	P
	8801060135	50-331	P		8801200164*	50-382	P
	8801200350	50-331	R		8801200424	50-382	S
	8801210085	50-331	Q		8801210304	50-382	Q
Irving Burton Associates, Inc.	8801220021*	CONTRACT			8801260456	50-382	P
Islip, NY	8801250376*	50-322	G		8801270282	50-382	P
JRA Associates	8801140053	50-445	A	Louisiana, State of	8801200065	STATE PRO	G
Jacobs Engineering Group, Inc.	8801060047	WASTE MGT		MK-Ferguson Co.	8801070341	WASTE MGT	
	8801110500	WASTE MGT			8801070432	WASTE MGT	
Japan, Govt. of	8801210210*	FOIA			8801110011	WASTE MGT	
KLD Associates, Inc.	8801110266	50-346	F	Maine Yankee Atomic Power Co.	8801040483	50-309	R
Kaiser Engineers	8801200291*	50-224	P		8801060424	50-309	Q
	8801200293*	50-224	P		8801120389	50-309	P
Kansas, State of	8801260233*	CONTRACT			8801130076*	50-309	P
Kansas, Univ. of, Lawrence, KS	8801270314	50-148	R		8801130152	50-309	F
Kellogg & McLeod	8801120335	50-528	J		8801270632	50-309	F
Kellogg Co.	8801130102*	50-275	O	Malapai Resources Co.	8801070247	40-8884	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8801070292	40-8502			8801200220	50-443
	8801070310	40-8502			8801200220*	50-443
	8801070428	40-8884			8801200235*	50-443
	8801110028	40-8502			8801200235*	50-443
	8801110035*	40-8502			8801200244*	50-443
Marsh & McLennan, Inc.	8801130071	40-8884			8801200244*	50-443
	8801070357	50-259	J		8801270305	50-443
	8801070437	50-220	J		8801270305*	50-443
	8801120325	50-395	J		8801270311*	50-443
	8801130412	50-344	J		8801270311*	50-443
	8801130443	50-309	J		8801270321*	50-443
	8801140047	TOPREP			8801270321*	50-443
	8801140119	50-250	J	New Mexico, State of	8801110008	40-8907
	8801140119	50-250	J	New York Power Authority (formerly Power Authority of the State of New York)	8712300113	50-288
	8801140119	50-250	J			
	8801190012	50-280	J		8712300117*	50-288
	8801190012	50-280	J		8712300119*	50-288
	8801190012	50-280	J		8801050491	50-333
	8801270111	50-293	J		8801050624	50-288
					8801060032	50-288
	8801270120	50-321	J		8801070474	50-333
	8801270126	50-29	J		8801110292	50-288
	8801270133	50-397	J		8801120209	50-333
	8801270148	50-331	J		8801120288	50-333
	8801280065	50-313	J		8801130127	50-288
Marshfield, MA	8801280351	TOPREP			8801140111	50-333
Maryland Sound Industries, Inc.	8801120142	50-293	P		8801140319	50-333
Massachusetts Institute of Technology, Cambridge, MA	8801210163*	CONTRACT			8801150242	50-288
	8801220038*	CONTRACT			8801200288	50-333
Massachusetts, Commonwealth of					8801200290	50-333
	8801060298	50-443	G		8801200381	50-333
	8801060298	50-443	G		8801200422	50-288
	8801060304*	50-443	G		8801210185	50-288
	8801060304*	50-443	G		8801250383	50-288
	8801060314*	50-443	G		8801260067	50-288
	8801120307*	50-293	P		8801260075*	50-288
	8801130059	50-271	G		8801260078*	50-288
	8801130081	50-443	G		8801260086*	50-288
	8801130081	50-443	G		8801260091*	50-288
	8801130375	50-293	P		8801260093*	50-288
	8801130408*	50-293	F	New York, State of	8801270100	50-288
	8801200329	50-443	G		8801040068	50-322
	8801200329	50-443	G		8801040071	50-322
	8801270300	50-443	T		8801040080	50-322
	8801270300	50-443	T		8801040122	50-322
	8801270306*	50-443	T		8801060080	50-322
	8801270306*	50-443	T		8801200273	50-322
	8801270310*	50-443	T		8801210161	50-322
	8801270310*	50-443	T		8801210358	50-322
	8801280269*	50-293	F		8801250311	50-322
Matera's Engineering Associates, Inc. Mathtech, Inc.	8801270208	NUREG			8801250322*	50-322
Memphis State Univ., Memphis, TN	8801140393*	CONTRACT			8801250385*	50-322
Michigan State Univ., East Lansing, MI	8801110439	50-538	P		8801270304	50-322
Michigan, Univ. of, Ann Arbor, MI	8801130224	50-294	P		8801270315	50-322
	8801210051	50-2	F		8801270320	50-322
Minerals Exploration Co. (subs. of Union Oil Co. of California)	8801080086	40-8584			8801270334	50-322
Minnesota, Mining & Manufacturing Co., 3 Co.	8801130359	40-8584		Newburyport, MA	8801270434	50-322
	8801190038	NUREG		Newman & Holtzinger	8801060300*	50-443
					8801040085	50-445
					8801060063	50-445
Mississippi Power & Light Co.	8801120035	50-416	S		8801080063	50-445
Mobil Coal Producing, Inc.	8801150236	40-8911			8801060099	50-250
Montefiore Hosp. Assoc. of Western PA, Pittsburgh, PA	8801060170	PR			8801060299	50-445
Morebillo, A.J.	8801040158	Docket 55			8801060299	50-445
					8801130015	50-445
NUS Corp.	8801070208	50-275	P		8801150062	50-445
	8801280623*	CONTRACT			8801190020	50-445
Narmco Controls	8801130235	QA989			8801210149	50-445
Native Americans for a Clean Environment	8801180178	40-8027			8801210149	50-445
	8801280443	40-8027			8801210152	50-445
Nebraska Public Power District	8712310185	50-298	F		8801210152	50-445
	8801070348	50-298	P		8801250301	50-445
	8801120241	50-298	P		8801250316	50-445
	8801120342	50-298	R	Niagara Mohawk Power Corp.	8801270330	50-445
	8801120375	50-298	F		8712290378	50-410
	8801130343	50-298	Q		8712290385	50-220
	8801200242	50-298	P		8801110459	50-410
	8801260536	50-298	J		8801120343	50-220
	8801260562	50-298	J		8801130078	50-220
	8801270028	50-298	F		8801130163	50-410
	8801270467	50-298	P		8801130172	50-410
Nebraska, State of	8801250580*	CONTRACT			8801130174	50-410
Nevada, State of	8801110189	WASTE MGT			8801130203	50-220
New England Bell Telephone Co.	8801140174*	50-29	P		8801140004	50-410
New England Coalition on Nuclear	8801040068	50-443	G		8801140113	50-220
Pollution	8801040099	50-443	Q		8801140116	50-220
	8801060285	50-271	Q		8801150261	50-410
	8801130042	50-443	Q		8801190129	50-220
					8801190261	50-220

	8801180267*	50-220	P		8801120369	50-338	P
	8801180269*	50-220	P		8801120384	50-213	F
	8801200225	50-410	P		8801130110	50-245	R
	8801200292	50-410	P		8801130113	50-338	P
	8801200321	50-410	S		8801130260	50-213	P
	8801200376	50-410	P		8801130280	50-213	P
	8801220148	50-220	P		8801130280	50-213	P
	8801220188*	50-220	P		8801140330	50-423	R
	8801220188*	50-220	P		8801140348	50-338	R
	8801220545	50-220	S		8801150178	50-245	Q
Norcom International Corp. (formerly Noriega Communications Corp.)	8801250260	50-410	S		8801150272	50-338	Q
	8801250269	50-220	S		8801190180	50-213	P
	8801250493	50-410	S		8801190180	50-213	P
	8801260236	50-410	Q		8801190180	50-213	P
	8801270121	50-410	S		8801190182	50-423	P
	8801270213	50-410	P		8801190279	50-213	S
	8801280012	50-220	F		8801190328	50-338	V
	8801290187	50-410	S		8801200303	50-423	S
	8801150026*	CONTRACT			8801200315	50-338	S
					8801210173	50-338	P
Northeast Nuclear Energy Co. (subs. of Northeast Utilities)	8801280564*	CONTRACT			8801220519	50-423	P
	8712280230	50-245	Q		8801270118	50-423	S
	8712280230	50-245	Q		8801270151	50-213	P
	8801040547	50-423	P		8801270173	50-423	P
	8801050002	50-338	P		8801270236	50-423	P
	8801050004*	50-338	P		8801270592	50-423	P
	8801050012	50-338	P		8801280630	50-423	Q
	8801050015*	50-338	P	Northern Inspection Services, Inc.	8801290183	50-423	Q
	8801050189	50-245	P	Northern States Power Co.	8801200386	71-647	
					8712280087	50-263	S
	8801050201*	50-245	P		8712290083	50-263	S
	8801050219	50-423	P		8712290098	50-263	S
	8801050241	50-423	P		8712310163	50-282	P
	8801110174	50-423	V		8712310163	50-282	P
	8801110264	50-423	P		8712310166*	50-282	P
	8801110303	50-338	S		8712310186*	50-282	P
	8801120099	50-423	S		8712310189*	50-282	P
	8801120239	50-423	S		8712310189*	50-282	P
	8801120246	50-338	P		8712310239	50-263	S
	8801120258	50-338	S		8801060187	50-263	F
	8801120389	50-338	P		8801070420	50-282	P
	8801120374*	50-338	P		8801110186	50-282	F
	8801120384	50-213	F		8801120084	50-282	S
	8801120384	50-213	F		8801120115	50-263	P
	8801120384	50-213	F		8801120124*	50-263	P
	8801130110	50-245	R		8801120127*	50-263	P
	8801130113	50-338	P		8801130185	50-282	P
	8801130260	50-213	P		8801130185	50-282	P
	8801130260	50-213	P		8801130202*	50-282	P
	8801130260	50-213	P		8801130202*	50-282	P
	8801130260	50-213	P		8801130211*	50-282	P
	8801130260	50-213	P		8801150266	50-282	R
	8801140330	50-423	R	Nuclear Assurance Corp.	8801210039	PROJ	
	8801140349	50-338	R		8801210117	PROJ	
	8801150178	50-245	Q	Nuclear Awareness Network	8801190195	50-482	P
	8801150272	50-338	Q		8801250337*	50-482	H
	8801190180	50-213	P		8801260120	50-482	P
	8801190180	50-213	P	Nuclear Energy Services, Inc.	8801260460	71-9193	
	8801190180	50-213	P		8801260493*	71-9193	
	8801190180	50-338	P	Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.)	8801040276	70-143	
	8801190180	50-338	P		8801050293	70-143	
	8801190192	50-423	P		8801050308	70-143	
	8801190328	50-338	V		8801200420	70-143	
	8801200303	50-423	S		8801210014	70-143	
	8801200316	50-338	S		8801210017*	70-143	
	8801210173	50-338	P		8801210087	70-143	
	8801220519	50-423	P		8801210114	70-143	
	8801270118	50-423	S		8801260311	70-143	
	8801270151	50-213	P		8801290299*	REVIEW GR	P
	8801270173	50-423	P				
Northeast Utilities	8801270236	50-423	P	(NUMARC) (formerly Nuclear Utility Mana			
	8801270592	50-423	P	Nuclear Metals, Inc.	8801140297	XPORTLIC	
	8801280630	50-423	P		8801140307*	XPORTLIC	
	8801280193	50-423	Q	Nuclear Waste Consultants, Inc.	8801070328	WASTE RES	
	8712280230	50-245	Q		8801080059	WASTE RES	
	8712280230	50-245	Q		8801280101	WASTE RES	
	8801040547	50-423	P		8801070511*	50-324	P
	8801050002	50-338	P	O'Donnell & Associates, Inc.	8708040086*	50-3	F
	8801050012	50-338	P	Oak Ridge Associated Univs.	8801280669*	FOIA	
	8801060189	50-245	P	Oak Ridge National Laboratory	8801110221	NUREG	
	8801050219	50-423	P		8801190186*	50-327	Q
	8801050241	50-423	P		8801200068	RES	
	8801110174	50-423	V	Ohio Citizens for Responsible Energy	8801040257	PR	
	8801110264	50-423	P		8801210321	50-440	H
	8801110303	50-338	S		8801250314*	50-440	Q
	8801120099	50-423	S		8801250317*	50-440	Q
	8801120239	50-423	S	Oklahoma, Univ. of, Norman, OK	8801270594	50-112	F
	8801120248	50-338	S	Olympia Radiological Associates, Ltd., Olympia, WA	8801070057	PR	
	8801120258	50-338	S				

Public Power District

8801040563 50-285
8801040576* 50-285
8801050072 50-285
8801050164 50-285
8801060152 50-285

P
F
S
S

8801070424 50-285
8801120275 50-285
8801180112 50-285
8801210129 50-285
8801220486 50-285

S
F
F
Q

8801260100 50-285
8801260109* 50-285
8801260416 50-285
8801270175 50-285
8712220128 50-133

P
O
P
S

Petrochemicals Co. (formerly Getty/Petrochem
ics Co.)
Philadelphia Electric Co.

8801150173 50-387
8801150177 50-387
8801150177 50-387
8801150195 50-387
8801150195 50-387

P
O
O
R
R

8801150250 50-387
8801150250 50-387
8801150257 50-387
8801260111 50-387
8801260111 50-387

Q
O
O
F
F

8801280197 50-387
8801130306 40-6663

F

8712310041 50-352
8712310055 50-277

S
S

8801040066 50-352
8801040103 50-352
8801050041 50-277
8801050573 50-278
8801060012 50-277

G
G
P
S
S

8801070499 50-277
8801110532 50-353
8801120033 50-277
8801120053 50-277
8801120065 50-278

P
S
S
S
S

8801120069 50-352
8801120104 50-352
8801130045 50-352
8801140003 50-353
8801140006 50-352

S
G
O
O
R

8801150344 50-277
8801150344 50-277
8801150346* 50-277
8801150346* 50-277
8801150221 50-277

F
F
F
F
R

8801190117 50-277
8801190117 50-277
8801190134 50-352
8801190234 50-277
8801200222 50-352

S
S
S
S
G

8801200384 50-277
8801200384 50-277
8801200405 71-8176
8801200416 50-353
8801200427 71-8168

O
O
O

8801200449 71-8159
8801210009 71-8159
8801210041 71-8176
8801210154 50-277
8801210154 50-277

Q
Q

8801210165 71-8168
8801220218 50-352
8801250122 50-277
8801250232 50-277
8801260168 50-277

R
O
O
P

8801260168 50-277
8801270063 50-277
8801270068 50-352
8801270129 50-277
8801270134* 50-277

P
F
O
O
O

8801270134* 50-277
8801270214 50-171
8801270214 50-171
8801270214 50-171
8801280417 50-277

O
J
J
J
F

8801280441* 50-277
8801280579 FOIA
8801070407 40-6668
8712310182 50-344
8801050403 50-344

O
S
S

8801060443 50-344
8801070002 50-344
8801120350 50-344
8801130158 50-344
8801140058 50-344

O
S
S
S
S

8801140085 50-344
8801140087 50-344
8801140321 50-344
8801200168 50-344
8801200174* 50-344

S
S
S
P
P

8801200178* 50-344
8801200386 50-344
8801200391* 50-344
8801200399* 50-344
8801200464 50-344

P
P
P
P
P

8801210128 50-344
8801220086* 50-344
8801260506 50-344
8801270810 50-344

T
T
T
T

Gas & Electric Co.

8801050875 50-276
8801080128 PR
8801080278 50-133
8801120130 50-133
8801120390 50-275

P
R
S
P

8801130122* 50-275
8801130137* 50-275
8801130165* 50-275
8801130168* 50-275
8801130178* FOIA

Q
P
P
P

8801130191* 50-275
8801130222* 50-276
8801130227* 50-275
8801130232* 50-275
8801130241* 50-275

P
P
E
E

8801130267* 50-275
8801130342* 50-275
8801130364* 50-275
8801130380* 50-275
8801140186* FOIA

P
E
P
P

8801200389 50-275
8801200439 50-275
8801210269 50-275
8801260344 50-275
8801260445 50-275

S
S
Q
S
S

8801260483 50-275
8801260482 50-275
8801260482 50-275
8801260558 50-275
8801270013 50-275

S
P
P
O
P

8801270013 50-275
8801270016* 50-275
8801270016* 50-275
8801270018* 50-275
8801270018* 50-275

P
P
P
P
P

8801270021 50-275
8801270021 50-275
8801270024 50-275
8801270024 50-275
8801270027* 50-275

P
P
P
P
P

8801270027* 50-275
8801270043* 50-275
8801270043* 50-275
8801270081 50-275
8801270081 50-275

P
P
P
R
R

8801270131 50-275
8801270131 50-275
8801270287* 50-275
8801280128 50-275
8801070482* CONTRACT

R
R
P
S

Paffen-Johnson Associates, Inc.

Fa-a-meter, Inc.

Pathfinder Mines Corp.

8801210243* CONTRACT
8801260260* CONTRACT
8801070538 40-6622
8801080011 40-6622
8801110076 40-2259

S
P
P
P
P

Plain Dealer, Cleveland, OH
Plateau Resources, Ltd.
Portland General Electric Co.

8801120353 40-2259
8801130244 40-2259
8712300017 50-387
8712300077 50-388
8712300087* 50-388

S
P
P
P
P

8712300092* 50-388
8712310143 50-388
8712310145* 50-388
8712310151* 50-388
8712310218* 50-388

P
P
P
P
P

8801080118* 50-387
8801080145 50-387
8801080463 50-387
8801070082 50-387
8801080091* 50-388

S
S
S
S
P

Pennsylvania Power & Light Co.

8801110098 50-387
8801110098 50-387
8801130090 50-387
8801160173 50-387

P
P
T
T

Professional Examination Service	8801070449*	CONTRACT		8801130103	50-272
Public Citizen's Critical Mass Energy Project	8801210174	FOIA		8801130171	50-272
				8801130183	50-272
				8801140078	50-272
Public Service Co. of Colorado	8801290271	FOIA	S	8801180055	50-272
	8801120043	50-267			
	8801120063	50-267	S	8801180080	50-354
	8801120205	50-267	P	8801180083	50-354
	8801120320	50-267	R	8801180089	50-354
	8801120322*	50-267	R	8801200238	50-354
	8801120417	50-267	Q	8801210050	50-354
	8801130001	50-267	F	8801210235	50-354
	8801130129	50-267	S	8801260284	50-272
	8801130206	50-267	Q	8801260395	50-272
	8801180241	50-267	S	8801270015	50-272
	8801200363	50-267	R	8801270098	50-354
	8801200379	50-267	F	8801270154	50-272
	8801200390*	50-267	F	8801270154	50-272
	8801260424	50-267	F	8801270158*	50-272
	8801270029	50-267	P	8801270168*	50-272
	8801270035*	50-267	P	8801270396	50-272
	8801270045*	50-267	P	8801270396	50-272
	8801270050*	50-267	P	8801280338	50-272
	8801270080	50-267	Q	8801280338	50-272
Public Service Co. of New Hampshire	8801270355	50-267	S	8801280338	50-272
	8801050437	50-443	S	8801280338	50-272
	8801060083	50-443	G	8801110001	40-8905
	8801060305*	50-443	G	8801110003*	40-8905
	8801060346*	50-443	G	8801130182	40-8905
	8801060346*	50-443	G	8801130388	40-8905
	8801060363*	50-443	G	8801210016	71-642
	8801120060	50-443	S	8801210184	FOIA
	8801130010	50-443	T	8801200239*	50-443
	8801130010	50-443	T	8801129090	50-171
	8801130062	50-443	G	8801210181	50-335
	8801130052	50-443	G	8801250304	50-335
	8801130094	50-443	T	8801070409*	CONTRACT
	8801130094	50-443	T	8801070421	40-8084
	8801130097*	50-443	T	8801040478	50-244
	8801130097*	50-443	T	8801060117	50-244
	8801180068	50-443	Q	8801060134*	50-244
	8801180114	50-443	R	8801060163*	50-244
	8801200247	50-443	R	8801060199	50-244
	8801200247	50-443	G	8801060249	50-244
	8801200270	50-443	G	8801070036	50-244
	8801200270	50-443	G	8801130219	50-244
	8801200340	50-443	G	8801200078	50-244
	8801270319	50-443	T	8801200395	50-244
	8801270319	50-443	T	8801210132	50-244
	8801270322	50-443	Q	8801210137	50-244
	8801270328	50-443	G	8801250358	50-244
	8801270328	50-443	G	8801280406	50-244
	8801270350*	50-443	T	8801280411*	50-244
	8801270350*	50-443	T	8801280418*	50-244
	8801270354*	50-443	T	8801280512	50-244
	8801270354*	50-443	T	8801280531*	50-244
	8801270359*	50-443	T	8801280254	50-244
	8801270359*	50-443	T	8801070395*	WASTE MGT
	8801270380	50-443	G	8801070433*	WASTE MGT
	8801270380	50-443	G	8801070436*	WASTE MGT
Public Service Electric & Gas Co. of New Jersey	8712290060	50-354	S	8801070488*	WASTE MGT
	8801040168	50-272	Q	8801070481*	WASTE MGT
	8801040511	50-272	P	8801070516*	WASTE MGT
	8801040511	50-272	P	8801070533*	WASTE MGT
	8801040578	50-311	S	8801070537*	WASTE MGT
				8801070245*	40-8902
	8801040591	50-311	S	8801060281	50-443
	8801050053	50-354	S	8801060291	50-443
	8801050354	50-272	Q	8801060305*	50-443
	8801070035	50-311	S	8801080305*	50-443
	8801070450	50-272	R	8801130052	50-443
	8801110237	50-354	F	8801200247	50-443
	8801110263	50-272	F	8801200247	50-443
	8801110399	50-272	F	8801200270	50-443
	8801110502	50-272	F	8801200270	50-443
	8801110502	50-272	F	8801200305	50-443
	8801110502	50-272	F	8801200305	50-443
	8801110502	50-272	F	8801200317	50-443
	8801120026	50-311	S	8801200317	50-443
	8801120068	50-311	S	8801270322	50-443
	8801120076	50-354	S	8801270328	50-443
	8801120094	50-354	S	8801270328	50-443
	8801120242	50-272	F	8801270380	50-443
	8801120242	50-272	F	8801270380	50-443
	8801120312	50-272	F	8801070488*	WASTE MGT
	8801120312	50-272	F	8801070502*	WASTE MGT
	8801120312	50-272	F	8801120376*	CONTRACT
	8801120312	50-272	F	8712290128	50-312
	8801120338	50-354	F	8801040519	50-312
	8801130103	50-272	F	8801070045	50-312

	8801070064	50-312	S	South Carolina Electric & Gas Co.	8712230037	50-395	F
	8801070201	50-312	Q		8801050093	50-395	P
	8801070218*	50-312	Q		8801050109*	50-395	P
	8801110218	50-312	R		8801050272	50-395	P
	8801110419	50-312	P		8801060033	50-395	S
	8801110474	50-312	P		8801060406	50-395	P
	8801110489*	50-312	P		8801110283	50-395	Q
	8801110529	50-312	Q		8801120231	50-395	P
	8801120187	50-312	Q		8801120235*	50-395	P
	8801120213	50-312	P		8801120422	50-395	F
	8801130066	50-312	S		8801130213	50-395	P
	8801130099	50-312	P		8801140024	50-395	P
	8801130108	50-312	Q		8801140029*	50-395	P
	8801130236	50-312	S		8801190130	50-395	R
	8801130238*	50-312	P		8801190268	50-395	F
	8801130278	50-312	P		8801190275*	50-395	F
	8801130377	50-312	P		8801190280*	50-395	F
	8801130396	50-312	P		8801200022	50-395	P
	8801130399*	50-312	P		8801270077	50-395	S
	8801140032	50-312	P	Southampton, NY	8801040068	50-322	Q
	8801140034*	50-312	P		8801040122	50-322	G
	8801180030	50-312	F		8801200273	50-322	G
	8801200138	50-312	F		8801210161	50-322	G
	8801200141*	50-312	F		8801250311	50-322	G
	8801200407	71-489			8801250322*	50-322	G
	8801210081	50-312	P		8801270334	50-322	G
	8801210279	50-312	P	Southern California Edison Co.	8712280016	50-361	S
	8801220361*	50-312	P		8712280067	50-361	S
	8801220370*	50-312	P		8712300106	50-206	P
	8801220496	50-312	Q		8712300106	50-206	P
	8801220540	50-312	P		8712300109*	50-206	P
	8801250206	50-312	P		8712300109*	50-206	P
	8801260455	50-312	P		8712300109*	50-206	P
	8801260461*	50-312	R		8801050523	50-206	F
	8801270031	50-312			8801050533	50-206	F
	8801270411	50-312	P		8801050589	50-362	S
	8801270413*	50-312	P		8801050676	50-206	S
	8801270560	50-312	P		8801060149	50-361	P
	8801280017	50-312	S		8801060149	50-361	P
	8801270300	50-443	T		8801060357	50-361	S
	8801060314*	50-443	G		8801060381	50-206	S
	8801110189	50-206	F		8801070172	50-361	S
	8801200446*	50-275	G		8801070172	50-361	S
	8801040266	50-275	G		8801070241	50-361	S
	8801070052	NUREG			8801070304	50-361	S
	8801070265	NUREG			8801070314	50-361	S
	8801070536	WASTE RES			8801070441	50-206	P
	8801130345*	50-373	P		8801110189	50-206	F
	8801130442*	CONTRACT			8801110189	50-206	F
	8801280332*	CONTRACT			8801110189	50-206	F
	8801140280*	CONTRACT			8801110353	50-206	S
	8801280561*	CONTRACT			8801120223	50-206	P
	8801080061	50-443	G		8801120414*	50-206	P
	8801060073*	50-443	G		8801120424*	50-206	P
	8801130082	50-443	G		8801130153	50-361	S
	8801200234	50-443	G		8801150007	50-206	P
	8801140380*	50-171	U		8801150052	50-361	P
	8801190343*	40-8027	H		8801150052	50-361	P
	8801250402*	50-206	H		8801190123	50-361	S
	8801280132*	50-320	P		8801200355	50-361	R
	8801290046*	COMMISSIO	N		8801200355	50-361	R
	8801210270*	FOIA	N		8801200431	50-206	F
	8801280647*	COMMISSIO	N		8801200431	50-206	F
	8801070313	40-8768			8801210024	50-361	P
	8801080058	40-8768			8801210024	50-361	P
	8801190213*	40-8027			8801210036*	50-361	P
	8801200444	40-8027			8801210040*	50-361	P
	8801260234	71-9100			8801210043*	50-361	P
	8801260242*	71-9100			8801210044*	50-361	P
	8801200236	50-320	G		8801210047*	50-361	P
	8801250396	50-320	G		8801210071	50-206	S
	8801280202	50-412	I		8801210082*	50-361	P
	8801270339	50-440	G		8801210085*	50-361	P
	8801130028	50-456	G		8801210094*	50-361	F
	8801250355	50-456	G		8801210182	50-206	F
	8801200338	50-275	H		8801210182	50-206	F
	8801200342*	50-275	H		8801220050	50-206	R
	8801070492*	CONTRACT			8801250555	50-361	S
	8801140290*	CONTRACT			8801280419	50-361	F
	8801210160*	CONTRACT			8801270020	TOPREP	
	8801210299	50-445	A		8801270123	50-206	Q
	8801220021*	CONTRACT			8801270123	50-206	Q
	8801220054*	CONTRACT			8801270123	50-206	Q
	8801220344*	CONTRACT			8801270250	50-206	J
	8801280156*	CONTRACT			8801270250	50-206	J
	8801280581*	CONTRACT			8801280185	50-361	S
	8801060270	PR			8801280185	50-361	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Southern Company Services, Inc.	8801290333	50-361		8801070138	50-445
	8801290333	50-361		8801070138	50-445
	8801290335*	50-361		8801070418	50-445
	8801290335*	50-361		8801070418	50-445
	8801270072	50-425		8801070429*	50-445
Southwest Research Institute Southwestern Bell Telephone Co. State, Dept. of, Bureau of Oceans & Intl Environ. & Scientific Affairs	8801280202*	50-317		8801070429*	50-445
	8801210035*	CONTRACT		8801070442*	50-445
	8801140322	XPORTLIC		8801070442*	50-445
	8801220001	XPORTLIC		8801070445	NUREG
				8801080038*	50-445
Stephens & Associates Stone & Webster Engineering Corp.	8801110197	WASTE RES		8801080038*	50-445
	8801070072*	50-312	S	8801080040*	50-445
	8801070109*	50-312	S	8801080040*	50-445
	8801070121*	50-312	S	8801080042*	50-445
	8801280423*	50-280	F	8801080042*	50-445
Suffolk County, NY	8801040068	50-322	G	8801080045*	50-445
	8801040080	50-322	G	8801080045*	50-445
	8801040122	50-322	G	8801110227	50-445
	8801060287	50-322	G	8801110227	50-445
	8801060290	50-322	G	8801110229	50-445
	8801200273	50-322	G	8801110229	50-445
	8801200281*	50-322	G	8801110231	50-445
	8801210161	50-322	G	8801110231	50-445
	8801260311	50-322	G	8801110235	50-445
	8801250322*	50-322	G	8801110235	50-445
	8801250335*	50-322	G	8801110269	50-445
	8801250351*	50-322	G	8801110288	50-445
	8801250376*	50-322	G	8801110288	50-445
	8801250381	50-322	G	8801110293	50-445
	8801270334	50-322	G	8801110293	50-445
	8801270434	50-322	G	8801120201	50-445
	8801130193*	50-320	G	8801120201	50-445
	8712300057	50-416	S	8801120208	50-445
	8801040522	50-416	P	8801120208	50-445
				8801120216	50-445
	8801050261	50-416	P	8801120216	50-445
	8801060086	50-416	S	8801120221	50-445
	8801060128	PR		8801120221	50-445
	8801110414	50-416	P	8801120221	50-445
	8801120019	50-416	P	8801120324	50-445
				8801120324	50-445
	8801120035	50-416	S	8801120329	50-445
	8801120122	50-416	S	8801120329	50-445
	8801120326	50-416	F	8801120351	50-445
	8801140121	50-416	Q	8801120351	50-445
	8801150134	50-416	F	8801120360	50-445
	8801150143*	50-416	F	8801120380	50-445
	8801150215	50-416	S	8801120381	50-445
	8801150232	50-416	R	8801120381	50-445
	8801150247	50-416	P	8801120409	50-445
	8801210227	50-416	Q	8801120409	50-445
	8801220175	50-416	S	8801120429	50-445
	8801260206	50-416	P	8801120429	50-445
	8801080016	WASTE RES		8801120432	50-445
	8712290130	50-445	S	8801120432	50-445
Systems Support, Inc. TU Electric (formerly Texas Utilities Generating Co.)				8801130015	50-445
	8712290130	50-445	S	8801130023	50-445
	8712290137	50-445	S	8801130023	50-445
	8712290137	50-445	S	8801130124	50-445
	8712290144	50-445	S	8801130124	50-445
	8712290145	50-445	S	8801130181	50-445
	8712290145	50-445	S	8801130181	50-445
	8712310208	50-445	S	8801130188	50-445
	8712310208	50-445	S	8801130188	50-445
	8801040077	50-445	G	8801130188	50-445
	8801040077	50-445	G	8801130188	50-445
	8801040085	50-445	G	8801130196	50-445
	8801040085	50-445	G	8801130240	50-445
	8801040448	50-445	S	8801130240	50-445
	8801040448	50-445	S	8801130307	50-445
	8801040448	50-445	S	8801130307	50-445
	8801040456	50-445	S	8801130311	50-445
	8801040456	50-445	S	8801130311	50-445
	8801040463	50-445	S	8801130318	50-445
	8801040463	50-445	S	8801130318	50-445
	8801040581	50-445	Q	8801130318	50-445
	8801040581	50-445	Q	8801130323	50-445
				8801130323	50-445
	8801050016	50-445	Q	8801130326	50-445
	8801050016	50-445	Q	8801130326	50-445
	8801050063	50-445	Q	8801130330	50-445
	8801050063	50-445	Q	8801130330	50-445
	8801050279	50-446	Q	8801130330	50-445
				8801140049	50-445
	8801080063	50-445	G	8801140049	50-445
	8801080063	50-445	G	8801140128	50-445
	8801080065	50-445	Q	8801140128	50-445
	8801080065	50-445	Q	8801150062	50-445
	8801080126	PR		8801150062	50-445
	8801080299	50-445	G	8801190020	50-445
	8801080299	50-445	G	8801190191	50-445
	8801080430	50-445	A	8801190206	50-445
	8801080430	50-445	A	8801190206	50-445

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8801190220	50-445		8801250319	50-445
	8801190220	50-445		8801250319	50-445
	8801200025	50-445		8801250395	50-445
	8801200025	50-445		8801250395	50-445
	8801200032	50-445		8801250418	50-445
	8801200032	50-445		8801250418	50-445
	8801200147	50-445		8801250508	50-445
	8801200147	50-445		8801250508	50-445
	8801200186	50-445		8801250533	50-445
	8801200186	50-445		8801250583	50-445
	8801200230	50-445		8801250583	50-445
	8801200230	50-445		8801260098	50-445
	8801200241	50-446		8801260098	50-445
	8801200241	50-445		8801260119	50-445
	8801200248	50-446		8801260119	50-445
	8801200248	50-445		8801260137	50-445
	8801200274	50-445		8801260137	50-445
	8801200274	50-445		8801260185	50-445
	8801200286	50-445		8801260185	50-445
	8801200294	50-445		8801260305	50-445
	8801200294	50-445		8801260305	50-445
	8801200306	50-445		8801260373	50-445
	8801200306	50-445		8801260373	50-445
	8801200311	50-445		8801260392	50-445
	8801200311	50-445		8801260392	50-445
	8801200324	50-445		8801260403	50-445
	8801200324	50-445		8801260403	50-445
	8801200344	50-445		8801260435	50-445
	8801200351	50-445		8801260435	50-445
	8801200351	50-445		8801260441	50-445
	8801200352*	50-445		8801260441	50-445
	8801200356	50-445		8801260457	50-445
	8801200356	50-445		8801260457	50-445
	8801200357	50-445		8801260476	50-445
	8801200357	50-445		8801260476	50-445
	8801200362	50-445		8801260479	50-445
	8801200362	50-445		8801260479	50-445
	8801200373	50-445		8801260487	50-445
	8801200373	50-445		8801260487	50-445
	8801200410	50-445		8801260507	50-445
	8801200410	50-445		8801260507	50-445
	8801200414	50-445		8801260554*	50-445
	8801200414	50-445		8801260557*	50-445
	8801200421	50-445		8801260557*	50-445
	8801200421	50-445		8801270094	50-445
	8801200428	50-445		8801270094	50-445
	8801200428	50-445		8801270102	50-445
	8801200455	50-445		8801270102	50-445
	8801200455	50-445		8801270181	50-445
	8801200456	50-445		8801270181	50-445
	8801200456	50-445		8801270184*	50-445
	8801200462	50-445		8801270184*	50-445
	8801200462	50-445		8801270330	50-445
	8801210012	50-445		880130238*	CONTRACT
	8801210012	50-445		8801120027	FOIA
	8801210013	50-445		8712280030	50-327
	8801210013	50-445		8712300019	50-327
	8801210015	50-445		8712300028	50-327
	8801210015	50-445		8712300037	50-328
	8801210019	50-445		8712310028	50-259
	8801210019	50-445		8801040101	50-327
	8801210058	50-445		8801040101	50-327
	8801210058	50-445		8801040110*	50-327
	8801210089	50-445		8801040110*	50-327
	8801210089	50-445		8801040423	50-390
	8801210108	50-445		8801040423	50-390
	8801210108	50-445		8801040435	50-327
	8801210109	50-445		8801040435	50-327
	8801210109	50-445		8801040444	50-327
	8801210135	50-445		8801040444	50-327
	8801210135	50-445		8801040474	50-259
	8801210139	50-445		8801040474	50-259
	8801210139	50-445		8801040474	50-259
	8801210144	50-445		8801040482	50-390
	8801210144	50-445		8801040482	50-390
	8801210149	50-445		8801040495	50-327
	8801210149	50-445		8801040495	50-327
	8801210152	50-445		8801040516	50-259
	8801210152	50-445		8801040516	50-259
	8801210156*	50-445		8801040516	50-259
	8801210156*	50-445		8801040516	50-259
	8801210180	50-445		8801040516	50-259
	8801210180	50-445		8801040516	50-259
	8801210191	50-445		8801040516	50-259
	8801210191	50-445		8801040516	50-259
	8801250301	50-445		8801040533	50-327
	8801250301	50-445		8801040533	50-327
	8801250318	50-445		8801050010*	50-443
	8801250318	50-445		8801050180	50-280

Telo-Com Products, Inc.
Telo Corp.

Tennessee Valley Authority

AUTHOR AFFILIATION

ACCESSION
NUMBERSUBJECT
CATEGORY

AUTHOR AFFILIATION

ACCESSION
NUMBERSUBJECT
CATEGORY

8801050106* 50-260 Q
 8801050221* 50-260 Q
 8801060216 50-327 S
 8801060248 50-328 S
 8801060277 50-328 S

 8801060398 50-327 S
 8801060445 50-327 P
 8801060445 50-327 P
 8801070227 40-1341
 8801070230 50-259 S

 8801080070 50-390 S
 8801110378 50-259 P
 8801110378 50-259 P
 8801110378 50-259 P
 8801110377 50-327 P

 8801110377 50-327 P
 8801110383* 50-327 P
 8801110383* 50-327 P
 8801110455 50-327 P
 8801110455 50-327 P

 8801120269 50-259 S
 8801130049 50-327 P
 8801130049 50-327 P
 8801130223 50-327 P
 8801130223 50-327 P

 8801130288 50-327 R
 8801130288 50-327 R
 8801130296* 50-327 R
 8801130308* 50-327 R
 8801130315* 50-327 R

 8801130315* 50-327 R
 8801130327* 50-327 R
 8801130339 50-327 P
 8801130339 50-327 P
 8801130369 50-327 P

 8801140106 50-438 S
 8801140218 50-327 P
 8801140218 50-327 P
 8801140226* 50-327 P
 8801140226* 50-327 P

 8801140288 50-327 Q
 8801140288 50-327 Q
 8801150004 50-327 P
 8801150004 50-327 P
 8801150010 50-327 Q

 8801150010 50-327 Q
 8801150064 50-390 A
 8801150085 50-259 Q
 8801190071 50-327 S
 8801190077 50-327 S

 8801200060 50-390 Q
 8801200067 50-259 Q
 8801200067 50-259 Q
 8801200067 50-259 Q
 8801200062 50-259 P

 8801200092 50-259 P
 8801200092 50-259 P
 8801200151 50-259 P
 8801200151 50-259 P
 8801200151 50-259 P

 8801200155* 50-259 P
 8801200155* 50-259 P
 8801200155* 50-259 P
 8801200177 50-390 S
 8801200295 50-327 S

 8801200297 50-327 S
 8801200299 50-328 S
 8801200302 50-327 S
 8801200323 50-327 S
 8801200326 50-327 S

 8801210021* 50-327 Q
 8801210111 50-327 Q
 8801210136 50-259 F
 8801210136 50-259 F
 8801210136 50-259 F

 8801210246 50-327 F
 8801210246 50-327 F
 8801210248* 50-327 F
 8801210248* 50-327 F
 8801220041 50-390 S

 8801220548 50-327 Q
 8801220548 50-327 Q
 8801250030 50-327 Q
 8801250030 50-327 Q
 8801250120 50-327 P

 8801250120 50-327 P
 8801250145 50-327 P
 8801250145 50-327 P
 8801250384* 50-259 Q

Tennessee, State of
 Terra Therma, Inc.

Texas A&M Univ., College Station, TX

Texas Municipal Power Agency
 Texas, State of
 Texas, Univ. of, Austin, TX
 Three Mile Island Alert
 Toledo Edison Co.

Transnuclear, Inc.

Trial Lawyers for Public Justice, P.C.
 Troutman, Sanders, Lockerman & Ashmore

Twomey, Latham & Shea

U.S. Ecology, Inc. (formerly Nuclear
 Engineering, Inc.)

8801250572 50-269 R
 8801250572 50-259 R
 8801260059 50-327 R
 8801270165 50-327 Q
 8801270165 50-327 Q

 8801270308 50-260 P
 8801270348 50-327 Q
 8801270348 50-327 Q
 8801280190 50-327 S
 8801280192 50-327 S

 8801280237 50-327 P
 8801280237 50-327 P
 8801280251* 50-327 P
 8801280258 50-327 P
 8801280260* 50-327 P

 8801280264* 50-327 P
 8801280272* 50-327 P
 8801280446 50-259 P
 8801280446 50-259 P
 8801280446 50-259 P

 8801280454* 50-259 P
 8801280454* 50-259 P
 8801280454* 50-259 P
 8801280682 50-327 Q
 8801290004 50-327 S

 8801290010* 50-327 S
 8801290018* 50-327 S
 8801290023* 50-327 S
 8801290181 50-259 P
 8801290184* 50-259 P

 8801080489* CONTRACT
 8801070361* WASTE RES
 8801070374* WASTE RES
 8801070386* WASTE RES
 8801260365* 50-322 G

 8801040091 50-445 G
 8801260429* CONTRACT
 8801070266 WASTE MGT
 8801130193* 50-320 G
 8801040576 50-346 S

 8801050231 50-346 P
 8801110247 50-346 F
 8801110343 50-346 P
 8801110368 50-346 F
 8801110395* 50-346 F

 8801110402* 50-346 F
 8801110470 50-346 F
 8801110468 50-346 V
 8801120010 50-346 P
 8801120038 50-346 S

 8801120399 50-346 F
 8801130201 50-346 P
 8801130205* 50-346 P
 8801130207* 50-346 P
 8801150234 50-346 P

 8801150237* 50-346 P
 8801150240* 50-346 P
 8801200144 50-346 V
 8801200167 50-346 P
 8801200443 50-346 R

 8801260546 50-346 P
 8801260547* 50-346 P
 8801260550* 50-346 P
 8801270271 50-346 P
 8801270418 50-346 P

 8801270440* 50-346 P
 8801270443* 50-346 P
 8801040126 XPORTLIC
 8801040292 XPORTLIC
 8801040537 70-1426

 8801140232 XPORTLIC
 8801040065 50-445 G
 8801190239 50-424 P
 8801200051 FOIA
 8801040068 50-322 G

 8801040122 50-322 G
 8801200273 50-322 G
 8801210161 50-322 G
 8801250322* 50-322 G
 8801270334 50-322 G

 8801070419 27-48
 8801070431 27-48
 8801070455 PR
 8801080054 27-48

 8801110007 27-48
 8801200291* 50-224 P
 8801200293* 50-224 P
 8801280609 27-48

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
ETCO Minerals Corp. (subs. of Union Carbide Corp.)	8801070401	40-8881	Washington, Univ. of, Seattle, WA	88C1220212	50-139 P
on Associates	8801130259	40-299	Waste Deposit Impact Committee, Dear Smith County, TX	88C1240812	PR
on Electric Co.	8801260173	50-220	WasteChem Corp.	88C1260062	WASTE MGT
	8712290014	50-483		88C1260063	WASTE MGT
	8712310034	50-483	Water Engineering & Technology, Inc.	88C1290090	WASTE MGT
	8801120029	50-483	Western Nuclear, Inc. (subs. of Phelps Dodge Corp.)	88C123054	40-1182
	8801130243	50-483		88C123063	40-1182
	8801130297	50-483	Westinghouse Electric Corp.	88C1260279	50-601 K
	8801190076	50-483		88C1260245	50-601 K
	8801210201	50-483		88C1260251	50-601 K
ed Nuclear Corp. (subs. of UNC Resources, Inc.)	8801130132	40-8813		88C1260258	TOPREP
anum Resources, Inc.	8801080024	40-8786		88C1260275	TOPREP
	8801080026	40-8786		88C1260351	50-443 G
mont Yankee Nuclear Power Corp.	8712210142	50-271		88C1260351	50-443 G
	8801050276	50-271		88C1260364	50-443 G
	8801050340	50-271		88C1260364	50-443 G
	8801070354	50-271		88C1260408	50-443 G
	8801070368	50-271		88C1260414	50-443 G
	8801110248	50-271		88C1260414	50-443 G
	8801120380	50-271		88C1270046	50-244 P
	8801200135	50-271		88C1270058	50-244 P
rgia Power (Virginia Electric & Power)	8801260561	50-271		88C1140171	50-295 P
	8712290119	50-280		88C1140182	50-295 P
	8712310213	50-280		88C1140297	XPORTLUC
	8712310232	50-280		88C1150191	50-498 P
	8801050298	50-280		88C1150183	50-498 P
	8801110258	50-280		88C1150253	TOPREP
	8801110258	50-280		88C1150256	TOPREP
	8801110279	50-338		88C1150256	TOPREP
	8801110327	50-280		88C1150258	50-498 P
	8801110327	50-280		88C1150258	TOPREP
	8801120190	50-280		88C1150294	TOPREP
	8801120257	50-280		88C1150294	50-498 P
	8801120430	50-280		88C1150300	TOPREP
	8801140002	50-280		88C1150310	50-498 P
	8801190092	50-280		88C1150310	50-498 P
	8801190278	50-338		88C1150315	TOPREP
	8801190284	50-338		88C1150315	50-498 P
	8801200280	50-280		88C1150318	50-498 P
	8801200432	50-338		88C1150319	TOPREP
	8801210216	50-338		88C1150328	50-301 P
	8801260212	50-338		88C1150328	50-301 P
	8801260380	50-338		88C1200298	50-244 P
	8801260421	50-338		88C1200402	TOPREP
	8801270032	50-339		88C1200408	79-1151
	8801280177	50-338		88C1270078	50-801 A
	8801280402	50-280		88C1270082	50-801 A
	8801280423	50-280	Westinghouse Hanford Co.	88C1110048	WASTE MGT
	8801280442	50-280	Weston Geophysical Corp.	88C1110051	CONTRACT
	8801280442	50-280		88C1212383	50-440 R
	8801280503	50-280		88C1150283	50-318 P
	8801280503	50-280		88C1210033	40-1455
	8801280206	CONTRACT	Whiting Corp.	88C1110152	WASTE RES
Virginia, Commonwealth of	8801110309	50-62	Whittaker Corp.	88C1110210	WASTE RES
Virginia, Univ. of, Charlottesville, VA	8801110337	50-396	Williams & Associates	88C1280084	WASTE RES
	8801110374	50-396		8712290043	50-301 S
	8801110378	50-396		8712290046	50-266 S
	8801110383	50-396		88C1240426	50-266 S
	8801140028	50-82	Wisconsin Electric Power Co.	88C1270489	50-266 S
	8801140031	50-82		88C1270489	50-266 S
	8712300103	50-397		88C1110280	50-266 P
	8801040529	50-397		88C1110280	50-266 P
Washington Public Power Supply System	8801040534	50-397		88C1110280	50-266 P
	8801040541	50-397		88C1110280	50-266 P
	8801060126	PR		88C1110280	50-266 P
	8801060215	50-397		88C1110280	50-266 P
	8801070148	50-397		88C1110280	50-266 P
	8801070161	50-480		88C1110280	50-266 P
	8801070333	50-397		88C1110280	50-266 P
	8801110218	50-397		88C1110280	50-266 P
	8801120270	50-397		88C1110280	50-266 P
	8801120344	50-397		88C1110280	50-266 P
	8801130093	50-397		88C1110280	50-266 P
	8801130208	50-397		88C1110280	50-266 P
	8801130212	50-397		88C1110280	50-266 P
	8801130217	50-397		88C1110280	50-266 P
	8801130304	50-397		88C1110280	50-266 P
	8801130317	50-397		88C1110280	50-266 P
	8801150042	50-397		88C1110280	50-266 P
	8801200325	50-397		88C1110280	50-266 P
	8801220161	50-397		88C1110280	50-266 P
	8801260448	50-397		88C1110280	50-266 P
	8801270066	50-397		88C1110280	50-266 P
	8801270116	50-397		88C1110280	50-266 P
	8801270293	50-397		88C1110280	50-266 P
	8801110005	WASTE MGT		88C1110280	50-266 P
Washington, State of	8801270570	50-397		88C1110280	50-266 P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Wisconsin, Univ. of, Madison, WI Wolf Creek Nuclear Operating Corp	8801130095	50-305	Wyoming, State of	8801110062	40-8502
	8801280147	50-305		8801110069	40-8783
	8801270480	ACRS	Yankee Atomic Electric Co.	8801110079	40-299
	8712290098	50-482		8801040469	PR
	8712290139	50-482		8801050481	50-29
	8712310210	50-482		8801050487	50-29
	8712310215	50-482		8801060337*	50-443
	8801050302	50-482		8801060370*	50-443
	8801110331	50-482		8801070169	50-29
	8801120245	50-482		8801070174*	50-29
	8801140353	50-482		8801110314	50-29
	8801150165	50-482		8801130264	50-29
	8801180100	50-482		8801130454*	50-29
	8801190211*	50-482		8801140038	50-29
	8801190301	50-482		8801140039*	50-29
	8801190311*	50-482		8801150187	50-29
	8801190322	50-482		8801150196	50-29
	8801200371	50-482		8801200058	50-29
	8801220209	50-482		8801210121	50-29
	8801220530	50-482		8801210326*	50-29
Worcester Polytechnic Institute, Worcester, MA Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels)	8801270006	50-482		8801220033	50-29
	8801270008*	50-482		8801260511	50-29
	8801120331	50-134		8801260511	50-29
	8801130023	50-445		8801260511	50-29
	8801200221	50-445		8801260538*	50-29
	8801200230	50-445		8801260538*	50-29
	8801200230	50-445		8801270025	50-29
	8801200288	50-445		8801270088	50-29
	8801210143	50-445		8801270117	50-29
	8801210143	50-445		8801270340*	50-29
	8801250319	50-445		8801270663*	50-29
				8801270567	50-29
				8801280347	50-29

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
02-1040-1163 R03	8801110395*	50-346	F 1456	NUREG-1002 S05	8801110217	50-456	E
06-27184 R01	8801120188	PROJ	28778	NUREG-1250 R01	8801110242	NUREG	
1-84-021	8801210079*	50-289	P	NUREG-1258	8801080431	NUREG	
1-84-021	8801210105*	FOIA		NUREG-1275 V02	8801070089	NUREG	
1-84-021	8801210115*	FOIA		NUREG/CR-2000 V08N11	8801110221	NUREG	ORNL/NSIC-200
11	8801070361*	WASTE RES		NUREG/CR-3495	8801070285	NUREG	SAND83-0328
13	8801070374*	WASTE RES		NUREG/CR-4405	8801070031	NUREG	BNL-NUREG-51931
138	8801270045*	50-267	P	NUREG/CR-4667 V03	8801070270	NUREG	ANL-87-37
14	8801070386*	WASTE RES		NUREG/CR-4744 V02 N1	8801110207	NUREG	ANL-87-45
14850-35-AV1	8801070072*	50-312	S	NUREG/CR-4855	8801070052	NUREG	SAND87-6203
14850-35-AV2	8801070109*	50-312	S	NUREG/CR-5041 V01	8801070150	NUREG	
14850-35-AV3	8801070121*	50-312	S ERPT-M0020	NUREG/CR-5048	8801250223	50-271	P PNL-6388
416-4209-HK1	8801140298*	50-293	P	NUREG/CR-5060	8801110206	NUREG	AAEC/C49
47-1163749-13	8801120327*	TOPREP		NUREG/CR-5083	8801270208	NUREG	MEA-2268
87-033-R	8801200293*	50-224	P	ORNL/NRC/LTR-87-10	8801200088	RES	
87-040-R	8801200291*	50-224	P	ORNL/NRC/LTR-87/12	8801190186*	50-327	Q
87C71-21 R02	8801200261*	50-341	Q	PCC-OAPD R05A	8801200349*	TOPREP	
87C71-22 R01	8801200266*	50-341	Q	PL-NF-87-007	8712310151*	50-389	P
87C71-23 R02	8801200250*	50-341	Q	PNL-3632	8801070447*	WASTE MGT	UC-70
87C71-24 R02	8801200267*	50-341	Q	PNL-5397	8801070355	WASTE MGT	UC-11
ANF-1A R10	8801130291*	TOPREP		Q-1-84-021	8801210102*	FOIA	
ANF-87-125 R01	8712310158*	50-388	P	RAE-8721-1	8801070245*	40-8902	
ANF-87-128 R01	8712310158*	50-388	P	RHO-RE-ST-12P	8801070466*	WASTE MGT	
CEN-203-NP R01-NP-A	8801060283*	TOPREP		RHO-ST-38	8801070436*	WASTE MGT	
CEN-203-NP S01NPA R1	8801060320*	TOPREP		RHO-ST-42	8801070433*	WASTE MGT	UC-70
CEN-203-NP S02NPA R1	8801060331*	TOPREP		SD-BWI-AR-031 R0	8801070537*	WASTE MGT	
CEN-330-NP-A	8801280594*	TOPREP		SD-BWI-OP-051 R02	8801070491*	WASTE MGT	
CEN-353 (F)	8801290202*	50-335	P	SD-SWI-TI-313 R00	8801070395*	WASTE MGT	
EGG-EA-6879	8811030467*	50-277	F TAC 61117	SECY-83-251	8801290165*	FOIA	
EGG-NTA-7419 R01	8712040169*	50-298	P	SECY-86-348	8801290348	SECY	
EGG-NTA-7911	8801270490*	50-482	P	SECY-87-314	8801130350	SECY	
ERC871030	8801190305*	50-368	V	SECY-88-011	8801290160	50-328	P
ERC871417	8801190299*	50-368	V	SME-MET-87-043	8801290010*	50-327	S
ERPT M-0067	8801070218*	50-312	Q	SME-MET-87-064	8801290018*	50-327	S
FAAA-PA-R-87-02-11	8801070135*	50-312	S ERPT M0021	TER-C5267-482 V01	8801210262*	50-289	P TAC 42513
KLD TR 180 R01	8801110266	50-346	F	VRS-002 R02	8801080063*	WASTE MGT	
NMPC-OATR-1 R03	8801220188*	50-220	P	WCAP-11624-AADD01R2A	8801060276*	TOPREP	
NUREG-0020 V11 N11	8801110233	NUREG		WCAP-11667	8801190326*	50-301	P
NUREG-0090 V10 N02	8801070275	NUREG		WCAP-11670	8801140162*	50-295	P
NUREG-0386 D04 R07	8801260122	NUREG		WCAP-11678	8801070058*	50-244	P
NUREG-0540 V09 N10	8801110224	NUREG		WCAP-11683	8801150310*	50-498	P
NUREG-0750 V25 N05	8801260244	NUREG		WCAP-11702	8801150193*	50-498	P
NUREG-0837 V07 N03	8801110268	NUREG		WCAP-11711	8801150318*	50-498	P
NUREG-0852 S03	8801060284	50-470	E	WHC-EP-0089-1 S03	8801110048	WASTE MGT	
NUREG-0940 V06 N03	8801110274	NUREG		XN-NF-87-43 R00	8801270017*	50-335	P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
0007060427	8801070355	85/02/28	WASTE MGT	8706040254	8801220109	88/01/20	50-327 U
0203120370	8801140084	88/01/11	FOIA	8706100293	8801290052	88/01/28	FOIA
0204060305	8801250384	88/01/15	50-206 H	8706150115	8801280351	88/01/26	FOIA
0305060139	8801250384	88/01/15	50-206 H	8707200578	8801050237	87/12/30	FOIA
0311140089	8801200231	88/01/12	50-327 P	8707220279	8712300086	87/12/24	FOIA
0402280130	8801200231	88/01/12	50-327 P	8707220282	8712300086	87/12/24	FOIA
0403050284	8801250394	88/01/15	50-206 H	8707220291	8712300086	87/12/24	FOIA
0403180117	8801200231	88/01/12	50-369 V	8707240158	8801070001	87/12/30	50-293 P
0404110320	8801200182	88/01/08	50-219 P	8707240168	8801070001	87/12/30	50-293 P
0404170834	8801200231	88/01/12	50-369 P	8707250108	8801290052	88/01/26	FOIA
0409070271	8801200231	88/01/12	FOIA	8707250121	8801290052	88/01/26	50-322 P
0410100012	8801200231	88/01/12	FOIA	8707250131	8801290052	88/01/26	FOIA
0410120121	8801210194	88/01/19	FOIA	8708040086	8801290190	88/01/21	50-3 F
0410230511	8801200231	88/01/12	FOIA	8708100147	8801280351	88/01/26	FOIA
0412050217	8801060269	87/12/31	50-293 P	8708200109	8801070001	87/12/30	50-293 P
0502060010	8801200231	88/01/12	50-269 P	8709010052	8801200231	88/01/12	50-269 V
0502060013	8801200231	88/01/12	FOIA	8709020420	8801270222	88/01/22	ACRS
0502060015	8801200231	88/01/12	FOIA	8710280408	8801280351	88/01/26	FOIA
0505010204	8801070008	87/12/31	FOIA	8711020491	8801200231	88/01/12	50-259 P
0506210085	8712300086	87/12/24	FOIA	8711100420	8801140069	88/01/11	FOIA
0507030046	8801210194	88/01/19	FOIA	8711100506	8801140069	88/01/11	FOIA
0507240185	8801260276	88/01/22	50-327 P	8711110014	8801140069	88/01/11	FOIA
0508070143	8801260276	88/01/22	50-269 V	8711130358	8712300086	87/12/24	FOIA
0510250509	8801200231	88/01/12	50-254 V	8711130370	8712300086	87/12/24	FOIA
0511070480	8801200231	88/01/12	50-338 V	8711170134	8801060442	87/12/31	FOIA
0511190205	8801200231	88/01/12	FOIA	8712030207	8801110534	88/01/07	50-443 F
0601020495	8801200231	88/01/12	FOIA	8712040169	8801250294	88/01/13	50-298 P
0601020828	8801200231	88/01/12	50-10 P	8712210023	8712210018	87/12/10	50-317 P
0601140591	8801200231	88/01/12	50-272 P	8712210036	8712210019	87/12/10	50-309 P
0601240367	8801200231	88/01/12	50-395 P	8712230271	8712230265	87/12/17	50-498 Q
0601310180	8801200231	88/01/12	50-10 V	8712230275	8712230265	87/12/17	50-498 Q
0602030451	8801200231	88/01/12	50-206 V	8712280093	8712280112	87/12/15	50-250 R
0602190673	8801200079	88/01/14	50-259 R	8712280154	8712280112	87/12/15	50-250 R
0603030169	8801200079	88/01/14	FOIA	8712280216	8801040340	87/12/15	50-369 R
0603050398	8801210202	88/01/19	FOIA	8712280296	8801190246	88/01/05	50-312 P
0604160629	8801200231	88/01/12	50-10 V	8712290110	8712290104	87/12/18	70-1100
0605150181	8801130385	88/01/11	50-293 P	8712290317	8712290309	87/12/22	50-293 Q
0608100176	8801200231	88/01/12	50-250 V	8712290322	8712290312	87/12/18	50-458 Q
0608280142	8712020006	87/11/25	50-320 P	8712290340	8712290337	87/12/17	50-244 Q
0607090559	8801200231	88/01/12	50-250 P	8712290346	8712290337	87/12/17	50-244 Q
0607180020	8712020006	87/11/25	50-320 P	8712290358	8712290353	87/12/17	50-333 Q
0607220330	8712020006	87/11/25	71-8200	8712290359	8712290351	87/12/18	50-271 Q
0608190210	8801200231	88/01/12	50-272 V	8712290391	8712290381	87/12/10	50-440 Q
0608200452	8801200231	88/01/12	50-309 V	8712290395	8712290381	87/12/10	50-440 Q
0610070186	8801200231	88/01/12	50-206 V	8712300012	8712300009	87/12/15	50-219 Q
0611030467	8801260066	88/01/15	60-277 F	8712300045	8712300043	87/12/17	50-277 Q
0611040020	8801200231	88/01/12	60-272 V	8712300055	8712300050	87/12/22	50-334 Q
0611170042	8801200231	88/01/12	60-302 V	8712300072	8712300065	87/12/21	50-482 Q
0612040318	8801210194	88/01/19	60-267 P	8712300081	8712300074	87/12/22	50-369 P
0612080547	8801200231	88/01/12	60-171 P	8712300087	8712300077	87/12/23	50-368 P
0612090030	8801200231	88/01/12	60-171 P	8712300089	8712300085	87/12/22	50-335 P
0612090057	8801200231	88/01/12	50-10 V	8712300092	8712300077	87/12/23	50-368 P
0612100113	8801200231	88/01/12	50-313 V	8712300100	8712300098	87/12/22	50-254 P
0612230330	8801200231	88/01/12	50-302 P	8712300109	8712300106	87/12/24	50-206 P
0622070289	8801220134	88/01/19	FOIA	8712300117	8712300113	87/12/21	50-286 P
0631000500	8712020006	87/11/25	71-9044	8712300119	8712300113	87/12/21	50-286 P
063190487	8801110534	88/01/07	FOIA	8712300127	8712300126	87/12/21	50-321 P
063280578	8801200231	88/01/12	50-244 V	8712310007	8712310005	87/12/23	50-237 Q
064080019	8801200231	88/01/12	50-269 P	8712310011	8712310008	87/12/23	50-277 Q
064080295	8801200231	88/01/12	50-397 V	8712310017	8712310013	87/12/24	50-387 Q

274 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8712310025	8712310018	87/12/23	50-155 Q	8801050314	8801050303	87/12/22	60-382 P	
8712310030	8712310027	87/12/23	50-263 Q	8801050418	8801050413	87/12/23	50-277 Q	
8712310035	8712310032	87/12/28	50-481 Q	8801050441	8801050428	87/12/30	50-443 Q	
8712310047	8712310094	87/12/23	50-322 S	8801050451	8801050407	87/12/31	50-302 Q	
8712310059	8712310057	87/12/24	40-8027	8801050474	8801050459	87/12/23	50-247 Q	
8712310061	8712310056	87/12/23	50-498 Q	8801050476	8801050469	87/12/22	50-237 P	
8712310071	8712310066	87/12/23	50-268 S	8801050509	8801050488	87/12/29	50-412 Q	
8712310097	8712310094	87/12/23	50-322 S	8801050529	8801050520	87/12/24	50-293 Q	
8712310145	8712310143	87/12/23	50-388 P	8801050584	8801050578	87/12/30	50-321 P	
8712310151	8712310143	87/12/23	50-388 P	8801050680	8801050657	87/12/29	50-289 R	
8712310156	8712310143	87/12/23	50-388 P	8801050688	8801050684	87/12/29	50-271 P	
8712310158	8712310143	87/12/23	50-388 P	8801050688	8801050684	87/12/28	50-271 P	
8712310166	8712310163	87/12/18	50-282 P	8801050671	8801060010	87/12/30	50-440 Q	
8712310169	8712310163	87/12/18	50-282 P	8801060016	8801060044	87/12/31	50-315 Q	
8712310177	8712310174	87/12/23	50-498 Q	8801060053	8801060061	87/12/22	50-443 G	
8712310181	8712310179	87/12/23	50-498 Q	8801060073	8801060055	87/12/29	50-313 Q	
8712310181	8712310186	87/12/16	50-275 Q	8801060084	8801060085	87/12/29	50-312 Q	
8712310187	8712310193	87/12/15	50-275 Q	8801060094	8801060089	87/12/30	50-313 Q	
8712310205	8712310202	87/12/17	50-344 Q	8801060098	8801060089	87/12/23	50-454 P	
8712310207	8712310202	87/12/17	50-344 Q	8801060103	8801060098	87/12/30	50-461 Q	
8712310209	8712310202	87/12/17	50-344 Q	8801060107	8801060098	87/12/30	50-461 Q	
8712310214	8712310212	87/12/15	50-312 Q	8801060108	8801060104	87/12/31	50-458 V	
8712310218	8712310143	87/12/23	50-388 P	8801060116	8801070082	87/12/30	50-387 S	
8712310236	8712310233	87/12/17	50-312 Q	8801060119	8801080110	87/12/30	71-8119	
8712310282	8801130080	88/01/05	50-266 F	8801060134	8801080117	87/12/28	50-244 Q	
8801040002	8801040001	87/12/17	50-315 P	8801060136	8801080129	87/12/22	50-440 Q	
8801040004	8801040001	87/12/17	50-315 P	8801060140	8801080129	87/12/29	50-440 Q	
8801040015	8801040011	87/12/21	50-321 P	8801060153	8801080117	87/12/28	50-244 Q	
8801040016	8801040014	87/12/21	50-446 Q	8801060173	8801080164	87/12/29	50-254 Q	
8801040019	8801040011	87/12/21	50-321 P	8801060174	8801080162	87/12/31	50-302 Q	
8801040020	8801040013	87/12/23	50-277 H	8801060181	8801080177	87/12/29	50-255 Q	
8801040038	8801040034	87/12/17	50-316 P	8801060184	8801080177	87/12/29	50-255 Q	
8801040039	8801040013	87/12/23	50-277 H	8801060211	8801080200	87/12/21	50-409 P	
8801040041	8801040013	87/12/23	50-277 H	8801060230	8801080221	87/12/30	50-250 P	
8801040042	8801040022	87/12/21	50-382 P	8801060245	8801080239	87/12/17	50-601 K	
8801040044	8801040022	87/12/21	50-382 P	8801060251	8801080239	87/12/17	50-601 K	
8801040050	8801040022	87/12/21	50-382 P	8801060276	8801080258	87/12/08	TOPREP	
8801040051	8801040022	87/12/21	50-382 P	8801060278	8801080268	87/12/31	50-293 P	
8801040075	8801040072	87/12/28	50-237 Q	8801060283	8801080261	87/12/16	TOPREP	
8801040089	8801040083	87/12/29	50-346 Q	8801060286	8801080268	87/12/31	50-293 P	
8801040110	8801040101	87/12/28	50-327 P	8801060294	8801080269	87/12/31	50-293 P	
8801040119	8801040118	87/12/23	50-424 Q	8801060300	8801080268	87/12/31	50-443 G	
8801040145	8801040136	87/12/17	50-259 V	8801060304	8801080296	87/12/31	50-443 G	
8801040181	8801040181	87/12/28	50-389 Q	8801060305	8801080291	88/01/04	50-443 G	
8801040185	8801040161	87/12/28	50-369 Q	8801060314	8801080296	87/12/31	50-443 G	
8801040198	8801040194	87/12/28	50-290 Q	8801060318	8801080318	87/12/23	50-416 Q	
8801040214	8801040207	87/12/24	50-395 Q	8801060320	8801080261	87/12/10	TOPREP	
8801040250	8801040239	87/12/18	50-445 Q	8801060322	8801080269	87/12/31	50-293 F	
8801040253	8801040245	87/12/24	50-247 P	8801060331	8801080261	87/12/18	TOPREP	
8801040255	8801040237	87/12/24	50-250 Q	8801060337	8801080291	88/01/04	50-443 G	
8801040258	8801040239	87/12/18	50-445 Q	8801060346	8801080291	88/01/04	50-443 G	
8801040267	8801040239	87/12/18	50-445 Q	8801060351	8801080291	88/01/04	50-443 G	
8801040301	8801040296	87/12/24	50-397 P	8801060353	8801080291	88/01/04	50-443 G	
8801040342	8801040340	87/12/15	50-389 R	8801060364	8801080291	88/01/04	50-443 G	
8801040364	8801040359	87/12/30	50-271 P	8801060370	8801080291	88/01/04	50-443 G	
8801040366	8801040359	87/12/30	50-271 P	8801060408	8801080291	88/01/04	50-443 G	
8801040379	8801040374	87/12/30	71-6406	8801060414	8801080291	88/01/04	50-443 G	
8801040396	8801040391	87/12/30	71-9081	8801060421	8801080413	87/11/27	WASTE MGT	
8801040496	8801040491	87/12/28	50-320 V	8801060425	8801080413	87/11/27	WASTE MGT	
8801040509	8801040296	87/12/24	50-397 P	8801060460	8801080442	87/12/31	FOIA	
8801040512	8801040498	87/12/23	50-413 P	8801060464	8801080442	87/12/31	FOIA	
8801040521	8801040514	87/12/30	71-5939	8801060469	8801080442	87/12/31	FOIA	
8801040541	8801040526	87/12/29	50-397 P	8801060473	8801080442	87/12/31	FOIA	
8801040576	8801040563	87/12/28	50-285 P	8801060477	8801080442	87/12/31	FOIA	
8801050004	8801050002	87/12/23	50-336 P	8801060484	8801080471	87/11/25	40-8898	
8801050010	8801050005	87/12/28	50-443 P	8801060489	8801080478	87/12/31	CONTRACT	
8801050015	8801050012	87/12/28	50-336 P	8801060490	8801080486	87/12/30	50-382 Q	
8801050054	8801050042	87/12/24	50-498 P	8801060493	8801080483	87/12/23	50-409 Q	
8801050055	8801050048	87/12/30	71-9783	8801060494	8801080486	87/12/31	50-293 Q	
8801050077	8801050073	87/12/22	50-298 P	8801060496	8801080486	87/12/30	50-382 Q	
8801050083	8801050073	87/12/22	50-298 P	8801060498	8801080471	87/11/25	40-8898	
8801050091	8801050081	87/12/29	50-321 P	8801060508	8801080500	87/12/30	50-458 Q	
8801050106	8801050279	87/12/23	50-443 T	8801060540	8801080535	87/12/04	40-8911	
8801050108	8801050081	87/12/29	50-321 P	8801060544	8801080535	87/12/04	40-8911	
8801050109	8801050083	87/12/22	50-395 P	8801070009	8801070006	87/12/31	FOIA	
8801050144	8801050116	87/12/30	50-400 P	8801070032	8801070024	87/11/27	40-8714	
8801050160	8801050160	87/12/23	50-219 F	8801070046	8801070036	87/12/24	50-244 P	
8801050196	8801050180	87/12/31	50-260 Q	8801070058	8801070036	87/12/24	50-244 P	
8801050201	8801050189	87/12/18	50-245 P	8801070071	8801070061	87/11/18	40-8768	
8801050209	8801050205	87/12/30	71-9208	8801070072	8801070061	87/12/28	50-312 S	
8801050221	8801050180	87/12/31	50-260 Q	8801070077	8801070078	87/12/28	50-312 S	
8801050257	8801050244	87/12/30	71-9791	8801070081	8801070078	87/12/11	40-8822	
8801050258	8801050247	87/12/30	71-9216	8801070104	8801070085	87/12/31	50-302 P	
8801050265	8801050254	87/12/30	CONTRACT	8801070105	8801070102	87/12/30	50-298 Q	
8801050291	8801050282	87/12/30	71-6441	8801070106	8801070084	87/12/29	50-312 S	
8801050292	8801050283	87/12/30	50-293 P	8801070109	8801070084	87/12/29	50-312 S	
8801050310	8801050305	87/12/30	71-8788	8801070121				

070101	8801070112	87/11/27	40-8828		8801080037	8801080035	88/01/05	71-644	
070130	8801070126	87/12/20	60-482		8801080038	8801070418	87/12/31	50-445	A
070135	8801070064	87/12/28	60-312	Q	8801080040	8801070418	87/12/31	50-445	A
070137	8801070112	87/11/27	40-8828		8801080042	8801070418	87/12/31	60-445	A
070142	8801070136	87/11/18	40-8502		8801080043	8801080041	88/01/08	71-8221	
070147	8801070136	87/11/18	40-8502		8801080045	8801070418	87/12/31	50-445	A
070157	8801070153	87/11/20	40-8698		8801080050	8801080047	87/11/30	WASTE MGT	
070168	8801070151	87/12/11	40-2250		8801080063	8801080062	87/12/31	WASTE MGT	
070165	8801070162	87/12/28	50-424	P	8801080072	8801080071	87/12/18	WASTE MGT	
070174	8801070169	87/12/23	50-20	P	8801080091	8712310143	87/12/31	60-368	P
070181	8801070180	87/12/21	50-413	P	8801110003	8801110001	87/08/28	40-8905	
070182	8801070177	87/12/28	50-316	P	8801110014	8801110010	87/12/11	40-6622	
070184	8801070177	87/12/28	50-316	P	8801110016	8801110010	87/12/11	40-6622	
070195	8801070193	87/12/29	50-275	H	8801110017	8801070209	87/12/23	50-382	P
070210	8801070203	88/01/04	50-416	P	8801110021	8801110018	88/01/04	CONTRACT	
070212	8801070203	88/01/04	50-416	P	8801110036	8801110028	87/11/25	40-8502	
070217	8801070206	87/12/31	FOIA		8801110038	8801110033	87/12/15	60-388	P
070218	8801070201	87/12/15	50-312	Q	8801110042	8801110034	88/01/04	50-482	Q
070223	8801070006	87/12/31	FOIA		8801110044	8801110024	87/11/17	WASTE MGT	
070224	8801070220	87/12/17	27-47		8801110047	8801110034	88/01/04	50-482	Q
070226	8801070213	87/12/24	50-483	P	8801110077	8801110055	88/01/05	60-468	Q
070233	8801070220	87/12/17	27-47		8801110085	8801110055	88/01/05	50-458	P
070236	8801070222	88/01/04	50-464	P	8801110100	8801110055	88/01/05	50-458	M
070237	8801070220	87/12/17	27-47		8801110108	8801110102	87/11/04	40-6904	
070240	8801070220	87/12/17	27-47		8801110132	8801110126	87/12/24	50-247	P
070242	8801070006	87/12/31	FOIA		8801110164	8801110055	88/01/05	50-459	A
070245	8801070229	87/11/10	40-8902		8801110167	8801110146	87/10/06	40-9452	
070248	8801060482	87/12/11	40-2258		8801110170	8801110095	88/01/05	50-459	A
070249	8801070220	87/12/17	27-47		8801110180	8801060096	87/12/31	60-275	Q
070250	8801070229	87/11/10	40-8902		8801110184	8801110055	88/01/05	40-450	C
070251	8801070220	87/12/17	27-47		8801110218	8712300103	87/12/21	50-397	S
070253	8801060482	87/12/11	40-2258		8801110230	8801110225	87/12/30	50-302	Q
070257	8801070006	87/12/31	FOIA		8801110253	8801110246	87/12/24	50-206	Q
070258	8801070229	87/11/10	40-8902		8801110282	8801110265	87/12/31	50-331	Q
070260	8801070229	87/11/10	40-8902		8801110285	8801110281	87/12/24	QA999	
070281	8801070006	87/12/31	FOIA		8801110271	8801110287	87/12/31	60-282	Q
070272	8801070006	87/12/31	FOIA		8801110272	8801110287	87/12/31	50-282	Q
070282	8801070277	87/12/30	50-416	Q	8801110284	8801110277	88/01/04	50-331	Q
070286	8801070220	87/12/17	27-47		8801110288	8801110281	87/12/30	70-754	
070295	8801070290	87/12/23	50-268	Q	8801110300	8801110296	87/12/30	60-425	Q
070332	8801070006	87/12/31	FOIA		8801110311	8801110301	87/12/31	60-352	Q
070345	8801070006	87/12/31	FOIA		8801110316	8801110299	88/01/05	50-382	Q
070360	8801070350	87/12/03	WASTE MGT		8801110319	8801110316	87/12/23	50-293	Q
070361	8801070328	87/08/12	WASTE RES		8801110320	8801110297	87/12/31	50-269	Q
070363	8801070006	87/12/31	FOIA		8801110321	8801110314	88/01/04	50-28	P
070364	8801070350	87/12/03	WASTE MGT		8801110323	8801110316	87/12/23	60-293	Q
070367	8801070352	87/12/21	50-338	P	8801110332	8801110330	87/12/31	60-302	Q
070368	8801070354	87/12/30	60-271	Q	8801110338	8801110055	88/01/05	50-468	M
070374	8801070328	87/08/12	WASTE RES		8801110342	8801110305	87/12/30	50-348	Q
070385	8801070355	05/02/28	WASTE MGT		8801110346	8801110337	87/12/31	50-289	Q
070386	8801070328	87/08/12	WASTE RES		8801110349	8801110305	87/12/30	50-348	Q
070389	8801070389	87/12/23	60-283	P	8801110352	8801110308	88/01/04	50-295	Q
070395	8801070355	05/02/28	WASTE MGT		8801110361	8801110347	87/12/24	50-312	Q
070403	8801070394	87/12/29	50-334	P	8801110367	8801110382	87/12/31	50-335	Q
070404	8801080003	87/12/10	WASTE RES		8801110372	8801110357	88/01/04	50-373	Q
070409	8801070387	88/01/04	CONTRACT		8801110383	8801110377	88/01/05	50-327	P
070410	8801070399	87/12/15	WASTE MGT		8801110384	8801110370	88/01/08	50-440	P
070427	8801070416	87/12/23	CONTRACT		8801110387	8801110374	87/12/22	50-628	Q
070429	8801070418	87/12/31	50-445	A	8801110394	8801110379	87/12/31	60-281	Q
070433	8801070355	85/02/28	WASTE MGT		8801110395	8801110388	88/01/06	50-348	F
070438	8801070355	85/02/28	WASTE MGT		8801110402	8801110388	88/01/08	50-289	Q
070438	8801070426	87/12/02	40-8913		8801110408	8801110373	87/12/29	50-269	Q
070442	8801070418	87/12/31	50-445	A	8801110415	8801110373	87/12/29	60-457	Q
070447	8801070355	85/02/28	WASTE MGT		8801110418	8801110398	87/12/31	60-89	V
070448	8801070443	88/01/04	CONTRACT		8801110424	8801110403	87/12/24	50-344	Q
070472	8801070466	88/01/04	CONTRACT		8801110427	8801110409	87/12/23	50-483	Q
070466	8801070355	85/02/28	WASTE MGT		8801110432	8801110425	87/12/31	50-283	Q
070468	8801070466	87/07/09	WASTE MGT		8801110438	8801110430	87/12/31	60-341	Q
070491	8801070355	85/02/28	WASTE MGT		8801110438	8801110430	88/01/08	50-263	Q
070492	8801070482	88/01/04	CONTRACT		8801110452	8801110443	87/12/14	50-245	Q
070496	8801070490	88/01/04	CONTRACT		8801110454	8801110443	87/12/14	50-312	Q
070497	8801070494	87/12/22	50-10	P	8801110488	8801110474	87/12/27	50-400	Q
070502	8801070466	87/07/09	WASTE MGT		8801110486	8801110481	87/12/30	WASTE MGT	
070511	8801070498	87/12/30	60-324	P	8801110515	8801110500	87/12/30	STATE PRO	G
070516	8801070466	87/07/09	WASTE MGT		8801110516	8801110508	87/12/03	50-280	Q
070533	8801070466	87/07/09	WASTE MGT		8801110517	8801110511	87/12/28	50-346	Q
070537	8801070466	87/07/09	WASTE MGT		8801110520	8801110507	88/01/05	50-416	Q
800004	8801080003	87/12/29	60-488	P	8801110525	8801110523	87/12/28	50-302	P
800014	8801080012	88/01/05	70-135		8801110530	8801110527	87/12/29	50-324	Q
800017	8801080013	88/01/05	71-9166		8801120002	8801120001	87/12/29	50-324	Q
800019	8801080001	87/12/03	WASTE MGT		8801120003	8801120001	87/12/29	50-289	Q
800023	8801080022	88/01/06	71-467		8801120007	8801120005	87/12/29	50-259	Q
800026	8801080024	87/10/22	40-8780		8801120024	8801120023	87/12/30	50-259	Q
800027	8801080025	88/01/05	71-485		8801120046	8801120028	87/12/23	FOIA	
800031	8801080030	88/01/05	71-643		8801120084	8801120045	88/01/07	50-263	P
800034	8801080032	88/01/05	71-646		8801120124	8801120115	88/01/04	50-263	P
800036	8801080033	88/01/06	71-5814		8801120127	8801120115	88/01/04		

ACCESSION NUMBER				ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8801120141	8801120138	87/12/23	50-344	Q	8401120176	83/12/30	60-336	P
8801120153	8801120143	88/01/04	50-338	Q	8401120175	83/12/30	50-338	P
8801120171	8801120045	88/01/07	FOIA		8801130202	88/01/04	60-282	P
8801120172	8801120143	88/01/04	50-338	Q	8801130205	88/01/04	50-346	P
8801120173	8801120042	88/01/07	FOIA		8801130207	88/01/04	50-346	P
8801120179	8801120169	87/12/29	50-348	Q	8801130210	88/01130089	50-275	P
8801120186	8801120045	88/01/07	FOIA		8801130211	8801130195	50-282	P
8801120200	8801120184	88/01/06	50-458	Q	8801130212	88/01/05	50-397	P
8801120210	8801120046	88/01/07	FOIA		8801130222	8801130089	50-275	P
8801120224	8801120220	88/01/05	50-373	Q	8801130226	8801130216	50-498	Q
8801120228	8801120216	88/01/04	50-366	P	8801130227	8801130089	50-275	E
8801120232	8801120226	88/01/05	50-488	S	8801130231	87/12/29	50-275	P
8801120235	8801120231	87/12/31	50-395	P	8801130232	8801130089	50-318	E
8801120240	8801120226	88/01/05	50-488	S	8801130238	87/12/29	50-275	P
8801120252	8801120246	87/12/31	50-219	V	8801130239	87/12/23	50-312	P
8801120253	8801120249	87/12/30	60-341	Q	8801130241	87/12/23	CONTRACT	
8801120260	8801120249	87/12/30	50-341	Q	8801130257	87/12/29	50-275	E
8801120262	8801120255	88/01/06	60-354	Q	8801130263	87/12/29	50-275	P
8801120266	8801120259	88/01/05	50-461	Q	8801130271	87/12/28	50-344	P
8801120271	8801120265	87/12/28	50-289	Q	8801130275	87/12/24	50-247	Q
8801120274	8801120265	87/12/28	50-289	Q	8801130277	87/12/23	50-269	Q
8801120278	8801120272	87/12/28	50-219	Q	8801130278	87/12/23	50-272	Q
8801120288	8801120280	87/12/28	60-213	Q	8801130281	8801130278	70-1100	
8801120290	8801120286	88/01/07	50-288	Q	8801130292	8801070188	70-1100	
8801120299	8801120286	88/01/07	50-288	Q	8801130298	8801130290	50-271	Q
8801120301	8801120297	87/12/28	50-423	Q	8801130303	8801130288	50-327	R
8801120307	8801120045	88/01/07	60-293	P	8801130308	87/12/29	50-275	R
8801120317	8801120302	88/01/05	50-2	Q	8801130310	88/01/04	50-327	E
8801120319	8801120315	87/12/28	50-244	Q	8801130315	88/01/04	50-327	R
8801120322	8801120320	88/01/08	50-287	R	8801130325	87/12/30	50-289	R
8801120327	8801120321	88/01/05	TOPREP		8801130327	88/01/04	50-327	R
8801120332	8801120315	87/12/28	50-244	Q	8801130328	87/12/30	50-245	Q
8801120345	8801120045	88/01/07	50-293	T	8801130342	87/12/29	50-275	E
8801120347	8801120337	87/12/30	50-266	P	8801130345	88/01/08	50-373	P
8801120349	8801120314	87/12/30	60-317	Q	8801130352	88/01/12	60-317	P
8801120358	8801120355	88/01/08	60-423	Q	8801130360	87/12/14	50-289	F
8801120367	8801120362	88/01/04	50-245	Q	8801130364	87/12/29	50-275	P
8801120374	8801120360	88/01/05	50-336	P	8801130365	88/01/08	50-354	P
8801120376	8801120368	88/01/07	CONTRACT		8801130370	87/12/29	50-334	P
8801120392	8801120385	88/01/05	60-265	Q	8801130371	88/01/04	50-274	P
8801120398	8801120385	88/01/05	50-255	Q	8801130378	88/01/05	50-298	P
8801120414	8801070441	87/12/28	60-206	P	8801130380	87/12/29	50-375	P
8801120418	8801120416	87/12/24	60-206	V	8801130382	88/01/04	60-274	P
8801120424	8801070441	87/12/28	60-206	P	8801130383	88/01/05	50-398	P
8801120426	8801120420	87/12/28	WASTE MGT		8801130391	88/01/05	50-454	P
8801120427	8801120421	88/01/08	50-261	P	8801130399	88/01/08	50-312	P
8801130020	8801130017	88/01/08	50-298	Q	8801130394	88/01/08	50-293	F
8801130024	8801130021	87/12/28	50-344	Q	8801130399	87/12/29	50-275	Q
8801130027	8801120294	88/01/07	50-293	H	8801130414	88/01/08	50-293	F
8801130034	8801130025	87/12/28	50-276	Q	8801130394	88/01/08	50-293	F
8801130036	8801130025	87/12/28	50-275	Q	8801130403	87/12/31	50-259	P
8801130038	8801130026	87/12/28	50-275	Q	8801130415	88/01/05	50-288	P
8801130056	8801120412	88/01/05	50-395	Q	8801130416	88/01/05	50-288	P
8801130059	8801130057	88/01/08	50-219	Q	8801130426	87/12/31	50-293	P
8801130060	8801130044	88/01/08	60-322	G	8801130432	88/01/08	50-293	F
8801130064	8801130063	88/01/08	60-247	Q	8801130439	88/01/08	50-289	P
8801130065	8801130063	88/01/08	50-247	Q	8801130441	87/12/31	50-416	P
8801130073	8801130069	87/12/30	50-219	Q	8801130442	88/01/08	CONTRACT	
8801130075	8801130069	87/12/30	60-219	Q	8801130445	87/12/30	50-416	P
8801130076	8801120389	88/01/06	60-309	P	8801130448	88/01/11	50-298	P
8801130087	8801130082	87/12/31	50-247	P	8801130454	88/01/05	50-29	Q
8801130088	8801120045	88/01/07	FOIA		8801140012	88/01/08	50-392	Q
8801130091	8801130085	88/01/08	60-317	Q	8801140015	88/01/07	50-295	Q
8801130097	8801130010	88/01/06	60-443	T	8801140016	88/01/07	50-285	Q
8801130098	8801130092	88/01/05	60-423	Q	8801140020	88/01/08	50-298	Q
8801130102	8801130089	87/12/29	50-275	Q	8801140022	88/01/07	50-155	Q
8801130111	8801130089	87/12/29	FOIA		8801140027	88/01/08	50-454	Q
8801130112	8801130108	87/12/30	50-218	Q	8801140029	88/01/08	50-395	Q
8801130114	8801130108	87/12/30	50-218	Q	8801140031	88/01/05	50-62	P
8801130117	8801130089	87/12/29	FOIA		8801140032	87/12/23	50-312	P
8801130121	8801130119	88/01/07	50-267	Q	8801140037	88/01/08	50-341	Q
8801130122	8801130089	87/12/29	50-276	Q	8801140038	88/01/08	50-29	Q
8801130130	8801130125	87/12/30	70-371		8801140035	88/01/05	50-341	Q
8801130131	8801130128	88/01/08	50-313	Q	8801140044	88/01/07	50-281	A
8801130137	8801130089	87/12/29	50-275	P	8801140051	88/01/08	50-445	Q
8801130147	8801130088	87/12/29	50-275	P	8801140054	87/12/30	50-293	Q
8801130159	8801130089	87/12/29	50-275	P	8801140058	88/01/11	50-445	A
8801130161	8801130155	88/01/08	50-298	Q	8801140055	87/12/31	50-446	Q
8801130165	8801130089	87/12/29	50-275	P	8801140066	88/01/08	50-283	Q
8801130168	8801130088	87/12/28	60-276	P	8801140067	88/01/08	50-528	Q
8801130170	8801130167	87/12/30	50-20	P	8801140077	88/01/08	50-461	R
8801130173	8801130167	87/12/30	50-20	Q	8801140090	88/01/11	FOIA	V
8801130179	8801130089	87/12/29	FOIA		8801140097	88/01/11	FOIA	
8801130180	8801130176	87/12/23	50-333	Q	8801140100	88/01/11	FOIA	
8801130182	8801130177	87/12/23	50-219	Q	8801140108	88/01/11	FOIA	
8801130191	8801130089	87/12/29	50-276	P	8801140109	88/01/06	CONTRACT	
8801130193	8801130187	88/01/05	60-320	G	8801140115	88/01/11	60-320	P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 277

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8801140120	8801140084	88/01/11	FOIA	8801150317	8801150293	88/01/06	50-338 Q
8801140124	8801140084	88/01/11	FOIA	8801150319	8801150315	88/01/11	TOPREP
8801140127	8801140118	88/01/11	FOIA	8801150024	8801150016	88/01/12	50-443 G
8801140131	8801140126	88/01/06	50-280 P	8801150028	8801150016	88/01/12	50-443 G
8801140136	8801130089	87/12/29	FOIA	8801150031	8801150016	88/01/12	50-443 G
8801140137	8801140134	87/12/29	50-346 P	8801150034	8801150018	88/01/07	40-3453
8801140140	8801140138	87/12/22	50-334 P	8801150042	8801150040	88/01/12	50-322 G
8801140146	8801140145	88/01/05	50-382 P	8801150059	8801150052	88/01/12	50-445 A
8801140150	8801140145	88/01/05	50-382 P	8801150073	8801150052	88/01/12	50-488 P
8801140152	8801140149	87/12/30	50-416 P	8801150087	8801150079	88/01/13	CONTRACT
8801140154	8801140149	87/12/30	50-416 P	8801150089	8801150052	88/01/12	50-488 P
8801140171	8801140167	87/12/24	50-295 P	8801150107	8801150052	88/01/12	50-354 P
8801140174	8801140164	88/01/11	50-29 P	8801150147	8801150143	88/01/12	50-346 P
8801140177	8801140167	87/12/24	50-295 P	8801150152	8801150151	88/01/11	50-346 P
8801140180	8801140172	88/01/11	FOIA	8801150161	8801150153	88/01/04	50-276 P
8801140182	8801140167	87/12/24	50-295 P	8801150163	8801150155	87/12/31	50-336 P
8801140188	8801130089	87/12/29	FOIA	8801150168	8801250154	88/01/19	50-327 P
8801140226	8801140218	88/01/11	50-327 P	8801150186	8801120246	87/12/31	50-219 V
8801140248	8801140243	87/12/30	50-354 Q	8801150202	8801150134	88/01/08	50-454 P
8801140253	8801140220	87/12/29	50-346 P	8801150211	8801150200	88/01/14	50-482 P
8801140266	8801140217	88/01/05	50-454 P	8801150212	8801150204	88/01/11	50-335 P
8801140260	8801140263	87/12/23	COMMISSIO	8801150213	8801150190	88/01/13	40-8027
8801140283	8801140272	87/12/30	50-416 Q	8801150215	8801200345	88/01/15	TOPREP
8801140290	8801140277	88/01/13	CONTRACT	8801150225	8801150182	88/01/13	XPORTLIC
8801140281	8801140279	88/01/08	XPORTLIC	8801150237	8801150231	88/01/07	50-263 P
8801140288	8801140282	88/01/11	50-293 P	8801150238	8801150235	87/11/19	XPORTLIC
8801140307	8801140297	88/01/06	XPORTLIC	8801150245	8801150235	87/11/19	XPORTLIC
8801140314	8801140302	88/01/13	CONTRACT	8801150250	8801150242	88/01/12	50-289 P
8801140315	8801140305	88/01/04	50-254 P	8801150254	8801150242	88/01/12	50-289 P
8801140324	8801140311	88/01/04	70-1100 P	8801150255	8801150248	88/01/07	50-327 P
8801140328	8801140306	88/01/04	50-388 P	8801150256	8801150244	88/01/12	70-143 P
8801140329	8801140311	88/01/04	70-1100 P	8801150267	8801150261	88/01/14	50-220 P
8801140336	8801140306	88/01/04	50-388 P	8801150268	8801150261	88/01/14	50-220 P
8801140338	8801140311	88/01/04	70-1100 P	8801150275	8801150268	88/01/12	50-395 P
8801140356	8801140341	88/01/13	CONTRACT	8801150280	8801150268	88/01/12	50-395 P
8801140360	8801140357	88/01/11	XPORTLIC	8801150284	8801150278	88/01/14	50-338 P
8801140361	8801140350	88/01/05	40-8907 Q	8801150285	8801150260	88/01/12	50-424 P
8801140362	8801140354	87/12/30	50-272 U	8801150291	8801150189	88/01/13	50-336 P
8801140363	8801140352	88/01/11	50-269 U	8801150292	8801150274	88/01/14	FOIA
8801140370	8801140350	88/01/05	40-8907 U	8801150295	8801150285	88/01/12	FOIA
8801140373	8801140371	87/12/30	50-171 P	8801150299	8801150281	87/12/07	50-388 V
8801140380	8801140371	87/12/30	50-171 P	8801150303	8801150280	88/01/08	50-271 Q
8801140386	8801140382	88/01/18	CONTRACT	8801150305	8801150281	87/12/07	50-368 P
8801140393	8801140384	88/01/11	CONTRACT	8801150309	8801150287	88/01/11	50-301 P
8801140397	8801140282	88/01/11	FOIA	8801150311	8801150301	88/01/14	50-482 Q
8801140404	8801140386	88/01/11	50-346 P	8801150326	8801150287	88/01/11	50-301 P
8801140411	8801140410	87/12/31	50-327 P	8801150334	8801150332	88/01/11	50-277 Q
8801140414	8801140412	87/12/31	50-327 P	8801150336	8801150332	88/01/11	50-277 Q
8801140415	8801140412	88/01/11	CONTRACT	8801150341	8801150337	88/01/07	50-412 Q
8801150017	8801150011	88/01/13	FOIA	8801150343	8801150333	88/01/05	40-8027 Q
8801150019	8801150011	88/01/04	50-409 P	8801150349	8801150344	88/01/06	50-458 P
8801150024	8801150011	88/01/04	50-409 P	8801150352	8801150314	88/01/14	50-352 P
8801150026	8801150021	88/01/11	50-409 P	8801150359	8801150314	88/01/14	50-352 P
8801150048	8801150044	87/12/17	CONTRACT	8801200009	8801200005	88/01/08	50-353 Q
8801150077	8801150059	88/01/04	50-277 F	8801200012	8801200005	88/01/08	50-353 Q
8801150078	8801150072	87/12/21	70-1257 P	8801200027	8801200021	88/01/13	FOIA
8801150083	8801150078	88/01/11	50-409 P	8801200033	8801200021	88/01/13	FOIA
8801150089	8801150059	88/01/04	70-1257 P	8801200036	8801200021	88/01/13	FOIA
8801150100	8801150059	88/01/04	70-1257 P	8801200038	8801200031	88/01/11	50-413 Q
8801150106	8801150101	88/01/06	50-259 Q	8801200056	8801200031	88/01/11	50-413 Q
8801150111	8801150107	87/12/22	COMMISSIO	8801200059	8801200053	88/01/14	FOIA
8801150113	8801150072	87/12/21	50-409 Q	8801200062	8801200053	87/12/11	40-8902 Q
8801150120	8801150119	88/01/05	50-289 Q	8801200063	8801200048	88/01/11	50-315 Q
8801150140	8801150131	87/12/22	50-6 P	8801200065	8801200061	87/12/22	COMMISSIO
8801150141	8801150131	87/12/22	50-6 P	8801200069	8801200046	88/01/12	50-288 Q
8801150143	8801150134	88/01/11	50-416 F	8801200073	8801200067	88/01/11	50-288 Q
8801150145	8801150135	88/01/06	50-277 Q	8801200077	8801200075	88/01/14	50-313 Q
8801150181	8801150190	87/12/23	50-498 P	8801200088	8801200084	88/01/14	FOIA
8801150183	8801150190	87/12/23	50-498 P	8801200091	8801200084	88/01/14	FOIA
8801150189	8801150188	88/01/08	50-443 P	8801200095	8801200084	88/01/14	FOIA
8801150200	8801150196	88/01/05	50-29 P	8801200099	8801200084	88/01/14	FOIA
8801150205	8801150203	88/01/11	TOPREP	8801200106	8801200084	88/01/14	50-327 P
8801150237	8801150234	88/01/11	50-346 P	8801200113	8801260253	87/05/19	50-218 P
8801150239	8801150225	88/01/13	50-445 A	8801200116	8801200079	88/01/14	50-390 Q
8801150240	8801150234	88/01/11	50-346 P	8801200117	8801200110	87/12/30	50-528 Q
8801150258	8801150227	88/01/05	50-498 P	8801200119	8801200064	88/01/14	FOIA
8801150263	8801150245	88/01/12	50-316 P	8801200121	8801200118	88/01/14	60-498 Q
8801150265	8801150255	88/01/11	TOPREP	8801200122	8801200064	88/01/14	FOIA
8801150290	8801150286	87/12/23	50-528 F	8801200125	8801200079	88/01/14	50-390 Q
8801150294	8801150227	88/01/05	50-498 P	8801200129	8801200064	88/01/14	FOIA
8801150300	8801150284	87/12/29	TOPREP	8801200130	8801200127	87/12/15	40-8904 P
8801150307	8801150293	88/01/05	50-338 Q	8801200131	8801200064	88/01/14	FOIA
8801150310	8801150227	88/01/05	50-498 P	8801200136	8801200079	88/01/14	FOIA
8801150311	8801150309	88/01/11	50-369 P	8801200137	8801200127	87/12/15	40-8904 P
8801150314	8801150293	88/01/06	50-338 Q	8801200140	8801200064	88/01/14	FOIA
8801150316	8801150227	88/01/05	50-498 P	8801200141	8801200136	88/01/02	50-312 F
				8801200143	8801200079	88/01/14	50-327 P

278 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8801200154	8801200064	88/01/14	50-380 A	8801210044	8801210024	88/01/14	50-361 P
8801200155	8801200151	88/01/14	50-259 P	8801210046	8801200182	88/01/08	FOIA
8801200161	8801200064	88/01/14	FOIA	8801210047	8801210024	88/01/14	50-361 P
8801200164	8801200160	88/01/13	50-382 P	8801210048	8801200231	88/01/12	50-416 V
8801200166	8801200064	88/01/14	FOIA	8801210052	8801200014	88/01/08	50-320 P
8801200171	8801200064	88/01/14	FOIA	8801210054	8801200011	88/01/14	50-348 P
8801200174	8801200168	88/01/15	50-344 P	8801210056	8801150007	88/01/08	50-206 P
8801200178	8801200168	88/01/15	50-344 P	8801210057	8801200182	88/01/08	FOIA
8801200183	8801200064	88/01/14	50-327 P	8801210066	8801200231	88/01/12	50-220 P
8801200188	8801200064	88/01/14	FOIA	8801210079	8801200182	88/01/08	50-289 P
8801200190	8801200182	88/01/06	50-289 P	8801210082	8801210024	88/01/14	50-361 P
8801200196	8801200064	88/01/14	FOIA	8801210085	8801210024	88/01/14	50-361 P
8801200199	8801200158	88/01/11	50-263 Q	8801210086	8801210076	87/09/02	71-9220
8801200200	8801180184	88/01/07	50-335 F	8801210092	8801210088	88/01/14	50-155 F
8801200205	8801200201	88/01/12	50-302 Q	8801210093	8801210090	88/01/14	50-269 P
8801200206	8801200182	88/01/06	50-289 P	8801210094	8801210024	88/01/14	50-361 P
8801200207	8801200064	88/01/14	FOIA	8801210102	8801200182	88/01/06	FOIA
8801200208	8801200184	88/01/06	50-313 P	8801210103	8801210024	88/01/14	50-361 P
8801200212	8801200202	88/01/11	50-272 Q	8801210105	8801200182	88/01/06	FOIA
8801200216	8801200172	88/01/14	FOIA	8801210107	8801210101	88/01/14	50-220 Q
8801200217	8801200213	87/12/31	50-528 Q	8801210115	8801200182	88/01/06	FOIA
8801200226	8801200213	87/12/31	50-528 Q	8801210118	8801200079	88/01/14	50-390 Q
8801200229	8801200214	88/01/12	50-254 F	8801210122	8801210119	87/01/14	50-293 P
8801200233	8801200182	88/01/06	50-289 Q	8801210142	8801200182	88/01/06	FOIA
8801200235	8801200220	88/01/07	50-443 G	8801210147	8801200182	88/01/06	FOIA
8801200239	8801200227	88/01/07	50-443 T	8801210150	8801200182	88/01/06	FOIA
8801200244	8801200220	88/01/07	50-443 G	8801210155	8801200182	88/01/06	FOIA
8801200250	8801200240	88/01/14	50-341 Q	8801210156	8801210152	88/01/20	50-445 G
8801200256	8801200252	88/01/06	50-338 P	8801210160	8801210151	88/01/15	CONTRACT
8801200257	8801200240	88/01/14	60-341 Q	8801210163	8801210157	88/01/15	CONTRACT
8801200259	8801200231	88/01/12	FOIA	8801210167	8801210159	88/01/20	50-443 G
8801200260	8801200251	88/01/08	50-387 Q	8801210172	8801200182	88/01/06	FOIA
8801200261	8801200240	88/01/14	50-341 Q	8801210178	8801200182	88/01/06	FOIA
8801200262	8801200252	88/01/06	50-338 P	8801210183	8801200182	88/01/06	FOIA
8801200263	8801200254	88/01/06	50-368 P	8801210190	8801200182	88/01/06	FOIA
8801200268	8801200240	88/01/14	60-341 Q	8801210193	8801210185	88/01/15	50-288 P
8801200275	8801200268	88/01/14	50-324 Q	8801210195	8801200182	88/01/06	FOIA
8801200281	8801200273	88/01/15	50-322 Q	8801210196	8801210189	88/01/20	FOIA
8801200281	8801200288	88/01/08	50-224 P	8801210198	8801210194	88/01/19	FOIA
8801200283	8801200283	88/01/08	50-224 P	8801210200	8801210188	88/01/11	50-245 Q
8801200304	8801200300	88/01/11	50-338 Q	8801210203	8801200182	88/01/06	FOIA
8801200316	8801200308	88/01/06	50-416 Q	8801210205	8801200182	88/01/06	FOIA
8801200320	8801200308	88/01/06	50-416 Q	8801210206	8801210202	88/01/19	FOIA
8801200336	8801200309	88/01/05	50-334 P	8801210209	8801200182	88/01/06	FOIA
8801200342	8801200336	88/02/10	50-275 H	8801210210	8801210189	88/01/20	FOIA
8801200346	8801200345	88/01/15	TOPREP	8801210211	8801210188	88/01/11	50-245 Q
8801200352	8801200344	88/01/15	50-445 A	8801210212	8801210202	88/01/19	50-390 A
8801200353	8801200347	88/01/13	50-341 Q	8801210213	8801200182	88/01/06	FOIA
8801200377	8801200368	88/01/08	50-244 Q	8801210214	8801210184	88/01/19	FOIA
8801200382	8801200368	88/01/08	50-244 Q	8801210218	8801210202	88/01/19	50-390 S
8801200387	8801200378	88/01/15	CONTRACT	8801210225	8801200182	88/01/06	FOIA
8801200390	8801200379	88/01/14	50-267 F	8801210226	8801210221	88/01/19	FOIA
8801200391	8801200380	87/12/24	50-344 P	8801210228	8801200182	88/01/06	FOIA
8801200392	8801200385	87/12/09	71-647 P	8801210236	8801200231	88/01/12	50-348 P
8801200395	8801200395	88/01/11	50-244 P	8801210237	8801210184	88/01/19	50-275 P
8801200399	8801200398	87/12/24	50-344 P	8801210241	8801210234	88/01/19	FOIA
8801200408	8801200402	88/01/11	TOPREP	8801210243	8801210232	88/01/20	CONTRACT
8801200409	8801200395	87/11/12	70-1308 Q	8801210247	8801210184	88/01/18	FOIA
8801200418	8801200406	88/01/08	50-247 Q	8801210249	8801210246	88/01/21	50-327 F
8801200425	8801200417	88/01/12	50-454 P	8801210251	8801210231	88/01/19	FOIA
8801200426	8801200231	88/01/12	FOIA	8801210252	8801210053	88/01/15	50-289 P
8801200429	8801200406	88/01/08	50-247 Q	8801210258	8801210254	88/01/19	50-440 P
8801200440	8801200437	88/01/15	CONTRACT	8801210260	8801210234	88/01/19	FOIA
8801200445	8801200442	88/01/15	50-287 G	8801210264	8801210184	88/01/19	FOIA
8801200446	8801200435	88/02/28	50-276 G	8801210270	8801210234	88/01/19	FOIA
8801200447	8801200435	88/01/19	CONTRACT	8801210275	8801210234	88/01/19	FOIA
8801200460	8801200442	88/01/15	50-267 Q	8801210280	8801210267	88/01/20	50-180 P
8801200457	8801200451	88/01/14	50-529 P	8801210282	8801210234	88/01/19	FOIA
8801200458	8801200231	88/01/12	FOIA	8801210283	8801210184	88/01/19	FOIA
8801200459	8801200453	88/01/12	50-445 Q	8801210284	8801210234	88/01/19	FOIA
8801200463	8801200231	88/01/12	50-271 V	8801210307	8801210234	88/01/19	FOIA
8801210003	8801210001	88/01/06	50-269 P	8801210308	8801210293	88/01/20	CONTRACT
8801210007	8801210005	88/01/12	50-454 P	8801210326	8801210184	88/01/19	50-29 P
8801210010	8801200079	88/01/14	50-327 P	8801210334	8801210316	88/01/19	FOIA
8801210017	8801210014	87/11/20	70-143 R	8801210349	8801210184	88/01/19	50-151 P
8801210018	8801280314	88/01/15	50-250 R	8801210371	8801210184	88/01/19	50-285 P
8801210021	8801200079	88/01/14	50-327 Q	8801210383	8801210380	88/01/18	50-440 R
8801210028	8801200079	88/01/14	FOIA	8801220021	8801220017	87/12/03	CONTRACT
8801210029	8801210023	88/01/07	50-327 P	8801220036	8801220028	88/01/30	CONTRACT
8801210031	8801210023	88/01/07	50-327 P	8801220054	8801220042	88/01/20	CONTRACT
8801210034	8801200079	88/01/14	FOIA	8801220086	8801210126	88/01/11	50-344 S
8801210035	8801210025	88/01/19	CONTRACT	8801220097	8801200231	88/01/12	50-628 V
8801210036	8801210024	88/01/14	50-361 P	8801220115	8801210189	88/01/20	FOIA
8801210037	8801200079	88/01/14	50-327 P	8801220124	8801220109	88/01/20	FOIA
8801210040	8801210024	88/01/14	50-361 P	8801220136	8801200231	88/01/12	50-10 V
8801210042	8801200182	88/01/06	FOIA	8801220148	8801220109	88/01/20	50-390 Q
8801210043	8801210024	88/01/14	50-361 P	8801220184	8801220109	88/01/20	50-390 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 279

ACCESSION NUMBER

ACCESSION NUMBER

ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8801220166	8801210234	88/01/19	FOIA	8801260067	8801260067	88/01/15	50-286 Q
8801220172	8801220108	88/01/20	FOIA	8801260067	8801260067	88/01/15	50-286 Q
8801220182	8801220108	88/01/20	50-327 H	8801260067	8801260067	88/01/06	50-286 P
8801220188	8801220148	88/01/15	50-220 P	8801260103	8801260103	88/01/20	50-423 P
8801220198	8801220190	88/01/20	CONTRACT	8801260104	8801260104	88/01/20	50-423 P
8801220258	8801220250	88/01/15	50-341 P	8801260106	8801260106	88/01/20	50-423 P
8801220260	8801220244	88/01/14	50-454 O	8801260107	8801260096	88/01/06	50-280 P
8801220264	8801220244	88/01/14	50-454 Q	8801260109	8801260100	88/01/06	50-285 P
8801220344	8801220321	87/12/30	CONTRACT	8801260123	8801260116	88/01/15	50-445 V
8801220381	8801210279	88/01/13	50-312 P	8801260144	8801260135	88/01/19	50-313 Q
8801220370	8801210279	88/01/13	50-312 P	8801260147	8801260132	88/01/21	50-482 Q
8801250014	8801250011	88/01/13	50-412 P	8801260163	8801260146	88/01/15	50-316 P
8801250021	8801250011	88/01/13	50-412 P	8801260166	8801260146	88/01/15	50-316 P
8801250056	8801260047	88/01/10	50-255 P	8801260172	8801260158	88/01/20	50-299 Q
8801250063	8801260047	88/01/10	50-255 P	8801260177	8801260132	88/01/21	50-482 Q
8801250081	8801260047	88/01/10	50-255 P	8801260189	8801260132	88/01/21	FOIA
8801250182	8801260179	88/01/14	50-163 P	8801260194	8801260132	88/01/21	FOIA
8801250184	8801260179	88/01/14	50-163 P	8801260200	8801260132	88/01/21	FOIA
8801250194	8801260154	88/01/19	50-327 Q	8801260215	8801260132	88/01/21	50-482 P
8801250248	8801260047	88/01/19	50-255 P	8801260220	8801260195	88/01/20	FOIA
8801250248	8801260228	88/01/05	50-312 P	8801260223	8801260217	88/01/08	50-89 Q
8801250253	8801260228	88/01/05	50-312 P	8801260227	8801260132	88/01/21	50-482 Q
8801250259	8801260230	88/01/12	50-341 P	8801260229	8801260195	88/01/20	FOIA
8801250277	8801260239	88/01/13	50-299 P	8801260233	8801260224	88/01/22	CONTRACT
8801250297	8801260294	88/01/19	50-346 P	8801260238	8801260234	87/11/19	71-9100
8801250312	8801260306	88/01/21	50-440 G	8801260239	8801260132	88/01/21	50-482 P
8801250317	8801260309	88/01/21	50-440 G	8801260242	8801260247	87/11/19	71-9100
8801250322	8801260311	88/01/19	50-322 G	8801260268	8801260243	88/01/21	50-482 P
8801250328	8801260324	88/01/15	50-482 H	8801260269	8801260243	88/01/21	CONTRACT
8801250335	8801260311	88/01/19	50-322 G	8801260276	8801260195	88/01/20	FOIA
8801250337	8801260324	88/01/15	50-482 H	8801260276	8801260247	88/01/19	50-213 P
8801260344	8801260331	88/01/15	50-322 G	8801260276	8801260247	88/01/08	50-312 Q
8801260347	8801260336	88/01/21	CONTRACT	8801260277	8801260247	88/01/19	50-213 P
8801260351	8801260311	88/01/19	50-322 G	8801260279	8801260132	88/01/21	50-482 P
8801260356	8801260331	88/01/15	50-322 G	8801260280	8801260195	88/01/20	FOIA
8801260364	8801260338	88/01/19	50-250 Q	8801260286	8801260132	88/01/21	50-482 P
8801260366	8801260331	88/01/15	50-322 G	8801260288	8801260276	88/01/22	50-454 Q
8801260376	8801260311	88/01/19	50-322 G	8801260294	8801260195	88/01/20	FOIA
8801260377	8801260367	88/01/18	50-470 A	8801260295	8801260276	88/01/22	50-454 Q
8801260379	8801260389	88/01/11	50-341 P	8801260300	8801260276	88/01/22	50-320 P
8801260382	8801260368	88/01/11	50-341 P	8801260309	8801260276	88/01/22	50-320 P
8801260385	8801260311	88/01/19	50-322 G	8801260321	8801260314	88/01/15	50-250 R
8801260390	8801260384	88/01/14	50-458 P	8801260327	8801260276	88/01/22	50-320 V
8801260402	8801260394	88/01/15	50-206 H	8801260338	8801260335	88/01/22	50-456 Q
8801260419	8801260416	88/01/15	50-327 P	8801260340	8801260276	88/01/22	50-320 P
8801260427	8801260394	88/01/15	50-206 H	8801260344	8801260276	88/01/22	50-289 P
8801260436	8801260394	88/01/15	50-206 H	8801260354	8801260276	88/01/22	FOIA
8801260438	8801260431	88/01/12	50-338 P	8801260376	8801260368	88/01/18	50-488 S
8801260440	8801260394	88/01/15	50-206 H	8801260378	8801260276	88/01/22	FOIA
8801260444	8801260429	88/01/15	50-275 P	8801260390	8801260371	88/01/13	50-315 P
8801260448	8801260394	88/01/15	50-206 H	8801260399	8801260377	88/01/13	50-483 P
8801260450	8801260429	88/01/15	50-275 P	8801260405	8801260377	88/01/13	50-483 P
8801260461	8801260394	88/01/15	50-206 H	8801260410	8801260383	88/01/21	FOIA
8801260464	8801260458	88/01/21	CONTRACT	8801260411	8801260408	88/01/20	50-244 P
8801260471	8801260394	88/01/15	50-206 H	8801260416	8801260408	88/01/20	50-244 P
8801260474	8801260394	88/01/15	50-206 H	8801260425	8801260425	88/01/22	CONTRACT
8801260478	8801260454	88/01/19	60-400 Q	8801260481	8801260455	88/01/13	50-312 P
8801260536	8801260520	88/01/20	60-400 Q	8801260486	8801260276	88/01/22	50-320 U
8801260547	8801260545	88/01/15	50-400 Q	8801260470	8801260276	88/01/22	FOIA
8801260550	8801260545	88/01/20	60-348 P	8801260481	8801260276	88/01/22	50-382 U
8801260551	8801260545	88/01/20	60-348 P	8801260489	8801260276	88/01/22	50-416 U
8801260558	8801260551	88/01/15	50-400 Q	8801260497	8801260460	88/01/11	71-9193
8801260580	8801260551	88/01/15	50-400 Q	8801260501	8801260489	88/01/19	50-286 P
8801260605	8801260600	88/01/18	50-285 R	8801260517	8801260276	88/01/22	FOIA
8801260608	8801260574	88/01/20	CONTRACT	8801260518	8801260328	88/01/12	50-528 P
8801260609	8801260602	88/01/19	50-259 P	8801260519	8801260276	88/01/22	50-320 U
8801260610	8801260607	88/01/20	50-281 P	8801260524	8801260489	88/01/20	50-327 V
8801260612	8801260602	88/01/19	50-259 P	8801260531	8801260276	88/01/22	FOIA
8801260622	8801260613	88/01/15	50-255 Q	8801260538	8801260512	88/01/18	50-244 P
8801260625	8801260613	88/01/15	50-255 Q	8801260540	8801260511	88/01/16	50-29 P
8801260629	8801260613	88/01/15	50-255 Q	8801260542	8801260276	88/01/22	50-327 P
8801260632	8801260613	88/01/15	50-255 Q	8801260547	8801260523	88/01/22	50-275 Q
8801260636	8801260613	88/01/15	50-255 Q	8801260549	8801260276	88/01/22	FOIA
8801260638	8801260613	88/01/15	50-255 Q	8801260551	8801260523	88/01/22	50-275 Q
8801260639	8801260613	88/01/15	50-255 Q	8801260554	8801260276	88/01/22	50-390 Q
8801260644	8801260613	88/01/15	50-255 Q	8801260558	8801260507	88/01/18	50-445 A
8801260648	8801260613	88/01/15	50-255 Q	8801260567	8801260276	88/01/22	FOIA
8801260654	8801260613	88/01/15	50-255 Q	8801260577	8801260507	88/01/18	50-445 A
8801260655	8801260613	88/01/15	50-255 Q	8801260588	8801260507	88/01/18	50-445 A
8801260661	8801260613	88/01/15	50-255 Q	8801260597	8801260507	88/01/18	50-445 A
8801260673	8801260613	88/01/15	50-255 Q	8801260600	8801260507	88/01/18	50-445 A
8801260674	8801260613	88/01/15	50-255 Q	8801260603	8801260507	88/01/18	50-445 A
8801260675	8801260613	88/01/15	50-255 Q	8801260606	8801260507	88/01/18	50-445 A
8801260676	8801260613	88/01/15	50-255 Q	8801260609	8801260507	88/01/18	50-445 A
8801260686	8801260613	88/01/15	50-255 Q	8801260611	8801260507	88/01/18	50-445 A
8801260687	8801260613	88/01/15	50-255 Q	8801260612	8801260507	88/01/18	50-445 A
8801260688	8801260613	88/01/15	50-255 Q	8801260613	8801260507	88/01/18	50-445 A
8801260689	8801260613	88/01/15	50-255 Q	8801260614	8801260507	88/01/18	50-445 A
8801260690	8801260613	88/01/15	50-255 Q	8801260615	8801260507	88/01/18	50-445 A
8801260691	8801260613	88/01/15	50-255 Q	8801260616	8801260507	88/01/18	50-445 A
8801260692	8801260613	88/01/15	50-255 Q	8801260617	8801260507	88/01/18	50-445 A
8801260693	8801260613	88/01/15	50-255 Q	8801260618	8801260507	88/01/18	50-445 A
8801260694	8801260613	88/01/15	50-255 Q	8801260619	8801260507	88/01/18	50-445 A
8801260695	8801260613	88/01/15	50-255 Q	8801260620	8801260507	88/01/18	50-445 A
8801260696	8801260613	88/01/15	50-255 Q	8801260621	8801260507	88/01/18	50-445 A
8801260697	8801260613	88/01/15	50-255 Q	8801260622	8801260507	88/01/18	50-445 A
8801260698	8801260613	88/01/15	50-255 Q	8801260623	8801260507	88/01/18	50-445 A
8801260699	8801260613	88/01/15	50-255 Q	8801260624	8801260507	88/01/18	50-445 A
8801260700	8801260613	88/01/15	50-255 Q	8801260625	8801260507	88/01/18	50-445 A
8801260701	8801260613	88/01/15	50-255 Q	8801260626	8801260507	88/01/18	50-445 A
8801260702	8801260613	88/01/15	50-255 Q	8801260627	8801260507	88/01/18	50-445 A
8801260703	8801260613	88/01/15	50-255 Q	8801260628	8801260507	88/01/18	50-445 A
8801260704	8801260613	88/01/15	50-255 Q	8801260629	8801260507	88/01/18	50-445 A
8801260705	8801260613	88/01/15	50-255 Q	8801260630	8801260507	88/01/18	50-445 A
8801260706	8801260613	88/01/15	50-255 Q	8801260631	8801260507	88/01/18	50-445 A
8801260707	8801260613	88/01/15	50-255 Q	8801260632	8801260507	88/01/18	50-445 A
8801260708	8801260613	88/01/15	50-255 Q	8801260633	8801260507	88/01/18	5

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8801270043	8801270021	88/01/22	50-275 P	8801280269	8801130394	88/01/08	50-293 F
8801270045	8801270028	88/01/22	50-287 P	8801280272	8801280237	88/01/22	50-327 P
8801270050	8801270029	88/01/22	50-287 P	8801280337	8801280329	88/01/26	QA999
8801270062	8801270030	88/01/14	50-245 Q	8801280346	8801280328	88/01/25	QA999
8801270063	8801270044	88/01/19	50-322 Q	8801280369	8801280362	88/01/26	50-412 P
8801270062	8801270076	88/01/07	50-601 A	8801280386	8801280384	88/01/19	50-219 P
8801270085	8801270051	88/01/11	50-312 F	8801280423	8801280402	88/01/22	50-280 P
8801270104	8801270103	88/01/20	70-143	8801280441	8801280417	88/01/07	50-277 F
8801270113	8801270109	88/01/20	70-143	8801280442	8801280402	88/01/22	50-280 F
8801270115	8801270051	88/01/11	50-312 F	8801280454	8801280446	88/01/22	50-259 P
8801270128	8801270124	88/01/22	50-413 P	8801280468	8801280521	87/12/29	50-387 F
8801270134	8801270129	88/01/21	50-277 Q	8801280503	8801280402	88/01/22	50-280 F
8801270146	8801270132	88/01/21	50-454 P	8801280531	8801280516	88/01/21	50-293 P
8801270158	8801270154	88/01/19	50-272 P	8801280536	8801280518	88/01/21	50-293 P
8801270182	8801270132	88/01/21	50-454 P	8801280541	8801280518	88/01/26	CONTRACT
8801270170	8801270181	88/01/21	50-259 Q	8801280584	8801280555	88/01/25	CONTRACT
8801270184	8801270181	88/01/22	50-445 A	8801280581	8801280562	88/01/25	CONTRACT
8801270202	8801270141	88/01/21	FOIA	8801280594	8801280559	88/01/20	TOPREP
8801270212	8801270200	88/01/21	50-445 Q	8801280613	8801280608	88/01/26	FOIA
8801270227	8801270141	88/01/21	50-418 P	8801280615	8801280603	88/01/22	50-454 Q
8801270233	8801270225	88/01/20	60-416 Q	8801280623	8801280608	88/01/22	CONTRACT
8801270237	8801270225	88/01/20	50-418 Q	8801280625	8801280595	88/01/27	FOIA
8801270258	8801270248	88/01/15	50-440 P	8801280633	8801280628	88/01/25	50-259 P
8801270280	8801270141	88/01/21	50-416 P	8801280634	8801280595	88/01/27	FOIA
8801270285	8801270117	88/01/18	50-29 F	8801280647	8801280638	88/01/20	COMMISSIO N
8801270287	8801270176	88/01/22	50-275 P	8801280654	8801280595	88/01/27	FOIA
8801270306	8801270300	88/01/22	50-443 T	8801280669	8801280595	88/01/27	FOIA
8801270310	8801270300	88/01/22	50-443 T	8801280672	8801280665	88/01/22	50-213 P
8801270311	8801270305	88/01/14	50-443 G	8801280675	8801280595	88/01/27	FOIA
8801270321	8801270305	88/01/14	50-443 G	8801280678	8801280595	88/01/27	FOIA
8801270338	8801270176	88/01/22	50-276 P	8801280684	8801280681	88/01/22	50-324 P
8801270340	8801280347	88/01/18	50-29 P	8801280686	8801280677	88/01/25	50-312 Q
8801270350	8801270319	88/01/22	50-443 T	8801290007	8801290004	88/01/25	50-327 S
8801270354	8801270319	88/01/22	50-443 T	8801290010	8801290004	88/01/25	50-327 S
8801270359	8801270319	88/01/22	50-443 T	8801290018	8801290004	88/01/25	50-327 S
8801270372	8801270344	88/01/25	50-443 G	8801290020	8801290016	88/01/22	50-458 Q
8801270400	8801270141	88/01/21	50-438 A	8801290023	8801290004	88/01/25	50-327 S
8801270413	8801270411	88/01/13	50-312 P	8801290031	8801290016	88/01/22	60-458 Q
8801270422	8801270176	88/01/22	50-276 P	8801290046	8801290042	88/01/08	COMMISSIO N
8801270422	8801270176	88/01/22	60-323 P	8801290061	8801290053	88/01/16	WASTE MGT
8801270431	8801270412	88/01/20	50-271 P	8801290072	8801290052	88/01/26	FOIA
8801270436	8801270176	88/01/22	50-276 P	8801290090	8801290082	88/01/19	WASTE MGT
8801270439	8801270176	88/01/22	50-276 P	8801290099	8801290052	88/01/26	FOIA
8801270440	8801270416	88/01/15	50-346 P	8801290124	8801290052	88/01/26	FOIA
8801270443	8801270418	88/01/15	50-346 P	8801290144	8801290052	88/01/26	FOIA
8801270453	8801270412	88/01/20	50-271 P	8801290147	8801290140	88/01/26	FOIA
8801270454	8801270450	88/01/12	50-344 P	8801290148	8801290139	88/01/26	50-313 Q
8801270470	8801270465	88/01/15	50-482 P	8801290155	8801290140	88/01/26	FOIA
8801270484	8801270451	88/01/18	50-498 S	8801290157	8801290152	88/01/14	50-289 P
8801270490	8801270465	88/01/15	50-482 P	8801290163	8801290152	88/01/14	50-289 P
8801270528	8801270519	88/01/20	50-335 Q	8801290169	8801290168	88/01/25	60-259 P
8801270553	8801270548	88/01/21	60-445 Q	8801290171	8801290140	88/01/26	FOIA
8801270563	8801270525	88/01/15	60-29 P	8801290174	8801290140	88/01/26	FOIA
8801270564	8801270559	88/01/21	60-416 P	8801290182	8801290140	88/01/26	FOIA
8801270630	8801270141	88/01/21	FOIA	8801290184	8801290181	88/01/25	50-269 P
8801270633	8801270141	88/01/21	FOIA	8801290185	8801290052	88/01/26	FOIA
8801270636	8801270634	88/01/18	50-320 P	8801290195	8801290192	88/01/19	50-354 P
8801280004	8801280001	88/01/14	50-309 Q	8801290197	8801290192	88/01/19	50-354 P
8801280008	8801280001	88/01/14	50-309 Q	8801290198	8801290194	88/01/22	60-335 P
8801280074	8801270141	88/01/21	50-341 U	8801290202	8801290194	88/01/22	60-335 P
8801280075	8801280064	88/01/26	FOIA	8801290203	8801290052	88/01/26	FOIA
8801280091	8801270141	88/01/21	FOIA	8801290212	8801290209	88/01/26	50-259 P
8801280109	8801270141	88/01/21	FOIA	8801290241	8801290052	88/01/26	FOIA
8801280126	8801280107	88/01/26	CONTRACT	8801290252	8801290052	88/01/26	FOIA
8801280132	8801280113	88/01/12	50-320 P	8801290299	8801290295	88/01/19	REVIEW GR P
8801280135	8801280121	88/01/21	50-528 P	8801290332	8801290324	88/01/25	CONTRACT
8801280156	8801280144	88/01/26	CONTRACT	8801290335	8801290333	88/01/26	50-361 P
8801280185	8801280178	88/01/14	COMMISSIO N	8801290338	8801290337	88/01/27	60-341 P
8801280202	8801280182	88/01/14	50-317 Q	8801290345	8801290341	88/01/26	50-341 P
8801280206	8801280199	88/01/25	CONTRACT	8801290354	8801290352	88/01/26	50-341 P
8801280251	8801280237	88/01/22	50-327 P	8801290359	8801290355	88/01/26	50-498 P
8801280260	8801280237	88/01/22	50-327 P	8801290362	8801290353	87/12/30	NUREG
8801280264	8801280258	88/01/14	50-327 P	8801290363	8801290353	87/12/30	NUREG
				8802010044	8801290289	88/01/14	FOIA

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes to items 1 and 2.
4. NRC questions, requests for additional information, and applicant responses.
5. Correspondence and documents relating to unresolved design and construction issues.
6. *Meeting announcements and summaries of meeting discussions on issues of item 5.*
7. Correspondence regarding the Preliminary Safety Analysis Report (PSAR).
8. Information on laws and changes in regulations or policy that affect the status of the application (NEPA, Water Quality Improvement Act, Water Pollution Control Act, etc.).
9. Construction Permit, amendments, and correspondence relating to the construction permit.
10. Scheduling of license application submission or review.
11. Environmental review information.
12. Application for operating license.
13. General Information submitted with operating license application.
14. Amendments and changes to items 12 and 13.
15. *Correspondence regarding the Final Safety Analysis Report (FSAR).*
16. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; not covered by an IE Bulletin.
17. Reports of site visits.
18. Backup technical documents (e.g., topical reports) submitted in support of the application.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS

This category is strictly limited to the items listed below. All related correspondence is filed in Category A.

1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).
2. Amendments and changes to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other environmental documents and correspondence are filed in Categories A, D, M, P or R.

1. Environmental Report (ER) submitted by the utility.
2. Amendments and supplements to the ER.
3. Transmittal and acknowledgement letters.
4. Information on scheduling of submittal or review of ER.
5. NRC questions, requests for additional information, and applicant responses.
6. Federal register notices citing the availability of items 1 and 2.
7. Correspondence relating to the review of ER.
8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER.

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other environmental documents and correspondence are in categories A, C, M, P or R.

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by the NRC.
2. Supplements to the DES and FES.
3. Correspondence relating to the DES and FES.
4. Comments from other federal, state and local government agencies.
5. Transmittal and acknowledgement letters.
6. Documents related to NRC review of environmental issues or of ER obtained for purposes of writing the environmental statements.
7. Backup technical documents submitted in connection with above.
8. Federal register notice citing availability of items 1 and 2.
9. Site visits to obtain information for DES or FES.
10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other documents dealing with safety related issues are filed in categories A, P or W, depending on the phase of the licensing process.

2. Supplements to SER.
3. Correspondence relating to SER.
4. Federal register notices citing availability of items 1. and 2.
5. Information on scheduling of SER submittals and review.
6. Requests for additional information for use in preparing SER; responses to such requests.
7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.
8. Transmittal and acknowledgement letters.

F. SECURITY, MEDICAL, EMERGENCY AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Information submitted as part of the PSAR or FSAR is excluded.

1. Fire Hazard Protection Plan and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Review of Health Physics Program.
5. Correspondence relating to aforementioned plans.
6. Supplements, changes and revisions to plans.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing related documents.
2. Federal register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content or meaning for the status of the license or application are included.

1. Change of address notifications.
2. Changes in structure of organization.
3. Changes in service lists.
4. NRC requests to applicant for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports.
2. Separately submitted financial information and related correspondence.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
2. Endorsements insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR) AND AMENDMENTS

This category is strictly limited to the items listed below. All related correspondence falls in category A or P.

1. Final Safety Analysis Report (FSAR) (formerly called Final Hazards Summary Report).
2. Amendments and changes to the FSAR.
3. Federal register notices citing availability of items 1 and 2.
4. Transmittal and acknowledgement letters.
5. Certificates of service to the FSAR.

applicants can carry out limited site preparation and construction prior to the granting of a construction permit.

1. Limited Work Authorizations (LWA) and amendments.
2. Correspondence pertaining to work performed under LWAs.

M. ANTITRUST REVIEW AND ANTITRUST CORRESPONDENCE

1. Document submitted as part of the applications for a construction permit and operating license entitled "Information Requested by the Attorney General for Antitrust Review".
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding related documents except for hearing transcripts, testimony and briefings, which are filed in category N.

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence falls in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

1. Correspondence and letter reports relating to Advisory Committee on Reactor Safeguards (ACRS) reviews.
2. Correspondence from ACRS.
3. Announcement of ACRS meetings.
4. Transmittal and acknowledgement letters.
5. ACRS reports.
6. Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings.
7. Minutes at ACRS Subcommittee Meetings.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes and related correspondence
2. Technical specifications and changes.

4. Federal register notices citing availability of items 1 and 2.
5. Correspondence regarding the Final Safety Analysis Report (FSAR).
6. All general technical correspondence, meeting announcements or meeting summaries relating to technical specifications, the operating license or technical issues arising after the issuance of the operating license.
7. Correspondence regarding codes (e.g., ASME), regulations, laws or changes in policy that may affect plant operation or bear on the operating license.
8. Information on the Standard Review Plan (STP).
9. Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which fall in category R).
10. Correspondence relating to NRC's Systematic Evaluation Program (SEP).
11. Owner's group meeting announcements and reports.
12. Quality assurance information.
13. Environmental matters (technical).
14. Emergency core cooling system documents.
15. Radioactive waste information.
16. Correspondence regarding expansion of spent fuel storage pool.
17. Start-up test reports.
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; not covered by an IE Bulletin.
19. Reports of site visits.

Q. INSPECTION REPORTS; IE BULLETINS, CIRCULARS AND INFORMATION NOTICES; CIVIL PENALTIES AND RELATED CORRESPONDENCE

1. Inspection reports.
2. IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars and Information Notices.
3. Responses by applicant to IE correspondence.
4. Applicant's determination of proprietary nature of inspection reports.
5. Letters concerning areas of noncompliance.
6. Pre-service and in-service inspections and procedures.
7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).
8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in category S.

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial).
2. Periodic environmental monitoring, effluent testing, or similar reports.
3. Periodic personnel exposure reports.
4. Operational Logbooks:
Logbooks on Environmental Data
Logbooks on Radiological Data
Operations Log on Plant Systems Core
Plant Status Summary Sheets.
5. Correspondence or other documents relating to the above listed items.

S. REPORTABLE OCCURRENCES, PNOs, PNSs AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable or nonroutine occurrences or events. This includes:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrence reports and reportable occurrences).
2. Potential or possible reportable deficiency reports and related correspondence.
3. Personnel exposure reports.
4. Construction deficiency reports submitted under 10 CFR 50.55e.
5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs).
6. Environmental Technical Specifications violation reports and Environmental Event reports.
7. Part 21 Reports of defects and noncompliance.
8. Correspondence or other documents relating to items 1-7.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, except for antitrust matters (category N), testimony and briefings, and congressional matters (category U).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.
4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Advisory Committee on Reactor Safeguards (ACRS) meeting transcripts.
8. Corrections to above items.

inquiries are filed in category H.

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Preparatory and backup documents for item 1.
3. Correspondence to and from NRC Office of Congressional Affairs, Congress and the Executive Branch on other than constituent response matters.

V. LICENSING OPERATORS AND RELATED CORRESPONDENCE

1. Operator licenses or administrative information bearing on licensing of operators.
2. NRC examination results.
3. Power plant examination summary sheet.

W. DECOMMISSIONING STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (category P) file for general technical items from the application for termination of the operating license onward.

1. Application for authority to voluntarily surrender license.
2. Application to dismantle the facility and dispose of component parts.
3. Technical documents submitted in support of items 1 and 2, such as: Decommissioning Plan, Dismantling Plan, Environmental Report on Dismantling, Safety Analysis Report on Decommissioning.
4. Documents relating to disposal of radioactive material and decontamination of the site.
5. Other correspondence relating to above items.
6. All documentation relating to the ongoing operation of the plan, formerly filed in category P.

X. ONSITE LOW-LEVEL WASTES STORAGE

This category contains items related to the onsite storage of low-level radioactive wastes generated onsite.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

This category contains documents with an NMSS license and/or a Docket-72 number. For installations on a reactor site, the associated Docket-50 number will also be identified.

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

1. Correspondence and reports to the above.

DEFINITIONS OF NONDOCKETED CATEGORIES

10CFR – Commission Meeting Records

This category contains documentation pertaining to open and closed Commission meetings. It includes:

1. *Sunshine Act Federal Register notices.*
2. *Full, written explanation of closed meetings.*
3. *Certification of General Counsel on closed meetings.*
4. *Commission Determination Statements regarding the public disclosure of transcripts of Commission meetings.*
5. *Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10CFR Part 9, the Sunshine Act, and Commission policies.*
6. *Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.*
7. *Staff requirements memoranda for open meetings; memoranda to record; record of votes of Commissioners on items under consideration at meetings.*

ACRS – Advisory Committee on Reactor Safeguards

This category contains documentation pertaining to the responsibilities of the Advisory Committee on Reactor Safeguards. ACRS serves as an independent advisory committee to the Commission in safety-related areas. The committee provides advice with respect to the hazards of new or existing nuclear facilities and the adequacy of related safety standards. The documents in this category are:

1. *Verbatim transcripts of ACRS subcommittee and full committee meetings relating to facility license applications and safety-related matters.*
2. *ACRS meeting announcements; description of meeting agendas.*
3. *ACRS-generated reports, memoranda and correspondence that are publicly available.*
4. *ACRS consultant reports, comments and related correspondence.*
5. *ACRS and NRC technical correspondence pertaining to safety matters under review by the Advisory Committee on Reactor Safeguards.*

ADVCM – NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees, other than the Advisory Committee on Reactor Safeguards. The documents in this category are:

1. *Charters of each advisory committee.*
2. *Verbatim transcripts of committee meetings.*

4. Committee generated reports, memoranda, and correspondence that are publicly available.
5. Committee related correspondence.

COMMISSION – NRC Commissioners

This category contains documentation pertaining to the daily conduct of Commission business in the Office of the Commissioners, including:

1. Incoming and outgoing correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures.
2. Travel vouchers, telephone logs and official appointment calendars of individual Commissioners.
3. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10CFR category. For all other staff papers with a SECY series designation prepared for Commission review, see SECY category.

CONTRACT – NRC Contracts and Modifications

This category contains documentation pertaining to AEC and NRC contracts and Interagency Agreements, including:

1. Notifications of issuance of request for proposal (RFP) and invitations for bid (IFB).
2. Solicitations (RFP or IFB) issued by the NRC.
3. Notifications of contract execution, specifying contract number, project title, contractor name, contract type, funding, and period of performance.
4. Contractual documents and contract modifications, if any.

DISCLOSURE – Financial Disclosure Information

This category contains financial disclosure information in accordance with the Ethics in Government Act of 1978.

FOIA – Freedom of Information Act Requests and Releases

This category contains requests for agency records and records released in accordance with the provisions of the Freedom of Information Act (FOIA). Documents in this category include:

1. Requests made by any member of the public (assigned an identifying number YY-NNN for last two digits of the year - numerical sequence) for NRC records made in accordance with the provisions of the Freedom of Information Act.
2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request.
3. Records or portions of records released in response to specific requests made under FOIA.

This category contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the Division of Nuclear Reactor Regulation.

1. Draft reports of action plans to accomplish generic tasks in the regulatory program.
2. Correspondence with industry and internal correspondence regarding the methodologies, analyses, and programmatic and technical aspects of issues.
3. Meeting notifications and minutes.
4. Interim findings and status reports on generic tasks addressing related aspects of generic technical issues.

I&E – Inspection and Enforcement

This category contains bulletins, circulars and information notices that are issued by the Office of Inspection and Enforcement. These issuances describe particular events that occur at a facility that may require some follow-up action on the part of licensees. Also included in this category are preliminary notifications of events (PNOs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature.
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of this event.
4. Preliminary Notifications of Events (PNOs), which provide updated information of an event of safety or public interest significance.

NOTE: For letters forwarding the above issuances, utility responses to such issuances, and related correspondence, see Category Q of individual docket categories.

MISC – Public Document Room Miscellaneous

This category contains documents that do not fall into the scope of the other nondocketed categories.

NUREG – NUREG Reports and Related Correspondence

These documents are formal reports issued by the U.S. Nuclear Regulatory Commission which carry the NUREG series code and correspondence pertaining to those reports. NUREG reports are accounts of work performed either by the NRC staff or by NRC contractors.

1. These reports are normally final work products and are characterized by the following criteria:
 - a. They are predecisional documents which present information to be considered in Commission licensing and policy decisions.
 - b. They present the results of Commission licensing and policy decisions.
 - c. They present the results of technical research conducted for the Commission.
2. Correspondence from industry, government and interested members of the public commenting on reports or requesting clarification or interpretation.
3. Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the reports.

This category contains correspondence with professional organizations and associations; records other than Regulatory Guides that pertain to the activities of NRC's Office of Standards Development; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue. Included are:

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Standards Development and other government agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.
3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Standards Development.
4. Statements, motions, orders and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and re-analysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For Regulatory Guides and comments to Regulatory Guides issued by the NRC Office of Standards Development, see the REGGD category.

For petitions for rule makings filed by the public to amend, rescind or change an NRC regulation, see the PRM category.

PR – Proposed Rule

This category contains records dealing with NRC staff proposals to adopt, amend or repeal a Commission regulation. Proposed Rules (PRs) are normally the result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person. The documents in this category are:

1. Federal Register notices stating the terms or substance of the proposed rule or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Comments, statements, information, opinions or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.
4. Requests from the nuclear industry, organizations and other parties for written interpretations of the PR.

PRM – Petition for Rulemaking

This category contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation. Included are:

1. Petitions filed by any interested person or party to issue, amend or rescind an NRC regulation.
2. Federal Register cause notices of the filing of the petition.

petition.

4. Comments from the nuclear industry, professional associations, public interest groups and others in favor of or in opposition to the PRM.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY category.

For Commission review of staff recommendations, see the 10CFR category.

PROJ -- Projects--Predocket Licensing

This category contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

This category contains all documentation up until the time that the NRC considers the application and the Preliminary Safety Analysis Report (PSAR) is submitted by the utility for staff review. The unit is then assigned a docket number, and transferred to the Docket 50 category.

These documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket 50 series.

A. Application/Construction Stage

1. Application submitted by the utility.
2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the PSAR.
3. Applicant's Quality Assurance Manual.
4. Early site review information.
5. Backup technical documents submitted in support of the application.
6. Early site visits.

B. Utility PSAR and Amendments

1. PSARs submitted by the utility.
2. Amendments and changes to the PSAR.
3. Transmittal letters.
4. Letters acknowledging receipt of the PSAR.

G. Adjudicatory Correspondence

1. Motions, briefs, orders, *et al.* pertaining to pre-hearing conferences, if any.

M. Antitrust Correspondence

1. Submittals and related material pertaining to the antitrust review.

1. Inspection reports of the applicant's quality assurance program.
2. Notices of deviations.
3. Follow-up correspondence resolving deviations cited.

2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other government technical personnel related to test reactors, critical experiments, and DOD reactors on navy ships and other sites.

PT21 – Noncompliance Reports and Related Correspondence

Deficiency reports are performed in compliance with Part 21 of Title 10 of the Code of Federal Regulations and include:

1. Reports by firms involved in the nuclear industry concerning noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.
2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.
3. NRC inspection reports of defects cited.
4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA999 – Quality Assurance Inspections

This category contains inspection reports of vendors' quality assurance programs and follow-up correspondence. Each vendor facility is assigned a docket number and is part of the QA999 series.

Vendors are defined here as companies, both U.S. and foreign, that are engaged in the design or the manufacture of nuclear components for plants licensed by NRC. QA comprises all those planned and systematic actions necessary to provide adequate confidence that a structure, system or component being manufactured will perform satisfactorily once it is put in service. The controlling criteria are 10 CFR Part 50, Appendix B, vendor QA topical reports, and the PSAR and FSAR submitted by utilities for specific facilities. Documents in this category include:

1. NRC inspection reports, conducted on a quarterly or semi-annual basis, of vendor sites. Inspections may cover the design, fabrication, construction and testing of structural systems and components.
2. Notices of deviations.
3. Vendor corrective actions and other follow-up correspondence associated with the resolution of inspection findings.

REGGD – Regulatory Guides

This category contains new and revised regulatory guides issued by the Commission and related correspondence. These guides describe for the industry and the public methods acceptable to the NRC

by the staff in evaluating specific problems or postulated accidents, or provide guidance to applicants. Included are:

1. Federal Register notices announcing the issuance and availability of a proposed regulatory guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment and industry codes, when applicable, that pertain to the issuance of a specific Regulatory Guide.
4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.
5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Standards Development, see the Organization category.

RES – Research and Technical Assistance Reports

This category contains reports, generally of an interim nature, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission. Included are:

1. Project description documents.
2. Letter reports of accomplishments and data reports; for example,
 - a. model documentation reports
 - b. code documentation reports
 - c. code verification reports
3. Pre-test prediction reports.
4. "Quick look" reports.
5. Informal experimental data reports and post-irradiation examination analyses.
6. Conceptual design descriptions.
7. Letter reports of foreign travel and site visits by contractors.
8. Letter, monthly, quarterly, interim or annual status or progress reports on other research projects contracted for by the NRC.
9. Meeting summaries and correspondence dealing with technical matters relating to research and technical assistance contracts.
10. Staff Research Information Letters (RILs) transmitting the documented results from completed research programs.

NOTE: For final reports of research conducted by contractors, see also NUREG reports.

REVIEW GRP – NRC Research Review Groups

This category contains records pertaining to the activities of NRC Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in

major experiments, the validity and applicability of research results, the possible extension of research projects, new research projects, and priorities within the technical areas covered by the research review group. Documents in this category are:

1. Agendas for quarterly review group meetings.
2. Summary minutes of review group meetings representing views expressed, including dissenting views.
3. Research plans and predicted results of major experiments; presentations by research contractors.
4. Comments on meetings from attendees, including representatives from contractors, universities, vendors and other agencies.
5. Internal memoranda relating to topics under discussion.

RM – Rulemakings

This category contains records pertaining to public hearings held on proposed changes (PRs) to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration. Documents in this category include:

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of hearing board meetings.
3. Petitions, motions, testimony and statements submitted by parties to the hearings.
4. Hearing board orders and rulings.
5. Technical reports submitted as evidence in the proceeding.
6. Reports, if any, of the special board to the Commission regarding a rulemaking proceeding.

SECY – Position Papers Before the Commission

This category consists of staff papers prepared for the information or approval of the Commissioners which are assigned a SECY report series code. Included are:

1. Commission Action papers, which normally include alternatives and recommendations by the staff on a given issue and require Commission action.
2. Consent Calendar items and Policy Session items.

NOTE: For Weekly Information Reports prepared by EDO to the Commissioners providing a summary of key events and items of interest undertaken by staff and program offices, see the NRC Commissioners category.

STATE PROG – State Programs

Contains records that pertain to the Commission's activities and interaction with State areas covered include: (1) the State Agreements Program, whereby States may assume NRC's regulatory authority over nuclear materials; (2) the Agency's role in assisting

- of liaison and cooperative activities regarding such functions as licensing and siting. It includes:
1. Correspondence between and among NRC Office of State Programs and State officials, mostly State liaison officers, regarding:
 - a. cooperative programs in such technical areas as radiation control, emergency response planning to radiological incidents, water quality and transportation surveillance
 - b. technical assistance to Agreement States in reviewing applications, compliance activities, developing regulations, and other areas.
 2. Agendas, reports and transcripts of regional workshops and training programs on current matters of policy and regulations; i.e. decommissioning and facility siting
 3. State Legislative Reports.
 4. Agreement State Licensing Statistics Reports.

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects category.

TOPREP – Vendor Reports and Related Correspondence

This category contains topical reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. General vendor related correspondence that is not docket specific is also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing and safety submitted by architect, engineers and other vendors.
2. Revisions, modifications and amendments to topical reports.
3. Correspondence between NRC and vendors pertaining to the review of submittals
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies and design criteria.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the Docket 50 series

WASTE MGT – Nuclear Waste Management

This category is topical in nature and contains records dealing with the activities of the NRC Division of Waste Management. Each topic has been assigned a number, with the series designated by a WM prefix. These documents deal primarily with NRC's interaction with DOE and its future role in licensing and regulating DOE facilities designed for the disposal of high-level waste in geologic repositories. This category will be enlarged later to include records dealing with low-level waste issues and tasks. The documents in this category are:

1. Meeting agenda and minutes of DOE/NRC meetings in which DOE presents information on their geological exploration program to identify sites for nuclear waste repositories
2. Briefings by DOE on research being conducted on spent fuel storage and nuclear waste management.

3. Correspondence pertaining to NRC's advisory role in providing DOE with technical assistance in the Waste Isolation Pilot Plan (WIPP) for burial of defense wastes.
4. NRC draft staff guides for developing positions on the content and format of environmental reports for geological repositories.

WASTE RES — Waste Management Research Reports

Contains interim and final reports, and correspondence submitted to NRC by its contractors doing research on topics related to the storage of high-level radioactive waste.

1. Periodic progress reports on the status of research.
2. Trip reports of travel by NRC and contractor personnel.
3. Draft, partial or related reports submitted for NRC review or information.
4. Correspondence between NRC staff and contractors relating to technical questions or issues to be resolved.

XPORTLIC — Export and Import Licenses

This category contains records relating to the issuance of licenses to export or import nuclear facilities and materials. Included are:

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components or reactor materials.
2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.
3. Commission letters requesting Executive Branch views.
4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to U.S. common defense and security.
5. Correspondence from foreign governments, international organizations, and members of the public.
6. Staff position papers (SECY series code) prepared for Commissioners review of import or export licenses.
7. Filings pursuant to hearing requests or intervention petitions, if any.
8. Hearing records and decisions.
9. Memoranda from the Office of the Secretary to the Executive Director for Operations regarding the Commission decision on issuance of a proposed license.
10. Licenses, license amendments and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see 10CFR category.

BIBLIOGRAPHIC DATA SHEET

NUREG-0540

Vol. 10, No. 1

SEE INSTRUCTIONS ON THE REVERSE

2 TITLE AND SUBTITLE

Title List of Documents Made Publicly Available
January 1-31, 1988

5 AUTHOR(S)

7 PERFORMING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code)

Division of Publications Services
Office of Administration and Resources Management
U.S. Nuclear Regulatory Commission
Washington, DC 20555

10 SPONSORING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code)

Same as 7, above.

12 SUPPLEMENTARY NOTES

13 ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference to Principal Documents.

3 LEAVE BLANK

4 DATE REPORT COMPLETED

MONTH

YEAR

6 DATE REPORT ISSUED

MONTH

YEAR

March

1988

8 PROJECT/TASK/WORK UNIT NUMBER

9 PIN OR GRANT NUMBER

11a TYPE OF REPORT

Monthly

b PERIOD COVERED (Inclusive dates)

January 1-31, 1988

14 DOCUMENT ANALYSIS - a KEYWORDS/DESCRIPTORS

title list

15 AVAILABILITY

b. IDENTIFIERS/OPEN-ENDED TERMS